

Updated 19.02.2025

## CATALOGUE OF PALAEARCTIC CHRYSOMELOIDEA (Vesperidae, Disteniidae, Cerambycidae)

M. L. Danilevsky

The current version is based on the publication of the Palaeartic Chrysomeloidea Catalogue: Danilevsky M. L. 2020 (ed.). Catalogue of Palaeartic Coleoptera, vol. 6 (1), Chrysomeloidea I (Vesperidae, Disteniidae, Cerambycidae). Revised and updated edition. Leiden / Boston: Brill, i-xxii, 1-712. **All editions and corrections are marked with red.**

South of European Russia includes Orenburg, Saratov, Voronezh and Kursk regions.

Centr of European Russia includes Samara, Penza, Tambov, Lipetsk, Orel and Bryansk, as well as Kirov, Kostroma, Yaroslavl, Tver, Novgorod, Pskov and Kaliningrad regions.

North of European Russia includes Komi, Vologda and Leningrad regions.

I am very grateful to G. Tavakilian for many very important corrections!

The geographical data of the list are consistent with other my lists by Nikolay Anisimov (Blagoveshchensk).

Any comments are welcome to [danilevsky@cerambycidae.net](mailto:danilevsky@cerambycidae.net)

superfamily **CHRYSOMELOIDEA**  
family **VESPERIDAE** Mulsant, 1839  
subfamily **Vesperinae** Mulsant, 1839  
tribe **Vesperini** Mulsant, 1839

**genus *Vesperus* Dejean, 1821: 111** type species *Stenocorus strepens* Fabricius, 1793

*abeli* Verdugo, 2022: 61 **E: SP**

*aragonicus* Baraud, 1964: 38 **E: FR SP**

*barredai* Verdugo, 2009: 22 **E: PT SP**

*bolivari* Oliveira, 1890: 359 **E: PT SP**

*reitteri* Cameron, 1912: 49

*brevicollis* Graells, 1858: 89 **E: PT SP**

*conicicollis conicicollis* Fairmaire, 1866a: 69 **E: SP N: MO**

*conicicollis hispalensis* Fuente, 1901: 44 **E: PT SP**

*baesuriensis* Zuzarte, 1985: 99

*creticus* Ganglbauer, 1886b: 310 **E: GR**

*flaveolus* Mulsant & Rey, 1863: 169 **N: AG TU**

*fuentei* Pic, 1905a: 5 **E: SP**

*rufescens* Pic, 1921a: 4

*semiobscurus* Pic, 1921a: 4

*gomezi* Verdugo, 2004: 67 **E: SP**

*jertensis* Bercedo & Bahillo de la Puebla, 1999: 150 **E: SP**

*joanivivesi* Vives, 1998: 186 **E: SP**

*lucasi* Barreda & Mejías García, 2013: 82 **E: SP**

*luridus* Rossi, 1794: 96 (*Stenocorus*) **E: CR FR IT ME**

*graecus* Guérin-Méneville, 1833a: pl. 46

*solieri* Germar, 1836: 20

*macropterus* Sama, 1999a: 42 **E: IT (Sardegna)**

*nigellus* Comte Sart, 1963: 183 **E: SP**

*ocularis* Mulsant & Rey, 1863: 172 **A: TR**

*sanzi* Reitter, 1895b: 132 **E: PT SP**

*saquranus* López, Baena, & Castro, 2020: 482 **E: SP**

*serranoi* Zuzarte, 1985: 97 **E: PT**

*strepens* Fabricius, 1793: 297 (*Stenocorus*) **E: FR IT**

*ligusticus* Vitali, 2001: 149

*litigiosus* Mulsant, 1862: 443

*xatarti* Dufour, 1839: 219 **E: FR SP**

#362

#463

*amori* Mendizábal, 1939: 70

subfamily **Philinae** J. Thomson, 1861

tribe **Philini** J. Thomson, 1861

**genus *Heterophilus* Pu, 1988: 302** type species *Heterophilus scabricollis* Pu, 1988

*dentitibialis* Chiang, B. Chen & Zhang, 1996: 110, 112 A: XIZ

*punctulatus* Chiang, B. Chen & Zhang, 1996: 109, 111 A: XIZ

*scabricollis* Pu, 1988: 294, 303 A: XIZ

**genus *Mantitheus* Fairmaire, 1889c: lxxxix** type species *Mantitheus pekinensis* Fairmaire, 1889

*Paraphilus* Gahan, 1893a: 255 type species *Paraphilus duplex* Gahan, 1893

*acuminatus* Pic, 1946d: 155 A: CH

*murzini* Vives, 2005a: 244 A: SCH

*pekinensis* Fairmaire, 1889c: xc A: BEI FUJ GUA GUX HEB HEI HEN JIA MG NMO SHA SHN SHX

*duplex* Gahan, 1893a: 255 (*Paraphilus*)

*gracilis* Pic, 1924b: 79

*taiguensis* Wu & Jiang, 2000: 87 A: SHX

**genus *Philus* Saunders, 1853: 110** type species *Philus inconspicuus* Saunders, 1853 (= *Stenochorus antennatus* Gyllenhal, 1817)

*antennatus* Gyllenhal, 1817: 180 (*Stenochorus*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SHA SHN TAI

ZHE **ORR**

*inconspicuus* Saunders, 1853: 110

*stuposus* Gyllenhal, 1817: 180 (*Stenochorus*)

*curticollis* Pic, 1930a: 15 A: CE SE SHA SW **ORR**

*pallescens pallescens* Bates, 1866a: 350 A: FUJ GUA GUI GUX HEN HKG HUN JIX SCH SHA TAI ZHE **ORR #526**

*cantonensis* Pic, 1930a: 14

*pallescens tristis* Gressitt, 1940b: 25 A: HAI

**genus *Spiniphilus* Lin & Bi, 2011: 54** type species *Spiniphilus spinicornis* Lin & Bi, 2011

*spinicornis* Lin & Bi, 2011: 55 A: YUN

*xiaodongi* Bi & Lin, 2015: 576 A: YUN

family **DISTENIIDAE** J. Thomson, 1861

subfamily **Disteniinae** J. Thomson, 1861

tribe **Cyrtonopini** Gressitt, 1940

**genus *Cyrtonops* White, 1853a: 32** type species *Cyrtonops punctipennis* White, 1853

*Cladopalpus* Lansberge, 1886: 35 type species *Cladopalpus hageni* Lansberge, 1886

*asahinai* Mitono, 1947a: 77 A: TAI

**#400 #526**

*caliginosus* Holzschuh, 2016c: 106 A: SHA

*niger* Gahan, 1906a: 60 A: XIZ "North India" "Himalaya" **ORR**

**#400**

*punctipennis* White, 1853a: 33 A: GUA NP YUN XIZ "Himalaya" **ORR**

**#399 #400**

*hageni* Lansberge, 1886: 36 (*Cladopalpus*)

*simplicipes* Holzschuh, 1991c: 6 A: UP

*wuzhishanensis* Z. Wang, 2014: 14, 1123 A: HAI

tribe **Disteniini** J. Thomson, 1861

**genus *Clytomelegena* Pic, 1928: 11** type species *Clytomelegena postaurata* Pic, 1928

*Noeconia* Murzin, 1988: 161 type-species *Noeconia kabakovi* Murzin, 1988

*kabakovi* Murzin, 1988: 162 (*Noeconia*) A: GUX **ORR**

**genus *Distenia* Lepeletier & Audinet-Serville, 1828: 485** type species *Distenia columbina* Lepeletier & Audinet-Serville, 1828

*Apheles* Blessig, 1872: 165 type species *Apheles gracilis* Blessig, 1872

*Basisvallis* Santos-Silva & Hovore, 2007: 23 type species: *Distenia agroides* Bates, 1870

*Sakuntala* Lameere, 1890: ccxiii type species *Sakuntala kalidasae* Lameere, 1890

*Thelxiope* J. Thomson, 1864: 226 [HN] type species *Thelxiope viridicyanea* J. Thomson, 1864

*Thomsonistenia* Santos-Silva & Hovore, 2007: 3 [RN] type species: *Thelxiope viridicyanea* J. Thomson, 1864

**subgenus *Distenia* Lepeletier & Audinet-Serville, 1828: 485** type species *Distenia columbina* Lepeletier & Audinet-Serville, 1828

*ampliata* Pu, 1985c: 429 A: ANH

*dissimilis* Chiang & Wu, 1987: 19 A: SCH

*formosana* Mitono, 1936: 420 A: TAI

*gracilis* Blessig, 1872: 168 (*Apheles*) A: FE HEI JIL LIA NC SC

*japonica japonica* Bates, 1873: 155 A: FE (Kurils) JA

*japonica yakushimana* Yokoyama, 1966: 54 A: JA

*kalidasae* Lameere, 1890: ccxiv (*Sakuntala*) A: SD UP **ORR**

*mellina* Holzschuh, 1995: 5 A: YUN

*nigrosparva* Pic, 1914d: 17 A: GUI SCH YUN #400  
*notabilis* Chiang & Wu, 1987: 17 A: XIZ  
*orientalis* Bi & Lin, 2013: 84 A: FUJ GUA JIX SHA SHX ZHE #400  
*perforans* Holzschuh, 1995: 6 A: YUN  
*picea* Chiang & Wu, 1987: 22 A: SCH  
*pici* Villiers, 1958: 264 A: SD #343  
*punctulatoides* Hubweber, 2010: 61 A: SHA  
*punctulata* Chiang & Wu, 1987: 18 [HN]  
*rufobrunnea* Holzschuh, 1995: 6 A: SCH  
*shennongjiaensis* Pu, 1985c: 427 A: HUB  
*stenola* Chiang & Wu, 1987: 21 A: YUN  
*tricostata* Chiang & Wu, 1987: 20 A: SCH  
*tuberosa* Pu, 1985c: 427 A: SCH  
*wolongensis* Chiang & Wu, 1987: 20 A: SCH

**genus *Melegena* Pascoe, 1869a: 656** type species *Melegena pubipennis* Pascoe, 1869  
*fulva* Pu, 1990: 234 A: FUJ GUA GUX #400

**genus *Nericonia* Pascoe, 1869a: 657** type species *Nericonia trifasciata* Pascoe, 1869  
*nigra* Gahan, 1894a: 30 A: YUN **ORR**

**genus *Noemia* Pascoe, 1857b: 111** type species *Noemia flavicornis* Pascoe, 1857  
*Nethinius* Fairmaire, 1889b: xciv type species *Nethinius sanguinicollis* Fairmaire, 1889  
*incompta* Gressitt, 1935c: 181 A: TAI **ORR**  
*semirufa* Villiers, 1958: 268 A: HAI HKG **ORR** #400  
*submetallica* Gressitt, 1940b: 29 A: 29 HAI YUN **ORR** #400

**genus *Tengius* Matsushita, 1938: 204** type species *Tengius okuboi* Matsushita, 1938  
*ohkuboi kurosawai* Makihara, 1986c: 275 A: JA #276  
*ohkuboi ohkuboi* Matsushita, 1938: 105 A: JA #276

**genus *Thaigena* Holzschuh, 2011: 250** type species *Thaigena obscurella* Holzschuh, 2011  
*obscurella* Holzschuh, 2011: 251 A: YUN **ORR**

**genus *Typodryas* J. Thomson, 1864: 227** type species *Typodryas callichromoides* J. Thomson, 1864  
*Psalanta* Pascoe, 1869a: 658 type species *Psalanta chalybeata* Pascoe, 1869  
*brunnicollis* Chiang & Wu, 1987: 23 A: GUX  
*callichromoides* J. Thomson, 1864: 227 A: HAI **ORR**

#### tribe Dynamostini Lacordaire, 1868

**genus *Dynamostes* Pascoe, 1857b: 90** type species *Dynamostes audax* White, 1853  
*audax* Pascoe, 1857b: 90 A: NP SD YUN **ORR** #400

#### family CERAMBYCIDAE Latreille, 1802

##### subfamily Parandrinae Blanchard, 1845

##### tribe Parandrini Blanchard, 1845

**genus *Archandra* Lameere, 1912a: 114** type species *Parandra caspia* Ménétré, 1832 #519  
*caspia* Ménétré, 1832: 225 (*Parandra*) A: AB IN #96

**genus *Komiyandra* Santos-Silva, Heffern & Matsuda, 2010: 7** type species *Parandra janus* Bates, 1875  
*formosana* Miwa & Mitono, 1939: 92 (*Parandra*) A: TAI #401 #526  
*lanyuana* Hayashi, 1981b: 27 (*Parandra*) A: TAI (Lanyu Is.)  
*shibatai hidai* Fujita, 2018: 20 A: JA (Ryukyus: Amami Is., Tokuno-shima Is.)  
*shibatai ogurai* Fujita, 2018: 20 A: JA (Ryukyus: Okinawa Is., Okinawa-honto Is.)  
*shibatai shibatai* Hayashi, 1963a: 50 (*Parandra*) A: JA (Ryukyus: Amami-Oshima Is.)  
*uenoi* Santos-Silva, Heffern & Matsuda, 2010: 11-12, 36 A: JA (Ryukyus: Iriomote-jima Is. & Ishigaki-jima Is.)

**genus *Neandra* Lameere, 1912a: 114** type species *Tenebrio brunneus* Fabricius, 1798 #519  
*brunnea* Fabricius, 1798: 49 (*Tenebrio*) Ei: ?GB GE NAR #456 #498  
*conformis* J. Thomson, 1867b: 115 (*Parandra*)  
*dentata* J. Thomson, 1867b: 115 (*Parandra*)  
*minuta* J. Thomson, 1867b: 116 (*Parandra*)  
*purpurea* Herbst, 1799: 21 (*Tenebrio*)  
*quadricollis* J. Thomson, 1867b: 114 (*Parandra*)  
*sayi* J. Thomson, 1867b: 114 (*Parandra*)

subfamily **Prioninae** Latreille, 1802  
tribe **Acanthophorini** J. Thomson, 1864

**genus Anthracocentrus** Quentin & Villiers, 1983: 82 type species *Tithoes arabicus* J. Thomson, 1877  
*arabicus* J. Thomson, 1877: 266 (*Tithoes*) N: AG EG LB MO A: AE BA IS JO OM SA SI YE **AFR**  
*rugosiceps* Pic, 1925g: 404 (*Notophysis*)  
*vicarius* Lameere, 1912a: 173 (*Acanthophorus*)  
*modicus* Gahan, 1894b: 222 (*Acanthophorus*) A: PA (Punjab)  
*rugiceps* Gahan, 1894b: 223 (*Acanthophorus*) A: IN PA **ORR**  
*hardei* Heyrovský, 1959: 2 (*Acanthophorus*)

**genus Tithoes** J. Thomson, 1864: 289 type species *Prionus maculatus* Fabricius, 1793  
*confinis* Laporte, 1840: 395 (*Acanthophorus*) N: EG A: SA YE **AFR**  
*crassipes* Quedenfeldt, 1882: 320 (*Tithoes*)  
*falcatus* Kolbe, 1897: 350 (*Tithoes*)  
*gnatho* Kolbe, 1897: 351 (*Tithoes*)  
*gularis* Kolbe, 1897: 350 (*Tithoes*)  
*intermedius* J. Thomson, 1877: 266 (*Tithoes*)  
*longicornis* Kolbe, 1897: 351 (*Tithoes*)  
*mandibularis* J. Thomson, 1877: 265 (*Tithoes*)

tribe **Aegosomatini** J. Thomson, 1861

**genus Aegolipton** Gressitt, 1940b: 22 type species *Cerambyx marginalis* Fabricius, 1775  
*marginale* Fabricius, 1775: 169 (*Cerambyx*) A: ANH AP FUJ GUA GUI GUX HAI HKG HUN JIA JIX SCH TIA YUN **ORR**  
#123 #280

*javanicum* L. Redtenbacher, 1868: 202 (*Aegosoma*)  
*yunnanense* Feng & L. Chen, 2007: 718  
*meiyingae* Drumont & Bi, 2015a: 207 A: HAI  
*sauteri* Lameere, 1913: 175 (*Megopis*) A: TAI

#123

**genus Aegosoma** Audinet-Serville, 1832: 162 type species *Cerambyx scabricornis* Scopoli, 1763  
*dorei* Drumont, Gouverneur, Tavakilian & Collard, 2018: 42 A: YUN **ORR**  
*drumontii* Ripaille, 2020: 36 A: XIZ  
*fuliginosum* Drumont, Ripaille & Collard, 2019: 89 A: YUN **ORR**  
*fulvum* Ripaille & Drumont, 2020: 79 A: FUJ GUA JIX  
*george* Do, 2015: 233, 235 A: YUN **ORR**  
*guerryi* Lameere, 1916a: 324 (*Megopis*) A: GUX SCH YUN  
*hainanense hainanense* Gahan, 1900d: 347 A: FUJ GUA GUX HAI JIA SCH TAI YUN **ORR**  
*mushense* Kano, 1933a: 259 (*Megopis*)

#519

#247

#123

*ivanovi* Danilevsky, 2011g: 2 A: FE

*katsurai* Komiya, 2000: 419 (*Megopis*) A: AP GUX SCH XIZ YUN **ORR**

#123 #280 #400 #520

*ornaticolle* White, 1853a: 30 A: AP BT FUJ GAN GUA GUI HAI HUB NP SCH SD SHA SHN TAI XIZ YUN **ORR** #123 #280

*pseudornaticolle* Ripaille & Drumont, 2017: 99 A: SCH

*ripilliei* Koshkin & Drumont, 2023: 593 A: YUN **ORR**

*scabricorne* Scopoli, 1763: 54 (*Cerambyx*) E: AL AU BH BU BY CR CZ FR GB GE GR HU IT **LT** MC MD ME NL RO SB SK SL SP  
ST SZ TR UK A: AB AR GG IN IQ LE SY TR #30 #34

*sinicum adachii* Fujita, 2018: 20 A: JA (Ryukyus: Amami & Okinawa Isls: Honto Is.)

*sinicum savoryi* Kusui, 1973: 119 (*Megopis*) A: JA (Ogasawara Isls.)

*sinicum sinicum* White, 1853a: 30 A: ANH BEI FE FUJ GAN GUA GUI HAI HEB HEI HEN HUB HUN LIA JIA JIL JIX LIA NC

NMO SC SCH SHG SHN SHX TAI TIA XIZ YUN ZHE **ORR**

#60 #123

*amplicolle* Motschulsky, 1854a: 48

*corniculum* Yoshida, 1931: 273 (*Megopis*)

*sinicum validicorne* Gressitt, 1951b: 205 (*Megopis*) A: JA (Ryukyus: Okinawa Isls: Iriomote & Ishigaki Isls)

*ogurai* Takakuwa, 1984: 9 (*Megopis*)

**genus Baralipton** J. Thomson, 1857g: 341 type species *Baralipton maculosum* J. Thomson, 1857

*maculosum* J. Thomson, 1857g: 342 A: AP GUI GUX HAI HUN SD XIZ YUN **ORR**

#123 #280 #520

**genus Dinoprionus** Bates, 1875: 49 type species *Dinoprionus cephalotes* Bates, 1875

*cephalotes* Bates, 1875: 50 A: AP SD XIZ YUN **ORR**

#116 #520

**genus Megobaralipton** Lepsme & Breuning, 1952: 140 type species *Aegosoma bicoloripes* Ritsema, 1881d

*mandibulare choui* Komiya & Drumont, 2014: 196 A: FUJ (Xiamen & Kinmen Isls)

*mandibulare mandibulare* Fairmaire, 1900: 637 (*Aegosoma*) A: FUJ TAI

#400

**genus Metaeosoma** Komiya & Drumont, 2012b: 182 type species *Megopis pici* Lameere, 1915

*pici* Lameere, 1915b: 179 (*Megopis*) A: GUI YUN

**genus *Nepiodes* Pascoe, 1867c: 410** type species *Nepiodes cognatus* Pascoe, 1867

*bowringi* Gahan, 1894b: 226 (*Aegosoma*) A: AP NP PA SD **ORR**

*costipennis costipennis* White, 1853a: 28 (*Megopis*) A: AP SCH SD XIZ YUN "Himalaya" **ORR** #280 #520

*lacertosus* Pascoe, 1867c: 413 (*Aegosoma*)

*costipennis multincaratus* Fuchs, 1966: 19 (*Megopis*) A: AP FUJ GUA GUI GUX HAI SCH YUN ZHE **ORR** #123 #280 #520

*sulcipennis* White, 1853a: 31 (*Aegosoma*) A: FUJ NP TAI YUN "North India" **ORR** #122 #123

*lineatus* Hüdepohl, 1994: 186 (*Megopis*)

**genus *Palaeomegopis* Boppe, 1911a: 29** type species *Palaeomegopis lameerei* Boppe, 1911

*Steinkea* Hüdepohl, 1993: 321 type species *Steinkea lehmanni* Hüdepohl, 1993 (= *Palaeomegopis lameerei* Boppe, 1911)

*komyiai* Drumont, 2006b: 282 A: YUN

*lameerei* Boppe, 1911a: 30 A: GUX SD XIZ YUN **ORR**

*lehmanni* Hüdepohl, 1993: 322 (*Steinkea*)

**genus *Rhineimegopis* Komiya & Drumont, 2001: 392** type species *Eurypoda cordieri* Lameere, 1916

*cordieri* Lameere, 1916b: 234 (*Eurypoda*) A: HAI **ORR**

**genus *Spinimegopis* K. Ohbayashi, 1963: 7** type species *Megopis nipponica* Matsushita, 1935

*buckleyi* Gahan, 1894b: 227 (*Aegosoma*) A: AP HP NP UP

*curticornis* Komiya & Drumont, 2007: 374 A: GUA

*delahayei* Komiya & Drumont, 2007: 358 A: AP YUN **ORR**

*formosana formosana* Matsushita, 1933a: 163 (*Megopis*) A: GAN GUI GUX TAI #123 #400

*formosana lanhsuensis* Hayashi, 1974a: 2 (*Megopis*) A: TAI (Lanyu Is.)

*fujitai* Komiya & Drumont, 2007: 357 A: GUI GUX HUB YUN **ORR** #123

*guangxiensis* Feng & Chen, 2009: 38 (*Megopis*) A: GUX

*huai* Komiya & Drumont, 2007: 373 A: FUJ HUB SCH SHA

*ishigakiana* Yoshinaga & Nakayama, 1972: 19 (*Megopis*) A: JA (Ryukyus)

*lividipennis* Lameere, 1920: 142 (*Megopis*) A: GUX SCH YUN **ORR** #123

*nepalensis* Hayashi, 1979: 83 (*Megopis*) A: BT NP SD XIZ YUN #123

*nipponica hachijoana* Fujita, 1980: 11 (*Megopis*) A: JA (Tokara Isls., Izu Isls.) #276

*nipponica kawazoei* Hayashi, 1961b: 36 (*Megopis*) A: JA (Ryukyus) #276

*nipponica nipponica* Matsushita, 1935: 538 (*Megopis*) A: JA

*nipponica okinawana* Fujita, 1980: 5 (*Megopis*) A: JA (Ryukyus) #276

*nipponica yakushimana* Fujita, 1980: 4 (*Megopis*) A: JA

*perroti* Fuchs, 1966: 17 (*Megopis*) A: YUN **ORR**

*piliventris antennalis* Fuchs, 1966: 18 (*Megopis*) A: XIZ YUN **ORR**

*piliventris piliventris* Gressitt, 1950: 135 (*Megopis*) A: YUN **ORR** #173

*tibialis* White, 1853a: 32 (*Aegosoma*) A: AP BT HP NP SCH SD XIZ YUN ?ZHE **ORR** #123 #280 #400

### tribe Anacolini J. Thomson, 1857

**genus *Casiphia* Fairmaire, 1894a: 223** type species *Casiphia thibeticola* Fairmaire, 1894

**subgenus *Casiphia* Fairmaire, 1894a: 223** type species *Casiphia thibeticola* Fairmaire, 1894

*Casiphoprionus* Pic, 1916c: 2 type species *Casiphoprionus limbatus* Pic, 1916 (= *Casiphia thibeticola* Fairmaire, 1894)

*himalayaensis* J.-K. Li & Zhang, 2013: 53 A: NP

*inopinata* Hüdepohl, 1998: 210 A: GUX YUN **ORR** #123

*thibeticola* Fairmaire, 1894a: 223 A: SCH XIZ YUN **ORR**

*limbatus* Pic, 1916c: 2 (*Casiphoprionus*)

**subgenus *Flabelloprionus* Heyrovský, 1933: 133** type species *Flabelloprionus szechuanus* Heyrovský, 1933

*szechuana* Heyrovský, 1933: 134 (*Flabelloprionus*) A: SCH YUN #123

*yunnana* Drumont & Komiya, 2002: 31 A: SCH YUN

**genus *Drumontiana* Danilevsky, 2001d: 228** type species *Casiphia lacordairei* Semenov, 1927

*amplipennis* Gressitt, 1939b: 82 (*Psephactus*) A: ZHE

*francottei* Komiya & Niisato, 2007: 562 A: YUN

*lacordairei* Semenov, 1927: 237 (*Casiphia*) A: XIZ YUN **ORR** #400

*zhilini* Wang Y.-Q., Wang P., Xie G.-L. & Wang W.-K. 2024: 726 A: GUX

**genus *Hystatoderes* Lameere, 1917: 146** type species *Hystatoderes vitalisi* Lameere, 1917 (= *Emphiesmenus weissii* Lameere, 1915)

*weissii* Lameere, 1915a: 56 (*Emphiesmenus*) A: HUN **ORR** #400

*vitalisi* Lameere, 1917: 147 (*Hystatoderes*)

**genus *Pedoprionus* Komiya, 2021: 1** type species *Pedoprionus uenoi* Komiya, 2021

*uenoi* Komiya, 2021: 1 A: AP

#604



**genus *Psephactus* Harold, 1879a: 367** type species *Psephactus remiger* Harold, 1879  
*remiger insularis* Hayashi, 1961b: 37 A: JA (Ryukyus)  
*remiger remiger* Harold, 1879a: 368 A: JA SC #400 #526  
*scabripennis chichijimensis* Kusama, 1973: 119 A: JA (Ogasawara Isls.)  
*scabripennis scabripennis* Kusama, 1973: 118 A: JA (Ogasawara Isls.)  
*taiwanus* Kano, 1933a: 260 A: TAI

**genus *Sarmyds* Pascoe, 1867c: 410** type species *Sarmyds antennatus* Pascoe, 1867  
*antennatus* Pascoe, 1867c: 410 A: ?FUJ ?GUA ?GUX ?HAI ?HUN ?JIA ?SHA ?YUN ORR #519  
*bagh* Majumder, Drumont, Bouyer & Chandra, 2020: 544 A: AP BT NP SD UP XIZ ORR  
*cheni* Drumont & Bi, 2014: 268 A: XIZ  
*dulongensis* Bi & Drumont, 2017: 125 A: YUN  
*fujishiroi* Drumont, 2006a: 220 A: GUX SCH YUN ORR  
*trichodes* Feng & L. Chen, 2006: 610  
*lii* Drumont & Ripaille, 2019: 159 A: TAI #520  
*loebli* Drumont & Weigel, 2010: 67 A: YUN ORR #381  
*panda* Drumont & Bi, 2017: 128 A: YUN  
*subcoriaceus* Hope, 1831: 27 (*Prionus*) A: HP NP UP XIZ YUN #123 #248

**genus *Viettropis* Komiya, 1997: 39** type species *Viettropis viridis* Komiya, 1997  
*cheni* Drumont, Bi & Ripaille, 2019: 4 A: GUX  
*viridis* Komiya, 1997: 40 A: XIZ YUN ORR

#### tribe Callipogonini J. Thomson, 1861

**genus *Callipogon* Audinet-Serville, 1832: 140** type species *Prionus barbatus* Fabricius, 1781  
**subgenus *Eoxenus* Semenov, 1899c: 570** type species *Callipogon relictus* Semenov, 1899  
*relictus* Semenov, 1899c: 563 A: FE GAN HEB HEI JIL LIA NC NMO SC SHA SHX TIA #123

#### tribe Cantharocnemini J. Thomson, 1861

**genus *Cantharocnemis* Audinet-Serville, 1832: 132** type species *Cantharocnemis spondyloides* Audinet-Serville, 1832  
**subgenus *Cantharocnemis* Audinet-Serville, 1832: 132** type species *Cantharocnemis spondyloides* Audinet-Serville, 1832  
*Aceme* Gistel, 1848a: 129 [unnecessary substitute name]  
*Cantharofaedus* Gilmour, 1956a: 219 type species *Cantharocnemis migsi* Gilmour, 1956 (= *Cantharocnemis spondyloides* Audinet-Serville, 1832)  
*Hoploscelis* Audinet-Serville, 1832: 169 type species *Hoploscelis lucanoides* Audinet-Serville, 1832 (= *Cantharocnemis spondyloides* Audinet-Serville, 1832)  
*spondyloides* Audinet-Serville, 1832: 132 N: EG MO (Western Sahara) A: OM SA YE AFR  
*arabicus* Fuchs, 1969: 381  
*gahani* Lameere, 1902: 312  
*grandidieri* Lameere, 1912a: 124  
*latibula* Fairmaire, 1882b: 94  
*lucanoides* Audinet-Serville, 1832: 170 (*Hoploscelis*)  
*migsi* Gilmour, 1956a: 219  
*modestus* Fairmaire, 1897b: 150  
*obockianus* Fairmaire, 1890: 549  
*variolosus* Fairmaire, 1882a: liv  
**subgenus *Cantharoprion* Lameere, 1902: 314** type species *Cantharocnemis livingstonii* Westwood, 1866  
*downesii* Pascoe, 1858: 236 A: HP NP ORR #366  
**subgenus *Paracantharocnemis* Plavilstshikov, 1933e: 114** type species *Cantharocnemis strandi* Plavilstshikov, 1933  
*strandii* Plavilstshikov, 1933e: 113 A: SA YE

**genus *Cantharoctenus* Westwood, 1866: 134** type species *Cantharocnemis burchellii* Westwood, 1866  
*filippovi* Plavilstshikov, 1933h: 263 (*Cantharocnemis*) A: SA YE #774

#### tribe Ergatini Fairmaire, 1864

**genus *Callergates* Lameere, 1904: 47** type species *Ergates gaillardoti* Chevrolat, 1854  
*gaillardoti* Chevrolat, 1854: 481 (*Ergates*) E: GR (Rodod, Samos, Lesbos) N: EGi A: CY LE SY TR #383  
*akbesianus* Pic, 1900n: 81 (*Ergates*)

**genus *Ergates* Audinet-Serville, 1832: 143** type species *Prionus serrarius* Panzer, 1793 (= *Cerambyx faber* Linnaeus, 1760)  
*Caratambyx* Gistel, 1856: 375 type species *Cerambyx faber* Linnaeus, 1760  
*faber faber* Linnaeus, 1760: 187 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ FR GBi GE GR HU IT LA LT ME NL PL PT  
SB SK SL SP ST SV SZ TR UK N: MO A: AR ?AB GG IQ SY TR  
*alkani* Demelt, 1968a: 28  
*bulzanensis* Laicharting, 1784: 1 (*Prionus*)  
*crenatus* Fabricius, 1802: 264 (*Prionus*)

*grandiceps* Tournier, 1872: 257  
*obscurus* Olivier, 1795: 26 (*Prionus*)  
*portitor* Schrank, 1781b: 312 (*Cerambyx*)  
*serrarius* Panzer, 1793b: 6 (*Prionus*)  
*faber opifex* Mulsant, 1851a: 122 E: IT (Sicilia, Calabria) N: AG

### tribe Eurypodini Gahan, 1906

**genus Eurypoda Saunders, 1853: 109** type species *Eurypoda antennata* Saunders, 1853  
**subgenus Eurypoda Saunders, 1853: 109** type species *Eurypoda antennata* Saunders, 1853  
*Zarax* Pascoe, 1867c: 410 type species *Zarax eurypodoides* Pascoe, 1867 (= *Eurypoda nigrita* J. Thomson, 1865)  
*antennata* Saunders, 1853: 110 A: ANH GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX QIN SC () SCH SHG TAI TIA YUN  
ZHE #123  
 *davidis* Fairmaire, 1886b: 355  
 *boninensis* Hayashi & Kusama, 1973: 117 A: JA (Ogasawara Isls)  
 *nigrita* J. Thomson, 1865: 577 A: GUI GUX YUN **ORR** #123  
 *eurypodoides* Pascoe, 1867c: 410 (*Zarax*)  
 *unicolor ebiharai* Fujita, 2018: 20 A: JA (Ryukyus: Yaeyama Isls)  
 *unicolor kamakarii* Fujita, 2018: 20 A: JA (Ryukyus: Amami Isls)  
 *unicolor unicolor* Hayashi, 1956d: 11 A: JA SC (Geogesi) #442  
 *tsushimana* K. Ohbayashi, 1963: 7  
**subgenus Neoprion Lacordaire, 1868: 131** type species *Neoprion parandraeformis* Lacordaire, 1868  
 *batesi* Gahan, 1894b: 225 A: FUJ GUA GUI GUX HAI HUB HUN JA JIX SC (Jejudo Is.) SCH QIN YUN ZHE **ORR**  
 *parandraeformis* Lacordaire, 1868: 132 (*Neoprion*) A: QIN YUN **ORR**

### tribe Macrotomini J. Thomson, 1861

#### subtribe Macrotomina J. Thomson, 1861

#520

**genus Anomophysis Quentin & Villiers, 1981: 374** type species *Prionus spinosus* Fabricius, 1787  
 *elliotti* C. O. Waterhouse, 1884b: 379 (*Macrotoma*) A: NP SD YUN **ORR** #400  
 *difformis* Nonfried, 1892c: 377 (*Macrotoma*)  
 *elongata* Quentin & Villiers, 1981: 380 A: XIZ **ORR** #123  
 *hainana* Gressitt, 1940b: 18 (*Macrotoma*) A: GUA GUI GUX HAI HUN YUN **ORR** #123  
 *inscripta* C. O. Waterhouse, 1884b: 380 (*Macrotoma*) A: AF AP KA NP PA UP **ORR** #75 #280 #376 #390  
 *katoi* Gressitt, 1938b: 149 (*Macrotoma*) A: TAI  
 *plagiata* C. O. Waterhouse, 1884b: 381 (*Macrotoma*) A: AF AP HP KA NP PA SD UP **ORR** #280  
 *vidua* Lameere, 1903: 167 (*Macrotoma*)  
 *spinosa* Fabricius, 1787: 130 (*Prionus*) A: ?NP UP **ORR** #85 #520  
**genus Bandar Lameere, 1912a: 144** type species *Prinobius pascoei* Lansberge, 1884  
 *maedai* Komiya 2016: 27 A: AP  
 *pascoei formosae* Gressitt, 1938b: 147 (*Macrotoma*) A: JA (Ryukyus) TAI  
 *obscuribrunnea* Hayashi, 1962c: 2 (*Macrotoma*)  
 *pascoei gressitti* Quentin & Villiers, 1981: 364 A: GUX SCH XIZ YUN  
 *pascoei pascoei* Lansberge, 1884: 144 [RN] (*Prinobius*) A: ANH AP BT FUJ GUA GUI GUX HAI HEB HP HUB HUN JIX LIA NMO  
NP SCH SD SHA UP XIZ YUN ZHE **ORR** #123  
 *fisheri* C. O. Waterhouse, 1884b: 382 (*Macrotoma*)

**genus Macrotoma Audinet-Serville, 1832: 137** [NP] type species *Prionus serripes* Fabricius, 1781

*Dapsilus* Gistel, 1848a: ix [NO] type species *Prionus serripes* Fabricius, 1781  
 *palmata* Fabricius, 1793: 249 (*Prionus*) N: AG EG LB MO A: SA YE **AFR**  
 *boehmi* Reitter, 1903a: 46  
 *brevipes* Kolbe, 1894a: 49  
—  *coelaspis* White, 1853a: 38 #567  
 *humeralis* White, 1853a: 37  
 *rugulosa* Kolbe, 1894a: 49  
 *senegalensis* Olivier, 1795: 22 (*Prionus*)  
 *spinipes* Illiger, 1805: 107 (*Prionus*)  
 *valida* J. Thomson, 1877: 271

**genus Mallodon Lacordaire, 1830: 171** type species *Cerambyx spinibarbis* Linné, 1758 #387 #520  
 *arabicum* Buquet, 1843: 330 A: YE (Suqutra)

**genus Prinobius Mulsant, 1842a: 207** type species *Prinobius myardi* Mulsant, 1842

*Prinobius* Chevrolat, 1854: 482 [unnecessary emendation]  
 *myardi atropos* Chevrolat, 1854: 482 A: CY IS JO LE SY TR  
 *cedri* Marseul, 1856: 48  
 *myardi gaubilii* Chevrolat, 1859b: cxxxv N: AG ?EG LB ?MO TU

*goudotii* Chevrolat, 1859c: cexxx  
*lethifer* Fairmaire, 1859b: cxxxviii  
*myardi myardi* Mulsant, 1842a: 207 [Corse] E: FR PT SP  
*abscisus* Gilmour, 1954: 27 (*Macrotoma*)  
*germari* Mulsant, 1846: 291  
*myardi proksi* Sláma, 1982: 203 E: GR (Crete)  
*myardi slamorum* Danilevsky, 2012l: 698 [RN] E: AL BH BU CR GR IT ME TR UK A: GG IN TR  
*scutellaris* Germar, 1817: 219 [HN] (*Prionus*)  
*samai* Drumont & Rejzek, 2008: 4 A: IN TR

#775

### subtribe Remphanina Lacordaire, 1868

#520

**genus *Remphan* G. R. Waterhouse, 1836: 67** type species *Remphan hopei* G. R. Waterhouse, 1836  
*hopei* G. R. Waterhouse, 1836: 67 A: YUN ORR  
*alteni* Nonfried, 1892c: 376 (*Macrotoma*)  
*guineensis* Lameere, 1893b: 39

**genus *Rhaesus* Motschulsky, 1875: 153** [RN] type species *Rhaesus persicus* Motschulsky, 1875 (= *Prionus serricollis* Motschulsky, 1838)  
*Rhesus* J. Thomson, 1861: 291 [HN] type species *Prionus serricollis* Motschulsky, 1838  
*serricollis* Motschulsky, 1838: 187 (*Prionus*) E: AL BU GR MC ME ST TR N: EGi A: AB AR CY GG IN IS LE SY TR  
*persicus* Motschulsky, 1875: 154  
*robustus* C.H.G. Heyden, 1844: 15 (*Aulacopus*)

**genus *Rhaphipodus* Audinet-Serville, 1832: 168** type species *Rhaphipodus suturalis* Audinet-Serville, 1832  
*fatalis* Lameere, 1912a: 137 A: GUI GUX YUN ORR  
*fruehstorferi* Lameere, 1903: 74 A: FUJ GUX HAI YUN ORR  
*gahani* Lameere, 1903: 72 A: AP BT GUI GUX NP SD UP YUN  
*manillae* Newman, 1842a: 247 (*Mallodon*) A: TAI ORR

#520

#123

#280 #400

### tribe Meroscelsini J. Thomson, 1861

**genus *Tragosoma* Audinet-Serville, 1832: 159** type species *Cerambyx depsarius* Linnaeus, 1767  
*depsarium* Linnaeus, 1767: 624 (*Cerambyx*) E: AL AN AU BH BE BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT MC ME NR  
NT PL RO SB SK SL SP ST SV SZ UK A: ES FE WS

### tribe Prionini Latreille, 1802

**genus *Dorysthenes* Vigors, 1826: 514** type species *Prionus rostratus* Fabricius, 1793  
**subgenus *Baladeva*** G. R. Waterhouse, 1840: 225 type species *Dorysthenes walkeri* G. R. Waterhouse, 1840  
*sternalis* Fairmaire, 1902a: 244 (*Cyrtognathus*) A: GAN HEB JIX ?LIA NP SCH YUN ZHE #123 #390  
*walkeri* G. R. Waterhouse, 1840: 226 A: FUJ GUA GUX HAI HUB JIX SCH YUN ORR #123  
*siamensis* Nonfried, 1892c: 375 (*Cyrtognathus*)  
**subgenus *Cyrtognathus*** Dejean, 1835: 316 type species *Prionus paradoxus* Faldermann, 1833  
*Cyrtognathus* J. Thomson, 1861: 328 [unjustified emendation]  
*hydropicus* Pascoe, 1857b: 91 (*Prionus*) A: ANH BEI GAN GUI GUX HAI HEB HEN HKG HUB HUN JIA JIL JIX LIA NMO SHA  
SHG SHN TAI TIA ZHE "China Borealis" #123 #526  
*breviceps* Fairmaire, 1900: 637 (*Cyrtognathus*)  
*chinensis* J. Thomson, 1861: 328 (*Cyrtognathus*)  
*paradoxus* Faldermann, 1833: 63 (*Prionus*) A: ANH FE GAN GUA GUI HAI HEB HEI HEN HKG HUB JIA JIL JIX KO LIA MG NIN  
NMO QIN SCH SHA SHN SHX TIA ZHE #123 #489  
*aquilinus* J. Thomson, 1865: 577 (*Cyrtognathus*)  
*tippmanni* Heyrovský, 1950: 127  
**subgenus *Dorysthenes*** Vigors, 1826: 514 type species *Prionus rostratus* Fabricius, 1793  
*dauidis* Fairmaire, 1886b: 353 A: GUI SCH YUN  
*rostratus* Fabricius, 1793: 243 (*Prionus*) A: PA ORR  
**subgenus *Lophosternus*** Guérin-Méneville, 1844: 209 type species *Lophosternus buquetii* Guérin-Méneville, 1844  
*Cyrtosternus* Guérin-Méneville, 1844: 210 type species *Lophosternus hopei* Guérin-Méneville, 1844  
*angulicollis* Fairmaire, 1886b: 354 (*Cyrtognathus*) A: GUX ?TAI YUN #123  
*dentipes* Fairmaire, 1902a: 243 (*Cyrtognathus*) A: GUX YUN ORR  
*florentinii* Fairmaire, 1895: 175 (*Cyrtognathus*) A: GUX ORR  
*gracilipes* Lameere, 1915a: 58 A: XIZ YUN  
*huegelii* L. Redtenbacher, 1844: 550 (*Cyrtognathus*) A: AF AP HEN HP KA NP PA SD UP YUN ZHE ORR #280 #400  
*falco* J. Thomson, 1877: 262 (*Cyrtognathus*)  
*palpalis* Gahan, 1906a: 12 (*Lophosternus*)  
*incognitus* Hergovits, 2019: 3 ?A: GUX JIX KA NP YUN ORR #457  
*indicus* Hope, 1831: 27 (*Prionus*) A: AP BT HP NP SD XIZ ORR #280 #366  
*hopei* Guérin-Méneville, 1844: 210 (*Lophosternus*)  
*socius* Gahan, 1906a: 11 (*Lophosternus*)



*zivetta zivetta* J. Thomson, 1877: 263 (*Cyrtognathus*) A: NP SD XIZ YUN "Himalaya" "North India" **ORR** #123  
**subgenus Paraphrus** J. Thomson, 1861: 330 type species *Cyrtognathus granulatus* J. Thomson, 1861  
*granulosus* J. Thomson, 1861: 329 (*Cyrtognathus*) A: FUJ GAN GUA GUI GUX HAI HKG HUB JIX QIN SCH SD SHN TIA YUN  
ZHE "India" **ORR** #123  
**subgenus Prionomimus** Lameere, 1912a: 176 type species *Prionus fossatus* Pascoe, 1857  
*elegans elegans* N. Ohbayashi, 1981: 45 A: TAI  
*elegans ishigakiensis* N. Ohbayashi, 1981: 46 A: JA (Ryukyus)  
*fossatus* Pascoe, 1857b: 90 (*Prionus*) A: ANH FUJ GAN GUA GUI HAI HEN HUB HUN JIX QIN SCH SHA YUN ZHE #123  
*igai* Matsushita, 1941: 151 (*Prionus*) A: TAI  
*pici* Lameere, 1912a: 176 A: TAI

**genus Lobarthron** Semenov, 1900: 333 type species *Prionus balassogloi* Jakovlev, 1885  
*balassogloi balassogloi* Jakovlev, 1885a: 91 (*Prionus*) A: UZ (Tashkent env., Chimgan Mt., West of Chatkal Range)  
*breve* Semenov, 1888: 157 (*Prionus*)  
*nadari* Fairmaire, 1892b: cxxiv (*Prionus*)  
*balassogloi brevispinum* Jakovlev, 1885a: 92 (*Prionus*) A: KI KZ UZ (Khumsan env., Sidzhak)

**genus Macroprionus** Semenov, 1900: 324 type species *Prionus heros* Semenov, 1900  
*heros* Semenov, 1900: 320 (*Prionus*) A: GAN XIN #123

**genus Mesoprionus** Jakovlev, 1887c: 323 type species *Prionus asiaticus* Faldermann, 1837  
*abaii* Holzschuh, 2007: 177 A: IN  
*angustatus* Jakovlev, 1887c: 327 (*Prionus*) A: AF IN KI KZ TD TM UZ  
*angheri* Brancsik, 1899: 102 (*Prionus*)  
*bucharicus* Semenov, 1900: 328 (*Prionus*)  
*asiaticus* Faldermann, 1837: 263 (*Prionus*) E: KZ ST A: AB AR GG IN KZ TR #400  
*areschanus* Fairmaire, 1905: 79 (*Prionus*)  
*henkei* Schaufuss, 1879: 475 (*Prionus*)  
*besikanus* Fairmaire, 1855: 318 (*Prionus*) E: AL BU GR MC SB TR A: CY TR #778  
*batelkai* Sláma, 1996: 75 (*Prionus*)  
*consimilis* Holzschuh, 1981: 92 (*Prionus*) A: IN  
*lefebvrei* Marseul, 1856: 47 (*Prionus*) A: IS JO LE SI SY TR #182 #778  
*persicus* L. Redtenbacher, 1850: 49 (*Prionus*) A: IN IQ TR  
*compressicornis* Semenov, 1933: 293 (*Prionus*)  
*jakowlewi* Semenov, 1899a: 105 (*Prionus*)  
*petrovitzi* Holzschuh, 1981: 91 (*Prionus*) A: IN  
*tangerianus* Sláma, 1996: 76 (*Prionus*) N: MO #78 #778  
*zarudnii* Semenov, 1933: 292 (*Prionus*) A: TDПАММММММММММ

**genus Microarthron** Pic, 1900b: 2 type species *Polyarthron komarowi* Dohrn, 1885  
*komaroffi* Dohrn, 1885: 64 (*Polyarthron*) A: KZ TD TM UZ

**genus Miniprionus** Danilevsky, 2000d: 189 type species *Prionus pavlovskii* Semenov, 1935  
*pavlovskii* Semenov, 1935b: 239 (*Prionus*) A: AF TD (Kulyab env.) #233 #345

**genus Monocladum** Pic, 1898e: 28 type species *Polyarthron aegyptiacum* Guérin-Méneville, 1844  
*aegyptiacum aegyptiacum* Guérin-Méneville, 1844: 214 (*Polyarthron*) N: EG LB A: IS JO SI AFR  
*afrum* Baudi di Selve, 1889b: 197 (*Polyarthron*)  
*baudii* Pic, 1898f: 30 (*Polyarthron*)  
*uniplectinatum* White, 1853a: 21 (*Polyarthron*)  
*aegyptiacum arabicum* Villiers, 1961b: 449 A: SA YE  
*aegyptiacum granulipenne* Holzschuh, 1993b: 112 [RN] A: SA YE  
*arabicum* Fuchs, 1969: 381 [HN] (*Prionus*)  
*iranicum* Villiers, 1961b: 449 A: IN

**genus Opisognathus** J. Thomson, 1861: 330 type species *Prionus forficatus* Fabricius, 1798  
*forficatus* Fabricius, 1798: 141 (*Prionus*) N: MO  
*favieri* Blanchard, 1842: 129 (*Prionus*)

**genus Parapsilotarsus** Danilevsky, 2018c: 484 type species *Prionus potaninei* Lameere, 1912  
*potaninei* Lameere, 1912b: 195 (*Prionus*) A: SCH

**genus Plumiprionus** Lin & Danilevsky, 2017: 50 type species *Prionus boppei* Lameere, 1912  
*boppei* Lameere, 1912b: 195 (*Prionus*) A: XIZ YUN #123  
*plumicornis* Pu, 1987: 90 (*Prionus*) A: XIZ

**genus Pogonarthron** Semenov, 1899e: 257 type species *Polyarthron bedeli* Semenov, 1899

**subgenus *Multicladum*** Danilevsky, 2014j: 268 type species *Prionus semenovianus* Plavilstshikov, 1936 *semenovianum* Plavilstshikov, 1936: 92 (*Prionus*) A: AF TD (Kulyab env.)

**subgenus *Pogonarthron*** Semenov, 1899e: 257 type species *Polyarthron bedeli* Semenov, 1899

*bedeli* Semenov, 1899e: 249 (*Polyarthron*) A: TD

*petrovi ivanovae* Pak & Skrylnik, 2014: 7 A: TD

*petrovi petrovi* Danilevsky, 2004c: 11 A: TD

*tschitscherini brunnescens* Danilevsky & Shapovalov, 2017: 854 A: KI ?UZ

*tschitscherini pallidus* Danilevsky & Shapovalov, 2017: 855 A: KI UZ

*tschitscherini tschitscherini* Semenov, 1889b: 225 (*Polyarthron*) A: KI

*tshitsherini* Semenov, 1935b: 240 (*Prionus*) [unjustified emendation]

**subgenus *Pseudomonocladum*** Villiers, 1961b: 445 type species *Polyarthron minutum* Pic, 1905

*minutum loeffleri* Fuchs, 1956: 75 [= 1957: 289] (*Prionus*) A: IN

*minutum minutum* Pic, 1905d: 300 (*Polyarthron*) A: IN

*minutum obenbergeri* Heyrovský, 1939a: 27 (*Prionus*) A: IN

*semenowi* Lameere, 1912b: 224 (*Prionus*) A: IQ

**genus *Polyarthron*** Audinet-Serville, 1832: 189 type species *Prionus pectinicornis* Fabricius, 1793

#809

*Neynis* Gistel, 1848a: xi [unnecessary substitute name]

*pectinicornis chatanayi* Lameere, 1915a: 59 (*Prionus*) N: LB

*pectinicornis desvauxii* Fairmaire, 1868b: 499 N: AG (north)

*moissoni* Pic, 1893f: cclx [= 1893b: 107]

*pici* Lameere, 1912b: 229 (*Prionus*)

*separatum* Pic, 1901: 15

*pectinicornis fairmairei* Pic, 1893b: 110 [RN] N: LB

*barbarum* Fairmaire & Coquerel, 1866: 67 [HN]

*pectinicornis jolyi* Pic, 1895g: ccclxxxv N: AG

*filali* Kocher, 1956: 124

*pectinicornis lothi* Villiers, 1946: 35 (*Prionus*) - N: AG

*saharensis* Pic, 1898e: 27

*pectinicornis reymondi* Kocher, 1956: 124 - N: MO- west - Dra

*philbyi* Villiers, 1968: 846 A: SA

**genus *Polylobarthron*** Semenov, 1899e: 258 type species *Polyarthron margelanicum* Théry, 1896

*margelanicum* Théry, 1896: 108 (*Polyarthron*) A: KI KZ UZ

*semirufum* Pic, 1900b: 3 (*Polyarthron*)

*unionis* Pic, 1898e: 34 (*Polyarthron*)

**genus *Prionoblemma*** Jakovlev, 1887b: 318 type species *Prionoblemma przewalskyi* Jakovlev, 1887

*Usprion* Plavilstshikov, 1915e: 133 type species *Usprion semenovianum* Plavilstshikov, 1915

*przewalskyi* Jakovlev, 1887b: 319 A: XIN

*semenovianum* Plavilstshikov, 1915e: 134 (*Usprion*)

**genus *Prionomma*** White, 1853a: 19 type species *Prionus orientalis* Olivier, 1795 (= *Prionus atratus* Gmelin, 1790)

#520

**subgenus *Ancyloprotus*** White, 1853a: 19 type species *Ancyloprotus bigibbosus* White, 1853

*bigibbosum* White, 1853a: 19 A: AP GUX HAI NP SD YUN ORR

#626

**genus *Prionus*** Geoffroy, 1762: 198 type species *Cerambyx coriarius* Linnaeus, 1758

*Prionellus* Casey, 1924: 209 type species *Prionus pocularis* Dalman, 1817

*antonkozlovi* Drumont & Komiya, 2021: 127 A:FUJ

*coriarius* Linnaeus, 1758: 389 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU

MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG ?MO TU A: AB AR GG IN KZ SY TR WS

#428

#655

*burdajewiczi* Bodemeyer, 1927b: 74

*prionus* DeGeer, 1775: 59 (*Cerambyx*)

*schaufussi* Jakovlev, 1887c: 326

*tridentatus* Linnaeus, 1758: 354 (*Scarabaeus*)

*vicinus* Jakovlev, 1887c: 325

*corpulentus* Bates, 1878b: 720 A: AF KA NP PA

*delavayi delavayi* Fairmaire, 1887a: 130 A: SCH YUN

*delavayi lorenci* Drumont & Komiya, 2006: 11 A: FUJ HUB GUA GUI JIX SCH SHA XIZ YUN ZHE

#123

*elegans* Demelt, 1972b: 89 A: PA

*elliotti* Gahan, 1906a: 16 A: AF PA

*evae* Demelt, 1972b: 89 A: PA

*dacatrai* Pesarini & Sabbadini, 1997: 98

*gahani* Lameere, 1912b: 189 A: CHQ GAN SCH YUN

#123

*galantorum* Drumont & Komiya, 2006: 27 A: SCH YUN

*insularis insularis* Motschulsky, 1858a: 36 A: ANH BEI ES FE FUJ GAN HEB HEI HEN HKG ?HUB HUN JA JIA JIL JIX LIA NC

NMO SC ?SCH SHA SHN SHX TIA ?XIN ?YUN ZHE #123 #526  
*ichikii* Nishiguchi, 1941: 31  
*teticus* Pascoe, 1867c: 412  
*insularis yakushmanus* K. Ohbayashi, 1964: 19 A: JA  
*komyai* Lorenc, 1999: 13 A: LE SY TR  
*kucerai* Drumont & Komiya, 2006: 22 A: GAN HEN NIN SHA SHX  
*lameerei* Semenov, 1927: 235 A: SCH YUN  
*laminicornis* Fairmaire, 1897e: 254 A: HEB SCH SHA TIA "North China" #123 #225  
*heterotarsus* Lameere, 1915a: 58  
*mali* Drumont, Xi & Rapuzzi, 2015: 104 A: YUN  
*murzini* Drumont & Komiya, 2006: 23 A: YUN  
*nakamurai* N. Ohbayashi & Makihara, 1985: 11 A: TAI  
*puae* Drumont & Komiya, 2006: 20 A: GUX YUN  
*scabripunctatus* Hayashi, 1971: 1 A: TAI  
*sejunctus* Hayashi, 1959a: 4 A: JA  
*sifanicus* Plavilstshikov, 1934f: 220 A: CHQ SCH #123  
*siskai* Drumont & Komiya, 2006: 15 A: SCH XIZ YUN **ORR**  
*vartianorum* Fuchs, 1967: 431 A: AF PA #274  
genus *Prionus*, species incertae sedis  
*sterbai* Heyrovský, 1950: 128 A: IN

**genus *Priotyranus* J. Thomson, 1857b: 120** type species *Prionus mordax* White, 1853  
**subgenus *Chollides* J. Thomson, 1877: 264** type species *Chollides closteroides* J. Thomson, 1877  
*Cnethocerus* Bates, 1878a: 273 type species *Cnethocerus messi* Bates, 1878 (= *Priotyranus closteroides* J. Thomson, 1877)  
*Derechinus* Fairmaire, 1902c: 317 type species *Derechinus delatouchii* Fairmaire, 1902 (= *Priotyranus closteroides* J. Thomson, 1877)  
*Prionacus* Fairmaire, 1896a: 127 type species *Prionacus strigicornis* Fairmaire, 1896 (= *Priotyranus closteroides* J. Thomson, 1877)  
*closteroides closteroides* J. Thomson, 1877: 265 (*Chollides*) A: ANH FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX LIA  
NMO SCH SHA TAI TIA YUN ZHE **ORR** #123  
*delatouchii* Fairmaire, 1902c: 317 (*Derechinus*)  
*messi* Bates, 1878a: 273 (*Cnethocerus*)  
*rabieri* Lameere, 1912a: 174  
*strigicornis* Fairmaire, 1896a: 127 (*Prionacus*)  
*testaceus* Kano, 1933b: 130  
*closteroides lutauensis* N. Ohbayashi & Makihara, 1985: 13 A: TAI (Ludau Is.)  
*hueti* Drumont, 2008: 4 A: YUN **ORR**

**genus *Pseudoprionus* Pic, 1898e: 33** type species *Polyarthron bienerti* Heyden, 1885  
*altimontanus* Kabakow & Dolin, 1996: 45 (*Prionus*) A: AF  
*bienerti* **bienerti** Heyden, 1885c: 311 (*Polyarthron*) A: IN TM  
*banghaasi* Pic, 1901i: 32 (*Polyarthron*)  
*pluschewskyi* Jakovlev, 1887a: 157 (*Polyarthron*)  
*bienerti waitzbaueri* Adlbauer & Drumont, 2010: 73 A: JO

**genus *Psilotarsus* Motschulsky, 1860e: 537** [1861c: 443] type species *Prionus brachypterus* Gebler, 1830  
*Brachyprionus* Jakovlev, 1887c: 324 type species *Prionus brachypterus* Gebler, 1830  
*Otiartes* J. Thomson, 1864: 283 type species *Prionus asiaticus* Faldermann, 1837 *sensu* J. Thomson, 1864 (= *Prionus brachypterus* Gebler, 1830)  
*Prionoxys* Semenov, 1899a: 104 [RN] type species *Prionus brachypterus* Gebler, 1830  
*Psilopus* Gebler, 1860: 504 [HN] type species *Prionus brachypterus* Gebler, 1830  
*Psilopus* Motschulsky, 1875: 152 [HN] type species *Prionus brachypterus*, Faldermann, 1836 (= *Prionus brachypterus* Gebler, 1830)  
*brachypterus alpherakii* Semenov, 1900: 324 (*Prionus*) A: XIN  
*brachypterus aralensis* Danilevsky, 2000a: 8 A: KZ UZ  
*brachypterus brachypterus* Gebler, 1830: 179 (*Prionus*) A: KZ XIN #123 #400  
*latidens* Motschulsky, 1860e: 537 [1861c: 443]  
*brachypterus hemipterus* Motschulsky, 1845a: 90 (*Prionus*) E: KZ ?ST (Orenburg) A: KZ UZ WS (Orenburg) #265  
*longipennis* Motschulsky, 1860e: 537 [1861c: 443]  
*brachypterus pubiventris* Semenov, 1900: 332 (*Prionus*) A: KZ #278  
*hypogymna* Semenov, 1900: 331 (*Prionus*)  
*heydeni alatauensis* Danilevsky, 2014i: 54 A: KZ  
*heydeni arkitensis* Danilevsky, 2000a: 27 A: KI  
*heydeni heydeni* Ganglbauer, 1888b: 265 (*Prionus*) A: KI UZ  
*minusculus* Semenov, 1935b: 249 (*Prionus*)  
*heydeni talassicus* Danilevsky, 2000a: 29 A: KI  
*hirticollis auliensis* Danilevsky, 2000a: 19 A: KI KZ UZ #278  
*hirticollis hirticollis* Motschulsky, 1860e: 537 [1861c: 443] A: KZ TD UZ #400  
*hirticollis nudicollis* Danilevsky, 2000a: 19 A: KZ  
*lesnei* Semenov, 1933: 293 (*Prionus*) A: IN  
*turkestanicus* Semenov, 1888: 157 (*Prionus*) A: TD TM UZ  
*curticornis* Ganglbauer, 1888b: 266 (*Prionus*)

*ruficornis* Fairmaire, 1892b: cxxiii (*Prionus*)

**genus *Unilaprionus* Lin & Danilevsky, 2017:** 46 type species *Prionus unilamellatus* Pu, 1987  
*unilamellatus* Pu, 1987: 90 (*Prionus*) A: XIZ

### subfamily **Lepturinae** Latreille, 1802

#### tribe Caraphiini N. Ohbayashi, Lin & Yamasako, 2016

**genus *Caraphia* Gahan, 1906a:** 75 type species *Caraphia cribrata* Gahan, 1906

*Neosalpinia* Matsushita, 1933b: 303 type species *Neosalpinia lepturoides* Matsushita, 1933

*Noctileptura* Chemsak & Linsley, 1984: 281 type species *Noctileptura squamosa* Chemsak & Linsley, 1984

#163

*ebenina* Holzschuh, 1989: 361 A: GUX **ORR**

#163

*granulifera* Holzschuh, 1984a: 141 A: NP

*huai* N. Ohbayashi & Lin, 2016: 195 A: GUA HAI

*laticeps* Pic, 1922c: 10 (*Microrhabdium*) A: YUN

*lepturoides babai* Makihara, 1982b: 127 A: JA (Ryukyus)

*lepturoides lepturoides* Matsushita, 1933b: 304 (*Neosalpinia*) A: JA

*paulastoni* N. Ohbayashi & Lin, 2016: 199 A: HKG

*taiwana* Chou & N. Ohbayashi, 2008: 136 A: HAI TAI

#163

*thailandica* Hayashi & Villiers, 1987: 2 A: HAI YUN **ORR**

#163

#### tribe Encyclopinini LeConte, 1873

**genus *Encyclops* Newman, 1838a:** 392 type species *Encyclops pallipes* Newman, 1838 (= *Leptura caerulea* Say, 1827)

*Microrhabdium* Kraatz, 1879c: 99 type species *Microrhabdium macilentum* Kraatz, 1879

*concinus* Holzschuh, 1991c: 7 A: SCH

*gongshanus* Viktora, 2022a: 476 A: YUN

*hubeiensis* N. Ohbayashi & W.-K. Wang, 2004: 454 A: HUB

*luteoscelis* Chou & N. Ohbayashi, 2010: 360 A: TAI

*macilentus* Kraatz, 1879c: 99 (*Microrhabdium*) A: CH FE ?NC SC

#63

*parallelus* Pic, 1914e: 17 (*Microrhabdium*)

*ussuricus* Tsherepanov, 1975b: 42

*obscurellus* Holzschuh, 2015a: 42 A: YUN

*olivaceus* Bates, 1884a: 211 A: FE (Kunashir) JA

*jozanensis* Matsushita, 1933b: 169 (*Microrhabdium*)

*viridipennis* Makihara, 1978: 49 A: TAI

#### tribe Enoploderini Danilevsky, 1997

#704

**genus *Enoploderes* Faldermann, 1837:** 309 type species *Enoploderes sanguineus* Faldermann, 1837

**subgenus *Enoploderes* Faldermann, 1837:** 309 type species *Enoploderes sanguineus* Faldermann, 1837

*Pyrotrichus* LeConte, 1862: 41 type species *Pyrotrichus vitticollis* LeConte, 1862

*Xylostylon* Reitter, 1879b: 82 [1880: 484] type species *Xylostylon lederi* Reitter, 1879 (= *Enoploderes sanguineus* Faldermann, 1837)

*breviantennatus* Seunghyun Lee, 2023: 341 A: SC

*sanguineus* Faldermann, 1837: 310 E: AL ST UK A: AB AR GG IN TR

#767

*lederi* Reitter, 1879b: 82 [1880: 484] (*Xylostylon*)

**subgenus *Pyrenoploderes* Hayashi, 1960:** 12 type species *Enoploderes bicolor* K. Ohbayashi, 1941

*bicolor* K. Ohbayashi, 1941a: 1 A: JA ?SC

#63 #522

#### tribe Lepturini Latreille, 1802

#704

**genus *Acanthoptura* Fairmaire, 1894a:** 224 type species *Acanthoptura spinipennis* Fairmaire, 1894

*denticollis* Holzschuh, 1993a: 17 A: SCH

*impressicollis* Pic, 1920f: 117 (*Leptura*) A: SCH YUN

*sericeicollis* Holzschuh, 1993a: 18 A: SCH

*simplicicollis* Holzschuh, 1993a: 16 A: SCH

*spinipennis* Fairmaire, 1894a: 224 A: SCH XIZ

*truncatipennis* Holzschuh, 1993a: 16 A: YUN

**genus *Alosterna* Mulsant, 1863:** 576 type species *Leptura tabacicolor* DeGeer, 1775

*Allosterna* Stierlin, 1898: 479 [unjustified emendation]

*anatolica* Adlbauer, 1992: 490 A: TR

*barimani* Danilevsky, 2010f: 3 A: IN

*chalybeella* Bates, 1884a: 216 (*Grammoptera*) A: FE (Sakhalin, Kunashir) JA

*japonica* Pic, 1935d: 11 (*Grammoptera*)

*diversipes* Pic, 1929b: 9 (*Grammoptera*) A: FE HEI JIL NC SC

*perpera* Danilevsky, 1988c: 367

*ingrica* Baeckmann, 1902: 280 (*Grammoptera*) E: BY CT EN LA LT NT PL SK ST UK WS

#517

*libani* Márkus & Németh, 2016: 24 A: LE

*pauli* Pesarini, Rapuzzi & Sabbadini, 2004: 158 E: GR  
*scapularis* Heyden, 1879a: 325 [1879b: 69] (*Strangalia*) A: AB IN TM TR  
*talyschensis* Reitter, 1885: 391  
*tabacicolor azerbaijanica* Danilevsky, 2014i: 386 A: AB  
*tabacicolor erythropus* Gebler, 1841b: 612 (*Leptura*) A: ES FE JA KZ MG NE WS #276  
*bivittis* Motschulsky, 1860b: 146 (*Grammoptera*)  
*plavilstshikovi* Podaný, 1963b: 49  
*testacea* Motschulsky, 1860b: 146 (*Grammoptera*)  
*tabacicolor hirayamai* Fujita, 2018: 21 A: JA  
*tabacicolor sachalinensis* Danilevsky, 2012m: 904 A: FE (North Sakhalin)  
*tabacicolor subvittata* Reitter, 1885: 391 E: ST A: AB AR GG IN TR  
*caucasica* Plavilstshikov, 1936: 305  
*tabacicolor tabacicolor* DeGeer, 1775: 139 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA  
LS LT LU MC MD ME ~~NE~~ NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: KZ TR WS  
*bicoloripes* Pic, 1914e: 65 (*Allosterna*)  
*chrysomeloides* Schrank, 1781a: 158 (*Leptura*)  
*dispar* Pic, 1892i: 140  
*genii* Gmelin, 1790: 1877 (*Leptura*)  
*laevis* Fabricius, 1793: 340 (*Leptura*)  
*solstitialis* Herbst, 1784: 103 (*Leptura*)  
*tabacicolor tenebris* Danilevsky, 2012m: 904 A: FE ?NC NE SC  
*tabacicolor tokatensis* Pic, 1901n: 59 A: TR

**genus *Anastrangalia* Casey, 1924: 280** type species *Leptura sanguinea* LeConte, 1859  
*Marthaleptura* K. Ohbayashi, 1963: 9 type species *Leptura scotodes* Bates, 1873  
*dissimilis dissimilis* Fairmaire, 1900: 639 (*Leptura*) A: FUJ HUN QIN SCH SHA YUN #400  
*dissimilis nitakana* Kano, 1933a: 264 (*Leptura*) A: TAI #526  
*hirayamai* Matsushita & Tamanuki, 1943: 80 (*Leptura*) (“Inokashira bei Tokyo” - wrong locality) #526  
*dubia dubia* Scopoli, 1763: 47 (*Leptura*) E: AL AN AU BH BU ~~BY~~ CR CZ FR GE GR HU IT LS ~~LT~~ LU MC ME PL RO SB SK SL  
SP SZ UK N: AG A: TR #752  
*basinotata* Pic, 1932d: 31 (*Leptura*)  
*birubronotata* Pic, 1941b: 1 (*Leptura*)  
*chamomillae* Fabricius, 1802: 359 (*Leptura*)  
*cincta* Fabricius, 1802: 356 (*Leptura*)  
*curierensis* Pic, 1945b: 6 (*Leptura*)  
*graeca* Pic, 1932d: 31 (*Leptura*)  
*limbata* Laicharting, 1784: 166 (*Leptura*)  
*luctuosa* Mulsant, 1839: 278 (*Leptura*)  
*notata* Olivier, 1800: 11 (*Leptura*) #373  
*planeti* Pic, 1945b: 5 (*Leptura*)  
*dubia moreana* Pic, 1906h: 96 (*Leptura*) E: GR (Peloponnese)  
*atrovittata* Pic, 1941b: 1 (*Leptura*)  
~~*birubrosignata* Pic, 1941b: 1 (*Leptura*)~~  
*inbasalis* Pic, 1917g: 4 (*Leptura*)  
*dubia melanota* Faldermann, 1837: 315 (*Leptura*) E: ST A: AB AR GG IN TR  
*dereensis* Pic, 1932d: 31 (*Leptura*)  
*distincta* Tournier, 1872: 347 (*Leptura*)  
*circuscutellaris* Pic, 1945b: 6 (*Leptura*)  
~~*curierensis* Pic, 1945b: 6 (*Leptura*)~~  
*curtelineata* Pic, 1941e: 5 (*Leptura*)  
*ratchaensis* Pic, 1911: 4 (*Leptura*)  
*starcki* Schilsky, 1892: 205 (*Leptura*)  
*triangulifera* Reitter, 1898d: 195 (*Leptura*)  
*kasaharai* Makihara, 2002: 339 A: JA (Ryukyus)  
*montana montana* Mulsant & Rey, 1863: 179 (*Leptura*) E: GR (Samos) A: CY LE SY TR #591  
*bogasana* Pic, 1932d: 31 (*Leptura*)  
*claudiusi* Pic, 1941b: 1 (*Leptura*)  
*juliae* Pic, 1941b: 1 (*Leptura*)  
*leuthneri* Ganglbauer, 1886c: 516 (*Leptura*)  
*mulsanti* Pic, 1941b: 1 (*Leptura*)  
*nigerrima* Pic, 1892v: 415 (*Leptura*)  
*pernigra* Reitter, 1898d: 193 (*Leptura*)  
*semisanguinea* Reitter, 1898d: 193 (*Leptura*)  
*victoris* Pic, 1941b: 1 (*Leptura*)  
*montana steineri* Sama, 1994a: 10 E: GR (Crete)  
*renardi* Gebler, 1848: 420 (*Leptura*) E: NT A: ES FE KZ MG NC (Deoknip) NMO WS XIN #63  
*mongolica* Pic, 1922d: 18 (*Leptura*)  
*reyi* Heyden, 1889a: 203 (*Leptura*) [RN] E: AU BY CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SK SL SP ST SV SZ UK A:  
KZ WS #752  
*inexpectata* Jansson & Sjöberg, 1928: 212 (*Leptura*)



*ochracea* Rey, 1885b: 277 (*Leptura*) [HN]  
*rubriola* Bates, 1878b: 720 (*Leptura*) A: AF FUJ KA NP PA **ORR**  
*kashmirica* Plavilstshikov, 1927b: 105  
*sanguinolenta* Linnaeus, 1760: 196 (*Leptura*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT MC MD  
ME NL NR NT PL RO SB SK SL SP ST SV SZ UK A: AB AR GG KZ TR WS **iNTR** #400  
*bonaeriensis* Burmeister, 1865: 177 (*Leptura*) [Argentina]  
*ignita* Geoffroy, 1785: 89 (*Stenocorus*)  
— *melanura* Ström, 1765: 394 (*Leptura*) [HN] #568  
*sandoeensis* Palm, 1953: 124 (*Leptura*)  
*variabilis* DeGeer, 1775: 137 (*Leptura*)  
*scotodes continentalis* Plavilstshikov, 1936: 371 (*Leptura*) A: FE NC NE SC SCH SHA #400  
*scotodes scotodes* Bates, 1873: 194 (*Leptura*) A: FE JA  
*kongoensis* Matsushita, 1933b: 201 (*Leptura*)  
*rufonotata* Pic, 1953a: 14 (*Leptura*)  
*sequensi* Reitter, 1898d: 194 (*Leptura*) A: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN  
*baikalensis* Pic, 1907a: 6 (*Leptura*)  
*baicalica* Pic, 1911a: 4 (*Leptura*)  
*diversenotata* Pic, 1907a: 6 (*Leptura*)  
*pulchrina* Reitter, 1898d: 194 (*Leptura*)  
*rufopaca* Reitter, 1898d: 194 (*Leptura*)  
*sachalinensis* Matsushita, 1933a: 104 (*Leptura*)  
*tristina* Reitter, 1898d: 194 (*Leptura*)

**genus *Anoplodera* Mulsant, 1839: 285** type species *Leptura sexguttata* Fabricius, 1775  
**subgenus *Anoplodera* Mulsant, 1839: 285** type species *Leptura sexguttata* Fabricius, 1775  
*atramentaria* Ganglbauer, 1889a: 59 (*Leptura*) A: GAN NMO  
*corvina* Holzschuh, 1993a: 11 A: GAN  
*fokienensis* Pic, 1922a: 7 (*Leptura*) A: FUJ  
*kingana* Pic, 1903e: 105 (*Leptura*) A: SCH  
*septemnotata* Pic, 1928e: 143 (*Leptura*)  
*sexnotatipennis* Pic, 1928e: 143 (*Leptura*)  
*peregrina* Holzschuh, 1993a: 12 A: GAN  
*porphyrophora* Fairmaire, 1889a: 64 (*Leptura*) A: SCH  
*przewalskii* Miroshnikov, 2000c: 186 A: NMO  
*rufihumeralis* Tamanuki, 1938b: 167 (*Leptura*) A: CH FE NC #400  
*rufipes astrabadensis* Pic, 1900n: 82 A: AB IN #142  
*rufipes izzilloi* Sama, 1999a: 45 E: IT (Basilicata)  
*rufipes krueperi* Ganglbauer, 1882: 707 (*Leptura*) E: GR #142  
*rufipes lucidipes* Sama, 1999a: 46 A: TR  
*rufipes rufipes* Schaller, 1783: 296 (*Leptura*) [HN] E: AL AU BH BU ?BY CR CZ ?EN FR GE GB GR HU IR IT LA LT LU MC MD ME  
?NT PL RO SB SK SL SP SV SZ UK #11 #64 #142 #752  
*atra* Fabricius, 1775: 197 (*Leptura*) [NO] #142  
*bursensis* Jureček, 1931: 124 (*Leptura*)  
*fuscipes* Mulsant, 1839: 287  
*villosa* Schoenherr, 1817a: 486 (*Leptura*)  
*rufipes ventralis* Heyden, 1886a: 85 [RN] E: BY CT KZ ST UK A: AB AR GG ES KZ TR WS #142  
*medea* Pic, 1909: 99 (*Leptura*)  
*rufiventris* Tournier, 1872: 348 (*Leptura*) [HN]  
*sergeii* Miroshnikov, 2000c: 188 A: SCH  
*shamaevi* Miroshnikov, 2000c: 188 A: QIN  
*sexguttata* Fabricius, 1775: 198 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC  
MD NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG A: GG TR WS #11 #133  
*atrata* Schilsky, 1889: 339  
*biguttata* Mulsant, 1839: 285  
*exclamationis* Fabricius, 1793: 343 (*Leptura*)  
*guttata* Pic, 1898a: 4  
*punctomaculata* Marsham, 1802: 357 (*Leptura*)  
*pyrenaica* Pic, 1917a: 5 (*Leptura*)  
*semicolon* Schrank, 1798: 694 (*Leptura*)  
*vastatorum* Pic, 1917a: 5 (*Leptura*)  
*uddmanniana* Harrer, 1784: 225 (*Leptura*)

**subgenus *Falsojudolia* Pic, 1935c: 11** type species *Judolia lunatipennis* Pic, 1935  
*lunatipennis* Pic, 1935c: 11 (*Judolia*) A: GAN

**genus *Anoploderomorpha* Pic, 1901m: 59** type species *Leptura excavata* Bates, 1884a #526 #302  
*carbonaria* Holzschuh, 1993a: 13 A: SHA  
*cyanea* Gebler, 1832: 70 (*Leptura*) A: ES FE HEB HEI HUB JA JIL MG NC NMO SC  
*densepunctata* Hayashi & Villiers, 1994: 60 A: TAI  
*diplosa* Holzschuh, 2003a: 161 A: YUN

*excavata* Bates, 1884a: 217 (*Leptura*) A: ?ZHE JA #400  
*formosana* Matsushita, 1933b: 198 (*Leptura*) A: HAI TAI  
*izumii* Mitono & Tamanuki, 1939: 209 (*Leptura*) A: FUJ GUA TAI YUN ZHE #400 #499  
*monticola* Nakane, 1955: 11 A: JA  
*kishii* Nakane, 1955: 12  
*rubripennis* Pic, 1927f: 8 (*Leptura*) A: FUJ GUA ORR #400  
*granata* Holzschuh, 1989b: 366 #404  
*sepulchralis* Fairmaire, 1889a: 63 (*Leptura*) A: FUJ SCH ORR  
*tenebraria* Holzschuh, 1995: 10 A: YUN  
*villigera* Holzschuh, 1991c: 17 A: YUN ORR

**genus *Carlandrea* Sama & Rapuzzi, 1999: 467** type species *Strangalia syriaca* Pic, 1891  
*syriaca* Pic, 1891a: 1 (*Strangalia*) A: TR

**genus *Corennys* Bates, 1884a: 224** type species *Corennys sericata* Bates, 1884a  
*Pseudocorennys* Pic, 1953d: 41 type species *Pyrocalymma diversicornis* Pic, 1946 (= *Pyrocalymma conspicua* Gahan, 1906  
*caduca* Holzschuh, 1998: 28 A: HUB  
*cardinalis* Fairmaire, 1887a: 131 (*Ephies*) A: YUN  
*circellaris* Holzschuh, 1992b: 12 A: SCH  
*conspicua* Gahan, 1906a: 89 (*Pyrocalymma*) A: BT HAI HEB SCH SHA XIZ YUN ORR  
*diversicornis* Pic, 1946c: 17 (*Pyrocalymma*)  
*sanguinea* Kano, 1933a: 271 A: HAI TAI  
*sensitiva* Holzschuh, 1998: 29 A: YUN  
*sericata* Bates, 1884a: 225 A: HEB FE (Kunashir) JA NE SC (Mt. Myeongjisan) #212  
*taiwana* Hayashi, 1963d: 130 A: TAI

**genus *Cornumutila* Letzner, 1844: 173** type species *Leptura lineata* Letzner, 1844  
*Letzneria* Kraatz, 1879a: 63 type species *Leptura lineata* Letzner, 1844  
*lineata* Letzner, 1844: 173 (*Leptura*) E: AU CZ FR IT NT PL RO SK SZ UK A: ES WS  
*weisi* Heyden, 1892c: 389 (*Letzneria*)  
*quadrivittata* Gebler, 1830: 193 (*Leptura*) E: ?CT A: ES FE NC (Mt. Duryusan) WS #63 #648  
*semenovi* Plavilstshikov, 1936: 313

**genus *Dokhtouroffia* Ganglbauer, 1886a: 129** type species *Dokhtouroffia turkestanica* Ganglbauer, 1886 (= *Stenura nebulosa* Gebler, 1845)  
*Dochturovia* Jakobson, 1924c: 238 [unjustified emendation]  
*Dokhturovia* Semenov, 1926: 48 [unjustified emendation]  
*baeckmanni* Jankowski, 1934: 109 [= 1935b: 181] (*Dochturovia*) A: KI UZ  
*nebulosa* Gebler, 1845: 105 (*Stenura*) A: KI KZ ?MG ?SCH XIN ?XIZ  
*turkestanica* Ganglbauer, 1886a: 129  
*vittata* Pic, 1941b: 1 (*Dokhtouroffia*)

**genus *Elacomia* Heller, 1916: 298** type species: *Elacomia collaris* Heller, 1916  
*Acantholeptura* Gressitt, 1935h: 274 type species: *Acantholeptura glabropleura* Gressitt, 1935 (= *Leptura femorata* Pascoe, 1869)  
*michioi* Tippmann, 1955: 95 (*Strangalia*) A: FUJ #405  
*semiannulata* Pic, 1916d: 5 (*Leptura*) A: GUX SCH YUN ORR #403 #526  
*chytoides* Pesarini & Sabbadini, 2015: 34 #526

**genus *Emeileptura* Holzschuh, 1991c: 22** type species *Emeileptura conspecta* Holzschuh, 1991  
*bicuspis* N. Ohbayashi, Tichý & Bi, 2018: 32 A: YUN  
*conspecta conspecta* Holzschuh, 1991c: 22 A: SCH  
*conspecta fanjingshana* N. Ohbayashi, Tichý et Bi, 2018: 32 A: GUI  
*conspecta leishanica* N. Ohbayashi, Tichý et Bi, 2018: 32 A: GUI  
*conspecta nagahatai* N. Ohbayashi, Tichý et Bi, 2018: 30 A: SCH

**genus *Ephies* Pascoe, 1866d: 506** type species *Ephies cruentus* Pascoe, 1866  
*apicalis* Kano, 1933a: 270 A: TAI  
*coccineus* Gahan, 1906a: 87 A: BT FUJ GUX HAI YUN ORR #400 #526  
*gahani* Gressitt, 1940b: 31 A: HAI  
*japonicus japonicus* Nakane & K. Ohbayashi, 1961: 6 A: JA  
*japonicus okinawanus* Hayashi, 1968a: 21 A: JA (Ryukyus)  
*schwarzeri* Hayashi, 1968a: 22 A: TAI  
*sulcipennis* Bates, 1891a: 22 A: HP (Kulu)  
*thailandensis* Hayashi, 1989: 24 A: YUN ORR

**genus *Etorofus* Matsushita, 1933a: 204** type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)

**subgenus** *Etorofus* Matsushita, 1933b: 204 type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)  
*nemurensis* Matsushita, 1933a: 205 A: FE JA  
*circaocularis* Pic, 1934c: 18 (*Strangalia*)  
*niger* Matsushita, 1933a: 205  
*variicornis* Matsushita, 1933a: 205 [HN]  
*pubescens* Fabricius, 1787: 158 (*Leptura*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR IT **KZ** LA LT MC ME NR NT PL  
RO SB SK SL SP ST SV SZ UK A: ?GG TR **#481**  
*anticemaculata* Pic, 1933h: 5 (*Strangalia*)  
*carinthiaca* Pic, 1933h: 16  
*holosericea* Fabricius, 1802: 358 (*Leptura*)  
*obscura* Thunberg, 1787: 56 (*Leptura*)  
*ottoi* Pic, 1907a: 6 (*Leptura*)  
*perobscura* Reitter, 1901a: 77 (*Strangalia*)

**subgenus** *Nakanea* K. Ohbayashi, 1963: 9 type species *Leptura vicaria* Bates, 1884a  
*vicarius* Bates, 1884a: 218 (*Leptura*) A: FE JA  
*adumbratus* Bates, 1884: 220 (*Leptura*)  
*biluteomaculatus* Pic, 1943c: 1 (*Strangalia*)  
*lajoyei* Pic, 1943c: 1 (*Strangalia*)

**genus** *Eustrangalis* Bates, 1884a: 221 type species *Eustrangalis distenioides* Bates, 1884a  
**subgenus** *Eustrangalis* Bates, 1884a: 221 type species *Eustrangalis distenioides* Bates, 1884a  
*anticereducta* Hayashi, 1958b: 46 A: JA  
*distenioides* Bates, 1884a: 222 A: FE (Kunashir) JA  
*fuscisuturalis* Wang Y., Xie G. [Xie G.-L.] & Wang W.-K. [Wenkai], 2024: 561 A: HUB SHA  
*latericollis* W.-K. Wang & Jiang, 1994: 193 A: ?HUB SHA **#114**  
**subgenus** *Metalleustrangalis* Ohbayashi & Lin, 2023: 112 type species *Stenura aeneipennis* Fairmaire, 1889  
*aeneipennis aeneipennis* Fairmaire, 1889a: 63 (*Stenura*) A: HUB SCH SHA **#776**  
*aeneipennis notaticollis* Pic, 1927f: 8 A: YUN **ORR**  
*viridipennis choui* Ohbayashi & Lin, 2023: 116 A: GUX  
*viridipennis viridipennis* Gressitt, 1935f: 380 A: TAI **#526**

**genus** *Formosopyrrhona* Hayashi, 1957a: 37 type species *Corennyss cinnabarina* Gressitt, 1951 (= *Pyrocalymma hozanensis* Matsushita, 1933)  
*hozanensis* Matsushita, 1933a: 231 (*Pyrocalymma*) A: ?HAI TAI **#400**  
*cinnabarina* Gressitt, 1951a: 122 (*Corennyss*)  
*longula* Holzschuh, 1999: 20 A: HUB  
*satoi* Hayashi, 1957b: 45 (*Pyrocalymma*) A: JA (Ryukyus)  
*semilaeticolor* Hayashi, 1974a: 13 A: TAI

**genus** *Gahanaspia* N. Ohbayashi, 2014: 17 type species *Leptura miniacea* Gahan, 1906  
*miniacea* Gahan, 1906a: 82 (*Leptura*) A: GUX NP **ORR** **#27**

**genus** *Gnathostrangalia* Hayashi & Villiers, 1985: 13 type species *Strangalia aurivillei* Pic, 1903  
*Pygostrangalia* Pic, 1957: 76 [HN] type species *Strangalina invittaticollis* Pic, 1957 (= *Strangalia kwangtungensis* Gressitt, 1939b) **#526**  
*aurivillei* Pic, 1903c: 29 (*Strangalia*) A: GUX HAI **ORR** **#169**  
*testaceipes* Pic, 1943c: 1 (*Strangalia*)  
*valeria* Pic, 1930b: 14 (*Parastrangalia*)  
*bilineatithorax* Pic, 1922b: 22 (*Leptura*) A: FUJ GUX HUN **ORR** **#169** **#526**  
*nigriventralis* Chiang & W.-K. Wang, 1993: 55  
*tonkinea* Murzin, 1988: 162 (*Strangalia*)  
*brevioripennis* Pic, 1955a: 10 (*Strangalia*) A: ? **#526**  
*castaneonigra* Gressitt, 1935g: 567 (*Leptura*) A: FUJ GUA HUN ZHE **#526**  
*elliptica* L. Chen & Chiang, 1996: 188, 191 A: GUX  
*kurodai* Hayashi, 1976: 5 (*Pygostrangalia*) A: TAI **#526**  
*kwangtungensis* Gressitt, 1939b: 9 (*Strangalia*) A: FUJ GUA GUI HAI HUN JIX **#400** **#526**  
*invittaticollis* Pic, 1957: 76 (*Strangalina*)  
*rufovittata* Pic, 1922c: 10 (*Strangalia*) A: GUX **ORR** **#169**  
*silvestrii* Tippmann, 1955: 99 (*Strangalia*) A: FUJ HUB ZHE **#114** **#526**  
*simianshana* Chiang & L. Chen, 1993: 54 A: CHQ ?SCH **#169**  
*tiemushana* Gressitt, 1939b: 93 (*Strangalia*) A: GUI ZHE **#400** **#526**

**genus** *Gramera* Holzschuh, 2017d: 64 type species *Gramera amoena* Holzschuh, 2017d  
*amoena* Holzschuh, 2017d: 66 A: AP

**genus** *Grammoptera* Dejean, 1835: 356 type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)  
**subgenus** *Grammoptera* Dejean, 1835: 356 type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)  
*Fallaciomorpha* Pic, 1900f: 37 type species *Grammoptera angustata* Pic, 1892

*abdominalis* Stephens, 1831: 262 (*Leptura*) E: AL AU BE BH BU BY CR **CT(Kaliningrad)** CZ DE FR GB GE GR HU IR IT LT LU  
 MC NL PL PT RO SK SL SP ST SV SZ TR UK A: AB AR GG IN TR #461  
*analis* Herrich-Schäffer, 1833: Heft 118 (6) (*Leptura*)  
*nigrescens* Weise, 1884: 424  
*variegata* Germar, 1824: 522 (*Leptura*) [HN] #506  
*andrei* Holzschuh, 1999: 10 A: QIN  
*angustata* Pic, 1892j: 289 N: AG  
*bicoloricornis* Pic, 1935d: 12  
*auricollis auricollis* Mulsant & Rey, 1863: 183 N: AG  
*auricollis basicornis* Pic, 1924c: 26 E: GR (Crete)  
*auricollis bipustulata* Steiner, 1975: 22 E: GR  
*auricollis samai* Sláma, 1997: 512 N: AG TU  
*baudii baudii* Sama, 1985c: 97 A: CY  
*baudii pistacivora* Sama, 1996b: 94 A: IS JO LE SY TR  
*coerulea* Jureček, 1933: 128 A: FE ?NC SC #63  
*fulgidipennis* Holzschuh, 1991c: 16 A: GAN  
*geniculata* Kraatz, 1886: 234 (“Sierra Jaen in Andalusien”) E: ?FR PT SP #517  
*gracilis* Brancsik, 1914: 58 A: FE NC NE SC  
*semenovi* Baeckmann, 1924: 231  
*grammopteroides* Pic, 1892d: 44 [= 1892l: clxxxv] (*Leptura*) A: LE SY  
*matsudai* Hayashi, 1974a: 8 A: TAI  
*merkli* Frivaldszky, 1884: 4 A: TR  
*ruficornis flavipes* Pic, 1892h: 139 E: IT (Sicilia) #20  
*ruficornis holomelina* Donisthorpe, 1905: 182 E: GB  
*ruficornis obscuricornis* Kraatz, 1886: 234 A: AB (Talysh) IN  
*ruficornis ruficornis* Fabricius, 1781: 247 (*Leptura*) [NP] E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS  
 LT LU MC MD ME NL NR PL PT RO SB SK SL SP ST SV SZ TR UK A: TR  
*clavipes* Geoffroy, 1785: 87 (*Stenocorus*)  
*laevis* Herbst, 1784: 103 (*Leptura*)  
*pallipes* Stephens, 1831: 263 (*Leptura*) #20  
*parisina* Thunberg, 1784: 16 (*Leptura*)  
*pumila* Schaller, 1783: 299 (*Leptura*)  
*rufipes* Goeze, 1777: 501 (*Leptura*) [NO]  
*semimetallica* Pic, 1939b: 2 A: GAN  
*solai* Rapuzzi & Sama, 2014a: 2 A: TR  
*ustulata tibialis* Kraatz, 1886: 234 A: AB AR IN TR  
*ustulata ustulata* Schaller, 1783: 298 (*Leptura*) E: AL AU BE BH BU ?BY CR CT CZ DE FR GB GE GR HU IR IT LA LU MC MD  
 ME NL NR PL RO SB SK SL ?SP ST SV SZ TR UK A: TR #752  
*adusta* Gmelin, 1790: 1872 (*Leptura*)  
*barrosi* Pic, 1900c: 6  
*praeusta* Fabricius, 1787: 159 (*Leptura*)  
*semirufescens* Pic, 1947a: 4  
*splendida* Herbst, 1784: 103 (*Leptura*)  
*viridipennis* Pic, 1893c: 111 E: IT (Sicilia)  
**subgenus** *Neoencyclops* Matsushita & Tamanuki, 1940: 3 type species *Grammoptera cyanea* Tamanuki, 1933  
*brezinai* Holzschuh, 1998: 18 (*Neoencyclops*) A: GAN  
*cyanea* Tamanuki, 1933: 73 A: FE NE NC (Ompo) #400 #526  
*plavilstshikovi* Heyrovský, 1965a: 101  
*debilipes* Holzschuh, 1991c: 15 (*Neoencyclops*) A: SCH  
*elongata* Pic, 1941b: 1 A: CH  
*lenis* Holzschuh, 1999: 10 (*Neoencyclops*) A: SHA  
*paucula* Holzschuh, 1999: 10 (*Neoencyclops*) A: SHA  
*querula* Danilevsky, 1993e: 476 A: NC (Mt. Baekdusan)  
**genus** *Gerdianus* Holzschuh, 2011: 270 [RN] type species *Gerdianus gracilis* Holzschuh, 2009  
*Gerdianus* Holzschuh, 2009: 276 [HN] type species *Gerdianus gracilis* Holzschuh, 2009  
*zhujianqingi* Bi & N. Ohbayashi, 2019: 87 A: FUJ ZHE  
**genus** *Houzhenzia* N. Ohbayashi & Lin, 2012: 17 type species *Houzhenzia cheni* N. Ohbayashi & Lin, 2012  
*cheni* N. Ohbayashi & Lin, 2012: 18 A: FUJ SHA  
**genus** *Huanshengia* Wang Ch.-B. & Liu, 2021: 5 type species *Huanshengia hainana* Wang Ch.-B. & Liu, 2021  
*hainana* Wang Ch.-B. & Liu, 2021: 6 A: HAI  
**genus** *Idiostrangalia* Nakane & K. Ohbayashi, 1957: 49 (A243) type species *Strangalia contracta* Bates, 1884a  
*akiyamai* Hayashi, 1978a: 86 A: TAI  
*albopreterminalis* Hayashi & Villiers, 1989: 2 A: TAI

*angustissima* Gressitt, 1935d: 261 (*Strangalina*) A: TAI  
*atrocineta* Pic, 1928b: 17 (*Strangalina*) A: SE SW **ORR**  
*auricoma* Holzschuh, 2007: 197 A: YUN **ORR**  
*bilineaticollis* Pic, 1915c: 12 (*Strangalina*) A: NP XIZ #390 #526  
*quadrisignata* Hayashi & Makihara, 1981: 187  
*contracta* Bates, 1884a: 223 (*Strangalia*) A: JA JIX  
*lineatocollis* Gressitt, 1937b: 319 (*Strangalina*)  
*mediolineata* Pic, 1954: 13 (*Strangalia*)  
*ohbayashii* Matsushita, 1933b: 220 (*Strangalia*)  
*tamanukii* Hayashi, 1959b: 61 (*Pygostrangalia*)  
*fukienensis* Pic, 1957: 77 (*Strangalina*) A: FUJ  
*fukiensis* Tippmann, 1955: 98 (*Strangalia*) A: ANH FUJ  
*hakonensis* Matsushita, 1933b: 218 (*Strangalia*) A: JA  
*maruokai* Hayashi, 1963a: 52 (*Pygostrangalia*) A: JA (Ryukyus)  
*nigrobaltea* Holzschuh, 2016a: 76 A: YUN  
*rarasanensis* Mitono, 1938: 19 (*Strangalia*) A: TAI  
*shimomurai* N. Ohbayashi & Takahashi, 1985: 89 A: JA  
*sozanensis* Mitono, 1938: 17 (*Strangalia*) A: FUJ GUA GUX HUN JIX TAI ZHE  
*lineatocollis* Gressitt, 1937b: 319 (*Strangalina*)  
*simillima* Hayashi & Villiers, 1989: 1 #135  
*vittatipennis* Pic, 1914d: 16 (*Strangalia*) A: TAI  
*marginalis* Kano, 1933a: 269 (*Strangalia*)  
*suturalis* Gressitt, 1935d: 262 (*Strangalina*)

**genus *Ischnostrangalis* Ganglbauer, 1889a: 53** type species *Leptura semenowi* Ganglbauer, 1889 (= *Stenura stricticollis* Fairmaire, 1889)  
*antennalis* Holzschuh, 1991c: 21 A: SCH  
*apicata* Holzschuh, 1992b: 8 A: SCH  
*dauidi* Pic, 1934g: 83 (*Leptura*) A: SCH  
*fasciolata* Holzschuh, 2011: 273 A: XIZ  
*frugalis annulicornis* Holzschuh, 2011: 274 A: SCH  
*frugalis frugalis* Holzschuh, 1991a: 7 A: SCH  
*manipurensis* Gahan, 1906: 86 (*Leptura*) A: YUN **ORR**  
*ohbayashii* Tichý & Lin, 2021: 3 A: YUN  
*rhododendri* Holzschuh, 2011: 271 A: YUN  
*semenowi* Ganglbauer, 1889a: 53 (*Leptura*) A: SCH YUN #400  
*stricticollis* Fairmaire, 1889a: 62 (*Stenura*) A: SCH #523  
*tibetensis* N. Ohbayashi & Lin, 2013: 48 A: XIZ  
*wenhsini* N. Ohbayashi & Lin, 2013: 45 A: XIZ

**genus *Japanostrangalia* Nakane & K. Ohbayashi, 1957: 50 (A244)** type species *Leptura dentatipennis* Pic, 1901  
*argodi* Théry, 1896: 109 (*Strangalia*) A: SHX ANH ZHE #789  
*basiplicata* Fairmaire, 1889a: 60 (*Stenura*) A: HEN SHX GAN HUB JIX HUN FUJ GUA HAI GUX CHQ SCH GUI YUN #789  
*apicicornis* Pic, 1916h: 313 (*Strangalia*) #789  
*elegans* Tippmann, 1955: 94 (*Strangalia*) #789  
*plavilstshikoviana* Heyrovský, 1934c: 171 (*Strangalia*) #789  
*savioi* Pic, 1936d: 16 (*Leptura*) #789  
*clermonti* Pic, 1927b: 26 (*Parastrangalis*) A: GUX **ORR** #789  
*dentatipennis* Pic, 1901m: 60 (*Leptura*) A: JA  
*nigricornis* Ohbayashi, Bi & Lin M.-Y., 2024: 68 A: ZHE  
*thibetana* Blanchard, 1871: 812 (*Stenura*) A: SCH #789  
*yamasakii* Mitono, 1936: 421 (*Strangalia*) A: TAI #789  
*miwai* Mitono, 1943: 587 (*Strangalia*)

**genus *Judolia* Mulsant, 1863: 496** type species *Leptura sexmaculata* Linnaeus, 1758  
*dentatofasciata* Mannerheim, 1852b: 308 (*Grammoptera*) E: NT A: ES FE HEI JA JIL MG NC NMO SC WS XIN #316 #400  
*abbreviata* Motschulsky, 1875: 143 (*Grammoptera*)  
*dentatofasciata* Motschulsky, 1859a: 571 [1859b: 232] [HN]  
*multidisjuncta* Pic, 1914b: 5  
*parallelpipeda* Motschulsky, 1860b: 146 (*Grammoptera*)  
*rostiana* Pic, 1902f: 19 (*Judolia*)  
*rufimembris* Pic, 1917g: 3 (*Leptura*)  
*shirarakensis* Matsumura, 1911: 137 (*Leptura*)  
*japonica* Tamanuki, 1943: 179 (*Strangalia*) A: JA  
*miyatakei* N. Ohbayashi & Bi, 2020: 96 A: ZHE  
*sexmaculata* Linnaeus, 1758: 398 (*Leptura*) E: AN AU BY CT CZ EN FI FR GB GE GR HU IR IT LA LT NR NT PL RO SK SP ST  
 SV SZ UK A: KZ



*alpestris* Pic, 1914b: 5  
*helvetica* Pic, 1914b: 5  
*milliati* Pic, 1945b: 6  
*x-flava* Roubal, 1937: 81  
*testaceofasciata* DeGeer, 1775: 133 (*Leptura*)  
*trifasciata* Fabricius, 1793: 349 (*Leptura*)  
*tyrolensis* Reineck, 1913: 300

**genus *Judolidia* Plavilstshikov, 1936: 399** type species *Judolidia znojkoii* Plavilstshikov, 1936

*bangi bangi* Pic, 1901k: 340 (*Leptura*) A: JA #276  
*akitensis* Matsushita, 1931a: 42 (*Leptura*)  
*stygica* Gressitt, 1935b: 168 (*Leptura*)  
*bangi kyushuensis* Kusakabe & N. Ohbayashi, 1992: 28 A: JA #276  
*znojkoii* Plavilstshikov, 1936: 400 A: FE HEI JIL NC SC

**genus *Kanekoa* Matsushita & Tamanuki, 1943: 79** type species *Leptura azumensis* Matsushita & Tamanuki, 1943

*Acmaeopidonia* Tippmann, 1955: 91 type species *Acmaeopidonia aerifera* Tippmann, 1955  
*aerifera* Tippmann, 1955: 92 (*Acmaeopidonia*) A: FUJ #526  
*azumensis* Matsushita & Tamanuki, 1943: 79 (*Leptura*) A: JA SC (Jejudo Is.)  
*lalashana* Shimomura, 1980: 115 (*Anoplodera*) A: TAI #406 #526  
*lirata* Holzschuh, 1991c: 17 A: SCH  
*lucidula* Holzschuh, 1999: 12 A: XIZ  
*piligera* Holzschuh, 2003a: 162 A: SCH SHA

**genus *Katarinia* Holzschuh, 1991c: 18** type species *Katarinia cephalota* Holzschuh, 1991

*belousovi* Mirosnikov, 2015b: 289 A: YUN  
*cephalota* Holzschuh, 1991c: 18 A: SCH  
*consanguinea* Holzschuh, 2006a: 211 A: YUN  
*murzini* Mirosnikov, 2015b: 287 A: SHA  
*teledapoides* Holzschuh, 1998: 21 A: SCH

**genus *Kirgizobia* Danilevsky, 1992c: 203** type species *Kirgizobia bohnei* Danilevsky, 1992

*bohnei* Danilevsky, 1992c: 204 A: KI

**genus *Konoa* Matsushita, 1933b: 196** type species *Nivellia valida* Matsushita, 1933 (= *Leptura granulata* Bates, 1884a)

*granulata* Bates, 1884a: 217 (*Leptura*) A: FE JA  
*valida* Matsushita, 1933b: 196 (*Nivellia*)

**genus *Laoleptura* N. Ohbayashi, 2008: 427, 434** type species *Laoleptura phupanensis* N. Ohbayashi, 2008 #176

*phupanensis* N. Ohbayashi, 2008: 428, 434 A: GUX YUN ORR

**genus *Leptostrangalia* Nakane & K. Ohbayashi, 1959: 64** type species *Strangalia hosohana* K. Ohbayashi, 1952

*hosohana* K. Ohbayashi, 1952: 414 (*Strangalia*) A: JA  
*nakamurai* Hayashi, 1960a: 17 A: TAI  
*marginipennis* Hayashi & Villiers, 1989: 3 (*Strangalomorpha*) [HN] #135  
*rufithorax* J.-H. Huang & Vives, 2019: 433 A: GUX  
*shaanxiana* Holzschuh, 1992b: 10 A: SHA  
*shirakii* Mitono & Tamanuki, 1939: 213 (*Strangalina*) A: TAI #499 #526

**genus *Leptura* Linnaeus, 1758: 397** type species *Leptura quadrifasciata* Linnaeus, 1758

**subgenus *Brevileptura* Vives, 2024: 3** type species *Leptura minuta* Vives, 2024:

*minuta* Vives, 2024: 3 A: YUN ORR

**subgenus *Leptura* Linnaeus, 1758: 397** type species *Leptura quadrifasciata* Linnaeus, 1758

*Bothrioleptura* Pesarini & Sabbadini, 2015: 27 type species *Leptura alticola* Gressitt, 1948a #526 #541  
*Rhytidoleptura* Pesarini & Sabbadini, 2015: 29 type species *Leptura christinae* Pesarini, Rapuzzi & Sabbadini, 2015 #526

*adami* Hergovits, 2020a: 17 A: SCH

*aethiops* Poda von Neuhaus, 1761: 38 E: AL AU BE BH BY CH CR CT CZ DE EN FR GE GR HU IT LA LS LT LU MD NL NT PL  
RO SB SK SL SP ST SZ UK A: ?AR ?AB ES FE FUJ ?GG GUX HEB HEI JA JIL JIX KZ MG NC QIN SC SHA WS YUN  
#225 #372

*adustipennis* Solsky, 1871a: 404 (*Strangalia*)

*akitai* Fujita, 2018: 23 #517 #526 #736

*aterrima* Motschulsky, 1860b: 147 (*Stenura*)

*atra* Scopoli, 1772: 100 (*Prionus*)

*beckeri* Pic, 1911a: 4

*chihiroae* Fujita, 2018: 24 #518 #526 #736

*coreana* Matsushita, 1933a: 104 (*Strangalia*) [HN]

*letzneri* Gabriel, 1895: 437

*melanaria* Herbst, 1784: 101  
*semibicolor* Pic, 1912i: 90  
*unicolor* Olivier, 1797: 518  
*alticola* Gressitt, 1948a: 43 A: SCH XIZ YUN #400  
*amamiana amamiana* Hayashi, 1960d: 22 A: JA (Ryukyus) #276  
*amamiana watanabei* Hayashi, 1962c: 2 A: JA (Ryukyus) #276  
*ambulatoria* Gressitt, 1951a: 96 A: ANH FUJ GUA GUX HUN JIX SCH YUN ZHE #176 #400 #489  
*annularis annularis* Fabricius, 1802: 363 E: AN AU BH BY CR CT CZ ~~CZ~~ EN FR GE HU IT LA LT MD NT PL RO ?SB SK SL ST  
SZ UK A: BEI ES FE GAN HEB HEI JIL JIX KZ LIA MG NC NMO SC SCH SHN SHX WS ZHE #214  
*arcuata* Panzer, 1793a: 12 [HN]  
*mediodisjuncta* Pic, 1902d: 10 (*Strangalia*)  
*annularis mimica* Bates, 1884a: 219 A: FE JA #214 #276  
*harmandi* Pic, 1901m: 61  
*annularis modicenotata* Pic, 1901m: 61 (*Strangalia*) A: JA #276 #425  
*infernalis* Pic, 1901m: 61 (*Strangalia*)  
*kinhokuana* Matsushita, 1932: 191 (*Strangalia*)  
*naganoensis* Pic, 1956: 650 (*Strangalia*)  
*onsenensis* Pic, 1956: 650 (*Strangalia*)  
*quadriluteonotata* Pic, 1953a: 14 (*Strangalia*) #425  
*semisuturalis* Pic, 1953a: 14 (*Strangalia*) #425  
*tokioensis* Pic, 1915f: 11 (*Strangalia*)  
*tsumagurohana* K. Ohbayashi, 1955: 61  
*annularis nagahatai* Fujita, 2018: 24 A: SC [Ulleung-do Is. = Ulleungdo Is.]  
*arcifera* Blanchard, 1871: 812 (*Strangalia*) A: GUI SCH YUN  
*auratopilosa* Matsushita, 1931a: 42 (*Strangalia*) A: TAI  
*piyanan* Kano, 1933a: 267 (*Strangalia*)  
*quadranthoracica* Tamanuki, 1943: 145 (*Strangalia*)  
*segregata* Tamanuki, 1943: 146 (*Strangalia*)  
*aureopubescentis* Hayashi, 1974b: 12 A: JA #611  
*aurosericans* Fairmaire, 1895: 177 A: FUJ GUA GUI GUX HEN HUB HUN JIX SCH SHA ZHE ORR #225 #526  
*mausonensis* Pic, 1903c: 29  
*meridiosinica* Gressitt, 1951a: 99  
*rufimembris* Pic, 1923a: 11 (*Parastrangalis*)  
*sericea* Pic, 1903c: 29  
*aurulenta* Fabricius, 1793: 348 E: AL AN AU BE BH ?BY BU CR CT CZ FR GE GB GR IR HU IT LU MC MD ME PL PT RO SB SK  
SL SP ST SZ TR UK N: AG TU A: TR #104 #482 #630 #752  
*algerica* Pic, 1898a: 6 (*Strangalia*)  
*kitanensis* Dayrem, 1922a: 17 (*Strangalia*)  
*lugdunensis* Pic, 1916a: 2: (*Strangalia*)  
*mesmini* Pic, 1916b: 5 (*Strangalia*)  
*subreducta* Pic, 1915a: 5 (*Strangalia*)  
*viturati* Pic, 1914e: 18 (*Strangalia*)  
*barkamica* Holzschuh, 1998: 22 A: SCH  
*bocakorum* Holzschuh, 1998: 23 A: YUN  
*christinae* Pesarini, Rapuzzi & Sabbadini, 2015: 29 A: SCH  
*daliensis* Holzschuh, 1998: 23 A: YUN  
*dellabrunai* Pesarini & Sabbadini, 2015: 30 A: SCH  
*dembickyi* Hergovits, 2020a: 18 A: SCH  
*diaphora* Holzschuh, 2024: 142 A: YUN  
*dimorpha* Bates, 1873: 195 A: JA  
*doii* Matsushita, 1933a: 105 (*Strangalia*) A: FE (Iturup) #371  
*duodecimguttata* Fabricius, 1802: 363 A: BEI ES FE FUJ HEB HEI HEN JA JIL KZ MG NC NMO QIN SC SCH SHX WS ZHE  
#60  
*bisbijuncta* Pic, 1904d: 14  
*kupfereri* Pic, 1912i: 89  
*mediojuncta* Pic, 1902d: 10 (*Strangalia*)  
*mediosejuncta* Pic, 1927e: 13 (*Strangalia*)  
*subobliterata* Pic, 1927e: 10 (*Strangalia*)  
*formosomontana* Kano, 1933a: 268 (*Strangalia*) A: TAI  
*gorodinskii* Hergovits, 2020a: 20 A: GUN  
*gradatula* Holzschuh, 2006a: 216 A: GAN GUX SCH SHA YUN #225  
*grahamiana* Gressitt, 1938a: 46 A: SCH XIZ YUN  
*guerryi* Pic, 1902i: 28 (*Strangalia*) A: SCH XIZ YUN #176 #400  
*jendeki* Hergovits, 2020: 22a A: SHA  
*kabateki* Hergovits, 2020: 23a A: GUN  
*kubani* Holzschuh, 2006a: 214 A: YUN XIZ #176  
*kusamai keiichii* N. Ohbayashi, 1999: 51 A: JA  
*kusamai kusamai* K. Ohbayashi & Nakane, 1955: 17 A: JA

*latipennis* Matsushita, 1933b: 214 (*Strangalia*) A: FE JA  
*trigonata* Hayashi, 1955: 33  
*lavinia* Gahan, 1906a: 83 A: NP SCH SD XIZ YUN ORR #526  
*gibbosa* Pesarini & Sabbadini, 2015: 27 #541  
*linwenhsini* N. Ohbayashi & Chou, 2013: 30 A: TAI  
*longeattenuata* Pic, 1939b: 1 A: GUI GUX YUN #176  
*masegakii* Kano, 1933a: 269 (*Strangalia*) A: TAI  
*naxi* Holzschuh, 1998: 21 A: XIZ YUN #60  
*nigroguttata* Pic, 1927b: 27 (*Parastrangalis*) A: GUX XIZ YUN ORR #176 #385  
*fruhstorferi* Hayashi & Villiers, 1985: 19  
*pubevirens* Gressitt, 1935g: 568  
*ochraceofasciata chujoi* Hayashi, 1961a: 21 A: JA  
*ochraceofasciata iijimai* Fujita, 2018: 25 A: JA  
*ochraceofasciata ochraceofasciata* Motschulsky, 1862: 21 (*Stenura*) A: FE FUJ GAN HEI JA JIL NC (Mt. Gwanmobong) NMO XIN  
ZHE  
*inintegra* Pic, 1901g: 28 (*Strangalia*) [= 1943d: 6]  
*isolata* Fujimura, 1956: 3  
*ochraceofasciata ochrotela* Bates, 1873: 196 A: JA #120 #526  
*quadrifasciata lederi* Ganglbauer, 1882: 697 E: ST A: AB AR GG IN TR  
*caucasica* Plavilstshikov, 1924: 226 (*Strangalia*)  
*notatipennis* Pic, 1897b: 5 (*Strangalia*) #569  
*suramensis* Pic, 1915e: 5 (*Strangalia*)  
*quadrifasciata quadrifasciata* Linnaeus, 1758: 398 E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE ?GR HU IR IT KZ  
LA LS LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: ES FE JA (Hokkaido) KO KZ MG NE QIN  
SCH SHA WS XIN #526  
*apicalis* Curtis, 1831: 362  
*apicata* Stephens, 1839: 278  
*bidivisa* Schmidt, 1951: 13 (*Strangalia*)  
*guillemoti* Desbrochers des Loges, 1895: 130 (*Stenura*)  
*interrupta* Heyden, 1877a: 397 (*Strangalia*)  
*martialis* Pic, 1941c: 1 (*Strangalia*)  
*melgunowi* Jakobson, 1895: 523 (*Strangalia*)  
*mosquensis* Pic, 1915e: 5 (*Strangalia*)  
~~*notatipennis* Pic, 1897b: 5 (*Strangalia*)~~ #569  
*octomaculata* DeGeer, 1775: 132  
*quadripustulata* Fabricius, 1793: 345  
*suramensis* Pic, 1915e: 5 (*Strangalia*)  
*rufoannulata* Pic, 1933b: 26 (*Strangalia*) A: FUJ HUB SCH  
*fisheriana* Gressitt, 1938a: 45  
*semicornis* Holzschuh, 2003a: 166 A: SCH  
*spinosula* Pesarini & Sabbadini, 2015: 32 A: SCH  
*subtilis* Bates, 1884a: 219 A: JA #120 #526  
*ohishii* Matsushita & Tamanuki, 1940: 5  
*taranan* Kano, 1933a: 267 (*Strangalia*) A: TAI #526  
*tatsienlua* Gressitt, 1948a: 45 A: XIZ SCH #60  
*tattakana* Kano, 1933a: 266 (*Strangalia*) A: TAI  
*horishana* Matsushita, 1933b: 214  
*mushana* Tamanuki, 1939a: 144 (*Strangalia*)  
*viktorai* Hergovits, 2020a: 24 A: XIZ  
*yakushimana* Tamanuki, 1943: 153 (*Strangalia*) A: JA  
*yokoyamai* Hayashi, 1961a: 21 A: JA #526  
*yulongshana* Holzschuh, 1991c: 20 A: YUN  
*zonifera* Blanchard, 1871: 812 (*Stenura*) A: FUJ GUI HUB NE SCH YUN ZHE  
**subgenus** *Macroleptura* Nakane & K. Ohbayashi, 1957: 47 (241) type species *Leptura thoracica* Creutzer, 1799 #526  
*thoracica* Creutzer, 1799: 125 E: BH BY CR CT EN FI LA ?LT NT PL RO SB SK SL ST UK A: ES FE FUJ GUI HEB HEI HUB JIL  
JA KZ LIA MG NC NMO SC WS XIN ZHE #63 #276 #535  
*altaica* Gebler, 1817: 331 (*Leptura*)  
*maculiceps* Schmidt, 1951: 13 (*Strangalia*)  
*mixtepilosa* Schmidt, 1951: 12 (*Strangalia*)  
*obscurissima* Pic, 1900i: 17 (*Strangalia*) #276 #736  
*pliginskii* Schmidt, 1951: 13 (*Strangalia*)  
*ussurica* Pic, 1902c: 8 (*Strangalia*)  
**subgenus** *Noona* Sama, 2007c: 102 [RN] type species *Strangalia regalis* Bates, 1884a  
*Nona* Sama, 2002: 25 [HN] type species *Strangalia regalis* Bates, 1884  
*quadrizona* Fairmaire, 1902a: 244 (*Strangalia*) A: SCH YUN ORR #400  
*anticejuncta* Pic, 1943c: 1 (*Strangalia*)  
*magdelainei* Pic, 1937b: 6 (*Strangalia*)  
*regalis* Bates, 1884a: 223 (*Strangalia*) A: FE JA KO  
*coreana* Pic, 1907c: 20

maindroni Pic, 1901m: 61

**genus *Lepturalia* Reitter, 1913a: 20** type species *Leptura nigripes* DeGeer, 1775  
*nigripes nigripes* DeGeer, 1775: 136 (*Leptura*) E: AU BY CT EN FI ~~GI~~ KZ LA ?LT NR NT PL RO SK SL ST SV UK A: ES KZ WS  
#535

*intermedia* Chevrolat, 1882: 59 (*Vadonia*)

*nigripes rufipennis* Blessig, 1873: 251 (*Strangalia*) A: ES FE KZ MG NE WS XIN

**genus *Lepturobosca* Reitter, 1913a: 17** type species *Leptura virens* Linnaeus, 1758  
*virens* Linnaeus, 1758: 397 (*Leptura*) E: AU BE BH BU BY CR CT CZ EN FI FR GB GE HU IT LA ?LT ME NR NT PL RO SB SK  
SL SP ST SV SZ UK A: ES FE KZ MG NE NMO WS XIN #535  
*fuscopubens* Reitter, 1890a: 164 (*Leptura*)  
*kenteiensis* Pic, 1900a: 4 (*Leptura*)

**genus *Metalloleptura* Gressitt & Rondon, 1970: 36** type species *Strangalia virescens* Aurivillius, 1911  
*gahani* Plavilstshikov, 1921b: 110 (*Leptura*) [RN] A: GUX YUN ORR #400  
*aureoviridis* Gressitt, 1941b: 332 (*Ocalemia*)  
*cribripennis* Gahan, 1906a: 85 (*Leptura*) [HN]  
*laosensis* Gressitt & Rondon, 1970: 36  
*viridescens* Pic, 1923a: 12 (*Ocalemia*)  
*rahoarei* Kano, 1933a: 264 (*Strangalia*) A: TAI

**genus *Metastrangalis* Hayashi, 1960a: 16** type species *Eustrangalis albicornis* Tamanuki, 1943  
*albicornis* Tamanuki, 1943: 119 (*Eustrangalis*) A: TAI  
*ochraceoventra* Gressitt, 1935d: 256 (*Leptura*) A: TAI  
*uenoi* Chou & N. Ohbayashi, 2007: 231 A: TAI

**genus *Mimostrangalia* Nakane & K. Ohbayashi, 1957: 49** type species *Strangalia kurosonensis* K. Ohbayashi, 1936  
*kurosonensis* K. Ohbayashi, 1936a: 11 (*Strangalia*) A: JA  
*lateripicta* Fairmaire, 1895: 178 (*Leptura*) A: FUJ ORR

**genus *Munamizoa* Matsushita & Tamanuki, 1940: 4** type species *Nivellia maculata* Matsushita & Tamanuki, 1935  
*maculata* Matsushita & Tamanuki, 1935: 1 (*Nivellia*) A: JA

**genus *Nanostrangalia* Nakane & K. Ohbayashi, 1959: 65** type species *Strangalia chujoi* Mitono, 1938  
*abdominalis* Pic, 1927b: 28 (*Strangalina*) A: FUJ ORR  
*atayal* Chou & N. Ohbayashi, 2014: 347 A: TAI  
*binhana* Pic, 1928a: 26 (*Leptura*) A: SCH ORR  
*binodula* Holzschuh, 2016a: 78 A: HAI  
*chujoi* Mitono, 1938: 20 (*Strangalia*) A: TAI  
*comis* Holzschuh, 1998: 27 A: NIN SCH #400  
*emeishana* Holzschuh, 1991c: 25 A: SCH  
*modicata* Holzschuh, 2008: 153 A: YUN  
*semichujoi* Hayashi, 1974a: 11 A: TAI  
*sternalis* Holzschuh, 1992b: 11 A: YUN  
*tenuecornis* Holzschuh, 2016a: 77 A: FUJ  
*torui* Holzschuh, 1989a: 155 A: NP #224  
*trinotata* Pic, 1928: 26 (*Leptura*) A: YUN ORR

**genus *Neopiciella* Sama, 1988: 32** type species *Leptura sicula* Ganglbauer, 1886  
*kabylana* Pic, 1896a: 103 (*Leptura*) N: AG TU  
*chobauti* Dayrem, 1924a: 28 (*Leptura*)  
*suberis* Chobaut, 1900: 265 (*Leptura*)  
*sicula* Ganglbauer, 1886c: 515 (*Leptura*) E: IT (Sicilia)  
*stefaniae* Bellavista, Rapuzzi & Sparacio, 2020: 1002 E: IT (Sicilia)

**genus *Nivellia* Mulsant, 1863: 564** type species *Leptura sanguinosa* Gyllenhal, 1827  
*extensa extensa* Gebler, 1833: 305 (*Leptura*) E: FI NT SB A: ES FE JA MG NC NE SC WS #705  
*extensa umbratilis* Shimomura & Toyoshima, 1988: 130 A: FE JA  
*extensa yuzawai* Shimomura & Toyoshima, 1988: 128 A: JA  
*sanguinosa* Gyllenhal, 1827: 21 (*Leptura*) E: AU BY CT CZ ?EN FI GE LA NR NT PL RO SB SK SV UK A: ES FE GAN HEB HEI  
HEN JA JIL KZ LIA MG NC NMO SC WS #705  
*kratteri* Hampe, 1852a: 67 (*Leptura*)  
*rubripennis* Matsumura, 1911: 139 (*Leptura*)  
*sacheri* Wolfner, 1852: 93 (*Grammoptera*)

**genus *Nivelliomorpha* Boppe, 1921: 86** type species *Leptura inequalithorax* Pic, 1902

*inequalithorax* Pic, 1902i: 28 (*Leptura*) A: BEI HEB LIA NIN NMO SHA SHX  
*rufobasalis* Pic, 1939b: 2 (*Leptura*)

**genus *Nustera* Villiers, 1974b: 214** type species *Leptura distigma* Charpentier, 1825  
*distigma* Charpentier, 1825: 227 (*Leptura*) E: FR PT SP N: AG MO TU

*bimaculata* Pic, 1891b: 15 (*Strangalia*)  
*diversesignata* Pic, 1917g: 4 (*Strangalia*)  
*indistigma* Pic, 1917g: 4 (*Strangalia*)  
*lopezbayoi* Lauffer, 1904: 374 (*Leptura*)  
*medioconexa* Pic, 1945b: 6 (*Strangalia*)  
*microstigma* Rungs, 1947: 98 (*Strangalia*)  
*neglecta* Chobaut, 1895a: cccx (*Strangalia*)  
*notata* Pic, 1891b: 15 (*Strangalia*)  
*peyerimhoffi* Dayrem, 1922a: 18 (*Strangalia*)  
*sedilloti* Pic, 1937c: 6 (*Strangalia*)  
*subscutellaris* Pic, 1901o: 67 (*Strangalia*)  
*talarahnsensis* Dayrem, 1922a: 17 (*Strangalia*)  
*tenietensis* Pic, 1890c: 157 (*Strangalia*)

*lindbergi* Villiers, 1943: 233 (*Strangalia*) N: MO  
*baudoni* Villiers, 1960a: 7 (*Strangalia*)

**genus *Oedecnema* Dejean, 1835: 355** type species *Leptura dubia* Fabricius, 1781 (= *Oedecnema gebleri* Ganglbauer, 1889)  
*gebleri* Ganglbauer, 1889c: 470 [RN] E: **BY** CT NT ST UK A: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN  
*decemmaculata* Matsumura, 1911: 136 (*Leptura*) [Hokkaido] #276 #665  
*dubia* Fabricius, 1781: 249 (*Leptura*) [HN]

**genus *Ohbayashia* Hayashi, 1958a: 4** type species *Strangalomorpha nigromarginata* Hayashi, 1953  
*fuscoaenea* Hayashi, 1974a: 7 A: TAI  
*nigromarginata nigromarginata* Hayashi, 1953: 40 (*Strangalomorpha*) A: JA  
*nigromarginata rufolava* Hayashi, 1968c: 12 A: JA

**genus *Pachypidonia* Gressitt, 1935b: 166** type species *Pachypidonia crassicornis* Gressitt, 1935 (= *Leptura bodemeyeri* Pic, 1934)  
*bodemeyeri* Pic, 1934c: 17 (*Leptura*) A: JA  
*crassicornis* Gressitt, 1935b: 168  
*kochiana* Matsushita, 1935: 308 (*Leptura*)  
*rubrida rubrida* Hayashi, 1971: 4 A: TAI  
*tavakliani* Miroshnikov, 2015b: 285 A: YUN

**genus *Pachytodes* Pic, 1891g: 65** type species *Leptura cerambyciformis* Schrank, 1781  
*bottcheri* Pic, 1911a: 5 (*Leptura*) A: WS ES MG NMO  
*orthotrichus* Plavilstshikov, 1936: 393 (*Judolia*)  
*cerambyciformis* Schrank, 1781a: 154 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE ?EN FR GB GE GR HU IR IT LA LS LT LU  
MC MD ME NL NT PL PT RO SB SK SL SP ST SZ ?TR UK A: ?TR #583  
*anticeundulatus* Pic, 1915a: 29 (*Leptura*)  
*beskidicus* Pic, 1915g: 18 (*Leptura*)  
*bisbistigma* Pic, 1906g: 67 (*Leptura*)  
*bisquadristigma* Pic, 1915a: 29 (*Leptura*)  
*breveseparatus* Pic, 1953a: 9  
*decempunctatus* Olivier, 1800: 26 (*Leptura*) #373  
*digoniensis* Pic, 1915a: 29 (*Leptura*)  
*efasciatus* Pic, 1916: 9 (*Leptura*) ["Hongrie"]  
*externeonotata* Pic, 1923g: 13  
*hoverlanus* Roubal, 1937: 81 (*Judolia*)  
*humerifer* Pic, 1915g: 18 (*Leptura*)  
*lateseparatus* Pic, 1953a: 9  
*multiinterruptus* Pic, 1915a: 30 (*Leptura*)  
*octomaculatus* Schaller, 1783: 297 [wrongly numbered as 299] (*Leptura*) [HN]  
*parvonotatus* Pic, 1916: 10 (*Leptura*) ["Europe"]  
*quadrimaculatus* Scopoli, 1763: 47 (*Leptura*) [HN]  
*salbachi* Reitter, 1908: 216 (*Pachyta*)  
*sexpunctatus* Mulsant, 1839: 244 (*Pachyta*)  
*transylvanicus* Pic, 1916: 9 (*Leptura*)  
*urbisensis* Pic, 1915a: 29 (*Leptura*)  
*valesiacus* Pic, 1915a: 29 (*Leptura*)  
*cometes* Bates, 1884a: 218 (*Leptura*) A: FE JA SC  
*connectus* Nishio, 1950: 20 (*Strangalia*)  
*erraticus* Dalman, 1817a: 490 (*Leptura*) E: AL AU BH BU **BY** CR CT CZ FR GE GR HU IT **KZ** MC MD ME PL RO SB SK SL SP ST  
?SZ TR UK A: AB AR GG ES IN KZ SY TR WS XIN #115 #752  
*akbestianus* Pic, 1898a: 6  
*antedivisus* Pic, 1914c: 14 (*Leptura*)



~~*anticonotatus* Pic, 1914c: 13 (*Leptura*)~~  
~~*atrosuturalis* Pic, 1915a: 38 (*Leptura*)~~  
*eibesanus* Pic, 1914c: 13 (*Leptura*)  
*erythrurus* Küster, 1848b: 90 (*Pachyta*)  
*heyrovskyi* Pic, 1924c: 26 (*Leptura*)  
*hungaricus* Pic, 1913b: 186 (*Leptura*)  
*italicus* Pic, 1916b: 4  
*kalavritanus* Pic, 1913b: 186 (*Leptura*)  
*quinquepunctatus* Pic, 1915g: 18 (*Leptura*)  
*ragusai* Pic, 1923d: 3  
*rosinae* Pic, 1901b: 11 (*Leptura*)  
*rufopicalis* Pic, 1913b: 186 (*Leptura*)  
*rufonotatus* Pic, 1913b: 186 (*Leptura*)  
*russicus* Pic, 1898h: 54  
*septemsignatus* Küster, 1848b: 89 (*Pachyta*)  
*siculus* Pic, 1916b: 4  
*subapicalis* Pic, 1914c: 15 (*Leptura*)  
*testaceofasciatus* Pic, 1913b: 186 (*Leptura*)  
*unijunctus* Pic, 1914c: 14 (*Leptura*)  
*longipes* Gebler, 1832: 67 (*Pachyta*) A: ES FE MG NC NE NO SC  
*amurianus* Pic, 1902f: 19  
*bodoi* Pic, 1914b: 5 (*Leptura*)  
*guttulatus* Motschulsky, 1875: 141 (*Pachyta*)  
*nigrosuturalis* Pic, 1917g: 3 (*Leptura*)  
*octoguttatus* Pic, 1914b: 5 (*Leptura*)

**genus *Paranaspia* Matsushita & Tamanuki, 1940: 5** type species *Leptura anaspidoidea* Bates, 1873  
*anaspidoidea* Bates, 1873: 196 (*Leptura*) A: JA NE #400 #525  
*mikadoi* Pic, 1906d: 16 (*Leptura*)  
*coccinea* Mitono, 1936: 423 (*Strangalia*) A: TAI  
*erythromelas* Holzschuh, 2003a: 165 A: SHA  
*frainii* Fairmaire, 1897d: 239 (*Strangalia*) A: BT NP SD #390  
*inadai* N. Ohbayashi, 2001a: 95 A: JA (Ryukyus)  
*muneaka* Mitono & Tamanuki, 1939: 212 (*Strangalia*) A: TAI #526  
*reductipennis* Pic, 1928f: 158 (*Leptura*) A: YUN ORR  
*ruficollis* Pesarini & Sabbadini, 2015: 41 A: YUN  
*yayeyamensis* Hayashi & Yokoyama, 1974: 12 A: JA (Ryukyus)

**genus *Parastrangalis* Ganglbauer, 1889a: 57** type species *Leptura potanini* Ganglbauer, 1889  
*Strangaliella* Hayashi, 1976: 3 type species *Strangalia shikokensis* Matsushita, 1935 (= *Strangalia tenuicornis* Motschulsky, 1862)  
*addenda* Holzschuh, 2011: 274 A: FUJ HAI  
*andrei* Holzschuh, 2007: 192 A: SCH  
*aurigena* Holzschuh, 2007: 185 A: YUN ORR #176  
*bisbidentata* Holzschuh, 2007: 190 A: SHA  
*chekiangana* Gressitt, 1939b: 90 (*Strangalia*) A: FUJ SHA ZHE #526  
*communis* Holzschuh, 1993a: 19 A: SCH ORR  
*congesta* Holzschuh, 1995: 11 A: YUN  
*congruens* Holzschuh, 2016a: 73 A: YUN  
*crebrepunctata* Gressitt, 1939b: 91 (*Strangalia*) A: FUJ GUX HUB HUN SCH YUN ZHE  
*dalihodi* Holzschuh, 1999: 13 A: TAI  
*denticulata* Tamanuki, 1939a: 145 (*Strangalomorpha*) A: TAI  
*diffluata* Holzschuh, 1999: 15 A: SCH  
*emotoi* Hayashi & Makihara, 1981: 186 (*Strangaliella*) A: NP  
*eucera* Holzschuh, 1995: 12 A: YUN  
*holzschuhi* Chou & N. Ohbayashi, 2014: 349 A: HUB TAI #717  
*houhensis* N. Ohbayashi & W.-K. Wang, 2004: 456 A: HUB  
*imprensa* Holzschuh, 1991a: 8 A: YUN  
*inarmata* Holzschuh, 1991c: 27 A: SCH ORR #400  
*insignis* Holzschuh, 1998: 25 A: HUB NIN #400  
*ishigakiensis* Hayashi, 1971: 5 A: JA (Ryukyus)  
*jaroslavi* Holzschuh, 2008: 158 A: TAI  
*lateristriata* Tamanuki & Mitono, 1939: 209 (*Strangalomorpha*) A: TAI ORR  
*lesnei* Pic, 1901m: 60 (*Leptura*) A: JA  
*batesi* Tamanuki, 1943: 134 (*Strangalomorpha*)  
*lineigera* Fairmaire, 1889a: 61 (*Stenura*) A: SCH XIZ ORR  
*maridae* Tichý & Viktora, 2017: 506 A: HUB  
*meridionalis* Gressitt, 1942e: 205 (*Strangalia*) A: FUJ GUA HUB  
*mitonoi* Hayashi & Iga, 1951: 75 (*Strangalomorpha*) A: TAI

*munda* Holzschuh, 1992b: 9 A: YUN  
*negligens* Holzschuh, 1991c: 30 A: SCH  
*nymphula* Bates, 1884a: 220 (*Leptura*) A: JA  
*palleago* Holzschuh, 1998: 25 A: HUB  
*pallescens* Holzschuh, 1993a: 20 A: GAN SHA  
*palpalis* Holzschuh, 1991c: 29 A: HUB SCH #717  
*phantoma* Holzschuh, 1999: 15 A: TAI  
*potanini* Ganglbauer, 1889a: 57 (*Leptura*) A: GAN  
*protensa* Holzschuh, 1991c: 28 A: SCH  
*puliensis* Hayashi, 1976: 4 (*Strangaliella*) A: TAI  
*sculptilis* Holzschuh, 1991c: 30 A: SCH SHA ORR #469  
*shaowuensis* Gressitt, 1951a: 112 (*Strangalia*) A: FUJ GUA HUB SCH  
*shennongjiaensis* Gu, Wang P., Xie & Wang W. 2023: 282 A: HUB  
*subapicalis* Gressitt, 1935d: 263 (*Strangalina*) A: TAI  
*taiwanensis* Chou & N. Ohbayshi, 2010: 364 A: TAI  
*tenuicornis* Motschulsky, 1862: 20 (*Strangalia*) A: JA #178  
*shikokensis* Matsushita, 1935: 309 (*Strangalia*) #178  
*tomentosa* Tamanuki, 1943: 129 (*Strangalomorpha*) A: TAI #526  
*yanoi* Tamanuki, 1939a: 146 (*Strangalina*) A: TAI #135

**genus *Pedostrangalia* Sokolov, 1897: 461** type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménétrés, 1832)  
**subgenus *Neosphentalia* Löbl, 2010: 60** type species *Leptura verticalis* Germar, 1822  
*Sphenalia* K. Daniel, 1904b: 355 [HN] type species *Leptura verticalis* Germar, 1822  
*adaliae* Reitter, 1885: 390 A: CY TR  
*ariadne* K. Daniel, 1904b: 355 (*Leptura*) E: GR (Crete)  
*emmipoda* Mulsant, 1863: 531 (*Strangalia*) E: GR (Rodos) A: ?IN LE SY TR #634  
*adanensis* Pic, 1917a: 6 (*Strangalia*)  
*chehirensis* Pic, 1933d: 6 (*Strangalia*)  
*insuturata* Pic, 1891b: 15 (*Strangalia*)  
*perroudi* Pic, 1933d: 6 (*Strangalia*)  
*subsignata* Pic, 1901j: 235 (*Strangalia*)  
*tambei* Pic, 1917a: 6 (*Strangalia*)  
*femoralis* Motschulsky, 1861b: 40 (*Stenura*) A: ES FE JA JIL NC SC  
*diversipes* Heyden, 1884: 298 (*Leptura*)  
*murayamai* Matsushita, 1937: 102 (*Strangalia*)  
*xanthoma* Bates, 1873: 195 (*Leptura*)  
*gongshana* Viktora, 2022a: 479 A: YUN  
*kurda* Sama, 1996c: 104 A: AR GG IN IQ TR #181  
*raggii* Sama, 1992b: 300 A: CY  
*riccardoi carmelita* Sama, 1996b: 94 A: IS LE #177  
*riccardoi riccardoi* Holzschuh, 1984c: 344 A: JO SY  
*verticalis* Germar, 1822: 9 (*Leptura*) E: AL BH BU CR GR IT MC ?MD ME RO SB SL A: TR  
*graeca* Pic, 1901i: 52 (*Strangalia*)  
*taygetana* K. Daniel, 1904b: 366 (*Leptura*)  
*verticenigra* Pic, 1892v: 416 (*Leptura*) E: GR (Samos) A: GG TR  
*erinnys* K. Daniel, 1904b: 356 (*Leptura*)  
**subgenus *Pedostrangalia* Sokolov, 1897: 461** type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménétrés, 1832)  
*afghanistana* Satô & N. Ohbayashi, 1976: 485 A: AF  
*bicolorata* Holzschuh, 2019c: 80 A: GUA  
*imberbis* Ménétrés, 1832: 231 (*Leptura*) A: AB AF IN TM #345  
*angulicollis* Heyden, 1879a: 323 [1879b: 67] (*Strangalia*)  
*kassjanowi* Sokolov, 1897: 461  
*quadriiceps* Holzschuh, 2019c: 80 A: UP  
*quadrimaculata* L. Chen & Chiang, 1996: 189, 191 A: SCH  
*revestita corsica* Vartanis, 2024b: 73 E: FR #750  
*revestita revestita* Linnaeus, 1767: 638 (*Leptura*) E: AL AU BE BH BU CR CZ DE FR GB GE GR HU IT LU MD NL PL PT RO SB  
SK SL SP SV SZ TR UK  
*barbanti* Pic, 1933f: 5 [Saint-Barbant dans la Haute-Vienne] (*Strangalia*)  
*bicoloraticeps* Pic, 1911c: 17 [Provance] (*Leptura*)  
*brevenotaticollis* Pic, 1933d: 14 [France : Digoïn] (*Strangalia*)  
*discicollis* W. G. H. Scriba, 1867: 32 [Frankfurt] (*Strangalia*)  
*diversipennis* Pic, 1911c: 16 (*Leptura*)  
*ferruginea* Mulsant, 1839: 254 (*Strangalia*)  
*fulvilabris* Mulsant, 1839: 254 (*Strangalia*)  
*fuscicornis* Marsham, 1802: 357 [Brittania] (*Leptura*)  
*gabilloti* Pic, 1911c: 18 (*Leptura*)  
*lectorica* Dayrem, 1916: 17 [Miremonde, Lectoure (Gers)] (*Leptura*)

*labiata* Mulsant, 1839: 254 (*Strangalia*)  
*marsolanensis* Dayrem, 1916: 17 [Rieste, Marsolan (Gers)] (*Leptura*)  
*rubra* Geoffroy, 1785: 89 [Paris] (*Stenocorus*)  
*rufomarginata* Mulsant, 1839: 254 (*Strangalia*)  
*rufonotata* Pic, 1914e: 18 [Fontainebleau] (*Strangalia*)  
*schleicheri* Pic, 1934g: 38 [Allemagne] (*Leptura*)  
*villica* Fabricius, 1775: 196 [toute la France] (*Leptura*)  
*vitticollis* Mulsant, 1839: 254 (*Strangalia*)  
*signifera* Holzschuh, 1999: 13 A: HUB #629  
*tokatensis* Sama, 1996c: 103 A: GG TR  
*tricolorata* Holzschuh, 1991c: 19 A: SCH ORR #400  
*ulmi* Holzschuh, 1982b: 147 A: PA

**genus *Pseudalosterna* Plavilstshikov, 1934e: 131** type species *Pseudalosterna orientalis* Plavilstshikov, 1934 (= *Grammoptera elegantula* Kraatz, 1879)

*aritai* K. Ohbayashi & N. Ohbayashi, 1965: 1 (*Pseudalosterna*) A: JA (Ryukyus)  
*aureola* Holzschuh, 2006a: 208 A: YUN  
*binotata binotata* Gressitt, 1935d: 259 (*Anoplodermomorpha*) A: TAI #526  
*binotata tippmanni* Hayashi, 1984: 17 [RN] A: FUJ #400  
*orientalis* Tippmann, 1955: 93 (*Anoplodera*) [HN]  
*brevia* Gressitt, 1935d: 260 (*Anoplodermomorpha*) A: TAI  
*cyanea* Tamanuki, 1943: 27 (*Pidonia*)  
*cuneata* Holzschuh, 1999: 11 A: HUB SHA #225  
*discalis* Gressitt, 1935g: 569 (*Anoplodermomorpha*) A: HAI SCH #400  
*elegantula* Kraatz, 1879c: 105 (*Grammoptera*) A: FE JA (Tsushima Is.) NC NE SC #276  
*orientalis* Plavilstshikov, 1934e: 132  
*rufomaculata* Pic, 1915e: 5 (*Leptura*)  
*fuscopurpurea* N. Ohbayashi & Shimomura, 1986: 48 A: TAI  
*gorodinskii* Holzschuh, 2003a: 160 A: GAN  
*imitata* Holzschuh, 2003a: 157 A: GUI  
*jitkae* Tichý & Viktora, 2017: 501 A: HUB  
*longigena* Holzschuh, 2003a: 159 A: SHA  
*misella* Bates, 1884a: 216 (*Leptura*) A: JA #276 #400  
*mupinensis* Gressitt, 1935g: 570 (*Anoplodermomorpha*) A: FUJ SCH #400  
*obliquata* Holzschuh, 1989b: 364 A: GUX ORR #315  
*pullata* Matsushita, 1933b: 198 (*Leptura*) A: TAI  
*submetallica* Hayashi, 1974a: 9 (*Anoplodera*) A: TAI  
*takagii* Hayashi, 1961b: 38 (*Pseudalosterna*) A: JA (Ryukyus)  
*tryznai* Holzschuh, 1999: 11 A: SHA  
*wolongana* Holzschuh, 2003a: 157 A: SCH

**genus *Pseudovadonia* Lobanov, Danilevsky & Murzin, 1981: 787** type species *Leptura livida* Fabricius, 1777

*livida bicarinata* N. Arnold, 1869: 137 (*Grammoptera*) E: BY CT EN ?FI KZ LA LT NT PL ST SV UK A: AB AR GG ES FE IN KI KZ TR WS XIN #477 #517  
*livida desbrochersi* Pic, 1891k: xvi (*Vadonia*) A: AB AR GG TR  
*corallipes* Reitter, 1894e: 247 (*Leptura*)  
*livida hatayensis* Özdikmen, 2015d: 319 A: TR  
*livida irakensis* Özdikmen & Ali, 2017: 376 A: IQ ?SY #553  
*livida livida* Fabricius, 1777: 233 (*Leptura*) E: AL AU BE BU BH ?BY CR CZ DE FR GB GE HU IR IT LU MC ME NL ?PL PT SB SK SL ?SP SV SZ TR UK #752  
*pastinacae* Panzer, 1795: 275 (*Leptura*)  
*livida pecta* K. Daniel & J. Daniel, 1891: 38 (*Leptura*) E: IT  
*livida setosa* Danilevsky, 2013h: 29 E: BU ?BY GR MD RO TR UK A: ?IS ?LE TR ~~??~~ #553 #752

**genus *Pygostrangalia* Pic, 1954: 13** type species *Strangalia vittaticollis* Pic, 1926a

*insularestrangalia* Hayashi, 1961b: 40 type species *Strangalia longicornis* Gressitt, 1935  
*cornix* Holzschuh, 2007: 196 (*Mimostrangalia*) A: FUJ #526  
*dulcis* Bates, 1884a: 222 (*Strangalia*) A: JA #400 #526  
*kinoshitai* Kano, 1933a: 265 (*Strangalia*)  
*kappanzanensis* Kano, 1933a: 265 (*Strangalia*) A: SCH TAI ORR #526 #804  
*mitonoana* Gressitt, 1953a: 28 (*Strangalia*) [RN]  
*mitonoii* Gressitt, 1951a: 117 (*Strangalia*) [HN]  
*kiangsiensis* Hayashi & Villiers, 1985: 51 (*Mimostrangalia*) A: GUA JIX #526  
*kurosawai* Hayashi, 1966a: 4 A: TAI  
*loimailia* Gressitt, 1940b: 33 (*Strangalia*) A: FUJ HAI JIL #526  
*longicornis longicornis* Gressitt, 1935f: 382 (*Strangalia*) A: JA (Ryukyus) #526  
*longicornis obscuricolor* Gressitt, 1951a: 117 (*Strangalia*) [RN] A: GUI HAI HUB ZHE #526

*obscura* Gressitt, 1940b: 34 (*Strangalia*) [HN]  
*vittaticollis* Pic, 1926a: 22 (*Strangalia*) A: FUJ **ORR**  
*phungi* Pic, 1930a: 15 (*Strangalina*)  
*subbrevelineata* Pic, 1928a: 27 (*Strangalia*)

**genus *Pyrocalymma* J. Thomson, 1864: 159** type species *Pyrocalymma pyrochroides* J. Thomson, 1864  
*pyrochroides* J. Thomson, 1864: 160 A: NP SCH SD XIZ YUN **ORR** #400

**genus *Pyrocorennys* N. Ohbayashi & Niisato, 2009: 160** type species *Pyrocalymna latipennis* Pic, 1927  
*latipennis latipennis* Pic, 1927b: 26 (*Pyrocalymna*) A: GUX YUN **ORR**  
*brevipennis* Pic, 1947c: 17 (*Pyrocalymna*)  
*latipennis taiwanensis* Hayashi, 1969a: 61 (*Formosopyrrhona*) A: TAI

**genus *Pyrrhona* Bates, 1884a: 224** type species *Pyrrhona laeticolor* Bates, 1884  
*laeticolor laeticolor* Bates, 1884a: 224 A: JA #400  
*laeticolor takakuwai* Kusama, 1971: 24 A: JA

**genus *Rapuzziana* Danilevsky, 2006b: 2** type species *Rapuzziana hangaiensis* Danilevsky, 2006  
*hangaiensis* Danilevsky, 2006b: 2 A: MG

**genus *Robustanoplodera* Pic, 1954: 13** type species *Anoplodera bicolorimembris* Pic, 1954 #403 #526  
*Koichius* Hayashi, 1966a: 2 [RN] type species *Anoplodera tricolor* Gressitt, 1935  
*Tamanukia* Hayashi, 1960a: 9 [HN] type species *Anoplodera tricolor* Gressitt, 1935  
*bicolorimembris* Pic, 1954: 13 (*Anoplodera*) A: FUJ YUN **ORR**  
*albopubescentis* Hayashi & Villiers, 1985: 41, 44 #470  
*lepesmei* Pic, 1956b: 649 (*Leptura*) #400 #526  
*inauraticollis* Pic, 1933b: 26 (*Leptura*) A: SCH  
*taiyal* Shimomura, 1993: 228 A: TAI  
*tricolor* Gressitt, 1935d: 258 (*Anoplodera*) A: TAI

**genus *Rutpela* Nakane & K. Ohbayashi, 1957: 48 (A242)** type species *Leptura maculata* Poda von Neuhaus, 1761 #703  
*inermis* K. Daniel & J. Daniel, 1898a: 74 (*Strangalia*) A: AB AF IN TM #334 #345  
*elboursensis* Pic, 1905e: 390 (*Strangalia*)  
*maculata irmasanica* Sama, 1996c: 105 A: TR  
*maculata maculata* Poda von Neuhaus, 1761: 37 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT  
KZ LA ?LT LU MC MD ME NL NR NT PL RO SB SK SL ST SV SZ TR UK A: KZ TR #535

*alsatica* Pic, 1906g: 67 (*Leptura*)  
*armata* Herbst, 1784: 101 (*Leptura*)  
*bifenestrata* Pic, 1933d: 2 (*Strangalia*)  
*binotata* Mulsant, 1839: 258 (*Strangalia*)  
*calcarata* Olivier, 1800: 14 (*Leptura*) #373  
*dayremi* Pic, 1903a: 4 (*Strangalia*)  
*discontinua* Pic, 1945a: 13 (*Strangalia*)  
*disconotata* Pic, 1908b: 3 (*Leptura*)  
*dromensis* Pic, 1945a: 13 (*Strangalia*)  
*elongata* DeGeer, 1775: 134 (*Leptura*)  
*externepunctata* Mulsant, 1839: 258 (*Strangalia*)  
*fasciata* Scopoli, 1763: 54 (*Cerambyx*)  
*impunctata* Mulsant, 1839: 258 (*Strangalia*)  
*nicodi* Pic, 1933d: 6 (*Strangalia*)  
*pacifica* Pic, 1945a: 13 (*Strangalia*)  
*punctatofasciata* Mulsant, 1839: 258 (*Strangalia*)  
*quinquemaculata* Gmelin, 1790: 1868 (*Leptura*)  
*rubea* Geoffroy, 1785: 86 (*Stenocorus*)  
*scopoliana* Laicharting, 1784: 145 (*Leptura*)  
*sinuata* Fabricius, 1793: 347 (*Leptura*)  
*subspinosa* Fabricius, 1793: 347 (*Leptura*)  
*undulata* Mulsant, 1839: 259 (*Strangalia*)  
*wuenschi* Roubal, 1937: 81 (*Strangalia*)

*maculata manca* Schaufuss, 1863: 121 (*Strangalia*) E: BU FR IT PT SP ST TR UK A: AB AR GG IN TR SY #133 #134  
*kricheldorffi* Wagner, 1928: 121 (*Leptura*)  
*nigricornis* Stierlin, 1864: 153 (*Strangalia*) #20  
*nigrofasciata* V. Petagna, 1972: 247 (*Leptura*) [HN]

**genus *Saligranta* Chou & N. Ohbayashi, 2011: 9** [RN] type species *Pseudostrangalia puyuma* Chou & N. Ohbayashi, 2010  
*Pseudostrangalia* Chou & N. Ohbayashi, 2010: 368 [HN] type species *Pseudostrangalia puyuma* Chou & N. Ohbayashi, 2010  
*puyuma* Chou & N. Ohbayashi, 2010: 368 (*Pseudostrangalia*) A: TAI  
*svihlai* Holzschuh, 1989b: 368 (*Strangalia*) A: GUX **ORR**

**genus *Sinostrangalis* Hayashi, 1960a: 13** type species *Strangalia ikedai* Mitono & Tamanuki, 1939 **#499**  
*ikedai* Mitono & Tamanuki, 1939: 211 (*Strangalia*) A: CHQ FUJ GUI GUX NE SCH TAI ZHE **ORR** **#489 #499**  
*collaris* Holzschuh, 1991c: 31 (*Elacomia*) [HN]  
*simianshana* L. Chen & Chiang, 2000: 33, 36

**genus *Solaia* Sama, 2003: 69** type species *Solaia antonellae* Sama, 2003  
*antonellae* Sama, 2003: 71 A: TR

**genus *Stenoleptura* Gressitt, 1935h: 269** type species *Stenoleptura sandakana* Gressitt, 1935  
*flavovittata* Aurivillius, 1911a: 149 (*Leptura*) A: CH **ORR** **#407**

**genus *Stenurella* Villiers, 1974b: 214** type species *Leptura melanura* Linnaeus, 1758 **#703 #778**  
**subgenus *Crassostenurella* Özdikmen, 2013c: 526** type species *Strangalia approximans* Rosenhauer, 1856 **#703 #778**  
*approximans* Rosenhauer, 1856: 305 (*Strangalia*) E: PT SP N: MO  
*purpuripennis* Mulsant, 1863: 515 (*Strangalia*)  
*edmundi* Pic, 1901j: 237 (*Strangalia*)

**subgenus *Iberostenurella* Özdikmen, 2013c: 527** type species *Strangalia hybridula* Reitter, 1902c **#703 #778**  
*hybridula* Reitter, 1902c: 188 (*Strangalia*) E: PT SP  
*atriventris* Pic, 1905a: 8 (*Leptura*) [DA]  
*atronotata* Pic, 1918d: 5

**subgenus *Nigrostenurella* Özdikmen, 2013c: 525** type species *Leptura nigra* Linnaeus, 1758 **#778**  
*nigra maesta* Danilevsky, 2013a: 172 E: ST A: AB AR GG ?IN TR  
*nigra nigra* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT **KZ** LA LS LT LU  
MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A: TR **#7**  
*giraudi* Pic, 1946a: 14 (*Strangalia*)  
*picea* Geoffroy, 1785: 87 (*Stenocorus*)  
*varicollis* Schaefer, 1932: 31 (*Stenura*)

**subgenus *Priscostenurella* Özdikmen, 2013c: 516** type species *Leptura bifasciata* O.F.Müller  
*Eduardvivesia* Zamoroka, Trócoli, Shparyk & Semaniuk, 2022: 131 type species *Leptura vaucheri* Bedel, 1900 **#703**  
*Nigromacularia* Zamoroka, Trócoli, Shparyk & Semaniuk, 2022 132 type species *Leptura septempunctata* Fabricius 1793 **#703**  
*bifasciata bifasciata* O. F. Müller, 1776: 93 (*Leptura*) E: AU BE BH BY CR CT CZ EN FR GE HU IT **KZ** LA LS LT LU MD ME NL  
NT PL PT RO SB SK SL SP ST SZ ?TR UK A: AB AR ES GG IN IQ KZ ?TR WS XIN **#400**  
*albarracina* Wagner, 1927a: 45 (*Leptura*)  
*cruciata* Olivier, 1800: 7 (*Leptura*) **#373**  
*immaculata* Pic, 1889b: 55 (*Strangalia*)  
*nigriventris* Pic, 1891b: 15 (*Strangalia*)  
*sedakovii* Mannerheim, 1852b: 307 (*Stenura*)  
*ustulata* Laicharting, 1784: 157 [HN] (*Leptura*)

*bifasciata ferruginipes* Pic, 1895c: 76 (*Strangalia*) [“Bitlis”] A: TR  
*solaris* Rapuzzi & Sama, 2012a: 665 [“Bitlis: 35km E Tatvan”]

*bifasciata intermedia* Holzschuh, 2006a: 219 E: AL BU GR MC  
*bifasciata lanceolata* Mulsant & Rey, 1863: 177 (*Strangalia*) E: FR SP  
*bifasciata limbiventris* Reitter, 1898a: 21 (*Strangalia*) A: GG TR  
*bifasciata nigrosuturalis* Reitter, 1895a: 88 (*Strangalia*) A: LE SY TR  
*bifasciata sabinae* Rapuzzi & Sama, 2012a: 664 [“Hakkari”] A: IN TR **#1**  
*bifasciata safronovi* Danilevsky, 2011b: 2 A: TR

*septempunctata latenigra* Pic, 1915e: 5 (*Strangalia*) [“Asie Mineure”] E: BU ST TR A: AR GG TR  
*afyoncayensis* Şabanoğlu Şimşek, Özdemir Türkmen & Sert, 2024: 170 **#816**  
*anatolica* Heyrovský, 1961a: 45 (*Strangalia*)  
*roberti* Pic, 1915a: 38 (*Leptura*) [“Transsylvanie et Turquie”]

*septempunctata septempunctata* Fabricius, 1793: 346 (*Leptura*) E: AL AU BH BU CR CZ GE GR HU IT MC MD **ME** PL RO **SB** SK  
SL **ST** ?SZ UK **#115**  
*atrosuturalis* Pic, 1915a: 38 (*Leptura*)  
*corcyrica* Pic, 1915e: 5 (*Strangalia*)  
*dobiachi* Pic, 1916b: 4 (*Strangalia*)  
*gasturica* Pic, 1915a: 38 (*Leptura*)  
*holtzi* Pic, 1916b: 5 (*Strangalia*)  
*montandoni* Pic, 1915e: 5 (*Strangalia*)  
*notaticollis* Pic, 1915e: 5 (*Strangalia*)  
*pallidicolor* Pic, 1915e: 5 (*Strangalia*)  
*rubronotata* Pic, 1916b: 5 (*Strangalia*)  
*semireducta* Pic, 1915e: 5 (*Strangalia*)  
*suturata* Reiche & Saulcy, 1858: 22 (*Strangalia*) [“Péloponèse”]  
*velebitica* Pic, 1916b: 4 (*Strangalia*)

*vaucheri* Bedel, 1900: 336 (*Leptura*) E: SP N: MO

**subgenus *Stenurella* Villiers, 1974c: 214** type species *Leptura melanura* Linnaeus, 1758 **#778**  
*melanura melanura* Linnaeus, 1758: 397 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU **IR** IT LA LS  
LT LU MC MD ME NL NT NR PL PT RO SB SK SL SP ST SV SZ UK **KZ** A: ?GG ?AR ?AB ES FE JA KZ MG TR WS XIN



*diversiventris* Dufour, 1843: 103 (*Leptura*)  
*georgiana* Pic, 1891g: 63 (*Strangalia*)  
*latesaturata* Pic, 1891g: 63 (*Strangalia*)  
*melanurella* Reitter, 1901a: 78 (*Strangalia*)  
*rubellata* Reitter, 1901a: 77 (*Strangalia*)  
*semicrassa* Pic, 1901n: 58 (*Leptura*)  
*sennii* Sama, 2003: 40 #1 #20  
*similis* Herbst, 1784: 101 (*Leptura*)  
*suturanigra* DeGeer, 1775: 138 (*Leptura*)  
*melanura pamphyliæ* Rapuzzi & Sama, 2010: 182 A: IN TR #3  
*melanura samai* Rapuzzi, 1995: 617 E: BU GR TR A: TR #3  
*melanura zehrae* Özdikmen, Mercan & Cihan, 2012a: 18 A: TR #1  
**subgenus** *Stenurelloides* Özdikmen, 2013c: 523 type species *Leptura jaegeri* Hummel, 1825 #703 #778  
*jaegeri* Hummel, 1825: 68 (*Leptura*) E: CT ST UK A: AB AR GG IN SY TR  
*fenestrata* Reitter, 1901a: 79 (*Strangalia*)  
*jekeli* Pic, 1901j: 236 (*Strangalia*)  
*mingrelia* Tourmier, 1872: 344 (*Strangalia*)  
*oxyptera* Faldermann, 1837: 318 (*Stenura*)  
*novercalis* Reitter, 1901a: 78 E: ST A: GG TR

**genus** *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859  
**subgenus** *Aredolpona* Nakane & K. Ohbayashi, 1957: 50 (A244) type species *Leptura rubra* Linnaeus, 1758  
*Corymbia* Gozis, 1886: 33 [HN] type species *Leptura rubra* Linnaeus, 1758  
*dichroa* Blanchard, 1871: 812 (*Leptura*) A: ANH ES FE FUJ GUI HEB HEI HEN HUB HUN JA JIL JIX NC SC SCH SHA SHN SHX  
ZHE #400  
*muliebris* Heyden, 1886c: 276 (*Leptura*)  
*succedanea* Lewis, 1879b: 464 (*Leptura*) #400  
*rufonotaticollis* Pic, 1915f: 12 (*Leptura*)  
*theryi* Pic, 1915f: 12 (*Leptura*)  
*trisignaticollis* Pic, 1915f: 12 (*Leptura*)  
*rubra numidica* Peyerimhoff, 1918a: 331 (*Leptura*) N: AG  
*rubra rubra* Linnaeus, 1758: 397 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT  
LU MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A: ES KZ WS #655  
*dufourii* Lecomte, 1926: 168 (*Leptura*)  
*maculiceps* Gabriel, 1910: 556 (*Leptura*)  
*occipitalis* Mulsant, 1839: 268 (*Leptura*)  
*planata* Swaine & Hopping, 1928: 62 (*Anoplodera*)  
*rubrotestacea* Illiger, 1805: 122 (*Leptura*)  
*salzmanni* Hubenthal, 1902: 291 (*Leptura*)  
*sattleri* Bickhardt, 1902: 362 (*Leptura*)  
*semimarginata* Pic, 1916a: 22 (*Leptura*)  
*testacea* Linnaeus, 1760: 196 (*Leptura*)  
*umbellatarum* Laicharting, 1784: 161 (*Leptura*)

**subgenus** *Batesiata* Miroschnikov, 1998: 594 type species *Leptura tesserula* Charpentier, 1825 #1 #635  
*tesserula tesserula* Charpentier, 1825: 227 (*Leptura*) E: AL BU CZ GR HU ME PL RO SB SK ST UK A: AB AR GG IN TR  
*abchastica* Rost, 1893: 344 (*Leptura*)  
*bisignata* Ménétries, 1832: 232 (*Leptura*)  
*bisignata* Faldermann, 1837: 313 (*Leptura*) [HNh]  
*dejeani* Ganglbauer, 1889c: 469 (*Leptura*) [RN]  
*impunctata* Heyden, 1877b: 420 (*Leptura*)  
*tesserula orientalis* Vartanis, 2019a: 14 A: TR #517  
**subgenus** *Cribroleptura* Vives, 2000: 266 type species *Leptura stragulata* Germar, 1824  
*otini* Peyerimhoff, 1949: 293 (*Leptura*) E: SP N: MO  
*tizifrensis* Cobos, 1961: 94 (*Leptura*)  
*stragulata* Germar, 1824: 523 (*Leptura*) E: FR PT SP #506  
*hispanica* Pic, 1910a: 27 (*Leptura*)  
*iberica* Pic, 1950a: 15  
*nadari* Pic, 1950a: 15  
*nigrina* Schaufuss, 1863: 121 (*Leptura*)  
*variventris* Schaufuss, 1863: 121 (*Leptura*)

**subgenus** *Hesperoleptura* Vives, 2021: 1 type species *Leptura palmi* Demelt, 1972a  
*palmi* Demelt, 1972a: 74 (*Leptura*) N: CI  
**subgenus** *Maculileptura* Danilevsky, 2014i: 274 type species: *Leptura maculicornis* DeGeer, 1775 #622  
*maculicornis* DeGeer, 1775: 139 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT LU MC MD ME NR  
NT PL RO SB SK SL SP ST SV SZ TR UK A: ?GG WS #83  
*maculosa* Gmelin, 1790: 1874 (*Leptura*)  
*ondreji* Sláma, 1993: 59 (*Brachyleptura*) E: GR  
*pallens* Brullé, 1832: 264 (*Leptura*) E: AL BU BH CR GR MC ME RO SB TR A: TR  
*picticornis* Reitter, 1885: 390 (*Leptura*) E: GR

*simplonica* Fairmaire, 1885: 317 (*Leptura*) E: FR IT SZ  
**subgenus** *Melanoleptura* Miroshnikov, 1998: 594 type species *Leptura scutellata* Fabricius, 1781 #1 #778  
*arabica* Vartanis, 2024d: 102 A: SY  
*scutellata inscutellata* Pic, 1892b: 415 (*Leptura*) A: TR  
*scutellata maritima* Sláma, 2015b: 1118 E: FR #79 #778  
*scutellata melas* P. H. Lucas, 1847: pl. 43 (*Leptura*) E: IT (Sicilia) N: AG TU  
*scutellata miroshnikovi* Danilevsky, 2012m: 915 A: AB IN  
*scutellata ochracea* Faust, 1878: 135 (*Leptura*) E: ST A: AB AR GG TR #78 #635  
*scutellata scutellata* Fabricius, 1781: 247 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT LA LU MC MD  
ME PL PT RO SB SK SL SP ST SV SZ TR UK  
?carbonaria Scopoli, 1763: 56 (*Cerambyx*) [NO] #174  
chrysothyreos Schrank, 1798: 697 (*Leptura*)  
funerea Geoffroy, 1785: 89 (*Stenocorus*)  
nigra V. Petagna, 1787: 17 (*Rhagium*)  
ochraceipennis Pic, 1897c: 31 (*Leptura*)  
**subgenus** *Miroshnikovia* Danilevsky, 2014i: 275 type species *Leptura deyrollei* Pic, 1895b  
deyrollei Pic, 1895b: 40 (*Leptura*) A: GG TR  
**subgenus** *Paracorymbia* Miroshnikov, 1998: 587 type species *Leptura fulva* DeGeer, 1775 #1  
benjamini benjamini Sama, 1993e: 470 (*Corymbia*) A: IS  
benjamini ehdenensis Sama & Rapuzzi, 2000: 10 (*Paracorymbia*) A: LE SY  
excisipes K. Daniel & J. Daniel, 1891: 6 (*Leptura*) A: SY TR  
fulva DeGeer, 1775: 137 (*Leptura*) E: AL AU BE BH BU ~~BY~~ CR CT CZ FR GB GE GR HU IR IT LS LU MC ME NL PL PT RO SB  
SK SL SP ST SZ TR UK A: TR #133 #482 #517 #752  
affinis Marsham, 1802: 353 (*Leptura*)  
apicalis Motschulsky, 1875: 142 (*Leptura*)  
corsica Pic, 1894c: 206 (*Leptura*)  
fulvoapicalis Plavilstshikov, 1932f: 174 (*Leptura*)  
lutescens Geoffroy, 1785: 87 (*Stenocorus*)  
tomentosa Fabricius, 1793: 340 (*Leptura*)  
hybrida Rey, 1885b: 277 (*Leptura*) E: FR IT SP SZ  
nadezhdae Plavilstshikov, 1932c: 182 (*Leptura*) E: ST  
pallidipennis Tournier, 1872: 346 (*Leptura*) E: ST A: AB GG TR  
circassica K. Daniel & J. Daniel, 1891: 31 (*Leptura*)  
sambucicola Holzschuh, 1982a: 65 (*Brachyleptura*) A: SY TR  
tonsa K. Daniel & J. Daniel, 1891: 31 (*Leptura*) E: ST ?UK A: AB AR GG IN TR  
menetriesi Ganglbauer, 1889c: 469 [RN] [NO]  
ustulata Ménétré, 1832: 231 (*Leptura*) [HN]  
**subgenus** *Pyrrholeptura* Lazarev, 2016d: 15 type species: *Leptura pyrrha* Bates, 1884 #635  
pyrrha Bates, 1884a: 216 (*Leptura*) A: JA  
bouvieri Pic, 1901m: 59 (*Leptura*)  
**subgenus** *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859  
cardinalis K. Daniel & J. Daniel, 1898a: 76 (*Leptura*) A: KI TD UZ  
rubidiventris Jankowski, 1934: 104 (*Leptura*)  
cordigera anojiaensis Sláma, 1982: 207 (*Brachyleptura*) E: GR (Crete) A: TR  
cordigera cordigera Fuessly, 1775: 14 (*Leptura*) E: BE BH BU CR CZ DE FR GB GE GR (north-east) IT MC NL RO SB SP SZ RO ST  
TR UK N: LB A: AB AR CY GG IN IQ IS LE SY TR #121  
auricollis Chobaut, 1895a: cccx (*Leptura*)  
epipleuralis Schaefer, 1932: 31 (*Leptura*)  
hastata Sulzer, 1776: 46 (*Leptura*)  
immaculata Ragusa, 1889: 236 (*Leptura*)  
inhastata Pic, 1902c: 8 (*Leptura*)  
lamed Geoffroy, 1785: 86 [HN] (*Stenocorus*)  
cordigera illyrica G. Müller, 1948: 63 (*Leptura*) E: AL BH CR GR IT (north-east) MC SL  
cretica Vartanis, 2025: 1677 E: GR  
eckweileri Holzschuh, 1989a: 154 (*Vadonia*) A: PA  
erythroptera Hagenbach, 1822: 7 (*Leptura*) E: AL AU BH BU CR CZ FR GE GR HU IT MC ME RO SB SK SP ST SZ UK A: AB AR  
GG IN TR  
rufipennis Mulsant, 1839: 272 (*Leptura*)  
fontenayi Mulsant, 1839: 271 (*Leptura*) E: AZ FR PT SP N: AG CI MO TU  
erythrodera Chobaut, 1896: 201 (*Leptura*)  
nigrovittata Chobaut, 1896: 201 (*Leptura*)  
pici Chobaut, 1896: 201 (*Leptura*)  
gladiatrix Sama, 2008: 220 N: MO  
heydeni Ganglbauer, 1889c: 469 (*Leptura*) A: IS LE SY TR  
silbermanni Lefebvre, 1835: 303 (*Leptura*) [NO] ["Syrie Mont Liban"]  
incisipennis Reitter, 1895a: 85 (*Leptura*)  
maceki Holzschuh, 1991c: 19  
igai Tamanuki, 1943: 93 (*Leptura*) A: JA

*ivoroberti* Sama, 2010: 920 E: GR  
*oblongomaculata* Buquet, 1840: 396 (*Leptura*) E: IT (Sardegna, Sicilia) N: AG ?MO TU  
*biparadoxa* Dayrem, 1922a: 17 (*Leptura*)  
*extrema* Dayrem, 1930: 70 (*Leptura*)  
*latedecorata* Pic, 1898i: 64 (*Leptura*)  
*obliterata* Pic, 1898i: 64 (*Leptura*)  
*obscurithorax* Pic, 1898a: 4 (*Leptura*)  
*trinotaticollis* Pic, 1934e: 20 (*Leptura*)  
*uxoria* Dayrem, 1927: 67 (*Leptura*)  
*olympicola* Vartanis, 2023c: 1720 E: GR  
*rufa attaliensis* K. Daniel & J. Daniel, 1891: 11 (*Leptura*) A: TR  
*gevneensis* Özdikmen & Turgut, 2008b: 549  
*rufa dimidiata* K. Daniel & J. Daniel, 1891: 11 (*Leptura*) A: IQ TR  
*rufa excelsa* Costa, 1863: 24 (*Leptura*) E: IT  
*rufa nigropicta* Fairmaire, 1866b: 278 (*Leptura*) A: TR  
*rufa realis* Danilevsky, 2012m: 912-913 E: ST A: AB AR GG TR  
*rufa rubromarginata* Plavilstshikov, 1932f: 174 (*Leptura*) A: IN  
*rufa rufa* Brullé, 1832: 263 (*Leptura*) E: AL BH BU CR GR IT MC ME RO ?SB A: TR  
*slamai* Sama, 2010: 49 E: GR (Crete)  
*martini* Sláma, 1985: 17 (*Brachyleptura*) [HN]  
*tangeriana* Tournier, 1875: 475 (*Leptura*) N: MO  
*atlasica* Escalera, 1914a: 496  
*birufonotata* Pic, 1919a: 22 (*Leptura*)  
*maroccana* Heyden, 1886a: 85 (*Leptura*) [RN]  
*nigromaculata* Pic, 1913b: 138 (*Leptura*)  
*olcese* Pic, 1894f: 108  
*rufonotata* Pic, 1913b: 138 (*Leptura*)  
*tangeriana* Heyden, 1881b: 251 (*Leptura*) [HN]  
*tripartita* Heyden, 1889b: 329 (*Leptura*) A: IN IQ TR  
*morgani* Pic, 1905d: 300 (*Leptura*)  
*trisiinata* Fairmaire, 1852a: 92 (*Leptura*) E: FR PT SP  
*martini* Pic, 1945b: 6 (*Leptura*)  
*semirufula* Kraatz, 1880: 376 (*Leptura*)  
**subgenus Variileptura** Danilevsky, 2014i: 267 type species: *Leptura variicornis* Dalman, 1817  
*variicornis* Dalman, 1817a: 482 (*Leptura*) E: BY CT EN LA **LT** NT PL ST UK A: ES FE GUX HEB HEI JA JIL KZ MG NC NE  
NMO SC SHA WS XIN #400 #517  
*tsuyukii* Fujita, 2018: 22 #526 #736

**genus Strangalia Dejean, 1835: 355** type species *Leptura luteicornis* Fabricius, 1775  
*Ophistomis* J. Thomson, 1861: 154 type species *Ophistomis flavocinctus* J. Thomson, 1861  
*Ophistomis* Gemminger, 1872: 2875 [unnecessary emendation]  
*Strangalina* Aurivillius, 1912: 228 type species *Leptura attenuata* Linnaeus, 1758  
*Sulcatostrangalia* K. Ohbayashi, 1961a: 17 type species *Strangalia gracilis* Gressitt, 1935  
*attenuata* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR ?GB GE GR HU ~~IR~~ IT LA LS LT LU MC  
MD ME NL NR NT ~~NE~~ PL RO SB SK SL SP ST SV SZ TR UK KZ A: AB AR ES FE HEB GG JA (Hokkaido) JIX KZ MG NC NE  
SC SW TR WS XIN  
*balcanica* Pic, 1915e: 6 (*Typocerus*)  
*brunnescens* Balbi, 1892: 49 (*Leptura*)  
*grenieri* Pic, 1912c: 3 (*Leptura*)  
*imperfecta* Gerhardt, 1910: 556 (*Leptura*)  
*obscuriventris* Pic, 1901n: 59 (*Typocerus*)  
*ucranica* Laxman, 1770: 596  
*varcanica*, Ohabayashi, 2023: 67 (misspelling)  
*fortunei* Pascoe, 1858: 265 A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SCH SHA ZHE #225  
*obscuricornis* Pic, 1925f: 188  
*fujitai* Shimomura, 1994: 345 A: TAI  
*gracilis* Gressitt, 1935f: 381 A: JA (Ryukyus)  
*matsumurai* Fujita, 2018: 25 #526 #736  
*klapperichi* Pic, 1957: 76 A: FUJ  
*koyaensis* Matsushita, 1933b: 219 A: JA  
*haraguro* K. Ohbayashi, 1958b: 18  
*linsleyi* Gressitt, 1951a: 116 A: FUJ GUX HAY HUN JIX ZHE #489  
*nigrocaudata* Fairmaire, 1887a: 135 A: GUX JIX  
*takeuchii* Matsushita & Tamanuki, 1935: 2 A: FE (Kunashir) JA

**genus Strangalomorpha Solsky, 1873: 253** type species *Strangalomorpha tenuis* Solsky, 1873  
*austera* Holzschuh, 2003a: 164 A: YUN  
*cavernosa* Holzschuh, 1998: 27 A: HUB  
*multiguttata* Pic, 1914d: 16 (*Strangalia*) A: YUN

- ?senensis Pic, 1938: 134 (*Leptura*)
- platyfaciata* Chiang, 1963: 64 (*Strangalia*) A: YUN
- signaticornis* Ganglbauer, 1889a: 52 (*Leptura*) A: GAN SHA
- tenuis aenescens* Bates, 1884a: 221 A: JA
- atricolor* Kano, 1933b: 130
- tenuis tenuis* Solsky, 1873: 254 A: FE GAN HEI JA (Tsushima Is.) JIL NC NMO SC
- virididorsalis* Chou & N. Ohbayashi, 2010: 362 A: GUX TAI
- genus *Teratoleptura* N. Ohbayashi, 2008: 419** type species *Strangalia mirabilis* Aurivillius, 1902
- mirabilis mirabilis* Aurivillius, 1902: 207 (*Strangalia*) A: FUJ GUA GUX HAI **ORR**
- carpo* Pic, 1903c: 28 (*Ocalemia*)
- gigantia* Chiang, 1981: 78 (*Strangalia*)
- genus *Thrangalia* Holzschuh, 1995: 10** type species *Thrangalia diaboliella* Holzschuh, 1995
- diaboliella* Holzschuh, 1995: 11 A: YUN
- genus *Turnaia* Holzschuh, 1993a: 14** type species *Turnaia opaca* Holzschuh, 1993
- furva* Holzschuh, 2006a: 209 A: SCH
- opaca* Holzschuh, 1993a: 15 A: GAN
- genus *Unicornileptura* Bi, Chen & N. Ohbayashi, 2022: 146** type species *Unicornileptura emeiensis* Bi, Chen & N. Ohbayashi, 2022
- emeiensis* Bi, Chen & N. Ohbayashi, 2022: 146 A: SCH
- laticollis* Bi, Chen & N. Ohbayashi, 2022: 148 A: HUB
- genus *Vadonia* Mulsant, 1863: 559** type species *Leptura unipunctata* Fabricius, 1787
- Neovadonia* Kaszab, 1938: 151 type species *Leptura unipunctata* Fabricius, 1787
- bicolor* L. Redtenbacher, 1850: 50 (*Leptura*) A: AB IN TR
- tuerki* Heyden, 1879a: 326 [1879b: 70] (*Leptura*)
- bipunctata adusta* Kraatz, 1859: 97 (*Leptura*) E: HU **MK** RO SK **SL**
- litigiosa* Mulsant, 1863: 564
- rufonotata* Pic, 1926d: 10 (*Leptura*)
- bipunctata aralensis* Danilevsky, 2019: 83 A: KZ
- bipunctata bipunctata* Fabricius, 1781: 245 (*Leptura*) E: CT ST **KZ** A: KZ WS
- beckeri* Pic, 1941d: 14 (*Leptura*) [HN]
- fischeri* Zubkov, 1829: 168 (*Leptura*)
- bipunctata globicollis* Desbrochers des Loges, 1870: 127 (*Leptura*) E: MD RO ST UK
- mulsantiana* Plavilstshikov, 1936: 341 (*Leptura*)
- bilitigiosa* Pic, 1941d: 15
- bipunctata kalmykia* Danilevsky, 2024: 689
- bipunctata laterimaculata* Motschulsky, 1875: 141 (*Leptura*) E: UK (Crimea)
- puchneri* Holzschuh, 2007: 183
- bipunctata sareptana* Pic, 1941d: 15 E: KZ ST A: KZ #1
- bipunctata steveni* Sperk, 1835: 158 (*Leptura*) E: HU MD RO **SK SL** ST UK
- bipunctata teberdensis* Danilevsky, 2014i: 247 E: ST
- bipunctata urdensis* Danilevsky, 2014i: 244 E: KZ A: KZ
- bitlisiensis* Chevrolat, 1882: 59 A: AB AR IN TR
- armeniaca* Pic, 1903a: 4 (*Leptura*)
- bistigmata* Pic, 1890e: clxxvi
- cribricollis* Pic, 1889a: 20 [mispaginated: 5] (*Leptura*)
- bolognai* Sama, 1982: 207 A: TR
- ciliciensis* K. Daniel & J. Daniel, 1891: 13 A: TR
- danielorum* Holzschuh, 1984a: 142 A: TR
- dojranensis dojranensis* Holzschuh, 1984c: 343 [**Macedonia**] E: AL GR **MC SB**
- dojranensis mahri* Holzschuh, 1986a: 121 [**Philippi bei Kavala**] E: **BU** GR #504
- frater* Holzschuh, 1981: 96 A: TR
- grandicollis grandicollis* Mulsant & Rey, 1863: 182 [**Smirne**] E: AL BU GR MC **TR** A: TR #11
- bisignata* Brullé, 1832: 264 (*Leptura*) [HN]
- inapicalis* Pic, 1897c: 31 (*Leptura*) [DA]
- grandicollis laurae* Pesarini & Sabbadini, 2007a: 25 E: GR
- gusmii* Pesarini & Sabbadini, 2009: 16 E: GR
- hirsuta* K. Daniel & J. Daniel, 1891: 6, 18 (*Leptura*) E: BU ?MD RO ?UK #272 #363
- imitatrix* K. Daniel & J. Daniel, 1891: 6 (*Leptura*) E: CR IT **SB**
- insidiosa* Holzschuh, 1984a: 143 E: GR
- instigmata* Pic, 1890e: clxxvi A: IN TR #152
- ispirensis* Holzschuh, 1993a: 14 A: TR
- klichai* Vartanis, 2017: 341 A: GR
- mainoldii* Pesarini & Sabbadini, 2004d: 162 E: GR

*moesiaca* K. Daniel & J. Daniel, 1891: 6 (*Leptura*) E: AL BU GR MC RO SB TR UK A: TR #648  
*beali* Pic, 1926d: 13 [1927j: 157] [DA]  
*bipunctata* Kraatz, 1859: 97 [HN]  
*monostigma* Ganglbauer, 1882: 29 (*Leptura*) A: TR  
*parnassensis* Pic, 1925d: 6 (*Leptura*) E: GR  
*aspoeckorum* Holzschuh, 1975a: 84  
*persica* Vartanis, 2017: 343 A: IN  
*resli* Vartanis, 2023: 1840 E: CR  
*samosensis* Vartanis, 2016: 678 E: GR  
*saucia* Mulsant & Godart, 1855b: 282 [= 1855a: 182] (*Leptura*) E: BU RO UK (Crimea) #272 #351  
*soror soror* Holzschuh, 1981: 95 A: TR  
*soror tauricola* Holzschuh, 1993a: 14 A: TR  
*unipunctata albanica* Vartanis, 2019b: 104 E: AL  
*unipunctata dalmatina* J. Müller, 1907: 662 (*Leptura*) E: CR  
*unipunctata gallica* Podány, 1963a: 9 E: FR #78  
*unipunctata ikariaensis* Danilevsky & Vartanis, 2015: 225 E: GR #83  
*unipunctata makedonica* Holzschuh, 1989a: 154 [“Lekanis-Gebirge”] E: BU GR #768  
*unipunctata occidentalis* K. Daniel & J. Daniel, 1891: 17 (*Leptura*) E: FR IT SP ?N: MO AG  
*xambeui* Pic, 1931c: 6 (*Leptura*)  
*unipunctata ohridensis* Holzschuh, 1989a: 154 E: AL GR MC #11  
*unipunctata syricola* Holzschuh, 1993a: 13 A: LE SY TR #584  
*unipunctata unipunctata* Fabricius, 1787: 157 (*Leptura*) [NP] E: AU BH BU CR CT CZ FR GR HU IT KZ MD ?PL RO SB SK SL SP  
ST TR UK A: AB AR GG IN KZ TR WS  
*obscuripilosa* Pic, 1892p: lxxxiv (*Leptura*)  
*pilosa* Forster, 1771: 44 (*Leptura*) [NO]  
*uninstigmata* Pic, 1891b: 9 (*Leptura*)  
*vartanisi* Danilevsky, 2014e: 259 A: TR  
**genus *Xenoleptura* Danilevsky, Lobanov & Murzin, 1981: 787** type species *Leptura hecate* Reitter, 1896  
*hecate* Reitter, 1896: 48 (*Leptura*) A: KI KZ TD UZ XIN  
*auliensis* Pic, 1901d: 19 (*Strangalia*)  
  
**genus *Xenophyrama* Bates, 1884a: 210** type species *Xenophyrama purpureum* Bates, 1884  
*purpureum* Bates, 1884a: 210 A: JA  
  
**genus *Xestoleptura* Casey, 1913: 248** type species *Xestoleptura corusca* Casey, 1913  
*baeckmanni* Plavilstshikov, 1936: 333 (*Leptura*) A: CH FE JIL NC (Mt. Maisan) #63  
*changbaishanensis* Gao, Meng & Yan, 2011: 400 (*Munamizoa*) #517  
*nigroflava* Fuss, 1852a: 75 (*Grammoptera*) E: RO  
*rufiventris* Gebler, 1830: 193 (*Leptura*) [HN] A: ES FE KZ MG NMO WS XIN #400  
*jenseni* Gressitt, 1951a: 83 (*Anoplodera*)  
*maculata* Gebler, 1841b: 614 (*Leptura*) [HN]  
*theresae* Pic, 1912c: 2 (*Leptura*)  
  
tribe Lepturini, incertae sedis  
*Leptura miaoi* Z. Wang & L.-Y. Zheng, 2003: 95, 398 A: JIL  
  
tribe Oxymirini Danilevsky, 1997  
**genus *Neoxymirus* Miroshnikov, 2013b: 455** type species *Toxotus mirabilis* Motschulsky, 1838 #1  
*mirabilis* Motschulsky, 1838: 183 (*Toxotus*) E: ST A: AR AB GG IN TR  
*atripes* Pic, 1935d: 7  
  
**genus *Oxymirus* Mulsant, 1862: 464** type species *Cerambyx cursor* Linnaeus, 1758  
*cursor* Linnaeus, 1758: 393 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT LU MC MD  
NL NR NT PL RO SB SK SL SP ST SV SZ UK A: WS #359 #517  
*luctuosus* Latreille, 1804: 310 (*Leptura*)  
*niger* Olivier, 1800: 19 (*Stenocorus*) #373  
*noctis* Linnaeus, 1767: 630 (*Cerambyx*)  
*semiobscurus* Pic, 1900m: 62  
*spaceki* Roubal, 1934b: 140  
*verneulii* Mulsant, 1839: 233 (*Toxotus*)  
*vittatus* Gmelin, 1790: 1865 (*Cerambyx*)  
  
tribe Rhagiini Kirby, 1837 #704  
Cariliiii Zamoroka, 2022b #704  
Evodinini Zamoroka, 2022b #704  
Pidoniini Zamoroka, 2022b #704



**genus *Acapnolymma* Gressitt & Rondon, 1970: 34** type species *Capnolymma sulcaticeps* Pic, 1923  
*sulcaticeps* Pic, 1923a: 12 (*Capnolymma*) A: YUN ORR

#400

**genus *Akimerus* Audinet-Serville, 1835b: 212** type species *Rhagium cinctum* Fabricius, 1787 (= *Leptura schaefferi* Laicharting, 1784)  
*Acimerus* Fairmaire, 1865: 184 [unjustified emendation]

**subgenus *Akimeroides* Özdikmen, 2025: 1995** type species *Akimerus berchmansii* Breit, 1915

*berchmansii* Breit, 1915: 353 A: TR

**subgenus *Akimerus* Audinet-Serville, 1835b: 212** type species *Rhagium cinctum* Fabricius, 1787 (= *Leptura schaefferi* Laicharting, 1784)

*ariannae* Pesarini & Sabbadini, 2007a: 19 E: GR

#209 #782

*schaefferi* Laicharting, 1784: 130 (*Leptura*) E: AU BH BU CR CT CZ FR GE GR HU MD PL PT RO SK SP ST ?SZ UK #115

*cinctus* Fabricius, 1787: 146 (*Rhagium*)

*dentipes* Mulsant, 1842a: 209 [1842b: (3)] (*Toxotus*)

**genus *Apioccephalus* Gahan, 1898: 42** type species *Apioccephalus punctipennis* Gahan, 1898

*licheneus* Gahan, 1906a: 74 A: UP

**genus *Brachyta* Fairmaire, 1865: 185** type species *Leptura interrogationis* Linnaeus, 1758

**subgenus *Brachyta* Fairmaire, 1865: 185** type species *Leptura interrogationis* Linnaeus, 1758

*amurensis* Kraatz, 1879b: 69 (*Pachyta*) A: FE NC NE SC

*bisbioculata* Pic, 1910a: 18

*inapicalis* Pic, 1910a: 18

*korbi* Pic, 1910a: 18

*semilunata* Pic, 1910a: 18

*danilevskiyi danilevskiyi* Tshernyshev & Dubatolov, 2005: 49 A: FE (Sakhalin, Kunashir) JA

*danilevskiyi hanabusa* Hirayama, 2018b: 28 [RN] A: JA

*japonica* Fujimura, 1956: 2 (*Evodinus*) [HN]

*interrogationis duodecimmaculata* Fabricius, 1781: 248 (*Leptura*) ["Siberia"] A: FE HEI JIL MG NC NMO XIN #128 #400

*kraatzi* Ganglbauer, 1889c: 468

*interrogationis ebenina* Mulsant, 1839: 240 (*Pachyta*) E: FR #95

*bimaculata* Mulsant, 1839: 240 (*Pachyta*)

*curvilineata* Mulsant, 1839: 239 (*Pachyta*)

*dorensis* Pic, 1933d: 2 (*Evodinus*) ["France: Monte-Dore"]

*flavonotata* Mulsant, 1839: 239 (*Pachyta*)

*interrogationis eitschbergeri* Danilevsky & Peks, 2015: 1085 E: GE CZ

*interrogationis gabzdili* Danilevsky & Peks, 2016: 178 E: PL SK ?UK

*interrogationis interrogationis* Linnaeus, 1758: 398 (*Leptura*) E: FI NR NT SV #128

*interrogationis lederi* Lazarev, 2011: 861 E: ST (Dagestan)

*interrogationis mannerheimii* Motschulsky, 1860b: 148 (*Evodinus*) A: ES MG WS #1

*bioculata* Kraatz, 1879b: 68 (*Pachyta*)

*cruciata* Kraatz, 1879b: 69 (*Pachyta*)

*crucifera* Kraatz, 1879b: 68 (*Pachyta*)

*externereducta* Pic, 1926d: 10

*marginalis* Motschulsky, 1875: 139 (*Pachyta*)

*mulsanti* Pic, 1934f: 31 (*Evodinus*) #95

*multiguttata* Pic, 1934f: 31 (*Evodinus*) #95

*obsidiana* Motschulsky, 1875: 140 (*Pachyta*)

*plavilstshikovi* Pic, 1934f: 31 (*Evodinus*) #95

*prescutellaris* Pic, 1934f: 31 (*Evodinus*) #95

*reducta* Pic, 1926d: 10

*suturalis* Pic, 1926d: 10

*interrogationis marginella* Fabricius, 1793: 346 (*Leptura*) ["Italia"] E: AU GE FR IT LS LU SZ #95

*immaculata* Pic, 1934f: 28 (*Evodinus*) ["Suisse: Lac Chambex"]

*mesmini* Pic, 1933d: 2 (*Evodinus*) ["Sarna"]

*milliati* Pic, 1934f: 24 (*Evodinus*) ["Hautes Alpes: Monétier"]

*modanensis* Pic, 1933d: 2 (*Evodinus*) ["France: Modane"]

*perroudi* Pic, 1933d: 2 (*Evodinus*) ["Chamonix"]

*subinterrupta* Pic, 1934f: 24 (*Evodinus*) ["Briançon", "Monétier"]

*interrogationis miroshnikovii* Lazarev, 2011: 860 E: ST A: GG

*interrogationis russica* Herbst, 1784: 102 (*Leptura*) ["Rußland"] E: ?BY CT EN KZ LA ?LT MD NT ST UK A: KZ WS #128 #535  
#752

*altaiensis* Pic, 1900n: 82

*interrogationis shapsugorum* Lazarev, 2011: 860 E: ST

*interrogationis zubovi* Lazarev, 2016a: 196 E: NT A: WS

*punctata lazarevi* Danilevsky, 2014i: 137 A: CH FE NC

*punctata punctata* Faldermann, 1833: 67 (*Pachyta*) A: ES MG NMO

*quadrinotatus* Pic, 1916b: 3 (*Evodinus*)

*reductemaculata* Pic, 1915a: 41 (*Evodinus*)

*sajanensis* Pic, 1916b: 3 (*Evodinus*)  
*sochondensis* Tshernyshev & Dubatolov, 2005: 45  
*subunicolor* Pic, 1916b: 3 (*Evodinus*)  
*turanensis* Pic, 1927e: 13  
*sachalinensis* Matsumura, 1911: 135 A: FE JA JIL NC SC  
**subgenus** *Fasciobrachyta* Danilevsky, 2014i: 113 type species: *Leptura bifasciata* Olivier, 1800  
*balcanica* Hampe, 1871: 336 E: AL BU CR GR RO SB ?TR A: TR #534  
*alpina* Vartanis, 2025: 1679 E: GR (Thessaloniki)  
*bifasciata bifasciata* Olivier, 1795: 23 (*Leptura*) [HN] A: ES FE GAN HEB HEI JIL LIA MG NC NMO QIN SC SCH XIZ #373  
#770  
*daurica* Gebler, 1817: 329 (*Leptura*)  
*quadripunctata* Schoenherr, 1817a: 491 (*Leptura*)  
*reducta* Pic, 1907a: 6 (*Evodinus*)  
*ussurica* Pic, 1913b: 98  
*bifasciata japonica* Matsushita, 1933a: 178 (*Evodinus*) A: ?FE (Sakhalin) JA  
*bifasciata plasoni* Breit, 1915: 353 (*Evodinus*) A: ?ES ?FE HEB MG NMO #1 #400  
*bifasciata thibetana* Pic, 1907a: 5 (*Evodinus*); 1907d: 104 (*Evodinus*) [“Kuku-Nor”] A: QIN #1  
*bifasciata wanga* Z. Wang, 2014: 122, 1123 A: NMO #1  
*buresschi* Kantardjiewa-Minkowa, 1957: 542 (*Evodinus*) A: BU RO #534  
*caucasica caucasica* Rost, 1892a: 309 [1892b: 81] A: GG ST  
*conjuncta* Rost, 1893: 344  
*caucasica kubanica* Miroshnikov, 1990a: 26 E: GG ST  
*delagrangei* Pic, 1891h: 102 A: TR  
*petriccionei* Rapuzzi, Bologna & Poloni, 2019: 96 E: IT  
**subgenus** *Variobrachyta* Danilevsky, 2014i: 117 type species: *Leptura variabilis* Gebler, 1817  
*borni* Ganglbauer, 1903: 151 (*Evodinus*) E: FR (Alpes de Haute-Provence)  
*guerryi* Pic, 1906h: 86 (*Evodinus*)  
*notatipennis* Pic, 1906h: 86 (*Evodinus*)  
*rostri alexeevi* Lazarev, 2010b: 193 E: ST  
*rostri baksaniense* Lazarev, 2010b: 193 E: ST  
*rostri rostri* Pic, 1900n: 82 E: ST A: GG  
*brevinotata* Pic, 1901e: 16  
*causasicola* Plavilstshikov, 1936: 197 (*Evodinus*)  
*variabilis aberrans* Villiers, 1960a: 6 (*Evodinus*) A: FE NC NE #316  
*variabilis basarukini* Danilevsky, 2014i: 124 A: FE (Sakhalin)  
*variabilis chukotensis* Danilevsky, 2014i: 123 A: FE  
*variabilis dongbeiensis* Z. Wang, 2003: 127, 398 (*Evodinus*) A: HEI #131  
*variabilis ivlievi* Danilevsky, 2014i: 123 A: FE  
*variabilis kurayensis* Danilevsky, 2014i: 128 A: WS  
*variabilis phlaesa* Z. Wang, 2003: 127, 398 (*Evodinus*) A: HEI  
*variabilis scapularis* Mannerheim, 1849: 245 (*Pachyta*) A: ES FE MG NE NMO  
*cincta* Villiers, 1960a: 6 (*Evodinus*)  
*comosa* Solsky, 1871a: 400 (*Pachyta*)  
*heyrovskyyi* Pic, 1926d: 10  
*instriolata* Pic, 1912c: 2 (*Evodinus*)  
*intermedia* Pic, 1916b: 3 (*Evodinus*)  
*multisignata* Pic, 1915a: 41 (*Evodinus*)  
*mutabilis* Motschulsky, 1859a: 571 (*Pachyta*) [1859a: 233 (*Pachyta*)]  
*obscuripennis* Pic, 1900c: 6 (*Evodinus*)  
*pici* Villiers, 1960a: 6 (*Evodinus*)  
*preapicalis* Pic, 1902c: 8  
*prescutellaris* Pic, 1902c: 8  
*reductesignatus* Pic, 1915a: 41 (*Evodinus*)  
*semifulva* Pic, 1900n: 82  
*sinuatosignata* Pic, 1915e: 4 (*Evodinus*)  
*solskyi* Kraatz, 1879b: 71 (*Pachyta*)  
*subfasciata* Pic, 1926d: 10  
*subjuncta* Pic, 1926d: 10  
*sublineata* Pic, 1916b: 3 (*Evodinus*)  
*variabilis shapovalovi* Lazarev, 2014a: 273 A: KZ  
*variabilis sinuatolineata* Pic, 1915a: 41 (*Evodinus*) A: ES MG #1  
*breiti* Tippmann, 1946: 126 [= 1951: 304] (*Evodinus*)  
*discobilineata* Pic, 1928c: 2  
*variabilis striatiformis* Plavilstshikov, 1936: 196 (*Evodinus*) A: MG #1  
*variabilis striolata* Gebler, 1817: 330 (*Leptura*) A: ES #1  
*brevelineata* Pic, 1926d: 10  
*eurinensis* Tsherepanov, 1978a: 97 (*Evodinus*)  
*variabilis testaceimembris* Pic, 1916b: 2 (*Evodinus*) A: FE #316  
*rufimembris* Pic, 1926d: 13

*variabilis tungusensis* Danilevsky, 2014i: 121 A: ES  
*variabilis tuvensis* Danilevsky, 2014i: 127 A: ES ?MG ?NMO WS  
*variabilis variabilis* Gebler, 1817: 320 (*Leptura*) E: CT NT A: ES KZ WS ?XIN  
*constricta* Germar, 1824: 520 (*Leptura*)  
*variabilis yakutensis* Danilevsky, 2014i: 122 A: ES

#506 #400

**genus *Capnolymma* Pascoe, 1858: 265** type species *Capnolymma stygia* Pascoe, 1858  
*brunnea* Gressitt & Rondon, 1970: 33 A: YUN **ORR**  
*laotica* Gressitt & Rondon, 1970: 33 A: YUN **ORR**

**genus *Carilia* Mulsant, 1863: 489** type species *Leptura virginea* Linnaeus, 1758

*Neogaurotes* Podaný, 1962: 225 type species *Leptura virginea* Linnaeus, 1758  
*adelpha* Ganglbauer, 1889a: 47 (*Gaurotes*) A: NMO QIN SCH  
*aeneovirens* Holzschuh, 1993a: 6 (*Gaurotes*) A: SCH  
*atricornis* Pu, 1992b: 591, 617 (*Gaurotes*) A: YUN XIZ  
*atripennis* Matsushita, 1933: 76 (*Gaurotes*) A: JA  
*aureopurpurea* Hayashi, 1955: 24 (*Gaurotes*)  
*hayashii* Podaný, 1962: 225 (*Gaurotes*)  
*kurosawai* Hayashi, 1951b: 75 (*Gaurotes*)  
*tamanukii* K. Ohbayashi, 1949: pl. 3 (*Gaurotes*)  
*cuprifera* Holzschuh, 1993a: 10 (*Gaurotes*) A: GAN  
*filiola* Holzschuh, 1998: 5 (*Gaurotes*) A: SHA  
*glabratula* Holzschuh, 1998 (*Gaurotes*): 6 [RN] A: SCH  
*glabricollis* Holzschuh, 1993a: 8 (*Gaurotes*) [HN]  
*oligothrix* Chiang, 2001: 77 (*Gaurotes*) [RN]  
*glabricollis* Pu, 1992b: 592, 618 (*Gaurotes*) A: YUN  
*latiuscula* Holzschuh, 1993a: 8 (*Gaurotes*) A: SCH  
*lucidivirens* Holzschuh, 1998: 6 (*Gaurotes*) A: SHA  
*otome* K. Ohbayashi, 1959: 1 (*Gaurotes*) A: JA  
*flaviventris* Hayashi, 1960a: 6 (*Gaurotes*)  
*kinugasai* Hayashi, 1960a: 6 (*Gaurotes*)  
*wakejimai* Fujita, 2018: 21 #526 #736  
*perforata* Holzschuh, 1993a: 11 (*Gaurotes*) A: GAN  
*pictiventris* Pesarini & Sabbadini, 1997: 100 (*Gaurotes*) A: YUN  
*pilipennis* Holzschuh, 2016a: 73 (*Gaurotes*) A: SCH  
*spinipennis* Pu, 1992b: 590, 617 (*Gaurotes*) A: SCH  
*tibetana* Podaný, 1962: 227 (*Gaurotes*) A: XIZ  
*tuberculicollis* Blanchard, 1871: 812 (*Pachyta*) A: FUJ HEI HEN HUB NMO SCH SHA XIZ  
*davidis* H. C. Deyrolle, 1878: 133 (*Gaurotes*)  
*obscuripes* Pic, 1939b: 1 (*Gaurotes*)  
*virginea aemula* Mannerheim, 1852b: 306 (*Pachyta*) E: CT ST A: ES FE HEI HUB JIL KZ MG NMO SHX WS  
*ruficollis* Solsky, 1871a: 403 (*Pachyta*)  
*virginea komensis* Tamanuki, 1938b: 167 (*Gaurotes*) A: HEI JIL NC SC #317  
*coreana* Tamanuki, 1939b: 101 (*Gaurotes*)  
*nigriventris* Tamanuki, 1938b: 167 (*Gaurotes*) [HN]  
*virginea kozhevnikovi* Plavilstshikov, 1915c: 105 (*Gaurotes*) A: FE HEI JIL  
*nigriventris* Jureček, 1921: 25 (*Gaurotes*)  
*sibirica* Podaný, 1962: 236 (*Gaurotes*)  
*virginea thalassina* Schrank, 1781a: 160 (*Leptura*) E: AU BE FR LU IT SL  
*nupta* Mulsant, 1839: 241 (*Pachyta*)  
*virginea virginea* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT MC MD  
ME NR NT PL RO SB SK SL SV SZ ST UK A: WS  
*brunnescens* Schmidt, 1951: 11 (*Gaurotes*)  
*notaticollis* Pic, 1916a: 10 (*Gaurotes*)  
*sanguinaria* Pic, 1917g: 4 (*Gaurotes*)  
*vidua* Mulsant, 1839: 242 (*Pachyta*)  
*violacea* DeGeer, 1775: 144 (*Leptura*) [HN]  
*violacea* Pallas, 1773: 724 (*Leptura*)

**genus *Cortodera* Mulsant, 1863: 572** type species *Grammoptera spinosula* Mulsant, 1839: 290 (= *Leptura humeralis* Schaller, 1783)

*Acmaeopsilla* Casey, 1913: 240 type species *Acmaeops falsus* LeConte, 1860  
*Leptacmaeops* Casey, 1913: 219 type species *Leptura longicornis* Kirby, 1837  
*Taiwanocarilia* Hayashi, 1983: 30 type species *Gaurotes ater* Tamanuki, 1943 #18  
*alpina alpina* Ménétris, 1832: 230 (*Pachyta*) ["Alpes du Caucase"] E: ST (Dagestan) A: AB GG  
*beckeri* Desbrochers des Loges, 1875: 51 (*Pachyta*) ["Daghestan"]  
*confusa* Reitter, 1891b: 34 (*Cartodera*) ["Von Schalbus-Dagh"]  
*alpina armeniaca* Pic, 1898k: 114 ["Caucase"] A: AR TR (Artvin, Ardahan, Kars, Erzerum, Igdir)  
*alpina baksaniensis* Danilevsky, 2014i: 199 E: ST (Kabardino-Balkaria, above Tyrnyauz)

*alpina fischtensis* Starck, 1894: 11 E: ST (NW Caucasus: Mt. Fisht)  
*alpina gudissensis* Danilevsky, 2013h: 28 A: GG (S Ossetia)  
*alpina matusiaki* Danilevsky, 2014i: 200 [Mt. Kazbek] E: ST (N Ossetia) A: GG  
*alpina prosvirovi* Danilevsky, 2022b: 509 A: GG (Abkhazia)  
*alpina psebayensis* Danilevsky, 2014i: 180 E: ST (NW Caucasus: Psebay) #423  
*alpina rosinae* Pic, 1902c: 8 ["Anatolie: Ak-Chehir"] A: TR #17  
*alpina rosti* Pic, 1892p: lxxxiii ["Elbrouz (Caucase)"] E: ST (Mt. Elbrus, Mt. Beshtau, Teberda) A: GG (above Sukhumi) #777  
*parallela* Pic, 1898k: 111 ["Caucase"]  
*alpina starcki* Reitter, 1888b: 280 E: ST (NW Caucasus) A: GG (Avadkhara)  
*alpina svanorum* Danilevsky, 2014i: 203 A: GG (Svanetia: Latpari Pass)  
*alpina tatvanensis* Danilevsky, 2015d: 1065 A: TR  
*alpina umbripennis* Reitter, 1890d: 245 ["Araxesthal bei Ordubad"] E: ST A: AB AR GG IN  
*alpina xanthoptera* Pic, 1898k: 114 [RN] A: TR (Ankara)  
*alpina zekarensis* Danilevsky, 2014i: 203 A: GG (Zekari Pass above Abastimani)  
*amanusensis* Danilevsky, 2016d: 268 A: TR  
*analis* Gebler, 1830: 189 (*Pachyta*) ["Riddersk"] A: KZ (Ridder) WS (Altai) ?XIN  
*haemorhoidalis* Pic, 1898k: 114 ["Sibèria"] #5  
*hirta* Gebler, 1830: 190 (*Pachyta*) ["Semel in montibus altaicis"]  
*ruficornis* Pic, 1926d: 6 ["Altai"]  
*atra* Tamanuki, 1943: 214 (*Gaurotes*) A: TAI #18  
*baltea* Holzschuh, 2003a: 154 A: NMO QIN #273  
*bamiyana* Danilevsky, 2014d: 256 A: AF  
*cartinii* Rapuzzi & Sama, 2018: 6 A: TR  
*ciliata ciliata* Danilevsky, 2001a: 13 A: KZ (NE Kazakhstan: Ust-Kamenogorsk env.)  
*ciliata milaenderi* Danilevsky, 2001a: 15 E: CT (Ufa env.: Alkino)  
*ciliata sakmarensis* Danilevsky, 2006b: 3 E: ST (Orenburg env.: Kuvandyk)  
*cirsii* Holzschuh, 1975a: 82 A: TR  
*colchica aestiva* Sama & Rapuzzi, 1999: 466 A: TR (Kars)  
*colchica aishkha* Danilevsky, 2014i: 180 E: ST (NW Caucasus, Aishkha Mt.)  
*colchica aksarayensis* Özdikmen & Özbek, 2012: 931 A: TR  
*colchica bulungensis* Danilevsky, 2014i: 181 E: ST (Kabardino-Balkaria: Bulungu)  
*colchica colchica* Reitter, 1890d: 246 ["Araxesthal"] E: ST A: AB AR TR  
*atropyga* Pic, 1929c: 119 [DA]  
*distincta* Pic, 1933d: 6  
*lederi* Pic, 1933d: 6  
*ordubadensis* Reitter, 1890d: 246  
*pygidialis* Reitter, 1890d: 246  
*rutilipes* Reitter, 1890d: 246  
*truncatipennis* Pic, 1929c: 119 [DA]  
*colchica danczenkoi* Danilevsky, 1985: 139 [1987: 615] A: AB (Talysh) IN  
*colchica deyrollei* Pic, 1894a: 66 ["Persath" - Пепсари] A: GG #1  
*colchica dilizhanica* Danilevsky, 2014i: 178 A: AR (Dilizhan env.)  
*colchica erevanica* Danilevsky, 2014i: 177 [Arailer Mt.] A: AR TR  
*colchica erzurumensis* Danilevsky, 2015d: 1058 A: TR  
*colchica libanensis* Danilevsky, 2017e: 838 A: LE #177  
*colchica kalashiani* Danilevsky, 2000b: 39 A: AR (Megri Pass)  
*colchica murzini* Danilevsky, 2014i: 181 E: ST (N Caucasus: Teberda)  
*colchica ossetica* Danilevsky, 2014i: 181 E: ST (N Ossetia)  
*colchica ponomarenkoi* Danilevsky, 2014i: 179 A: AB (Aşağı Ağcakənd)  
*colchica porsukensis* Danilevsky, 2015d: 1060 A: TR  
*colchica pseudalpina* Plavilstshikov, 1936: 278 A: GG (Svanetia) #1  
*colchica serowensis* Danilevsky & Hodek, 2021: 16 A: IN  
*kukinae* Danilevsky & Skrylnik, 2021: 11 A: IN  
*differens differens* Pic, 1898g: 50 E: GR RO  
*prescutellaris* Pic, 1933d: 5  
*steineri* Sama, 1997b: 112  
*differens magdae* Danilevsky, 2012m: 916 E: BU RO TR  
*discolor ankarensis* Danilevsky, 2015d: 1063 A: TR  
*discolor bitlisiensis* Danilevsky, 2015d: 1065 A: TR  
*discolor discolor* Fairmaire, 1866b: 277 A: TR #634  
*testaceipes* Pic, 1898k: 112  
*discolor gumushanensis* Danilevsky, 2015d: 1064 A: TR  
*farsensis* Danilevsky, 2014d: 255 A: IN  
*femorata* Fabricius, 1787: 159 (*Leptura*) E: AU BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT NR NT PL RO SK SL ST SV  
SZ UK A: ?KZ WS  
*affinis* Schilsky, 1892: 204  
*fusca* Gmelin, 1790: 1868 (*Leptura*)

*flavipennis* Reitter, 1890d: 243  
*griseipes* Pic, 1889b: 55 (*Grammoptera*)  
*monticola* Abeille de Perrin, 1870: 88  
*suturifera* Reitter, 1890d: 243  
*flavimana angorensis* Danilevsky, 2015d: 1051 A: TR  
*neslihanæ* Özdikmen, 2016a: 5 #517  
*flavimana corallipes* Pesarini & Sabbadini, 2009: 17 [Ascale in Erserum] A: ?GG TR #6 #147  
*flavimana flavimana* Walf, 1838: 471 (*Leptura*) [Istanbul env.] E: AL AU BU GR HU MC RO SB SK TR A: TR #11 #648  
*flavimana inonuensis* Danilevsky, 2015d: 1045 A: TR  
*flavimana karsensis* Danilevsky, 2015d: 1052 A: TR  
*flavimana oezdikmeni* Danilevsky, 2015d: 1053 A: TR  
*flavimana rufipes* Kraatz, 1876b: 344 (*Grammoptera*) [Izmir env.] A: TR #4 #94 #147  
*flavimana schurmanni* Sama, 1997b: 107 [Peloponnese] E: GR #94  
*flavimana sergeyi* Danilevsky, 2015d: 1053 A: TR  
*flavimana sultanensis* Danilevsky, 2015d: 1055 A: TR  
*flavimana torosensis* Danilevsky, 2015d: 1055 A: TR  
*flavimana zoiai* Pesarini & Sabbadini, 2009: 16 [north of Izmir vil., Kozak, about 39°15'N, 27°06'E] A: TR #94  
*goriensis* Danilevsky & Hodek, 2016: 55 A: GG  
*hodeki* Danilevsky, 2018b: 584 A: IN  
*holosericea holosericea* Fabricius, 1802: 366 (*Leptura*) [HN] E: AU BH BU ?BY CR CZ GR HU IT RO SB SK SL ST UK #752  
*pilosa* Pic, 1898g: 50  
*rubripes* Pic, 1898k: 114  
*semitestacea* Pic, 1898g: 50  
*holosericea pseudoholosericea* Rapuzzi & Sama, 2018: 7 E: AL GR #517  
*holosericea velutina* Heyden, 1876a: 318 E: AL AU BH CR GR IT SL #11  
*birnbacheri* Pic, 1898k: 114  
*hroni* Danilevsky, 2012f: 1 E: BU  
*humeralis aspromontana* G. Müller, 1948: 61 E: IT  
*humeralis humeralis* Schaller, 1783: 297 (*Leptura*) E: AU BE BH BU BY CR CZ FR GE GR HU IT LU MC MD NL PL RO SB SK  
SP ST SZ TR UK A: TR  
*apicenotata* Schmidt, 1951: 12  
*discoidalis* Pic, 1931c: 6  
*inhumeralis* Pic, 1892i: 140  
*quadriguttata* Herbst, 1786: 171 (*Leptura*)  
*quadrinotata* Gmelin, 1790: 1873 (*Leptura*)  
*schalleri* Gmelin, 1790: 1874 (*Leptura*)  
*spinosa* Mulsant, 1839: 290 (*Grammoptera*)  
*suturalis* Fabricius, 1787: 159 (*Leptura*)  
*humeralis moreensis* Danilevsky, 2015d: 1035 E: GR  
*imrasanica* Sama & Rapuzzi, 1999: 464 A: TR  
*ivanovi* Danilevsky, 2013b: 218 A: KZ (Emba River)  
*kadleci* Danilevsky, 2015d: 1061 A: TR  
*kaphanica* Danilevsky, 1985: 137 A: AR IN  
*kareli* Danilevsky, 2018b: 588 A: IN #517  
*kazaryani* Danilevsky, 2014i: 163 A: AR  
*khatchikovi* Danilevsky, 2001b: 13 E: ST (Rostov Region: Kalitva River)  
*kiesenwetteri gusakovi* Danilevsky, 2013d: 425 A: KZ (Kazakhstan: Mugodzhary Mts)  
*kiesenwetteri kiesenwetteri* Pic, 1898g: 49 ["d'Astrakan"] E: ST  
*kiesenwetteri subtruncata* Pic, 1934e: 19 ["Samara"] E: CT (Zhiguli; Syzran env.; Ulyanovsk Region)  
*subtruncata* Danilevsky, 2001a: 13 [HN]  
*kochi* Pic, 1935d: 4 A: IS  
*kokpektensis* Danilevsky, 2007d: 47 A: KZ  
*komarovi komarovi* Danilevsky, 1996c: 63 ["NW Kazakhstan, Uralsk Area, Furmanovo"] A: KZ  
*komarovi romantzovi* Danilevsky, 2013b: 213 ["Aktobe (Aktjubinsk) Region, Temir river Valley near Pokrovskiy"] A: KZ  
*komarovi sarysuensis* Danilevsky, 2013b: 215 ["Karaganda Region, valley of Taldy-Manak river"] A: KZ  
*komarovi solodovnikov* Danilevsky, 2013b: 213 ["West Kazakhstan, Aktolagay Ridge"] A: KZ  
*longipilis* Pic, 1898g: 50 A: TR  
*rubrofemorata* Pic, 1898k: 113  
*tauricola* Pic, 1908b: 3  
*lowlakanensis* Danilevsky, 2018b: 586 A: IN  
*metallica* Holzschuh, 2003a: 152 A: SCH  
*moldovana* Danilevsky, 1996c: 64 E: MD (Dubossary env.) #648  
*napolovi* Danilevsky, 2015d: 1061 A: TR  
*neali* Danilevsky, 2004a: 2 A: IN IQ #94  
*obscurans* Pic, 1894h: 116 ["Syrie. Akbès"] A: ?SY TR  
*omophloides* Holzschuh, 1975a: 77 [Namrun, İçel] A: TR  
*pseudomophlus* Reitter, 1889a: 40 A: AR AB IN TM TR



*pumila crataegi* Holzschuh, 1986a: 121 A: IN  
*pumila meltemae* Özdikmen, Mercan & Cihan, 2012d: 746 A: TR #94  
*pumila pumila* Ganglbauer, 1882: 710 E: ST A: AB AR GG  
*caucasica* Pic, 1898k: 79  
*nigripennis* Pic, 1898g: 49  
*pumila sarigolensis* Danilevsky, 2016d: 266 A: TR  
*pumila tournieri* Pic, 1895c: 75 A: AR GG TR  
*ranunculi* Holzschuh, 1975a: 80 A: TR [Muş]  
*reitteri reitteri* Pic, 1891d: 43 ["Sarepta"] E: CT ST UK  
*alexandri* Danilevsky, 1996c: 63 ["Volgograd env., Olkhovka"]  
*obscuripennis* Pic, 1898g: 49 ["Sarepta"]  
*separata* Pic, 1898k: 111 ["Sarepta"]  
*reitteri taurica* Plavilstshikov, 1936: 280 [Simferopol] E: UK (Crymea)  
*beckeriana* Plavilstshikov, 1936: 285 [from Simferopol to Volga]  
*rubenyani* Danilevsky, 2018b: 587 A: IN  
*rubripennis* Pic, 1891h: 102 A: TR  
*obscura* Pic, 1898g: 49  
*semilivida nigriptera* Kasatkin, 2019: 131 A: LE #517  
*semilivida semilivida* Pic, 1892m: cxci ["Syria"] A: ?SY TR #94  
*orientalis* Adlbauer, 1988: 264 #94  
*sibirica shavrovi* Danilevsky, 2001b: 3 ["Minusinsk reg., N Askyz, Abakan"] A: ES  
*sibirica sibirica* Plavilstshikov, 1915f: 347 (*Leptura*) ["Kuznetzkij Alatau: fl. Kondoma"] A: WS  
*semenovi* Plavilstshikov, 1936: 284 [Kondoma River]  
*simulatrix* Holzschuh, 1975a: 83 A: TR  
*syriaca didemae* Özdikmen, 2016a: 8 A: TR #517  
*syriaca nigroapicalis* Holzschuh, 1981: 95 A: IN TR  
*syriaca syriaca* Pic, 1901r: 90 A: AB AR IN LE SY TR  
*aureopubens* Pic, 1913b: 178  
*korbi* Pic, 1914b: 4 [DA]  
*takabensis* Danilevsky, 2018b: 585 A: IN  
*tatianae* Miroshnikov, 2011a: 53 A: AB (Ordubad env.)  
*tibialis tibialis* Marseul, 1876: cii (*Judolia*) ["Sarepta"] E: ST (Volgograd env.)  
*pallidipes* Pic, 1898g: 49 ["Russie M<sup>er</sup>"]  
*tibialis rossica* Danilevsky, 2001b: 7 ["Kalach-Khoper"] E: UK CT ST #648  
*tibialis ruthena* Plavilstshikov, 1936: 286 [Uralsk] E: ST KZ A: KZ  
*transcaspica lobanovi* Kaziutshitz, 1988: 583 [Nakhichevan: Buzgov] A: AB AR IN TU  
*transcaspica persica* Plavilstshikov, 1936: 291 A: IN ?AF #316  
*transcaspica transcaspica* Plavilstshikov, 1936: 290 A: AB AR IN TM  
*turgaica* Danilevsky, 2001b: 9 [Zharkol Lake near Arkalyk] E: WS(Orenburg) A: KZ #140  
*uniformis* Holzschuh, 1975a: 79 A: TR  
*ussuriensis* Tsherepanov, 1978a: 101 A: FE  
*vicina* Pic, 1914b: 4 A: LE  
*villosa aktolagaica* Miroshnikov, 2007: 214 A: KZ (Aktolagay Mts.) #318  
*villosa circassica* Reitter, 1890d: 245 E: ST (NW Caucasus)  
*obscuripes* Reitter, 1890d: 245  
*villosa chuvilini* Danilevsky, 2012b: 140 [Volgograd Region: Golubinskoe] E: ST  
*villosa kazakorum* Danilevsky, 2014i: 167 [Rostov Region: Novocheerkassk env.] E: ST  
*villosa krasnobaevi* Danilevsky, 2010d: 58 [Lugansk Region] E: ST UK  
*villosa kuvandykensis* Danilevsky, 2012b: 139 E: ST (Orenburg Region, Kuvandyk env.)  
*villosa magdeevi* Danilevsky, 2011a: 42 [Zhiguli] E: CT  
*villosa major* Miroshnikov, 2007: 211: E: CT (Bashkiria: Shulgan-Tash)  
*villosa mariae* Danilevsky, 2010d: 59 E: ST (Black Sea Coast: Sukko)  
*villosa mikhailovi* Danilevsky, 2001a: 8 A: WS (Chelyabinsk Region: Arkaim)  
*villosa miroshnikovi* Danilevsky, 2010a: 43 A: GG (Bakuriani)  
*villosa nakhichevanica* Miroshnikov, 2007: 213: A: AB (Ordubad env.)  
*villosa parfentjevi* Miroshnikov, 2007: 215 [Simferopol] E: UK (Crimea: Simferopol; Kerch env.: Chokrak Lake) #318  
*villosa villosa* Heyden, 1876a: 318 E: AU BH BU CR CZ HU MC MD RO SB SK UK  
*frivaldszkyi* Kraatz, 1876b: 344 (*Grammoptera*)  
*nigrita* Heyden, 1876a: 318 [DA]  
*umbriventris* Roubal, 1931b: 131  
*villosa zhuravlevi* Miroshnikov, 2007: 214 E: ST (Orenburg env.) A: KZ (NW Kazakhstan: Rozhkovo, Uralsk) #318  
*wewalkai* Holzschuh, 1995: 9 A: TR  
*wittmeri akshehirensis* Danilevsky, 2015d: 1043 A: TR  
*wittmeri gevashensis* Danilevsky, 2015d: 1046 A: TR  
*wittmeri malatyaensis* Danilevsky, 2015d: 1045 A: TR  
*wittmeri sivasensis* Danilevsky, 2015d: 1044 A: TR  
*wittmeri wittmeri* Holzschuh, 1995: 9 A: TR [Niğde] #94

**genus *Dinoptera* Mulsant, 1863: 494** type species *Leptura collaris* Linnaeus, 1758  
*anthracina* Mannerheim, 1849: 246 (*Pachyta*) A: FE ES MG NC NE NMO SE  
*chrysomelina* Holzschuh, 2003a: 151 A: SHA  
*collaris* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT KZ LA LT LU MC MD ME NE NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR GG ES GAN IN KZ NE NMO SY TR WS  
*carneola* Schrank, 1798: 696 (*Leptura*)  
*morio* Fabricius, 1793: 349 (*Leptura*)  
*nigricollis* Mulsant, 1839: 247 (*Pachyta*) #792  
*ruficollis* DeGeer, 1775: 143 (*Leptura*)  
*sylvestris* Geoffroy, 1785: 88 (*Stenocorus*)  
*concolor* Heyden & Faust, 1888: 45 (*Acmaeops*) A: GG (Sukhumi) TR #792  
*lota* Holzschuh, 1998: 8 A: GAN SHA #225  
*minuta criocerina* Bates, 1873: 194 (*Acmaeops*) A: JA  
*japonica* Pic, 1907c: 20 (*Acmaeops*)  
*minuta minuta* Gebler, 1832: 69 (*Pachyta*) A: BEI ES FE GUX HEB HEI HEN JIL JIX LIA MG NC NIN NMO SC SHA SHN SHX ZHE

**genus *Euracmaeops* Danilevsky, 2014i: 147** type species: *Leptura marginata* Fabricius, 1781 #704  
**subgenus *Euracmaeops* Danilevsky, 2014i: 147** type species: *Leptura marginata* Fabricius, 1781 #704  
*marginata* Fabricius, 1781: 247 (*Leptura*) E: AU BE BH BY CR CT CZ EN FI FR GE GR HU IT LA ?LT ME NL NR NT PL ?SB SK SL SP ST SV SZ UK A: ES FE GAN KZ MG NMO TR WS #535  
*annulicornis* Pic, 1933f: 4  
*bicoloripes* Pic, 1933f: 4  
*spadiceus* Schilsky, 1888: 189  
*septentrionis* C. G. Thomson, 1866: 61 (*Pachyta*) E: AU BU ?BY CT CZ EN FI FR GE IT ?LA LS ?LT NR NT PL RO SK SL ST SV SZ UK A: ES FE HEI JA JIL KZ LIA MG NC NMO SC SHA WS XIN #104 #400 #526 #535 #752  
*alpestris* Pic, 1901f: 25  
*simplicis* Stierlin, 1880: 550 (*Leptura*)  
**subgenus *Pilosoacmaeops* Özdikmen, 2025h: 1985, 1986** type species *Pachyta angusticollis* Fabricius, 1781  
*angusticollis* Gebler, 1833: 304 (*Pachyta*) E: BY CT NT PL A: ES FE JIL MG NC NMO WS XIN #526  
*amurensis* Suvorov, 1915: 346  
*sachalinensis* Tsherepanov, 1978a: 99  
*subbrachypterus* Plavilstshikov, 1915c: 105  
*viridulus* Matsumura, 1911: 134  
*smaragdulus* Fabricius, 1793: 342 (*Leptura*) [NP] E: B~~Y~~-CT FI FR ?LT NR NT PL SV ?SZ A: ES FE HEI JIL KZ LIA MG NC NMO SHA WS XIN #63 #115 #525 #535 #752  
*smaragdinus* Naezen, 1792: 173 (*Leptura*) [NO]

**genus *Evodinellus* Plavilstshikov, 1915g: 355** type species *Leptura borealis* Gyllenhal, 1827 #758  
*Evodinellus* Plavilstshikov, 1915g: 355 type species *Leptura borealis* Gyllenhal, 1827  
*borealis* Gyllenhal, 1827: 36 (*Leptura*) E: BY CT EN FI LA LT NR NT PL SK SV UK A: ES FE JA MG NC NE NMO SC WS  
*brunneonotatus* Pic, 1901b: 11 (*Brachyta*)  
*griseus* Pic, 1889b: 78 (*Pidonia*)  
*interruptelunatus* Schmidt, 1951: 11  
*lateobscurus* Pic, 1901b: 11 (*Brachyta*)  
*obscurissimus* Pic, 1904a: 3  
*pallascens* Fujimura, 1956: 2  
*petrovi* Danilevsky, 2023b: 465 (*Pidonia*) #723  
*pictus* Mäklin, 1845: 549 (*Pachyta*)  
*schrammi* Pic, 1945b: 6  
*separatus* Pic, 1945b: 6

**subgenus *Brachytodes* Planet, 1924: 96** type species *Rhagium clathratum* Fabricius, 1793 #758  
*clathratum* Fabricius, 1793: 306 (*Rhagium*) E: AU BH BU CR CZ FR GE HU IT LS MC MD PL RO SK SL SZ UK  
*atromultiplicatus* Pic, 1945b: 5  
*atroductus* Pic, 1915a: 41  
*brunnipes* Mulsant, 1839: 238  
*diversesignatus* Pic, 1945b: 5  
*flecki* Schmidt, 1958: 77  
*gallicus* Pic, 1945b: 5  
*holobrunneus* Schmidt, 1958: 77  
*leprieuri* Pic, 1945b: 5  
*morginsius* Pic, 1945b: 5  
*nigerrimus* Schmidt, 1958: 74  
*nigrescens* Gredler, 1873: 74 (*Pachyta*)  
*nigritus* Pic, 1891b: 6 (*Brachyta*)  
*obscuratus* Schmidt, 1958: 73  
*pedemontanus* K. Daniel & J. Daniel, 1898b: 87 (*Brachyta*)  
*reticulatus* Fabricius, 1794: 453 (*Leptura*)

*semicinctus* Drapiez, 1819a: 52 (*Leptura*)  
*signatus* Panzer, 1793a: 13 (*Leptura*)  
*tricoloratus* Schmidt, 1958: 77  
*vesubiensis* Pic, 1945b: 5

**genus *Fallacia* Mulsant & Rey, 1863: 180** type species *Fallacia longicollis* Mulsant & Rey, 1863 (= *Grammoptera elegans* Faldermann, 1837)

*elegans* Faldermann, 1837: 319 (*Grammoptera*) E: ~~CF~~ST TR A: AB AR GG IN TR  
*inapicalis* Pic, 1901e: 16  
*lederi* Kraatz, 1879f: 280  
*longicollis* Mulsant & Rey, 1863: 180  
*mingrelia* Kraatz, 1879i: 279  
*subnotata* Pic, 1901e: 16

**genus *Gaurotina* Ganglbauer, 1889a: 49** type species *Gaurotina superba* Ganglbauer, 1889

*drumonti* Miroshnikov, 2024: 215 A: SC

*flavimarginata* Pu, 1992b: 591, 617 (*Gaurotes*) A: NIN SCH #400

*labrangica* Danilevsky & Rapuzzi, 1996: 10 A: GAN

*nigroantennata* L. Chen & Chiang, 2000: 31, 35 A: JIL TIA

*nitida* Gressitt, 1951a: 62 A: GAN NIN SHA #400

*piligera* Pu, 1992b: 591, 617 (*Gaurotes*) A: SCH

*pulchra* Holzschuh, 1991c: 8 A: SCH

*sichotensis* Danilevsky, 1988c: 372 A: FE KO #517

*superba* Ganglbauer, 1889a: 50 A: GAN JIL QIN SCH SHA YUN #400

**genus *Gnathacmaeops* Linsley & Chemsak, 1972: 135** type species *Leptura pratensis* Laicharting, 1784

*brachypterus* K. Daniel & J. Daniel, 1898a: 73 (*Acmaeops*) A: KI KZ XIN

*pratensis* Laicharting, 1784: 172 (*Leptura*) E: AL AN AU BH BU BY CR CT CZ EN FI FR GE HU IT KZ LA ?LT MC MD ?ME NR

NT PL RO SB SK SL SP ST SV SZ UK A: AB AR ES FE GG KI KZ MG NC (Bujeongowon) NMO UZ WS XIN NAR #63

#535

*lateralis* Estlund, 1796: 127 (*Leptura*)

*obscuripennis* Pic, 1901: 24 (*Acmaeops*)

*spretus* Lentz, 1857: 147 (*Pachyta*)

*suturalis* Mulsant, 1839: 246 (*Pachyta*)

*strigilatus* Fabricius, 1793: 341 (*Leptura*)

*ustulatus* Motschulsky, 1860b: 148 (*Pachyta*)

**genus *Rhagium* Villiers, 1978: 85** type species *Rhagium bifasciatum* Fabricius, 1775

#757

*bifasciatum* Fabricius, 1775: 183 (*Rhagium*) E: AL AU BE BH BU ?BY CR CT CZ DE EN FI FR GB GE GR HU IR IT ?LA LS ?LT LU

MC MD ME NL NR PL PT RO SB SK SL SP ST SZ TR UK A: AB AR GG IN TR

#104 #752

*anglicum* Gmelin, 1790: 1844 (*Cerambyx*)

*bicolor* Olivier, 1800: 16 (*Stenocorus*)

#373

*bimaculatum* Marsham, 1802: 343 (*Leptura*)

*bistrinotatum* Pic, 1914b: 3 (*Rhagium*)

*deyrollei* Pic, 1909: 123 (*Rhagium*)

*ecoffeti* Mulsant, 1839: 222 (*Rhagium*)

*fasciatum* Pic, 1910d: 19 (*Rhagium*)

*gravei* Hubenthal, 1902: 291 (*Rhagium*)

*infasciatum* Pic, 1898a: 3 (*Rhagium*)

*latefasciatum* Pic, 1891b: 2 (*Rhagium*)

*lituratum* Fügner, 1891: 201 (*Stenocorus*)

*maculatum* Goeze, 1777: 462 (*Cerambyx*)

*medionotatum* Pic, 1910d: 20 (*Rhagium*)

*nigrolineatum* Donovan, 1801: 73 (*Leptura*)

*ornatum* Fabricius, 1775: 183 (*Rhagium*)

*parisimum* Geoffroy, 1785: 85 (*Stenocorus*)

*rufum* Pic, 1910d: 19 (*Rhagium*)

*unifasciatum* Mulsant, 1839: 222 (*Rhagium*)

**genus *Japanocorus* Danilevsky, 2012m: 919** type species *Toxotus caeruleipennis* Bates, 1873

*caeruleipennis* Bates, 1873: 193 (*Toxotus*) A: FE (Sakhalin, Kunashir) JA

*galloisi* K. Ohbayashi, 1961a: 16 (*Toxotus*)

**genus *Lemula* Bates, 1884a: 211** type species *Lemula decipiens* Bates, 1884a

**subgenus *Lemula* Bates, 1884a: 211** type species *Lemula decipiens* Bates, 1884a

*aequipilosa* N. Ohbayashi & Chou, 2019: 459 A: TAI

*brunneipennis* Shimomura, 1979: 271 A: TAI

*coerulea* Gressitt, 1939b: 84 A: FUJ SHA ZHE

#225 #526

*confusa* Holzschuh, 2009a: 268 A: ANH FUJ HEN HUB ZHE

#436

*crucifera* Shimomura, 1979: 274 A: TAI  
*cyanipennis* Hayashi, 1974a: 3 A: TAI #436  
*longipennis* Shimomura, 1979: 278 #436  
*decipiens* Bates, 1884a: 212 A: JA #517  
*formosana aenea* N. Ohbayashi & Chou, 2019: 474 A: TAI  
*formosana formosana* N. Ohbayashi & Chou, 2019: 474 A: TAI  
*fracta* Holzschuh, 1998: 7 A: CHQ SCH SHA #436  
*gorodinskii gorodinskii* Holzschuh, 1999: 8 A: GAN SHA #436  
*gorodinskii henanica* Holzschuh, 2009a: 269 A: HEN  
*holzschuhi* N. Ohbayashi & Chou, 2019: 478 A: HEN HUB  
*japonica* Tamanuki, 1938b: 166 (*Lemura*) A: JA #436  
*jinfoshana* N. Ohbayashi & Chou, 2019: 467 A: CHQ  
*lata lata* Holzschuh, 2009a: 270 A: HEN  
*lata zhejianga* N. Ohbayashi & Chou, 2019: 485 A: ZHE  
*nishimurai* Seki, 1944a: 25 A: JA  
*hiratai* Hayashi, 1944: 23  
*nitidiuscula* N. Ohbayashi & Chou, 2019: 460 A: TAI  
*par* Holzschuh, 1998: 6 A: YUN  
*pilifera* Holzschuh, 1991c: 8 A: SCH  
*rufithorax* Pic, 1901m: 57 A: JA  
*setigera* Mitono & Tamanuki, 1939: 207 A: TAI #499  
*shaanxiensis* N. Ohbayashi & Chou, 2019: 482 A: GAN SHA  
*simillima* N. Ohbayashi & Chou, 2019: 477 A: GUA GUI  
*testaceipennis* Gressitt, 1939b: 85 A: FUJ GUA GUX ZHE TAI #436  
*densepunctata* Hayashi, 1974a: 4 #436  
*inaequalicollis* Pic, 1957: 75 #436  
*obscuripennis* Shimomura, 1979: 276 #436  
*zhani* N. Ohbayashi & Chou, 2019: 466 A: GUA  
**subgenus** *Pseudolemula* N. Ohbayashi & Chou, 2019: 490 type species *Lemula viridipennis* Holzschuh, 1993  
*tichyi* N. Ohbayashi & Chou, 2019: 466 A: HEN SCH  
*viridipennis* Holzschuh, 1993a: 7 A: GAN

**genus** *Macropidonia* Pic, 1901k: 339 type species *Macropidonia ruficollis* Pic, 1901  
*Sieversia* Ganglbauer, 1887a: 134 [HN] type species *Sieversia bicolor* Ganglbauer, 1887  
*Sivana* Strand, 1942: 391 [RN] type species *Sieversia bicolor* Ganglbauer, 1887  
*bicolor* Ganglbauer, 1887a: 134 (*Sieversia*) A: FE HEB LIA NC SC  
*ruficollis* Pic, 1901k: 340 A: JA JIL

**genus** *Megarhagium* Reitter, 1913a: 6 type species *Cerambyx sycophanta* Schrank, 1781 #757  
*caucasicum caucasicum* Reitter, 1889c: 287 (*Rhagium*) ?E: ?ST A: AB AR GG TR  
*caucasicum semicorne* Holzschuh, 1974b: 118 (*Rhagium*) A: AB IN  
*elmaliense* Schmid, 1999: 157 (*Rhagium*) A: TR  
*fasciculatum* Faldermann, 1837: 304 (*Rhagium*) E: ST A: AB AR GG IN TR  
*rufipes* Motschulsky, 1838: 184 (*Rhagium*)  
*iranum* Heller, 1940: 842 (*Rhagium*) A: IN  
*mordax* DeGeer, 1775: 124 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU LS MC MD #517  
 ME NL NR NT PL RO SB SK SL SP ST SV SZ UK A: ES KZ TM WS  
*altajense* Podaný, 1964a: 15 (*Rhagium*)  
*bifasciatum* Schrank, 1781a: 137 (*Leptura*) [HN]  
*klenkai* Pic, 1915e: 4 (*Rhagium*)  
*linnei* Laicharting, 1784: 122 (*Rhagium*)  
*morvandicum* Pic, 1927e: 10 (*Rhagium*)  
*subdilatatum* Pic, 1917g: 3 (*Rhagium*)  
*vulgare* Samouelle, 1819: 210 (*Rhagium*)  
*pruinatum* Pesarini & Sabbadini, 2011: 42 (*Rhagium*) E: GR  
*pygmaeum* Ganglbauer, 1882: 718 (*Rhagium*) A: AB (Talysh) IN  
*pygmaeum* Ganglbauer, 1886d: 234 (*Stenocorus*)  
*rosti* Pic, 1898b: 18  
*sycophanta* Schrank, 1781a: 137 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IR IT LA LT LU MC MD  
 ME NL PL PT RO SB SK SL SP ST SV SZ TR UK A: WS  
*cephalotes* Mulsant, 1839: 224 (*Rhagium*)  
*grandiceps* C. G. Thomson, 1866: 50 (*Rhagium*)  
*scrutator* Olivier, 1800: 10 (*Stenocorus*) #373  
*syriacum phrygium* K. Daniel, 1906b: 176 (*Rhagium*) A: TR  
*syriacum syriacum* Pic, 1892r: cxi (*Rhagium*) [= 1893d: 414 (*Rhagium*)] A: SY TR

**genus** *Pachyta* Dejean, 1821: 112 type species *Leptura quadrimaculata* Linnaeus, 1758

*Argaleus* LeConte, 1850b: 319 type species *Argaleus nitens* LeConte, 1850 (= *Pachyta liturata* Kirby, 1837)  
*Linsleyana* Podaný, 1964b: 43 type species *Pachyta armata* LeConte, 1873a  
*Neopachyta* Bedel, 1906: 93 [RN]

*bicuneata* Motschulsky, 1860b: 147 A: ES FE GAN HEI JIL NC SC SHA  
*bisbimaculata* Pic, 1900f: 17  
*bisbinotata* Pic, 1907a: 5 (*Neopachyta*)  
*incolumis* Heyden, 1886c: 273

*degener* Semenov & Plavilstshikov, 1936: 393 A: NMO

*erebia* Bates, 1884a: 212 A: JA  
*kusamai* Hayashi, 1955: 22  
*uenoi* Makihara, 1995: 451

*felix* Holzschuh, 2007: 182 A: XIZ YUN #60

*gorodinskii* Rapuzzi, 2013: 466 A: QIN

*lamed* Linnaeus, 1758: 391 (*Cerambyx*) E: AU BU BY CT CZ DE EN FI FR GE HU IT LA LT MD NR NT PL RO SK SL SV SZ UK  
A: ES FE GAN JA JIL MG NC NMO QIN SHA WS XIN

*pedella* DeGeer, 1775: 129 (*Leptura*)

*sasakii* Fujita, 2018: 21 #526 #736

*spadicea* Paykull, 1800: 103 (*Leptura*)

*mediofasciata* Pic, 1936d: 15 A: HEB JIL NMO QIN SHA

*nigromarginalis* Pic, 1939b: 2

*subapicalis* Pic, 1939b: 1

*perlata* Holzschuh, 1991a: 6 A: KA NP

*quadrimaculata* Linnaeus, 1758: 397 (*Leptura*) E: AU BH BU BY CR CT CZ DEi EN FI FR GE GR HU IT LA LS LT MC MD ME NT  
PL RO SB SK SL SP ST SZ UK A: ES GAN HEB HEI JIL KZ MG NIN QIN SHA WS XIN

*basinotata* Roubal, 1937: 81

*bimaculata* Schoenherr, 1817a: 489 (*Leptura*)

*mulsanti* Pic, 1945b: 5

*timida* Scopoli, 1763: 53 (*Cerambyx*)

**genus *Pachytella* Heyrovský, 1969b: 226** type species *Pachytella mongolica* Heyrovský, 1969  
*churkini* Danilevsky, 2011: 253 A: MG  
*mongolica* Heyrovský, 1969b: 227 A: MG

**genus *Paktoxotus* Holzschuh, 1974a: 84** type species *Paktoxotus pallidus* Holzschuh, 1974  
*pallidus* Holzschuh, 1974a: 86 A: ?AF PA #454

**genus *Paragaurotes* Plavilstshikov, 1921b: 116** type species *Gaurotes ussuriensis* Blessig, 1873

*doris doris* Bates, 1884a: 212 A: JA ?NIN ?SHA #400  
*amagisana* K. Ohbayashi, 1956a: 7

*doris suvorovi* Semenov, 1914: 17 A: FE (Sakhalin, Kurils) JA

*fairmairei* Aurivillius, 1912: 193 (*Gaurotes*) [RN] A: NIN SCH SHA #400  
*diversicollis* Pic, 1939b: 1 (*Gaurotes*)  
*donacioides* Fairmaire, 1889a: 59 (*Gaurotes*) [HN]

*ussuriensis* Blessig, 1873: 247 A: ES FE HEB HEI JIL LIA NC SC

**genus *Pidonia* Mulsant, 1863: 570** type species *Leptura lurida* Fabricius, 1793

**subgenus *Cryptopidonia* Kuboki, 1981: 530** type species *Pidonia lyra* Kuboki & Suzuki, 1978

*aenipennis aenipennis* Gressitt, 1935e: 253 (*Pseudopidonia*) A: TAI

*aenipennis continentalis* Tippmann, 1955: 90 (*Pseudopidonia*) A: FUJ

*albomaculata* Matsushita, 1931c: 401 (*Pseudopidonia*) A: TAI

*amentata amentata* Bates, 1884a: 215 (*Grammoptera*) A: JA

*breuningi* Pic, 1955: 12 (*Pseudopidonia*)

*oculata* Matsushita, 1933b: 191 (*Pseudopidonia*) #526  
*staudingeri* Pic, 1901c: 12 (*Pseudopidonia*)

*amentata awashimana* Kuboki, 1993c: 235 A: JA (Awashima Is.)

*amentata kurosawai* K. Ohbayashi & Hayashi, 1960: 13 A: FE (Kurils) JA

*amentata sadoensis* Kuboki, 1993d: 261 A: JA (Sado Is.) #276

*anmashana* Kuboki, 1993a: 33 A: TAI

*approximata* Kuboki, 1977b: 65 A: JA

*chiaomui* Kuboki, 1995b: 747 A: TAI

*chui* Chou, 1998: 434 A: TAI

*dealbata* Kuboki, 1981: 535 A: JA

*fushani* Kuboki, 1993a: 37 A: TAI

*hamadryas* Kuboki, 1977c: 268 A: JA

*hayashii* Koike, 1971: 25 A: JA

*hohuanshana* Chou, 1998: 438 A: TAI

*hylophila affinis* Kuboki, 1982b: 118 A: JA



*hylophila hylophila* Kuboki, 1977b: 67 A: JA  
*ohdaisana* Mizuno, 1978: 39  
*insuturata* Pic, 1901m: 59 A: JA  
*brevinotata* Pic, 1902g: 24 (*Pseudopidonia*)  
*kaguyahime* Kuboki, 2020: 252 A: JA  
*luna* Chou & Wu, 2005: 407 A: TAI  
*lyra* Kuboki & Suzuki, 1978: 297 A: JA  
*masakii* Hayashi, 1955: 28 A: JA  
*hiurai* K. Ohbayashi & Hayashi, 1960: 15  
*lepesmei* Pic, 1956: 647 (*Pseudopidonia*)  
*simillima* K. Ohbayashi & Hayashi, 1960: 14 #600  
*miwai* Matsushita, 1933b: 190 (*Pseudopidonia*) A: JA  
*pilushana* S. Saito, 1979: 211 A: TAI  
*subaenea* Gressitt, 1935e: 254 (*Pseudopidonia*) A: JIL TAI  
*taipingshana* Kuboki, 1995b: 753 A: TAI  
*takahashii* Kuboki, 1983: 25 A: TAI  
*yushana* Chou & Wu, 2005: 403 A: TAI  
**subgenus** *Mumon* Hayashi, 1968b: 15 type species *Grammoptera debilis* Kraatz, 1789 #400 #526  
*aegrota aegrota* Bates, 1884a: 214 (*Grammoptera*) A: JA #400 #526  
*aegrota kubokii* Hayashi, 1984: 22 [RN] A: JA (Tsushima Is.)  
*spectabilis* Kuboki, 1982b: 120 [HN]  
*aegrota telephia* Kuboki, 1996b: 805 A: JA (Sado Is.) #276  
*aestivalis* Kuboki, 1994a: 37 A: TAI  
*alsophila* Kuboki, 1997a: 19 A: TAI  
*amabilis* Kuboki, 1980: 58 A: TAI  
*binigrosignata* Hayashi, 1974a: 5 A: TAI  
*chienhsingi* Kuboki, 1995a: 5 A: TAI  
*confusa* S. Saito, 1980: 294 A: TAI  
*debilis* Kraatz, 1879c: 104 (*Grammoptera*) A: FE HEI NC SC  
*formosana* Tamanuki & Mitono, 1939: 208 A: TAI #526  
*formosissima* Kuboki, 1980: 55 A: TAI #400  
*pudica* Kuboki, 1994a: 33 A: TAI  
*sacrosancta* Kuboki, 1995a: 9 A: TAI  
**subgenus** *Omphalodera* Solsky, 1873: 244 type species *Omphalodera puziloi* Solsky, 1873  
*changi* Hayashi, 1971: 3 A: SHA  
*heudei* Gressitt, 1939b: 86 (*Pseudopidonia*) A: SHA ZHE #225  
*nakabayashii* Kuboki, 2014: 181 A: JA  
*ogasawarai* Kuboki, 2015: 469 A: JA  
*puziloi* Solsky, 1873: 245 (*Omphalodera*) A: FE HEI JA MG NC SC  
*flaviventris* Bates, 1884a: 212 (*Omphalodera*)  
*sakimori* Kuboki, 2015: 466 A: JA (Tsushima Is.)  
*testacea* Matsushita, 1933b: 184 (*Omphalodera*) A: JA  
*warusawadakensis* K. Ohbayashi, 1959: 1 A: JA  
**subgenus** *Paleopidonia* Kuboki, 2003: 1 type species *Pidonia fujisana* Obika & Kusama, 1971  
*chujoi* K. Ohbayashi & Hayashi, 1960: 13 A: JA  
*fujisana* Obika & Kusama, 1971: 233 A: JA  
*oyamae* Oyama, 1908: 19 (*Grammoptera*) A: JA  
*quadrimaculata* Matsushita, 1933b: 192 (*Pseudopidonia*)  
**subgenus** *Pidonia* Mulsant, 1863: 570 type species *Leptura lurida* Fabricius, 1793  
*lurida* Fabricius, 1793: 343 (*Leptura*) E: AU BE BH BU BY CR CZ FR GE GR HU IT LA LS LT MD PL RO SB SK SL SZ UK #472  
*ganglbaueri* Ormay, 1888: 168  
*notaticollis* Pic, 1941d: 15  
*rufithorax* Pic, 1902g: 23  
**subgenus** *Pseudopidonia* Pic, 1900n: 81 type species *Pseudopidonia amurensis* Pic, 1900 #400  
*alpina* An & Kwon, 1991: 43 A: SC  
*alticollis* Kraatz, 1879c: 103 (*Grammoptera*) A: CH FE NC SC  
*rubricollis* Pic, 1931b: 257 (*Pseudopidonia*)  
*rufiventris* Plavilstshikov, 1932f: 87 (*Pseudopidonia*)  
*tristicula* Kraatz, 1879c: 104 (*Grammoptera*)  
*amurensis* Pic, 1900n: 81 (*Pseudopidonia*) A: FE HEI JIL NC SC SHA #400  
*quelpartensis* Hayashi, 1983: 32  
*unifasciata* Plavilstshikov, 1915c: 106 (*Pseudopidonia*)  
*angustata* Kuboki, 1994c: 185 A: TAI  
*armata* Holzschuh, 1991c: 9 A: SCH  
*atripennis* Hayashi, 1978a: 85 A: TAI  
*atritarsis* Holzschuh, 2013b: 92 A: SCH

*balteata* Holzschuh, 2013b: 88 A: SCH  
*benesi* Holzschuh, 1998: 15 A: SCH  
*bispina* Holzschuh, 1998: 12 A: HUB  
*bivittata* S. Saito, 1980: 291 A: TAI  
*bouvieri* Pic, 1901k: 339 A: JA  
*businskyorum* Holzschuh, 1998: 13 A: HUB  
*chairo* Tamanuki, 1943: 38 A: JA  
*chinensis* Hayashi & Villiers, 1985: 17 A: BEI  
*compta* Holzschuh, 1998: 16 A: GAN  
*cuprescens* Holzschuh, 1991c: 10 A: SCH  
*dentipes* Holzschuh, 1998: 8 A: SHA  
*deodara* Kuboki, 1986: 63 A: TAI  
*determinata* Holzschuh, 1998: 14 A: SCH  
*discoidalis* Pic, 1901m: 58 A: JA  
*amagisanus* Hayashi, 1953: 39  
*japonica* Pic, 1953a: 14 (*Pseudopidonia*) [HN]  
*muneaka* Hayashi, 1955: 26  
*tamanukii* Hayashi, 1969b: 71  
*effracta* Holzschuh, 1998: 17 A: SCH  
*elegans* An & Kwon, 1991: 47 A: SC  
*erlangshana* Holzschuh, 2013b: 91 A: SCH  
*exilis* Holzschuh, 1991c: 13 A: SCH  
*falcata* Kuboki, 1997b: 25 A: JA  
*flaccidissima* Kuboki, 1994c: 181 A: TAI  
*foveolata* Holzschuh, 1998: 17 A: YUN  
*frivola* Holzschuh, 1998: 14 A: SCH  
*fumaria* Holzschuh, 2003a: 155 A: SCH  
*gibbicollis* Blessig, 1873: 258 (*Leptura*) A: FE HEI JA (Tsushima Is.) JIL LIA NC SC  
*marginata* Pic, 1931b: 258 (*Pseudopidonia*)  
*gloriosa* Kuboki, 1993b: 155 A: TAI  
*gorodinskii* Holzschuh, 1998: 13 A: GAN  
*grallatrix* Bates, 1884a: 214 (*Grammoptera*) A: JA  
*harmandi* Pic, 1901m: 58  
*hamifera* Holzschuh, 1998: 10 A: SHA  
*hayakawai* Kuboki, 2001: 23 A: JA  
*himehana* S. Saito, 1992: 12 A: JA  
*ignobilis* Holzschuh, 1991c: 14 A: SCH  
*indigna* Holzschuh, 1991c: 12 A: SCH  
*infuscata* Gressitt, 1939b: 88 (*Pseudopidonia*) A: FUJ ZHE  
*jasha* S. Saito & A. Saito, 1989: 194 A: JA  
*kanwonensis* Danilevsky, 1993d: 111 A: NC (Mt. Geumgangsán)  
*koreana* An & Kwon, 1991: 49 A: SC (Jejudo Is.)  
*kyushuensis* Yamawaki, 1959: 85 A: JA  
*leucanthophila* Kuboki, 1978a: 33 A: JA  
*limbaticollis limbaticollis* Pic, 1902g: 27 (*Pseudopidonia*) A: JA  
*naganoensis* Pic, 1956: 648 (*Pseudopidonia*)  
*nikkokensis* K. Ohbayashi & Hayashi, 1957: 7  
*limbaticollis ohbayashii* Matsushita, 1933b: 191 (*Pseudopidonia*) A: JA  
*tokugoana* Matsushita, 1933b: 194 (*Pseudopidonia*)  
*limbaticollis stephani* Hayashi, 1982b: 152 [RN] A: JA  
*breuningi* K. Ohbayashi & Hayashi, 1957: 5 [HN]  
*longipalpis* Kuboki, 1985: 115 A: TAI  
*longipennis* An & Kwon, 1991: 50 A: SC  
*lucida* Holzschuh, 1991c: 15 A: SCH  
*ludmilae* Holzschuh, 1998: 12 A: HUB  
*luridaria* Holzschuh, 1998: 16 A: SCH  
*maai* Gressitt, 1951a: 73 A: FUJ  
*maculithorax* Pic, 1901k: 338 A: JA  
*lineatocollis* Pic, 1902g: 24  
*rufithorax* Pic, 1956: 647 (*Pseudopidonia*) [HN]

*meridionalis* Kuboki, 1978b: 85 A: TAI  
*michinokuensis* Hayashi, 1981b: 28 [RN] A: JA  
*japonica* K. Ohbayashi & Hayashi, 1960: 15 [HN]  
*satoi* K. Ohbayashi & Hayashi, 1960: 16  
*mimica* Holzschuh, 2017b: 3 A: SCH #400  
*misenina* S. Saito & A. Saito, 1992: 19 A: JA  
*mitis* Holzschuh, 1992b: 8 A: SCH  
*moderata* Holzschuh, 2017b: 4 A: SCH #400  
*modesta* Kuboki, 1997c: 421 A: JA  
*murzini* Holzschuh, 2013b: 86 A: SCH  
*mutata* Bates, 1884a: 215 (*Grammoptera*) A: JA  
*shikokensis* K. Ohbayashi & Hayashi, 1957: 6 [HN]  
*shikokuana* Hayashi, 1968b: 53 [RN]  
*neglecta hizena* Imasaka & Amano, 2001: 337 A: JA  
*neglecta neglecta* Kuboki, 1982a: 7 A: JA  
*nobuoi* Chou, 2009: 110 A: GUX  
*obfuscata* Holzschuh, 1991c: 14 A: SCH  
*obscurior hakusana* K. Ohbayashi & Hayashi, 1960: 14 A: JA  
*yokoyamai* Hayashi, 1968b: 34  
*obscurior obscurior* Pic, 1901k: 338 A: JA  
*bisignata* Pic, 1935d: 12 (*Pseudopidonia*)  
*nagayamai* Hayashi, 1968b: 37  
*occipitalis* Gressitt, 1935e: 255 (*Pseudopidonia*) A: TAI  
*ohminesana* Mizuno, 1987: 111 A: JA  
*orientalis* Matsushita, 1933a: 103 A: JA  
*orophila* Holzschuh, 1991a: 6 A: GUI YUN #400  
*palleola* Holzschuh, 1991c: 11 A: SCH SHA #225  
*pallida* K. Ohbayashi & Hayashi, 1960: 14 A: JA  
*pallidicolor* Hayashi, 1983: 31 A: JA  
*palligera* Holzschuh, 1995: 8 A: YUN  
*palposa* Holzschuh, 2017b: 2 A: SCH #400  
*paradisicola* Kuboki, 1977a: 31 A: TAI  
*pauperula* Holzschuh, 1999: 8 A: SCH  
*picta* Ganglbauer, 1889a: 51 A: GAN NMO  
*propinqua* Danilevsky, 1993e: 477 A: NC SC  
*pullata* Holzschuh, 1998: 11 A: HUB NIN #400  
*qinlingana* Holzschuh, 1998: 11 A: SHA  
*rutila* Holzschuh, 1998: 9 A: HUB  
*semiobscura* Pic, 1901k: 338 A: ?FE (Sakhalin Is.) JA #526  
*diversenotata* Pic, 1956: 648 (*Pseudopidonia*) #625  
*nipponensis* Matsushita, 1933b: 190  
*rufoscutellata* Matsushita, 1933b: 192 (*Pseudopidonia*)  
*seorsa* Holzschuh, 1991c: 11 A: NIN SCH #400  
*sertata* Holzschuh, 1998: 18 A: SCH  
*seungmoi* An & Kwon, 1991: 51 A: SC  
*shikokensis amanoi* Hayashi, 1969b: 71 A: JA  
*shikokensis shikokensis* Chûjô & Hayashi, 1951: 4 A: JA  
*sichuanica* Holzschuh, 1992b: 7 A: SCH  
*signata* Matsushita, 1933b: 185 A: JA  
*signifera* Bates, 1884a: 215 (*Grammoptera*) A: JA #400  
*similis* Kraatz, 1879c: 102 (*Grammoptera*) A: FE HEI JIL NC SC  
*rosti* Pic, 1954: 3 (*Pseudopidonia*)  
*subobliterata* Pic, 1954: 3 (*Pseudopidonia*)  
*sororia* Holzschuh, 1992b: 6 A: SCH  
*straminea* Holzschuh, 1992b: 6 A: SCH  
*striolata* Holzschuh, 2013b: 84 A: SCH  
*submetallica* Hayashi, 1974a: 6 A: TAI  
*subsuturalis* Plavilstshikov, 1915c: 107 (*Pseudopidonia*) A: JIL  
*suvorovi* Baeckmann, 1903a: 115 A: FE NC SC  
*suzukii* Kuboki, 1983: 113 A: JA  
*sylvicola* Kuboki, 1977c: 264 A: JA  
*takakuwai* Chou, 2009: 113 A: GUX  
*trilineata* Pic, 1954: 3 (*Pseudopidonia*) A: JA #625  
*takechii* Kuboki, 1986: 297 #625  
*tsukamotoi* Mizuno, 1978: 39 A: JA  
*tsushimaana* S. Saito & A. Saito, 1988: 120 A: JA (Tsushima Is.)

*tsutsuii* Kuboki, 1996a: 368 A: JA  
*tsuyukii* Kuboki, 1994b: 132 A: JA  
*weolseonae* An & Kwon, 1991: 55 A: SC  
*yamato* Hayashi & Mizuno, 1953: 38 A: JA #526  
*higeshiro* Yamawaki, 1977: 61

**genus *Pseudodinoptera* Pic, 1900n: 82** type species *Acmaeops daghestanicus* Pic, 1897  
*daghestanica* Pic, 1897g: 262 (*Acmaeops*) E: ST (Dagestan)

**genus *Pseudogaurotina* Plavilstshikov, 1958b: 722** type species *Gaurotes splendens* Jakovlev, 1893 #704  
*excellens* Brancsik, 1874: 230 (*Pachyta*) E: PL RO SK UK  
*magnifica* Plavilstshikov, 1958b: 720 (*Gaurotes*) A: FE  
*robertae* Pesarini & Sabbadini, 1997: 99 A: SCH  
*splendens* Jakovlev, 1893a: 444 (*Gaurotes*) A: ES ?MG

**genus *Pseudosieversia* Pic, 1902f: 19** type species *Pidonia rufa* Kraatz, 1879  
*Macrorhabdium* Plavilstshikov, 1915c: 103 type species *Macrorhabdium ruficolle* Plavilstshikov, 1915 (= *Pidonia rufa* Kraatz, 1879)  
*japonica amanoi* Hayashi, 1971: 2 A: JA  
*japonica japonica* K. Ohbayashi, 1937: 5 (*Microrhabdium*) A: JA  
*japonica shikokensis* Hayashi, 1959b: 55 A: JA  
*rufa* Kraatz, 1879c: 101 (*Pidonia*) A: FE JIL NC SC #400  
*bicolor* Heyden, 1886c: 276 (*Pidonia*)  
*coreana* Matsushita, 1935: 539 [HN]  
*coreana* Okamoto, 1927: 67 (*Sieversia*)  
*ruficollis* Plavilstshikov, 1915c: 104 (*Macrorhabdium*)  
*spectabilis* Kraatz, 1879e: 228 (*Pidonia*)

**genus *Rhagium* Fabricius, 1775: 182** type species *Cerambyx inquisitor* Linnaeus, 1758 #757  
*Allorhagium* Kolbe, 1884: 270 type species *Cerambyx inquisitor* Linnaeus, 1758  
*Hargium* Leach, 1819: 210 type species *Cerambyx inquisitor* Linnaeus, 1758  
*femorale* N. Ohbayashi, 1994: 175 A: JA  
*fortecostatium* Jureček, 1933: 129 A: SCH YUN  
*heyrovskiyi hayakawai* Takakuwa, 1984: 9 A: JA  
*heyrovskiyi heyrovskiyi* Podaný, 1964a: 28 A: FE JA  
*inquisitor cedri* Reymond, 1953: 201 E: SP N: MO #778  
*inquisitor fortipes* Reitter, 1898e: 357 A: TR  
*inquisitor inquisitor* Linnaeus, 1758: 393 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR KZ IT LA  
LS LT LU MD ME NE NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: ES KZ MG NE TR WS #778

*exile* Gmelin, 1790: 1844 (*Cerambyx*)  
*indagator* Fabricius, 1787: 145  
*iberonis* Ericson, 1916: 240  
*investigator* Mulsant, 1839: 227  
*minutum* Fabricius, 1787: 146  
*nubecula* Bergsträsser, 1778: 26 (*Cerambyx*)  
*inquisitor rugipenne* Reitter, 1898e: 357 A: ES FE GAN HEI JIL JIX LIA MG NC NMO SC SHA XIN YUN ZHE  
*sibiricum* Pic, 1905a: 5  
*inquisitor schtschukini* Semenov, 1898: 601 E: ST A: AB AR GG IN TR  
*minimum* Podaný, 1964a: 19  
*stshukini* Plavilstshikov, 1915a: 35 [unjustified emendation]  
*japonicum* Bates, 1884a: 209 A: FE (Sakhalin, Kunashir) JA #400  
*morrisonense* Kano, 1933a: 262 A: TAI  
*pseudojaponicum* Podaný, 1964a: 25 A: JA (Tsushima) SC  
*qinghaiense* L. Chen & Chiang, 2000: 32, 36 A: QIN  
*sinense* Fairmaire, 1900: 638 (*Hargium*) A: HEB FUJ SCH #400

**genus *Rhondia* Gahan, 1906a: 79** type species *Leptura pugnax* Dohrn, 1878  
*Fairmairia* Podaný, 1964b: 43 type species *Pachyta oxyoma* Fairmaire, 1889  
*Rhondiomorpha* Matsushita, 1933b: 180 type species *Rhondia formosa* Matsushita, 1931  
*attelaboides* Pesarini & Sabbadini, 1997: 101 A: YUN  
*bicoloripes* Pic, 1957: 75 A: FUJ  
*bispinosa* Holzschuh, 1998: 7 A: SCH  
*formosa* Matsushita, 1931c: 400 A: TAI  
*cyanea* Tamanuki & Mitono, 1939: 207  
*fragosa* Holzschuh, 1998: 8 A: HUB  
*kabateki* Viktora & Liu, 2018d: 222 A: YUN  
*maculithorax* Pu, 1992b: 592, 618 A: HUB NIN SCH SHA #225 #400  
*hubeiensis* W.-K. Wang & Jiang, 1994: 192

*oxyoma* Fairmaire, 1889a: 58 (*Pachyta*) A: SCH  
*petrae* Viktora & Liu, 2018d: 224 A: YUN  
*placida* Heller, 1923b: 72 A: HUB MG NMO SCH SHA #490  
*pugnax* Dohrn, 1878: 459 (*Leptura*) A: GUA GUX SCH "North India" XIZ ORR #60 #400

**genus *Sinopidonia* Holzschuh, 1999: 9** type species *Sinopidonia splendida* Holzschuh, 1999  
*splendida* Holzschuh, 1999: 9 A: SCH

**genus *Stenocorus* Geoffroy, 1762: 221** type species *Leptura meridiana* Linnaeus, 1758  
**subgenus *Anisorus* Mulsant, 1862: 467** type species *Cerambyx quercus* Götzt, 1783  
*brunnescens* Holzschuh, 1991a: 5 (*Anisorus*) [Hakkari] A: TR  
*heterocerus* Ganglbauer, 1882: 139 (*Toxotus*) A: SY TR  
*nigripennis* Pic, 1896c: 141 (*Anisorus*)  
*homocerus* K. Daniel, 1900: 139 (*Toxotus*) A: TR  
*latus* Pic, 1892r: cxi [= 1893d: 414] (*Toxotus*) ["Haute Syrie"] A: TR #57 #517  
*guveni* Özdikmen, 2014: 702 ["Osmaniye prov., Boğaz plateau"] #517  
*quercus aureopubens* Pic, 1908b: 2 (*Stenochorus*) A: AB AR GG IN TR  
*aureopubescens* Pic, 1912a: 26 [unnecessary RN]  
*quercus quercus* Götzt, 1783: 74 (*Cerambyx*) E: AU BE BH BU ?BY CR CT CZ DE FR GE GR HU IT LU MC MD NL PL RO SB SK #752  
SL SP ST SZ UK A: ES MG TR WS  
*bajus* Schrank, 1798: 692 (*Leptura*)  
*discolor* Fleischer, 1887a: 237 (*Toxotus*)  
*dispar* Panzer, 1794: 2  
*humeralis* Fabricius, 1787: 158 (*Leptura*) [HN]  
*magdalenae* Pic, 1891b: 4 (*Toxotus*)  
*punctipennis* Reitter, 1914: 178 (*Stenochorus*)  
*unicolor* Fleischer, 1887b: 272 (*Toxotus*) [unnecessary RN]

**subgenus *Stenocorus* Geoffroy, 1762: 221** type species *Leptura meridiana* Linnaeus, 1758  
*Endemus* Gistel, 1848a: xi [unnecessary RN]  
*Minaderus* Mulsant, 1862: 467 type species *Leptura meridiana* Linnaeus, 1758  
*Toxotus* Dejean, 1821: 112 type species *Leptura meridiana* Linnaeus, 1758  
*amurensis* Kraatz, 1879c: 100 (*Toxotus*) A: BEI FE HEI JIL LIA NC SC #60  
*diversipennis* Pic, 1915e: 4 (*Stenochorus*)  
*lateobscurus* Pic, 1904d: 13  
*obscurissimus* Pic, 1900f: 15 (*Toxotus*) ["sous variété"]  
*sachalinensis* Matsumura, 1911: 133 (*Toxotus*)  
*auricomus* Reitter, 1890e: 250 (*Toxotus*) ["Külele (Silicischer Taurus)"] A: TR #634  
*biformis* Tournier, 1872: 342 (*Toxotus*) A: GG  
*fuscodorsalis* L. Chen & Chiang, 1996: 189, 191 A: JIL  
*gorodinskii* Holzschuh, 1999: 7 A: GAN  
*insitivus insitivus* Germar, 1824: 520 (*Leptura*) E: ST UK A: AB AR GG IN SY TR #506  
*brevevittatus* Pic, 1945b: 5 (*Stenochorus*)  
*lividipennis* Pic, 1945b: 5 (*Stenochorus*)  
*nigriventris* Pic, 1908b: 2 (*Toxotus*)  
*obscuripennis* Pic, 1900f: 15 (*Toxotus*)  
*rubriventris* Pic, 1915e: 4 (*Stenochorus*)  
*insitivus persicus* Faldermann, 1837: 307 (*Toxotus*) A: AB (Talysh) IN  
*bicoloratus* Pic, 1915e: 4  
*lepturoides* Reitter, 1914: 181 (*Stenochorus*) ["Amur"] A: FE ?NE  
*longevittatus* Fairmaire, 1887c: 329 A: BEI HEB QIN SHA SHX #400  
*meridianus* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU #466  
MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: ES KZ WS  
*bilineatus* Pic, 1908d: 58 (*Stenochorus*)  
*brevilineatus* Pic, 1941e: 5  
*brevesignatus* Pic, 1941e: 5  
*cantharinus* Herbst, 1784: 93 (*Rhagium*)  
*chrysogaster* Schrank, 1781a: 132 (*Cerambyx*)  
*geniculatus* Geoffroy, 1785: 86  
*glabratus* Latreille, 1804: 311 (*Leptura*)  
*grandis* Poda von Neuhaus, 1761: 38 (*Leptura*)  
*lacordairii* Pascoe, 1867d: lxxxiv (*Toxotus*)  
*laevis* Olivier, 1800: 21 #373  
*luteolus* L. Petagna, 1819: 37  
*postsignatus* Pic, 1941a: 13  
*ruficrus* Scopoli, 1763: 48 (*Leptura*)  
*rufiventris* Marsham, 1802: 341 (*Leptura*)  
*sericeus* Olivier, 1800: 20 #373  
*splendens* Laicharting, 1784: 137 (*Leptura*)  
*minutus* Gebler, 1841a: 375 (*Toxotus*) A: KZ MG WS XIN #400



*obscuripes* Pic, 1901e: 15 (*Toxotus*)  
*tataricus* Gebler, 1841a: 375 (*Toxotus*)  
*schizotarsus* L. Chen & Chiang, 2002: 125, 127 A: GAN  
*serratus* Holzschuh, 1974a: 86 A: TR  
*vittatus* Fischer von Waldheim, 1842: 19 (*Toxotus*) [HN] A: KZ XIN #87  
*obliquus* Motschulsky, 1845a: 86 (*Toxotus*)  
*suvorovi* Semenov, 1910: 27 (*Toxotus*) [unjustified emendation]  
*suworowi* Reitter, 1907a: 208 (*Toxotus*)  
*turkestanicus* Ganglbauer, 1889b: 280 (*Toxotus*)  
*vittidorsum* Reitter, 1890e: 250 (*Toxotus*) A: AB AR GG TR  
**subgenus** *Toxotochorus* Reitter, 1907a: 208 type species *Toxotus tataricus* sensu Reitter, 1907 (= *Toxotus validicornis* Pic, 1900) #278  
*validicornis alaiensis* Pic, 1906b: 6 (*Toxotus*) A: KI  
*validicornis karatauensis* Danilevsky, 2012m: 920 A: KZ  
*validicornis mediocris* Danilevsky, 2012m: 920 A: KZ UZ KI  
*validicornis milkoii* Danilevsky, 2014i: 106 A: KI  
*validicornis shapovalovi* Danilevsky, 2019: 82 A: KI  
*validicornis tarbinskyi* Danilevsky, 2014i: 106 A: KI  
*validicornis univittatus* Reitter, 1914: 183 A: KZ KI  
*validicornis validicornis* Pic, 1900f: 16 (*Toxotus*) A: KI UZ #278  
**genus** *Toxotinus* Bates, 1884a: 213 type species *Toxotinus longicornis* Bates, 1884 (= *Toxotus reinii* Heyden, 1879)  
*reinii* Heyden, 1879c: 359 (*Toxotus*) A: JA  
*longicornis* Bates, 1884a: 213  
*nikkoensis* Matsushita, 1933b: 175

tribe Rhamnusiini Danilevsky, 1997 #704 #778  
 Rhamnusiini, Sama, 2009

**genus** *Neorhamnusium* Hayashi, 1976: 1 type species *Neorhamnusium taiwanum* Hayashi & Ando, 1976  
*melanocephalum* Miroshnikov & Lin, 2015: 294 A: YUN  
*rugosipenne* Pic, 1939b: 2 (*Rhamnusium*) A: SHA SHX #225  
*shaanxiense* Miroshnikov & Lin, 2015: 298 A: SHA  
*taiwanum* Hayashi & Ando, 1976: 2 A: TAI  
*wuchaoi* Miroshnikov & Lin, 2015: 300 A: BEI

**genus** *Rhamnusium* Latreille, 1829: 130 type species *Callidium salicis* Fabricius, 1787 (= *Cerambyx bicolor* Schrank, 1781)  
*algericum* Pic, 1896a: 102 N: AG TU  
*nigrum* Pic, 1906e: 27  
*testaceum* Pic, 1896a: 30  
*bicolor bicolor* Schrank, 1781a: 132 (*Cerambyx*) E: AL AU BE BH BU CR CZ ~~EN~~ FI FR GE GR HU IT LU MC ~~MD~~ NL ~~NT~~ PL RO  
~~SB~~ SK SL SP SZ UK  
*atripenne* Bedel, 1897: 43  
*aubei* Pic, 1929b: 9  
*capitale* Pic, 1898a: 2  
*etruscum* Rossi, 1790: 149 (*Rhagium*)  
*glaucopterum* Schaller, 1783: 284 (*Cerambyx*)  
*gracilicorne* Théry, 1895: cclxv  
*humerale* Bedel, 1897: 43  
*inapicale* Pic, 1901h: 31  
*rubroviolaceum* Geoffroy, 1785: 86 (*Cerambyx*)  
*ruficollis* Herbst, 1784: 92 (*Stenocorus*)  
*rufotestaceum* Pic, 1913b: 138  
*salicis* Fabricius, 1787: 154 (*Callidium*)  
*schrankii* Laicharting, 1784: 118 (*Rhagium*)  
*bicolor constans* Danilevsky, 2012e: 48 E: BY CT EN FI KZ LA LT NT ST UK A: KZ WS  
*bicolor demaggii* Tippmann, 1956: 484 E: IT  
*bicolor graecum* Schaufuss, 1862: 311 E: GR TR  
*limbatum* Pic, 1897c: 30  
*bicolor italicum* G. Müller, 1966: 4 E: IT  
*bicolor juglandis* Fairmaire, 1866b: 276 A: TR  
*anatolicum* Pic, 1901a: 10  
*delagrangei* Pic, 1901a: 10  
*geniculatum* Pic, 1901a: 10  
*obscuripes* Pic, 1903j: 163  
*rufotibiale* Pic, 1917g: 3  
*bicolor lenkoranum* Danilevsky, 2012e: 53 A: AB AR (Megri) ?GG IN  
*bicolor pesarinii* Rapuzzi, Sama & Sabbadini, 2018: 4 A: TR  
*bicolor praeustum* Reitter, 1895a: 85 A: SY TR #209  
*bicolor testaceipenne* Pic, 1897h: 299 E: ST UK A: AR GG TR

mesmini Pic, 1931c: 6

### tribe Sachalinobiini Danilevsky, 2010a

**genus *Sachalinobia* Jakobson, 1899: 39** type species *Sachalinobia relata* Jakobson, 1899 (= *Brachyta koltzei* Heyden, 1887)  
*Pseudopachyta* Swaine & Hopping, 1928: 16 type species *Pachyta rugipennis* Newman, 1844 (= *Toxotus rugipennis* Newman, 1844)  
*koltzei* Heyden, 1887a: 304 (*Brachyta*) A: ES FE GUA HEI JA LIA NC NMO SC #400  
*relata* Jakobson, 1899: 40

### tribe Teledapini Pascoe, 1871

**genus *Teledapalpus* Miroshnikov, 2000a: 38** type species: *Teledapalpus murzini* Miroshnikov, 2000  
*cremarius* Holzschuh, 1999: 6 (*Teledapus*) A: SHA  
*daliensis* Miroshnikov, 2021a: 242 A: YUN  
*hospes* Holzschuh, 1999: 6 (*Teledapus*) A: GAN  
*linyiejiei* Huang, Li & Zhang, 2021: 441 (*Teledapus*) A: YUN  
*lobanovi* Miroshnikov, 2021a: 242 A: SCH  
*murzini* Miroshnikov, 2000a: 41 A: SCH  
*pictus* Holzschuh, 2003a: 149 (*Teledapus*) A: SCH #593  
*pilosellus* Holzschuh, 2007: 181 A: SCH  
*transitivus* Miroshnikov, 2021a: 242 A: YUN  
*uenoi* Ohbayashi & Chu, 2021: 200 A: YUN  
*zamotajlovi* Miroshnikov, 2000a: 41 A: SCH  
*zolutichini* Miroshnikov, 2000a: 41 A: SHA

**genus *Teledapus* Pascoe, 1871: 268** type species *Teledapus dorcadioides* Pascoe, 1871  
*celsicola* Holzschuh, 1999: 5 A: XIZ  
*dorcadioides* Pascoe, 1871: 269 A: HP UP #  
*ocularis* Holzschuh, 1981: 94 A: PA  
*querceti* Holzschuh, 2007: 180 A: UP

### tribe Xylosteini Reitter, 1913

**genus *Chiangshunania* Bi & N. Ohbayashi, 2014: 6** type species *Encyclops x-signata* Chiang, 1981  
*comata* Bi & Ohayashi, 2020: 258 A: GUA GUX HUN  
*polita* Bi & Ohayashi, 2020: 261 A: YUN  
*x-signata* Chiang, 1981: 78 (*Encyclops*) A: ?HUN SCH

**genus *Leptorhabdium* Kraatz, 1879d: 118** type species *Xylosteus gracilis* Kraatz, 1873 (= *Xylosteus illyricum* Kraatz, 1871)  
*Psilorhabdium* Kraatz, 1879d: 118 type species *Psilorhabdium caucasicum* Kraatz, 1879  
*caucasicum* Kraatz, 1879d: 118 (*Psilorhabdium*) E: ST A: AB AR GG IN TR  
*illyricum* Kraatz, 1871d: 415 (*Xylosteus*) E: AL BH CR ME GR IT MC SL  
*gracile* Kraatz, 1873b: 202 (*Xylosteus*)  
*lividipenne* Pic, 1906b: 4  
*nitidum* Holzschuh, 1974a: 83 E: GR MC

**genus *Notorhabdium* N. Ohbayashi & Shimomura, 1986: 283** type species *Notorhabdium immaculatum* N. Ohbayashi & Shimomura, 1986  
*bangzhui* N. Ohbayashi & W.-K. Wang, 2004: 452 A: HEN HUB ORR #335 #646  
*fengae* Ch.-B. Wang, 2024: 2 A: YUN - (“Dehong Prefecture, Yingjiang County, Pingyuan Town”)  
*holzschuhi* Bi et N. Ohbayashi, 2020: 265 A: HEN  
*rufiscapum* Bi et N. Ohbayashi, 2020: 263 A: SCH  
*wenhsini* Bi et N. Ohbayashi, 2014: 14 A: HAI

**genus *Palaeoxylosteus* N. Ohbayashi & Shimomura, 1986: 288** type species *Palaeoxylosteus kurosawai* N. Ohbayashi & Shimomura, 1986  
*kucerai* Holzschuh, 2015c: 471 A: NP  
*kurosawai* N. Ohbayashi & Shimomura, 1986: 288 A: SD  
*motuoensis* Bi et N. Ohbayashi, 2014: 11 A: XIZ  
*yadongensis* Bi et N. Ohbayashi, 2014: 10 A: XIZ

**genus *Peithona* Gahan, 1906a: 71** type species *Peithona prionoides* Gahan, 1906  
*prionoides* Gahan, 1906a: 72 A: FUJ GUA SD TAI ORR

**genus *Xylosteus* Frivaldszky von Frivald, 1837: 180** type species *Xylosteus spinolae* Frivaldszky von Frivald, 1837  
*bartoni* Obenberger & Mařan, 1933: 131 [RN] E: BU GR MC  
*merkli* Pic, 1913b: 178 [Rhilo Dagh] [HN]  
*migliaccioi* Rapuzzi & Sama, 2018: 2

*caucasicola* Plavilstshikov, 1936: 496 E: ST A: GG TR (Artvin)  
*kadleci* Miroshnikov, 2000a: 38 A: TR  
*spinolae* Frivaldszky von Frivald, 1837: 180 E: AU BH BU CR IT MC RO SB SL TR  
*merkli* Pic, 1910h: 66  
*rufiventris* Germar, 1844: 16 (*Rhagium*)

subfamily **Necydalinae** Latreille, 1825

**genus** *Necydalis* Linnaeus, 1758: 421 type species *Necydalis major* Linnaeus, 1758  
**subgenus** *Eonecydalis* Ohbayashi, 1961: 17 type species *Necydalis formosana* Kano, 1933  
*bicolor* Pu, 1992a: 219, 221 A: GUX **ORR**  
*formosana* Kano, 1933a: 270 A: TAI  
*maculipennis* Pu, 1992a: 219, 221 A: XIZ  
*niimurai* Hayashi, 1949b: 14 A: JA #276  
*matsudai* Hayashi, 1949b: 16  
**subgenus** *Necydalis* Linnaeus, 1758: 421 type species *Necydalis major* Linnaeus, 1758  
*Gymnopterion* Schrank, 1798: 373 type species *Necydalis major* Linnaeus, 1758  
*chariessa* Niisato & Liu, 2020: 270 A: YUN  
*choui* Niisato, 2004: 430 A: GUX  
*christinae* Rapuzzi & Sama, 2014a: 2 A: TR  
*esakii* Miwa & Mitono, 1937: 161 A: TAI  
*fujianensis* Niisato & Pu, 1998: 446 A: FUJ  
*gigantea akiyamai* Hayashi, 1978a: 87 A: JA  
*gigantea gigantea* Kano, 1933a: 271 A: FE (Kunashir) JA  
*marginalis* K. Ohbayashi, 1948: 14  
*hirayamai flava* Niisato, 2008a: 261 A: YUN  
*hirayamai flemona* Takakuwa & Niisato, 1996: 78 A: HAI **ORR** #570  
*hirayamai hirayamai* K. Ohbayashi, 1948: 13 A: TAI  
*inermis* Pu, 1992a: 218, 221 A: GAN QIN  
*lateralis* Pic, 1939b: 2 A: BEI HEB NIN NMO SHA #400  
*major* Linnaeus, 1758: 421 E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT KZ LA LT LU MD ME NL NR NT PL  
RO SB SK SP ST SV SZ UK A: AB GG ES FE ?IN JA KZ MG NC SHA TR WS XIN #400  
*abbreviata* Fabricius, 1775: 199 (*Leptura*)  
*aino* Kusama, 1974: 54  
*altaica* Pic, 1941b: 2  
*duponti* Mulsant, 1839: 299 (*Molorchus*)  
*ichneumonea* DeGeer, 1775: 148  
*majus* Schrank, 1798: 688 (*Gymnopterion*)  
*populi* Büttner, 1818: 245 (*Molorchus*)  
*rufiventris* Pic, 1941b: 2  
*salicis* Mulsant, 1839: 112  
*subnotata* Pic, 1941b: 1  
*xantha* Semenov, 1899b: 132  
*marginipennis* Gressitt, 1948a: 47 A: SCH  
*mizunumai* Kusama, 1974: 51 A: TAI  
*moriyai moriyai* Kusama, 1970: 73 A: JA (Ryukyus)  
*moriyai tamakii* Ikeda & Matsumura, 2014: 32 A: JA (Ryukyus) #276  
*nanshanensis* Kusama, 1974: 52 A: TAI  
*nigra* Pu, 1992a: 217, 220 A: HAI #400 #524  
*niisatoi* Holzschuh, 2003a: 167 A: SCH YUN  
*rufiabdominis* S.-C. Chen, 1991: 345 A: HUB  
*sabatinellii* Sama, 1994a: 10 A: TR  
*sericella* Ganglbauer, 1889a: 46 A: SCH XIZ  
*shinborii hainana* Niisato & Yagi, 2005: 143 A: HAI  
[*shinborii shinborii* Takakuwa & Niisato, 1996: 81 **ORR** (N. Vietnam)]  
*sirexoides* Reitter, 1902a: 82 A: IN  
*siricoides* Semenov, 1902: 287 [unjustified emendation] #524  
*strnadi similis* Pu, 1992a: 220 A: HAI #524  
[*strnadi strnadi* Holzschuh, 1989a: 156 **ORR** (N. Vietnam)]  
*uenoi* Niisato, 2004: 425 A: SCH  
*ulmi* Chevrolat, 1838: 76 (*Molorchus*) [NP] E: AU BH BU ?BY CR CZ FR GE GR HU IT LA LT MC MD ME PL RO SB SK SP ST  
SZ TR UK A: AB AR GG ?IN TR #752  
*annulata* L. Petagna, 1819: 19 (*Molorchus*) [NO]  
*mesembrina* Plavilstshikov, 1936: 467  
*hadullai* Szallies, 1994: 260  
*panzeri* Harold, 1876: 174  
*xizangia* Bi & Niisato, 2017: 477 A: XIZ  
*yakushimensis* Kusama, 1975: 22 [RN] A: JA

*brevicornis* Yokoyama, 1971: 93 [HN]  
**subgenus** *Necydalisca* Plavilstshikov, 1936: 462 type species *Necydalis ebenina* Bates, 1884a (= *Necydalis pennata* Lewis, 1879)  
*harmandi* Pic, 1901k: 340 A: JA  
*ogasawarai* Fujita, 2018: 25 #524  
*indica* Pic, 1912d: 19 A: PA  
*indicola* Gardner, 1941: 57 [RN] A: UP  
*indica* Gardner, 1936: 128 [HN]  
*kucerai* Niisato, 2007a: 20, 23 A: UP  
*nepalensis* Niisato & Weigel, 2006: 491 A: NP  
*oblonga* Niisato, 2008a: 257 A: YUN  
*odai* Hayashi, 1951b: 76 A: JA  
*pennata* Lewis, 1879b: 464 A: FE HUB JA ?NC NE SC #400  
*ebenina* Bates, 1884a: 225  
*eo*a Plavilstshikov, 1936: 470  
*morio* Kraatz, 1879c: 106  
*pacifica* Plavilstshikov, 1936: 472  
*semenovi* Plavilstshikov, 1936: 475  
*ussuriensis* Plavilstshikov, 1936: 473  
*sachalinensis* Matsumura & Tamanuki, 1927: 176 A: CH FE JA SC (Seoul)  
*akitai* Fujita, 2018: 25 #524 #736  
*solida* Bates, 1884a: 225 A: JA  
*galloisi* Matsumura & Tamanuki, 1927: 176  
*nikkoensis* Matsumura & Tamanuki, 1927: 175  
*towardensis* Matsumura & Tamanuki, 1927: 176  
**genus** *Ulochaetes* LeConte, 1854: 82 type species *Ulochaetes leoninus* LeConte, 1854  
*vacca* Holzschuh, 1982a: 65 A: BT SCH SHA YUN XIZ #293  
*fulvus* Pu, 1988: 295, 303

## subfamily **Spondylidinae** Audinet-Serville, 1832

### tribe **Anisarthrini** Mamaev & Danilevsky, 1973

**genus** *Anisarthron* Dejean, 1835: 331 type species *Cerambyx barbipes* Schrank, 1781  
*Falsanoeme* Villiers, 1971: 154 type species *Falsanoeme cyrus* Villiers, 1971  
*barbipes* Schrank, 1781a: 148 (*Cerambyx*) E: AL AU BH BU CR CZ FR GE HU IT MC ME PL RO SB SK SZ UK A: TR  
*cyrus* Villiers, 1971: 154 (*Falsanoeme*) A: AB (Talysh) IN  
**genus** *Alocerus* Mulsant, 1862: 127 type species *Alocerus fulvus* Mulsant, 1862 (= *Callidium moesiicum* Frivaldszky von Frivald, 1837)  
*Cyamophthalmus* Kraatz, 1863: 99 type species *Cyamophthalmus ferrugineus* Kraatz, 1863 = *Callidium moesiicum* Frivaldszky von Frivald, 1837)  
*marcoi* Sama, 1987: 46 N: MO  
*moesiicum* Frivaldszky von Frivald, 1837: 177 (*Callidium*) E: BH BU CR GR ITi MC PT SP TR N: AG MO TU A: CY IN IQ IS JO  
LE SY TR  
*ferrugineus* Kraatz, 1863: 100 (*Cyamophthalmus*)  
*fulvus* Mulsant, 1862: 128  
*nitidus* Fairmaire, 1864b: 340 (*Cyamophthalmus*)  
*syriacus* Chevrolat, 1882: 59 (*Smodicum*)  
**genus** *Schurmannia* Sama, 1979a: 369 type species *Schurmannia sicula* Sama, 1979  
*sicula* Sama, 1979a: 369 E: IT (Sicilia)

### tribe **Asemini** J. Thomson, 1861

**genus** *Arhopalus* Audinet-Serville, 1834b: 77 type species *Cerambyx rusticus* Linnaeus, 1758 #778  
*Criocephalus* Mulsant, 1839: 63 type species *Cerambyx rusticus* Linnaeus, 1758  
*Criocephalum* Dejean, 1835: 328 type species *Cerambyx rusticus* Linnaeus, 1758  
*Hylescopus* Gistel, 1856: 376 [unnecessary substitute name]  
*angustus* Gressitt, 1951a: 36 A: JIA SHA SHG #400  
*biarcuatus* Pu, 1981: 418, 427 A: XIZ  
*brunneus* Gardner, 1942: 67 (*Criocephalus*) A: UP  
*cavatus* Pu, 1981: 419, 428 A: XIZ  
*coreanus* Sharp, 1905a: 153 (*Criocephalus*) A: JA KO NE  
*deceptor* Sharp, 1905a: 151 (*Criocephalus*) A: NP XIZ #390  
*exoticus* Sharp, 1905a: 159 (*Criocephalus*) A: NP SHA TAI YUN ORR  
*ferus* Mulsant, 1839: 64 (*Criocephalus*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MA MC  
MD ME NL NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO MR TU A: AB AR ES CY FE GG IS JO KZ LE NO NE  
SY TR WS AURi #11 #182  
*dichrous* Mandl, 1972: 159  
*epibatus* Schiödtte, 1864: 521 (*Criocephalus*)  
*polonicus* Motschulsky, 1845a: 88 (*Criocephalus*)  
*foveatus* Chiang, 1963: 64 A: FUJ XIZ YUN

*pinetorum* Wollaston, 1863: 103 N: CI  
*rusticus rusticus* Linnaeus, 1758: 395 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT **KZ** LA LS  
 LT LU MC MD **ME** NL NR NT PL **PT** RO **SB** SK SL SP ST SV SZ TR UK A: AB AR ES FE FUJ GAN GG GUI HAI HEB HEI  
 HUB IN JA JIL JIX KZ LIA MG NMO NC SC SCH SHA SHN TD TR WS YUN ZHE N: MO **AURi** **NTRi** #160  
*coriaceus* Motschulsky, 1845a: 89 (*Criocephalus*)  
*lugubris* Gmelin, 1790: 1847 (*Cerambyx*)  
*hispanicus* Sharp, 1905a: 157 (*Criocephalus*)  
*pachymerus* Mulsant, 1839: 64 (*Criocephalus*)  
*tristis* Fabricius, 1787: 154 (*Callidium*)  
*tibetanus* Sharp, 1905a: 159 (*Criocephalus*) A: BT HP KA NP PA UP XIZ #281 #344 #366 #375  
*tobirensis* Hayashi, 1968a: 20 A: JA

**genus Asemum Eschscholtz, 1830: 66** type species *Cerambyx striatus* Linnaeus, 1758

*Liasemum* Casey, 1912: 262 type species *Asemum nitidum* LeConte, 1873a  
*Onychoplectes* Gistel, 1856: 376 type species *Cerambyx striatum* Linnaeus, 1758

*arisanum* Kano, 1930: 42 A: TAI

*lucidulum* Pesarini & Sabbadini, 1997: 99 A: SCH

*punctulatum* Blessig, 1872: 182 A: FE HEI JA LIA ?NC SC XIN

*striatum* Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT **KZ** LA LS **LT** LU  
**MC** MD **ME** NL NR NT PL RO **SB** SK SL SP ST SV SZ UK A: AB AR BEI ES FE GAN GG HEB HEI HUB **JA** JIL KI KZ LIA  
 MG NC NIN NMO QIN SC SCH SHA SHN SHX WS TIA TR XIN YUN ZHE **NAR** **NTR** #60 #400

#706

*agreste* Fabricius, 1787: 152 (*Callidium*)

*amputatum* Casey, 1912: 259

*amurense* Kraatz, 1879c: 97

*atrum* Eschscholtz, 1830: 66

*brevicorne* Casey, 1912: 261

*brunneum* Haldeman, 1847: 35

*buprestoides* Savenius, 1825: 64 (*Callidium*)

*carolinum* Casey, 1924: 227

*costulatum* Casey, 1912: 260

*curtipenne* Casey, 1912: 258

*dichroum* Gmelin, 1790: 1846 (*Cerambyx*)

*ebenum* Casey, 1912: 258

*fulvipenne* Casey, 1912: 260

*fuscum* Haldeman, 1847: 36

*gracilicorne* Casey, 1912: 258

*ishidai* Fujita, 2018: 21 [Hokkaido]

*japonicum* Matsushita, 1933b: 235 [Honshu]

*juvencum* Haldeman, 1847: 36

*limbatipenne* Pic, 1916a: 10

*moestum* Haldeman, 1847: 35

*obsoletum* Haldeman, 1847: 35

*parvicorne* Casey, 1912: 260

*pugetanum* Casey, 1912: 261

*stocktonense* Casey, 1924: 227

*substriatum* Haldeman, 1847: 36

*subsulcatum* Motschulsky, 1860b: 152 [Nord de la Sibirie]

*tomentosum* Plavilstshikov, 1915c: 108

*theresae* Pic, 1945b: 6

*tenuicorne tenuicorne* Kraatz, 1879c: 97 E: GR IT PL **RO** SP ST SV (Gotska Sandön) UK A: ?GG ?TR #393

*tenuicorne claricostulatum* Özdikmen & Aytar, 2012c: 1253 A: TR

**genus Cephalallus Sharp, 1905a: 148** type species *Cephalallus oberthueri* Sharp, 1905

*oberthueri* Sharp, 1905a: 148 A: AP FUJ GUX HUB JIX TAI XIZ YUN #280

*unicolor ryukyensis* Makihara, 2003: 353 A: JA (Ryukyus) #276

*unicolor unicolor* Gahan, 1906a: 97 (*Criocephalus*) A: FUJ GUA GUI HAI HEN HKG HUB HUN JA JIA JIL JIX NC SC SCH TAI  
 YUN ZHE **ORR**

*projectus* Okamoto, 1927: 63 (*Megasemum*)

*sharpi* Reitter, 1913a: 43 (*Megasemum*)

**genus Cephalocrius Sharp, 1905a: 148** type species *Criocephalus syriacus* Reitter, 1895 #778

*syriacus* Reitter, 1895a: 86 (*Criocephalus*) E: AL AZ **BH** CR FR GR IT **ME** PT SP **SZ** N: AG CI MO MR TU A: CY IS JO LE SY TR  
**AURi** **NTRi**

**genus Megasemum Kraatz, 1879c: 97** type species *Megasemum quadricostulatum* Kraatz, 1879

*quadricostulatum* Kraatz, 1879c: 98 A: FE FUJ HEI HUB JA JIL JIX LIA NC SC SHA ?TAI XIZ #400

*brevior* Pic, 1901c: 11



### tribe Atimiini LeConte, 1873

- genus *Atimia* Haldeman, 1847: 56** type species *Atimia tristis* Haldeman, 1847 (= *Clytus confusus* Say, 1827)  
*Myctus* Semenov & Plavilstshikov, 1937: 252 type species *Myctus maculipunctus* Semenov & Plavilstshikov, 1937  
*chinensis* Linsley, 1939: 76 A: BEI NMO SHG ZHE #400  
*esakii* Hayashi, 1974a: 15 A: TAI  
*juniperi* Holzschuh, 1984c: 340 A: NP  
*maculipuncta* Semenov & Plavilstshikov, 1937: 253 (*Myctus*) A: MG NMO (Alashan Mts.) #400  
*nadezhdae* Tsherepanov, 1973: 80 A: FE HEI ?NC SC #63 #389 #400  
*okayamensis* Hayashi, 1972: 26 A: JA  
*fujimurai* Hayashi, 1972: 26  
*truncatella* Holzschuh, 2007: 179 A: SHA YUN
- genus *Proatimia* Gressitt, 1951a: 41** type species *Proatimia pinivora* Gressitt, 1951 #573  
*pinivora* Gressitt, 1951a: 42 A: YUN

### tribe Nothorhinini Zagaikevich, 1991

- genus *Nothorhina* L. Redtenbacher, 1845: 109** type species *Callidium muricatum* Dalman, 1817  
*gardneri* Plavilstshikov, 1934b: 1 A: UP  
*punctata* Fabricius, 1798: 149 (*Callidium*) E: AL AU BH BY BU CR CT CZ EN FI FR GE GR IT LA LT NR NT PL PT SK SP ST SV UK A: JA KZ SC TR WS #616  
*muricata* Dalman, 1817b: 193 (*Callidium*)  
*scabricollis* W. Redtenbacher, 1842: 24 (*Callidium*)

### tribe Saphanini Gistel, 1848

- genus *Drymochares* Mulsant, 1847a: 518** type species *Drymochares truquii* Mulsant, 1847  
*cavazzutii cavazzutii* Sama & Rapuzzi, 1993: 288 A: AR GG TR  
*? pubescens* Pic, 1907e: 111 (*Drymochares*) [Trébizonde] (see Danilevsky, 2014i: 360)  
*cavazzutii ivani* Sama & Rapuzzi, 1993: 287 E: TR  
*cylindraceus* Fairmaire, 1849: 475 (*Saphanus*) E: PT SP  
*starcki* Ganglbauer, 1888c: 398 E: ST A: GG  
*truquii* Mulsant, 1847a: 519 E: FR IT  
*rufipes* Pic, 1930c: 6
- genus *Oxypleurus* Mulsant, 1839: 57** type species *Oxypleurus nodieri* Mulsant, 1839 #573 #648  
*nodieri* Mulsant, 1839: 57 E: CR BH FR GR IT PT SP UK N: AG CI MO MR TU A: GG IS LE TR #554  
*bewickii* Wollaston, 1857: 126 (*Blabinotus*)  
*pinicola* Wollaston, 1863: 102  
*scutellaris* Costa, 1855: 38

- genus *Saphanus* Audinet-Serville, 1834b: 81** type species *Callidium spinosum* Fabricius, 1793 (= *Callidium piceum* Laicharting, 1784)  
*kadleci* Rapuzzi & Sama, 2014a: 4 A: TR [Sakarya]  
*piceus bartolonii* Sama & Rapuzzi, 1993: 283 E: GR  
*piceus ganglbaueri* Brancsik, 1886: 71 E: AL BH BU GR MC ME TR  
*piceus perovici* Rapuzzi & Koren, 2020: 589 E: CR (Pag Is.)  
*piceus piceus* Laicharting, 1784: 56 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT PL RO SB SK SL SZ UK  
*rufipes* Pic, 1908i: 72  
*spinosus* Fabricius, 1793: 320 (*Callidium*)  
*sudeticus* C. F. W. Richter, 1820: pl. 10 (*Prionus*)

### tribe Spondylidini Audinet-Serville, 1832

- genus *Spondylis* Fabricius, 1775: 159** type species *Attelabus buprestoides* Linnaeus, 1758  
*Sphondyla* Illiger, 1804: 115 [unjustified emendation]  
*Sphondylis* Gistel, 1848a: 129 [unnecessary substitute name]  
*buprestoides* Linnaeus, 1758: 388 (*Attelabus*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LT LU MC MD ME NL NR NT PL PT RO SB SK ST SL SP SV SZ TR UK N: MO A: AB AF ANH AR ES FE FUJ GG GUA GUI HAI HEB HEI HEN HKG HUB JA JIA JIX KZ MG NMO NC SC SCH SHA ~~TAI~~ TR WS YUN ZHE  
*elongatum* Latreille, 1829: 107  
*maxillosus* DeGeer, 1775: 84 (*Cerambyx*)  
*sinensis* Nonfried, 1892a: 92 #400  
*zwergi* Bodemeyer, 1927b: 43

### tribe Tetropiini Seidlitz, 1891

- genus *Tetropium* Kirby, 1837: 174** type species *Tetropium cinnamopterum* Kirby, 1837  
*Criomorpha* Mulsant, 1839: 58 [HN] type species *Callidium aulicum* Fabricius, 1775 (= *Cerambyx castaneus* Linnaeus, 1758)  
*aquilonium* Plavilstshikov, 1940a: 37 E: FI NT SV A: WS #400

*castaneum* Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT **KZ** LA LS LT LU MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK A: AB AR ES FE FUJ GAN GG HEB HEI JA JIL KZ MG NC NIN NMO QIN SC SHA SHX TR WS XIN YUN ZHE

*atricorne* Pic, 1931b: 258

*aulicum* Fabricius, 1775: 190 (*Callidium*)

*curiale* Panzer, 1789: 29 (*Callidium*)

*fulcratum* Fabricius, 1793: 320 (*Callidium*)

*impressum* Paykull, 1800: 84 (*Callidium*)

*luridum* Linnaeus, 1767: 634 (*Cerambyx*)

*parcum* Sharp, 1905b: 272 #164

*ruficrum* Schrank, 1789: 77 (*Callidium*)

*rufomarginatum* Roubal, 1917: 64 [Bosnien]

*confragosum* Holzschuh, 1981: 93 A: BT

*danilevskyi* Sláma, 2005: 1 A: ES

*fuscum fuscum* Fabricius, 1787: 154 (*Callidium*) E: AU BE BH BU BY CR CT CZ DE EN FI FR **GB** GE HU IT **KZ** LA LS LT MD NL NR NT PL RO SB SK SL ST SV SZ UK A: GG KZ TR WS XIN **NAR** #28

*arvense* Panzer, 1789: 30 (*Callidium*)

*fuscum lapponicum* Sláma M. 2015c: 1126 E: FI

*gabrieli* Weise, 1905: 136 E: AU BE ?BY ?CT(Kaliningrad Reg.) CZ DE FR GB GE HU IT IR **LA LT** LS LU NL PL SL SV SK SZ UK **NARi** #599 #752

*crawshayi* Sharp, 1905b: 271

*gracilicorne* **graeilicorne** Reitter, 1889c: 287 E: CT NT A: ES FE JA KZ MG NC NE NMO WS XIN #63 #730

*altajense* Pic, 1902c: 9

*rubripes* Pic, 1902c: 9

*gracilicum* Hayashi, 1983: 29 A: FE HEI JA

*laticolle* Podaný, 1967: 38 A: SCH #2

*morishimaorum* Kusama & Takakuwa, 1984: 149 A: JA NC

*oreinum* Gahan, 1906a: 95 A: HP KA NP PA SCH UP XIN XIZ **ORR** #127 #400

*lobbichleri* Harde, 1959: 1

*scabriculum* Holzschuh, 1993a: 7 A: SCH

*staudingeri* Pic, 1901b: 11 A: BT KI KZ TIA UZ XIN #400

*tjanshanicum* Semenov, 1907c: 263

*takakuwai* Hirayama, 2018a: 21 A: JA #524 #730

*tauricum* Shapovalov, 2007: 71 E: UK (Crimea) #648

## subfamily **Apatophyseinae** Lacordaire, 1869

#778

### tribe **Apatophyseini** Lacordaire, 1869

**genus** *Agatophysis* Miroshnikov, 2014a: 25 type species *Toxotus griseopubens* Pic, 1957

*griseopubens* Pic, 1957: 75 (*Toxotus*) A: YUN #400

*meiyingae* Miroshnikov, 2014d: 196 A: XIZ

**genus** *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

**subgenus** *Angustephysis* Pic, 1956a: 2 type species *Apatophysis richteri* Pic, 1956

*danczenkoi* Danilevsky, 2006c: 5 A: IN

*farsicola* Sama, Fallahzadeh & Rapuzzi, 2005: 124 A: IN

*margiana* Semenov & Shchegoleva-Barovskaya, 1936: 77 A: AF KZ TM UZ #234 #345

*plavilstshikovi* Miroshnikov, 1992: 392

*modica* Gahan, 1906a: 71 A: AF IN PA

*richteri* Pic, 1956a: 2 A: IN

**subgenus** *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

*afghanica* Miroshnikov, 2014a: 14 A: AF PA #517

*anatolica* Heyrovský, 1938: 93 A: TR

***mucurense* Özdikmen & Tezcan, 2020b: 321 (*Stenocorus*)** #517

*baeckmanniana* Semenov, 1907a: 223 A: KI KZ UZ

*barbara* P. H. Lucas, 1858: clxxix (*Polyarthron*) N: AG TU

*ocularis* Pic, 1901b: 9

*toxotoides* Chevrolat, 1860a: 96

*caspica* Semenov, 1901: 31 E: ST A: AB AF GG IN KZ TM UZ

*centralis* Semenov, 1901: 32 A: XIN

*hotanica* Danilevsky, 2008b: 35 A: XIN

*insolita* Miroshnikov et Lin, 2017: 208 A: HEN HUN JIA SCH ZHE

*kadleci* Danilevsky, 2008b: 29 A: TR

*karsica* Danilevsky, 2008b: 28 A: TR

*kashgarica* Semenov, 1901: 29 A: XIN

*katbehi* Rapuzzi & Sama, 2013: 682 A: JO SY

*komarowi* Semenov, 1889a: 401 A: AB TD TM  
*niisatoi* Miroshnikov et Lin, 2017: 202 A: SCH  
*pavlovskii* Plavilstshikov, 1954: 470 A: TD UZ  
*roborowskii* Semenov, 1901: 29 A: XIN  
*serricornis* Gebler, 1843: 39 (*Pachyta*) A: GUA KI KZ MG NMO XIN #196  
*kadyrbekovi* Kadlec, 2006a: 1  
*mongolica* Semenov, 1901: 28  
*obtusicollis* Motschulsky, 1860e: 538 [1861c: 444] (*Psilotarsus*)  
*tomentosa* Gebler, 1845: 105 (*Toxotus*)  
*sieversii* Ganglbauer, 1887c: 21 A: BEI HEB HEN LIA SCH SHN #196  
*sinica* Semenov, 1901: 30 A: SCH  
*vedica* Danilevsky, 2008b: 26 A: AR TR  
*xizangensis* Miroshnikov et Lin, 2017: 188 A: XIZ

**genus *Formosotoxotus* Hayashi, 1960a: 1** type species *Artelida asiatica* Matsushita, 1933 (= *Toxotinus auripilosus* Kano, 1933)  
*auripilosus* Kano, 1933a: 263 (*Toxotinus*) A: TAI  
*asiaticus* Matsushita, 1933b: 172 (*Artelida*)  
*gressitti* Miroshnikov & Lin, 2014: 117 A: XIZ  
*kucerai* Rapuzzi & Sama, 2014a: 3 A: SHA  
*masatakai* N. Ohbayashi, 2007a: 200 A: SD  
*nobuoi* Vives & Niisato, 2006: 273 A: NP

**genus *Protapatophysis* Semenov & Stshegoleva-Barovskaia, 1936: 26** type species *Apatophysis kashmiriana* Semenov, 1901  
*hindukushensis* Miroshnikov, 2020b: 178 A: PA  
*kabakovi* Danilevsky, 2011e: 102 A: AF  
*kashmiriana* Semenov, 1901: 29 A: KA XIZ #400  
*montana* Gahan, 1906a: 71 A: KA  
*vartiana* Heyrovský, 1971: 81 A: ?HP KA PA #232 #375

**genus *Trypogeus* Lacordaire, 1869: 236** type species *Trypogeus albicornis* Lacordaire, 1869  
*Paranthophylax* Gressitt, 1951a: 50 type species *Paranthophylax sericeus* Gressitt, 1951  
*aureopubens* Pic, 1903g: 121 (*Toxotus*) A: YUN ORR  
*guangxiensis* Miroshnikov & Liu, 2016a: 255 A: GUX  
*sericeus* Gressitt, 1951a: 50 (*Paranthophylax*) A: FUJ SCH #319  
*superbus* Pic, 1922: 22 (*Toxotus*) A: YUN ORR #410

subfamily **Cerambycinae** Latreille, 1802  
 tribe **Achrysonini** Lacordaire, 1868

**genus *Crotchiella* Israelson, 1985: 475** type species *Crotchiella brachyptera* Israelson, 1985  
*brachyptera* Israelson, 1985: 476 E: AZ

**genus *Icosium* P. H. Lucas, 1854: viii** type species *Icosium tomentosum* P. H. Lucas, 1854 #7178  
*Cluvia* Stel, 1857b: 63 type species *Cluvia chevrolati* Stel, 1857 (= *Icosium tomentosum* P. H. Lucas, 1854)  
*tomentosum atticum* Ganglbauer, 1882: 743 E: BH BU CR ~~CY~~ FR I GR IT MA ME SB A: AB CY JO IS LE SY TR #74 #554  
*tomentosum tomentosum* P. H. Lucas, 1854: ix E: MA PT SP FR IT N: AG LB MO TU  
*chevrolati* Stel, 1857b: 63 (*Cluvia*)

**genus *Neachryson* Fisher, 1940: 201** type species *Neachryson orientalis* Fisher, 1940  
*orientalis* Fisher, 1940: 201 A: UP ORR

tribe **Anaglyptini** Lacordaire, 1868 #778

**genus *Anaglyptus* Mulsant, 1839: 91** type species *Leptura mystica* Linnaeus, 1758  
**subgenus *Aglaophis*** J. Thomson, 1857f: 315 type species *Aglaophis fasciata* J. Thomson, 1857  
*Epodus* Chevrolat, 1863: 335 type species *Epodus humerosus* Chevrolat, 1863  
*Metaglaophis* K. Ohbayashi, 1960b: 10 type species *Aglaophis colobotheoides* Bates, 1884a  
*colobotheoides* Bates, 1884a: 235 (*Aglaophis*) A: FE JA NC NE QIN SC #400  
*angustefasciatus* Heyden, 1884: 297 (*Aglaophis*)  
~~*arakawai* Kano, 1933a: 276 #545~~  
*decemmaculatus* Gressitt, 1935c: 185 (*Aglaophis*) A: FUJ TAI  
*fasciatus* J. Thomson, 1857f: 316 (*Aglaophis*) A: NP SD  
*humerosus* Chevrolat, 1863: 336 (*Epodus*) A: "India"  
*nokosanus* Kano, 1930: 46 (*Aglaophis*) A: TAI #60  
*producticollis* Gressitt, 1951a: 307 A: FUJ GUX ?TAI #400  
*rufobasalis* Tippmann, 1955: 115 (*Anaglyptus*) A: FUJ  
*zhangjunqii* Wang, Zhao & Xie, 2021: 589 A: SCH

**subgenus** *Akajimatora* Kusama & Takakuwa, 1984: 10 type species *Anaglyptus bellus* Matsumura & Matsushita, 1933 **#730**  
*bellus* Matsumura & Matsushita, 1933a: 105 A: JA **#239**  
*dentatipennis* Pic, 1935b: 14 (*Oligoenoplus*)  
*isolatus* Gressitt, 1951a: 304 A: HUB SCH **#239**  
*lizhigangi* Bi & Niisato, 2018: 75 A: ZHE  
*meridionalis* Matsushita, 1933b: 291 A: TAI  
*ikadaii* Seki, 1939: 309

**subgenus** *Anaglyptus* Mulsant, 1839: 91 type species *Leptura mystica* Linnaeus, 1758 **#400**  
*abieticola* Holzschuh, 2003b: 307 A: BT NP XIZ **#400**  
*ambiguus* Holzschuh, 1992b: 44 A: YUN  
*annulicornis* Pic, 1933f: 6 (*Oligoenoplus*) A: GUI SCH ?YUN **#25**  
*arabicus* Küster, 1847b: 95 (*Clytus*) E: ST A: ?AB AR GG TR  
*deyrollei* Tournier, 1872: 277  
*arakawae amamiensis* Fujita, 1980: 14 A: JA (Ryukyus)  
*arakawae arakawae* Kano, 1933a: 276 (*Aglaophis*) A: JA  
*arakawae kumagensis* Fujita, 1980: 14 A: JA  
*arcanus* Miroshnikov, Bi et Lin, 2014: 256 A: XIZ  
*baeticus* Verdugo, Lencina & Baena, 2019: 95 E: SP  
*bicallosus* Kraatz, 1882c: 335 (*Clytus*) A: TD UZ  
*confusus* Holzschuh, 1999: 42 A: XIZ  
*croesus* Pesarini & Sabbadini, 1997: 47 A: TR  
*danilevskii* Miroshnikov, 2000b: 77 A: AB AR GG IN TR  
*dolosulus* Holzschuh, 2006c: 484 A: UP  
*elegantulus* Miroshnikov, Bi et Lin, 2014: 256 A: YUN  
*flavus* Viktora, Tichý & Rapuzzi, 2013: 81 A: XIZ  
*ganglbaueri* Reitter, 1886: 67 A: AB (Talysh) IN  
*natae* Lobanov, 1994b: 868  
*persicus* Pic, 1906b: 10  
*persicus* Reitter, 1906b: 298 [HN]  
*gibbosus* Fabricius, 1787: 156 (*Callidium*) E: BH CR FR GR HU IT SB SL SP SZ N: AG MO TU  
*immaturus* Pic, 1898a: 12  
*mysticoides* Wagner, 1927b: 96 [HN]  
*obscuricornis* Pic, 1898a: 12  
*rufotinctus* Pic, 1945b: 7  
*wagneri* Pic, 1928c: 6 [RN]  
*graphellus* Holzschuh, 2011: 318 A: YUN **ORR** **#400**  
*gressitti* Holzschuh, 1999: 42 A: FUJ GUA GUX HUB JIX SHX ZHE **#60 #320**  
*higashiyamai* Makihara & Hayashi, 1987: 62 [RN] A: TAI **#400**  
*hirsutus* Makihara & Hayashi, 1987: 5 [HN]  
*kanssuensis* Ganglbauer, 1889a: 71 A: GAN HEN SCH **#320**  
*longispinis* Gardner, 1939: 9 (*Aglaophis*) A: SD  
*luteofasciatus* Pic, 1905i: 153 E: GR  
*moreanus* Demelt, 1970: 30  
*marmoratus* Holzschuh, 1982b: 153 (*Aglaophis*) A: NP UP  
*matsushitai* Hayashi, 1955: 52 A: JA  
*miroshnikovi* Tichý & Lin, 2021: 6 A: YUN  
*mysticoides mysticoides* Reitter, 1894c: 128 [“Centralen Kaukasus”] A: AB AR GG TR  
*mysticoides obscurissimus* Pic, 1901n: 59 [“Tokat”] A: TR **#155 #635**  
*amasinus* Pic, 1910a: 10 [“Amasya”]  
*anatolicus* Demelt, 1970: 32 [“Samsun: Kavak”]  
*subimpressus* Pic, 1901a: 9 [“Trébizonde”]  
*mysticus* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU ~~BY~~ CR CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD ME  
NL NR PL RO SB SK SL SP SV SZ TR UK A: LE TR **#554 #752**  
*albofasciatus* DeGeer, 1775: 82 (*Cerambyx*)  
*bequarti* Pic, 1910b: 3  
*hieroglyphicus* Herbst, 1784: 99 (*Callidium*)  
*litteratus* Gmelin, 1790: 1857 (*Cerambyx*)  
*quadricolor* Scopoli, 1763: 56 (*Cerambyx*)  
*ruficornis* Pic, 1908d: 35  
*mucheni* Wang, Zhao & Xie 2021: 588 A: FUJ  
*niponensis* Bates, 1884a: 234 A: JA **#525**  
*kamiyai* Kano, 1933a: 276  
*petrae* Viktora & Liu, 2018a: 152 A: YUN  
*praecellens* Holzschuh, 1981: 101 E: GR (Crete)  
*qijuni* Viktora & Liu, 2018a: 154 A: YUN  
*rubrucollis* Vartanis, 2025: 1681 E: GR (Zakynthos Isl.)  
*sericellus* Holzschuh & Y.-L. Lin, 2015e: 105 A: TAI  
*simplicicornis* Reitter, 1906b: 298 E: ST A: AB AR GG IN TR

*abchasicus* Pic, 1911b: 12  
*prolongatus* Pic, 1911b: 12  
*subapicalis* Pic, 1910a: 10  
*subfasciatus* Pic, 1906d: 17 A: HEN JA  
*anticenigris* Matsushita, 1933b: 292 #746  
*rufescens* Hayashi, 1955: 49  
*tersus* Viktora & Tichý, 2015a: 10 A: SCH  
*tichyi* Miroshnikov, Bi et Lin, 2014: 257 A: YUN  
*ulmiphilus* Holzschuh, 1982b: 153 (*Aglaophis*) A: KA PA  
*vicinulus* Holzschuh, 1999: 41 A: BEI GAN HEN HUB NIN SCH SHA SHX #60 #320  
*yakushmanus kazukii* Fujita, 2023: 25 A: JA (S. Kyushu)  
*yakushmanus yakushmanus* Hayashi, 1968c: 14 A: JA  
*zappii* Rapuzzi & Sama, 2014a: 7 E: IT

**genus *Hirticlytus* K. Ohbayashi, 1960b: 9** type species *Anaglyptus comosus* Matsushita, 1941  
*comosus* Matsushita, 1941: 155 (*Anaglyptus*) A: JA

**genus *Oligoenoplus* Chevrolat, 1863: 337** type species *Oligoenoplus ventralis* Chevrolat, 1863  
*Borneoclytus* Dauber, 2006: 443 type species *Borneoclytus borneanus* Dauber, 2006  
*gonggashanus* Miroshnikov, 2013a: 239 A: SCH  
*modicus* Holzschuh, 2011: 320 A: HEN  
*rosti iwatai* Ikeda, 1987: 12 A: JA  
*rosti rosti* Pic, 1911b: 15 (*Anaglyptus*) A: FE (Kunashir) JA  
*sapporensis* Matsushita, 1933: 100 (*Anaglyptus*)

**genus *Paracllytus* Bates, 1884a: 234** type species *Paracllytus excultus* Bates, 1884a  
*albiventris* Gressitt, 1937c: 455 (*Aglaophis*) A: GUX HUN JIX YUN #93 #400  
*apicicornis* Gressitt, 1937a: 92 (*Aglaophis*) A: FUJ GAN GUI GUX HUN JIX SCH SHA #60  
*assamensis* Viktora & Tichý, 2015b: 104 A: AP  
*emili* Holzschuh, 2003a: 229 A: ?SCH YUN  
*excellens* Miroshnikov et Lin, 2012: 248 A: YUN **ORR** #93  
*excultus* Bates, 1884a: 234 A: FE (Kurils) JA  
*interruptus* Pic, 1915f: 13  
*gongshanus* Viktora & Liu, 2018a: 156 A: YUN  
*helenae* Holzschuh, 1993a: 43 (*Anaglyptus*) A: ?SCH YUN  
*intermedius* Viktora & Tichý, 2015a: 14 A: SCH  
*irenae* Holzschuh, 1993a: 43 (*Anaglyptus*) A: YUN  
*jii* Holzschuh, 1992b: 43 (*Anaglyptus*) A: SCH  
*mengi* Viktora & Weigel, 2021: 166 A: YUN  
*murzini* Miroshnikov, 2014b: 82 A: SCH  
*ochrocaudus* Gressitt, 1951a: 305 (*Anaglyptus*) A: FUJ  
*primus* Holzschuh, 1992b: 42 A: ?GAN SCH SHA  
*raddei* Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) A: AB IN  
*bieberi* Pic, 1920e: 21 (*Clytus*)  
*reitteri* Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) A: AB IN  
*scolopax* Holzschuh, 1999: 40 (*Anaglyptus*) A: GAN SCH  
*sexguttatus* Adams, 1817: 308 (*Clytus*) E: BU ST TR A: AB AR GG TR **IN**  
*bruckii* Kraatz, 1864: 389 (*Clytus*)  
*caucasicus* Motschulsky, 1839: 54 (*Clytus*)  
*disjunctus* Pic, 1909: 123 (*Anaglyptus*)  
*shaanxiensis* Holzschuh, 2003a: 228 A: HUB SCH SHA  
*thibetanus* Pic, 1914f: 38 (*Anaglyptus*) A: XIZ YUN  
*wangi* Miroshnikov et Lin, 2012: 250 A: SCH  
*xiongi* Huang G.-Q., Yan & Zhang 2020: 406 A: YUN  
*yao* Viktora & Tichý, 2015b: 106 A: GUX

**genus *Yoshiakioclytus* Niisato, 2007c: 577** type species *Epiclytus taiwanus* Chang, 1960  
*breuningi* Tippmann, 1955: 110 (*Epiclytus*) A: FUJ HEN #148  
*qiaoi* G.-Q. Huang & L. Chen, 2016: 484 A: HEN SHA #400  
*ruficaudus* Gressitt, 1951a: 257 (*Epiclytus*) A: FUJ GUA #148  
*stigmaticus* Holzschuh, 2003a: 210 (*Epiclytus*) A: GAN SHA #148  
*taiwanus* Chang, 1960: 1 (*Epiclytus*) A: TAI

### tribe Brachypteromatini Sama, 2008

**genus *Dolocerus* Mulsant, 1862: 230** type species *Dolocerus reichii* Mulsant, 1862  
*Brachypteroma* Heyden, 1863: 128 type species *Brachypteroma ottomanum* Heyden, 1863



*holtzi* Pic, 1905g: 114 (*Brachypteroma*) A: LE SY TR  
*magnanii* Sama, 1987: 51 (*Brachypteroma*) N: AG  
*reichii* Mulsant, 1862: 231 E: AL BH BU CR FR GR IT ME SZ TR A: AB AR GG TR #133 #670  
*mulsanti* Stierlin, 1866: 30 (*Molorchus*)  
*ottomanus* Heyden, 1863: 128 (*Brachypteroma*)

tribe Callichromatini Swainson & Shuckard, 1840

**genus *Anubis* J. Thomson, 1864: 177** type species *Cerambyx sexnotatus* Thunberg, 1787 (= *Saperda clavicornis* Fabricius, 1775)  
*bipustulatus bipustulatus* J. Thomson, 1865: 569 A:-YUN **ORR** #100 #321

*viridis* Pic, 1923b: 9  
*bipustulatus fimbriatus* Bates, 1879a: 412 A: ?SD **ORR** #321 #610  
*thoracicus* Podaný, 1980: 232 (*Polyzonus*) #610  
*cyaneus* Pic, 1924a: 15 A: YUN **ORR**  
*rugenotatus* Pic, 1924: 15  
*inermis* White, 1853a: 171 (*Polyzonus*) A: GUA GUX NP PA SD SE SW "North India" **ORR** #100  
*rostratus* Bates, 1879a: 412 A: YUN **ORR**  
*annamitus* Pic, 1946a: 9 #327  
*subobtusus* Pic, 1932c: 22 (*Chelidonium*) A: YUN

**genus *Aphrodisium* J. Thomson, 1864: 173** type species *Callichroma cantori* Hope, 1840 (= *Callichroma cantori* Hope, 1839)

**subgenus *Aphrodisium* J. Thomson, 1864: 173** type species *Callichroma cantori* Hope, 1840

*Trichocheilidonium* Vives, 2017a 217 type species *T. niisatoi* Vives, 2017 (= *Aphrodisium schoenmanni* Skale & Weigel, 2017 [RN]) #204  
*attenuatum* Gressitt, 1951a: 625 A: FUJ GUA HUB #100  
*basifemorale* Pic, 1902i: 29 (*Aromia*) A: HUB SCH YUN #100  
*cantori* Hope, 1839: 43 (*Callichroma*) A: GUX NP SD UP YUN **ORR** #100  
*cribricolle* Neervoort van de Poll, 1890: 157 A: NP SD  
*distinctipes* Pic, 1904c: 11 (*Aromia*) A: SCH YUN  
*gibbicolle* White, 1853a: 160 (*Callichroma*) A: ANH FUJ GUA GUI GUX HAI HUN JIA JIX SCH SHA SHN TAI YUN ZHE **ORR** #100

*hardwickianum* White, 1853a: 162 (*Callichroma*) A: NP SD  
*holzschuhi* Skale & Vitali, 2021: 103 A: YUN **ORR**  
*inexpectatum* Podaný, 1971: 293 A: NO GUX #100  
*major* Gressitt & Rondon, 1970: 148 A: GUX YUN **ORR** #513  
*neoxenum* White, 1853a: 154 (*Callichroma*) A: GUX HAI HUB SCH SD TAI XIZ ZHE **ORR** #100  
*planicolle* Neervoort van de Poll, 1890: 155 A: SD  
*robustum* Bates, 1879a: 408 (*Leontium*) A: SD YUN **ORR**  
*sauteri* Matsushita, 1933b: 256 (*Chelidonium*) A: ANH FUJ GUX HEN HUN JIX SHN SCH TAI ZHE #100  
*saxosicolle* Fairmaire, 1902a: 245 A: YUN **ORR**  
*bicoloripes* Pic, 1925b: 18  
*notatipes* Pic, 1925b: 18  
*schwarzeri* Podaný, 1971: 292 A: SCH YUN #610  
*semipurpureum* Pic, 1925b: 18 A: YUN **ORR** #400  
*sinicum* White, 1853a: 159 (*Callichroma*) A: FUJ GAN GUA GUX HUB QIN SCH SHA YUN ZHE **ORR** #60 #100  
*implicatum* Pic, 1920a: 2 (*Chloridolum*) #204  
*impressicolle* Plavilstshikov, 1934f: 223 (*Chelidonium*) #100 #513  
*subgibbicolle* Pic, 1925b: 17 (*Chelidonium*) #92  
*thibetanum* Pic, 1925b: 18 A: XIZ **ORR**  
*tricoloripes* Pic, 1925: 18 A: GUI YUN **ORR** #400  
*vermiculosum* Gressitt, 1942d: 1 A: SD XIZ #610  
*viridescens* Hayashi, 1974a: 26 A: TAI  
**subgenus *Opacaphrodisium* Pic, 1932c: 24** type species *Callichroma griffithii* Hope, 1839  
*griffithii* Hope, 1839: 43 (*Callichroma*) A: GUA GUX SD YUN **ORR** #100  
*zonopteroides* Fleutiaux, 1887: 66 (*Pachyteria*)

**genus *Aromia* Audinet-Serville, 1834a: 559** type species *Cerambyx moschatus* Linnaeus, 1758

*Terambus* Gistel, 1848b: [2] [unnecessary substitute name]  
*bungii* Faldermann, 1835: 433 (*Cerambyx*) Ei: GE IT A: ANH BEI CHQ FUJ GAN GUA GUI GUX HAI HEB HEI HEN HKG HUB  
 HUN JAI JIA JIL JIX JA LIA NC NIN NMO QIN SC SCH SHA SHG SHN SHX TIA XIN YUN ZHE #523 #524  
*cyanicornis* Guérin-Méneville, 1844: 222 (*Callichroma*)  
*ruficollis* L. Redtenbacher, 1868: 149  
*moschata ambrosiaca* Steven, 1809: 40 (*Cerambyx*) E: IT PT SP ST TR N: AG MO TU A: AB AR GG IN IQ IS JO LE SY TR

3

#13

0

#40

*melancholica* Reitter, 1895d: 210

*notaticollis* Pic, 1928c: 9  
*rosarum* A. Costa, 1855: 26 [HN] (Sicilia, region di Napoli)  
*thoracica* Fischer von Waldheim, 1823: tab. 48, figs 3, 4. [1824: 236] (*Cerambyx*)  
*moschata cruenta* Bogatchev, 1962: 96 A: KI TD #521  
*moschata jankovskyi* Danilevsky, 2007d: 48 A: KI  
*moschata malukhini* Danilevsky, 2019: 84 E: ST (Astrakhan Reg.)  
*moschata moschata* Linnaeus, 1758: 391 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA  
 LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: ES GG KZ MG TR WS  
*alata* Costa, 1855: 25  
*auctumnalis* Westhoff, 1882: 241  
*chlorophana* Fischer von Waldheim, 1823: pl. xlviii [= 1824: 237] (*Cerambyx*)  
*cupricollis* Pic, 1941e: 5 - "Kirghis"  
*odorata* DeGeer, 1775: 63 (*Cerambyx*)  
*perroudi* Pic, 1941e: 5  
*thea* Reitter, 1894f: 306  
*moschata rosarum* P. H. Lucas, 1847: pl. 41 [1849: 488] N: AG MO TU #517  
*moschata sumbarensis* Danilevsky, 2007d: 48 A: TM (Kopetdag)  
*moschata vetusta* Jankowski, 1934: 107 A: KZ #787  
*orientalis* Plavilstshikov, 1932g: 114 A: BEI CHQ ES FE FUJ GAN HEB HEI HEN HUB JA JIL JIX LIA MG NC NIN NMO SC SCH  
 SHA SHN ZHE #100 #400

**genus *Aromiella* Podaný, 1971: 303** type species *Aromiella fruhstorferi* Podaný, 1971  
*fruhstorferi* Podaný, 1971: 303 A: CH ORR

**genus *Cataphrodisium* Aurivillius, 1907: 8** type species *Purpuricenus rubripennis* Hope, 1842  
*Asiodiphrum* Plavilstshikov, 1934f: 221 type species *Asiodiphrum nigrofasciatum* Plavilstshikov, 1934 (= *Purpuricenus rubripennis* Hope, 1842)  
*castaneae* Gressitt, 1951a: 192 A: YUN ORR  
*rubripenne* Hope, 1842b: 128 (*Purpuricenus*) A: FUJ GAN GUA GUI HUB JIA SCH SHA SHN TAI YUN ZHE ORR #100  
 #176  
*fujianensis* Hua & She, 1987: 54 (*Embrikstrandia*) #176  
*latemaculatum* Pic, 1902i: 29 (*Pachyteria*) #176  
*magnificum* Pic, 1902i: 29 (*Pachyteria*)  
*nigrofasciatum* Plavilstshikov, 1934f: 224 (*Asiodiphrum*)  
*simile* Podaný, 1971: 256 #356

**genus *Chelidonium* J. Thomson, 1864: 175** type species *Cerambyx argentatus* Dalman, 1817  
*Gracilichroma* Vives, Bentanachs & Chew, 2008: 5 type species *Chelidonium bryanti* Podany, 1974 #252  
*Malayanochroma* Bentanachs & Drouin, 2013: 97 type species *Malayanochroma cheongae* Bentanachs & Drouin, 2013 #252  
*argentatum* Dalman, 1817b: 151 (*Cerambyx*) A: ANH CHQ FUJ GAN GUA GUX HAI HEN HKG HUB HUN JIA JIX NIN SCH SD  
 SHA YUN ZHE ORR  
*binotaticolle* Pic, 1937d: 108 A: GUA GUI GUX YUN ORR  
*buddleiae* Gressitt & Rondon, 1970: 154 A: GUX YUN ORR  
~~*einetum* Guérin Méneville, 1844: 220 (*Callichroma*) A: SCH YUN ORR #92 #100 #607~~  
*citri* Gressitt, 1942b: 2 A: CHQ GUI HAI HUB HUN JIX SCH ORR #100  
*nepalense* Hayashi, 1976: 9 A: NP  
*zaitzevi* Plavilstshikov, 1933b: 107 A: FE HEB LIA #100  
*flavofasciatum* Blanchard, 1849: pl.12, fig.4 (*Callichroma*) A: YUN #400 #607  
*binotatum* Brongniart, 1892: 245 (*Leontium*)  
*uninotatum* Pic, 1928b: 17  
*venereum* J. Thomson, 1865: 568 #400

**genus *Chloridolum* J. Thomson, 1864: 174** type species *Callichroma bivittatum* White, 1853  
**subgenus *Chloridolum* J. Thomson, 1864: 174** type species *Callichroma bivittatum* White, 1853  
 [accensum accensum Newman, 1842a: 246 (*Callichroma*) A: ORR]  
*accensum kazuoi* Hayashi, 1984: 22 A: TAI  
*addictum* Newman, 1842a: 245 (*Callichroma*) A: ?YUN ORR #100 #610  
~~*sibuyanum* Schwarzer, 1929: 359 #610~~  
*violacipes* Schwarzer, 1926b: 97  
*alcmena* J. Thomson, 1865: 568 A: SD #523  
*bivittatum* White, 1853a: 162 (*Callichroma*) A: BT SD ORR #610  
*violaceicolle* Pic, 1925: 19 #263  
*cinnyris* Pascoe, 1866d: 518 A: ?YUN ORR #101 #610  
*grossepunctatum* Gressitt & Rondon, 1970: 170 A: YUN ORR #400  
*hainanicum* Gressitt, 1940b: 60 A: HAI  
*kurosawae kurosawae* Hayashi, 1956: 13 A: JA  
*kurosawae ohsumiense* N. Ohbayashi, 1992: 7 A: JA  
*kwangtungum kwangtungum* Gressitt, 1939a: 21 A: GUA GUX ZHE #100

*kwangtungum szechuanum* Gressitt, 1951a: 205 A: CHQ GUX SCH  
*lanyuanum* Hayashi, 1984: 20 A: TAI  
*laotium* Gressitt & Rondon, 1970: 169 A: GUA HAI SD YUN **ORR** #100 #610  
*loochooanum chujoi* Makihara, 2005: 121 A: JA (Ryukyus) #734  
*loochooanum loochooanum* Gressitt, 1934: 163 A: JA (Ryukyus) #100  
*nadleri* Skale, 2018a: 234 A: CH **ORR**  
*jeanvoinei* Pic, 1937d: 108 (*Chelidonium*) [HN] #252  
*nympha* White, 1853a: 161 (*Callichroma*) A: AP NP SD #280 #610  
*ohbayashii* Hayashi, 1971: 8 A: TAI  
*perlaetum* White, 1853a: 161 (*Callichroma*) A: GUX SD **ORR**  
*plicaticolle* Pic, 1932c: 24 A: CHQ GUX SCH YUN #100  
*bicoloratum* Pic, 1932c: 24 #102  
*plicovelutinum* Gressitt & Rondon, 1970: 171 A: YUN **ORR**  
*scutellatum* Gressitt, 1939a: 22 A: GUA  
*semipunctatum* Gressitt & Rondon, 1970: 171 A: GUX YUN **ORR** #610  
*shibatai* Hayashi, 1971: 7 A: TAI  
*sieversii* Ganglbauer, 1887a: 135 (*Aromia*) A: FE HEI HEN HUB JIL NC SC SHA #100 #225  
*bangi* Reitter, 1895d: 209 (*Aromia*)  
*coreanum* Fairmaire, 1897c: 232 (*Aromia*)  
*splendidulum* Gressitt, 1940c: 176 A: ANH HAI #100  
*taiwanum* Gressitt, 1936: 91 A: HAI TAI #100  
*thaliodes* Bates, 1884a: 226 A: GUX HEI HUB JA JIL LIA NE SC (near Daegu) #100 #400  
*japonicum* Podaný, 1971: 302 (*Aromia*) #332  
*thomsoni* Pascoe, 1859: 24 (*Callichroma*) A: ?TAI **ORR**  
*thoracicum* Gressitt, 1942b: 1 A: SCH  
*tonguanum* Chiang, 1981: 80 A: JIX  
*variabile* Schwarzer, 1926b: 100 A: ?CH **ORR** #610  
**subgenus** *Leontium* J. Thomson, 1864: 175 type species *Leontium viride* J. Thomson, 1864  
*cupreoviride* Gressitt, 1942d: 2 (*Leontium*) A: FUJ YUN #100  
*cyaneonotatum* Pic, 1925b: 18 A: GUA GUI GUX SCH YUN **ORR** #100 #268  
*jeanvoinei* Pic, 1932e: 24 (*Leontium*) A: GUA GUX HAI HKG **ORR** #348  
*lameeri* Pic, 1900i: 18 (*Leontium*) A: ANH FUJ GAN GUX HEN HUB HUN JIX SC SHA SHG SHN TAI YUN ZHE #60 #322  
*bicolor* Kano, 1930: 44 (*Leontium*)  
*laosense* Pic, 1932c: 23 (*Leontium*) A: HAI YUN **ORR** #100  
*nigroscutellatum* Gressitt, 1940b: 62 (*Leontium*) A: GUX HAI #100  
*punctulatum* Pic, 1920f: 119 (*Leontium*) A: YUN **ORR**  
*robusticolle* Pic, 1946a: 10 (*Leontium*) A: CH **ORR** #92  
*herteli* Podaný, 1974: 24 (*Chelidonium*) #252 #400  
*tenuipes* Fairmaire, 1889a: 64 (*Leontium*) A: GUI SCH YUN #496  
*implicatum* Pic, 1925b: 17 (*Leontium*)  
*touzalini* Pic, 1920f: 118 (*Leontium*) A: YUN  
*viride* J. Thomson, 1864: 175 A: CHQ FE (Sakhalin, Kurils) HUB JA JIL LIA NC SC SCH YUN #100  
*cyaneum* Fujimura, 1956: 4 (*Leontium*)  
*multiplicatum* Pic, 1946a: 14 (*Leontium*) #332  
*tenuatum* Bates, 1873: 197 (*Callichroma*)  
**subgenus** *Parachloridolum* Plavilstshikov, 1934a: 67 type species *Callichroma japonicum* Harold, 1879  
*japonicum* Harold, 1879b: 335 (*Callichroma*) A: GUI HEI HUB HUN JA JIL LIA NC NE SC SCH SHN #100  
*achardi* Pic, 1911d: 19 (*Callichroma*)  
*coreanum* Okamoto, 1924: 190 [HN]

**genus** *Embrikstrandia* Plavilstshikov, 1931c: 278 type species *Callichroma bimaculatum* White, 1853  
*bimaculata* White, 1853a: 165 (*Callichroma*) A: CHQ FUJ GAN GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX SCH SHA SHN TAI YUN ZHE #100  
*angustefasciata* Pic, 1933a: 12 (*Callichroma*)  
 *davidis* H. C. Deyrolle, 1878: 132 (*Callichroma*)  
*diversicornis* Pic, 1925b: 19 (*Callichroma*)  
*reducta* Pic, 1950b: 3  
*unifasciata* Ritsema, 1896: 376 (*Zonopterus*) A: ANH FUJ GAN GUA GUX HAI HEN HKG HUB HUN JIX SCH SHX TAI ZHE #100  
**ORR**  
*vivesi* Bantanachs, 2005: 2-3 A: YUN **ORR**

**genus** *Gestriana* Podaný, 1971: 306 [RN] type species *Pachyteria superba* Gestro, 1888  
*Tarsalia* Podaný, 1968: 50 [HN] type species *Pachyteria superba* Gestro, 1888  
*pubemaculata* J.-H. Huang, Zhou & B. Chen, 2006: 62 (*Embrikstrandia*) #694  
*superba* Gestro, 1888: 128 (*Pachyteria*) A: GUX **ORR**

**genus** *Helymaeus* J. Thomson, 1866: 179 type species *Helymaeus cyanipennis* J. Thomson, 1866

*pedestris* Pascoe, 1878: 370 A: SA YE #774  
*signaticollis* Pascoe, 1878: 370 A: SA YE #774

**genus *Ipothalia* Pascoe, 1867a: 314** type species *Ipothalia femorata* Pascoe, 1867 #100  
~~*esmeralda* Bates, 1879a: 418 A: YUN ORR~~ #610  
*micaria* Holzschuh, 1990: 188 A: SD  
*plicicollis* Pu, 1981: 420, 428 A: XIZ  
*pyrrha* Pascoe, 1867a: 314 A: FUJ GUX JIX SCH YUN ORR #576  
*bicoloripes* Pic, 1920f: 118  
*cambodgensis* Gressitt & Rondon, 1970: 175  
*semipurpurea* Pic, 1927b: 29

**genus *Laosaphrodisium* Bentanachs, 2012a: 71** type species *Leontium optimum* Bates, 1879 #523  
*amadori* Bentanachs, 2012a: 75 A: GUX YUN XIZ ORR  
*crassum* Gressitt, 1939a: 24 (*Aphrodisium*) A: FUJ HUB GUA YUN #100  
*subplicatum* Pic, 1937a: 11 (*Chelidonium*) A: GUI ?YUN ORR

**genus *Leptochroma* Vives, 2013b: 86** type species *Leptochroma lini* Vives, 2013b  
*lini* Vives, 2013b: 88 A: YUN  
*paralleloelongatum* Hayashi, 1974: 27 (*Chloridolum*) A: TAI #411  
*shanxianum* Vives, 2013b: 90 A: SHX

**genus *Mimochelidonium* Bentanachs & Drouin, 2013: 94** type species *Mimochelidonium sinense* Bentanachs, 2013  
*sinense* Bentanachs & Drouin, 2013: 95 A: GUI ORR  
*vietnamicum* Vives & Pham, 2017: 197 #808

**genus *Odontochroma* Vives 2015b: 115** type species *Odontochroma martinsi* Vives, 2015  
*niisatoi* Vives & Bentanachs, 2007: 635 (*Aphrodisium*) A: YUN ORR #426

**genus *Osphranteria* L. Redtenbacher, 1850: 50** type species *Osphranteria suaveolens* L. Redtenbacher, 1850  
*Quettania* Schwarz, 1931a: 62 type species *Quettania coeruleipennis* Schwarz, 1931  
*coerulescens* L. Redtenbacher, 1850: 50 A: AF IN IQ PA TR #30 #345  
*inaurata* Holzschuh, 1981: 98  
*coeruleipennis* Schwarz, 1931a: 63 (*Quettania*)  
*mirabilis* Podany, 1980: 231 (*Polyzonus*)  
*lata* Pic, 1956a: 3 A: AF IN PA #274  
*richteri* Heyrovský, 1959: 4  
*suaveolens* L. Redtenbacher, 1850: 50 A: AF IN

**genus *Pachyteria* Audinet-Serville, 1834a: 553** type species *Cerambyx fasciatus* Fabricius, 1775  
*dimidiata* Westwood, 1848: 60 A: GUX ORR  
*luteofasciata* Pic, 1946a: 7  
*obertheri* Ritsema, 1888a: 190  
*scheepmakeri* Ritsema, 1881b: 38  
*timorensis* Hayashi, 1994: 65  
*equestris* Newman, 1841: 79 (*Niraeus*) A: YUN ORR  
*fasciata* Fabricius, 1775: 168 (*Cerambyx*) A: CH NP "Himalaya" ORR  
*populnea* Schröter, 1776: 349 (*Cerambyx*)  
*voluptosa* J. Thomson, 1865: 568  
*semiplicata* Pic, 1927: 4 A: YUN ORR #282

**genus *Paraphrodisium* Bentanachs & Drouin, 2013: 91** type species *Paraphrodisium sinense* Bentanachs, 2013  
*sinense* Bentanachs & Drouin, 2013: 92 A: YUN

**genus *Polyzonus* Dejean, 1835: 324** type species *Saperda fasciata* Fabricius, 1781  
**subgenus *Parapolyzonus* Bentanachs, 2012a: 11** type species *Promeces prasinus* White 1853 #269  
*drumonti* Bentanachs, 2010: 306 A: YUN ORR  
*haraldi* Scale, 2020b: 324 A: SD  
~~*prasinus* White, 1853a: 170 (*Promeces*)~~ #610  
*polyzonoides* J. Thomson, 1865: 568 (*Chelidonium*) A: FUJ GUA GUX HAI HUB HUN JIX SCH YUN ZHE ORR #100 #610  
*trocilii* Bentanachs, 2012a: 21 A: YUN ORR  
**subgenus *Polyzonides* Podany, 1980: 230** type species *Polyzonus obtusus* Bates, 1879 #269  
*obtusus* Bates, 1879a: 413 A: ?TAI YUN ORR #100  
*interruptus* Pic, 1946a: 14  
*opacus* Pic, 1946: 9  
*reductus* Pic, 1946a: 14  
**subgenus *Polyzonus* Dejean, 1835: 324** type species *Saperda fasciata* Fabricius, 1781 #269

*Calliblepharus* Gistel, 1848a: x [unnecessary substitute name]

*Pseudopolyzonus* Bentanachs, 2012a: 67 type species *Polyzonus latefasciatus* Hüdepohl, 1998 #269

*auroviridis* Gressitt, 1942b: 3 A: GUA GUX SCH YUN **ORR**

*balachowskii* Gressitt & Rondon, 1970: 157 A: YUN XIZ **ORR**

*barclayi* Skale, 2018b: 335 A: XIZ **ORR**

*?bizonatus* White, 1853a: 171 A: GUX SD YUN ZHE **ORR** #60 #610

*brevipes* Gahan, 1906a: 217 A: SD **ORR**

*cuprarius* Fairmaire, 1887a: 132 A: SCH XIZ YUN **ORR** #269

*democraticus* Lameere, 1890: ccxi A: UP

*fasciatus* Fabricius, 1781: 232 (*Saperda*) A: ANH BEI CHQ ES FE FUJ GAN GUA GUI GUX HAI HEB HEI HEN HKG HUB HUN #100

JIA JIL JIX LIA MG NC NIN NMO QIN SC SHA SHN SHX YUN ZHE

*bicinctus* Olivier, 1795: no. 67: 46 (*Cerambyx*)

*fupingensis* Xie & W.-K. Wang, 2009: 58

*meridionalis* Bates, 1879a: 413

*sibiricus* Gmelin, 1790: 1840 (*Cerambyx*)

*geiseri* Skale, 2018b: 342 A: SD **ORR**

*latefasciatus* Hüdepohl, 1998: 225 (*Polyzonus*) A: FUJ YUN **ORR** #100 #269

*laurae* Fairmaire, 1887a: 132 A: YUN **ORR**

*paxkensis* Gressitt & Rondon, 1970: 159 A: YUN **ORR**

*russoi* Tippmann, 1955: 106 (*Chelidonium*) A: FUJ GUA #269 #283

*saigonensis* Bates, 1879a: 413 A: YUN **ORR**

*laosensis* Pic, 1923b: 9

*siamensis* Podany, 1974: 6, 40 (*Chelidonium*) A: YUN **ORR** #269

*sinensis* Hope, 1842a: 63 (*Promeces*) A: CHQ FUJ GUA GUX HEI HKG JIL LIA NO SCH SD YUN **ORR** #100 #280

*subtruncatus* Bates, 1879a: 408 (*Leontium*) A: GUA HAI HKG SCH SHG YUN **ORR** #100 #269

*tichyi* Skale, 2018b: 352 A: SCH

*violaceus* Plavilstshikov, 1933c: 111 A: YUN **ORR**

*yunnanum* Podany, 1974: 39 (*Chelidonium*) #575

**subgenus** *Striatopolyzonus* Bentanachs, 2012a: 58 type species *Cerambyx tetraspilotus* Hope, 1835

*flavocinctus* Gahan, 1894a: 17 A: FUJ YUN **ORR** #100 #400 #269

*nitidicollis* Pic, 1932: 22 A: YUN **ORR**

*tetraspilotus* Hope, 1835a: 71 (*Cerambyx*) A: BT SD YUN **ORR** #283 #344

*latemaculatus* Gressitt & Rondon, 1970: 161,

*macrospilus* Gahan, 1906: 216;

*megaspilus* Gahan, 1906a: 215

*microspilus* Gahan, 1906a: 215

*quadrimaculatus* White, 1853a: 170

**genus** *Rugosochroma* Vives & Lin, 2013: 68 type species *Schwarzerium yunnanum* Vives & Lin, 2013 #612

*yunnanum* Vives & Lin, 2013: 68 (*Schwarzerium*) A: YUN

**genus** *Scalenus* Gistel, 1848a: 130 [RN] type species *Cerambyx hemipterus* Olivier, 1800

**subgenus** *Coloborhomboides* Hüdepohl, 1983: 117 type species *Coloborhomboides schereri* Hüdepohl, 1983

*drescheri* Fisher, 1936: 176 (*Coloborhombus*) A: GUX **ORR** #284

*ater* Fisher, 1936: 176 (*Coloborhombus*)

*flavipes* Fisher, 1936: 176 (*Coloborhombus*)

*schereri* Hüdepohl, 1983: 117 (*Coloborhomboides*)

*tibialis* Ritsema, 1895: 159 (*Aphrodisium*) A: SD **ORR** #283

**subgenus** *Scalenus* Gistel, 1848a: 130 [RN] type species *Cerambyx hemipterus* Olivier, 1800

*Coloborhombus* J. Thomson, 1865: 486 [RN] type species *Cerambyx hemipterus* Olivier, 1800

*Colobus* Audinet-Serville, 1834a: 554 [HN] type species *Cerambyx hemipterus* Olivier, 1800

*Nothopeus* Pascoe, 1864c: 287 [RN] type species *Cerambyx hemipterus* Olivier, 1800

*fulvus* Bates, 1879a: 395 (*Coloborhombus*) A: GUA SD **ORR**

*hemipterus* Olivier, 1800: 127 (*Cerambyx*) A: FUJ GUA HAI **ORR** #373

~~*ater* Fisher, 1936: 176 (*Coloborhombus*)~~

*sericeus* Saunders, 1853: 111 (*Colobus*) A: FUJ GUA SHG YUN #100

**genus** *Schmidtiana* Podany, 1971: 306 [RN] type species *Pachyteria ilocana* Schultzze, 1920

*Luzonia* Podany, 1968: 53 [HN] type species *Pachyteria ilocana* Schultzze, 1920

*testaceicornis* Pic, 1926m: 16 (*Pachyteria*) A: SCH YUN **ORR** #460

*violaceothoracica* Gressitt & Rondon, 1970: 139 (*Pachyteria*) #100

**genus** *Schwarzerium* Matsushita, 1933a: 251 type species *Aphrodisium semivelutinum* Schwarzer, 1925

*Schwarzeriella* Plavilstshikov, 1934a: 32 type species *Aphrodisium semivelutinum* Schwarzer, 1925

*andrea* Skale, 2021b: 299 A: YUN

*cyaneipes* Pic, 1946a: 9 A: KO #92

*holzschuhi* Skale, 2021b: 308 A: SHA



*provostii* Fairmaire, 1887d: liv (*Callichroma*) A: BEI HEB HEI HEN HUB JIL LIA NE NMO SC SHA SHN YUN **ORR** #100  
*rubrofemorale* Pic, 1932c: 24 (*Chelidonium*) #92  
*manchuricum* Matsushita, 1943: 574  
*quadricolle quadricolle* Bates, 1884a: 226 (*Chelidonium*) A: HEN HUN JA JIL SC #100 #732  
*quadricolle viridicyaneum* Hayashi, 1956d: 14 (*Chelidonium*) A: JA #732  
*purpureoviolaceum* Hayashi, 1956: 14 (*Chelidonium*)  
*semivelutinum* Schwarzer, 1925a: 24 (*Aphrodisium*) A: TAI  
*sifanicum* Plavilstshikov, 1934f: 224 (*Chelidonium*) A: SCH #612

**genus *Sinochroma* Bentanachs & Drouin, 2013: 93** type species *Sinochroma sinensis* Bentanachs & Drouin, 2013

*martini* Skale, 2019: 295 A: YUN **ORR**  
*purpureipes* Gressitt, 1939a: 27 (*Chelidonium*) A: GUA GUX HAI HUB YUN **ORR** #100 #252 #517  
*violaceimembris* Gressitt & Rondon, 1970: 151 #252  
*sinense* Bentanachs & Drouin, 2013: 94 A: YUN

**genus *Tomentaromia* Plavilstshikov, 1934a: 52** type species *Callichroma faldermannii* Saunders, 1853 #799

*basalis* Pic, 1925b: 19 (*Aromia*) A: ?ES JIA JIX SHA **ORR** #799  
*delatouchii* Fairmaire, 1886c: clxii (*Aphrodisium*) A: FUJ GUI GUX HAI HUB SCH YUN XIZ ZHE **ORR** #610 #799  
*latouchei* Fairmaire, 1899: 642 (*Aphrodisium*)  
*delatouchei*, Aurivillius, 1912: 301 (*Aphrodisium*)  
*rufiventris* Gressitt, 1940c: 174 (*Aromia*) #400 #799  
*faldermannii faldermannii* Saunders, 1853: 111 (*Callichroma*) A: ANH ?ES FUJ GUA GUI HAI HEN HUB HUN JIA JIL JIX KO MG  
NMO SCH SHA SHG YUN ZHE #799 #821  
*insolita* Skale, 2023: 86 #799  
*faldermannii horishanense* Kano, 1933a: 272 (*Aphrodisium*) A: TAI #283  
*insularis* Gressitt, 1936: 90 (*Aromia*)  
*yugaii* Kano, 1933a: 272 (*Aphrodisium*)  
*faldermannii rufiventre* Gressitt, 1940c: 174 (*Aromia*) A: FUJ GUX SCH YUN XIZ **ORR** #400  
*gregoryi* Podany, 1971: 265 A: YUN **ORR** #799  
*metallicollis* Gressitt, 1939b: 97 (*Aromia*) A: ~~FUJ HEB HUB HUN JIX YUN GUI SCH ZHE -ORR~~ #100 #799  
*muelleri* Tippmann, 1955: 105 A: FUJ GUA #799  
*obscurithorax* Pic, 1925b: 19 (*Aromia*) A: JIX #799  
*subnigripenne* Gressitt, 1937c: 452 (*Aromia*) A: ~~FUJ JIX~~ #799

**genus *Turkaromia* Danilevsky, 1993a: 38** type species *Aromia pruinosa* Reitter, 1903

*gromenkoi* Danilevsky, 2000c: 289 A: UZ TD  
*pruinosa* Reitter, 1903b: 233 (*Aromia*) A: KZ XIN

**genus *Zonopterus* Hope, 1842b: 110** type species *Zonopterus flavitarsis* Hope, 1842 #523  
*flavitarsis* Hope, 1842b: 128 A: AP SD YUN **ORR** #280

### tribe Callidiini Kirby, 1837

**genus *Callidiellum* Linsley, 1940: 254** type species *Semanotus cupressi* Van Dyke, 1923

*rufipenne* Motschulsky, 1861a: 19 (*Callidium*) Ei: BE BH BU CR DE FR IT NL PT SB SK SL SP ST SV A: GG FE GAN HEB HEN  
JA JIX NC SC SHA TAI **NARi NTRI** #40  
*japonicum* Plavilstshikov, 1933f: 126 (*Callidium*) [HN]  
*nigromaculatum* Kano, 1933a: 274 (*Callidium*)  
*plavilstshikovi* Matsushita, 1933b: 439 (*Semanotus*) [RN]  
*villosulum arisanum* Kano, 1930: 44 A: TAI  
*villosulum villosulum* Fairmaire, 1900: 639 Ei: MA A: ANH CHQ FUJ GUA GUI GUX HEN HUB HUN JIA JIX SCH YUN ZHE  
**NARi** #35 #400

**genus *Callidium* Fabricius, 1775: 187** type species *Cerambyx violaceus* Linnaeus, 1758

**subgenus *Callidium* Fabricius, 1775: 187** type species *Cerambyx violaceus* Linnaeus, 1758

*Meridion* Gozis, 1886: 32 type species *Cerambyx violaceus* Linnaeus, 1758  
*cedri* Peyerimhoff, 1918a: 332 N: AG MO  
*flavosignatum* Pu, 1991d: 343 A: QIN  
*hengduanum* Holzschuh, 1999: 39 A: SCH YUN XIZ #400  
*libani* Sama & Rapuzzi, 2002: 111 A: LE  
*piceonotatum* Pic, 1933f: 5 A: HUB  
*przevalskii* Semenov & Plavilstshikov, 1936: 389 A: NMO SCH #400  
*syriacum* Pic, 1892r: cxi A: SY TR  
*orientale* Pic, 1893d: 417  
*violaceum* Linnaeus, 1758: 395 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IR IT LA LS LT LU MD  
ME NL NR NT PL RO SB SK SL SP ST SV SZ UK A: AB AR ES FE GG HEI JA JIL LIA KZ MG NC NMO TR WS XIN **NAR**  
**NTR** #63  
*janthinum* LeConte, 1851: 34

*salessi* Pic, 1933d: 1  
*viridicolle* Pic, 1926a: 23 A: SD

**subgenus** *Callidostola* Reitter, 1913a: 37 type species *Cerambyx aeneum* DeGeer, 1775  
*aeneum* DeGeer, 1775: 89 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT LU ME NL  
NR NT PL RO SB SK SL ST SV SZ UK A: ES FE HEI JA KZ MG WS  
*aurichalceum* Gmelin, 1790: 1857 (*Cerambyx*)  
*cognatum* Laicharting, 1784: 58  
*dilatatum* Paykull, 1800: 91  
*semitestaceum* Pic, 1945b: 6  
*variabile* Fabricius, 1775: 188  
*venosum* Eschscholtz, 1818: 483  
*viride* Schoenherr, 1817a: 459  
*viridans* Gmelin, 1790: 1846 (*Cerambyx*)

*aeneum longipenne* Plavilstshikov, 1940: 300 E: ST A: AB GG TR  
*aeneum pilosicollis* Özdikmen & Aytar, 2014: 599 A: TR

**subgenus** *Palaecallidium* Plavilstshikov, 1940a: 291 type species *Callidium coriaceum* Paykull, 1800  
*chlorizans* Solsky, 1871a: 384 (*Semanotus*) A: ES FE HEI JIL LIA MG NC #400  
*viridescens* Motschulsky, 1875: 148

*coriaceum* Paykull, 1800: 91 E: AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT LU MD NR NT PL RO SB SK SL  
ST SV SZ UK A: ES FE ?HEI ?HEN ?KZ-~~JA~~ MG NC ?NMO WS #81 #481 #631  
*aeneipenne* Kriechbaumer, 1862: 107  
*cupripenne* Kriechbaumer, 1862: 208  
*lucidum* Scopoli, 1772: 98 (*Stenocorus*) [NO]  
*kuratai* Yokoyama, 1972: 11 (*Palaecallidium*) A: JA

**genus** *Dundaia* Holzschuh, 1993a: 33 type species *Dundaia nitens* Holzschuh, 1993  
*subtuberculata* Pu, 1992b: 597, 619 (*Callidium*) A: SCH SHA #293  
*nitens* Holzschuh, 1993a: 33

**genus** *Gerdberndia* Holzschuh, 1982a: 71 type species *Gerdberndia atricolor* Holzschuh, 1982  
*atricolor* Holzschuh, 1982a: 71 A: NP  
*ferrocyanea* Hayashi, 1979: 87 (*Prosemanotus*) A: BT NP  
*nubigena* Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) A: NP ?QIN (Gorin-tshu River)

**genus** *Leioderes* L. Redtenbacher, 1845: 110 type species *Leioderes kollari* L. Redtenbacher, 1849  
*kollari jacopoi* Rapuzzi & Sama, 2010a: 129 E: IT (Sicilia)  
*kollari kollari* L. Redtenbacher, 1849: 482 E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LA LT MC MD NR RO PL SB SK SL  
SP ST SV SZ UK A: GG LE #554 #665  
*tuerci tokatense* Özdikmen, 2023: 321 (+var. *amasina* Pic, 1903 - unavailable) A: TR #673  
*tuerci tuerci* Ganglbauer, 1886c: 517 (*Callidium*) A: LE SY TR  
*bodemeyeri* Reitter, 1903a: 46 (*Callidium*) - Bulghar-Dagh (Bulghar-Maaden), Kleinasien #673  
*karsantianus* Pic, 1910b: 2 (*Lioderes*) - M. Taurus : Karsanti #673  
*lateniger* Pic, 1917g: 5 (*Lioderes*) - Karsanti dans le Taurus #673  
*nigripes* Pic, 1891h: 102 (*Lioderes*) - "Syrie", Hatay #673  
*samai* Özdikmen, 2023: 321 - Lebanon #673

**genus** *Lioderina* Ganglbauer, 1886c: 517 type species *Callidium lineare* Hampe, 1871  
*linearis* Hampe, 1871: 335 (*Callidium*) E: AU BH BU CR GR HU MC SK A: TR  
*henschi* Puton, 1888: 23 (*Callidium*)

**genus** *Oupyrrhidium* Pic, 1900f: 50 type species *Callidium cinnabarinum* Blessig, 1872  
*Oupyrrhidium* Plavilstshikov, 1940a: 285 [unjustified emendation]  
*cinnabarinum* Blessig, 1872: 179 (*Callidium*) A: FE HEI HEN JIL LIA NC SC SHA #225  
*chinense* Li, 1992: 178 #225  
*flavum* Z. Wang, 2003: 203

**genus** *Paraxylocrius* Niisato, 2009: 205 type species *Paraxylocrius testaceus* Niisato, 2009  
*testaceus* Niisato, 2009: 208 A: FE (Sakhalin)  
*verigai* Danilevsky, 2012h: 4 A: FE

**genus** *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)  
**subgenus** *Melasmetus* Reitter, 1913a: 39 type species *Callidium femorale* Ménériés, 1832 #133  
*femoralis demelti* Heyrovský, 1962a: 41 E: TR A: TR  
*femoralis femoralis* Ménériés, 1832: 228 (*Callidium*) E: ST A: AB AR GG IN TR  
*utschderensis* Starck, 1889: 312 (*Callidium*)

**subgenus** *Paraphymatodes* Plavilstshikov, 1934a: 215 type species *Callidium fasciatum* Villers, 1789 #778  
*albicinctus* Bates, 1873: 198 A: JA

*albofasciatus* Motschulsky, 1866: 174 (*Callidium*) [HN]  
*fasciatus* Villers, 1789: 257 (*Cerambyx*) E: AU BH BU CR CZ FR GR HU IT ?LA MD PL RO SB SK SP SZ UK A: CY IS SY TR  
#74 #104  
*unifasciatus* Olivier, 1790: 269 (*Callidium*)  
*unifasciatus* Rossi, 1790: 343 (*Callidium*)  
*hauseri* Pic, 1907b: 9 (*Callidium*) A: KZ XIN  
*mediofasciatus* Pic, 1933b: 29 A: FE GUI JIA JIX NC SC SHA #63  
**subgenus** *Phymatodellus* Reitter, 1913a: 40 type species *Callidium rufipes* Fabricius, 1777 #778  
*Microcallidium* Casey, 1912: 283 type species *Callidium amoenus* Say, 1824: 413  
*Phymatodina* Casey, 1912: 281 type species *Phymatodes nitidus* Casey, 1874  
*Pseudopocilium* Planet, 1924: 226 type species *Callidium rufipes* Fabricius, 1777  
*infasciatus* Pic, 1935b: 36 (*Pocilium*) A: FE FUJ JA JIA JIX ?NC SC SHA SHN SHG #400 #736  
*ussuricus* Plavilstshikov, 1940a: 318  
*vandykei* Gressitt, 1935b: 172 #736  
*jiangi* Z. Wang & L.-Y. Zheng, 2003: 207, 395 A: JIL SC #333  
*kozlovi* Semenov & Plavilstshikov, 1936: 390 A: NMO  
*magnanii* Sama & Rapuzzi, 1999: 468 (*Pocilium*) A: TR  
*murzini* Danilevsky, 1993d: 113 A: FE NC SC #210 #333  
*rufipes rufipes* Fabricius, 1777: 232 (*Callidium*) E: AU BE BH BU CR CZ FR GE GR HU IT LU MC MD PL RO SB SK SL SP ST SZ  
UK A: TR  
*amethystinus* Fabricius, 1793: 321 (*Callidium*)  
*coeruleus* Goeze, 1777: 507 (*Leptura*)  
*cyaneus* Geoffroy, 1785: 82 (*Leptura*)  
*cyanochrysus* Gmelin, 1790: 1846 (*Cerambyx*)  
*erythropus* Gmelin, 1790: 1846 (*Cerambyx*)  
*gallicus* Gmelin, 1790: 1877 (*Leptura*)  
*rufipes syriacus* Pic, 1891i: 118 (*Callidium*) A: IS LE SY TR #244 #464  
*semenovi* Plavilstshikov, 1935a: 18 A: GUI  
*sinensis* Pic, 1900i: 17 (*Callidium*) A: JIA SHG  
*zemlinae* Plavilstshikov & Anufriev, 1964: 1565 A: FE HEI ?NC SC SHA #225 #333  
**subgenus** *Phymatoderus* Reitter, 1913a: 39 type species *Callidium pusillum* Fabricius, 1787 #778  
*Reitteroderus* Sama, 1991: 124 [unnecessary substitute name]  
*abietinus* Plavilstshikov & Lurie, 1960: 124 E: CT A: WS  
*ahenus* Holzschuh, 2007: 242 (*Pocilium*) A: SCH  
*glabratus* Charpentier, 1825: 225 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT PL RO SB SK SP ST SZ UK A: GG LE  
#115 #464  
*castaneus* L. Redtenbacher, 1849: 483 (*Callidium*)  
*deltuli* Chevrolat, 1856b: 435 (*Callidium*)  
*gudenzii* Sama, 1987: 57 (*Pocilium*) N: AG MO  
*lividus* Rossi, 1794: 98 (*Callidium*) E: BH BU CR CT CZ FR GR IT LU ME NL RO SB SL SP ST SZ UK N: AG ?MO ?TU A: AB GG  
IS LE SY TR NARi #115  
*asperipennis* Fairmaire, 1879: 217 (*Callidium*)  
*brevicollis* Dalman, 1817b: 191 (*Callidium*)  
*melancholicus* Fabricius, 1798: 151 (*Callidium*)  
*thoracicus* Comolli, 1837: 44 (*Callidium*)  
*tristis* Pic, 1891b: 20  
*puncticollis* Mulsant, 1862: 99 E: BU CT GR HU KZ MC MD RO ?SB SK ST UK A: KZ #180  
*macedonicus* Pic, 1909: 130  
*pusillus barbipes* Küster, 1847a: 78 (*Callidium*) E: CZ FR GR HU IT SK  
*pusillus inopinatus* Sláma, 2010: 82 (*Pocilium*) E: GR  
*pusillus pusillus* Fabricius, 1787: 155 (*Callidium*) E: AU BE BH BU CR CZ SL FR GE GR HU IT LU MD NR PL RO SL SP SV SZ TR  
UK A: TR  
*abdominalis* Bonelli, 1812: 180 (*Callidium*)  
*humeralis* Comolli, 1837: 44 (*Callidium*)  
*luridus* Olivier, 1800: 23 (*Callidium*) #373  
*pusillus rufipennis* Starck, 1889: 312 (*Callidium*) E: ST UK A: AB AR GG IN TR  
*vandae* Danilevsky, 2010g: 67 E: GR (Kefalonia Is.)  
*wrzeczenkoi* Rapuzzi & Sama, 2010b: 183 (*Pocilium*) A: SY TR #565  
**subgenus** *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)  
*Merium* Kirby, 1837: 172 type species *Merium testaceus* Linnaeus, 1758 [suppressed]  
*testaceus* Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU  
MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO MR TU A: AB AR CY FE GG IN IQ IS JA KZ  
LE ?NC TR SC SY WS NAR #64 #177 #322 #788  
*analis* L. Redtenbacher, 1849: 481  
*barbarorus* Pic, 1917g: 5  
*carniolicus* Gmelin, 1790: 1858 (*Cerambyx*)  
*crassipes* Goeze, 1777: 507 (*Leptura*)  
*deustus* Gmelin, 1790: 1850 (*Cerambyx*)

*dimidiatipennis* Chevrolat, 1882: 58  
*elongatus* Iablokoff-Khnzorian, 1953: 60  
*fallax* Villers, 1789: 276 (*Leptura*)  
*femoratus* Geoffroy, 1785: 83 (*Leptura*)  
*fennicus* Linnaeus, 1758: 396 (*Cerambyx*)  
*fulvipennis* Reitter, 1901c: 101 (*Phymatodes*)  
*italicus* Gmelin, 1790: 1851 (*Cerambyx*)  
*luridus* Paykull, 1800: 87 (*Callidium*) [HN]  
*melanocephalus* Ponzani, 1805: 71 (*Cerambyx*)  
*nigricollis* Mulsant, 1839: 49  
*nigrinus* Mulsant, 1839: 47  
*praeustus* Fabricius, 1782: 500 (*Callidium*)  
*rufipes* Costa, 1855: 34  
*sellae* Kraatz, 1868: 338 (*Callidium*)  
*similaris* Küster, 1844: 54 (*Callidium*)  
*variabilis* Linnaeus, 1760: 192 (*Cerambyx*)  
*ventralis* Haldeman, 1847: 375 (*Tessaropa*)  
*violaceus* Rossi, 1790: 154 (*Callidium*)

**subgenus *Poecilium* Fairmaire, 1864a: 134** type species *Leptura alni* Linnaeus, 1767  
*alni* Linnaeus, 1767: 639 (*Leptura*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC MD  
 ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: KZ TR  
*apicalis* Pic, 1915a: 1 (*Poecilium*)  
*biarcuatus* Piller & Mitterpacher, 1783: 112 (*Leptura*)  
*fauconneti* Pic, 1915a: 1 (*Poecilium*)  
*infuscatus* Chevrolat, 1866: 107 (*Poecilium*)  
*nitidus* Chevrolat, 1882: 58 (*Callidium*)  
*notaticollis* Pic, 1945b: 6 (*Poecilium*)  
*turcicus* Geoffroy, 1785: 83 (*Leptura*)  
*alni lateniger* Pic, 1945b: 6 (*Poecilium*) A: AB (Talysh) IN  
*elburzense* Holzschuh, 1977a: 128 (*Poecilium*)  
*alni pici* Aurivillius, 1912: 349 E: ST A: AB AR GG IN TR #565  
*alnoides* Reitter, 1913a: 40  
*antonini* Rapuzzi, Sama & Tichy, 2011: 673 (*Poecilium*) A: SY TR #565  
*ermolenkoi* Tsherepanov, 1980: 88 A: FE ?NC SC #97  
*eximius* Holzschuh, 1995: 35 (*Poecilium*) A: YUN  
*kasnaki* Sama, 2011: 826 (*Poecilium*) A: TR  
*latefasciatus* Sh. Yang, 2013: 12 A: GUI  
*maaki maaki* Kraatz, 1879c: 106 (*Callidium*) A: FE HEI JIX NC SC  
*maaki sylvaticus* Z. Wang, 2003: 206, 394 A: NMO #400  
*maaki viarius* Danilevsky, 1988c: 371 A: FE JA  
*mizunumai* Hayashi, 1974a: 28 A: TAI  
*quadrimaculatus* Gressitt, 1935b: 171 A: JA TAI #400  
*savioi* Pic, 1935b: 35 A: JIA SHA SHG #225

**genus *Pronocera* Motschulsky, 1859b: 494** type species *Pronocera daurica* Motschulsky, 1859 (= *Callidium sibiricum* Gebler, 1848)  
*Gonocallus* LeConte, 1873a, 171 type species *Callidium collare* Kirby, 1837  
*Protocallidium* Csiki, 1904: 99 type species *Callidium angustum* Kriechbaumer, 1844  
*Pseudophymatodes* Pic, 1901c: 12 type species *Phymatodes altaiensis* Pic, 1901 (= *Callidium sibiricum* Gebler, 1848)  
*angusta* Kriechbaumer, 1844: 8 (*Callidium*) E: AU BH CZ GE HU IT PL RO BU SK UK  
*sibirica* Gebler, 1848: 391 (*Callidium*) A: ES FE MG NC NE NMO SC WS XIN  
*altaiensis* Pic, 1901c: 12 (*Phymatodes*)  
*brevicollis* Gebler, 1833: 302 (*Callidium*) [HN]  
*daurica* Motschulsky, 1859b: 494

**genus *Prosemanotus* Pic, 1933f: 5** type species *Prosemanotus elongatus* Pic, 1933  
*elongatus* Pic, 1933f: 5 A: CH  
*subnotatus* Pic, 1933f: 5

**genus *Pyrrhidium* Fairmaire, 1864a: 133** type species *Cerambyx sanguineus* Linnaeus, 1758  
*sanguineum* Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE ?EN FI FR GB GE GR HU IR IT ?LA LS LT  
 LU MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG TU A: AB AR GG IN SY TR #104

**genus *Rejzekius* Adlbauer, 2008: 17** type species *Rejzekius bicolor* Adlbauer, 2008  
*bicolor* Adlbauer, 2008: 17 A: YE

**genus *Ropalopus* Mulsant, 1839: 40** type species *Callidium clavipes* Fabricius, 1775  
**subgenus *Pronocerodes* Plavilstshikov, 1940a: 248** type species *Rhopalopus ruficollis* Matsumura, 1911  
*aurantiicollis* Plavilstshikov, 1940a: 250 (*Rhopalopus*) A: FE ?NC SC #517 #638  
*ruficollis* Matsumura, 1911: 138 (*Rhopalopus*) A: FE

**subgenus Prorrhopalopus** Plavilstshikov, 1921b: 121 type species *Rhopalopus signaticollis* Solsky, 1873  
*signaticollis ohmomi* Fujita, 2023: 21 A: JA (Japan: Hokkaido, Honshu, Kyushu) ?FE  
*signaticollis signaticollis* Solsky, 1873: 177 (*Rhopalopus*) A: FE HEI JA JIL LIA NC SC #63 #400  
*speciosus* Plavilstshikov, 1915c: 108 (*Rhopalopus*) A: FE JIL LIA ?NC SC SHA #97 #225 #400

**subgenus Ropalopus** Mulsant, 1839: 40 type species *Callidium clavipes* Fabricius, 1775  
*Calliopedia* Binder, 1915: 186 type species *Rhopalopus reitteri* Binder, 1915 (= *Callidium ungaricum* Herbst, 1784)  
*Euryoptera* Horn, 1860: 571 type species *Euryoptera sanguinicollis* Horn, 1860  
*Rhopalopus* Agassiz, 1846: 325 [unjustified emendation]

*carolini* Vartanis & Borek, 2019: 610 E: GR  
*clavipes* Fabricius, 1775: 188 (*Callidium*) E: AL AU BE BH BU BY CR CT CZ DE FR GE GR HU IT KZ LA LT LU MA MC MD ME  
NL NT PL RO SB SK SL SP ST SZ TR UK A: AB AR GG FE IN KZ IQ SY TR WS #186 #265 #517 #557  
*nigricans* Gmelin, 1790: 1857 (*Cerambyx*)  
*nigroplanus* DeGeer, 1775: 88 (*Cerambyx*)  
*viduus* Geoffroy, 1785: 82 (*Leptura*)

*leonorae* Sama & Rapuzzi, 2002: 114 A: LE SY  
*femoratus* Linnaeus, 1758: 395 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ FR GE GR HU IT LA ?LT LU MD PL RO SB SK SL SP  
?ST SV SZ TR UK #503  
*castaneipennis* Roubal, 1934a: 43  
*punctuosus* Geoffroy, 1785: 83 (*Leptura*)

*hanae* Sama & Rejzek, 2002: 105 A: TR  
*ledereri ledereri* Fairmaire, 1866b: 269 (*Rhopalopus*) A: IS JO TR  
*ledereri wittmeri* Demelt, 1970: 31 A: LE SY TR #464 #678  
*lederi* Ganglbauer, 1882: 747 (*Rhopalopus*) E: ST UK A: AB AR GG TR  
*nigripes* Pic, 1926d: 6 (*Rhopalopus*)

*macropus* Germar, 1824: 514 (*Callidium*) E: AU BH BU BY CR CT CZ GE HU LA LT MD PL RO SB SK SL ST ?SZ TR UK A: AB  
AR GG IN TR #115 #506  
*causicus* Desbrochers des Loges, 1873: cxxxvi (*Callidium*)  
*pilicollis* C. G. Thomson, 1866: 29 (*Callidium*)

*mali* Holzschuh, 1993a: 34 A: KI KZ UZ  
*nadari* Pic, 1894c: 207 (*Rhopalopus*) A: KI TD UZ  
*nataliyae* Danilevsky & Skrylnik, 2014: 690 A: IN #23  
~~*nubigena* Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) A: XIZ~~

*ruber* Gressitt, 1939c: 212 (*Rhopalopus*) A: ANH JIA ZHE #400  
*sculpturatus* Pic, 1931c: 9 (*Rhopalopus*) A: TR IN  
*ungaricus boreki* Rapuzzi, 2017: 865 E: GR #493  
*ungaricus creticus* Vartanis, 2024c: 88 E: GR (Crete) #751  
*ungaricus gallicus* Vartanis, 2018b: 55 E: FR #493  
*ungaricus insubricus* Germar, 1824: 154 (*Callidium*) E: AL BH BU CR CT FR HU IT ?MD RO SB SL ?SP ST TR UK A: TR #493  
#506  
*fischeri* Krynicki, 1829: 197 (*Callidium*) #493  
*viridipennis* Pic, 1926d: 6 (*Rhopalopus*)

*ungaricus occidentalis* López & Baena, 2022: 558 E: SP  
*ungaricus olympicus* Vartanis, 2024c: 93 E: GR #751  
*ungaricus ossae* Karpinski, Szczepanski & Kruszelnicki, 2020: 27 E: GR (Thessaly) #493  
*ungaricus sculus* Stierlin, 1864: 152 (*Callidium*) E: IT (Sicilia) #202 #493  
*ungaricus ungaricus* Herbst, 1784: 96 (*Callidium*) E: AL AU BH BU CR CZ FR GE HU IT MC PL RO SB SK SL SZ UK ?N: AG  
#493 #778  
*annulus* Costa, 1855: 30  
*cognatus* Laicharting, 1784: 58 (*Callidium*)  
*pannonicus* Gmelin, 1790: 1856 (*Cerambyx*)  
*reitteri* Binder, 1915: 186 (*Rhopalopus*)  
*vogtii* Guerry, 1911: 99

*varini* Bedel, 1870: 94 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT MC MD PL RO SB SK SL SP SZ UK  
*spenicornis* Abeille de Perrin, 1869: 42 (*Callidium*) [HN]

**genus Rutjana 11a: 14** type species *Rutjana kashmirensis* Danilevsky, 2020  
*kashmirensis* Danilevsky, 2020a: 17 A: KA

**genus Semanotus Mulsant, 1839: 54** type species *Cerambyx undatus* Linnaeus, 1758  
*Anocomis* Casey, 1912: 271 type species *Callidium ligneum* Fabricius, 1787  
*Hemicallidium* Casey, 1912: 273 type species *Physocnemum amethystinum* LeConte, 1853  
*Sympiezocera* P. H. Lucas, 1852: cvi type species *Sympiezocera laurasii* P. H. Lucas, 1852  
*Xenodorum* Marseul, 1856: 48 type species *Xenodorum bonvouloiri* Marseul, 1856 (= *Sympiezocera laurasii* LeConte, 1851)

*algiricus* Pic, 1905e: 99 N: AG MO  
*magnificus* Bedel, 1921: 60  
*bifasciatus* Motschulsky, 1875: 148 (*Hylotrupes*) A: ANH FE FUJ GAN GUA GUI GUX HEB HEN HUB JA JIA JIX NC NMO QIN  
SC SCH SHA SHN SHX YUN ZHE



*latifasciatus* Matsushita, 1933b: 262  
*sinensis* Gahan, 1888b: 61 (*Sympiezocera*)  
*watanabei* Kano, 1933a: 273  
*japonicus japonicus* Lacordaire, 1869: 47 (*Sympiezocera*) A: JA ZHE #732  
*japonicus yakushimensis* Makihara, 2004a: 15 A: JA #732  
*laurasii corsicus* Croissandeau, 1890: 38 (*Sympiezocera*) E: FR (Corse) IT (Sardegna)  
*laurasii laurasii* P. H. Lucas, 1852: cvii (*Sympiezocera*) E: FR SP N: AG MO  
*bonvouloiri* Marseul, 1856: 48 (*Xenodorum*)  
*verneti* Pellet, 1871: 164 (*Callidium*)  
*nigroalbus* Holzschuh, 1984c: 355 A: NP  
*russicus anatolicus* Özdikmen, 2023e: 691 A: TR #679  
*russicus russicus* Fabricius, 1777: 232 (*Callidium*) E: AL AU BU CR CZ GB GR HU IT RO SB SK ST SZ UK A: AB AR GG IN JO #352  
 LE SY TR  
*russicus persicus* Solsky, 1876: 296 (*Sympiezocera*) A: IN TM (Kopetdag)  
*semenovi* Okunev, 1933: 135 A: KI KZ QIN TD UZ XIN #400  
*sinoaster* Gressitt, 1951a: 222 A: ANH FUJ GUA GUI GUX HEB HUB HUN JIA JIX SHA TAI YUN ZHE ORR  
*undatus* Linnaeus, 1758: 396 (*Cerambyx*) E: AU BH BU BY CR CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SB SK SL ST  
 SV SZ UK A: ES FE KO MG NE NMO WS XIN

**genus *Turanium* Baeckmann, 1922: 32** type species *Callidium scabrum* Kraatz, 1882

**subgenus *Chalcoturanium*** Jankowski, 1934: 100 [= 1935a: 60] type species *Turanium johannis* Baeckmann, 1922

*badenkoi* Danilevsky, 2001e: 587 A: KZ

*johannis johannis* Baeckmann, 1922: 24 A: KI

*johannis juglandis* Jankowski, 1934: 100 [= 1935a: 59] A: KI

**subgenus *Turanium*** Baeckmann, 1922: 32 type species *Callidium scabrum* Kraatz, 1882

*hladili* Kratochvíl, 1985b: 65 A: UZ

*pilosum* Reitter, 1891a: 33 (*Pronocera*) A: KI KZ TD UZ XIN

*rauschorum* Holzschuh, 1998: 44 A: KI KZ

*scabrum* Kraatz, 1882a: 115 (*Callidium*) E: ST A: KI KZ TD TM UZ WS XIN #800

*losi* Karpiński, Plewa & Hilszczański, 2021: 247 ["4 km N of Arkit"] #595

*simplarium* Heyden, 1885a: 296 (*Callidium*)

*tekeorum* Danilevsky, 2001e: 584 A: IN TM (Kopetdag)

### tribe Callidiopini Lacordaire, 1868

**genus *Becvarium* Holzschuh, 2011: 287** type species *Becvarium bioculatum* Holzschuh, 2011

*bioculatum* Holzschuh, 2011: 288 A: YUN

**genus *Ceresium* Newman, 1842d: 322** type species *Ceresium raripilum* Newman, 1842 #409

*Diatomocephala* Blanchard, 1853: 266 type species *Diatomocephala maculicollis* Blanchard, 1853

*Paraceresium* Matsushita, 1932: 71 type species *Paraceresium saipanicum* Matsushita, 1932

*Raphidera* Perroud, 1855: 336 type species *Raphidera gracilis* Perroud, 1855

*Rhaphidodera* Gemminger, 1872: 2831 [unjustified emendation]

*albomaculatum* Pic, 1926a: 23 A: HAI ORR

*declaratum* Holzschuh, 1990: 186 A: SD

*elongatum elongatum* Matsushita, 1933b: 301 A: HKG JA (Ryukyus) TAI #400

*elongatum tsuchiya* Fujita, 2018: 26 A: JA (Ryukyus)

*fallaciosum* Holzschuh, 1995: 19 A: YUN ORR

*flavipes* Fabricius, 1793: 327 (*Callidium*) A: GUA HKG SC ?TAI AFR AUR NTR ORR #63

*ambiguum* Newman, 1842a: 246 (*Arhopalus*)

*simplex* Gyllenhal, 1817: 178 (*Stenocorus*)

*flavisticum* Gressitt & Rondon, 1970: 96 A: YUN ORR #508 #523

*fuscum fuscum* Matsumura & Matsushita, 1932: 67 A: JA (Ryukyus)

*fuscum hachijoense* Matsumura & Matsushita, 1932: 68 A: JA #276

*fuscum shirakii* Hayashi, 1963a: 53 A: JA (Ryukyus)

*geniculatum* White, 1855: 245 A: GUA HAI HUB YUN ORR #400

*rufipes* Pascoe, 1869a: 537

*holophaeum* Bates, 1873: 153 A: JA

*yuasai* Matsushita, 1937: 312

*inaequalicolle* Pic, 1933b: 28 A: SHG YUN #400

*joannisi* Pic, 1935f: 171

*lepidulum* Holzschuh, 1982b: 150 A: SD YUN

*leucosticticum* White, 1855: 245 A: AP GUA GUI HAI NP PA SD UP YUN ORR #280 #400

*longicorne* Pic, 1926a: 24 A: HKG HUB JA JIX SC TAI ORR

*japonicum* Matsushita, 1932: 68

*tsushmanum* K. Ohbayashi, 1961a: 17

*lucifugum* Holzschuh, 1982b: 150 A: NP UP

*manchuricum* Hayashi, 1957a: 39 A: HEI  
*nilgiriense* Gahan, 1906a: 161 A: YUN **ORR**  
*particulare* Pic, 1926a: 24 A: CH  
*propinquum* Holzschuh, 1982b: 149 A: NP SD  
*quadrimaculatum* Gahan, 1900b: 121 A: FUJ GUA GUX HEB HUB HUN JIA JIX SCH YUN ZHE **ORR** **##400**  
*rufum* Lameere, 1890: cxxi A: UP  
*sculpticolle* Gressitt, 1942b: 1 A: SCH  
*senile* Holzschuh, 1998: 32 A: YUN  
*signaticolle* Matsumura & Matsushita, 1932: 69 A: JA  
*simile flavopubescens* Kusama & Takakuwa, 1984: 9 A: JA  
*simile miyamotoi* Fujita, 2018: 26 A: JA (Ryukyus)  
*simile simile* Gahan, 1890b: 169 A: JA (Ogasawara Isls.)  
*sinicum innotaticolle* Pic, 1926a: 24 A: CH  
*sinicum ornaticolle* Pic, 1907c: 20 A: FUJ GUA GUI GUX HUB HUN JIA JIX SCH SHA XIZ YUN **ORR**  
*sinicum sinicum* White, 1855: 245 A: BEI FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX SC SCH SHA SHG TAI XIZ YUN  
**ZHE ORR** **#63**  
*sakaiense* Matsushita, 1933b: 302  
*subuniforme* Schwarzer, 1925a: 22 A: TAI  
*swatense* Holzschuh, 1974a: 82 A: PA  
*unicolor pseudounicolor* Kusama & Komiya, 1972: 42 A: JA (Ryukyus)  
*unicolor unicolor* Fabricius, 1787: 147 (*Saperda*) A: JA (Ogasawara & Volcano Isls.) UP "North India" **AUR** **#127**  
~~*ambiguum* Newman, 1842a: 246 (*Archopalus*)~~  
*palauense* Matsushita, 1932: 169  
*simplex* Gyllenhal, 1817: 178 (*Stenochorus*)  
*zeylanicum* White, 1855: 246 A: HKG **ORR** **#400**  
*basilanum* Pic, 1943d: 6

**genus *Cristaphanes* Vives, 2009: 3** type species *Lasiophanes cristulatus* Aurivillius, 1916 **#349**  
*tysoni* Vives, 2017b: 22 A: YUN **ORR** **#349**

**genus *Curtomerus* Stephens, 1839: 275** [NP] type species *Callidium luteum* Stephens, 1831 (= *Callidium flavum* Fabricius, 1775)  
*Cylindera* Newman, 1833: 509 [HN] type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)  
*Cylindrodera* Gemminger, 1872: 2922 type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)  
*Lampromerus* J. Thomson, 1860: 202 type species *Callidium pilicornis* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)  
*Onchomerus* Dejean, 1835: 332 [NO] type species *Callidium pilicornis* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)  
*Sotenus* Sharp, 1878: 205 type species *Sotenus setiger* Sharp, 1878 (= *Callidium flavum* Fabricius, 1775)  
*flavum* Fabricius, 1775: 191 (*Callidium*) A: JA (Ogasawara Isls.) **NAR NTR ORR**  
*barbatus* Matsushita & K. Ohbayashi, 1938: 197 (*Trinophylum*)  
*boninensis* Matsumura & Matsushita, 1932: 72 (*Trinophylum*)  
*impuncticollis* Fairmaire, 1881: 473 (*Ceresium*)  
*luteus* Stephens, 1831: 249 (*Callidium*)  
*pallidus* Newman, 1833: 510 (*Cylindera*)  
*pilicornis* Fabricius, 1793: 327 (*Callidium*)  
*setiger* Sharp, 1878: 203 (*Sotenus*)  
*subflavus* Chemsak, 1966: 213

**genus *Falsoibidion* Pic, 1922: 24** type species *Falsoibidion fasciatum* Pic, 1922  
*bipunctatum* Lee Seunghyun & Lee Seunghwan, 2016: 64 A: SC  
*shennongjiaensis* P. Wang, Xie & W.-K. Wang, 2020a: 395 A: HUB  
*venustulum* Holzschuh, 2019b: 90 A: GUX

**genus *Gelonaetha* J. Thomson, 1878a: 12** type species *Gelonaetha curtipes* J. Thomson, 1878 (= *Stromatidium hirtum* Fairmaire, 1850)  
*hirta* Fairmaire, 1850: 60 (*Stromatidium*) A: TAI YUN ZHE **ORR** **#452** **#525**  
*curtipes* J. Thomson, 1878a: 13  
*obscura* Sharp, 1878: 204 (*Astrimus*)

**genus *Parasalpinia* Hayashi, 1962c: 4** type species *Parasalpinia kojimai* Hayashi, 1962  
*kojimai* Hayashi, 1962c: 4 A: JA (Ryukyus) TAI  
*laosensis* Gressitt & Rondon, 1970: 102 (*Salpinia*) A: HAI YUN **ORR**

**genus *Stenodryas* Bates, 1873: 153** type species *Stenodryas clavigera* Bates, 1873  
*Ibidiomimus* Pic, 1922e: 28 type species *Ibidiomimus bicoloripes* Pic, 1922  
*apicalis* Gahan, 1906a: 161 (*Ceresium*) A: NP  
*bicoloripes* Pic, 1922e: 28 (*Ibidiomimus*) A: YUN **ORR** **#400**  
*clavigera clavigera* Bates, 1873: 154 A: JA JIX SC (Mt. Soyosan)  
*clavigera impuncticollis* Hayashi, 1974a: 17 A: TAI  
*clavigera insularis* Yokoyama, 1966: 55 A: JA (Ryukyus)

*cylindricollis* Gressitt, 1951a: 159 A: HEB SHA YUN #400  
*fascipennis* Holzschuh, 1984c: 347 A: BT SD  
*nigromaculata* Gardner, 1942: 69 (*Ceresium*) A: BT YUN NP ORR #42  
*tripunctata* Gressitt & Rondon, 1970: 104  
*punctatella* Holzschuh, 1999: 25 A: HUB SHA #225  
*suavis* Holzschuh, 1998: 33 A: SCH  
*ventralis* Gahan, 1906: 160 A: YUN ORR #190

**genus *Stenygrinum* Bates, 1873: 154** type species *Stenygrinum quadrinotatum* Bates, 1873  
*quadrinotatum* Bates, 1873: 154 A: ANH FE FUJ GAN GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC NMO SC  
 SCH SHA SHN TAI YUN ZHE ORR

**genus *Teladum* Holzschuh, 2011: 289** type species *Lasiophanes comosus* Holzschuh, 1989  
*angustior* Holzschuh, 2011: 292 A: YUN

**genus *Trinophylum* Bates, 1878b: 720** type species *Trinophylum cribratum* Bates, 1878  
*cribratum* Bates, 1878b: 720 Ei: GB A: HP KA PA UP #366 #375  
*impressipenne* Pic, 1948: 6 (*Callidium*)

### tribe Cerambycini Latreille, 1802

**genus *Anarchambyx* Sama, 2007b: 101** type species *Anarchambyx pipposamai* Sama, 2007  
*pipposamai* Sama, 2007b: 103 A: SA YE #774

**genus *Bulbocerambyx* Lazarev, 2019e: 1194** type species *Neocerambyx grandis* Gahan 1891 #458 #536 #635  
*grandis* Gahan, 1891a: 20 (*Neocerambyx*) A: AP FUJ GUA HAI UP YUN ORR #280 #166  
*katarinae* Holzschuh, 2009: 285 (*Neocerambyx*) A: AP GUA GUX HAI ORR #227 #400  
*vitalisi* Pic, 1923e: 12 (*Neocerambyx*) A: FUJ ORR

**genus *Carinolesthes* Vitali, Gouverneur & Chemin, 2017: 53** type species: *Aeolesthes (Pseudaeolesthes) pericalles* Gressitt & Rondon, 1970  
*aurosignata* Pic, 1916i: 325 (*Aeolesthes*) A: FUJ XIZ YUN  
*dembickyi* Miroshnikov, 2019c: 261 A: AP  
*ningshanensis* Chiang, 1981: 79 (*Aeolesthes*) A: SHA  
*pericalles* Gressitt & Rondon, 1970: 61 (*Aeolesthes*) A: YUN ORR

**genus *Cerambyx* Linnaeus, 1758: 388** type species *Cerambyx cerdo* Linnaeus, 1758 #778  
**subgenus *Cerambyx* Linnaeus, 1758: 388** type species *Cerambyx cerdo* Linnaeus, 1758  
*Hamaticherus* Dejean, 1821: 105 type species *Cerambyx heros* Scopoli, 1763 (= *Cerambyx cerdo* Linnaeus, 1758)  
*Hammatocerus* Gistel, 1848a: 130 [unjustified emendation] [HN]  
*apiceplicatus* Pic, 1941b: 2 A: IN IQ  
*carinatus* Küster, 1845: 46 (*Hammaticherus*) E: AL BH ME BU CR GR IT MA MC SB A: TR #117  
*landrieui* Pic, 1927j: 158  
*minor* Pic, 1926d: 13

*cerdo acuminatus* Motschulsky, 1853: 79 ["De la Georgie et des pays limitrophes de la mer Caspienne"] E: ST UK A: AB AR GG IN  
 IQ IS JO LE SY TR #279 #635

*cerdo cerdo* Linnaeus, 1758: 392 ["Italia"] E: AL AU BE BH BU BY CR CZ DE FR GBi GE GR HU IR IT LA LT LU MA MC  
 MD ME NL PL RO SB SK SL ST SV SZ TR UK N:MO A: TR

*heros* Scopoli, 1763: 51

*laevicollis* Heyrovsky, 1955: 156 (as morpha - unavailable name)

*laevicollis* Vartanis, 2024e: 1144 ("the area of Třeboňsk, in the Czech Republic") - unavailable name.

*cerdo cyprius* Vartanis, 2023a: 760 A: CY

*cerdo hispanicus* Vartanis, 2024e: 1146 E: SP

*cerdo iranicus* Heyrovský, 1951a: 156 A: IN #279

*cerdo manderstjernae* Mulsant & Godart, 1855b: 280 [= 1855a: 180] ["la Crimée"] E: ST UK #517 #635

*cerdo masaryki* Vartanis, 2018c: 76 E: BU

*cerdo mirbeckii* P. H. Lucas, 1842: 184 (*Hamaticherus*) E: PT SP N: AG MO TU

*tuniscus* Pic, 1891b: 18

*cerdo nikolaevi* Danilevsky, 2024: 211 E: CT ST UK

*cerdo pfisteri* Stierlin, 1864: 152 (*Hammaticherus*) E: IT GR #279

*dux* Faldermann, 1837: 264 (*Hammaticherus*) E: BU MC GR ST TR UK A: AB AR GG IN IQ IS JO LE SY TR #582 #584

*intricatus* Fairmaire, 1848: 167 (*Hammaticherus*)

*nodosus* Mulsant & Rey, 1863: 144

*orientalis* Küster, 1845: 45 (*Hammaticherus*)

*thirkii* Küster, 1845: 47 (*Hammaticherus*)

*heinzius* Demelt, 1976: 65 A: TR

*klinzigi* Podaný, 1964c: 88 ?E: ?ST ?A: ?AR ?AB ?GG #279 #756  
*kodymi* Sláma, 2015c: 1122 A: SY TR  
*miles* Bonelli, 1812: 178 E: AL AU BH BU CR CZ FR GR HU IT MA MC MD ME PT RO SB SK SL SP ST SZ TR UK A: AB AR GG TR IN LE SY N: MO #205  
*militaris* Latreille, 1829: 116 (*Hammaticherus*)  
*nodulosus hermoniacus* Sláma, 2015c: 1121 A: SY  
*nodulosus nodulosus* Germar, 1817: 220 E: AL BH BU CR GR IT MA MC ME RO SB SL ST TR UK A: AB AR CY GG LE SY TR  
*nodicornis* Küster, 1845: 43 (*Hammaticherus*)  
*welensii centurio* Czwalińska, 1891: 99 A: IS JO LE SY TR #795  
*welensii welensii* Küster, 1845: 44 (*Hammaticherus*) E: AL BH BU CR FR GR HU IT MA MC ME PT RO SB SK SL SP TR UK A: AB CY GG IN IQ TR #30 #699  
*velutinus* Brullé, 1832: 252 [HN]  
**subgenus** *Microcerambyx* Mikšić & Georgijević, 1973: 22 type species *Cerambyx scopolii* Fuessly, 1775  
*Mesocerambyx Zagaikевич, 1991: 64 type species Cerambyx scopolii Fuessly, 1775*  
*elbursi* Jureček, 1924a: 47 A: IN #517  
*elegans* Dohrn, 1873: 74 [HN]  
*multiplicatus* Motschulsky, 1860a: 142 A: AB (Talysh) IN  
*paludivagus* P. H. Lucas, 1842: 185 (*Hammaticherus*) N: AG TU  
*scopolii scopolii* Fuessly, 1775: 12 E: AL AU BE BH BU BY CR CT CZ DE ?EN FR GB GE GR HU IR IT ?LA LS LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR GG SY TR IN #104 #824  
*helveticus* Stierlin, 1878b: 442  
*nitidus* Pic, 1892r: cxi [= 1893d: 417]  
*piceus* Geoffroy, 1785: 74  
*scopolii siculus* Rapuzzi & Sama, 2010a: 129 E: IT (Sicilia)

**genus** *Derolus* Gahan, 1891a: 26 type species *Hammaticherus mauritanicus* Buquet, 1840  
*Capnocerambyx* Reitter, 1894g: 356 type species *Hammaticherus mauritanicus* Buquet, 1840  
*Mimoderolus* Pic, 1933a: 11 type species *Aeolesthes (Mimoderolus) uniformis* Pic, 1933 #207  
*abaii* Holzschuh, 2009a: 288 A: IN  
*argentifer* Pic, 1904c: 11 A: YUN  
*diversithorax* Pic, 1946b: 109 #400  
*asiricus* Holzschuh, 1993b: 117 A: SA  
*brevicornis* Holzschuh, 1981: 97 A: IN  
*bulbicornis* Gressitt, 1951a: 142 A: XIZ  
*discicollis* Gahan, 1906a: 136 A: IN PA ORR  
*[incultus incultus* Gerstaecker, 1855: 265 (*Cerambyx*) AFR] #774  
*incultus yemenensis* Villiers, 1977: 167 A: OM YE  
*iranensis arabicus* Sama, 2007d: 301 A: AE OM  
*iranensis iranensis* Pic, 1956a: 3 A: AF IN PA  
*iranensis* Lepesme & Breuning, 1958: 179 [HN]  
*janae* Holzschuh, 2009: 286 A: IN  
*[martini martini* Lepesme & Breuning, 1958: 178 - Djibouti]  
*martini hajekae* Villiers, 1968: 847 A: AE SA YE  
*mauritanicus* Buquet, 1840: 395 ["295"] (*Hammaticherus*) N: AG LB MO TU  
*nerii* Erichson, 1841: 188 (*Hammaticherus*)  
*pakistanus* Holzschuh, 1974a: 81 A: PA  
*thesigeri* Villiers, 1968: 848 A: SA  
*vastus* Holzschuh, 1993b: 118 A: SA YE  
*volvulus* Fabricius, 1802: 271 (*Cerambyx*) A: FUJ GUA HAI HP NP ZHE "India" ORR #366  
*demissus* Pascoe, 1859: 21 (*Cerambyx*)  
*strigicollis* Dalman, 1817b: 158 (*Cerambyx*)

**genus** *Dialeges* Pascoe, 1856: 46 type species *Dialeges pauper* Pascoe, 1856  
*pauper* Pascoe, 1856: 47 A: AP NP PA SD UP YUN AFR ORR #280 #369  
*tenuicornis* Pascoe, 1869a: 522  
*undulatus* Gahan, 1891a: 23 A: GUA HAI TAI YUN ORR #400

**genus** *Diorthis* Gahan, 1891a: 27 type species *Hammaticherus simplex* White, 1853 (= *Cerambyx cinereus* Fabricius, 1793)  
*cinereus* Fabricius, 1793: 265 (*Cerambyx*) [NP] A: AE AF IN NP PA UP YE AFR ORR #127  
*holosericeus* Olivier, 1795: 14 (*Cerambyx*)  
*inclemens* J. Thomson, 1865: 576 (*Pachydissus*)  
*simplex* White, 1853a: 130 (*Hammaticherus*) [W. Africa]  
*sordidus* Pascoe, 1888: 491 (*Neocerambyx*)  
*vernicosus* Pascoe, 1859: 19 (*Cerambyx*)  
*intricarius* Holzschuh, 1984a: 145 A: KA PA #274  
*pellitulus* Holzschuh, 1984a: 144 A: NP

**genus *Dissopachys* Reitter, 1886: 68** type species *Dissopachys pulvinatus* Reitter, 1886  
*pulvinatus* Reitter, 1886: 68 A: AB IN TM

**genus *Dymasius* J. Thomson, 1864: 234** type species *Dymasius strigosus* J. Thomson, 1864 (= *Cerambyx macilentus* Pascoe, 1859)  
#400 #617  
*angustatus* Pic, 1925b: 16 (*Derolus*) A: HAI **ORR** #349  
*aureofulvescens* Gressitt & Rondon, 1970: 80 A: JIX YUN **ORR** #400  
*duplus* Holzschuh, 2017b: 9 A: YUN  
*gracilicornis* Gressitt, 1951a: 147 (*Zegriades*) A: FUJ YUN **ORR**  
*hirayamai* Matsushita, 1941: 153 A: JA (Ryukyus) TAI #618 #684  
*kisanus* Matsushita, 1935: 540 A: TAI #618#684  
*minutus* Gressitt, 1935f: 379 (*Cerambyx*)  
*miser* Holzschuh, 2005: 14 A: SHA  
*paiwan* Niisato & Chou, 2022: 162 A: TAI  
*querceus* Holzschuh, 2015a: 44 A: SCH  
*simplex* Gressitt & Rondon, 1970: 81 A: YUN **ORR** #623  
*subvestitus* Holzschuh, 1984a: 146 A: NP UP

**genus *Gibbocerambyx* Pic, 1923e: 12** type species *Gibbocerambyx aureovittatus* Pic, 1923  
*aureovittatus* Pic, 1923e: 12 A: XIZ YUN **ORR** #176  
*aurovirgatus* Gressitt, 1939b: 96 (*Zegriades*) A: ANH GUX HEN HUB HUN SCH ZHE  
*dulcis* Holzschuh, 2019b: 89 A: GUX  
*fulvescens* Gahan, 1894a: 11 (*Dymasius*) A: YUN **ORR** #623  
*maculicollis* Matsushita, 1933b: 248 (*Zegriades*) A: TAI  
*unitarius* Holzschuh, 2003a: 173 A: SHA

**genus *Hemadius* Fairmaire, 1889a: 57** type species *Hemadius oenochrous* Fairmaire, 1889  
*oenochrous* Fairmaire, 1889a: 57 A: ANH FUJ GUX HUB HUN JIX SCH TAI XIZ YUN ZHE **ORR**  
*mushaensis* Kano, 1928: 224 (*Neocerambyx*)  
*stoetzneri* Heller, 1923b: 72 (*Neocerambyx*)

**genus *Hoplocerambyx* J. Thomson, 1864: 229** type species *Hammaticherus spinicornis* Newman, 1842  
*spinicornis* Newman, 1842a: 245 (*Hammaticherus*) A: AF AP BT HP NP PA SD UP **ORR** #280 #280 #366 #400  
*minor* Pic, 1923e: 8 (*Haplocerambyx*)  
*morosus* Pascoe, 1857b: 92 (*Cerambyx*)  
*relictus* Pascoe, 1866d: 528

**genus *Lachnopterus* J. Thomson, 1864: 231** type species *Hammaticherus auripennis* Newman, 1842  
*auripennis* Newman, 1842a: 245 (*Hammaticherus*) A: TAI(Lanyu Is.) **ORR**  
*socius* Gahan, 1891a: 24 (*Hammaticherus*) A: TAI (Lanyu Is.) **ORR**

**genus *Lamellocerambyx* Pic, 1923e: 8** type species *Lamellocerambyx laosensis* Pic, 1923e  
*laosensis* Pic, 1923e: 8 A: YUN **ORR** #277

**genus *Margites* Gahan, 1891a: 26** type species *Cerambyx egenus* Pascoe, 1858  
**subgenus *Margites* Gahan, 1891a: 26** type species *Cerambyx egenus* Pascoe, 1858 #619  
*auratonotatus* Pic, 1923e: 7 A: FUJ GUA GUI HEN HUB HUN JIA JIX SCH  
~~*decepiens* Holzschuh, 1989e: 393 A: BT~~  
*egenus* Pascoe, 1858: 236 (*Cerambyx*) A: GUA NO SCH  
*fulvidus* Pascoe, 1858: 236 (*Pachydissus*) A: FUJ GUA GUI HEN HUB HUN JA JIX NC SC SCH SHA TAI YUN  
*coreanus* K. Saito, 1932: 440 (*Ceresium*)  
*fuscatus* Holzschuh, 2020: 59 A: SHA  
*lajoyei* Pic, 1926f: 76 A: YUN **ORR**  
*luteopubens* Pic, 1926a: 23 A: SHA YUN **ORR** #400  
*modicus* Gahan, 1906a: 138 A: NP UP **ORR**

**genus *Massicus* Pascoe, 1867a: 319** [RN] type species *Cerambyx pascoei* J. Thomson, 1857b #458 #536  
*Conothorax* J. Thomson, 1864: 230 [HN] type species *Cerambyx pascoei* J. Thomson, 1857b  
*Falsomassicus* Pic, 1946a: 7 type species *Falsomassicus theresae* Pic, 1946  
*pascoei* J. Thomson, 1857b: 122 (*Cerambyx*) A: YUN **ORR** #437  
*taiwanus* Makihara & Niisato, 2014: 24 A: TAI  
*trilineatus* Pic, 1933a: 12 (*Dymasius*) A: AP FUJ GUI GUX HAI JIX TAI YUN **ORR** #400  
*fasciatus* Matsushita, 1933b: 243 (*Mallambyx*) #285  
*venustus* Pascoe, 1859: 19 (*Cerambyx*) A: GUI HAI **ORR**  
*cicatricosus* Gardner, 1926: 198 (*Hoplocerambyx*) #286



**genus *Nadezhdiella* Plavilstshikov, 1931a: 71** type species *Hammaticherus cantori*, Hope, 1845 (= *Hammaticherus cantori*, Hope, 1842) *cantori* Hope, 1842a: 61 (*Hammaticherus*) A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE

**ORR**

*lucasi* Brongniart, 1892: 238 (*Cerambyx*)

*scabricollis* Chevrolat, 1852: 416 (*Hammaticherus*)

*fulvopubens* Pic, 1933b: 27 (*Plocaederus*) A: CHQ FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX LIA SCH SHA YUN ZHE

**ORR**

**#400**

*aurea* Gressitt, 1937a: 91

*conica* Chiang, 1942: 254

*japonica* Hayashi, 1972: 27 A: JA (Ryukyus)

**genus *Neocerambyx* J. Thomson, 1861: 194** type species *Cerambyx paris* Wiedemann, 1821 **#458 #536 #635**

*Mallambyx* Bates, 1873: 152 type species *Mallambyx japonicus* Bates, 1873 (= *Neocerambyx raddei* Blessig, 1872)

*Mesoocerambyx* Hitzinger, 1943:

*atratus* Holzschuh, 2018a: 87 (*Massicus*) A: SD

*dierli* Heyrovský, 1976: 181 (*Massicus*) A: NP

*elenae* Lazarev, 2019e: 1195 A: HAI

*gracilipes* Jacquot, 2020: 22 A: XIZ

*katarinae guangxiensis* Zhu L., Yafei L. & Li Ch. 2020: 582 A: GUX

**#623 #765**

*katarinae katarinae* Holzschuh, 2009a: 285 A: GUX **ORR**

**#623 #765**

*paris* Wiedemann, 1821: 167 (*Cerambyx*) A: NP "North India" **YUN ORR**

*raddei* Blessig, 1872: 170 A: ANH FE FUJ GUI HEB HEI HUB HUN JA JIA JIX JIL LIA NC SC SCH SHA SHN SHX YUN ZHE

**ORR**

*japonicus* Bates, 1873: 152 (*Mallambyx*)

*rugicollis* Gressitt, 1948a: 48 A: FUJ GUA GUI HAI HKG HUB HUN JIX SCH YUN

**#400 #525 #594**

*theresae* Pic, 1946a: 7 (*Falsomassicus*) A: CH

**genus *Neoplocaederus* Sama, 1991: 123** [RN] type species *Plocaederus cyanipennis* J. Thomson, 1861

*Plocaederus* J. Thomson, 1861: 197 [HN] type species *Plocaederus cyanipennis* J. Thomson, 1861

*Plocaederus* Gemminger, 1872: 2799 [HN]

*bicolor* Gressitt, 1942a: 1 (*Plocaederus*) A: GUI HAI HEB HUB HUN JIX SHA TAI XIZ YUN

**#225**

*caroli* Leprieur, 1876: viii (*Plocaederus*) N: AG LB MO TU AFR

*jaffeuxi* Vuillet, 1911b: 217 (*Plocaederus*)

*danilevskiyi* Lazarev, 2009a: 73: A: UZ (Termez)

*denticornis* Fabricius, 1802: 271 (*Cerambyx*) A: OM SA YE

*atlanticus* Rungs, 1952: 146 (*Plocaederus*)

*cribrithorax* Kolbe, 1897: 297 (*Plocaederus*)

~~*serraticornis* Bertoloni, 1855: 440 (*Hammaticherus*)~~

*elongatulus* Holzschuh, 1993: 113 (*Plocaederus*) A: SA

*laszlokotani* Kotán & Sama, 2011 A: SY

*luristanicus* Holzschuh, 1977a: 127 (*Plocaederus*) A: IN

*lymphaticus* Lameere, 1890: ccx (*Plocaederus*) A: UP

*obesus* Gahan, 1890a: 51 (*Plocaederus*) A: AP BT GUA GUI GUX HAI HKG HP JIX PA SD UP YUN **ORR**

**#60**

**#366**

*pedestris* Cotes, 1889: 91 (*Plocaederus*) [HN]

*pedestris* White, 1853a: 127 (*Hammaticherus*) A: HP KA "Northern India" **ORR**

**#274**

**#366**

*humeralis* White, 1853a: 127

*ruficornis* Newman, 1842a: 245 (*Hammaticherus*) A: NP YUN **ORR**

*scapularis* Fischer von Waldheim, 1821: 15 (*Cerambyx*) A: AF IN KI KZ TD TM UZ XIN

*tataricus* Gebler, 1841a: 375 (*Hammaticherus*)

*spinicornis* Fabricius, 1781: 224 (*Lamia*) A: OM SA YE **AFR**

*denticornis* Olivier, 1795: 60 (*Cerambyx*)

*pubipennis* White, 1853a: 126 (*Hammaticherus*)

**genus *Pachydissus* Newman, 1838b: 494** type species *Pachydissus sericus* Newman, 1838

*argentatus* Pic, 1923b: 8 A: XIZ

*murzini* Miroshnikov, 2018c: 212 A: YUN

*parvicollis* Gahan, 1891a: 29 A: HP NP "North India"

**#366**

*schmutzenhoferi* Holzschuh, 1990: 185 A: BT SD

*thibetanus* Pic, 1946d 108 A: XIZ

**genus *Plavichydissus* Pic, 1946b: 107** type species: *Pachydissus semiplicatus* Pic, 1926

**#277**

*decipiens* Holzschuh, 1989c: 393 (*Margites*) A: BT

**genus *Pseudaolesthes* Plavilstshikov, 1931a: 73** type species *Neocerambyx chrysothrix* Bates, 1873

**#207**

*Niphocerambyx* Matsushita, 1933b: 244 type species *Neocerambyx chrysothrix* Bates, 1873

*chrysothrix chrysothrix* Bates, 1873: 152 (*Neocerambyx*) A: GUI HEB HEN HUB JA SC SHA SHG SHN YUN ZHE

**#400**

*batesi* Harold, 1875: 295 (*Neocerambyx*)  
*chrysothrix fukidai* Fujita, 2018: 26 A: JA (Ryukyus)  
*chrysothrix kurosawai* Gressitt, 1965: 62 A: JA (Ryukyus)  
*chrysothrix nakamurai* Kusama & Takakuwa, 1984: 9 (*Aeolesthes*) A: JA (Ryukyus)  
*chrysothrix taiwanensis* Hayashi, 1974a: 16 A: TAI #276  
*chrysothrix tibetana* Gressitt, 1942a: 2 A: GUI GUX HAI XIZ YUN  
*chrysothrix yonaguniensis* K. Ohbayashi & N. Ohbayashi, 1965: 1 A: JA (Ryukyus)  
*mutabiliaurea* Chiang, 1951: 21 A: GUI GUX

**genus *Pseudopachydissus* Pic, 1933: 11** type species *Pseudopachydissus rufofemoralis* Pic, 1933 [Tonkin] #68  
*rufofemoralis* Pic, 1933a: 11 A: GUX **ORR** #68  
*taiwanensis* Hayashi, 1992: 138 (*Neocerambyx*) A: TAI #68

**genus *Rhytidodera* White, 1853a: 132** type species *Rhytidodera bowringii* White, 1853  
*bowringii* White, 1853a: 133 A: ANH AP FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP SCH SD YUN ZHE **ORR**  
#280  
*consona* Holzschuh, 1995: 18 A: AP NP SD #280  
*griseofasciata* Pic, 1912j: 16 A: AP HEN HUB SHA YUN **ORR** #166 #400  
*integra* Kolbe, 1886: 237 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN SC (Seoul) SCH TAI (Jinmen Is.) YUN **ORR** #400  
*nebulosa* Brongniart, 1892: 240 (*Zatrephus*) [DA]  
*simulans* White, 1853a: 132 (*Hammaticherus*) A: NP **ORR**

**genus *Sinopachys* Sama, 1999b: 48** type species *Neocerambyx mandarinus* Gressitt, 1939  
*mandarinus* Gressitt, 1939c: 209 (*Neocerambyx*) A: HEN HUB HUN SCH SHA SHX

**genus *Taurotagus* Lacordaire, 1868: 249** type species *Taurotagus klugi* Lacordaire, 1868  
*Lacordairesius* Travassos Santos-Dias, 1960: 237 type species *Taurotragus klugi* Lacordaire, 1969  
*griseus* Guérin-Méneville, 1844: 227 (*Cerambyx*) N: EG A: YE  
*auberti* Fairmaire, 1892a: 118 [DA]  
*greenfieldi* Gahan, 1894c: 408

**genus *Trachylophus* Gahan, 1888b: 59** type species *Trachylophus sinensis* Gahan, 1888  
*acutulus* Holzschuh, 2009: 290 A: GUX **ORR** #818  
*chiangi* Lu Y., Li Zh. & Chen L. 2019: 584 A: GUX HUN  
*sinensis* Gahan, 1888b: 60 A: FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH TAI ZHE **ORR**  
*piyananensis* Kano, 1933a: 261  
*tianmuensis* Lu Y., Li Zh. & Chen L. 2019: 584 A: ZHE

**genus *Trirachys* Hope, 1842: 61** type species *Trirachys orientalis* Hope, 1843 #207  
**subgenus *Trirachys* Hope, 1842: 61** type species *Trirachys orientalis* Hope, 1843 #207  
*Trirhachis* Agassiz, 1846: 378 [unjustified emendation]  
*Trirrhachys* Gemminger, 1872: 2801 [unjustified emendation]  
*holosericeus* Fabricius, 1787: 135 (*Cerambyx*) A: AP FUJ GUA GUX HAI HEN HKG HP KA PA SCH SD SHA TAI UP YUN **ORR**  
#127 #280  
*similis* Gahan, 1890a: 52 (*Pachydissus*)  
*velutina* J. Thomson, 1865: 576 (*Pachydissus*)  
*indicolus* Bates, 1891a: 21 (*Neocerambyx*) A: AF HP NP SD  
*indutus* Newman, 1842a: 245 (*Hammaticherus*) A: ANH FUJ GUA GUI GUX HAI HKG JIX TAI ZHE **ORR**  
*inexpectatus* Holzschuh, 1982b: 148 A: UP  
*orientalis* Hope, 1843: 64 A: ANH FUJ HEB HEN HUB JA JIA JIX SCH SHA SHN SHX TAI ZHE **ORR**  
*formosanus* Schwarzer, 1925a: 21  
*sartus* Solsky, 1871b: 150 (*Pachydissus*) A: AF AP HP IN KA KI KZ PA TD TM UZ XIZ #366 #370  
*sinensis* Gahan, 1890c: 255 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX KZ PA SCH SHA TAI YUN "West Himalaya"  
**ORR**

**subgenus *Parolesthes* Vitali, Gouverneur & Chemin, 2017: 58** type species: *Aeolesthes laosensis* Gressitt & Rondon, 1970 #765  
*laosensis* Gressitt & Rondon, 1970: 64 (*Aeolesthes*) A: YUN **ORR**

**genus *Xenoderolus* Sama, 2007b: 98** type species *Microderolus arabicus* Villiers, 1968  
*arabicus* Villiers, 1968: 848 (*Microderolus*) A: OM SA YE #291

**genus *Xenopachys* Sama, 1999b: 46** type species *Dissopachys matthiesseni* Reitter, 1907  
*matthiesseni* Reitter, 1907b: 218 (*Dissopachys*) A: AF IN TD TM #345  
*?schurmanni* Sama, 1999b: 46 A: AF

**genus *Xoanodera* Pascoe, 1857b: 92** type species *Xoanodera trigona* Pascoe, 1857  
*Falsoleanodera* Pic, 1923e: 8 type species *Falsoleanodera maculata* Pic, 1923e #58

*alia* Holzschuh, 2003: 174 A: YUN **ORR** #508 #523  
*maculata* Pic, 1923e: 8 (*Falsolexanodera*) A: FUJ GUX HAI HUN SCH TAI YUN **ORR** #58 #60  
*maculata* Schwarzer, 1925a: 21 [HN]  
*regularis* Gahan, 1890a: 52 A: NP YUN "North India" **ORR** #400

genus *Zatrephus* Pascoe, 1857b: 94 type species *Zatrephus pannosus* Pascoe, 1857  
*longicornis* Pic, 1930a: 15 A: GUA **ORR**

#### tribe Certallini Fairmaire, 1864

genus *Certallum* Dejean, 1821: 111 type species *Saperda ruficollis* Fabricius, 1781 (= *Cerambyx ebulinus* Linnaeus, 1767)  
*Cartallum* Audinet-Serville, 1834b: 94 [unjustified emendation]  
*ebulinum* Linnaeus, 1767: 637 (*Cerambyx*) E: AL BU FR GR **IT** MA MC PT SP ST TR UK N: AG EG LB MO TU A: AB AR CY GG  
 IN IQ IS JO LE SY TR #11 #64  
*monspeliense* Gmelin, 1790: 1842 (*Cerambyx*)  
*nigricolle* Pic, 1891b: 17 (*Cartallum*)  
*ruficolle* Fabricius, 1781: 236 (*Callidium*)  
*tricolor* Chevrolat, 1882: 57 (*Obrium*)  
*martini* Sama, 1990: 287 N: AG MO TU #483  
*nigricorne* Holzschuh, 1991a: 10 (*Cartallum*)  
*thoracicum thoracicum* Sharp, 1880: 247 (*Cartallum*) A: ~~IN~~ IQ IS JO LE SY TR #774 #791  
*diversipes* Pic, 1928c: 9 (*Cartallum*) [Aleppo]  
*thoracicum laevicolle* Pic, 1895c: 76 (*Cartallum*) A: ?IN ?IQ TR #791

#### tribe Cleomenini Lacordaire, 1868

genus *Artimpaza* J. Thomson, 1864: 160 type species *Artimpaza odontoceroideus* J. Thomson, 1864  
*Cleomenida* Schwarzer, 1925a: 29 type species *Cleomenida setigera* Schwarzer, 1925  
*Falsodebilia* Pic, 1918a: 9 type species *Falsodebilia metallica* Pic, 1918  
*Mimistena* Pascoe, 1866d: 513 type species *Mimistena femorata* Pascoe, 1866  
*argenteonotata* Pic, 1922c: 10 A: GUA GUX YUN **ORR**  
*brevilineata* Tian & L. Chen, 2012: 43 A: YUN  
*curtelineata* Pic, 1922b: 23 (*Falsodebilia*) A: GUX YUN **ORR**  
*dehra* Gardner, 1939: 13 A: NP UP  
*lineata* Pic, 1927a: 24 (*Falsodebilia*) A: GUX YUN **ORR**  
*metallica* Pic, 1918a: 10 (*Falsodebilia*) A: YUN **ORR**  
*mimetica* Holzschuh, 1989b: 385: A: YUN **ORR**  
*obscura* Gardner, 1926: 207 A: NP SD "India"  
*patruelis* Holzschuh, 1989b: 383 A: YUN **ORR**  
*pulchella* Gressitt, 1935c: 187 (*Cleomenida*) A: TAI  
*pulchra* Gressitt & Rondon, 1970: 292 A: HAI **ORR**  
*punctigera* Holzschuh, 1982a: 72 A: NP **ORR**  
*sausai* Holzschuh, 1995: 31 A: YUN  
*setigera japonica* Pic, 1928a: 27 (*Falsodebilia*) A: JA  
*nipponica* Hayashi, 1956d: 40  
*setigera setigera* Schwarzer, 1925a: 29 (*Cleomenida*) A: TAI  
*ruficollis* Matsushita, 1933a: 107 (*Mimistena*)

genus *Camelocerambyx* Pic, 1922: 32 type species *Camelocerambyx singularis* Pic, 1922  
*singularis* Pic, 1922e: 32 A: YUN **ORR** #310

genus *Cleomenes* J. Thomson, 1864: 161 type species *Cleomenes diamphoroides* J. Thomson, 1864  
*apicalis* Holzschuh, 1977b: 340 A: BT NP ?XIZ #60  
*atricornis* Holzschuh, 1995: 33 A: BT  
*auricollis* Kano, 1933a: 277 A: TAI  
*diversevittatus* Fuchs, 1961: 21 A: YUN  
*giganteus* Holzschuh, 1995: 34 A: **SCH** YUN #496  
*hainanensis* Viktora, 2019a: 112 A: HAI  
*longipennis longipennis* Gressitt, 1951a: 313 A: **GAN** HUB SCH SHA TAI YUN #60 #496  
*longipennis trilineatus* Holzschuh, 2006a: 264 A: YUN #60  
*modicatus bukejsi* Barsevska & Barsevskis, 2020: 66 A: GUA  
*modicatus modicatus* Holzschuh, 1995: 33 A: YUN  
*multiplagatus* Pu, 1992b: 599 A: YUN  
*nigricollis* Fairmaire, 1895: 148 A: GUX YUN **ORR**  
*ornatus* Holzschuh, 1981: 102 A: NP SD YUN  
*rufofemoratus* Pic, 1914d: 17 A: FUJ YUN  
*semargentens* Gressitt, 1945a: 127 A: **SCH** **SHA** #496  
*semilineatus* Pic, 1957: 77 A: FUJ

*takiguchii* K. Ohbayashi, 1936a: 14 A: JA SC (Jeobdo Is.)  
*tenuipes constans* Holzschuh, 2019c: 85 A: GUX  
*tenuipes tenuipes* Gressitt, 1939b: 106 A: ?GUX HUB TAI YUN ZHE **ORR**  
*trinitatithorax* Mitono, 1944: 249 A: HAI

**genus *Dere* White, 1855: 248** type species *Dere thoracica* White, 1855  
[*affinis affinis* Gahan, 1906a: 316 - Northern India]

*affinis macilenta* Gressitt, 1940b: 87 A: GUA HAI HKG SCH **ORR**

*femoralis* Holzschuh, 1998: 41 A: YUN

*grahami* Gardner, 1942: 70 A: NP UP

*holonigra* Holzschuh, 2021a: 102 A: YUN

*khatrii* Holzschuh, 1984c: 367 A: NP SD

*kirai* Mitono, 1943: 588 A: TAI

*nigripennis* Holzschuh, 2015d: 59 A: SHA

*opacula* Holzschuh, 1984a: 151 A: NP

*punctifrons* Holzschuh, 1991b: 63 A: YUN **ORR**

*reticulata* Gressitt, 1942a: 4 A: BEI HEN HUB SCH SHA XIZ YUN ZHE **ORR**

#60

*rufeola* Holzschuh, 1998: 40 A: HUN

*subtilis* Holzschuh, 1991b: 63 A: YUN

*thoracica* White, 1855: 249 A: FUJ GUA GUI HEB HEN HUN JA JIA JIX HUB NC SC SCH SHN YUN ZHE **NAR ORR** #700

**genus *Diplothorax* Gressitt & Rondon, 1970: 312** type species *Diplothorax paradoxus* Gressitt & Rondon, 1970

*brevis* Niisato, 2008b: 283 A: HUB

*fasciatus* Holzschuh, 1982a: 74 A: NP UP

*ishihamai* Niisato, 1998a: 208 A: YUN

*kaiyuni* Niisato & Chou, 2014: 159 A: TAI

*lucens* Holzschuh, 1995: 28 A: SCH

*punctator* Holzschuh, 2003a: 189 A: SHA

*sangayi* Holzschuh, 1989c: 394 A: BT CH **ORR**

**genus *Dymorphocosmisoma* Pic, 1918e: 6** type species *Dymorphocosmisoma diversicorne* Pic, 1918

#400

*diversicorne* Pic, 1918e: 6 A: YUN

**genus *Kurarua* Gressitt, 1936: 92** type species *Kurarua constrictipennis* Gressitt, 1936

*Cleomenella* Fisher, 1940: 203 type species *Cleomenella singhi* Fisher, 1940

*Sikimpaza* Heyrovský, 1961b: 140 type species *Sikimpaza pedongensis* Heyrovský, 1961

*angustissima* Pic, 1903e: 105 (*Debilina*) A: SCH YUN

*bicolorata* Gressitt & Rondon, 1970: 303 A: YUN **ORR**

*brevipes* Holzschuh, 1984: 152 A: NP SD

*constrictipennis* Gressitt, 1936: 93 A: GUX TAI

*nacerdooides* Pesarini & Sabbadini, 1997: 113 A: YUN

*nigrescens* Holzschuh, 1999: 31 A: YUN **ORR**

*pedongensis* Heyrovský, 1961b: 140 (*Sikimpaza*) A: SD

*rhopalophoroides chujoji* Makihara, 1982b: 129 A: JA (Ryukyus) TAI

#732

*rhopalophoroides rhopalophoroides* Hayashi, 1951b: 78 A: JA

#732

*ruficeps* Holzschuh, 1991a: 25 A: YUN **ORR**

#400

**genus *Nida* Pascoe, 1867a: 312** type species *Nida flavovittata* Pascoe, 1867

*championi* Gardner, 1926: 208 A: NP SD UP

*flavovittata* Pascoe, 1867a: 312 A: GUX YUN **ORR**

*vittidorsa* Pic, 1904c: 10 (*Ceresium*)

*kala* Gardner, 1936: 136 A: UP

**genus *Paramimistena* Fisher, 1940: 204** type species *Paramimistena polyalthiae* Fisher, 1940

*assimilata* Holzschuh, 1999: 38 A: SD

*enterolobii* Gressitt & Rondon, 1970: 308 A: ?SHA **ORR**

*gracilicornis* Holzschuh, 1999: 38 A: NP

*polyalthiae* Fisher, 1940: 205 A: SD

*subglabra* Gressitt & Rondon, 1970: 306 A: SD YUN **ORR**

**genus *Procleomenes* Gressitt & Rondon, 1970: 309** type species *Procleomenes elongatithorax* Gressitt & Rondon, 1970

*jianfenglingensis* Hua, 1986b: 204 A: ?FUJ HAI ?HKG

#400

*medinai* Barševskis, 2022: 396 A: GUX

*mioleucus* Holzschuh, 1998: 39 A: YUN

*robustus* Niisato, 1981b: 71 A: TAI

- tribe Clytellini Miroshnikov, 2014c #640**
- genus *Clytellus* Westwood, 1854: 240** type species *Clytellus methocoides* Westwood, 1854  
*akiyamai* Niisato, 2015b: 495 A: TAI  
*methocoides* Westwood, 1854: 240 A: GUA GUX HKG JIX **ORR** #60 #99 #400
- tribe Clytini Mulsant, 1839 #778**  
 = *Chlorophorini* Zamoroka, 2021 #760
- genus *Abacoclytus* Pesarini & Sabbadini, 1997: 110** type species *Abacoclytus felicisrosettae* Pesarini & Sabbadini, 1997  
*felicisrosettae* Pesarini & Sabbadini, 1997: 111 A: SCH  
*ventripennis* Pic, 1908h: 61 (*Clytus*) A: SCH YUN
- genus *Amamiclytus* K. Ohbayashi, 1964: 21** type species *Amamiclytus nobuoi* K. Ohbayashi, 1964 #230  
*hirtipes* Matsushita, 1940: 52 (*Rhaphuma*) A: TAI  
*juni* Niisato & Han, 2011: 40 A: TAI  
*limaticollis* Gressitt, 1939b: 101 (*Rhaphuma*) A: ZHE #37  
*nobuoi akusekianus* Niisato, 2005: 383 A: JA (Tokara Isls.)  
*nobuoi nobuoi* K. Ohbayashi, 1964: 21 A: JA (Ryukyus)  
*nubilus* Niisato & Han, 2011: 37 A: TAI  
*setiger* Niisato & Han, 2011: 35 A: TAI  
*subnitidus* Holzschuh, 1984c: 357 A: TAI  
*wenshuani* Niisato & Han, 2013: 165 A: YUN  
*wuxingensis* Sh. Yang & Wang, 2019: 58 A: GUI  
*yulongi* Nii sato & Han, 2011: 43 A: TAI
- genus *Brachyclytus* Kraatz, 1879c: 107** type species *Brachyclytus singularis* Kraatz, 1879  
*monticallius jezoensis* Fujita, 2023: 22 A: JA (Hokkaido)  
*monticallius monticallius* Komiya, 1980: 33 (*Cyrtoclytus*) A: GUX JA **SC** #731  
*monticallius sangkyuni* Fujita, 2023: 22 A: SC  
*singularis* Kraatz, 1879c: 107 A: FE HEN JA NC SC SHG  
*fukukii* Seki, 1935: 224
- genus *Calloides* LeConte, 1873b: 319** type species *Clytus nobilis* Harris, 1837  
*bicolor* Pu, 1991b: 248, 252 A: GUI GUX SCH  
*magnificus* Pic, 1916g: 181 (*Clytus*) A: **GAN** HEB SCH SHA SHN SHX #400 #496  
*yunnanensis* J.-X. Zhang & Chen, 2006: 47 A: YUN
- genus *Chaetopsilomerus* Niisato et Han, 2017: 202** type species *Chaetopsilomerus hainanensis* Niisato et Han, 2017  
*hainanensis* Niisato et Han, 2017: 202 A: HAI
- genus *Chlorophorus* Chevrolat, 1863: 290** type species *Callidium annulare* Fabricius, 1787 #517 #653  
**subgenus *Basispilus* Özdikmen, 2022: 632** type species *Clytanthus semiformosus* Pic, 1908  
*semiformosus* Pic, 1908f: 14 (*Clytanthus*) A: YUN  
**subgenus *Bicoloroimmaculatus* Özdikmen, 2022: 633** type species *Chlorophorus aurivillianus* Plavilstshikov, 1921b  
*touzalini* Pic, 1920b: 198 A: YUN  
**subgenus *Chlorophoroides* Özdikmen, 2022: 637** type species *Leptura varia* O. F. Müller, 1766  
*aritai* K. Ohbayashi, 1964: 22 (*Rhaphuma*) A: JA (Ryukyus)  
*boninensis boninensis* Kano, 1933b: 135 A: JA (Ogasawara Isls.) #732  
*boninensis karubei* Fujita, 2023: 22 A: JA (Ogasawara Isls.: Chichi-jima Is., Ani-ima Is., Otôto-jima Is., Minami-jima Is.)  
*boninensis kusamai* Satô, 1999: 47 A: JA (Ogasawara Isls.) #732  
*caragana* Xie & W.-K. Wang, 2012: 55 A: **MN** NIN NMO #60 #614  
*doeui* Chevrolat, 1863: 294 (*Anthoboscus*) A: FUJ GUA GUI GUX HAI HUN NP SCH SHA XIZ YUN **ORR** #225  
*aei* Hayashi, 1979: 90  
*brevejunctus* Pic, 1943a: 1  
*laharae* Gardner, 1942: 72  
*reductus* Pic, 1922c: 13  
*vageapicatus* Pesarini & Sabbadini, 2015: 48  
*flavopubescens* Hayashi, 1968c: 14 A: JA (Ryukyus)  
*graphus* Holzschuh, 1998: 47 A: TAI  
*?hauseri* Pic, 1931r: 258 A: YUN  
*henriettae* Holzschuh, 1984c: 358 A: NP SD  
*japonicus* Chevrolat, 1863: 298 (*Anthoboscus*) A: FE (Sakhalin, Kunashir) GUA GUI GUX HEB HUB JA JIA JIX SC SCH SHN SHX  
**ZHE ORR**  
*griseobimaculatus* Pic, 1924a: 16 (*Clytanthus*)  
*latepubens* Pic, 1924a: 15 (*Clytanthus*)



*multipunctus* Pic, 1943a: 1 (*Clorophorus* - misprint, not available name)  
*quelpaerti* Pic, 1943a: 1 (*Clorophorus* - misprint, not available name)  
*rufotinctus* Pic, 1924a: 16 (*Clytanthus*)  
*kanekoi* Matsushita, 1941: 134 A: TAI  
*kobayashii kagaorum* Fujita, 2023: 23 A: JA (Ogasawara Isls.: Chichi-jima Is., Anijima Is., Otôto-jima Is., Higashi-jima Is.)  
*kobayashii kobayashii* Komiya, 1976: 31 A: JA (Ogasawara Isls.) #732  
*kobayashii masataakai* Niisato & Karube, 2006: 222 A: JA (Ogasawara Isls.) #732  
*miwai* Gressitt, 1936: 100 A: ANH FUJ GUA GUI GUX HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE #400 #525  
*shirozui* Hayashi, 1965: 110  
*takakuwai* Niisato & Chou, 2017: 316 #364  
*quinquefasciatus hanatanii* Fujita, 2023: 23 A: JA (Miyako Isls., Yaeyama Isls.)  
*quinquefasciatus matsumurai* Fujita, 2023: 23 A: JA (Amami Isls., Okinawa Isls., Daito Isls.)  
*quinquefasciatus quinquefasciatus* Laporte & Gory, 1841: 101 (*Clytus*) A: GUA GUX HAI JA SC TAI #400  
*rufimembris* Gressitt & Rondon, 1970: 221, 223 A: YUN ORR #39  
*yayeyamensis boninonantes* Fujita, 2023: 22 A: JA (Ogasawara Isls.: Chichi-jima Is.)  
*yayeyamensis yakitai* Niisato, 2005: 384 A: JA (Senkaku Isls.) #732  
*yayeyamensis yayeyamensis* Kano, 1933b: 137 A: JA #732  
*dubius* Matsushita, 1933b: 281  
**subgenus** *Chlorophorus* Chevrolat, 1863: 290 type species *Callidium annulare* Fabricius, 1787  
*?acrocarpi* Gardner, 1942: 71 A: NP SD  
*amami* Hayashi, 1968a: 24 A: JA (Ryukyus) #400  
*annularis* Fabricius, 1787: 156 (*Callidium*) E: BE GE SP A: ANH AP FUJ GUA GUI GUX HAI HEB HEN HKG HP HUB HUN JA  
JIA JIL JIX LIA NP SC SCH SD SHA TAI UP XIZ YUN ZHE NARi NTRi ORR #127 #280 #366 #390 #558  
*bidens* Weber, 1801: 90 (*Callidium*)  
*bisbiinterruptus* Pic, 1953c: 11  
*breveinterruptus* Pic, 1953c: 10 (Tonkin)  
*griseopubens* Pic, 1943b: 3  
*reducticollis* Pic, 1953c: 11  
*subnebulosus* Pic, 1953c: 11  
*annularoides* Holzschuh, 1983: 372 A: NP SD YUN ORR  
*annulatus* Hope, 1831: 28 (*Clytus*) A: FUJ GUA GUI GUX HAI HEN HUB JA JIX NP SCH SD SHA TAI YUN ZHE ORR  
*nigroannularis* Hayashi, 1981a: 9  
*nigroannulatus* Pic, 1943a: 1 #508  
*nigroannulatus* Villiers & Chûjô, 1966: 552 [HN]  
*?oppositus* Chevrolat, 1863: 303 (*Anthoboscus*) #508  
*rufonotatus* Pic, 1943a: 1 #508  
*separatus* Gressitt, 1940b: 78 #508  
*signaticollis* Laporte & Gory, 1841: 103 (*Clytus*) #508 #524  
*viticis* Gressitt & Rondon, 1970: 225 #508  
*insidiosus* Holzschuh, 1986a: 124 A: NP SD YUN  
*nepalensis* Hayashi, 1979: 89 A: NP  
*orbatus* Holzschuh, 1991d: 12 A: YUN ORR  
**subgenus** *Circularus* Özdikmen, 2022: 635 type species *Clytus sexguttatus* P. H. Lucas, 1847  
*?amoenus* Castelnau & Gory, 1841: 88 (*Clytus*) A: YE AFR #654  
*sexguttatus* P. H. Lucas, 1847: pl. 42 (*Clytus*) A: AG LB MO TU  
**subgenus** *Crassofasciatoides* Özdikmen, 2022: 643 type species *Chlorophorus inhumeralis* Pic, 1918  
*inhumeralis* Pic, 1918b: 4 A: FUJ YUN ORR  
*karausi* Viktora, 2021c: 121 A: HAI ORR  
*lingnanensis* Gressitt, 1951a: 626 A: FUJ GUA GUI HUB HUN #400  
**subgenus** *Crassofasciatus* Özdikmen, 2011a: 538 type species *Callidium trifasciatum* Fabricius, 1781 #778  
*aegyptiacus* Fabricius, 1775: 194 (*Callidium*) E: BU GR MC A: TR  
*macedonicus* Pic, 1935d: 15  
*magdalenae* Théry, 1895: cclxvi (*Clytus*)  
*nigripes* Brullé, 1832: 255 (*Clytus*)  
*rufifrons* Pic, 1917g: 5  
*convexifrons* Holzschuh, 1981: 100 E: GR (Samos) A: TR  
*cursor* Rapuzzi & Sama, 1999: 331 A: TR  
*hubenyi* Viktora, 2019: 143 A: KI (Chauvay)  
*hungaricus* Seidlitz, 1891b: 828 E: AL AU BH BU CR CZ GR HU MC MD ME RO SB SK A: TR  
*niehuisi* Adlbauer, 1992: 497 A: TR  
*oedikmeni* Sama & Rapuzzi, 2011a: 87 A: TR  
*robustior* Pic, 1900e: 11 (*Clytanthus*) A: TR  
*trifasciatus* Fabricius, 1781: 244 (*Callidium*) E: AL BH BU CR FR GR HU IT PT RO SB SL SP SZ N: AG MO TU A: IS SY TR #11  
*balearicus* Pic, 1908d: 91 (*Clytanthus*)  
~~*nigrofasciatus* Goeze, 1777: 507 (*Leptura*)~~  
~~*ornatus* Herbst, 1784: 98 (*Callidium*)~~

*perfidus* Breit, 1915: 355 [DA]  
*paradoxus* Dayrem, 1924b: 78 (*Clytanthus*)  
*portugallus* Gmelin, 1790: 1854 (*Cerambyx*)  
**subgenus** *Eucrassofasciatus* Özdikmen, 2022: 646 type species *Chlorophorus furcillatus* Holzschuh, 1989  
*furcillatus* Holzschuh, 1989a: 166 A: NP SD  
*ziczac* Holzschuh, 2017c A: UP **ORR**  
**subgenus** *Eubrevenotatus* Özdikmen, 2022: 645 type species *Clytus latofasciatus* Motschulsky, 1861 (= *Clytus motschulskyi* Ganglbauer, 1887)  
*brevenotatus* Pic, 1922c: 13 A: GUA **ORR**  
*proannulatus* Gressitt & Rondon, 1970: 220, 225 A: JAI YUN **ORR** #42 #374  
*sulcaticeps* Pic, 1924a: 16 (*Clytanthus*) A: ANH FUJ HUB JIA YUN ZHE  
**subgenus** *Humeromaculatoides* Özdikmen, 2022: 650 type species *Chlorophorus navratili* Holzschuh, 1981  
*navratili* Holzschuh, 1981: 99 A: UZ (Babatag Mt) TD (Dushanbe env.)  
**subgenus** *Humeromaculatus* Özdikmen, 2011a: 536 type species *Cerambyx figuratus* Scopoli, 1763 #778  
*Sparganophorus* Zamoroka, 2021: 208 type species *Clytus diadema* Motschulsky, 1854 #636  
*albopunctatus* Pic, 1916e: 13 (*Clytanthus*) A: YUN  
*anticemaculatus* Schwarzer, 1925a: 27 A: TAI  
*coniperda* Holzschuh, 1992b: 27 A: YUN **ORR** #802  
*diadema diadema* Motschulsky, 1854a: 48 (*Clytus*) A: ANH BEI FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX MG  
NC NMO SC SCH SHA SHN SHX YUN ZHE  
*artemisiae* Fairmaire, 1888b: 143 (*Clytus*)  
*breuningii* Heyrovský, 1938: 93  
*herzianus* Ganglbauer, 1887a: 134 (*Clytus*)  
*itoi* Matsushita, 1934a: 240  
*trijunctus* Pic, 1943a: 1 (*Chlorophorus* - misprint, not available name)  
*diadema inhirsutus* Matsushita, 1934a: 240 A: FE (Kunashir) JA  
*kurotora* Hayashi, 1961a: 26  
*minomensis* Seki & Suematsu, 1935: 203  
*dinae* Rapuzzi & Sama, 1999: 329 A: SY TR  
*diversicolor* Holzschuh, 2016b A: YUN **ORR** #802  
*dominici* Sama, 1996c: 110 A: TR  
*duo* Fairmaire, 1888a: 33 (*Clytus*) A: JIA JIX SHA #400  
*?dureli* Pic, 1950e: 507 A: BT NP "India"  
*ahatadae* Chatterjee & Misra, 1971: 91  
*pseudofiguratus* Heyrovský, 1976: 182  
*?fainanensis* Pic, 1918b: 4 A: TAI #508  
*figuratus* Scopoli, 1763: 55 (*Cerambyx*) E: AL AU BH BU BY ~~CD~~ CR CT CZ ?EN FR GE GR HU IT **KZ** LA LS LT LU MC MD ME  
NT PL PT RO SB SK SL SP ST SZ TR UK A: AB AR ?ES GG IN KZ TR ?WS #752 #803  
*conglobatus* Fügner, 1891: 201 (*Clytus*)  
*cordiger* Aragona, 1830: 26 (*Clytus*)  
*funnebris* Laicharting, 1784: 111 (*Clytus*)  
*lamda* Schrank, 1776: 67 (*Leptura*)  
*latofasciatus* Fischer von Waldheim, 1832: 439 (*Clytus*)  
*leucozonias* Gmelin, 1790: 1846 (*Cerambyx*)  
*plebejus* Fabricius, 1781: 243 (*Callidium*)  
*rusticus* O. F. Müller, 1776: 93 (*Leptura*) [HN]  
*tapaensis* Pic, 1924c: 22 (*Clytanthus*)  
*hircanus* Pic, 1905g: 114 (*Clytanthus*) A: IN  
*persicus* Breit, 1915: 355 [DA]  
*macaumensis macaumensis* Chevrolat, 1845a [1845b]: 98 (*Clytus*) A: GUA GUX HAI HKG HUB HUN SCH SHA YUN #400  
*motschulskyi* Ganglbauer, 1887a: 135 (*Clytus*) A: ES FE FUJ GAN HEB HEI HEN JIL LIA MG NC NMO SC SHA SHN SHX ZHE  
*chasanensis* Tsherepanov, 1982a: 175  
*latofasciatus* Motschulsky, 1861b: 41 (*Clytus*) [HN]  
*nivipictus* Kraatz, 1879c: 91 (*Clytus*) E: GR (Samos) A: IN SY TR  
*cinctiventris* Chevrolat, 1882: 58 (*Clytus*)  
*pseudoswatensis* Holzschuh, 1983: 373 A: PA  
*rubricollis* Laporte & Gory, 1841: 88 (*Clytus*) A: YUN **ORR**  
*andamanicus* Gahan, 1906: 265  
*strobilicola* Champion, 1919: 223 A: UP  
*tohokensis* Hayashi, 1968a: 23 A: FE JA ?NC SC  
*tsitoensis* Fairmaire, 1888b: 144 (*Clytus*) A: FUJ JIX SCH ZHE #364 #400  
*yachovi* Sama, 1996b: 97 A: IS LE  
**subgenus** *Humeromagnomaculatus* Özdikmen, 2022: 654 type species *Chlorophorus alni* Holzschuh, 1982  
*alni* Holzschuh, 1982b: 152 A: UP  
*arciferus* Chevrolat, 1863: 330 (*Amauresthes*) A: ANH BT HAI JIX NP SCH SD SHG YUN ZHE **ORR**  
*pieli* Pic, 1924a: 15 (*Clytanthus*)  
*rectefasciatus* Pic, 1937a: 14 (*Clytanthus*)  
*semisinuatus* Pic, 1949b: 54 (*Chlorophorus* - misprint, not available name) #802

*pluridisjunctus* Pic, 1949b: 54 (*Chlorophorus*) (Inde)  
*dahanshanus* Niisato & Chou, 2017: 312 A: TAI #400 #446  
*emili* Viktora, 2021c: 117 A: YUN  
*hainanicus* Gressitt, 1940b: 75 A: HAI  
*pinguis* Holzschuh, 1992b: 21 A: GUX ORR #802  
*taihorensis* Schwarzer, 1925a: 27 A: TAI  
*verus* Holzschuh, 1998: 46 A: TAI  
**subgenus** *Immaculatoides* Özdikmen, 2022: 656 type species *Leptura glabromaculata* Goeze, 1777  
*apertulus* Holzschuh, 1992b: 25 A: SCH SHA  
*fraternus* Holzschuh, 1992b: 23 A: YUN ORR #400  
*glabromaculatus glabromaculatus* Goeze, 1777: 507 (*Leptura*) E: BEi BH CR FR GEi GR IT LUi MA SL SP SZ #20  
*naevius* Gmelin, 1790: 1877 (*Leptura*)  
*quadripunctatus* Fabricius, 1793: 337 (*Callidium*)  
*rugulosus* Broun, 1880: 588 (*Clytus*)  
*sexpunctatus* Olivier, 1790: 264 (*Callidium*)  
*uniformis* Pic, 1945b: 7 [HN]  
*villosus* Geoffroy, 1785: 80 (*Leptura*)  
*glabromaculatus glaucus* Fabricius, 1781: 236 (*Callidium*) E: AZ FRi ITi (Sardegna) SP PT N: AG CI MO TU #20 #778  
*consobrinus* P. H. Lucas, 1851a: xxxi (*Clytus*)  
*griseus* Laporte & Gory, 1841: 80 (*Clytus*)  
*indus* Gmelin, 1790: 1854 (*Cerambyx*)  
*lugens* Küster, 1848b: 76 (*Clytus*)  
*nigrosignatus* Fairmaire, 1856b: 531 (*Clytus*)  
*pilosus*, auct.(not Forster, 1771)  
*quinquepunctatus* P. H. Lucas, 1848: xlviii (*Clytus*)  
*thoracicus* Rungs, 1947: 100  
*unifasciatus* Pic, 1898a: 11 (*Clytanthus*)  
*vittatus* Rungs, 1947: 99  
*webbii* Brulle, 1839: 63 (*Clytus*) #20  
*webbei* Laporte & Gory, 1841: 80 (*Clytus*) [HN]  
*ignobilis* Bates, 1878b: 721 (*Clytanthus*) A: KA PA  
*impresithorax* Pic, 1950c: 6 A: "Kashmir"  
*?kinganus* Pic, 1903e: 105 (*Clytanthus*) A: CH  
*innotatus* Pic, 1920a: 2  
*uniformis* Pic, 1920d: 16  
*montanus* Nonfried, 1894: 337 (*Clytus*) A: "Himalaya"  
*mushanus* Matsushita, 1931a: 44 A: TAI  
*probsti* Holzschuh, 1989b: 380 A: TAI  
*trivialis* Holzschuh, 2010: 189 A: CHQ SCH YUN XIZ  
*ursus* Viktora, 2020: 111 A: SCH  
*zelus* Holzschuh, 1989a: 166 A: TAI  
**subgenus** *Immaculatus* Özdikmen, 2011a: 536 type species *Chlorophorus kanoi* Hayashi, 1963 #778  
*gaudens* Holzschuh, 1992b: 26 A: SCH  
*intactus* Holzschuh, 1992b: 25 A: YUN  
*kanoi* Hayashi, 1963d: 134 A: JA #412  
*praecanus* Holzschuh, 2006b: 289 A: YUN  
*semikanoi* Hayashi, 1974a: 29 A: TAI  
*viridulus* Kano, 1933b: 136 A: TAI  
*parvus* Matsushita, 1933b: 284  
**subgenus** *Interruptus* Özdikmen, 2022: 660 type species *Clytus capensis* Laporte & Gory, 1841  
*capensis* Laporte & Gory, 1841 90 (*Clytus*) A: SA YE AFR  
*caffer* Fähræus, 1872a: 66 (*Xylotrechus*)  
**subgenus** *Octomaculatus* Özdikmen, 2022: 635 type species *Anthoboscus quatuordecimmaculatus* Chevrolat, 1863  
*quatuordecimmaculatus* Chevrolat, 1863: 295 (*Anthoboscus*) A: AF FUJ GUA GUI GUX HAI HP HUN NP PA SCH YUN ORR  
*anticeconfluens* Plavilstshikov, 1927b:107  
*guerryi* Pic, 1902i: 30 (*Clytanthus*)  
*taiwanus* Matsushita, 1933b: 285 A: FUJ GUA HUB SCH TAI YUN  
**subgenus** *Perderomaculatoides*, 2022:666 type species *Chlorophorus maculatus* Holzschuh, 2006  
*capillatus* Holzschuh, 2006b: 288 A: YUN ORR #349  
**subgenus** *Perderomaculatus* Özdikmen, 2011a: 537 type species *Cerambyx sartor* Müller, 1766 #636 #778  
*adelii* Holzschuh, 1974a: 93 A: IN  
*curvatofasciatus* Aurivillius, 1922a: 410 A: JA TAI ORR #654  
*favieri* Fairmaire, 1873: 351 (*Clytus*) N: MO  
*golestanicus* Voříšek, 2012: 2 A: IN  
*gratiosus gratiosus* Marseul, 1868: 203 (*Clytus*) A: IS LE TR #161  
*?gratiosus sparsus* Reitter, 1886: 67 (*Clytus*) E: GR A: SY TR #161  
*grosseri* Sama & Rapuzzi, 2011a: 85 A: TR  
*pelletieri* Laporte & Gory, 1841: 93 (*Clytus*) N: AG LB MO TU

*pelletieri* Laporte & Gory, 1841: 93 (*Clytus*) [wrong original spelling]  
*lepeletieri* Pic, 1891j: 145 [unjustified emendtion]  
*solutus* Dayrem, 1922a: 18 (*Clyanthus*)  
*ringenbachi* Sama, 2004: 148 N: LB  
*ruficornis* Olivier, 1790: 267 (*Callidium*) E: FR PT SP  
*feneoni* Chobaut, 1895b: cccxlvii (*Clyanthus*)  
*obscuriceps* Pic, 1917g: 5  
*sartor* O. F. Müller, 1766: 188 (*Cerambyx*) E: AL AU BH BU ?BY CR CT CZ FR GE GR HU IT KZ ?LA LU MC MD ME PL PT RO  
SB SK SL SP ST SZ TR UK A: AB AR CY ES FE GG IN IS JO KZ LE IQ SY TM TR WS #30 #64 #104 #752  
*achilleae* Brahm, 1790: 141 (*Leptura*)  
*angusticollis* Mulsant, 1851a: 123 (*Clytus*)  
*fulvicollis* Mulsant, 1862: 181 (*Clytus*)  
*griseus* Gabriel, 1910: 556 (*Clyanthus*)  
*lineola* Scopoli, 1786: 44 (*Stenocorus*)  
*massiliensis* Linnaeus, 1767: 1067 (*Leptura*)  
*mequignoni* Pic, 1945a: 13  
*ruficeps* Pic, 1917g: 5  
*rusticus* Geoffroy, 1785: 81 (*Leptura*)  
*spinosulus* Mulsant, 1862: 182 (*Clytus*)  
*swatensis* Holzschuh, 1974a: 92 A: PA  
*wewalkai* Holzschuh, 1969: 77 A: TR  
**subgenus** *Piopennus* Özdikmen, 2022: 670 type species *Clythantus angustulus* MacLeay, 1886 (Papua-New Guinea  
? *oppositus* Chevrolat, 1863: 304 (*Anthoboscus*) A: ?TAI #654  
**subgenus** *Sexnigromaculatus* Özdikmen, 2022: 673 type species *Chlorophorus annulifer* Heller, 1926  
*annulifer* Heller, 1926: 26 A: NP UP  
*eckweileri* Holzschuh, 1992b: 24 A: GAN SCH  
*shoreae* Gardner, 1941: 55 A: NP UP #26 #390  
*tredecimmaculatus* Chevrolat, 1863: 305 (*Anthoboscus*) A: FUJ GUA NO  
**subgenus** *Trivittatopennus* Özdikmen, 2022: 675 type species *Chlorophorus muscosus* Bates, 1973  
*muscosus adachii* Fujita, 2023: 24 A: JA (Danjo Isls.: O-shima Is., Me-shima Is.)  
*muscosus fukidai* Fujita, 2023: 24 A: JA (Amami Isls.: Amami-oshima Is., Kikajima Is.)  
*muscosus kogii* Fujita, 2023: 24 A: JA (Izu Isls. (Mikura-jima Is.)  
*muscosus ikedai* Fujita, 2023: 25 A: JA (Okinawa Isls.: Okinawa-honto Is., Kume-jima Is.)  
*muscosus muscosus* Bates, 1873: 198 (*Clyanthus*) A: JA SC YUN #413  
*bifasciatus* Kano, 1933b: 135  
*muscosus ohnoi* Fujita, 2023: 25 A: JA (Amami Isls.: Okinoerabu-jima Is.)  
*muscosus ohtsuboi* Fujita, 2023: 24 A: JA (Amami Isls.: Tokuno-shima Is.)  
**subgenus** *Viridiphorus* Zamoroka, 2021: 207 type species *Callidium herbstii* Brahm, 1790 #636  
*Brevenotatus* Özdikmen, 2022: 635 type species *Clytus distinguendus* Perroud, 1855 (India)  
*Pseudoimmaculatus* Özdikmen, 2022: 671 type species *Chlorophorus elaeagni* Plavilstshikov, 1956  
*ahmadi* Rapuzzi, Fekrat & Mamarabadi, 2024: 137 A: IN TM #773  
*assimilis* Hope, 1831: 28 (*Clytus*) A: BT NP  
*copiosus* Holzschuh, 1991b: 46 A: GUI YUN ORR  
*elaeagni* Plavilstshikov, 1956: 818 E: KZ ST A: AB KI KZ TD TM UZ  
*eleodes* Fairmaire, 1889a: 65 (*Clytus*) A: GUI GUX HUB SCH SHA XIN XIZ YUN  
*insignifer* Pic, 1902i: 31 (*Clyanthus*)  
*robustus* Pic, 1920d: 16  
*faldermanni* Faldermann, 1837: 269 (*Clytus*) E: ST A: AB AF AR GG IN KI KZ TD TM ?TR UZ XIN ORR #525  
*caucasicus* Pic, 1897g: 262 (*Clyanthus*)  
? *clermonti* Pic, 1921a: 13 (*Clyanthus*) - "Anatolie"  
*mesmini* Pic, 1908b: 3 (*Clyanthus*)  
*punctomaculatus* Pic, 1893a: 26 (*Clytus*)  
*quinquemaculatus* Gebler, 1845: 104 (*Clytus*)  
*furtivus* Gressitt & Rondon, 1970: 218, 231 A: XIZ ORR  
*crassipes* Pesarini & Sabbadini, 2015: 49  
*hederatus* Heller, 1926: 25 A: GUX YUN ORR  
*herbstii* Brahm, 1790: 148 (*Leptura*) E: AU BH BU BY CR CT CZ GR EN FI FR GE HU KZ LA LS LT MD NR NT PL RO SK SB SP  
ST SV SZ TR UK A: ES KZ TR WS #748  
*sulphureus* Schaum, 1862: 103 (*Clytus*) [RN]  
*verbasci* Fabricius, 1775: 194 (*Callidium*) [HN]  
*hrabovskiy* Kratochvíl, 1985b: 66 A: TM IN  
*ictericus* Holzschuh, 1991b: 45 A: YUN ORR  
*kabateki* Holzschuh, 1998: 46 A: SCH  
*minamiwo kitaiwo* Niisato & Karube, 2002b: 250 A: JA (Volcano Isls.)  
*minamiwo minamiwo* Satō & N. Ohbayashi, 1982: 50 A: JA (Volcano Isls.) #413  
*moupinensis* Fairmaire, 1888a: 33 (*Clytus*) A: GUI GUX HUB SCH YUN ZHE  
*immaculatithorax* Pic, 1933a: 12  
*obliteratus* Ganglbauer, 1889a: 70 (*Clyanthus*) A: ES MG NMO

*kaszabi* Heyrovský, 1970b: 140  
*mongolicus* Pic, 1943a: 1 (*Clorophorus* - misprint, not available name)  
*ubsanurensis* Tsherepanov, 1971: 14  
**ostentator** Viktora, 2023c: 88 A: XIZ YUN  
*salicicola* Holzschuh, 1993a: 36 A: YUN  
*simillimus* Kraatz, 1879c: 91 (*Clytus*) A: ES FE FUJ GAN GUX HEB HEI HEN HUB HUN JA JIL JIX MG NC NMO QIN SC SCH  
SHA SHN XIN YUN ZHE  
*duodecimmaculatus* Kraatz, 1879c: 91 (*Clytus*) [RN]  
*griseopubens* Pic, 1904d: 17 (*Clytanthus*)  
*joannisi* Théry, 1896: 108 (*Clytanthus*)  
*sexmaculatus* Motschulsky, 1859b: 494 (*Clytus*) [HN]  
*socius* Gahan, 1906a: 264 (*Caloclytus*) A: SD  
*tixieri* Pic, 1902i: 31 (*Clytanthus*) A: YUN ORR #743  
*varius damascenus* Chevrolat, 1854: 483 (*Clytus*) E: GR (Rodos) TR N: EG A: CY ?IN IS IQ JO LE SY TR #161 #471  
**varius macedonicus** Vartanis, 2023f: 1735 E: GR  
*varius varius* O. F. Müller, 1766: 188 (*Leptura*) E: ~~AE~~ AL AU BH BU BY CR CT CZ FR GBi GE GR HU IT KZ LS LT MA MC MD  
ME NL PL RO SB SK SL SP ST SV SZ TR UK A: AB AF AR GG KZ IN TR WS #345 #400  
*c-duplex* Scopoli, 1786: 46 (*Stenocorus*)  
*ferrugineus* Mulsant, 1839: 87 (*Clytus*)  
**fontanae Hubenthal, 1923: 141** (*Clytanthus*)  
*gammoides* Geoffroy, 1785: 81 (*Leptura*)  
*incanus* Plavilstshikov, 1924: 229  
*mixtornatus* Fleischer, 1908: 211 (*Clytanthus*)  
*mouinieri* Pic, 1950c: 6  
*nigrofasciatus* Goeze, 1777: 507 (*Leptura*)  
**ornatus** Herbst, 1784: 98 (*Callidium*)  
*strigosus* Gmelin, 1790: 1877 (*Leptura*)  
*venustus* Gmelin, 1790: 1856 (*Cerambyx*)  
**verbasci** Linné, 1767 (*Leptura*)  
*viridicollis* Kraatz, 1871b: 410 (*Clytus*)  
*vartiana* Holzschuh, 1974a: 91 A: PA  
**subgenus Wnotatus** Özdikmen, 2022: 676 type species *Clytanthus chiuuae* Nakamura, 1974  
*chiuuae* Nakamura, 1974a: 14 A: TAI  
*seniculus* Holzschuh, 2006b: 287 A: YUN  
*siegriedae* Holzschuh, 1993a: 36 A: YUN ORR  
*yedoensis* Kano, 1933b: 133 (*Clytus*) A: JA  
**Undetermined species** #653  
*biinterruptus* Pic, 1943a: 1 (*Clorophorus* - misprint, not available name) A: CH  
*butleri* Pic, 1920a: 2 (*Clorophorus* - misprint, not available name) A: SD ORR  
*fuscoapicalis* Pic, 1949b: 54 (*Clorophorus* - misprint, not available name) ("British Bootang" - Darjeeling)  
*curtipennis* Pic, 1943a: 1 A: CH  
*externesignatus* Pic, 1936b: 13 A: YUN  
*micheli* Pic, 1950c: 11 A: CH ORR  
*nodai* Makihara, 1986c: 279 A: JA  
**genus Clytobius** Gressitt, 1951a: 261 type species *Clytus davidis* Fairmaire, 1878  
*davidis* Fairmaire, 1878: 132 (*Clytus*) A: BEI HEB JIX LIA SHN TIA #400  
**genus Clytocera** Gahan, 1906a: 279 type species *Clytocera chionospila* Gahan, 1906  
*montensis* Gressitt & Rondon, 1970: 253 A: YUN ORR #400  
*taiwanensis* Hayashi, 1974a: 30 A: TAI  
**genus Clytosaurus** J. Thomson, 1864: 190 type species *Clytosaurus priapus* J. Thomson, 1864  
*siamensis* Jordan, 1894b: 497 A: HAI YUN ORR  
*signaticollis* Pic, 1922a: 8 (*Xylotrechus*)  
**genus Clytus** Laicharting, 1784: 88 type species *Leptura arietis* Linnaeus, 1758 #680  
**subgenus Clytoides** Özdikmen, 2023: 16 type species *Clytus rhamni* Germar, 1817  
*gulekanus* Pic, 1904h: 65 A: TR  
*insignitus* Fairmaire, 1866b: 269 [DA] A: TR  
*signifer* Marseul, 1875: 396  
*lama* Mulsant, 1847c: 421 E: AU BH BU ?BY CR CZ FR GE GR HU IT LS MD PL RO SB SK SL SZ UK #752  
*bifasciatus* Nicolas, 1901: 29  
*maritimus* Pic, 1945b: 6  
*vesubiensis* Pic, 1900o: 110  
*mayeti* Théry, 1892: xcvi A: "Siberia"  
*rhamni rhamni* Germar, 1817: 223 E: AL BH CR GR IT MC SB SL  
*innormalis* Pic, 1927e: 11



*paliuri* Depoli, 1940: 304  
*rhamni bellieri* Gautier des Cottés, 1862: 77 E: FR GE IT PT SP SZ  
*corsicus* Chevrolat, 1882: 58 (*Clytus*)  
~~*ferruginipes* Pic, 1891b: 26~~  
*siculus* Wagner, 1927b: 93 [HN]  
*rhamni temesiensis* Germar, 1824: 519 (*Callidium*) E: AU BE BU CT CZ GE HU KZ MC MD RO SB SK SL ST TR UK A: AB AR  
CY GG IN IQ IS ?KZ LE SY TR #104 #186 #482 #506 #752  
*ferruginipes* Pic, 1891b: 26  
*longicollis* Reitter, 1904: 82  
**subgenus** *Clytus* Laicharting, 1784: 88 type species *Leptura arietis* Linnaeus, 1758 #262  
*Clytumnus* J. Thomson, 1861: 404 [RN] type species *Leptura arietis* Linnaeus, 1758  
*Europa* J. Thomson, 1861: 221 type species *Leptura arietis* Linnaeus, 1758  
*Sphegesthes* Chevrolat, 1863: 333 type species *Leptura arietis* Linnaeus, 1758  
*ambigenus* Chevrolat, 1882: 58 N: AG MO TU  
*büinterruptus* Pic, 1895f: cclxxiv  
*externeinterruptus* Pic, 1934c: 22  
*lebouli* Pic, 1932d: 25  
*leprieuri* Pic, 1934e: 20  
*arietis arcadicus* Vartanis, 2023h: 1823 E: GR  
*arietis arietis* Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU  
MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: MR A: TR WS  
*arcuatus* Sulzer, 1761: 12 (*Leptura*)  
*bickhardti* Pic, 1913b: 98  
*bourdilloni* Mulsant, 1839: 81  
*chapmani* Pic, 1937c: 13  
*cloueti* Théry, 1893: ccxiii  
*gazella* Fabricius, 1793: 333 (*Callidium*)  
*heyrowskyi* Pic, 1931c: 14  
*quadrifasciatus* DeGeer, 1775: 81 (*Cerambyx*)  
*arietis lederi* Ganglbauer, 1882: 730 [= 1886: 232] A: AB (Talysh) IN TM (Kopetdag)  
*arietis oblitus* Roubal, 1932: 17 E: ST A: AB AR GG IN TR  
*arietoides* Reitter, 1900d: 281 E: CT NT ST A: ES FE HEI JA JIL KZ LIA MG NC NE NMO WS XIN #63 #400 #588  
*sachalinensis* Matsushita, 1933a: 274  
*sibiricus* Pic, 1900d: 11  
*buglanicus* Kadlec, 2005: 106 A: TR  
*clavicornis* Reiche, 1860: 734 E: IT (Sicilia)  
*crassicornis* Mulsant, 1862: 159  
*kabateki* Sama, 1998: 49 A: LE SY  
*kumalariensis* Johanides, 2001: 219 A: TR  
*triangulimacula* Costa, 1847: 110 E: IT  
*venustus* Plavilstshikov 1940: 412 - A: ES FE KO CH #588  
**subgenus** *Crassomaculatoides* Özdikmen, 2023: 19 type species *Clytus fibularis* Holzschuh, 2003  
*fibularis* Holzschuh, 2003a: 207 A: HEB NMO  
*larvatus* Gressitt, 1939b: 99 A: ANH JIX SHA ZHE #225  
*unicolor* Kano, 1933b: 132 (*Xylotrechus*) A: TAI  
**subgenus** *Crassomaculatus* Özdikmen, 2023: 17 type species *Clytus auripilis* Bates, 1884  
*auripilis* Bates, 1884a: 230 A: HUB JA  
*depilis* Holzschuh, 2019b: 96 A: SHA  
*orientalis* Kano, 1933b: 133 A: TAI  
**subgenus** *Eusinoclytoides* Özdikmen, 2023: 22 type species *Clytus qingmaiensis* Viktora, 2020  
*qingmaiensis* Viktora, 2020: 106 A: SCH  
*quadraticollis* Ganglbauer, 1889a: 66 A: GAN  
**subgenus** *Eusinoclytus* Özdikmen, 2023: 21 type species *Clytus auripilis* Bates, 1884  
*dongziensis* Viktora, 2020: 104 A: SCH  
*rufobasalis* Pic, 1917f: 353 A: YUN  
**subgenus** *Insolitomaculatus* Özdikmen, 2023: 26 type species *Callidium tropicus* Panzer, 1795  
*paradisiacus* Rapuzzi & Jeniš, 2015b: 767 E: GR  
*tropicus* Panzer, 1795: 265 (*Callidium*) E: AU BH BU BY CR CZ FR GE GR HU IT MC MD PL RO SB SK SL SP ST SZ TR UK  
#90  
*interruptus* Pic, 1931c: 14  
*mucronatus* Laporte & Gory, 1841: 52  
*prescutellaris* Pic, 1931c: 14  
**subgenus** *Paulomaculatoides* Özdikmen, 2023: 31 type species *Clytus melaenus* Bates, 1884  
*melaenus* Bates, 1884a: 220 A: FE (Kunashir) JA JIX LIA NC SC #400  
**subgenus** *Paulomaculatus* Özdikmen, 2023: 29 type species *Clytus ciliciensis* Chevrolat, 1863  
*ciliciensis* Chevrolat, 1863: 334 (*Sphegesthes*) A: SY TR  
*bifarius* Heyden, 1889b: 329  
*delagranei* Pic, 1945b: 6

*griseofasciatus* Pic, 1908b: 3  
*reitteri* Théry, 1892: xcvi  
*madoni* Pic, 1891n: ccxi A: IS LE SY TR  
*preapicalis* Pic, 1939c: 17  
*nigritulus* Kraatz, 1879c: 109 A: ES FE HEI JIL NC SC #588  
*fulvohirsutus* Pic, 1904e: 18 #588  
*parvigranulatus* Holzschuh, 2006b: 285 A: SHA  
*taurusiensis* Pic, 1903h: 139 (*Chlorophorus*) A: IS TR  
*bytinski* Heyrovský, 1954: 395  
*viridescens* Matsushita, 1933b: 274 A: TAI  
**subgenus *Picoelytus* Özdikmen, 2023: 32 type species *Clytus peyroni* Pic, 1899**  
*peyroni* Pic, 1899b: 209 A: LE  
**subgenus *Pseudoclytus* Özdikmen, 2023: 33 type species *Clytus schneideri* Kiesenwetter, 1879**  
***relictus* Jacquot, 2022: 32 E: FR (Drôme)**  
*robertae* Mineau & Teocchi, 1986: 12 (Alpes de Haute-Provence: Saint-Laurent) [unavailable name - conditional proposal]  
*schneideri inapicalis* Pic, 1895a: 38 A: TR  
*schneideri schneideri* Kiesenwetter, 1879a: 313 [1879b: 57] A: AR AB GG IN TR  
*schurmanni* Sama, 1996c: 108 A: TR  
**subgenus *Rubrocollus* Özdikmen, 2023: 32 type species *Clytus famosus* Viktora & Liu, 2018**  
*bellus* Holzschuh 1998: 45 A: HAI **ORR** #672  
*famosus* Viktora & Liu, 2018c: 82 A: HAI  
**subgenus *Rufoapicalus* Özdikmen, 2023: 32 type species *Clytus rufoapicalis* Pic, 1917**  
*rufoapicalis* Pic, 1917d: 7 A: XIZ YUN  
*subinterruptus* Pic, 1920b: 197  
**subgenus *Sphegoclytus* Sama, 2005c: 69 type species *Clytus stepanovi* Danilevsky & Miroshnikov, 1985**  
*raddensis* Pic, 1904e: 18 A: FE GUI HUB JA NC NE SC SHN  
*hypocrita* Plavilstshikov, 1940a: 416  
*stepanovi* Danilevsky & Miroshnikov, 1985: 272 E: ST A: GG  
*vesparum* Reitter, 1889d: 375 A: AB(Talysh) IN  
*validus* Fairmaire, 1896a: 128 A: HEN SCH SHX XIZ YUN  
**genus *Cyrtoclytus* Ganglbauer, 1882: 736 type species *Callidium capra* Germar, 1824**  
*agathus* Holzschuh, 1999: 40 A: GAN SHA  
*capra* Germar, 1824: 518 (*Callidium*) E: AU BH BY CT CZ EN FR GE **IT KZ** LA LT MD NT PL RO **SB SK SP** ST SZ UK A: AB ES  
FE HEI ~~IN~~ JIL KZ LIA MG NC NMO SC SCH WS #506 #696  
*obliteratus* Pic, 1943b: 1  
*sachalinensis* Kano, 1933b: 134  
*zenobia* Z. Wang, 2003: 191, 399  
*caproides* ~~*caproides*~~ Bates, 1873: 200 (*Clytus*) A: FE (Sakhalin, Kunashir) HEI JA JIL LIA #525 #730  
*elegantissimus* Niisato & Chou, 2009: 222 A: GUI  
*formosanus* Gressitt, 1934: 167 A: TAI  
*kamakarii* Yokoyama, 1971: 94 A: JA #730  
*kusamai* Niisato, 1988b: 138 A: TAI  
*luteomarginatus* Pic, 1914d: 18 (*Clytus*) A: YUN  
*marketae* Viktora, 2015a: 30 A: SD  
*multizonus* Gressitt, 1951a: 260 A: FUJ  
*ohbayashii* Niisato & Chou, 2009: 226 A: GUX YUN #347  
*elegans* Pesarini & Sabbadini, 2015: 44 #347  
*petrae* Viktora, 2015a: 31 A: SCH  
*yunamensis* Pic, 1906d: 18 (*Clytus*) A: YUN **ORR**  
*keiichii* Niisato, 1999: 43  
**genus *Demonax* J. Thomson, 1861: 226 type species *Demonax nigrofasciatus* J. Thomson, 1861**  
*Elezira* Pascoe, 1869a: 637 type species *Clytus balyi* Pascoe, 1859  
***abietarius* Viktora, 2022b: 203 A: YUN**  
*acanthocerus* Ganglbauer, 1889a: 68 (*Clytanthus*) A: GAN  
*albicinctus* Hope, 1831: 28 (*Clytus*) A: BT NP SD **ORR**  
*filiformis* Laporte & Gory, 1841: 95 (*Clytus*)  
*alcanor* Gressitt & Rondon, 1970: 270 A: GUX HAI YUN **ORR** #73  
*angulifascia* Aurivillius, 1922a: 11 A: TAI (Lanyu Is.) **ORR**  
*kotoensis* Kano, 1938: 117  
*annamensis* Pic, 1943a: 2 [RN] A: YUN **ORR** #73  
*diversefasciatus* Pic, 1937b: 8 [HN]  
*antireductus* Pic, 1935a: 15 A: YUN #  
***aprilis* Viktora, 2023b: 97 A: GUX**  
*ascendens* Pascoe, 1859: 27 (*Clytus*) A: NP UP **ORR**  
*geniculatus* Chevrolat, 1863: 280 (*Rhaphuma*)  
*balyi* Pascoe, 1859: 27 (*Clytus*) A: NP UP **ORR** #814

*bicinctus* Hope, 1831: 28 (*Clytus*) A: NP  
*bidenticornis* Hayashi, 1974a: 34 A: TAI  
*bimaculicollis* Schwarzer, 1925a: 28 (*Chlorophorus*) A: HAI TAI #473  
*kotahirai* Mitono, 1942: 103  
*blairi* Gardner, 1940: 215 A: SD [Kalimpong] **ORR**  
*bowringii* Pascoe, 1859: 28 (*Clytus*) A: ANH FUJ GUA HAI HKG HUB HUN JIX ZHE **ORR** #400 #455  
*gracilipes* Pic, 1935a: 15  
*breveluteobasalis* Pic, 1943a: 2 A: NP  
*brutus* Viktora, 2022b: 194 A: HAI  
*buteae* Gardner, 1940: 217 A: NP PA UP  
*christinae* Holzschuh, 1983: 387 A: NP  
*captiosus* Holzschuh, 2019c: 93 A: HUB HEN SHA  
*comparabilis* Viktora, 2020: 115 A: HAI  
*confidens* Holzschuh, 1993a: 39 A: YUN  
*consimilis* Viktora, 2020: 118 A: YUN  
*contrarius* Holzschuh, 1991: 52 A: YUN **ORR** #42  
*corallipes* Pic, 1920a: 1 A: YUN  
*bisbinotatus* Pic, 1920a: 1  
*implicatus* Pic, 1920a: 1  
*curvofasciatus* Gressitt, 1939a: 39 (*Rhaphuma*) A: FUJ JIA GUA GUI HEN HUN SCH SHA SHX TAI ZHE #489  
*triarticulodilatatus* Hayashi, 1974a: 35 (Taiwan) #105  
*damingshanensis* 2023b: 130 A: GUX  
*dapsilis* Viktora, 2021b: 117 A: XIZ  
*declamator* Viktora, 2022b: 114 A: AP  
*desolatus* Viktora, 2022b: 92, 218 A: YUN  
*determinatus* Holzschuh, 2013a: 11 A: GUI SCH SHA  
*devexus* Viktora, 2022b: 221 A: YUN  
*dignus* Gahan, 1894a: 26 A: YUN **ORR**  
*rubricollis* Pic, 1923b: 10  
*dilectus* Viktora, 2021c: 131 A: YUN  
*dirangensis* Viktora, 2021c: 134 A: AP  
*diversefasciatus* Pic, 1920a: 1 A: YUN **ORR**  
*donaubaueri* Holzschuh, 1996: 8 A: YUN  
*dorotheae* Holzschuh, 1983: 385 A: NP  
*effrenus* Viktora, 2022b: 196 A: HAI  
*elongatus* Gressitt & Rondon, 1970: 263 A: YUN **ORR** #73  
*fatidicus* Viktora, 2022b: 186 A: GUX HAI  
*fäusus* Viktora, 2021b: 130 A: YUN **ORR**  
*ferrugatus* Holzschuh, 2013a: 12 A: SCH  
*ferus* Viktora, 2023b: 115 A: HAI  
*fimbriatulus* Holzschuh, 2006b: 296 A: YUN  
*flavicomus* Holzschuh, 2016a: 98 A: XIZ  
*formosomontanus* Ikeda & Niisato, 1984: 9 A: TAI  
*fugongensis* Guo & L. Chen, 2005: 408 A: YUN  
*funebri* Lameere, 1890: cccxii (*Clytus*) A: "Hindostan"  
*galaboensis* Viktora, 2023b: 136 A: YUN  
*gemellus* Holzschuh, 2017: 100 A: SCH  
*gertrudae* Holzschuh, 1983: 395 A: BT NP YUN  
*grandiusculus* Viktora, 2022b: 189 A: HAI  
*gunjii* Holzschuh, 1983: 387 A: NP  
*hengduanus* Holzschuh, 2006b: 298 A: YUN  
*himalayanus* Pic, 1912j: 94 (*Chlorophorus*) A: HP NP  
*hongheensis* Viktora, 2023b: 122 A: YUN **ORR**  
*illex* Viktora, 2020c: 111 A: YUN **ORR**  
*impius* Viktora, 2022b: 199 A: HAI  
*ingridae* Holzschuh, 1983: 386 A: NP SD  
*inhumeralis basigriseus* Holzschuh, 2019c: 92 A: ZHE  
*inhumeralis inhumeralis* Pic, 1916g: 181 A: SCH  
*iniquus* Holzschuh, 1993a: 38 A: YUN  
*inops* Holzschuh, 1991b: 58 A: YUN **ORR**  
*invalidus* Viktora, 2023c: 92 A: YUN  
*invisus* Holzschuh, 2018a: 91 A: YUN  
*izumii* Mitono, 1942: 102 A: TAI  
*jamesi* Holzschuh, 1986a: 125 A: SD  
*jendeki* Holzschuh, 1995: 41 A: YUN  
*katarinae* Holzschuh, 1983: 384 A: NP YUN

*kezukai* Holzschuh, 1984c: 365 A: TAI  
*kheoae* Gressitt & Rondon, 1970: 272 A: YUN **ORR**  
*kucerai* Holzschuh, 2006b: 295 A: SCH SHA  
*langsonius* Fairmaire, 1895: 181 (*Clytus*) A: YUN **ORR**  
*languidus* Holzschuh, 1992b: 37 A: YUN **ORR** #73  
*leucophaeus* Holzschuh, 1993a: 40 A: SCH  
*leucoscutellatus* Hope, 1831: 28 (*Clytus*) A: AP GUX NP SD **ORR** #280 #400 #659  
*castaneorufus* Fairmaire, 1896 (*Chlorophorus*)  
*levipes* Holzschuh, 1991c: 51 A: YUN **ORR** #73  
*lii* Viktora, 2023c: 94 A: YUN  
*literatus hainanensis* Mitono, 1944: 248 A: HAI  
*literatus literatus* Gahan, 1894a: 27 A: YUN **ORR**  
*maestus* Viktora, 2021c: 150 A: HAI  
*mengi* Viktora, 2023b: 127 A: YUN  
*mitis* Viktora, 2023b: 110 A: HAI  
*longissimus* Pic, 1914d: 18 A: XIZ YUN  
*longissimus* Gressitt, 1935g: 572  
*longithorax* Pic, 1950e: 508 A: NP SD  
*joesefinae* Holzschuh, 1983: 383  
*luridicornis* Chevrolat, 1863: 270 A: HKG  
*mali* Gressitt, 1951a: 297 A: GUX YUN  
*mariae* Holzschuh, 1983: 382 A: BT NP  
*marnei* Pic, 1918c: 7 A: GUI YUN  
*manifestus* Viktora, 2020c: 118 A: SHA  
*martialis* Gressitt et Rondon, 1970: 273 A: GUI **ORR** #400  
*masaoi* Niisato, 1984a: 13 A: TAI  
*masataakai* K. Ohbayashi, 1964: 25 A: JA (Ryukyus)  
*matyasi* Viktora, 2016b: 67 A: YUN  
*maximus* Pic, 1922b: 25 A: GUX **ORR**  
*montivagus* Viktora, 2020c: 125 A: YUN  
*morosus* Viktora, 2023b: 92 A: HAI  
*multireductus* Pic, 1935a: 16 A: YUN  
*narayani* Holzschuh, 1984c: 366 A: NP SD  
*nativus* Viktora, 2023b: 103 A: HAI  
*nebulosus* Gressitt & Rondon, 1970: 262 A: YUN **ORR** #253  
*nigromaculatus* Gahan, 1906a: 284 A: BT NP SD  
*nishiyamai* Niisato, 1984a: 11 A: FUJ TAI  
*ocultus* Gressitt & Rondon, 1970: 268 A: YUN **ORR**  
*ohbayashii* Samuelson, 1965a: 79 A: JA (Ryukyus)  
*okunii* Mitono, 1942: 104 A: TAI  
*olivaceus* Gressitt, 1951a: 299 A: FUJ GUA #400  
*opulentus* Viktora, 2021b: 116 A: AP  
*orbis* Viktora, 2023b: 85 A: HAI  
*palleolus* Holzschuh, 2006b: 291 A: SCH SHA  
*parilis* Holzschuh, 1995: 39 A: GUI YUN #400  
*paululus* Viktora, 2023c: 97 A: HAI  
*petrae* Viktora, 2016b: 69 A: YUN  
*pilipes* Holzschuh, 2016a: 101 A: XIZ  
*praesignis* Viktora, 2020c: 129 A: SCH  
*probus* Holzschuh, 1991b: 52 A: YUN **ORR**  
*proculscuti* Li, Tian & Chen, 2013a: 455 A: YUN  
*pseudonotabilis* Gressitt & Rondon, 1970: 262 A: HAI SCH **ORR** #400  
*pseudopsilomerus* Gressitt & Rondon, 1970: 272 A: YUN **ORR** #38  
*pseudotristiculus* Gressitt & Rondon, 1970: 266 A: GUA GUX HAI **ORR** #400  
*puerilis* Holzschuh, 1991b: 57 A: YUN **ORR** #400  
*pumilio* Holzschuh, 1991c: 48 A: YUN **ORR** #73  
*ravus* Holzschuh, 1992b: 37 A: SCH  
*reductispinosus* Gressitt, 1942c: 30 [RN] A: FUJ HAI  
*brevespinosus* Gressitt, 1940b: 81 [HN]  
*hainanensis* Gressitt & Rondon, 1970: 263 [RN]  
*reticollis* Gahan, 1894a: 28 A: GUX HAI YUN **ORR** #149 #73  
*alboantennatus* Gressitt & Rondon, 1970: 271 #149  
*mongtsenensis* Pic, 1904c: 12 #149  
*reticulicollis* Gressitt, 1940b: 82 A: GUA GUX HAI  
*ridiculus* Viktora, 2023b: 107 A: YUN  
*rosae* Holzschuh, 1983: 393 A: NP SD YUN

*rosicola* Holzschuh, 2006b: 294 A: YUN  
*rufus* Guo & L. Chen, 2005: 407 A: YUN  
*sabinae* Holzschuh, 1983: 390 A: NP UP  
*salvazai* Pic, 1923b: 10 A: YUN **ORR**  
*nousophi* Gressitt & Rondon, 1970: 270  
*sausai* Holzschuh, 1995: 40 A: YUN  
*sauteri* Matsushita, 1933b: 290 [RN] A: TAI  
*matsushitai* Gressitt, 1936: 97  
*savioi* Pic, 1924a: 16 (*Clytanthus*) A: FE GUI HEB NC SC SHA SHG SHX  
*sawaii* Ikeda, 1990: 7 A: JA (Ryukyus)  
*scutulatus* Holzschuh, 2019c: 88 A: SHA ZHE  
*semiluctuosus* White, 1855: 283 (*Clytus*) A: GUI NP YUN **ORR** #400  
*albobifasciatus* Pic, 1920a: 1  
*mouhoti* Pascoe, 1869a: 604 (*Clytanthus*)  
*praecanus* Chevrolat, 1863: 277 (*Rhaphuma*)  
*semixeniscus* Hayashi, 1962a: 12 A: JA (Ryukyus)  
*senex* Holzschuh, 2019c: 92 A: TAI  
*seoulensis* Mitono & Cho, 1942: 3 A: SC SHA #225  
*siccus* Holzschuh, 1991b: 57 A: GUI **ORR** #523  
*sikangensis* Gressitt, 1945a: 126 A: SCH  
*simillimus* Gressitt, 1939b: 103 A: FUJ JIA SCH ZHE #400  
*sincerus* Viktora, 2023b: 100 A: HAI  
*spinifer* Pic, 1920b: 197 A: YUN  
*stabilis* Holzschuh, 2003a: 222 A: SHA  
*subai* Holzschuh, 1989c: 399 A: BT  
*subobscuricolor* Pic, 1918b: 5 A: YUN  
*substitutus* Gressitt, 1951a: 300 A: TAI  
*sulinensis* Niisato, 1984a: 12 A: TAI  
*tenuiculus* Holzschuh, 1991b: 52 A: YUN **ORR** #73  
*testaceoannulatus* Pic, 1935a: 15 A: YUN **ORR** #73  
*testaceus* Hope, 1831: 28 (*Clytus*) A: NP SD  
*transilis* Bates, 1884a: 229 A: JA  
*traudae* Holzschuh, 1983: 391 A: NP SD YUN #390  
*trudae* Holzschuh, 1983: 392 A: BT NP SD YUN  
*unidenticornis* Hayashi, 1974a: 33 A: TAI  
*uniformis* Pic, 1925b: 21 A: "India"  
*vendibilis* Viktora & Liu, 2018c: 86 A: HAI  
*venosulus* Holzschuh, 2006b: 292 A: SCH  
*viduatus* Holzschuh, 2009: 343 A: GUX YUN **ORR** #606  
*xiaozhaizigouensis* Viktora, Liu & Zhang, 2017: 158 A: SCH SHA  
*yinghui* Viktora, 2023b: 124 A: YUN

**genus *Echinocerus* Mulsant, 1862: 143** type species *Cerambyx floralis* Pallas, 1773 #778  
*Paraplagionotus* Kasatkin, 2005: 51 [unnecessary RN]  
*floralis armeniacus* Reitter, 1890b: 213 (*Plagionotus*) A: AB AR GG JO IN IQ IS LE TR #656  
*anatolicus* Vartanis, 2019: 344 (*Neoplagionotus*) #517  
*araratensis* Pic, 1901b: 11 (*Clytus*)  
*clermonti* Pic, 1913b: 121 (*Plagionotus*)  
*floralis aulicus* Laicharting 1784: 103 (*Clytus*) E: AL AU BH BU CR ~~CF~~ CZ FR GE GR HU IT LA LT MC MD ME ~~NF~~ PL RO SB SK  
 SL SP SZ TR UK A: ES KI KZ ?MG TR UZ WS #656  
*basicornis* Reitter, 1890b: 213 (*Plagionotus*)  
*controversus* Schrank, 1798: 679 (*Clytus*)  
*massiliensis* Pic, 1951: 1 (*Plagionotus*)  
*floralis centaureus* Lazarev, 2022a: 207 E: GR #656  
*floralis floralis* Pallas, 1773: 724 (*Cerambyx*) E: CT KZ ST UK A: ES KZ WS #30 #182  
*abruptus* Kraatz, 1871b: 408 (*Clytus*)  
*annulus* Fabricius, 1802: 352 (*Clytus*) #627  
~~*arcuatus* Seopoli, 1772: 97 (*Stenocorus*) #628~~  
*fasciatus* Herbst, 1784: 98 (*Callidium*)  
*indicus* Gmelin, 1790: 1856 (*Cerambyx*)  
*pruinosis* Kraatz, 1871b: 409 (*Clytus*)  
*variabilis* Motschulsky, 1860a: 144 (*Clytus*)  
*zebra* Dalman, 1817b: 194 (*Clytus*)  
*floralis pilifer* Reitter, 1890b: 213 (*Plagionotus*) A: TR #656  
*floralis* ?ssp. n. E: GR (Crete) #781

**genus *Epicyltus* Gressitt, 1935b: 173** type species *Clytus yokoyamai* Kano, 1933



*Eoclytus* Plavilstshikov, 1940a: 425 type species *Clytus ussuricus* Pic, 1933  
*insolitus* Holzschuh, 1991: 45 A: YUN **ORR** #36  
*itoi* Niisato, 1981a: 33 A: FUJ GUX TAI #747  
*itohi*, Yu & Nara, 1988: 28, pl. 11, fig. 14  
*ussuricus* Pic, 1933d: 10 (*Clytus*) A: FE HEI ?NC SC  
*veceri* Viktora et Tichý, 2016: 66 A: HEN  
*velaris* Holzschuh, 1998: 46 A: SCH  
*yokoyamai* Kano, 1933a: 275 (*Clytus*) A: JA

**genus *Grammographus* Chevrolat, 1863: 285** type species *Grammographus lineatus* Chevrolat, 1863  
*Elezira* Pascoe, 1869a: 637 type species *Clytus balyi* Pascoe, 1859  
*arcuatus* Matsushita, 1939: 57 (*Demonax*) A: TAI  
*flavicollis* Matsushita, 1931c: 403 (*Demonax*) A: TAI  
*granulicollis* Hayashi, 1974a: 31 A: TAI  
*jezoensis* Matsushita & Tamanuki, 1935: 3 (*Demonax*) A: JA #524 #718  
*kanoi* Hayashi, 1963d: 133 [RN] A: TAI  
*monticola* Kano, 1933b: 136 (*Chlorophorus*) [HN]  
*lineatus* Chevrolat, 1863: 286 A: BT "India"  
*nansenensis* Pic, 1903b: 21 (*Demonax*) A: YUN **ORR** #517  
*lineaticollis* Schwarzer, 1931: 64 (*Demonax*)  
*notabilis cuneatus* Fairmaire, 1888a: 35 (*Clytus*) A: GAN GUA HEN HUB SCH SHA YUN ZHE #489  
*semiobliteratus* Pic, 1902i: 31 (*Clytanthus*)  
*notabilis notabilis* Pascoe, 1862a: 360 (*Clytus*) A: FUJ GUA GUX HUB JA SC SHA TAI  
*alphanumeric* Chevrolat, 1863: 308 (*Anthoboscus*)  
*spadiceus* Matsushita, 1933b: 285 (*Chlorophorus*)  
*submaculatus* Hayashi, 1974a: 32 A: TAI  
*taiwanensis* Hayashi, 1966a: 6 A: TAI

**genus *Hesperoclytus* Holzschuh, 1986a: 123** type species *Hesperoclytus katarinae* Holzschuh, 1986  
*bozanoi* Pesarini & Sabbadini, 1997: 107 A: SCH SHA #225  
*katarinae* Holzschuh, 1986a: 123 A: BT NP

**genus *Ischnodora* Chevrolat, 1863: 332** type species *Ischnodora macra* Chevrolat, 1863  
*decolorata* Holzschuh, 1995: 38 A: YUN  
*macra* Chevrolat, 1863: 332 A: SD  
*angustula* Holzschuh, 1983: 371  
*munda* Holzschuh, 1990: 191 A: SD  
*sanci* Viktora & Tichý, 2017: 66 A: XIZ  
*sejugata* Holzschuh, 1991a: 11 A: YUN **ORR**  
*separanda* Holzschuh, 1983: 370 A: NP  
*ugyeni* Holzschuh, 1989c: 397 A: BT

**genus *Isotomus* Mulsant, 1862: 183** type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* Schneider, 1787)  
*Caloclytus* Fairmaire, 1864a: 145 [RN] type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* D. H. Schneider, 1787)  
*comptus comptus* Mannerheim, 1825: 36 (*Clytus*) E: ST UK A: AB AR GG IN TR #209  
*insularis* Laporte & Gory, 1841: 74 (*Clytus*)  
*perspicillus* Fischer von Waldheim, 1832: 438 (*Clytus*)  
*pubicollis* Laporte & Gory, 1841: 73 (*Clytus*)  
*comptus gilanus* Pic, 1911a: 6 (*Caloclytus*) A: IN #209  
*maculicollis* Holzschuh, 1989a: 169  
*comptus syriacus* Pic, 1902h: 25 ["Syrie"] (*Caloclytus*) A: TR #209  
*meridionalis* Özdikmen & Aytar, 2012b: 691 [Osmaniye prov.: Karatepe, Gündoğan] #209  
*jarmilae* Sláma, 1982: 209 E: GR (Crete) #209  
*speciosus barbarae* Sama, 1977: 66 E IT #209  
*speciosus eggeri* Rapuzzi & Sama, 2018: 19 E: GR  
*speciosus ganglbaueri* Pic, 1900f: 64 (*Caloclytus*) E: BH CR ME ?SB ?SL #14 #209  
*speciosus speciosus* Schneider, 1787: 125 (*Callidium*) E: AL AU BH BU CR CZ GE GR HU IT MC MD PL RO SB SK SL ST UK A: #209 #482 #583  
?AB ?AR ?GG TR  
*semipunctatus* Fabricius, 1798: 151 (*Callidium*)  
*stierlinii* Tournier, 1872: 276 (*Clytus*)  
*theresae* Pic, 1897e: 221 (*Clytus*) N: AG TU #209

**genus *Kazuoclytus* Hayashi, 1968a: 23** type species *Xylotrechus lautoides* Hayashi, 1950  
*fukienensis fukienensis* Gressitt, 1951a: 254 (*Clytus*) A: FUJ JA (Ryukyus) TAI  
*fukienensis yukawai* Makihara, 2004b: 222 (*Xylotrechus*) #736  
*lautoides* Hayashi, 1950b: 25 (*Xylotrechus*) A: JA  
*planiantennatus* Lim & Han, 2012: 193 (*Clytus*) A: SC #525

**genus *Libanoclytus* Sama, Rapuzzi & Kairouz, 2010: 164** type species *Libanoclytus tommasoii* Sama, Rapuzzi & Kairouz, 2010  
*tommasoii* Sama, Rapuzzi & Kairouz, 2010: 166 **A: LE**

**genus *Neoclytus* J. Thomson, 1860: 67** [RN] type species *Clytus erythrocephalus* Fabricius, 1787 (= *Callidium acuminatum* Fabricius, 1775)

*Rhopalopachys* Chevrolat, 1860d: 457 type species *Clytus morosus* Chevrolat, 1860

*Rhopalomerus* Chevrolat, 1860d: 457 [HN] type species *Clytus cacicus* Chevrolat, 1860

*acuminatus acuminatus* Fabricius, 1775: 194 (*Callidium*) **Ei: AU CR FR GB GE HU IT RO SB SK SL SZ UK NAR NTRi #502 #767**

*americanus* Gmelin, 1790: 1854 (*Cerambyx*)

*aspericollis* Germar, 1824: 517 (*Callidium*) **#506**

*erythrocephalus* Fabricius, 1787: 156 (*Callidium*)

**genus *Neoplacionotus* Kasatkin, 2005: 51** type species *Clytus bobelayei* Brullé, 1832 **#778**

*andreui* Fuente, 1908: 21 (*Placionotus*) **E: PT SP #165**

*marcaorum* López-Colón, 1997: 221 (*Placionotus*)

*marcorum* López-Colón, 1998: 311 (*Placionotus*) [unjustified emendation]

*bednariki* Lazarev, 2022b: 447 **A: TR**

*bobelayei bobelayei* Brullé, 1832: 253 (*Clytus*) **E: AL BU GR MC RO TR #30**

*bobelayei huseyini* Lazarev, 2016d **A: AB AR GG IN ST TM TR UK**

*speciosus* Adams, 1817: 309 (*Callidium*) [HN]

*bobelayei mouzafferi* Pic, 1905g: 114 (*Placionotus*) **A: IN IQ IS JO SY TR #132**

*luristanicus* Pic, 1911a: 6 (*Placionotus*)

*persicus* Pic, 1951: 1 (*Placionotus*)

*karmelicola* Lazarev, 2022c: 519 **A: IS SY**

*scalaris* Brullé, 1832: 254 (*Clytus*) **E: AL BU GR IT MC N: AG MO TU A: ?TR #64 #287**

*interruptus* Dayrem, 1928b: 77 (*Placionotus*)

*siculus* Laporte & Gory, 1841: 46 (*Clytus*)

*vivesi* López-Colón, 1997: 221 (*Placionotus*)

**genus *Perissus* Chevrolat, 1863: 262** type species *Perissus x-littera* Chevrolat, 1863

*aemulus* Pascoe, 1869a: 618 **A: YUN ORR**

*angusticinctus* Gressitt, 1942g: 81 **A: HUB ZHE**

*asperatus* Gressitt, 1951a: 266 **A: GUA HAI TAI**

*atronotatus* Pic, 1937a: 12 **A: YUN ORR #400**

*bauhiniae* Gardner, 1936: 135 **A: UP**

*biluteofasciatus* Pic, 1918b: 5 **A: YUN ORR #400**

*cinericius* Holzschuh, 2009a: 337 **A: YUN ORR #36**

[*clavicornis clavicornis* Pic, 1927b: 34 (*Xylotrechus*) - Vietnam]

*clavicornis luteopubescens* Pic, 1943b: 1 **A: CH**

*copei* Viktora & Tichý, 2017: 68 **A: XIZ**

*crassicollis* Pesarini & Sabbadini, 1997: 112 **A: FUJ**

*dalbergiae* Gardner, 1930: 155 **A: PA UP**

*declaratus* Holzschuh, 2003a: 204 **A: GUI HUN**

*delectus* Gressitt, 1951a: 267 **A: SHA #400**

*delerei* Tippmann, 1958a: 49 **A: AF**

*dembickyi* Viktora, 2021c: 157 **A: AP**

*demonacoides* Gressitt, 1936: 98 (*Chlorophorus*) **A: TAI**

*divinus* Viktora & Liu, 2018c: 91 **A: GUX**

*expletus* Viktora & Liu, 2018c: 92 **A: YUN**

*fairmairei* Gressitt, 1940c: 180 [RN] **A: BEI HEB HEN NC NMO SC SE SHA #400**

*fuliginosus* Fairmaire, 1888b: 145 [HN]

*semifulvus* Pic, 1916e: 13 [HN]

*sinho* Danilevsky, 1993d: 114

*fuliginosus* Chevrolat, 1863: 328 (*Amauresthes*) **A: BT JIL NP UP XIZ ORR #400**

*basalis* Plavilstshikov, 1927b: 106

*fulvopictus* Matsushita, 1933b: 276 **A: TAI**

*griseus* Gressitt, 1936: 95 **A: TAI**

*hoorianus* Matsushita, 1943: 573 (*Rhaphuma*) **A: TAI**

*indistinctus* Gressitt, 1940b: 72 **A: HAI HKG #400**

*intersectus* Holzschuh, 2003a: 203 **A: SCH SHA XIZ**

*jiuzhaigouensis* Viktora, 2016b: 72 **A: SCH**

*kankauensis* Schwarzer, 1925a: 26 **A: TAI**

*kiangsuensis* Gressitt, 1940c: 180 **A: JIA**

*kimi* Niisato & Koh, 2003: 292 **A: SC**

*kiusiuensis hisamatsui* K. Ohbayashi, 1958a: 12 **A: JA**

*kiusiuensis kiusiuensis* K. Ohbayashi, 1944: 4 A: JA #734  
*kiusiuensis nishinoi* Fujita, 2023: 22 A: JA (Japan: Tokara Isls.)  
*kiusiuensis yamadai* Hayashi, 1962a: 11 A: JA (Ryukyus)  
*laetus* Lameere, 1893a: 283 A: GUA HAI YUN ORR #400  
*chungkonensis* Gressitt, 1940b: 73  
*proprius* Gahan, 1894a: 21  
*latepubens* Pic, 1950b: 4 A: CH  
*lubosi* Viktora, 2020c: 137 A: AP  
*luteonotatus* Pic, 1943b: 2 A: CH  
*magdalenae* Holzschuh, 1990: 189 A: NP  
*mimicus* Gressitt & Rondon, 1970: 215 A: FUJ HAI HUB YUN ORR  
*multifenestratus* Pic, 1926b: 1 (*Amauresthes*) A: SCH SHA #151 #225  
*mutabilis mutabilis* Gahan, 1894a: 23 A: NP SD YUN ORR  
*ogasawarenensis* Endo, 2000: 193 A: JA (Ogasawara Isls.) #734  
*paulonotatus* Pic, 1902i: 30 (*Clytus*) A: SCH YUN  
*persimilis* Gahan, 1894: 23 A: YUN ORR  
*plachetkai* Viktora, 2021c: 160 A: YUN  
*quercus* Gardner, 1940: 218 A: NP UP  
*rayus* Gressitt & Rondon, 1970: 212 A: GUA HAI ORR  
*rhapumoides* Gressitt, 1940c: 181 A: HEN JIA SHA #225 #400  
*rubricollis* Gressitt, 1937c: 453 A: FUJ  
*thibetanus* Pic, 1918b: 5 A: XIZ  
*trabealis* Holzschuh, 2003: 205 A: SCH  
*tristiculus* Fairmaire, 1895: 183 (*Clytus*) A: GAN GUI ORR #288  
*tsutsumii* Makihara, 1979: 161 A: JA (Ryukyus)  
*tunicatus* Viktora & Liu, 2018c: 94 A: YUN  
*wenroncheni* Niisato, 1986a: 4 A: TAI

**genus *Petraphuma* Viktora, 2018b: 144** type species *Rhaphuma sulphurea* Gressitt, 1941  
*huangjianbini* Viktora & Liu, 2018c: 97 A: YUN  
*meridiosinica* Viktora & Tichý, 2017: 226 (*Rhaphuma*) A: GUX HAI #254  
*pompa* Viktora & Liu, 2018c: 99 A: HAI  
*sulphurea* Gressitt, 1941b: 336 (*Rhaphuma*) A: YUN ORR #254

**genus *Plagionotus* Mulsant, 1842b: 1** type species *Leptura detrita* Linnaeus, 1758 #778  
*Platynotus* Mulsant, 1839: 71 [HN] type species *Leptura detrita* Linnaeus, 1758  
*arcuatus arcuatus* Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE ?EN FI FR GE GR HU IR IT KZ LA LT LU  
MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO TU A: AB GG ~~HN~~ KZ ~~SY~~-TR #64  
*apicalis* Hampe, 1863: 289 (*Clytus*)  
*buyssoni* Dauphin, 1924: 42  
*interrupteconnatus* Schmidt, 1951: 16  
*lunatus* Fabricius, 1782: 500 (*Callidium*)  
*martialis* Pic, 1918d: 15  
*milliati* Pic, 1934e: 20  
~~*multiinterruptus* Pic, 1933d: 6~~  
*pagnioni* Pic, 1925d: 10  
*plavilstshikovi* Schmidt, 1951: 15  
*reichei* J. Thomson, 1861: 220 (*Plagyonotus*)  
*salicis* Schrank, 1798: 677 (*Clytus*)  
*stauropolibus* Pic, 1915e: 7  
*tastani* Özdikmen, Atak & Uçkan, 2017b: 89 #559  
*arcuatus ghidottii* Pesarini & Sabbadini, 2011: 47 E: GR (Crete)  
*arcuatus kirgizicus* Lazarev, 2010c: 161 A: KI  
*arcuatus lugubris* Ménériés, 1832: 229 (*Clytus*) A: AB IN TM  
*flavicornis* Pic, 1898b: 19  
*henoni* Pic, 1933d: 6  
*lenkoranus* Pic, 1933d: 6  
*arcuatus multiinterruptus* Pic, 1933d: 6 A: AB AR TR  
*arcuatus shirazensis* Królik, Kruszelnicki, Lason & Walczak, 2021: 560 A: IN  
*bartholomei* Motschulsky, 1860a: 142 (*Clytus*) A: AB (Talysh) IN  
*admirabilis* Heyden, 1879a: 314 [1879b: 58] (*Clytus*)  
*bieberi* Bodemeyer, 1927b: 93 (*Clythantus*) A: IN #23  
*bisbifasciatus* Pic, 1915f: 13 A: YUN  
*christophi* Kraatz, 1879c: 108 (*Clytus*) A: ANH FE HEB HEI HEN HUB JA JIL LIA NC SC SHA  
*detritus caucasicola* Plavilstshikov, 1940: 435 E: ST A: AB AR GG GR IN SY TR N: EG #5 #209  
*africaeseptentrionalis* Tippmann, 1952a: 143 #5 #143 #209  
*graecus* Vartanis, 2023: 172 #759

*detritus cebecii* Rapuzzi & Sama, 2018: 17 A: TR  
*detritus detritus* Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IT KZ LA LT LU MC  
MD ME NL NT PL PT RO SB SK SL SP ST SV SZ TR UK A: KZ TR #357 #548  
*anticereductus* Schmidt, 1951: 14  
*apicebimaculatus* Schmidt, 1951: 14  
*convertini* L. Petagna, 1819: 38 (*Callidium*)  
*obscuribasalis* Pic, 1942b: 2  
*rufescens* Pic, 1891b: 24  
*uralensis* Tippmann, 1952a: 144  
*pulcher* Blessig, 1872: 184 (*Clytus*) A: FE HEB HEI JA JIL NC NIN SC SHA SHX  
*lignatorum* Thieme, 1881: 100 (*Clytus*)  
*maculithorax* Pic, 1904d: 15

**genus *Pseudosphegistes* Reitter, 1913a: 50** type species *Clytus cinereus* Laporte & Gory, 1841  
*bergeri* Sláma, 1982: 207 E: GR (Crete)  
*brunnescens* Pic, 1897g: 262 (*Clytus*) E: ST A: AB AR GG ?IN TR  
*circassica* Pic, 1905a: 10 (*Clytus*)  
*bubeniki* Rapuzzi & Jeniš, 2015a: 749 E: GR  
*cinerea* Laporte & Gory, 1841: 68 (*Clytus*) [NP] E: FR GE IT SP UK  
*auboueri* Desbrochers des Loges, 1873a: 429 (*Clytus*)  
*duponti* Mulsant, 1839: 84 (*Clytus*) [NO]  
*sternii* Kraatz, 1870b: 219 (*Clytus*)  
*giglii* Rapuzzi & Jeniš, 2015a: 751 A: TR  
*longitarsus* Holzschuh, 1974a: 90 A: TR  
*samai* Danilevsky, 2000b: 44 A: TR

**genus *Psilomerus* Chevrolat, 1863: 257** type species *Psilomerus angustus* Chevrolat, 1863  
*laosensis* Gressitt & Rondon, 1970: 277 A: YUN ORR #400  
*suturalis* Gressitt & Rondon, 1970: 278 A: YUN ORR #400

**genus *Rhabdoclytus* Ganglbauer, 1889c: 479** type species *Clytus acutivittis* Kraatz, 1879  
*Hayashiclytus* K. Ohbayashi, 1963: 11 type species *Clytus acutivittis* Kraatz, 1879  
*acutivittis acutivittis* Kraatz, 1879c: 111 (*Clytus*) A: FE HEI JA JIL LIA NC SC  
*acutivittis inscriptus* Bates, 1884a: 229 (*Clytanthus*) A: JA  
*alternans* Holzschuh, 2003: 219 (*Hayashiclytus*) A: SHA  
*elongatus* Gressitt, 1940c: 184 (*Rhaphuma*) A: HAI HEN HUB HUN SCH SHA SHX YUN ZHE #414

**genus *Rhaphuma* Pascoe, 1858: 240 [RN]** type species *Clytus quadricolor* Laporte & Gory, 1841  
*Arcyphorus* Gemminger, 1872: 2938 [unjustified emendation]  
*Arcyphorus* Chevrolat, 1863: 287 type species *Arcyphorus histrio* Chevrolat, 1863  
*Rhaphium* A. White, 1855: 289 [HN] type species *Clytus quadricolor* Laporte & Gory, 1841  
*acrocarpi* Gardner, 1940: 224 A: SD [Kalimpong]  
*aequalis* Holzschuh, 1991b: 49 A: YUN ORR  
*afflata* Holzschuh, 1983: 374 A: NP  
*albicolon* Holzschuh, 2006b: 300 A: SHA  
*albonotata* Pic, 1915f: 12 A: YUN  
*amamiensis* Hayashi, 1983: 38 A: JA (Ryukyus)  
*angustata* Pic, 1920a: 1 (*Chlorophorus*) A: YUN #33  
*anongi* Gressitt & Rondon, 1970: 247 A: HAI YUN ORR  
*anopla* Holzschuh, 1983: 377 A: NP SD  
*aokii* Niisato & Chou, 2023: 134 A: TAI  
*aperta* Gressitt, 1951a: 287 A: FUJ SCH  
*aranea* Holzschuh, 1984c: 359 A: NP SD  
*arisana* Seki & Suematsu, 1935: 203 (*Perissus*) A: TAI  
*mushana* Matsushita, 1936: 147 #524  
*asellaria* Holzschuh, 2017c: 116 A: YUN ORR  
*baibarae* Matsushita, 1931c: 401 A: TAI  
*bhaktai* Holzschuh, 1983: 376 A: NP SD  
*bicolorifemoralis* Gressitt & Rondon, 1970: 249 A: GUA HAI YUN XIZ ORR #176 #400  
*bii* Holzschuh, 2016a: 94 A: XIZ  
*bimaculata* Schwarzer, 1931a: 63 A: UP  
*binhensis* Pic, 1922c: 13 (*Chlorophorus*) A: HAI ORR  
~~*binotata* Hua, 1989a: 113 [RN] A: ?YUN ORR #501~~  
— ~~*elongata* Gressitt & Rondon, 1970: 240 [HN]~~  
*brigittae* Holzschuh, 1991b: 47 A: NP YUN #400  
*brodskyi* Holzschuh, 1992b: 28 A: YUN ORR #176  
*caraganicola* Viktora & Liu, 2018c: 102 A: XIZ

*chatterjeei* Gardner, 1940: 219 A: NP UP  
*circumscripta* Schwarzer, 1925a: 28 (*Chlorophorus*) A: TAI  
*clarina* Gressitt & Rondon, 1970: 250 A: YUN **ORR**  
*comosella* Holzschuh, 2006b: 301 A: XIZ  
*constricta* Gressitt & Rondon, 1970: 243 A: GUX YUN **ORR** #400  
*decora* Holzschuh, 1995: 39 A: YUN  
*delicata* Kano, 1933b: 138 A: TAI #524 #527  
*ruficollis* Mitono, 1942: 92  
*desaui* Gardner, 1940: 220 A: YUN **ORR**  
*diana* Gahan, 1906a: 271 A: GUX YUN **ORR**  
*diminuta diminuta* Bates, 1873: 199 (*Clytanthus*) A: FE JA NC SC  
*misella* Bates, 1884a: 228 (*Clytanthus*)  
*diminuta nitens* Hayashi, 1962a: 12 A: JA (Ryukyus)  
*diminuta ogasawarai* Fujita, 2023: 25 A: JA (Okinawa ls.: Okinawa-honto Is.)  
*disconotata* Pic, 1908f: 15 (*Clytanthus*) A: YUN  
*diversevittata* Pic, 1943b: 1 A: CH  
*diversipennis* Pic, 1920d: 18 A: CH  
*eleodina* Gressitt & Rondon, 1970: 244 A: YUN **ORR**  
*encausta* Holzschuh, 1991a: 12 A: YUN **ORR**  
*falx* Holzschuh, 1991b: 51 A: YUN **ORR**  
*familiaris* Holzschuh, 2017c: 116 A: SHA  
*fautrix* Viktora, 2021b: 140 A: YUN  
*filipedes* Holzschuh, 2016a: 97 A: NP XIZ  
*frustrata* Holzschuh, 1993a: 37 A: YUN  
*fulgurata bhutanica* Holzschuh, 2003b: 306 A: BT  
*fulgurata fulgurata* Gahan, 1906a: 274 A: NP SD  
*gracilipes* Faldermann, 1835: 436 (*Clytus*) E: BY CT ?LT NT PL ?RO ST ?UK A: BEI ES FE HEI JIL KZ MG NC NMO SC WS #583  


---

*angusticollis* Mulsant, 1851a: 123 (*Clytus*)  
*rosinae* Pic, 1935d: 15 (*Chlorophorus*)  
*sachalinensis* Matsumura, 1911: 139 (*Clytanthus*)  
*tenuicornis* Fairmaire, 1888b: 142 (*Clytus*)  
*herminae* Holzschuh, 1984c: 363 A: LIA NP #400  
*horsfieldi* White, 1855: 284 (*Clytus*) A: AP GUX NP SCH SD SHA YUN **ORR** #280  
*laosensis* Pic, 1923b: 9  
*illicata* Holzschuh, 1991: 50 A: YUN **ORR**  
*ilsae* Holzschuh, 1983: 379 A: NP SD  
*impressiceps* Pic, 1943b: 1 A: CH  
*improba* Holzschuh, 1992b: 32 A: GUX **ORR** #400  
*improvisa* Holzschuh, 1991a: 48 A: YUN **ORR**  
*indifferens* Holzschuh, 1992b: 33 A: YUN **ORR**  
*intaminata* Holzschuh, 2017c: 121 A: UP  
*jianfenglingensis* Viktora & Liu, 2018c: 105 A: HAI  
*joshii* Holzschuh, 1984c: 361 A: NP SD  
*klapperichi* Tippmann, 1955: 113 A: FUJ  
*lacrima* Viktora, 2019c: 192 A: YUN  
*lanzhu* Holzschuh, 1991: 48 A: YUN **ORR**  
*laojunensis* Tavakilian, 2018: 40 A: YUN #243  
*interrupta* Pesarini & Sabbadini, 2015: 52 #176 #243  
*laosica* Gressitt & Rondon, 1970: 241 A: GUI SCH SD YUN **ORR** #400  
*lepesmei* Pic, 1950e: 507 (*Chlorophorus*) A: SD #221  
*liyinghuii* Viktora & Liu, 2018c: 108 A: YUN  
*lubricula* Holzschuh, 2003b: 306 A: SD  
*luteopubens* Pic, 1937a: 13 A: YUN **ORR**  
*maceki* Holzschuh, 1992b: 29 A: YUN **ORR** #176  
*maculicollis* Gressitt & Rondon, 1970: 237 A: GUX HAI YUN **ORR**  
*manipurensis kantiae* Holzschuh, 1989c: 398 A: BT  
[*manipurensis manipurensis* Gahan, 1906: 274 - India: Manipur]  
*minima* Gressitt & Rondon, 1970: 242 A: GUX HAI **ORR**  
*moerens* Holzschuh, 1983: 378 A: KA NP  
*nigrocincta* Matsushita, 1931c: 401 A: TAI  
*nigrolineata* Pic, 1915b: 11 A: XIZ **ORR**  
*reducta* Pic, 1927b: 31  
*niisatoi* Han, 2017: 221 A: TAI  
*nishidai* Hayashi & Makihara, 1981: 196 A: NP SD  
*obscurata* Pesarini & Sabbadini, 2015: 50 A: YUN



*ogatai* Mitono, 1942: 91 A: TAI  
*parvipilosa* Holzschuh, 2018a: 88 A: XIZ  
*patkaina* Gahan, 1906a: 272 A: GUX HAI YUN **ORR**  
*multiinterrupta* Pic, 1923b: 10  
*paucis* Holzschuh, 1992b: 34 A: YUN **ORR**  
*petrkabateki* Viktora, 2024a: 240 A: SCH  
*phiale* Gahan, 1906a: 273 A: HAI **ORR**  
*pieli* Gressitt, 1940b: 79 A: HAI HKG #400  
*pingana* Pic, 1926b: 1 A: CH  
*placida* Pascoe, 1858: 240 A: GUA HAI SCH SD YUN **ORR**  
*pictiventris* Gressitt, 1939a: 40  
*praeusta* Lameere, 1890: ccxii A: NP  
*pseudobinhensis* Gressitt & Rondon, 1970: 249 A: YUN **ORR**  
*puella* Viktora, 2019c: 195 A: SCH #400  
*puncticollis* Holzschuh, 1992b: 34 A: YUN **ORR**  
*quadrimaculata quadrimaculata* Pic, 1923b: 10 A: NP YUN **ORR**  
*quadrimaculata subobliterata* Pic, 1930b: 17 A: YUN #400  
*querciphaga* Holzschuh, 1984c: 364 A: NP SD YUN #400  
*quercus* Gardner, 1940: 222 A: YUN **ORR**  
*rybniceki* Holzschuh, 1992b: 30 A: YUN **ORR** #176  
*seminuda* Viktora, 2016a: 140 A: SCH  
*sharmai* Holzschuh, 1990: 192 A: NP  
*squamulifera* Holzschuh, 2016a: 93 A: SCH SHA  
*steinkae* Holzschuh, 1991a: 16 A: YUN **ORR**  
*subvarimaculata* Gressitt & Rondon, 1970: 236, 245 A: YUN **ORR** #400  
*tenerrima* Holzschuh, 1991a: 13 A: YUN **ORR**  
*testaceiceps* Pic, 1915b: 11 A: TAI  
*araneipes* Schwarzer, 1925a: 28  
*pallida* Schwarzer, 1925a: 29  
*testaceicolor* Pic, 1920d: 16 A: TAI  
*theryi* Pic, 1900i: 18 (*Clytus*) A: HEB NMO SHG  
*unigena* Holzschuh, 1993: 37 A: YUN **ORR** #42  
*ustulatula* Holzschuh, 2006b: 299 A: SHA  
*virens* Matsushita, 1931c: 402 A: TAI #400  
*formosana* Mitono, 1936: 424  
*notabiloides* Gressitt, 1936: 96  
*virgo* Viktora et Tichý, 2016: 66 A: YUN  
*weigeli* Holzschuh, 2003b: 306 A: NP  
*xenisca* Bates, 1884a: 229 (*Clytanthus*) A: JA  
*zonalis* Holzschuh, 2016a: 96 A: XIZ

**genus *Sclethrus* Newman, 1842a: 247** type species *Ibidion amoenum* Gory, 1833 #427 #523  
*Neocollyroides* Schultzze, 1920:196 type species *Neocollyroides macregory* Schultzze, 1920  
*stenocylindrus* Fairmaire, 1895: 184 A: CHQ GUA GUX HAI HUN SHA YUN **ORR** #60 #225

**genus *Sinoclytus* Holzschuh, 1995: 37** type species *Sinoclytus emarginatus* Holzschuh, 1995  
*emarginatus* Holzschuh, 1995: 37 A: YUN

**genus *Teratoclytus* D.W. Zaitzev, 1937: 213** type species *Teratoclytus plavilstshikovi* D.W. Zaitzev, 1937 #764  
*changi* Hayashi, 1983: 38 A: TAI  
*plavilstshikovi* D.W. Zaitzev, 1937: 213 A: FE JA NC NE SC SHX #636 #764 #805  
*hasegawai* K. Ohbayashi, 1941b: 221 (*Epiclytus*)  
*simplicior* Holzschuh, 1992b: 20 A: SHA

**genus *Xylotrechus* Chevrolat, 1860d: 456** type species *Clytus sartorii* Chevrolat, 1860  
**subgenus *Kostinicylus* Danilevsky, 2009a: 211** type species: *Xylotrechus zaisanicus* Plavilstshikov, 1940  
*alakolensis* Karpiński & Szczepański, 2018: 256 A: KZ  
*arnoldii arnoldii* Kostin, 1974: 647 A: KZ  
*arnoldii tenebrosus* Shapovalov, 2014: 246 A: KZ  
*katerinae* Shapovalov, 2014: 249 A: KZ  
*medvedevi* Danilevsky, 2009a: 216 A: MG  
*volkovitshi* Shapovalov, 2014: 251 A: TR  
*zaisanicus* Plavilstshikov, 1940a: 354 A: KZ  
**subgenus *Ootora* Niisato & Wakejima, 2008: 442** type species *Clytus villioni* Villard, 1892 #636  
[*khampaseuthi khampaseuthi* Holzschuh, 2007: 244 – Laos]  
*khampaseuthi shibatai* Niisato & Wakejima, 2008: 457 A: GUX

*magnificus* Pic, 1922c: 12 A: GUX HAI YUN **ORR** #400  
*multiimpressus* Pic, 1911d: 19 A: YUN  
*villioni* Villard, 1892: li (*Clytus*) A: FE (Kunashir) JA  
*nipponicus* Seki, 1935a: 92  
**subgenus Rusticoclytus** Vives, 1977: 130 type species *Leptura rustica* Linnaeus, 1758 #636  
*adpersus* Gebler, 1830: 181 (*Clytus*) A: ES FE HEI JA KZ MG NC NMO WS XIN #63  
*decemmaculatus* Pic, 1917g: 5  
*pantherinus* Savenius, 1825: 65 (*Clytus*) E: AU **BU** ?BY CT CZ FI FR GE HU IT **LA** LT NT PL RO **SB** SK ST SV SZ A: ES FE KZ  
MG WS XIN #505 #752  
*apicenotatus* Pic, 1902e: 16  
*jakowlewi* Semenov, 1899b: 134 (*Clytus*)  
*moei* C. G. Thomson, 1874: 552 (*Platynotus*)  
*rusticus* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT **KZ** LA LT LU MC MD ME  
NR NT PL PT RO SB SK SL SP ST SV SZ **TR** UK N: AG MO A: AB AR ES FE GG HEI **JA** JIA JIL IN KZ LIA MG NC NMO  
SC TD TM TR WS XIN  
*apiceocellatus* Schmidt, 1951: 13  
*atomarius* Fabricius, 1793: 332 (*Callidium*)  
*basinotatus* Pic, 1934e: 20  
*brevetestaceus* Pic, 1934e: 20  
*confusus* Herbst, 1784: 98 (*Callidium*)  
*fauconneti* Pic, 1934e: 20  
*hafniensis* Fabricius, 1775: 190 (*Callidium*)  
*heros* Ganglbauer, 1882: 138 (*Clytus*)  
*liciatu*s Linnaeus, 1767: 636 (*Cerambyx*)  
*longipes* Villers, 1789: 256 (*Cerambyx*)  
*maculatus* Gmelin, 1790: 1877 (*Leptura*)  
*octonotatus* Gmelin, 1790: 1846 (*Cerambyx*)  
*omega* Rossi, 1790: 154 (*Callidium*)  
*oo* Schrank, 1781a: 162 (*Leptura*)  
*signatus* Geoffroy, 1785: 81 (*Leptura*)  
*subuniformis* Pic, 1902e: 15  
*variegatus* Geoffroy, 1785: 79 (*Leptura*)  
*villosflavomaculatus* Goeze, 1777: 507 (*Leptura*)  
*viturati* Pic, 1934e: 20  
*salicis* Takakuwa & Oda, 1978: 49 A: ES FE JA ?MG NC NE SC #400  
*nadezhdae* Tsherepanov, 1982a: 63  
**subgenus Turanoclytus** Sama, 1994e: 325 type species *Clytus namanganensis* Heyden, 1885 #400  
*asellus* Thieme, 1881: 99 (*Clytus*) **E: ST** A: KI KZ TD TM UZ XIN #800  
*grumi* Semenov, 1889a: 402 (*Clytus*)  
*ilamensis campadellii* Sama & Rapuzzi, 2003: 92 A: IN  
*ilamensis hadullai* Danilevsky, 2010f: 4 A: AR IN #517  
*ilamensis ilamensis* Holzschuh, 1979a: 115 A: IN  
*ilamensis magnanii* Rapuzzi & Sama, 2018: 14 (*Turanoclytus*) A: TR  
*ilamensis ozdikmeni* Rapuzzi & Sama, 2018: 16 (*Turanoclytus*) A: TR  
*ilamensis zuvandiensis* Lazarev, 2016d: 13 A: AB IN **ST** #578  
*namanganensis* Heyden, 1885a: 297 (*Clytus*) A: AF KI KZ TD TM UZ XIN  
*bucharensis* Semenov, 1893: 501 (*Clytus*)  
*namaganensis* Heyden, 1885a: 297 (*Clytus*) [wrong original spelling]  
*subcrucifer* Pic, 1903a: 4  
*raghidae* Sama & Rapuzzi, 2000: 14 A: IS LE  
*sieversi baiocchii* Rapuzzi & Sama, 2018: 11 (*Turanoclytus*) [Şirnak] A: TR  
*sieversi deyrollei* Pic, 1897d: 219 (*Clytus*) [Trebizonde] A: TR #209  
*akbesianus* Pic, 1902e: 17 [Akbés] #209  
*sieversi sieversi* Ganglbauer, 1890: 429 (*Clytus*) [Kasikoporan] A: AB AR GG IN TR  
**subgenus Xyloclytus** Reitter, 1913a: 46 type species *Clytus chinensis* Chevrolat, 1852 #636  
*altaicus* Gebler, 1836: 342 (*Clytus*) E: CT A: ES FE KZ MG NE NC NMO WS #63  
*popovii* Mannerheim, 1849: 241 (*Clytus*)  
*chinensis chinensis* Chevrolat, 1852: 416 (*Clytus*) **Ei:** FRi GRi SPi A: ANH **BEI** ?FE FUJ GAN GUA GUX HEB HEN HKG HUB JA  
JIA JIX LIA NC SC SCH SHA SHN SHX XIZ ZHE #60 #267  
*griseofasciatus* Pic, 1943b: 1  
*kurosawai* Fujita, 2010: 34 #524 #736  
*laterufescens* Pic, 1913a: 19 (*Xyloclytus*)  
*chinensis kobayashii* Fujita, 2010: 34 A: JA  
*sauteri* Schwarzer, 1925a: 26 A: TAI  
*sekii* Matsushita, 1936: 146 #524 #598  
**subgenus Xylotrechus** Chevrolat, 1860d: 456 type species *Clytus sartorii* Chevrolat, 1860 #429 #523  
*Fulvotrechus* Zamoroka, 2021: 205 type species *Xylotrechus stebbingi* Gahan, 1906 #636  
*Hieroglyphotrechus* Zamoroka, 2021: 205 type species *Clytus antilope* Schönherr, 1817 #636

*Igneotrechus* Zamoroka, 2021: 205 type species *Xylotrechus pyrrhoderus* Bates, 1873 #636  
*Spinotrechus* Zamoroka, 2021: 204 type species *Clytus grayii* White, 1855 #636  
*albolatifasciatus* Makihara, 1979: 152 A: JA (Ryukyus) #734  
*antilope antilope* Schoenherr, 1817a: 465 (*Clytus*) E: AL AU BH BU BY CR CT CZ DE FR GE GR HU IT LT MD ME NL NR PL PT RO SB SK SL SP ST SV SZ TR UK A: CY TR #481  
*lento* Paulian, 1986: 96  
*hieroglyphicus* Drapiez, 1819b: 294 (*Callidium*) [HN]  
*sekerai* Paulian, 1986: 95  
*antilope bitlisiensis* S.Marklund & D.Marklund, 2013: 7 A: AB AR GG TR #316  
*antilope obliquefasciatus* Pic, 1890a: 3 (*Clytus*) N: AG MO TU  
*apiceinnotatus* Pic, 1937b: 8 A: YUN XIZ **ORR**  
*vomeri* Pesarini & Sabbadini, 2015: 47  
*arunensis* Holzschuh, 1982b: 151 A: NP  
*arvicola arvicola* Olivier, 1800: 64 (*Callidium*) E: AL AU BE BH BU BY CR ~~CT~~ CZ EN FR GE GR HU IT KZ LA LT LU MC MD NE NL PL PT RO SB SK SL SP ~~ST~~ SZ TR UK N: AG MO #373 #752 #803  
*abbreviatus* Schmidt, 1951: 14  
*herzegovinus* Pic, 1913b: 98  
*heydeni* Stierlin, 1864: 152 (*Clytus*)  
*inbasalis* Pic, 1911a: 6  
*kraatzii* Lederer, 1864: 485 (*Clytus*)  
*subangulosus* Pic, 1934e: 21§  
*tridentatus* Bleuse, 1905: 21 (*Clytus*)  
*arvicola iranicus* Rapuzzi & Sama, 2014a: 7 A: AB IN #106  
*arvicola lazarevi* Danilevsky, 2016b: 171 E: ST A: AB AR GG IN ?SY TR  
*arvicola planarius* Danilevsky, 2016b: 169 E: **CT KZ** ST UK A: KZ WS  
*atronotatus angulithorax* Gressitt, 1934: 165 A: HUB JA (Ryukyus)  
*atronotatus atronotatus* Pic, 1917h: 11 A: FUJ HAI JIL LIA TAI #400 #525  
*aureobrunneus* Gressitt, 1934: 166 #347  
*cinerascens* Matsushita, 1933b: 268  
*formosanus* Schwarzer, 1925a: 26 #347  
*atronotatus draconiceps* Gressitt, 1951a: 240 A: GUA JIX  
*atronotatus generosus* Matsushita, 1933b: 270 A: JA (Ryukyus)  
*badachschanicus* Tippmann, 1958a: 48 A: AF  
*bandaishanus* Mitono, 1941a: 92 A: TAI #347  
*basifuliginosus* Heller, 1926: 23 A: HP NP  
*bilyi* Holzschuh, 2003a: 199 A: YUN **ORR**  
*binotaticollis* Gressitt, 1939a: 36 A: GUA  
*boreosinicus* Gressitt, 1951a: 241 A: HUB SHA  
*brevicillus* Chevrolat, 1863: 323 A: CH  
*buqueti* Laporte & Gory, 1841: 86 (*Clytus*) A: FUJ GUA GUX HAI HUN JIX NP SHA XIZ YUN **ORR** #75  
*brevicornis* Pascoe, 1869a: 608  
*phidias* Newman, 1842a: 246 (*Clytus*)  
*siamensis* Chevrolat, 1863: 318  
*capricornus* Gebler, 1830: 182 (*Clytus*) E: **AU CT CZ** KZ PL SK ST(**Saratov**) UK A: KZ WS  
*chatterjeei* Gardner, 1940: 219 (*Perissus*) A: HAI **ORR** #415  
*chhetrii* Holzschuh, 1989c: 396 A: BT #344  
*chujoi chujoi* Hayashi, 1960d: 24 A: JA (Ryukyus)  
*chujoi ishigakianus* K. Ohbayashi, 1964: 22 (*Perissus*) A: JA (Ryukyus)  
*tinsunshi* K. Ohbayashi & N. Ohbayashi, 1965: 3 (*Clytus*)  
*clarinus* Bates, 1884a: 231 A: FE JA  
*cuneipennis* Kraatz, 1879c: 110 (*Clytus*) A: ES FE HEB HEI HEN HUB JA JIL LIA **MG** NC SC XIN  
*albifilis* Bates, 1884a: 232  
*decolor* Thieme, 1881: 101 (*Clytus*)  
*jilinensis* Z. Wang, 2003: 237, 395  
*pallidipennis* Matsumura, 1906: 154  
*daoi* Gressitt & Rondon, 1970: 206 A: GUX YUN **ORR**  
*deletus* Lameere, 1893a: 282 A: HKG **ORR** #400  
*dembai* Viktora, 2020c: 142 A: AP #400  
*diversesignatus* Pic, 1908f: 15 A: SCH XIZ YUN #400  
*djoukoulanus* Pic, 1920d: 18 A: YUN  
*dominula* White, 1855: 261 (*Clytus*) A: **BEI FUJ** GUA **HEN** NO ZHE #598  
*emaciatus* Bates, 1884a: 231 A: JA #400  
*nijimai* Matsushita, 1933b: 277 (*Perissus*)  
*[gestroi gestroi]* Gahan, 1894: 19 – Burma  
*gestroi laosensis* Gessitt & Rondon, 1970: 201 A: NP **ORR**  
*goetzi* Heyrovský, 1970a: 131 A: GAN  
*grayii grayii* White, 1855: 261 A: **BEI FUJ** GAN GUA GUI **HKG** HEB HEN HUB HUN JA JIA **LIA** NE SC SCH SHA **SHG SHN** ~~TAI~~

XIZ YUN

*grayii hachijoensis* Takakuwa, 1984: 10, 317 A: JA (Izu Isls.) #598 #636  
*grayi nakamurai* Fujita, 2017: 48 A: JA (Ryukyus) #636  
*grayii tsuyukii* Fujita, 2023: 22 A: TAI #636  
*grayii yaeyamanus* Takakuwa, 1984: 10 A: JA (Ryukyus) ~~TAI~~  
*bisiniapicalis* Takakuwa, 1984: 317

*hampsoni* Gahan, 1890a: 54 A: BT UP **ORR** #336 #344  
*unicarinatus* Pic, 1917b: 20

*hircus* Gebler, 1825: 54 (*Clytus*) A: BEI ES FE HEB **HEI** JA JIL KZ **LIA** MG ?NC NMO SC WS **XIN** #598  
*decolor* Thieme, 1881: 101 (*Clytus*)

*ibex ibex* Gebler, 1825: 53 [**Altai**] (*Clytus*) - E: ?BY CT FI **GE** NT PL ST **KZ** A: **BEI** KZ **LIA** MG NC NE NIN NMO SC SHA WS **XIN** #598 #752 #786  
*angulosus* Motschulsky, 1875: 150 [environs du Lac Inderskoe près de l'Oural] (*Clytus*)

*ibex rectangularis* Motschulsky, 1875: 149 [Daourie méridionale] (*Clytus*) A: BEI ES FE FUJ GAN **HEI** HUN JIL **LIA** MG NC NE NIN #786  
NMO SC SHA WS **XIN**  
*fugitivus* Thieme, 1881: 100 [Amur] (*Clytus*)  
*interruptus* Pic, 1902e: 17, 19 [Sibérie, ?Japon]

*incurvatus contortus* Gahan, 1906a: 249 A: BT FUJ GUA GUX HUB HUN NP SCH SD SHA **ORR** #336 #344 #390  
*unicarinatus* Pic, 1917b: 20  
*biarcuatus* Pic, 1917d: 6

*incurvatus incurvatus* Chevrolat, 1863: 331 (*Amauresthes*) A: ?BT FUJ GAN GUA HEB HKG HUN ?NP SC (Mt. Soyosan) SCH ?SD  
TAI XIZ YUN **ORR** #60 #63

*inflexus* Viktora & Liu, 2018c: 110 A: GUX  
*janbar* Niisato & N. Ohbayashi, 2002: 34 A: JA (Ryukyus) #734  
*javanicus* Laporte & Gory, 1841: 87 (*Clytus*) A: AP GUA GUX HAI HEN HUB HUN JIA NP SCH YUN ZHE **ORR** #280  
#390

*coffeophagus* G. Richter, 1876: 250 (*Cucujus*)  
*lyratus* Pascoe, 1869a: 610  
*quadripes* Chevrolat, 1863: 315  
*sappho* Pascoe, 1858: 239 (*Clytus*)

*kayoensis* Mitono & Kira, 1934: 589 A: TAI  
*klapperichi* Gressitt, 1951a: 245 A: FUJ  
*kosempoensis* Heyrovský, 1955b: 259 A: TAI  
*kuatunensis* Gressitt, 1951a: 246 A: FUJ GUI YUN  
*kuceraï* Viktora, 2021a: 173 A: SHA

*latefasciatus latefasciatus* Pic, 1936c: 4 A: FUJ HUN JIX TAI ZHE  
*serricornis* Mitono, 1941a: 101

*latefasciatus ochroceps* Gressitt, 1951a: 247 A: CHQ SCH SHA XIN XIZ #400  
*lateralis* Gahan, 1906: 244 A: XIZ YUN **ORR**  
*fracturis* Guo & L. Chen, 2002c: 256  
*junctus* Pic, 1927b: 34  
*multisignatus* Pic, 1916h: 314  
*quadrisignatus* Pic, 1927b: 34  
*triangulifer* Pesarini & Sabbadini, 2015: 46

*lautus fujitai* Takakuwa, 1984: 10 A: JA (Ryukyus)  
*lautus lautus* Matsushita, 1933b: 273 (*Clytus*) A: JA  
*lepesmei* Pic, 1950e: 508 A: NP SD  
*difformis* Holzschuh, 1983: 369

*liciatulus* Holzschuh, 2006c: 483 A: SD  
*longithorax* Pic, 1922c: 13 A: HAI NP YUN **ORR** #400  
*marketae* Viktora & Liu, 2018c: 112 A: YUN  
*mixtus* Plavilstshikov, 1940a: 360 A: FE  
*monticola* Gahan, 1906a: 251 (*Clytus*) A: KA PA XIZ YUN  
*mucidulus* Holzschuh, 2009a: 330 A: SHA **ORR** #225  
*multinotatus* Pic, 1904c: 11 A: YUN  
*nigrosulphureus* Gressitt, 1940b: 69 A: HAI  
*ogasawarensis* Matsushita, 1933: 43 A: JA (Ogasawara Isls.)  
*pavlovskii* Plavilstshikov, 1954: 471 A: FE ?NC SC  
*pekingensis* Pic, 1939b: 3 A: BEI HEB NC SC SHA #598  
*sangkyuni* Fujita, 2023: 21 (South Korea) #719

*petrae* Viktora, 2020c: 150 A: SCH  
*pici* Heyrovský, 1935b: 115 A: SCH  
*polyzonus* Fairmaire, 1888b: 143 (*Clytus*) A: BEI FE ~~GUA~~-HEB HUB **LIA** NC SC SHA ~~YUN~~ #400  
*bifenestratus* Pic, 1916g: 180 #400 #598  
*jeholensis* Kano, 1935: 5

*pyrrhoderus nigrosterneus* Gressitt, 1939a: 38 A: GUA HEN  
*pyrrhoderus pyrrhoderus* Bates, 1873: 200 A: ANH BEI CHQ FUJ GAN GUA GUI HUB JA JIA JIL JIX **LIA** NC SC SCH SHA SHG

SHN SHX ZHE #598 #779  
*quattuordecimmaculatus* Guo & L. Chen, 2002c: 256 A: YUN  
*reductemaculatus ohtsuboi* Fujita, 2010: 35 A: JA (Ryukyus)  
*reductemaculatus reductemaculatus* Hayashi, 1968c: 14 A: JA (Ryukyus)  
*retractus* Holzschuh, 1998: 44 A: SHA  
*robusticollis* Pic, 1936c: 4 (*Clytus*) A: BEI GUI HEB HUB HUN JIX LIA SCH SHA #400 #598  
*rufilius kadowakii* Nakane, 1981: 39 A: JA (Oki Is.)  
*rufilius rufilius* Bates, 1884a: 233 A: BEI CHQ FE FUJ GUA GUI GUX HAI HEB HEI HEN HKG HUB HUN JA JIL JIX LIA NC SC #598  
SCH SHA SHN SHX TAI YUN ZHE ORR #598  
*atrithorax* Pic, 1910g: 30  
*decoloratipes* Pic, 1910g: 30  
*gahani* Stebbing, 1914: 352  
*irinae* Plavilstshikov, 1925: 360  
*magnicollis* Fairmaire, 1888a: 34 (*Clytus*) #732  
*renominatus* Beeson, 1919: 151  
*rufoapicalis* Pic, 1926b: 1 A: YUN  
*rufobasalis* Pic, 1937b: 7 A: HUB YUN ORR #400  
*rufonotatus* Gressitt, 1936: 94 A: TAI  
*savioi* Pic, 1935g: 177 A: GUI HEN HKG HUN YUN ZHE #400  
*securus* Holzschuh, 2009a: 323 A: GUI ORR #623  
*tristifacies* Sh. Yang & W. Yang, 2017: 82  
*shimomurai* Ikeda, 1994: 353 A: TAI  
*sikangensis* Gressitt, 1942b: 3 A: GUI SCH SHA  
*smei* Laporte & Gory, 1841: 37 (*Clytus*) A: AF BT IS NP PA SD ORR #274 #280 #390 #439  
*stebbingi* Gahan, 1906a: 244 Ei: ALi BUi CRi FRi GEi GRi ITi PTi SLi SPi SZi N: TUi A: AF BT ISi LEi NP PA SD SYi TAI TD TRI  
UP XIN XIZ ORR #74 #117 #127 #189 #400 #464 #505  
*subcarinatus* Gardner, 1939: 8 A: NP UP  
*subdepressus* Chevrolat, 1863: 329 (*Amauresthes*) A: NP SD  
*subditus* Chevrolat, 1863: 314 A: KA  
*subscalaris basalis* Schwarzer, 1925a: 25 A: HAI TAI #347  
*subscalaris subscalaris* Pic, 1917h: 11 A: SC (Jejudo Is.) #347 #525  
*subscutellatus* Chevrolat, 1863: 317 A: HP UP ORR #127  
*insipiens* Chevrolat, 1863: 321  
*putzeyi* Chevrolat, 1863: 320 #127  
*sangkyuni* Fujita, 2023: 21 A: SC  
*suzukii* Holzschuh, 1984c: 356 A: TAI  
*takakuwai* Kusama, 1977: 17 A: JA (Ogasawara Isls.)  
*tanoni* Gressitt & Rondon, 1970: 208 A: YUN ORR  
*vinnulus* Holzschuh, 1993a: 35 A: YUN ORR  
*wenii* Han & Niisato, 2010: 249 A: TAI  
*yanoi* Gressitt, 1934: 164 A: BEI GUI HEB JA NMO SC ?SHA ORR #598 #719  
*zebratus* Matsushita, 1938a: 93 A: JA  
*zhouchaoi* Viktora & Liu, 2018c: 114 A: YUN  
**subgenus ???**  
*gratus* Viktora, 2020c: 146 A: SCH

tribe Compsocerini J. Thomson, 1864: 260

**genus *Acrocyrtidus* Jordan, 1894b: 499** type species *Acrocyrtidus fasciatus* Jordan, 1894  
**subgenus *Acrocyrtidus* Jordan, 1894b: 499** type species *Acrocyrtidus fasciatus* Jordan, 1894  
*Lautitia* Matsushita, 1933b: 226 type species *Lautitia elegantula* Matsushita, 1933  
*Mausaridaeus* Pic, 1903c: 29 type species *Mausaridaeus diversinotatus* Pic, 1903  
*argenteofasciatus* Pic, 1903c: 30 (*Mausaridaeus*) A: HAI ORR  
*diversinotatus* Pic, 1903c: 30 (*Mausaridaeus*) #444  
*argenteus* Gressitt & Rondon, 1970: 189 A: HAI HUN YUN ORR #400  
*attenuatus* Pic, 1927b: 29 (*Mausaridaeus*) A: HAI ORR #443  
*aureescens* Gressitt & Rondon, 1970: 186 A: YUN ORR #400  
*auricomus* Holzschuh, 1982a: 70 A: NP  
*avarus* Holzschuh, 1989a: 165 A: HUN YUN ORR #400  
~~*aureseens* Gressitt & Rondon, 1970: 186 A: YUN ORR #289~~  
*elegantulus elegantulus* Matsushita, 1933b: 226 (*Lautitia*) A: TAI  
*longipes* Matsushita, 1941: 152 (*Mausaridaeus*) #450  
*elegantulus longicornis* Hayashi, 1962a: 10 A: JA  
*fulvus* Gressitt & Rondon, 1970: 186, 188 A: HAI ORR #261



*jianfeng* Viktora & Liu, 2018: 122 A: HAI  
*simianshanensis* Chiang & L. Chen, 1994: 107 A: CHQ SCH #400  
*wenxinae* Holzschuh, 2021a: 98 A: GUX

**genus *Eduardiella* Holzschuh, 1993a: 32** type species *Eduardiella pretiosa* Holzschuh, 1993  
*dayaoshana* Niisato & Liu, 2018: 275 A: GUX  
*pretiosa* Holzschuh, 1993a: 32 A: YUN

**genus *Eurybatus* J. Thomson, 1861: 233** type species *Eurybatus hariolus* J. Thomson, 1861 #400  
**subgenus *Eurybatodes* Semenov, 1911: 121** type species *Rosalia bouvieri* Boppe, 1910  
*bouvieri* Boppe, 1910: 235 (*Rosalia*) A: SCH XIZ YUN  
**subgenus *Eurybatus* J. Thomson, 1861: 233** type species *Eurybatus hariolus* J. Thomson, 1861  
*Eurybatorosalia* Plavilstshikov, 1934a: 142 type species *Rosalia lesnei* Boppe, 1911  
*decempunctatus* Westwood, 1848: 59 (*Purpuricenus*) A: AP GUA GUI GUX HAI HUB SD XIZ YUN "North India" ORR #280  
*insulanus* Kriesche, 1920b: 112 (*Rosalia*)  
*dejeani* Vuillet, 1911b: 247 (*Rosalia*) A: SCH  
*ferriei* Vuillet, 1911a: 79 (*Rosalia*) A: JA (Ryukyus)  
*formosus convivus* Csiki, 1911: 612 (*Rosalia*) A: TAI  
*formosus formosus* Saunders, 1839: 178 (*Cerambyx*) A: AP NP SD XIZ ORR #280  
*formosusnigroapicalis* Pic, 1910g: 36 A: YUN #400  
*formosus pallens* Gressitt, 1945a: 124 (*Rosalia*) A: GUI GUX HUB HUN SCH ORR #400  
*gravidus* Lameere, 1887: 166 (*Rosalia*) A: XIZ SD "Himalaya" ORR  
*hariolus* J. Thomson, 1861: 250 A: BT NP SD  
*nakanishii* Hayashi & Makihara, 1981: 189 (*Rosalia*)  
*kubotai* Takakuwa, 1994: 2 (*Rosalia*) A: GUX HAI ORR  
*lateritius* Hope, 1831: 27 (*Lamia*) A: AP NP SD XIZ ORR #280  
*lesnei* Boppe, 1911b: 103 (*Rosalia*) A: JA TAI  
*asahinai* Mitono, 1943: 587  
*pachycornis* Takakuwa & Karube, 1997: 8 (*Rosalia*) A: YUN ORR

**genus *Luteicenus* Pic, 1922: 25** type species *Purpuricenus atromaculatus* Pic, 1922  
*Latecyrtidus* Vives & Niisato, 2011: 359 type species *Latecyrtidus yamasakoi* Vives & Niisato, 2011  
*atromaculatus* Pic, 1922: 25 (*Purpuricenus*) A: YUN ORR  
*yamasakoi* Vives & Niisato, 2011: 105 (*Latecyrtidus*)  
*cheni* Holzschuh, 2019b: 92 A: GUX  
*congruus* Holzschuh, 2019b: 93 A: GUX  
*magnificus* Rapuzzi & Sama, 2014a: 6 A: GUX

**genus *Platycyrtidus* Vives & Niisato, 2011: 364** type species *Acrocyrtidus delicatulus* Holzschuh, 2009  
*yinghuii* Viktora & Liu, 2018: 139 A: HAI

**genus *Pseudocallidium* Plavilstshikov, 1934f: 226** type species *Pseudocallidium violaceum* Plavilstshikov, 1934  
*obscuriaeneum* Hayashi, 1969a: 62 A: TAI  
*violaceum* Plavilstshikov, 1934f: 226 A: SCH SHA #225

**genus *Rosalia* Audinet-Serville, 1834a: 561** type species *Cerambyx alpinus* Linnaeus, 1758  
*Charmides* Gistel, 1848b: [2] [unnecessary substitute name]  
*alpina* Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BH BU ~~BY~~ CR CT CZ FR GE GR HU IT LS MA MC MD ME NL PL RO SB SK  
 SL SP ST SV SZ TR UK A: AB AR GG TR WS #701 #752 #796  
*bifasciata* Reitter, 1900b: 131  
*brancsiki* Pic, 1911a: 5  
*bystricensis* Roubal, 1937: 82  
*cepelaki* Pic, 1933d: 6  
*connexa* Reitter, 1900b: 131  
*croissandeau* Pic, 1891b: 22  
*gelineki* Zoufal, 1906: 264  
*geminata* Reitter, 1900b: 131  
*interrupta* Reitter, 1900b: 131  
*korbeli* Roubal, 1937: 82  
*kyselyi* Zoufal, 1906: 264  
*latemaculata* T. Pic, 1908h: 33  
*multimaculata* T. Pic, 1900a: 12  
*obliterata* T. Pic, 1900a: 12  
*parvonotata* Reitter, 1900b: 132  
*prolongata* Reitter, 1900b: 131  
*pilosa* Poda von Neuhaus, 1761: 32 (*Cerambyx*)  
*quadrimaculata* Ragusa, 1905: 8  
*quadripunctata* Reitter, 1901d: 202

*transylvanica* Pic, 1908g: 20  
*triformis* Roubal, 1937: 81  
*v-notata* T. Pic, 1908: 33  
*uzunkumensis* Podaný, 1963a: 10  
*batesi* Harold, 1877: 360 A: JA #525  
*coelestis* Semenov, 1911: 118 A: BEI FE GUA GUX HEB HEI HEN JIL NC SC SCH SHA SHN XIZ #400 #525  
*houlberti* Vuillet, 1911b: 215 #400  
*yanagii* Fujita & Akita, 2020: 43 [Tsushima Is.] #517 #736  
*lameerei* Brongniart, 1890: cxxi A: GUX SCH YUN ORR  
*bireducta* Dayrem, 1935: 25  
*quadrinotata* Dayrem, 1935: 25  
*semireducta* Pic, 1910g: 30  
*unireducta* Pic, 1937a: 11  
*syriaca* Pic, 1895e: cclxxxv A: TR #796

### tribe Deilini Fairmaire, 1864

**genus *Deilus* Audinet-Serville, 1834b: 73** type species *Callidium fugax* Olivier, 1790  
*Dilus* Agassiz, 1846: 124 [unjustified emendation]  
*fugax* Olivier, 1790: 253 (*Callidium*) E: AL AU BE BH BU BY CR CT CZ FR GR HU IT KZ LU MD ME PL PT RO SK SL SP ST SZ  
 UK N: AG MO LB TU A: AB AR CY GG IN IS JO KZ LE SY TR WS #11  
*ceramboides* Rossi, 1794: 99 (*Necydalis*)  
*rugosicollis kadleci* Rapuzzi & Sama, 2012a: 667 A: CY  
*rugosicollis rugosicollis* Rapuzzi & Sama, 2012a: 667 A: LE TR SY IS #182  
**genus *Delagrangeus* Pic, 1892q: xciii** type species *Delagrangeus angustissimus* Pic, 1892  
**subgenus *Delagrangeus* Pic, 1892q: xciii** type species *Delagrangeus angustissimus* Pic, 1892  
*Edithia* Reitter, 1899: 160 type species *Edithia carbonaria* Reitter, 1899 (= *Delagrangeus angustissimus* Pic, 1892)  
*Mimophymatodes* Pic, 1920e: 21 type species *Mimophymatodes asiaticus* Pic, 1920 (= *Delagrangeus angustissimus* Pic, 1892)  
*angustissimus angustissimus* Pic, 1892q: xciii A: TR  
*asiaticus* Pic, 1920e: 21 (*Mimophymatodes*)  
*carbonarius* Reitter, 1899: 160 (*Edithia*)  
*angustissimus liviae* Pesarini & Sabbadini, 2004a: 93 E: GR (Rodos)  
*angustissimus troodi* Sama, 1994f: 556 A: CY LE  
**subgenus *Gertius* Sama, 1994f: 557** type species *Delagrangeus schurmanni* Sama, 1985  
*schurmanni* Sama, 1985c: 97 N: CI  
**genus *Prosype* J. Thomson, 1864: 248** type species *Oeme filiformis* Buquet, 1859  
*juniperi* Holzschuh, 1993b: 120 A: SA YE

### tribe Graciliini Mulsant, 1839

**genus *Arabogracilia* Rapuzzi & al Dhafer, 2024: 332** type species *Arabogracilia saudita* Rapuzzi & al Dhafer, 2024  
*saudita* Rapuzzi & al Dhafer, 2024: 188 A: SA  
**genus *Axinopalpis* Dejean, 1835: 332** type species *Obrium gracile* Krynicki, 1832  
*Axinuchus* Gemminger, 1872: 2840 [unnecessary RN]  
*alberti* Sama, Rapuzzi & Kairouz, 2010: 148 A: LE  
*barbarae barbarae* Sama, 1992b: 303 A: CY  
*barbarae consobrinus* Sama, 1992b: 303 A: CY  
*gracilis christinae* Rapuzzi, 1995: 618 E: GR  
*gracilis diversicornis* Özdikmen & Koçak, 2023a: A: TR  
*gracilis gracilis* Krynicki, 1832: 162 (*Obrium*) E: AL AU BH BU CR CT CR CZ GE GR HU IT ~~LA LT~~ MC MD ME PL RO SB SK SL  
 ST UK A: GG IS SY TR #7 #557  
*laticornis* Pic, 1896b: 35  
**genus *Gracilia* Audinet-Serville, 1834b: 81** type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)  
*Aphelocera* Gistel, 1848b: [2] type species *Callidium vini* Panzer, 1799 (= *Saperda minuta* Fabricius, 1781)  
*Nothrus* Haldeman, 1847: 43 type species *Nothrus fuscus* Haldeman, 1847 (= *Saperda minuta* Fabricius, 1781)  
*Oesyophila* Bedel, 1894: 156 [RN] type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)  
*minuta* Fabricius, 1781: 235 (*Saperda*) E: AL AU AZ BE BH BU CR CT CZ DE ?EN FI FR GB GE GR HU IR IT KZ ?LA LT LU MA  
 MD ME NL NT NR PL PT RO SB SK SL SP ST SV ?SZ TR UK N: AG CI EG MO MR TU A: AB AR GG GUI HEN IN KZ NE  
 NO NW SHA TR WS AURi NARi NTRi ORR #115 #104  
*albanica* Csiki, 1931: 278  
*approximata* Fairmaire, 1883b: cliv  
*fusca* Haldeman, 1847: 43 (*Nothrus*)  
*obliquata* Horn, 1885: 174  
*picea* Fabricius, 1793: 317 (*Saperda*)  
*pygmaea* Fabricius, 1793: 323 (*Callidium*)

vini Panzer, 1799: 10 (*Callidium*)

genus *Hybometopia* Ganglbauer, 1889b: 282 type species *Hybometopia starcki* Ganglbauer, 1889

*starcki ivani* Sama, 1996c: 106 A: TR

*starcki starcki* Ganglbauer, 1889b: 285 E: ST A: GG TR

genus *Ischnorrhabda* Ganglbauer, 1889a: 61 type species *Ischnorrhabda macilenta* Ganglbauer, 1889

#818

*Cylindroeme* Vives, 2019: 1 type species *Cylindroeme vietnamica* Vives, 2019

*macilenta* Ganglbauer, 1889a: 64 A: GAN SCH

#400 #525

*shii* Wang Y., Xie & Wang W. 2022: 127 (*Cylindroeme*) A: QIN

*vietnamica* Vives, 2019: 1 (*Cylindroeme*) A: GUI ORR

#663

*yunnanensis* Lin & Li K. (*Cylindroeme*) Q. 2022: 295 A: YUN

genus *Lucasianus* Pic, 1891b: 42 type species *Cerambyx levaillantii* P. H. Lucas, 1847

#778

*levaillantii* P. H. Lucas, 1847: pl. 41 (*Cerambyx*) E: FR PT SP N: AG MO

genus *Nisibistum* J. Thomson, 1878a: 29 type species *Nisibistum kaisanum* J. Thomson, 1878

*kaisanum* J. Thomson, 1878a: 30 A: CH

genus *Penichroa* Stephens, 1839: 270 type species *Callidium fasciatum* Stephens, 1839

*Exilia* Mulsant, 1862: 195 type species *Callidium timidum* Ménériés, 1832 (= *Callidium fasciatum* Stephens, 1831)

*Graecoeme* Adlbauer, 2006: 379 type species *Graecoeme eggeri* Adlbauer, 2006

*Liagrica* Costa, 1855: 59 type species *Callidium timidum* Ménériés, 1832 (= *Callidium fasciatum* Stephens, 1831)

*fasciata* Stephens, 1831: 250 (*Callidium*) E: AL BH BU CR FR GR IT MA MC ME PT SB SL SP ST TR UK N: AG EG LB MO TU

A: AB AR CY GG IN IS SY TR

*bipunctata* Zubkov, 1833: 336 (*Callidium*)

*brunnea* Tournier, 1872: 280 (*Exilia*)

*champlaini* Knull, 1941: 695 (*Tylonotus*)

*eggeri* Adlbauer, 2006: 381 (*Graecoeme*)

*fagnezi* Pic, 1945b: 6

*fasciolata* Krynicki, 1834: 170 (*Callidium*)

*lugubris* Ragusa, 1884: 333 (*Exilia*)

*timida* Ménériés, 1832: 228 (*Callidium*)

genus *Tritomacrus* Newman, 1833: 510 type species *Tritomacrus testaceus* Newman, 1833

*testaceus* Newman, 1833: 510 E: IR

#815

tribe Hesperophanini Mulsant, 1839

subtribe Daramina Sama, 2008

genus *Daramus* Fairmaire, 1892a: 121 type species *Daramus serricornis* Fairmaire, 1892

*major macrops* Peyerimhoff, 1943: 27 (*Tetropiopsis*) N: AG LB MO TU

*mehennii* Sama, 1994d: 176

*sahrawi* Sama & Rapuzzi, 2008: 224

*major major* Pic, 1924c: 30 (*Tetropiopsis*) A: SI

*serricornis* Fairmaire, 1892a: 121 N: EG A: YE OM AFR

#774

subtribe Hesperophanina Mulsant, 1839

genus *Blabinotus* Wollaston, 1854: 425 type species *Blabinotus spinicollis* Wollaston, 1854

*spinicollis* Wollaston, 1854: 426 N: CI MR

genus *Gnatholea* J. Thomson, 1861: 375 type species *Gnatholea eburifera* J. Thomson, 1861

*biseburata* Mitono, 1939: 148 A: GUI JA (Ryukyus) TAI

#400

*loochooana* K. Ohbayashi & N. Ohbayashi, 1965: 1

*eburifera* J. Thomson, 1861: 375 A: GUI GUX HAI HKG YUN ORR

#400

*simplex* Gahan, 1890a: 53 A: AP SD ORR

#280

*subnuda* Lacordaire, 1868: 284 A: YUN ORR

#400

genus *Hesperoferus* Demelt, 1971: 6 type species *Hesperoferus canariensis* Demelt, 1971 (= *Callidium roridum* Brullé, 1839)

*machadoi* Sama & Schurmann, 1983: 61 (*Trichoferus*) N: CI

*artemisiphagus* Leiler, 1984: 155 (*Hesperophanes*)

*roridus* Brullé, 1839: 62 (*Callidium*) N: CI

*canariensis* Demelt, 1971: 5

genus *Hesperophanes* Dejean, 1835: 328 type species *Callidium sericeum* Fabricius, 1787

*andresi* Sama & Rapuzzi, 2006: 183 N: EG TU

#778

*heydeni* Baeckmann, 1923: 66 A: KZ MG NMO UZ XIN

*melonii* Fancello & Cillo, 2012: 255 E: IT (Sardegna)

*pilosus* Bodungen, 1908: 179 A: AB IN

#766

*sericeus* Fabricius, 1787: 152 (*Callidium*) E: AL BH CR FR GR IT MA MC ME PT ?SB SP ST ?SZ UK N: AG EG LB MO TU A: AB  
AR CY GG IN IQ IS JO LE SY TM TR #74 #115 #464

*latreillei* Brullé, 1832: 256 (*Callidium*)

*rotundicollis* P. H. Lucas, 1842: 185

**genus *Jebusaea* Reiche, 1878b: cliii** type species *Jebusaea hammerschmidti* Reiche, 1878

*Bagdatocerambyx* Pic, 1901c: 11 type species *Bagdatocerambyx drurei* Pic, 1901

*Pseudophilus* Gahan, 1893a: 256 type species *Pseudophilus testaceus* Gahan, 1893

*hammerschmidti* Reiche, 1878b: cliv A: AE IN IQ OM QA SA

*drurei* Pic, 1901c: 11 (*Bagdatocerambyx*)

*persica* Reitter, 1907b: 217

*testacea* Gahan, 1893a: 256 (*Pseudophilus*)

**genus *Stromatium* Audinet-Serville, 1834b: 80** type species *Callidium barbatum* Fabricius, 1775

*Solenophorus* Mulsant, 1839: 65 type species *Callidium strepens* Fabricius, 1798 (= *Callidium unicolor* Olivier, 1800)

*auratum* Böber, 1793: 135 (*Saperda*) E: AL BH BU CR FR GE GR HU IT LA MA MC ME PT RO SB SL SP ST TR UK N: AG EG  
MO MR TU LB A: AB AR CY GG IN IQ IS JO LE SY TM TR #290

*fulvum* Villers, 1789: 256 (*Cerambyx*) [HN]

*inermis* Tournier, 1872: 260

*pallidum* Zubkov, 1833: 336 (*Callidium*)

*platifemur* Chevrolat, 1882: 57 (*Hesperophanes*)

*strepens* Fabricius, 1798: 150 (*Callidium*)

*unicolor* Olivier, 1800: no. 70: 58 (*Callidium*)

#373

*barbatum* Fabricius, 1775: 189 (*Callidium*) A: AP BT HP NP OM PA YE AFR AURi ORR #280 #291 #366

*funestum* Boisduval, 1835: 481 (*Callidium*)

*tranquebaricum* Gmelin, 1790: 1848 (*Cerambyx*)

*variolosum* Fabricius, 1798: 149 (*Callidium*)

*longicorne* Newman, 1842a: 246 (*Arhopalus*) A: FUJ GUA GUI GUX HAI HKG JA JIX LIA NMO NP SHN TAI YUN ZHE "North  
India" NARi ORR #390

*abeillei* Pic, 1891b: 44 (*Hesperophanes*)

*asperulum* White, 1855: 300

*granulatum* Matsumura, 1927: 21 (*Criocephalus*)

**genus *Tetropiopsis* Chobaut, 1899: 356** type species *Tetropiopsis numidica* Chobaut, 1899

*numidica* Chobaut, 1899: 357 N: AG MO TU

*guldei* Chobaut, 1905: 157

**genus *Trichoferus* Wollaston, 1854: 427** type species *Trichoferus senex* Wollaston, 1854 (= *Trichoferus fasciculatus senex* Wollaston, 1854)

*Hesperandrius* Reitter, 1913a: 45 type species *Callidium griseum* Fabricius, 1793

*antonioui* Sama, 1994c: 40 A: CY

*arenbergeri* Holzschuh, 1995: 14 E: IT (Sardegna)

*berberidis* Sama, 1994c: 40 E: GR (Crete)

*bergeri* Holzschuh, 1982a: 66 E: GR (Crete)

*campestris* Faldermann, 1835: 435 (*Callidium*) Ei: AUi BEi BYi CTi CZi ENi FRi GBi GEi GRi HUi ITi LAi LTi MDi NLi PLi ROi  
SKi STi SVi SZi UKi N: EG A: ABi ARi ANH ES FE GAN GUI HEB HEI HEN HP HUB HUN IN IQ IS JA JIA JIL JIX JO KI  
KZ LE LIA MG NC NMO QIN SC SCH SHA SHN SHX SLi SVi SY TD TM UZ WSi XIN XIZ YUN ZHE NARi ORR #31  
#353 #540

*flavopubescens* Kolbe, 1886: 219 (*Hesperophanes*)

*rusticus* Ganglbauer, 1887a: 133 (*Hesperophanes*)

*turkestanicus* Heyden, 1886b: 193 (*Stromatium*)

*cisti* Sama, 1987: 50 N: MO

*cribricollis* Bates, 1878b: 720 (*Hesperophanes*) A: KA PA SD

*fasciculatus fasciculatus* Faldermann, 1837: 266 (*Hesperophanes*) E: AL BU CR FR GR IT MA ME PT RO SB SP SZ UK N: AG EG  
LB MO TU A: AB AR CY GG IN IQ IS JO LE SY TR #182

*affinis* P. H. Lucas, 1842: 186 (*Hesperophanes*)

*elongatulus* Pic, 1896b: 35 (*Hesperophanes*)

*pubescens* Pic, 1898a: 9 (*Hesperophanes*) - ["Tougourt" - Algérie]

*pulverulentus* Erichson, 1841: 188 (*Callidium*)

*subnudus* Dayrem, 1928a: 67 (*Hesperophanes*)

*fasciculatus senex* Wollaston, 1854: 428 N: CI MR

*fissitarsis* Sama, Fallahzadeh & Rapuzzi, 2005: 125 A: IN IQ TR

*georgioui* Sama & Makris, 2001: 166 A: CY

*griseus* Fabricius, 1793: 325 (*Callidium*) E: AL BH BU CR CZ FR GR IT MA ME PT RO SB SP ?ST TR UK N: AG EG LB MO TU  
A: CY ?GG IQ IS JO LE SY TR #133

*bimaculatus* Billberg, 1817: 194 (*Clytus*)  
*decolor* Pic, 1937c: 14 (*Hesperophanes*)  
*tomentosus* P. H. Lucas, 1842: 186 (*Hesperophanes*) #577  
*guerryi* Pic, 1916h: 314 (*Hesperophanes*) A: HEB HUB SCH SHA SHN YUN  
*holosericeus* Rossi, 1790: 153 (*Callidium*) E: AL BH BU CR FR GR IT MA ME SB SL SP ST SZ UK N: AG EG LB MO TU A: AB  
 AR GG TM TR IN #115  
*cinereus* Villers, 1789: 256 (*Cerambyx*) [HN]  
*gayi*, Winkler, 1929: 1143-~~RN~~ [not RN by Plavilstshiov, 1921a] #739  
*nebulosus* Olivier, 1790: 257 (*Callidium*)  
*ilicis* Sama, 1987: 50 N: MO  
*ivoi* Kadlec, 2005: 103 A: IN TR #583  
*kotschyi* Ganglbauer, 1883b: 300 (*Hesperophanes*) E: GR (Samos) A: LE SY TR  
*lunatus* Szallies, 1994: 261 (*Hesperophanes*) A: IN TR  
*maculatus* Pu, 1991b: 249, 252 A: SCH  
*magnanii* Sama, 1992c: 398 E: PT SP  
*pallidus* Olivier, 1790: 256 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT MD PL PT RO SB SK SP ST UK A: TR #583  
*mixtus* Fabricius, 1798: 150 (*Callidium*)  
*sempustulatus* Companyo, 1858: 571 (*Vesperus*)  
*sempustulatum* Companyo, 1863: 792 (*Stromatium*)  
*preissi* Heyden, 1894: 85 (*Hesperophanes*) A: TR  
*robustipes* Holzschuh, 2003: 169 A: SHA  
*samai* Kadlec & Rejzek, 2001: 296 A: TR  
*sbordonii* Sama, 1982: 217 A: TR  
*semipunctatus* Holzschuh, 2003: 170 A: BEI GAN HEN SC SHA #225 #355 #400  
*spartii* G. Müller, 1948: 67 (*Hesperophanes*) E: AL CR GR IT A: TR #583

**genus *Turcmenigena* Melgunov, 1893: 155** [= 1894: 35] type species *Turcmenigena warezowi* Melgunov, 1894  
*warezowi* Melgunov, 1893: 155 [= 1894: 35] A: KZ TM UZ XIN  
*varenszovi* Plavilstshikov, 1940a: 54 [unjustified emendation]

**genus *Zoodes* Pascoe, 1867a: 319** type species *Stromatium maculatum* White, 1855  
*Cornutaemospila* Pic, 1927b: 30 type species *Cornutaemospila piceosignata* Pic, 1927  
*basalis* White, 1855: 304 (*Hesperophanes*) A: NP "Himalaya"  
*compressus* Fabricius, 1787: 153 (*Callidium*) A: AE AF IN PA ORR #274  
*soraya* Villiers, 1974a: 131 (*Gnatholea*)  
*formosanus* Niisato, 1982: 41 A: TAI ORR  
*fulguratus* Gahan, 1906a: 117 A: YUN ORR  
*piceosignatus* Pic, 1927b: 20 (*Cornutaemospila*)  
*japonicus* Hayashi, 1963b: 56 A: JA ORR  
*liturifer* Walker, 1871: 18 (*Hesperophanes*) N: EG A: SA YE AFR  
*denticollis* Fairmaire, 1891: 269 (*Gnatholea*)  
*picicornis* Fairmaire, 1888c: 200 (*Gnatholea*)  
*maculatus* White, 1855: 301 (*Stromatium*) A: HAI ORR

**genus *Zygoferus* Sama, 2008: 223** type species *Trichoferus pubescens* Sama, 1987  
*pubescens* Sama, 1987: 49 (*Trichoferus*) N: AG TU

### tribe Hylotruperini Rose, 1983

#778

**genus *Hylotrupes* Audinet-Serville, 1834b: 77** type species *Cerambyx bajulus* Linnaeus, 1758  
*Hylotrypes* Gistel, 1856: 376 [unnecessary substitute name]  
*bajulus* Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU AZ BE BU BH BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU  
 MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG CI EG LB MO MR SG TU A: AB AR CY GG IQ  
 IS JO JIA LE SHG SY TR ?WS AFR AUR NAR NTR ORR #186  
*affinis* Savenius, 1825: 63 (*Callidium*)  
*bullatus* Haldeman, 1847: 36  
*caudatus* DeGeer, 1775: 86 (*Cerambyx*)  
*inaequalis* Casey, 1924: 233  
*incertus* Casey, 1924: 234  
*koziorowiczi* Desbrochers des Loges, 1873a: 429  
*latus* Casey, 1924: 233  
*linneianus* Laicharting, 1784: 69 (*Callidium*)  
*lividus* Mulsant, 1839: 56  
*minutus* Casey, 1924: 235  
*nematocerus* Casey, 1924: 234  
*pedicellatus* Casey, 1924: 235  
*puellus* A. Villa & G. B. Villa, 1833: 36 (*Callidium*)  
*puncticollis* Casey, 1924: 234



*quadripunctatus* Geoffroy, 1785: 82 (*Leptura*)  
*similis* Marsham, 1802: 335 (*Cerambyx*)  
*syriacus* Théry, 1896: 110  
*theresae* Pic, 1924c: 26

### tribe Molorchini Gistel, 1848

**genus *Berndgerdia* Holzschuh, 1982a: 68** type species *Berndgerdia balteata* Holzschuh, 1982  
*balteata* Holzschuh, 1982a: 68 A: NP UP

**genus *Epania* Pascoe, 1858: 237** type species *Odontocera singaporensis* J. Thomson, 1857b #447

*abdominalis* Holzschuh, 1984c: 350 A: NP

*amoorae* Gardner, 1926: 200 A: UP

*atra* Hayashi, 1978a: 88 A: TAI

*atramentaria* Holzschuh, 2010: 164 A: SCH

*calophylli* Gardner, 1926: 201 A: UP

*dilaticornis dilaticornis* Hayashi, 1950a: 5 A: JA

*dilaticornis kumatai* Hayashi, 1961b: 45 A: JA (Ryukyus)

*morimotoi* Makihara, 2004b: 219

*shibatai* Hayashi, 1976: 8

*discisa* Holzschuh, 2006b: 277 A: GUI

*gemellata* Holzschuh, 1991c: 41 A: GUX ORR #623

*ignota* Holzschuh, 2015d: 46 A: YUN

*immaculata* Kano, 1933b: 131 A: TAI #416

*iriei* Takakuwa, 1981: 6 A: JA (Ryukyus)

*mira* Holzschuh, 1991c: 43 A: GUX ORR #623

*mundali* Gardner, 1936: 132 A: NP UP

*picipes* Holzschuh, 1984a: 148 A: NP

*pudens* Holzschuh, 1993a: 28 A: YUN

*septemtrionalis* Hayashi, 1950a: 3 A: JA SC

*shikokensis densepunctata* Hayashi, 1968c: 13 #736

*shikokensis maruokai* Hayashi, 1968c: 13 A: JA (Ryukyus)

*shikokensis shikokensis* K. Ohbayashi, 1936a: 13 A: JA

*okinawana* Hayashi, 1976: 7

*subchalybeata* Miwa, 1931: 227 A: TAI

*vietnamica* Niisato & Saito, 1996: 152 A: GUX ORR #623

**genus *Leptepania* Heller, 1924a: 30** type species *Epania longicollis* Heller, 1915

*Helio manes* Newman, 1840a: 17 [HN] type species *Helio manes sidus* Newman, 1840

*Molorchinus* Shabliovsky, 1936: 185 type species *Molorchinus okunevi* Shabliovsky, 1936

*insularis* White, 1855: 179 (*Helio manes*) A: FUJ GUA HKG HUB #400 #525

*lantauensis* Hayashi, 1982a: 71 A: HKG

*minuta minuta* Gressitt, 1935d: 265 A: TAI

*kukuanana* Chang, 1978: 61

*minuta japonica* Hayashi, 1949c: 29 (*Molorchus*) A: JA SC #732

*minuta ryukyuana* Hayashi, 1963a: 54 A: JA #732

*minuta sakaii* Hayashi, 1974a: 23 A: TAI (Lanyu Is.) #732

*okunevi* Shabliovsky, 1936: 186 (*Molorchinus*) A: CH FE MG #819

*incognita* Tsherepanov, 1975d: 83 (*Molorchus*)

**genus *Molorchoepania* Pic, 1949a: 9** type species *Epania barbieri* Pic, 1949

*Kobaneus* Hayashi, 1958b: 46 type species *Molorchus mizoguchii* Hayashi, 1955

*kopetzi* Holzschuh, 2018b: 503 A: NP

*mizoguchii* Hayashi, 1955: 51 (*Molorchus*) A: JA

*simplexa* Matsushita, 1933b: 228 (*Molorchus*) A: TAI

*viticola* Holzschuh, 1998: 35 A: SHA

**genus *Molorchus* Fabricius, 1793: 356** type species *Necydalis umbellatarum* Schreber, 1759 #422

**subgenus *Caenoptera*** C. G. Thomson, 1859: 150 type species *Necydalis minor* Linnaeus, 1758 #730

*abieticola* Holzschuh, 2007: 218 A: TR

*akbesianus* Rapuzzi & Sama, 2018: 9 A: TR

*changi* Gressitt, 1951a: 171 A: SCH SHA

*foveolus* Holzschuh, 1998: 34 A: YUN

*fraudator* Pesarini & Sabbadini, 1997: 104 A: SCH SHA #225

*juglandis* Sama, 1982: 219 A: IS LE SY TR #74

*minor fuscus* Hayashi, 1955: 164 A: FE JA

*minor ikedai* Takakuwa, 1984: 10 A: JA #732

*minor minor* Linnaeus, 1758: 421 (*Necydalis*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD ME NL NR NT PL RO SB SK SL **SP** ST SV SZ UK A: BEI ES FE GAN **GG** HEI LIA KZ MG NC QIN SC SHA TR WS XIN NTRI #60 #62 #549  
*ceramboides* DeGeer, 1775: 151 (*Necydalis*)  
*dimidiatus* Fabricius, 1775: 199 (*Leptura*)  
*medius* Schrank, 1798: 688 (*Gymnopterion*)  
*rufescens* Kiesenwetter, 1879a: 316 [1879b: 60]  
*monticola* Plavilstshikov, 1931: 38 A: AB AR GG IN TM  
*pallidipennis* Heyden, 1887b: 321 (*Gymnopterion*) A: KI KZ UZ XIN  
*pinivorus* Takakuwa & Ikeda, 1980: 35 A: JA  
*relictus* Niisato, 1996: 376 A: SCH #225  
*tjanschanicus* Plavilstshikov, 1959: 1678 A: KZ KI  
**subgenus** *Molorchus* Fabricius, 1793: 356 type species *Necydalis umbellatarum* Schreber, 1759 #422  
*Conchopteris* Fairmaire, 1864a: 153 type species *Necydalis umbellatarum* Schreber, 1759  
*Epanioglaphyra* Niisato, 1986b: 304 type species *Glaphyra kurosawai* Niisato, 1986 #524  
*Glaphyra* Newman, 1840c: 19 type species *Glaphyra semiusta* Newman, 1840  
*Laphyra* Newman, 1842g: 418 [RN] type species *Glaphyra semiusta* Newman, 1840  
*Linomius* Mulsant, 1862: 226 type species *Necydalis umbellatarum* Schreber, 1759  
*Sinolus* Mulsant, 1862: 228 type species *Molorchus kiesenwetteri* Mulsant & Rey, 1861  
*aceris* Holzschuh, 2009a: 300 (*Glaphyra*) A: SCH  
*aerifer* Holzschuh, 2008: 208 (*Glaphyra*) A: GUX **ORR** #623  
*aureomaculatus* Gressitt & Rondon, 1970: 109 A: NP YUN **ORR** #390  
*shimai* Hayashi & Makihara, 1981: 191 (*Glaphyra*)  
*baiocchii* Rapuzzi & Sama, 2012a: 667 (*Glaphyra*) A: IN PA TR #274  
*bassettii* Sama, 1992b: 302 (*Glaphyra*) A: CY  
*cobaltinus cobaltinus* Hayashi, 1963a: 53 (*Glaphyra*) A: JA (Ryukyus) #732  
*cobaltinus morii* Makihara, 1984: 13 (*Glaphyra*) A: JA #732  
*concolor* Niisato, 1995: 444 (*Glaphyra*) A: TAI  
*congruus* Holzschuh, 1998: 39 (*Glaphyra*) A: GUI  
*contristatus* Holzschuh, 1991c: 44 (*Glaphyra*) A: SCH  
*cordiger* Holzschuh, 1992b: 14 (*Glaphyra*) A: SCH  
*cupreoviridis* Hayashi, 1966a: 5 A: TAI  
*cyanescens* Gressitt, 1951a: 173 A: FUJ TAI  
*cyanescens* Plavilstshikov, 1952: 287 [HN]  
*darjeelingensis* Gardner, 1936: 129 A: NP SD  
*densepunctatus* Holzschuh, 1977b: 338 A: BT  
*frivulus* Holzschuh, 1998: 38 (*Glaphyra*) A: SCH  
*gilvitaris* Holzschuh, 2006a: 239 (*Glaphyra*) A: SHA  
*gracilis* Hayashi, 1949c: 29 A: JA  
*fuscipennis* Hayashi, 1963d: 132  
*grandinotatus* Holzschuh, 1992b: 15 (*Glaphyra*) A: SCH  
*grosseri* Vorišek, 2012: 1 A: IN  
*hederae* Gardner, 1936: 130 A: HP KA PA #274  
*ishiharai* K. Ohbayashi, 1936a: 12 A: FE JA ?NC SC  
*kunashiricus* Tsherepanov, 1981: 72  
*tsutsuii* Hayashi, 1958b: 47  
*jiuyuehtanus* Hayashi, 1984: 89 A: TAI  
*kiesenwetteri hircus* Abeille de Perrin, 1881: 133 E: ST TR A: AB AR GG IN TR **SY LE IS**  
*anatolica* Adlbauer, 1988: 275  
*angorensis* Pic, 1912b: 3 (*Caenoptera*)  
*kiesenwetteri kiesenwetteri* Mulsant & Rey, 1861a: 189 E: AU BH BU CR CZ GE GR HU IT MC ?ME ?PL RO **SB** SK SL ST ?SZ UK #115  
*kiyoyamai* Hayashi, 1974a: 21 A: TAI  
*kobotokensis* K. Ohbayashi, 1963: 10 A: FE JA ?NC SC  
*kojimai* Matsushita, 1939: 56 (*Epania*) A: JA SC  
*kurosawai* Niisato, 1986b: 305 (*Glaphyra*) A: TAI  
*lampros* Holzschuh, 2006b: 280 (*Glaphyra*) A: GUX **ORR** #623  
*lectus* Holzschuh, 2006b: 281 (*Glaphyra*) A: SHA  
*lishanensis* Hayashi, 1974a: 22 A: TAI  
*liukueiensis* Hayashi, 1984: 90 (*Glaphyra*) A: TAI  
*macellus* Holzschuh, 2015d: 53 (*Glaphyra*) A: YUN  
*malmusii* Sama, 1995a: 370 (*Glaphyra*) A: TR  
*marmottani andalusica* Sláma, 2015b: 1118 (*Glaphyra*) E: SP #79  
*marmottani crovatoi* Sama, 1995a: 373 (*Glaphyra*) E: IT  
*marmottani frischi* Sama, 1995a: 373 (*Glaphyra*) A: TR  
*marmottani marmottani* Brisout de Barneville, 1863: 118 E: AU BU CT CZ FR GE IT PL SK SP ST SZ A: TR  
*discicollis* Heyden, 1876b: 383

*modestus* Holzschuh, 2006b: 283 (*Glaphyra*) A: GUI  
*molorchoides* Holzschuh, 1984c: 351 (*Epania*) A: NP  
*moraveci* Holzschuh, 2006b: 238 (*Glaphyra*) A: TAI  
*nitidus adachii* Takakuwa & Fujita, 1981: 29 A: JA  
*nitidus nitidus* Obika, 1973: 205 A: JA SC #525  
*perfuga* Holzschuh, 1998: 37 (*Glaphyra*) A: YUN  
*plagiatus* Reiche, 1877a: cxxii E: ST A: AB AR GG IN KZ TR  
*planicollis* Niisato & N. Ohbayashi, 2004: 467 (*Glaphyra*) A: HUB  
*plavilstshikovi* Gressitt, 1951a: 174 A: FUJ TAI  
*fukiensis* Plavilstshikov, 1952: 288  
*prolixus* Holzschuh, 1999: 29 (*Glaphyra*) A: GAN  
*rufosternalis* Hayashi, 1984: 87 A: TAI  
*rugatus* Holzschuh, 2015d: 50 (*Glaphyra*) A: YUN  
*sabatinellii* Rapuzzi & Sama, 2018: 10 A: PA  
*saltinii* Pesarini & Sabbadini, 2015: 42 A: YUN  
*satoi* Niisato, 2003: 376 (*Glaphyra*) A: TAI  
*schmidtii* Ganglbauer, 1883b: 300 E: CT CZ GR HU KZ MD ?PL RO SK ST UK A: AB GG KI KZ TM UZ  
*salicicola* Stiller, 1934: 37 (*Caenoptera*)  
*semenovi* Plavilstshikov, 1940a: 167  
*semitaiwanus* Hayashi, 1984: 88 A: TAI  
*serra* Holzschuh, 2006b: 279 (*Glaphyra*) A: SCH SHA  
*shibatai okinawanus* Hayashi & Matsuda, 1976: 34 A: JA (Ryukyus)  
*shibatai shibatai* Hayashi, 1961b: 44 A: JA  
*sikkimanus* Holzschuh, 2003b: 306 (*Glaphyra*) A: SD  
*starki* Shabliovskiy, 1936: 184 A: CH FE ?NC SC  
*ichikawai* Niisato, 1988a: 89 (*Glaphyra*)  
*ussuriensis* Plavilstshikov, 1940a: 160  
*sterbai* Adlbauer, 1988: 277 A: LE  
*azri* Sama, Rapuzzi & Kairouz, 2010: 151 (*Glaphyra*)  
*subglaber* Gressitt, 1938b: 150 (*Epania*) A: TAI  
*sungkangensis* Hayashi, 1992: 140 (*Glaphyra*) A: TAI  
*taiwanus* Hayashi & Matsuda, 1976: 32 A: TAI  
*takeuchii ebeninus* Hayashi, 1961b: 45 A: JA (Ryukyus)  
*takeuchii takeuchii* K. Ohbayashi, 1937: 6 A: JA  
*tenuitarsis* Holzschuh, 1981: 97 A: TR  
*terminatus* Holzschuh, 2015d: 52 (*Glaphyra*) A: FUJ  
*uenoi* Niisato, 1995: 441 A: TAI (*Glaphyra*)  
*umbellatarum umbellatarum* Schreber, 1759: 9 (*Necydalis*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA  
LS LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR GG IN TM TR  
*depressus* Motschulsky, 1845a: 85  
*diversipes* Pic, 1897c: 31  
*minimus* Scopoli, 1763: 57 (*Necydalis*)  
*umbellatarum obscuripes* G. Müller, 1948: 66 (*Caenoptera*) E: IT  
*unanymis* Holzschuh, 1995: 26 (*Glaphyra*) A: SCH  
*verus* Holzschuh, 2007: 228 (*Glaphyra*) A: GUX ORR #623  
*viridescens* Hayashi & Matsuda, 1976: 36 A: TAI  
*watani* Kano, 1933b: 131 (*Epania*) A: TAI #416  
*subplana* Gressitt, 1951a: 175  
*yui yui* Hayashi, 1984: 88 A: TAI  
**subgenus** *Nathrioglaphyra* Sama, 1995a: 383 type species *Molorchus heptapotamicus* Plavilstshikov, 1940  
*alashanicus* Semenov & Plavilstshikov, 1936: 392 A: NMO  
*heptapotamicus* Plavilstshikov, 1940a: 163 E: ST A: KI KZ NIN UZ XIN #400  
*amygdali* Holzschuh, 1979a: 114  
*kuceraei* Holzschuh, 1998: 36 (*Glaphyra*) A: GAN  
*liui* Gressitt, 1948a: 51 [Yunnan] A: GAN HUB HUN SCH SHA YUN ZHE #45  
*smetanai* Danilevsky, 2011f: 105 [Zhejiang] #45  
**subgenus** *Pakmolorchus* Holzschuh, 1989a: 161 type species *Pakmolorchus asperanus* Holzschuh, 1989  
*asperanus* Holzschuh, 1989a: 161 A: PA  
**subgenus** *Tsujius* Ikeda, 2001: 3 type species *Tsujius itoi* Ikeda, 2001 #524 #730  
*carus* Holzschuh, 1999: 28 A: GAN #524  
*itoi* Ikeda, 2001: 3 A: JA  
**subgenus** *Yamatoglaphyra* Niisato, 2006b: 223 type species *Molorchus hattorii* K. Ohbayashi, 1953  
*aemulatus* Holzschuh, 1998: 38 A: GAN SCH SHA #225  
*chalybeellus* Holzschuh, 2007: 225 A: HEN  
*hattorii* K. Ohbayashi, 1953: 13 (*Molorchus*) A: JA

genus *Nadezhdiana* Tsherepanov, 1976a: 66 type species *Nadezhdiana villosa* Tsherepanov, 1976  
*villosa* Tsherepanov, 1976a: 67 A: FE

#524

tribe Mythodini Lacordaire, 1868

genus *Phyodexia* Pascoe, 1871: 273 type species *Phyodexia concinna* Pascoe, 1871  
*concinna* Pascoe, 1871: 273 A: BT GUA GUX HAI SD UP YUN ORR

#127 #400

tribe Oabriini Mulsant, 1839

genus *Anatolobrium* Adlbauer, 2004b: 419 type species *Anatolobrium eggeri* Adlbauer, 2004  
*eggeri* Adlbauer, 2004b: 421 A: TR

genus *Anisogaster* A. Deyrolle, 1862: 18 type species *Anisogaster flavicans* A. Deyrolle, 1862  
*kabateki* Adlbauer, 2005: 1009 A: YE (Suqutra)

genus *Bolivarita* Escalera, 1914a: 498 type species *Bolivarita oculata* Escalera, 1914  
*oculata* Escalera, 1914a: 499 N: MO

#521 #778

genus *Chinobrium* Gressitt, 1937c: 449 type species *Chinobrium mediofasciatum* Gressitt, 1937  
*mediofasciatum* Gressitt, 1937c: 449 A: JIX ORR  
*opacum* Holzschuh, 1984c: 348 (*Stenhomalus*) A: BT ORR

genus *Comusia* J. Thomson, 1864: 239 type species *Comusia obriumoides* J. Thomson, 1864  
*Chapaon* Pic, 1922b: 24 type species *Chapaon rufum* Pic, 1922  
*Ciopera* Pascoe, 1866d: 510 type species *Ciopera decolorata* Pascoe, 1866  
*Oemospiloides* Fisher, 1940: 197 type species *Oemospiloides bengalensis* Fisher, 1940  
*Ogasawara* Gressitt, 1937b: 320 type species *Ogasawara testacea* Gressitt, 1937  
*bengalensis* Fisher, 1940: 198 (*Oemospiloides*) A: SD  
*bicoloricornis* Pic, 1927: 455 (*Chapaon*) A: YUN ORR  
*testacea* Gressitt, 1937b: 321 (*Ogasawara*) A: JA (Ogasawara Isls. & Ryukyus) TAI  
*thailandica* Hayashi, 1986: 267 A: NP ORR  
*tokii* Niisato & Chou, 2016: 255, 256 A: TAI (Lanyu Is.)  
*wui* Niisato & Chou, 2016: 250, 256 A: TAI (Lanyu Is.)

genus *Kuegleria* Holzschuh, 2017: 13 type species *Obrium atricolor* Pic, 1953  
*annulicornis* Pic, 1935b: 13 A: HKG

#572

genus *Ibidionidum* Gahan, 1894a: 14 type species *Ibidionidum corbetti* Gahan, 1894  
subgenus *Ibidionidum* Gahan, 1894a: 14 type species *Ibidionidum corbetti* Gahan, 1894  
*corbetti corbetti* Gahan, 1894a: 15 A: GUA GUI HAI YUN ORR  
*jelineki* Holzschuh, 1991: 41 A: HAI ORR  
*longithoracicum* Chiang, 1963: 65 (*Obrium*) A: YUN

#400  
#400

genus *Iranobrium* Villiers, 1967: 338 type species *Iranobrium davatchii* Villiers, 1967  
*abbreviatum* Adlbauer, 2004c: 431 A: YE (Suqutra)  
*brancuccii* Holzschuh, 1993b: 122 A: OM SA YE  
*buettikeri* Holzschuh, 1993b: 123 A: AE SA YE  
*darwini* Lo Cascio & Grita, 2009: 123 A: YE (Suqutra)  
*davatchii* Villiers, 1967: 338 A: AE IN QA YE  
*grande* Holzschuh, 2015d: 36 A: OM

genus *Longipalpus* Montrouzier, 1861: 275 type species *Longipalpus palazyanus* Montrouzier, 1861  
*Iphrobrium* Gressitt, 1935a: 150 type species *Iphrobrium dilatipenne* Gressitt, 1935  
*Nerida* McKeown, 1940: 293 type species *Nerida carabiformis* McKeown, 1940  
*dilatipennis* Gressitt, 1935a: 151 (*Iphrobrium*) A: JA (Ryukyus)  
*shigarorogi* Kano, 1939: 29 (*Pseudiphra*) A: TAI (Lanyu Is.)  
*tahuensis* Chang, 1978: 59 A: TAI  
*wenhsini* Niisato, 2013: 63 A: TAI

genus *Obrium* Dejean, 1821: 110 type species *Cerambyx cantharinus* Linnaeus, 1767  
*Diozodes* Haldeman, 1847: 42 type species *Callidium pallidum* Say, 1824 (= *Cerambyx maculatus* Olivier, 1800)  
*Phyton* Newman, 1840c: 19 type species *Phyton linum* Newman, 1840 (= *Cerambyx maculatus* Olivier, 1800)  
*aegrotum* Holzschuh, 1982a: 67 A: NP  
*angustum* Lazarev, 2020b: 319 A: SCH  
*anmashanum* Niisato & Chou, 2018: 78 A: TAI  
*atricorne* Niicato & Lin, 2023: 126 A: GUX

#373  
#373

*brevicorne* Plavilstshikov, 1940a: 138 A: FE JA NC SC **SHA** #683  
*brunneum* Fabricius, 1793: 316 (*Saperda*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MD  
 NL NT PL RO SB SK SL SP ST SV SZ UK A: AB AR GG TR  
*caucasicum* Tourmier, 1872: 279

*cantharinum cantharinum* Linnaeus, 1767: 637 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ EN FI FR GB GE GR HU IR IT LA LT  
 LU MD **NE** NL NT PL ~~PL~~ RO SB SK SP ST SV SZ TR UK A: AB AR ES FE GG KZ MG **NE** TR WS XIN **NTRi** #133  
*ferrugineum* Fabricius, 1781: 235 (*Saperda*)  
*fuscicorne* Gmelin, 1790: 1837 (*Cerambyx*)

*cantharinum shimomurai* Takakuwa, 1984: 9 A: JA  
*cephalotes* Pic, 1923e: 7 A: FUJ SHG  
*complanatum* Gressitt, 1942e: 208 A: GUA GUI GUX JIX  
*coreanum* Niisato & Oh, 2016: 34 A: NC SC #525  
*dayaoshanum* Niicato & Lin, 2023: 127 A: GUX  
*formosanum* Schwarzer, 1925a: 22 A: TAI  
*fractum* Holzschuh, 2003: 178 A: SHA  
*fumigatum* Holzschuh, 1995: 23 A: YUN  
*fuscoapicale* Hayashi, 1974a: 17 A: JA TAI  
*kusamai* Takakuwa, 1984: 10 #448  
*hainanum* Niisato & Hua, 1998: 452 A: HAI  
*hattai* K. Ohbayashi & N. Ohbayashi, 1965: 2 A: JA (Ryukyus)  
 [*huae huae* Niisato, 1998b: 273 **ORR**]  
*huae jianbini* Niisato & Chou, 2018: 80 A: FUJ  
*mendosum* Holzschuh, 2010: 156 A: HEN  
*nakanei* K. Ohbayashi, 1959: 2 A: JA  
*nanlingum* Niicato & Lin, 2023: 124 A: GUA  
*nitidum* Niisato & Chou, 2018: 73 A: TAI  
*obscuripenne obscuripenne* Pic, 1904e: 17 A: FE HEI JA JIL NC SC #400  
*gracile* Plavilstshikov, 1933g: 167 [HN]  
*graciliforme* Lipp, 1939: 225 [RN]  
*tsushimaenum* Hayashi, 1974b: 14  
*obscuripenne takakuwai* Niisato, 2006c: 383 A: JA  
*oculatum* Niisato & Hua, 1998: 454 A: YUN  
*posticum* Gahan, 1894a: 14 A: BT NP  
*prosperum* Holzschuh, 2008: 182 A: YUN  
*randiae* Gardner, 1926: 199 A: UP  
*rufograndum* Gressitt, 1937c: 448 A: JIX TAI  
*schwarzeri* Hayashi, 1974a: 19 A: TAI  
*semiformosanum abirui* Niisato & Takakuwa, 1996: 142 A: JA  
*semiformosanum semiformosanum* Hayashi, 1974a: 18 A: TAI  
*takahashii fukidai* Fujita, 2023: 20 A: JA (Amami Isls.)  
*takahashii takahashii* Kusama & Takakuwa, 1984: 278 A: JA (Ryukyus)  
*yamasakoi* Niisato & Chou, 2018: 74 A: TAI  
*yueyuna* Niisato & Chou, 2018: 79 A: TAI

**genus *Ossibia* Pascoe, 1867a: 311** type species *Obrium fuscatum* Chevrolat, 1856 #778  
*Obriaccum* J. Thomson, 1878: 24 type species *Obrium fuscatum* Chevrolat, 1856  
*fuscata* Chevrolat, 1856c: 570 (*Obrium*) N: EG MO A: YE **AFR**  
*crinita* Fähræus, 1872a: 55 (*Adiaphorus*)  
*senegalense* J. Thomson, 1878a: 24 (*Obriaccum*)  
*rubra* Quentin, 1956: 41  
*picata* Holzschuh, 1993b: 124 A: SA

**genus *Oxilus* Buquet, 1859: 619** type species *Oxilus terminatus* Buquet, 1859 #778  
*Metobrium* Gahan, 1890d: 303 type species *Obriaccum elegans* Fairmaire, 1887  
*?elegans* Fairmaire, 1887b: 334 (*Obriaccum*) N: EG **AFR** #778  
*manzonii* Gestro, 1889: 68 (*Ossibia*) A: YE

**genus *Pseudiphra* Gressitt, 1935a: 152** [RN] type species *Iphra apicalis* Schwarzer, 1925  
*Iriomoteus* Villiers & Chûjô, 1970: 54 type species *Iriomoteus elegans* Villiers & Chûjô, 1970  
*Obriomorpha* Matsushita, 1933b: 309 [HN] type species *Iphra apicalis* Schwarzer, 1925  
*apicalis apicalis* Schwarzer, 1925a: 23 (*Iphra*) A: JA TAI **ORR** #732  
*apicalis obscura* Gressitt, 1951b: 210 A: JA (Ryukyus) #732  
*bicolor bicolor* Nara & Kusui, 1974: 123 A: JA (Ogasawara Isls.)  
*bicolor nigripennis* Takakuwa, 1984: 9 A: JA (Ogasawara Isls.)  
*elegans* Villiers & Chûjô, 1970: 55 (*Iriomoteus*) A: JA (Ryukyus)



genus *Pseudobolivarita* Sama & Orbach, 2003: 64 type species *Pseudobolivarita negevensis* Sama & Orbach, 2003  
*negevensis* Sama & Orbach, 2003: 66 A: IS

genus *Uenobrium* Niisato, 2006a: 207 type species *Obrium laosicum* Gressitt & Rondon, 1970  
*laosicum* Gressitt & Rondon, 1970: 107 (*Obrium*) A: HAI YUN ORR  
*piceorubrum piceorubrum* Hayashi, 1971: 5 (*Obrium*) A: TAI  
*piceorubrum takeshitai* Niisato & Ohmoto, 1994: 350 (*Obrium*) A: JA (Ryukyus)

#732  
#732

genus *Yemenobrium* Adlbauer, 2005: 1008 type species *Yemenobrium velutinum* Adlbauer, 2005  
*velutinum* Adlbauer, 2005: 1008 A: SA YE

#774

### tribe Oemini Lacordaire, 1868

genus *Afroeme* Adlbauer, 2004a: 3 type species *Afroeme kenyensis* Adlbauer, 2004  
*fusca* Gahan, 1900a: 12 (*Oeme*) A: YE (Suqutra) AFR

genus *Dorjia* Holzschuh, 1989c: 391 type species *Dorjia tenzengi* Holzschuh, 1989  
*tenzengi* Holzschuh, 1989c: 392 A: BT

genus *Entetraommatum* Fischer, 1940: 199 type species *Entetraommatum quercicola* Fischer, 1940  
*christinae* Holzschuh, 2016a: 81 A: XIZ ORR  
*quercicola* Fischer, 1940: 199 A: UP  
*trifasciatus* Niisato & Lin, 2016: 262 A: YUN

#400

genus *Fragiliella* Holzschuh, 2013a: 8 type species: *Oemospila callidioides* Gressitt & Rondon, 1970  
*callidioides* Gressitt & Rondon, 1970: 46 (*Oemospila*) A: YUN ORR

genus *Hyphus* Lacordaire, 1868: 226 type species: *Hyphus aurantiacus* Lacordaire, 1868  
*apicalis* Pascoe, 1869a: 505 A: GUX HAI ORR

#400

genus *Hypoeschrus* J. Thomson, 1864: 249 type species *Stenochorus strigosus* Gyllenhal, 1817  
subgenus *Tibestia* Peyerimhoff, 1935: 78 type species *Tibestia dallonii* Peyerimhoff, 1935  
*dallonii* Peyerimhoff, 1935: 78 (*Tibestia*) N: AG LB MO AFR  
*gyllenhali* Lepesme & Breuning, 1955a: 43  
*mirei* Lepesme & Breuning, 1955a: 43  
*pallidipes* Quentin, 1956: 40  
*peyerimhoffi* Lepesme & Breuning, 1955a: 42  
*rungsii* Lepesme & Breuning, 1955a: 42  
*wittei* Lepesme & Breuning, 1955a: 44

genus *Kabatekiella* Holzschuh, 2008: 174 type species *Kabatekiella dalihodi* Holzschuh, 2008  
*dalihodi* Holzschuh, 2008: 175 A: OM YE (Suqutra)

genus *Meiyingia* Holzschuh, 2010: 144 type species *Meiyingia paradoxa* Holzschuh, 2010  
*holzschuhi* Liu & Ch.-B. Wang, 2016: 293 A: GUX  
*jinyunensis* Zh. Li & Chen, 2015: 596 A: CHQ  
*paradoxa* Holzschuh, 2010: 145 A: HEN SCH

genus *Neocarolus* Sama, 2008: 222 type species: *Neomarius thomasi* Holzschuh, 1993  
*thomasi* Holzschuh, 1993a: 24 (*Neomarius*) A: NP PA

genus *Neomarius* Fairmaire, 1872: 60 type species *Neomarius gandolphii* Fairmaire, 1872  
*gandolphii* Fairmaire, 1872: 60 N: AG TUi

genus *Nortia* J. Thomson, 1864: 252 type species *Nortia cavicollis* J. Thomson, 1864  
*afghanica* Heyrovský, 1967b: 158 A: AF  
*carinicollis carinicollis* Schwarzer, 1925a: 20 A: FUJ GUX JA (Ryukyus) TAI  
*carinicollis hanatanii* Fujita, 2018: 26 A: JA (Ryukyus)  
*carinicollis kobayashii* Fujita, 2018: 26 A: JA (Ryukyus)  
*carinicollis pruinicollis* Gressitt, 1965: 61 A: JA (Ryukyus)  
*fuscata* Holzschuh, 2005: 1 A: NP UP  
*geniculata geniculata* Pic, 1932e: 32 (*Falsostromatium*) A: HAI ORR  
*geniculata satsumana* Niisato & N. Ohbayashi, 2005: 293 A: JA  
*kusuii* Kusama & Nara, 1974: 121 A: JA (Ogasawara Isls.)  
*planicollis* Gressitt, 1942e: 206 A: HKG

#524

#276

**genus *Noserius* Pascoe, 1857b: 95** type species *Noserius tibialis* Pascoe, 1857  
*gardneri* Martins, 1980: 116 [RN] A: NP  
*indicus* Gardner, 1939: 1 [HN]  
*indicus* Gahan, 1906a: 104 (*Hypoeshrus*) A: AE AF GUA HAI IN NP PA #75 #400

**genus *Oemospila* Gahan, 1906a: 104** type species *Oemospila maculipennis* Gahan, 1906  
*Falstrostomatium* Pic, 1926l: 455 type species *Falstrostomatium elongatum* Pic, 1926  
*maculipennis* Gahan, 1906a: 105 A: BT GUX NP YUN **ORR** #523  
*elongata* Pic, 1926l: 455 (*Falstrostomatium*)

**genus *Oplatocera* White, 1853a: 121** type species *Oplatocera callidioides* White, 1853  
*Hoplitocera* Gemminger, 1872: 2795 [unjustified emendation]  
**subgenus *Epioplatocera* Gressitt, 1951a: 131** type species *Oplatocera oberthuri* Gahan, 1906  
*mandibulata* Miwa & Mitono, 1935: 404 A: CHQ TAI #60  
*mitonoi* Hayashi, 1981b: 30 A: TAI ZHE #60  
*oberthuri* Gahan, 1906a: 108 A: AP BT GUA GUX HUN NP SCH SD SHA YUN **ORR** #280  
**subgenus *Oplatocera* White, 1853a: 121** type species *Oplatocera callidioides* White, 1853  
*callidioides* White, 1853a: 121 A: SCH "North India" **ORR**  
*grandis* Gressitt, 1951a: 131 A: SCH **ORR**

**genus *Pufujia* Holzschuh, 1995: 16** type species *Nortia luteosignata* Pu, 1991  
*luteosignata* Pu, 1991c: 281 (*Nortia*) A: GAN #524

**genus *Sichuanortia* Niisato & Liu, 2019: 406** type species *Sichuanortia zhouchaoi* Niisato & Liu, 2019  
*zhouchaoi* Niisato & Liu, 2019: 407 A: SCH

**genus *Tetraommatus* Perroud, 1855: 390** [= 1855a: 70] type species *Tetraommatus filifornis* Perroud, 1855  
*Deuteromma* Pascoe, 1857b: 98 type species *Deuteromma callidioides* Pascoe, 1857  
*fragilis* Holzschuh, 1984a: 144 A: NP  
*kuantaoshanensis* Chang, 1978: 62 (*Tetrops*) A: TAIL  
*ocularis continentalis* Heller, 1926: 22 A: UP  
[*ocularis ocularis* Pascoe, 1869a: 504 – Moluques]  
*taiwanus* Hayashi, 1978a: 87 A: TAI

**genus *Tibetoeme* Bi & Holzschuh, 2023: 6** type species *Tibetoeme cheni* Bi & Holzschuh, 2023  
*cheni* Bi & Holzschuh, 2023: 8 A: XIZ [China (Xizang): Motuo County]

**genus *Yementallyrama* Adlbauer, 2007: 7** type species *Yementallyrama nasheri* Adlbauer, 2007  
*nasheri* Adlbauer, 2007: 7 A: OM YE

#### tribe Opsimini LeConte, 1873

**genus *Japonopsimus* Matsushita, 1935: 310** [RN] type species *Paraopsimus orientalis* Matsushita, 1933  
*Paraopsimus* Matsushita, 1933b: 238 [HN] type species *Paraopsimus orientalis* Matsushita, 1933  
*exocentroides* Holzschuh, 1984c: 342 A: BT  
*orientalis* Matsushita, 1933b: 238 (*Paraopsimus*) A: TAI  
*simplex* Gressitt & Rondon, 1970: 44 (*Hypoeshrus*) A: HAI **ORR** #223

#### tribe Lygrini Sama, 2008 #778 = Pelossini Tavakilian, 2013

**genus *Pelossus* J. Thomson, 1864: 222** type species *Corethrogaster ruber* J. Thomson, 1858  
*Alloeme* Lameere, 1893b: 40 type species *Alloeme murrayi* Lameere, 1893 (= *Corethrogaster ruber* J. Thomson, 1858)  
*Ceresida* Kolbe, 1894b: 55 type species *Ceresida suturalis* Jordan, 1894 (= *Corethrogaster ruber* J. Thomson, 1858)  
*Digonium* Pic, 1895c: 76 type species *Digonium longicorne* Pic, 1895  
*Leptosalpinia* Gressitt, 1951a: 624 type species *Leptosalpinia unicolor* Gressitt, 1951  
*Lygrus* Fähræus, 1872a: 55 type species *Lygrus apicalis* Fähræus, 1872  
*Nosoeme* Kolbe, 1894b: 55 type species *Nosoeme clavipes* Kolbe, 1894  
*Zoolygrus* Fähræus, 1872c: 194 [RN] type species *Lygrus apicalis* Fähræus, 1872  
*becvari* Sama, 1999c: 178 (*Lygrus*) A: IS JO SI  
*longicornis* Pic, 1895c: 77 (*Digonium*) A: OM SA YE  
*unicolor* Gressitt, 1951a: 625 (*Leptosalpinia*) A: HUB

#### tribe Phoracanthini Newman, 1840

**genus *Allotraeus* Bates, 1877: 36** type species *Allotraeus sphaerioninus* Bates, 1877  
*pallidipennis* K. Ohbayashi, 1958c: 36 A: JA  
*sphaerioninus* Bates, 1877: 37 A: JA SC

**genus Cordylomera Audinet-Serville, 1834b: 23** type species *Cordylomera nitipennis* Audinet-Serville, 1834 = *Cerambyx spinicornis* Fabricius, 1775 **#189**  
*Acanthinomomus* Hope, 1835b: 107 type species *Cerambyx spinicornis* Fabricius, 1775  
*spinicornis* Fabricius, 1775: 167 (*Cerambyx*) **Ei:** CZ DE FR GB GE IR IT MA SP SV **Ai:** TR **AFR** **#189**  
*angolensis* Veiga-Ferreira, 1971: 7  
*sansibarica* Kolbe, 1893: 248  
*suturalis* Chevrolat, 1858: 242  
*testacea* Buquet, 1844: 233  
*torrida* Olivier, 1795: 31 (*Cerambyx*)

**genus Nyphasia Pascoe, 1867a: 313** type species *Nyphasia torrida* Pascoe, 1867  
*apicalis* Gahan, 1893b: 378 **A:** NP  
*fuscipennis* Gahan, 1890a: 53 **A:** NP  
*pascoei* Lacordaire, 1868: 309 **A:** BT YUN NP SD **ORR** **#39**

**genus Nysina Gahan, 1906a: 153** type species *Sphaerion orientale* White, 1853  
*Neosphaerion* Schwarzer, 1925a: 21 type species *Neosphaerion asiaticum* Schwarzer, 1925  
*Pseudalloeotraeus* Pic, 1923a: 13 type species *Pseudalloeotraeus rufescens* Pic, 1923  
*baibarana* Matsushita, 1933b: 297 **A:** TAI  
*boninensis* Gressitt, 1937b: 319 (*Pseudalloeotraeus*) **A:** JA (Ogasawara Isls.)  
*gracillima* Mitono, 1947b: 24 (*Pseudalloeotraeus*) **A:** FUJ GUX HAI TAI **ORR** **#400**  
*grahami* Gressitt, 1939a: 68 **A:** FUJ GUA GUX HEN HUN JIX SCH XIZ YUN  
*insularis amamiensis* Hayashi, 1961b: 42 **A:** JA (Ryukyus)  
*insularis insularis* Mitono, 1947b: 25 (*Pseudalloeotraeus*) **A:** JA (Ryukyus) SC (Jejudo Is) **#63**  
*insularis yamagami* Fujita, 1980: 12 **A:** JA (Izu Isls.)  
*orientalis* White, 1853a: 110 (*Sphaerion*) **A:** YUN **ORR**  
*rubriventris* Gressitt, 1937a: 90 **A:** CHQ HAI HUN YUN **ORR** **#400**  
*rufescens asiatica* Schwarzer, 1925a: 22 (*Neosphaerion*) **A:** FUJ GUX HAI HKG TAI **ORR** **#276 #400**  
*rufescens rufescens* Pic, 1923a: 13 (*Pseudalloeotraeus*) **A:** JA SC (Gageodo Is.) **#276 #525**  
*japonica* K. Ohbayashi, 1936a: 13  
*sauteri* Matsushita, 1931c: 399 (*Neosphaerion*) **A:** TAI  
*subtuberculata* Pic, 1933b: 27 (*Pseudalloeotraeus*) **A:** CH

**genus Phoracantha Newman, 1840a: 19** type species *Stenocorus semipunctatus* Fabricius, 1775  
*recurva* Newman, 1840b: 4 **Ei:** FR GR IT MA PT SP **Ni:** AG CI LB MO TU **Ai:** IS LE SY TR **AFRi** **AUR** **NARI** **NTRI** **#74**  
**#189 #361 #778**  
*papua* Gressitt, 1959: 93  
*semipunctata* Fabricius, 1775: 180 (*Stenocorus*) **Ei:** FR GR IT MA PT SP **Ni:** AG CI EG LB MO MR TU **Ai:** CY GG IS JO LE **SA** **SY**  
**TR AFRi AUR NARI NTRI** **#189 #774**  
*hospita* Pascoe, 1864b: 232  
*inscripta* Germar, 1848: 226

#### tribe Prothemini Lacordaire, 1868

**genus Prothema Pascoe, 1856: 43** type species *Prothema signatum* Pascoe, 1856  
*Sigeum* Pascoe, 1866d: 523 type species *Blemmya humerale* Pascoe, 1857  
*astutum* Holzschuh, 2011: 305 **A:** YUN  
*auratum* Gahan, 1906a: 235 **A:** GUA GUI GUX HAI HUN ?NP ?SD YUN **ORR**  
*auratum cariniscapum* Gressitt, 1937c: 451 **A:** GUA GUI HUN SCH **ORR** **#521**  
*auratum ininterruptum* Pic, 1927g: 109 **A:** XIZ  
*auratum brunnipenne* Holzschuh, 2015d: 305 **A:** NP SD  
*cakli* Heyrovský, 1967c: 201 **A:** HAI YUN **ORR**  
*exclamatione* Pesarini & Sabbadini, 2000: 58 **A:** SCH  
*lineatum* Pic, 1920a: 2 **A:** XIZ  
*ochraceosignatum* Pic, 1915b: 10 **A:** TAI  
*nigrum* Kano, 1930: 42  
*signatum* Pascoe, 1856: 43 **A:** FUJ GUA GUI GUX HAI HUN JIX NE NO SHA XIZ ZHE **ORR** **#225**  
*funereum* Pascoe, 1856: 43

#### tribe Psebiini Lacordaire, 1868

##### Nathriini Arnett, 1962

**genus Kabatekiipsebium Rapuzzi, 2015: 583** type species *Kabatekiipsebium yemenensis* Rapuzzi, 2015  
*yemenensis* Rapuzzi, 2015: 754 **A:** OM YE

**genus Mourgliana Holzschuh, 1993b: 125** type species *Mourgliana conspicua* Holzschuh, 1993  
**subgenus Mourgliana** Holzschuh, 1993b: 125 type species *Mourgliana conspicua* Holzschuh, 1993

*conspicua* Holzschuh, 1993b: 125 A: SA

**subgenus** *Pseudomourgliana* Sama, 2006: 174 type species *Pseudomourgliana vanharteni* Sama, 2006

*mollina* Holzschuh, 2006a: 235 A: AE OM

*vanharteni* Sama, 2006: 175

**genus** *Nathrius* Bréthes, 1916: 76 type species *Nathrius porteri* Bréthes, 1916 (= *Leptidea brevipennis* Mulsant, 1839) #778

*Deuteroleptidea* Paclt, 1946: 169 [unnecessary substitute name]

*Leptidea* Mulsant, 1839: 105 [HN] type species *Leptidea brevipennis* Mulsant, 1839

*Leptideella* Strand, 1936: 169 [unnecessary substitute name]

*berlandi* Villiers, 1946: 68 (*Leptidea*) E: SP N: MO

#395

*brevipennis* Mulsant, 1839: 105 (*Leptidea*) E: AU AZ BE BH BU CR CZ DEi Fi FR GB GE GR HU IR IT KZ MA MC MD ME NL NRI PL PT RO SB SK ST SL SP SVi ?SZ TR UK N: AG CI EG LB MO TU A: AB AR GG IN IS KZ LE SHX SY TR NARi NTRI

#115 #104

*manca* LeConte, 1851: 24 (*Gracilia*)

*minutus* Motschulsky, 1845a: 84 (*Leptidea*)

*porteri* Bréthes, 1916: 77

*rufipennis* Dufour, 1851: 351 (*Gracilia*)

*cypericus* Sláma & Berger, 2006: 56 A: CY

### tribe Pseudolepturini J. Thomson, 1861

**genus** *Erythresthes* J. Thomson, 1864: 158 type species *Erythrurus bowringii* Pascoe, 1863

**subgenus** *Erythresthes* J. Thomson, 1864: 158 type species *Erythrurus bowringii* Pascoe, 1863

*bowringii* Pascoe, 1863a: 52 (*Erythrurus*) A: ANH GUA GUX HKG HUB HUN JIX ZHE

#60

*eximius* Holzschuh, 2009a: 314 A: GUX ORR

#157

**genus** *Erythrurus* White, 1853a: 142 type species *Erythrurus championi* White, 1853

*Disidaema* J. Thomson, 1860: 142 type species *Erythrurus fortunei* White, 1853

*Pseudoleptura* J. Thomson, 1860: 142 [RN] type species *Erythrurus championi* White, 1853

*angustatus* Pic, 1916e: 19 A: GUA

*apicalis* Pic, 1922b: 25 A: GUA GUX ORR

*atripennis* Pic, 1926g: 143

*bicolor* Westwood, 1848: 60 (*Saperda*) A: BT JIA SD ORR

*biimpressus* Pic, 1943c: 5 A: CH

*blairi* Gressitt, 1939a: 33 A: FUJ GUA GUI GUX HAI HEN HUB HUN JIA NE SHA ?TAI YUN ZHE

*championi* White, 1853a: 142 A: CE FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX SCH SE SW TAI YUN ZHE ORR

*lineatus* Pic, 1916e: 12

*schaiblei* Nonfried, 1892a: 92 (*Sternoplistes*)

*coccineus* Gahan, 1906a: 231 A: FUJ NP "North India" ORR

*congruus* Pascoe, 1863a: 51 A: GUA HKG HUB JIA TAI

*formosanus* Bates, 1866a: 350 A: TAI

*fortunei* White, 1853a: 142 A: FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE

*bijunctus* Pic, 1943c: 5

*multiplicatus* Pic, 1943c: 5

*lineatus* Pic, 1943c: 4 A: CH

*multimaculatus* Pic, 1916e: 19 A: GUA SCH

*quadrisignatus* Pic, 1943c: 4 A: CH

*rotundicollis* Gahan, 1902: 275 A: YUN ORR

*rubriceps* Pic, 1916e: 12 A: FUJ HEN HUB NE SCH YUN

*suturellus* Holzschuh, 1984a: 150 A: NP SD

*taiwanicus* Heyrovský, 1952: 71 A: TAI

*westwoodi* White, 1853a: 143 A: NP UP ORR

#127

**genus** *Pachylocerus* Hope, 1834: 19 type species *Pachylocerus corallinus* Hope, 1834

*sulcatus* Brongniart, 1892: 240 A: GUI GUX SCH YUN ORR

#400

### tribe Purpuricenini J. Thomson, 1861

#400

**genus** *Afghanicenus* Heyrovský, 1941a: 36 type species *Purpuricenus nuristanicus* Heyrovský, 1936

*aulicus* Holzschuh, 1981: 101 A: PA

*dreesi* Tippmann, 1958a: 57 A: AF

*nuristanicus* Heyrovský, 1936: 212 (*Purpuricenus*) A: AF PA

#769

**genus** *Amarysius* Fairmaire, 1888b: 140 type species *Amarysius dilatatus* Fairmaire, 1888 (= *Anoplistes sanguinipennis* Blessig, 1872)

*Asiates* Semenov, 1908: 263 type species *Leptura altajensis* Laxmann, 1770

*altajensis* ~~altajensis~~ Laxmann, 1770: 597 (*Leptura*) A: ES FE GUI HEB HEI JIL KZ LIA MG NMO WS

#400

#525

#737

*affinis* Motschulsky, 1853: 79 (*Anoplistes*)

*album* Z. Wang, 2003: 160, 394  
*ausinia* Z. Wang, 2003: 160  
*basilaris* Pic, 1906b: 10 (*Anoplistes*)  
*sellatus* Germar, 1824: 498 (*Cerambyx*) #506  
*ussuricus* Tsherepanov, 1975d: 123  
*altajensis coreanus* Okamoto, 1924: 191 (*Anoplistes*) A: NC SC #737  
*duplicatus* Tsherepanov, 1980: 91 A: ES FE KZ MG WS  
*minax* Holzschuh, 1998: 43 A: GAN HEN SCH SHA #185  
*sanguinipennis adachii* Fujita, 2023: 21 A: JA (Japan: Honshu, Kyushu)  
*sanguinipennis sanguinipennis* Blessig, 1872: 175 (*Anoplistes*) E: CT A: BEI ES FE HEB HUB-~~JA~~ KZ LIA MG NC NMO SC SHA WS #400  
ZHE  
*dilatatus* Fairmaire, 1888b: 141  
*suturalis* Pic, 1906d: 16 (*Anoplistes*) A: FE HEB  
*grallator* Baeckmann, 1924: 233 (*Purpuricen*)

**genus *Anoplistes* Audinet-Serville, 1834a: 570** type species *Cerambyx halodendri* Pallas, 1773  
*Asias* Semenov, 1914: 19 [unnecessary RN] type species *Cerambyx halodendri* Pallas, 1773  
*agababiani* Danilevsky, 2000b: 41 (*Asias*) A: AR  
*amoenus* Reitter, 1898b: 126 A: XIN NMO #400  
*francisci* Reymond, 1933: 139  
*procerus* Semenov, 1907b: 256 (*Purpuricen*)  
*balcanicus* Sláma, 2010: 75 E: BU #139  
*churkini* Danilevsky, 2020d: 538 A: KI  
*degener* Semenov, 1907b: 255 (*Purpuricen*) A: NMO #400  
*diabolicus* Reitter, 1915: 170 A: KZ XIN #400  
*forticornis* Reitter, 1901b: 84 A: KZ KI UZ XIZ  
*maeulibasis* Reitter, 1901b: 84 - unavailable name  
*galusoi* Kostin, 1974: 648 (*Asias*) A: KZ  
*gobiensis* Namkhaidorzh, 1973: 377 (*Asias*) A: CN MG #819  
*halodendri ephippium* Steven & Dalman, 1817: 157 (*Cerambyx*) E: AL BU RO ST UK KZ A: KZ  
*elaegni* Fischer von Waldheim, 1823: pl. il [= 1824: 238] (*Purpuricen*)  
*humeralis* Olivier, 1795: 38 (*Cerambyx*)  
*halodendri halodendri* Pallas, 1773: 724 (*Cerambyx*) A: ~~KI~~-KZ WS  
*nigromaculatus* Pic, 1915e: 6 (*Asiates*)  
*halodendri heptapotamicus* Semenov, 1926: 48 (*Purpuricen*) A: ~~ES~~ KZ ~~WS~~  
*halodendri kasatkini* Lazarev, 2014a: 275 E: ST (Dagestan)  
*halodendri minutus* Hammarström, 1892: 191 A: ES MG CH #562  
*halodendri pirus* Arakawa, 1932: 18 (*Purpuricen*) A: ES FE GAN GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX LIA NC NIN #126 #185  
NMO QIN SC SCH SHA SHN SHX ?TAI XIN ZHE  
*jacobsoni* Baeckmann, 1904: 311 A: KZ  
*jomudorum* Plavilstshikov, 1940a: 606 (*Asias*) A: IN TM (Kopetdag)  
*chodjaii* Holzschuh, 1974a: 94 (*Asias*)  
*kaszabi* Karpiński, 2020: 192 A: MG #562  
*kozlovi* Semenov & Znoiko, 1934: 211 (*Asias*) A: MG NMG #400  
*mongolicus* Ganglbauer, 1889a: 75 A: HEB MG NMO SHX  
*tuvensis* Tsherepanov, 1978b: 138 (*Asias*) A: ES MG

**genus *Brototyche* Pascoe, 1867a: 317** type species *Brototyche adamsii* Pascoe, 1867  
*adamsii* Pascoe, 1867a: 318 [DA] ["Chosan (Japanese Sea)"] A: KO #208

**genus *Calchaenesthes* Kraatz, 1863:** 97 type species *Callidium oblongomaculatum* Guérin-Méneville, 1844  
*Calchaenistes* Schaum, 1862 [nomen oblitum] type species *Callidium nogeli* Frivaldszky von Frivald, 1845 #810  
*Hysginois* Truqui in Kraatz, 1863: 98 type species *Hysginois quadrigeminus* Truqui in Kraatz, 1863: 98 (= *Callidium oblongomaculatum* Guérin-Méneville, 1844).  
*ambrusi* Lazarev, 2023g: 297 A: CY  
? *quadrigeminus* Truqui in Kraatz, 1863: 98 (*Hysginois*) ["Cypern"]  
*diversicollis* Holzschuh, 1977a: 129 A: IN IQ TR #677  
*oblongomaculata* Guérin-Méneville, 1844: 234 (*Callidium*) E: BU GR RO A: JO TR  
*nogeli* Frivaldszky von Frivald, 1845: 183 (*Callidium*)  
*quadrimaculata* Pic, 1912f: 13  
*subjuncta* Pic, 1945b: 6  
*pistacivora* Holzschuh, 2003a: 195 A: IN  
*primis* Özdikmen, 2013b: 150 A: CY TR #292  
? *quadrigeminus* Truqui in Kraatz, 1863: 98 (*Hysginois*) ["Cypern"]  
*sexmaculata* Reiche, 1861: 91 (*Anoplistes*) E: SP N: AG MO TU  
*juncta* Pic, 1922d: 27  
*parvimaculata* Rungs, 1947: 100 (*Purpuricen*)



**genus *Diclosternus* Gahan, 1900c: 308** type species *Diclosternus corallinus* Gahan, 1900  
*corallinus* Gahan, 1900c: 309 A: FUJ GUA GUI GUX HAI HUB HUN JIX TAI ZHE #185

**genus *Euryphagus* J. Thomson, 1864: 196** type species *Cerambyx lundii* Fabricius, 1793  
*Eurycephalus* Dejean, 1835: 323 [HN] type species *Cerambyx maxillosus* Olivier, 1795 (= *Cerambyx lundii* Fabricius, 1793)  
*lundii* Fabricius, 1793: 258 (*Cerambyx*) A: FUJ GUI GUX HAI HP NP SCH ?TAI YUN ORR  
*bipunctatus* Schönherr, 1817a: 459 (*Callidium*)  
*maxillosus* Olivier, 1795: 52 (*Cerambyx*) #185  
*nigricollis* Heller, 1913: 155 #185  
*nigripes* Olivier, 1795: 52 (*Cerambyx*)  
*variabilis* Pascoe, 1860b: 120 (*Eurycephalus*) #185

*miniatus* Fairmaire, 1904a: 145 (*Purpuricen*) A: FUJ GUA GUI GUX HAI HKG JIX YUN ORR  
*caputorubens* S. T. Yu, 1935: 10 (*Purpuricen*)  
*carinifer* Pic, 1910f: 24 (*Purpuricen*)  
*chinensis* Gressitt, 1939a: 47

**genus *Falsanoplistes* Pic, 1915d: 27** type species *Falsanoplistes guerryi* Pic, 1915  
*Bunothorax* Gressitt, 1936: 101 type species *Sternoplistes takasagoensis* Kano, 1933  
*guerryi* Pic, 1915d 27 A: GUI JIA SCH SHA YUN XIZ #400  
*takasagoensis* Kano, 1933a: 278 (*Sternoplistes*) A: TAI ORR #185

**genus *Parabunothorax* Pu, 1991b: 247** type species *Parabunothorax rubripennis* Pu, 1991  
*rubripennis* Pu, 1991b: 248, 251 A: GUI YUN ORR #185

**genus *Peyeremoceras* Sama, 2009: 22** [RN] type species *Eremoceras surcoufi* Peyerimhoff, 1920  
*Eremoceras* Peyerimhoff, 1920a: 22 [HN] type species *Eremoceras surcoufi* Peyerimhoff, 1920  
*surcoufi* Peyerimhoff, 1920a: 22 (*Eremoceras*) N: AG

**genus *Purpuricen* Dejean, 1821: 105** type species *Cerambyx kaehleri* Linnaeus, 1758  
*Acanthoptera* Latreille, 1829: 114 type species *Cerambyx budensis* Götz, 1783 #517  
subgen. "*Acanthroptera* Lat.", Gray, 1832: 103 - misprint, unavailable name.  
*Cyclodera* White, 1846: 510 type species *Cyclodera quadrinotata* White, 1846  
*Hamadrias* Gistel, 1848a: 130 [unnecessary substitute name]  
*Philagathes* J. Thomson, 1864: 196 type species *Philagathes laetus* J. Thomson, 1864  
*Porphyrocenus* Reitter, 1913a: 34 type species *Purpuricen spectabilis* Motschulsky, 1858  
*Sternoplistes* Guérin-Méneville, 1844: 224 type species *Purpuricen temminckii* Guérin-Méneville, 1844  
*apicalis* Pic, 1905j: 163 A: IN IQ TR  
*tommasoi* Sama, 2001: 390  
*apiceniger* Pic, 1914b: 7 E: BH CR GR IT ME  
*baeckmanni* Danilevsky, 2007c: 38 E: UK (Crimea) #98 #635  
*barbarus* P. H. Lucas, 1842: 185 N: AG MO TU  
*dumerilii* P. H. Lucas, 1847: pl. 41  
*interruptus* Pic, 1891b: 23  
*limbatus* Pic, 1891b: 23  
*bitlisiensis* T. Pic, 1902: 27 A: TR  
*budensis* Götz, 1783: 72 (*Cerambyx*) E: AL BH BU CT CR FR GR HU IT MC MD ME RO SB SK SL SP ST TR UK A: AB AR CY  
GG IN IS LE SY TR WS  
*affinis* Brullé, 1832: 251  
*ungaricus* Herbst, 1784: 90 (*Lamia*)  
*wredii* Fischer von Waldheim, 1823: tab. 49, fig. 2 [1824: 238]  
*caucasicola* Danilevsky, 2015e: 386 E: ST A: AB ?AR GG TR #635  
*coccineus* Breit, 1917b: 73 E: IT #231  
*comenius* Vartanis & Ambrus, 2015: 315 E: GR  
*cornifrons* Sabbadini & Pesarini, 1992b: 58 [Bingöl] A: TR  
*dalmatinus* Sturm, 1843: 353 E: BH BU CR GR IT MC SL A: IS JO LE SY TR N: EG #561  
*büinterruptus* Pic, 1901b: 11  
*bonvouloiri* Pic, 1945b: 6  
*disjunctus* Pic, 1916a: 13  
*hirsutus* Heyrovský, 1969a: 34  
*desfontainii desfontainii* Fabricius, 1793: 258 (*Cerambyx*) E: GR (Crete) N: AG LB MO TU  
*nigricollis* Pic, 1892g: 114  
*v-signatis* Pic, 1922d: 27  
*desfontainii inhumeralis* Pic, 1891b: 24 E: GR TR A: JO IS LE SY TR #464  
*deyrollei* J. Thomson, 1867d: 164 A: IN TM #813  
*ledereri* Ferrari, 1869: 199  
*medijunctus* Pic, 1921a: 4  
*ferrugineus* Fairmaire, 1851: 528 E: PT SP

*fettingi* Schaufuss, 1871: 209  
*hispanicus* K. Daniel & J. Daniel, 1898b: 88  
*globiger ambrusi* Danilevsky, 2012d: 11 A: GAN  
*globiger globiger* Fairmaire, 1888b: 139 A: BEI HEB JIX LIA SHA SHX #185 #400  
*globulicollis* Dejean, 1839: 34 E: AL AU BH BU CR CT CZ EN FR GR HU IT ME RO SB SK SL SP ST SZ UK A: KZ WS #195  
  
*grabowskii* Heyrovský, 1913: 35  
*tsherepanovae* Tsherepanov, 1980: 89  
*graecus* Sláma, 1993: 56 E: GR #98  
*graecus* Sláma, 1993: 56 [неправильное первоначальное написание - непригодное название]  
*hummeli* Pic, 1935c: 11 A: GAN SCH #185  
*foraminifer* Pesarini & Sabbadini, 1997: 106 #185  
*indus* Semenov, 1908: 261 [RN] A: AF KA PA "Punjab"  
*haussknechti* Gahan, 1906a: 186  
*innotatus* Pic, 1910f: 24 A: XIZ YUN ORR  
*interscapillatus barbarae* Rapuzzi & Sama, 2014b: 145 (Carmel range, Daliyat el Karmil) A: IS  
*interscapillatus cypriensis* Lazarev & Ambrus, 2021: 508 A: CY  
*interscapillatus hermonensis* Rapuzzi & Sama, 2014b: 147 A: IS SY (Golan Heights, Mt. Hermon ; Syria: Quatana, Burqush)  
*interscapillatus interscapillatus* Plavilstshikov, 1937b: 247 [RN] A: SY TR (Toros Mts, Nemrut Mts, Mardin, Hatay)  
*humeralis* Pic, 1891b: 23 ["Asie Mineure"] [HN]  
*interscapillatus longevittatus* Pic, 1941b: 2 A: LE #330  
*interscapillatus marivanensis* Danilevsky & Faizi, 2020: [2] A: IN  
*interscapillatus nabateus* Sama, 1999c: 178 A: JO #330  
*interscapillatus nudicollis* Demelt, 1968b: 65 [Antalya] A: TR #521  
*kabakovi* Miroshnikov & Lobanov, 1990: 15 A: AF KA PA  
*kaehlerii boryi* Brullé, 1832: 251 [Morée: "de Pétalidi, dans le golfe de Messénie"] E: GR #278  
*kaehlerii carbonarius* Reitter, 1901c: 101 ["dalmatinischen Insel Meleda"] E: BH CR #517  
*kaehlerii cinctus* A. Villa & G. B. Villa, 1833: 36 - ["Italya"] E: IT #517  
*aetnensis* Bassi, 1834: 471 [Nicolosi, Sicile]  
*tournieri* Pic, 1945b: 6 [Sicile]  
*kaehlerii kaehlerii* Linnaeus, 1758: 393 (*Cerambyx*) [Italia] E: AL BE BH CR FR GR IT LU MC ME PT SB SP SZ  
*bilineatus* Mulsant, 1839: 34 [aux environs de Lyon, les environs de Paris et de Bordeaux]  
*bipunctatus* A. Villa & G. B. Villa, 1833: 36 ["Italia"]  
*corsicus* Vartanis, 2018a: #744  
*ferrarioi* Pic, 1941b: 2 ["Italie"]  
*ruber* Geoffroy, 1785: 75 (*Cerambyx*) ["circa Parisios"]  
*servillei* Audinet-Serville, 1834a: 569 ["environs de Paris"]  
*kaehlerii litoralis* Depoli, 1913: 22 ["Liburnischen Karst"] E: AL BH CR GR ME SL #517  
*kaehlerii menetriesi* Motschulsky, 1845a: 87 E: ST A: AB AR GG-IN TR #674  
*astrabadensis* Pic, 1915e: 6  
*caucasicus* T. Pic, 1902: 27 - "Caucas", Helenendorf () #331  
*kaehlerii miroshnikovii* Lazarev, 2023a: 2 E: ST A: GG #674  
*kaehlerii rossicus* Danilevsky, 2019: 86 E: AU BE BU BY CT CZ GE GR HU KZ MD PL RO SK ST SZ TR UK A: TR  
*katerinae* Danilevsky, 2012d: 12 A: SHX  
*kykladicus* Vartanis, 2023b: 1716 GR (Cyclades)  
*lituratus* Ganglbauer, 1887a: 136 A: BEI FE GAN GUI GUX HEB HEN HUB HUN JA JIA JIL JIX LIA NC SC SCH SHA SHX YUN #18

5

*komarovi* Semenov, 1908: 260  
*petasifer* Fairmaire, 1888b: 140  
*ritsemai* Villard, 1913: 237  
*rosti* Pic, 1913c: 135  
*malaccensis* Lacordaire, 1869: 176 (*Philagathes*) A: GUA GUX HAI SHA YUN ORR #185 #530  
*diversithorax* Pic, 1922b: 25.  
*fasciatus* Brongniart, 1892: 241  
*subimmaculatus* Pic, 1927b: 30  
*mediterraneus* Vartanis, 2025: 1675 E: GR  
*montanus* White, 1853a: 138 A: AF HP KA PA UP XIZ "Tibet" #127 #185  
*kashmirensis* Pic, 1906b: 10 (*Sternoplistes*)  
*nanus* Semenov, 1907b: 254 ["Gilan: pr. pag. Molla-ali"] A: IN  
*notatithorax* Pic, 1919a: 22 ["Perse"]  
*neocaucasicus* Rapuzzi & Sama, 2014b: 156 A: TR #98 #635  
*nicocles* Schaufuss, 1871: 209 A: CY  
*nigropunctatus* Pic, 1916a: 13  
*nigronotatus* Pic, 1907g: 169 [Hatay] A: TR  
*konradi* Bernhauer, 1976: 123 [type - Adana: Nurdagi gecidi]  
*optabilis* Holzschuh, 1984a: 149 A: NP  
*persicus* Vartanis, 2023g: 1803 A: IN

*renyvonae latefasciatus* Özdikmen & Tezcan, 2020g: 537 **A: TR**  
*renyvonae renyvonae* Sláma, 2001: 225 **E: BU CR MC TR SB** #98 #635  
*sanguinolentus* Olivier, 1800: 93 (*Cerambyx*) **A: ?TAI "North India" ORR** #373 #400  
*sasanus* Kadlec, 2006a: 3 **A: IN ?IQ** #537  
*schurmanni* Sláma, 1985: 18 **E GR (Crete)**  
*creticus* Bernhauer, 1985: 104  
*sideriger richardi* Danilevsky, 2012d: 15 **A: GAN**  
*sideriger sideriger* Fairmaire, 1888b: 139 **A: FE FUJ GUX HEB HEN HUB HUN JIA JIX NC SC SCH SHA** #185  
*coreanus* K. Saito, 1932: 441  
*pratti* Gahan, 1888b: 61  
*skypetarum skypetarum* Rapuzzi & Sama, 2014b: 164 **E: AL MC GR** #64 #521  
*skypetarum zinaidae* Lazarev, 2020e **A: TR**  
*spectabilis* Motschulsky, 1858a: 36 **A: FUJ GAN GUI HEB HUB HUN JA JIA JIX LIA SC SCH SHA ?TAI YUN ZHE** #63 #185  
*argodi* Pic, 1949b: 53 (*Sternoplistes*)  
*bijunctus* Pic, 1923b: 8 (*Sternoplistes*)  
*subnotatus* Pic, 1910f: 24 **A: YUN**  
*basipennis* Pic, 1916e: 13  
*talyschensis* Reitter, 1891c: 240 **A: AB (Talysh) IN** #813  
*temminckii oliveri* Danilevsky, 2012d: 19 **A: GAN**  
*temminckii richardambrusi* Lazarev, 2023h: 391 **A: SCH**  
*temminckii sinensis* White, 1853a: 139 **A: AP FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SC SCH SHA SHN TAI YUN**  
**ZHE ORR** #185 #280  
*similis* Pic, 1923b: 8 (*Sternoplistes*)  
*temminckii temminckii* Guérin-Méneville, 1844: 224 **A: JA**  
*japanus* Motschulsky, 1858a: 37  
*kiotensis* Matsushita, 1933b: 312 (*Sternoplistes*)  
*variicollis* Özdikmen, Laz & Karabulut, 2023: 60 **A: TR**  
*wachanrui robusticollis* Pic, 1905a: 9 ["Perse"] **A: IN** #811  
*wachanrui wachanrui* Levrat, 1858: 261 [Turquie] **A: AB CY IN IQ SY TR** #591 #811  
*aleppensis* Witte, 1872: 208  
*atricolor* Pic, 1912c: 4  
*bilunatus* Schaufuss, 1871: 210 [Cypern]  
*diversipennis* Pic, 1915e: 6 [Aleppo]  
*haussknechti* Witte, 1872: 207 [Kurdistan]  
*mesopotamicus* Al-Ali & Ismail, 1987b: 536, 543 [Iraq] #591  
*quadrinotatus* Pic, 1912a: 35 [Luristan]  
*schoenfeldti* Heyden, 1890: 79 [Sultanabad]  
*zarudnianus* Semenov, 1903: 358 **A: IN PA**  
*schauffelei* Pic, 1956a: 3

**genus *Quentinius* Vives, 2013a: 105** type species *Philagathes cinctus* Lameere, 1890 (= *Purpuricenus lameerei* Plavilstshikov, 1921)  
*lameerei* Plavilstshikov, 1921b: 110 (*Purpuricenus*) [RN] **A: SCH XIZ YUN ORR** #185  
*cinctus* Lameere, 1890: cxxiii (*Philagathes*) [HN]

### tribe Pyrestini Lacordaire, 1868

**genus *Pyrestes* Pascoe, 1857b: 96** type species *Pyrestes haematicus* Pascoe, 1857  
*curticornis* Pic, 1923a: 13 **A: TAI**  
*formosanus* Schwarzer, 1925a: 24  
*densatus* Holzschuh, 1998: 41 **A: GAN SCH**  
*dohertii* Gahan, 1906a: 229 **A: YUN ORR**  
*festus* Holzschuh, 1998: 42 **A: YUN**  
*haematicus* Pascoe, 1857b: 97 **A: ANH FUJ GUA GUI HEN HKG HUB HUN JA JIA JIX NC NE NO SC SHA TAI YUN ZHE** #225  
*cardinalis* Pascoe, 1863a: 50 #417  
*coreanus* Okamoto, 1927: 66 (*Leptoxenus*)  
*hypomelas* Fairmaire, 1887a: 131 **A: YUN**  
*inaequalicollis* Hayashi, 1962a: 9 **A: JA (Ryukyus)**  
*longicollis* Pic, 1953c: 8 **A: TAI**  
*miniatus* Pascoe, 1857b: 97 **A: "North India"**  
*munekuro* Fujimura, 1956: 3 **A: JA**  
*nipponicus* Hayashi, 1987: 157  
*nigricollis* Pic, 1947c: 18 **A: YUN ORR**  
*pascoei* Gressitt, 1939a: 31 **A: FUJ GAN GUA HUN JIA NE YUN ZHE**  
*pyrrhus* Gahan, 1906a: 228 **A: HP NP ORR** #366  
*quinesignatus* Fairmaire, 1889a: 65 **A: SHA WP** #400  
*rufipes nepalicus* Holzschuh, 1990: 189 **A: NP**  
*rufipes rufipes* Pic, 1923a: 13 - "North India"

*rugicollis* Fairmaire, 1900: 642 A: FUJ GAN GUA HEN HUN JIA YUN ZHE  
*rugosa* Gressitt & Rondon, 1970: 184 A: YUN **ORR**  
*yayeyamensis* Hayashi, 1972: 28 A: JA (Ryukyus)

### tribe Smodicini Lacordaire, 1869

**genus *Smodicum* Haldeman, 1847: 38** type species *Callidium cucujiforme* Say, 1827 **#579**  
*Nothorhinomorpha* Pic, 1930e: 62 type species *Nothorhinomorpha deplanata* Pic, 1930e  
*cucujiforme* Say, 1827: 277 (*Callidium*) Ni: EG NAR NTR  
*argentinum* Bruch, 1911: 170  
*convergens* Casey, 1912: 269  
*cylindrides* Newman, 1838a: 394 (*Callidium*)  
*deplanata* Pic, 1930e: 63 (*Nothorhinomorpha*) [Egypt]

### tribe Stenhomalini Miroshnikov, 1989

**genus *Stenhomalus* White, 1855: 243** type species *Stenhomalus fenestratus* White, 1855  
**subgenus *Obriopsis* G. Müller, 1948: 65** type species *Obrium bicolor* Kraatz, 1862  
*bicolor bicolor* Kraatz, 1862: 126 (*Obrium*) E: AL AU BH BU CR CZ GR HU IT MC ME SB SK SL SV A: CY IS SY TR  
*bicolor yazelae* Özdikmen, 2019a: 9 A: TR  
**subgenus *Stenhomalus* White, 1855: 243** type species *Stenhomalus fenestratus* White, 1855  
*Stenomalus* Gemminger, 1872: 2841 [unjustified emendation]  
*baibarensis* Matsushita, 1933b: 307 A: TAI  
*cephalotes* Pic, 1928a: 28 A: HAI **ORR**  
*clarinus* Holzschuh, 1995: 23 A: YUN  
*cleroides* Bates, 1873: 155 A: JA SC TAI **#384**  
*complicatus* Gressitt, 1948a: 49 A: SCH SHA SHX YUN  
*coomani* Gressitt, 1951a: 164 A: FUJ  
*dayaoshanus* Niisato & Chou, 2018: 82 A: GUX  
*fenestratus* White, 1855: 243 A: FUJ GUA HKG NE NO NP SCH SHA TAI "North India" **ORR**  
*incongruus incongruus* Gressitt, 1939c: 211 A: BEI JIA SHA SHG **#225**  
*incongruus muneaka* Hayashi, 1981b: 29 A: JA  
*incongruus parallelus* Niisato, 1988c: 791 A: JA SC  
*japonicus* Pic, 1904f: 22 (*Obrium*) A: FE (**Ussuri**, Kunashir) JA SC **#812**  
*lighti* Gressitt, 1935b: 170  
*vulcanus* Tsherepanov, 1975c: 79  
*kumaso* Niisato & Makihara, 1991: 164 A: JA  
*liui* Niisato, 2015a: 475 A: HAI  
*longicornis* Bates, 1873: 155 (*Obrium*) A: JA  
*makiharai* Niisato & Chou, 2018: 86 A: TAI  
*mecops* Holzschuh, 1990: 187 A: SD  
*mirificus* Niisato & Chou, 2018: 84 A: TAI  
*nagaoi* Hayashi, 1960c: 11 A: JA SC (Yeoseodo Is.) **#97**  
*odai* Niisato & Kinugasa, 1982: 13 A: YUN **ORR**  
*pallidus* Gressitt, 1935a: 147 A: TAI  
*pinicola* Holzschuh, 2015: 34 A: SCH **SHA** **#683**  
*ruficollis* Gressitt, 1935a: 149 A: TAI  
*taiwanus koshunensis* Seki, 1935a: 91 A: TAI  
*taiwanus taiwanus* Matsushita, 1933b: 307 A: HEB HEN HUB JA LIA NC SC SCH SHA SHX TAI NAR **#216 #225**  
*takaosanus* K. Ohbayashi, 1958c: 37 A: JA  
*tetricus* Holzschuh, 2007: 214 A: HUB  
*unicolor* Niisato & Hua, 1998: 456 A: ZHE  
*versicolor* Holzschuh, 1984a: 147 A: NP

### tribe Stenopterini Gistel, 1848

**genus *Callimoxys* Kraatz, 1863: 105** type species *Stenopterus gracilis* Brullé, 1832  
*gracilis* Brullé, 1832: 257 (*Stenopterus*) E: AL BH BU CR GR HU MC ME RO SB SK SL ST UK A: AB AR GG IN TM TR  
**#11 #32 #117**  
*retusifera* Holzschuh, 1999: 27 A: HUB SHA **#225**  
*orientalis* Niisato & N. Ohbayashi, 2004: 464

**genus *Callimus* Mulsant, 1846: [5]** type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)  
**subgenus *Callimus* Mulsant, 1846: [5]** type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)  
*Callimellum* Strand, 1928: 2 [unnecessary substitute name]  
*abdominalis* Olivier, 1800: 70 (*Callidium*) E: AL BH CR FR GR IT SP **#373**  
*decorus* Gené, 1839: 38 (*Stenopterus*)  
*diversipes* Pic, 1929b: 9

*nigricollis* Pic, 1890c: 157  
*akbesianus* Pic, 1892r: cxi [= 1893d: 416] A: TR  
*angulatus angulatus* Schrank, 1789: 77 (*Saperda*) E: AL AU BH BU CR CZ FR GE GR HU IT MC MD ME PL RO SB SK SL SP SZ  
 TR UK N: AG MO A: AB AR GG IN SY TR TM #170 #630  
*bourdini* Mulsant, 1846: [7]  
*cyaneus* Fabricius, 1793: 330 (*Callidium*)  
*gallicus* Pic, 1932d: 25 (*Callimellum*)  
*laetus* Motschulsky, 1845a: 85 (*Stenopterus*)  
*variabilis* Bonelli, 1812: 181 (*Necydalis*)  
*angulatus glabrescens* Holzschuh, 1989a: 164 E: AL GR  
*testaceus* Pic, 1922b: 23 A: HP  
**subgenus *Lampropterus*** Mulsant, 1862: 214 type species *Necydalis femoratus* Germar, 1824 #506  
*Callimomimus* Ieniștea, 1952: 719 type species *Callimomimus distinctus* Ieniștea, 1952 (= *Necydalis femoratus* Germar, 1824)  
*femoratus* Germar, 1824: 519 (*Necydalis*) E: AL BU GR MC MD ME RO SB ST TR UK A: AB AR GG IN IS CY LE SY TR #74  
 #506  
*adonis* Abeille de Perrin, 1881: 139  
*distinctus* Ieniștea, 1952: 719 (*Callimomimus*)  
*narcissus* Abeille de Perrin, 1881: 138  
*rumelicus* Apfelbeck, 1899: 292  
*thoracicus* Chevrolat, 1882: 57 (*Callimoxys*)  
**subgenus *Nathriopterus*** Sama, 2002: 62 type species *Stenopterus shensiensis* Gressitt, 1951  
*shensiensis* Gressitt, 1951a: 176 (*Stenopterus*) A: SHA  
*truncatipennis* Gressitt, 1948a: 52 (*Stenopterus*) A: SHA  
**subgenus *Procallimus*** Pic, 1907a: 7 type species *Callimus egregius* Mulsant & Rey, 1863  
*distinctipes* Pic, 1906a: 11 A: IS JO LE  
*egregius* Mulsant & Rey, 1863: 146 E: GR ST UK A: GG LE SY TR #182  
*obscurithorax* Pic, 1907e: 154  
*khorsanii* Holzschuh, 2006a: 234 A: IN  
*rapillyi* Villiers, 1973a: 33 A: IN  
*semicyaneus* Pic, 1905k: 187 E: GR MC ?A: TR #563  
**genus *Guerryus* Pic, 1903e: 105** type species *Guerryus aureopubescens* Pic, 1903  
*argyritis* Holzschuh, 1998: 34 A: SCH YUN #400  
*aureopubescens* Pic, 1903e: 105 A: SCH YUN  
**genus *Holangus* Pic, 1902i: 33** type species *Holangus flavonotatus* Pic, 1902  
*bicolor* Niisato, Chou & Lin, 2018: 94 A: GUX HAI  
*guerryi* Pic, 1904c: 10 A: SCH YUN #400  
*ruficollis* Pic, 1940: 4 A: YUN ORR #240  
*shennongjiaensis* P. Wang, Xie G. & Wang W.-K. 2020b: 146 A: HUB  
**genus *Kunbir* Lameere, 1890: ccxiii** type species *Kunbir telephoroides* Lameere, 1890  
*Debilta* Fairmaire, 1895: 178 [HN] type species *Debilta rufostavida* Fairmaire, 1895  
*Debilissa* Aurivillius, 1912: 274 [RN] type species *Debilissa rufostavida* Fairmaire, 1895  
*Kurseonigra* Pic, 1930b: 15 type species *Debilissa laboissierei* Pic, 1930  
*atripennis* Pic, 1925b: 15 (*Debilissa*) A: HUN YUN  
*bicolor* Pic, 1928f: 160 (*Debilissa*)  
*obscuricolor* Pic, 1925b: 16 (*Debilissa*)  
 [atripes atripes Pic, 1924: 15 (*Debilissima*) ORR (Laos)]  
*atripes bicoloripes* Holzschuh, 2015d: 43 A: SCH SHA #400  
*carinatus* Pic, 1928f: 159 (*Debilissa*) A: HUB YUN  
*cephalotes* Pic, 1928f: 159 (*Debilissa*) A: FUJ YUN  
*crusator* Gressitt & Rondon, 1970: 127 A: YUN ORR  
*laboissierei* Pic, 1930: 16 (*Debilissa*) A: SD  
*nomurai* Hayashi, 1974a: 25 A: HUB HUN TAI #400  
*pallidipennis* Gressitt, 1940b: 56 A: HAI  
*pilosipes* Holzschuh, 2003: 187 A: HUB HUN SHA #400  
*rufostavida* Fairmaire, 1895: 179 (*Debilta*) A: YUN ORR  
*diversiceps* Pic, 1928a: 27 (*Debilissa*)  
*shennongjiaensis* X. Wang, P. Wang & W. Wang, 2021: 181 A: HUB  
*simplex* Gressitt & Rondon, 1970: 128 A: YUN ORR  
*telephoroides* Lameere, 1890: ccxiii A: UP  
*testaceus* Pic, 1924a: 15 (*Debilissima*) A: CH ORR  
*vartianorum* Holzschuh, 1974a: 88 A: PA  
**genus *Merionoeda* Pascoe, 1858: 237** type species *Merionoeda puella* Pascoe, 1858  
**subgenus *Macromolorchus*** Pic, 1922e: 28 type species *Macromolorchus curtipennis* Pic, 1922



*Hakata* Mitono & Nishimura, 1936: 33 type species *Hakata hirsuta* Mitono & Nishimura, 1936  
*baoshana* Chiang, 1963: 66 A: YUN **ORR**  
*aglaospadix* Gressitt & Rondon, 1970: 118  
*curtipennis* Pic, 1922e: 28 (*Macromolorchus*) A: HUB **ORR** #651  
*eburata* Holzschuh, 1989a: 162 A: SD YUN  
*hirsuta* Mitono & Nishimura, 1936: 34 (*Hakata*) A: FUJ HUN JA SC TAI ZHE #682  
*klapperichi* Tippmann, 1955: 100 (*Hakata*) #418  
*splendida* Chiang, 1981: 79 A: GUX HAI ZHE #400  
**subgenus** *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858  
*fusca* Gressitt & Rondon, 1970: 121 A: YUN **ORR**  
*indica* Hope, 1831: 28 (*Molorchus*) A: HUB NP SCH SD YUN **ORR** #651  
*jeanvoinei* Pic, 1933a: 9 A: GUX HAI HUB **ORR** #651  
*atricornis* Pic, 1933a: 10  
*melanocephala* Gressitt & Rondon, 1970: 125 A: GUX YUN **ORR** #400  
*neglecta* Yokoi & Niisato, 2009: 348 A: YUN **ORR** #400  
*nigrella* Gressitt, 1942g: 79 A: ANH YUN  
*nigriceps* White, 1855: 181 (*Heliomanes*) A: AP NP XIZ YUN **ORR**  
*inapicalis* Pic, 1922b: 23  
*nigroapicalis* Gressitt et Rondon, 1970: 121 A: YUN **ORR**  
*phoebe* Gardner, 1939: 3 A: NP UP  
*pilosa* Gressitt et Rondon, 1970: 120 A: GUX YUN **ORR** #400  
*scutulata* Holzschuh, 1989a: 163 A: SD YUN  
*tuberosa* Holzschuh, 2003a: 185 A: YUN **ORR** #508  
*uraiensis* Kano, 1930: 43 A: TAI  
**subgenus** *Ocytasia* Pascoe, 1869a: 565 type species *Ocytasia fulvipennis* Pascoe, 1869  
*caldwelli* Gressitt, 1942a: 3 A: FUJ GUA GUX HUN YUN  
*catoxelytra* Gressitt & Rondon, 1970: 119 A: YUN **ORR**  
*formosana burkwalli* Gressitt, 1940b: 54 A: HAI ZHE #489  
*formosana formosana* Heller, 1924a: 32 A: TAI  
*kurarensis* Seki, 1934: 282  
*nigra* Matsushita, 1937: 102  
*formosana iriomotensis* K. Ohbayashi & N. Ohbayashi, 1965: 3 A: JA (Ryukyus)  
*formosana okinawana* K. Ohbayashi & N. Ohbayashi, 1965: 2 A: JA (Ryukyus)  
*formosana rubriventris* Hayashi, 1962a: 8 A: JA (Ryukyus)  
*formosana septentrionalis* Tamu & Tsukamoto, 1952: 9 A: JA  
*tosawai* Kobayashi, 1932: 1 A: JA (Ogasawara Isls.)

**genus** *Microdebilissa* Pic, 1925b: 16 type species *Microdebilissa bipartita* Pic, 1925  
*Euchlanis* Pascoe, 1869a: 565 [HN] type species *Euchlanis collaris* Pascoe, 1869  
*Neodeuteromma* Mitono, 1936: 32 type species *Neodeuteromma serratipenne* Mitono, 1936 (= *Mirodebilissa testacea* Matsushita, 1933)  
*aethiops aethiops* Holzschuh, 1995: 25 (*Euchlanis*) A: YUN  
*aethiops hiranoi* Niisato, Akiyama & Chou, 2021: 121 A: TAI  
*argentifera* Holzschuh, 1984c: 354 (*Euchlanis*) A: BT NP YUN  
*atricornis* Pic, 1940: 4 A: CH **ORR**  
*atripennis* Pu, 1992b: 600, 620 (*Euchlanis*) A: YUN  
*bipartita* Pic, 1925b: 16 A: CH  
*obscura* Pic, 1940: 5  
*diversipes* Pic, 1930b: 16 A: SD  
*furva* Holzschuh, 1993a: 30 (*Euchlanis*) A: YUN **ORR**  
*homalina* Holzschuh, 1993a: 29 (*Euchlanis*) A: YUN **ORR**  
*infirma* Holzschuh, 1989b: 375 (*Euchlanis*) A: YUN **ORR**  
*makiharai* Hayashi, 1982b: 151 (*Euchlanis*) [RN] A: TAI  
*obscura* Hayashi, 1971: 6 [HN]  
*minuta* Pic, 1927b: 30 A: CH **ORR**  
*robustula* Holzschuh, 1990: 188 (*Euchlanis*) A: NP  
*simplicicollis* Gressitt, 1951a: 181 [RN] A: GUA  
*gressitti* Hayashi, 1951b: 80 [RN]  
*serratipennis* Gressitt, 1937c: 450 [HN]  
*testacea* Matsushita, 1933b: 229 A: NP TAI YUN  
*serratipennis* Mitono, 1936: 31 (*Neodeuteromma*)

**genus** *Stenopterus* Illiger, 1804: 120 type species *Necydalis rufa* Linnaeus, 1767  
*adlbaueri* Sama, 1995b: 408 A: TR  
*ater* Linnaeus, 1767: 642 (*Necydalis*) E: BH CR FR GR IT MC ME PT RO SB SK SL SP SZ UK N: AG GG LB MO TU #115  
*auriventris* Küster, 1851: 96  
*flavipes* Pic, 1892e: 66  
*inustulatus* Pic, 1892c: 22

*nigripes* Costa, 1855: 67  
*praeustus* Fabricius, 1793: 354 (*Necydalis*)  
*ruficollis* Pic, 1918d: 23  
*rufofemoratus* Pic, 1905h: 147  
*subhumeralis* Pic, 1905i: 156  
*theryi* Pic, 1918d: 23  
*ustulatus* Mulsant, 1839: 115  
*atricornis* Pic, 1891h: 102 E: AL GR A: SY TR #143 #236  
*creticus* Sama, 1995b: 403 E: GR (Crete)  
*flavicornis* Küster, 1846b: 75 E: AL AU BH BU CR CZ GR HU IT MC ME RO SB SK SL TR UK A: IS JO LE SY #182  
*procerus* Costa, 1855: 64  
*kraatzi* Pic, 1892c: 21 A: TR  
*mauritanicus* P. H. Lucas, 1847: pl. 42 E: PT SP N: AG MO TU  
*f. geniculatus* Kraatz, 1863: 104 E: AL AU BH BU CR GR HU MC ME RO SB SL ST TR A: AB AR GG IN TR #20  
*rufus rufus* Linnaeus, 1767: 642 (*Necydalis*) E: AU BE BH BU CR CZ FR GE HU IT LU MA MD NL PL RO SK SL SP ST SZ UK A:  
GG TR N: CI (Gran Canaria)  
*attenuatus* Geoffroy, 1785: 84 (*Leptura*) [HN]  
*rufus syriacus* Pic, 1892c: 22 A: IS LE IQ SY TR #30  
*rufus transcaspicus* Lazarev, 2008: 132 A: TM (Kopetdag) IN  
*similatus mehli* Sama, 1995b: 402 A: CY  
*similatus similatus* Holzschuh, 1979a: 113 E: GR (Ikaria)

### tribe Thraniini Gahan, 1906

**genus *Thranius* Pascoe, 1859: 22** type species *Thranius bimaculatus* Pascoe, 1859  
*Singalia* Lacordaire, 1872: 834 type species *Singalia spinipennis* Lacordaire, 1872 (= *Thranius gibbosus* Pascoe, 1859)  
*infernalis* Matsushita, 1933b: 225 A: TAI  
*multinotatus latipennis* Hayashi, 1963a: 53 A: JA (Ryukyus)  
*multinotatus multinotatus* Pic, 1922a: 22 A: XIZ YUN ORR  
*multinotatus okinawensis* Makihara, 1978: 51 A: JA (Ryukyus)  
*multinotatus signatus* Schwarzer, 1925a: 23 A: FUJ HAI TAI ZHE ORR  
*multinotatus takakuwai* Fujita, 2023: 20 A: GUA  
*obliquefasciatus* Pu, 1992b: 596 A: YUN  
*capucinus* Holzschuh, 1993a: 31 #293  
*rufescens formosanus* Schwarzer, 1925a: 23 A: TAI #524  
*rufescens kobayashii* Fujita, 2023: 20 A: JA (Yaeyama Isls.)  
*rufescens matsumurai* Fujita, 2023: 20 A: JA (Okinawa Isls.)  
*rufescens rufescens* Bates, 1884a: 258 (*Singalia*) A: JA #524  
*simplex fulvus* Pu, 1992b: 596 A: SCH  
*simplex simplex* Gahan, 1894a: 15 A: AP BT HUB NP SD SCH SHA XIZ YUN ORR #280  
*triplagiatus* Gahan, 1906a: 238 A: SD ORR  
*variegatus nishinoi* Fujita, 2023: 20 A: JA (Japan: Tokara Isls.)  
*variegatus obscurus* Hayashi, 1962a: 8 A: JA (Ryukyus)  
*variegatus variegatus* Bates, 1873: 196 A: JA SC #682  
*maculicornis* Plavilstshikov, 1940a: 649  
*sapporensis* Kano, 1933b: 132

### tribe Tillomorphini Lacordaire, 1868

**genus *Cleroclytus* Kraatz, 1884a: 226** type species *Cleroclytus semirufus* Kraatz, 1884  
**subgenus *Cleroclytus* Kraatz, 1884a: 226** type species *Cleroclytus semirufus* Kraatz, 1884  
*francottei* Rapuzzi & Sama, 2010b: 185 A: GAN  
*semirufus collaris* Jakovlev, 1885b: 290 A: KI KZ XIN  
*manifestus* Jakovlev, 1900b: 664  
*strigicollis* Jakovlev, 1900b: 663 #697  
*semirufus savitsky* Lazarev, 2014: 276a A: MG  
*semirufus semirufus* Kraatz, 1884a: 225 A: AF KI KZ UZ #345  
*vestitus* Jakovlev, 1900b: 664  
**subgenus *Obliqueclytus* Lazarev, 2014a: 276** type species *Anaglyptus banghaasi* Reitter, 1895  
*banghaasi* Reitter, 1895c: 159 (*Anaglyptus*) A: KI TD  
*semenowi* Jakovlev, 1900b: 663  
*gracilis* Jakovlev, 1900b: 665 A: TD  
*baeckmanni* Okunev, 1933: 136  
*grandiculus* Plavilstshikov, 1940a: 542  
**genus *Epipedocera* Chevrolat, 1863: 339** type species *Epipedocera zona* Chevrolat, 1863  
*affinis* Chevrolat, 1863: 341 A: NP UP  
*assamensis* Gardner, 1926: 204 A: YUN ORR

*atra* Pic, 1937b: 7 A: HAI YUN **ORR**  
*chakhata* Gardner, 1939: 9 A: BT NP UP  
*djoui* Gressitt, 1951a: 627 A: GUA GUX HKG YUN #364 #408  
*effusa* Holzschuh, 1999: 43 A: GUX **ORR** #508  
*guerryi* Pic, 1903e: 105 A: CH  
*hardwicki* White, 1855: 288 (*Clytus*) [RN] A: NP SD XIZ **ORR**  
*undulata* Hope, 1831: 28 (*Clytus*) [HN]  
*hoffmanni* Gressitt, 1940b: 85 A: HAI  
*laticollis* Gahan, 1906a: 307 A: YUN **ORR**  
*lugens* Holzschuh, 1990: 192 A: SD  
*rollei* Pic, 1910g: 30 A: TAI  
*setigera setigera* Holzschuh, 2019b: 97 A: GUX  
*subatra* Gressitt & Rondon, 1970: 283 A: YUN **ORR**  
*vitalisi* Pic, 1922c: 11 A: YUN **ORR**  
*vitiosa* Holzschuh, 2009a: 348 A: GUX **ORR** #508  
*zona* Chevrolat, 1863: 340 A: GUI GUX NP SD YUN **ORR** #474

**genus Halme Pascoe, 1869a: 640** type species *Halme cleriformis* Pascoe, 1869  
*atrocoerulea* Gressitt, 1939b: 104 A: FUJ ZHE  
*basifusca* Kusama & Oda, 1979: 74 A: TAI  
*eburneocincta* Gressitt, 1934: 168 A: TAI  
*masakoe* Niisato, 1984b: 211 A: TAI

**genus Pseudomyrmecion Bedel, 1885: cxxxi** type species *Pseudomyrmecion ramalium* Bedel, 1885  
*ramalium* Bedel, 1885: cxxxii N: AG

#### tribe Vesperellini Sama, 2008

**genus Vesperella Dayrem, 1933: 89** type species *Vesperella pallida* Dayrem, 1933  
*maroccana* Sama, 2008: 228 N: MO  
*pallida* Dayrem, 1933: 89 N: AG  
*taouchgueltana* Trocoli, 2023: 1 N: MO

#### tribe Xystrocerini Blanchard, 1845

**genus Jendekia Holzschuh, 1993a: 24** type species *Jendekia eduardi* Holzschuh, 1993  
*eduardi* Holzschuh, 1993a: 25 A: YUN

**genus Leptoxenus Bates, 1877: 37** type species *Leptoxenus ibidiiformis* Bates, 1877  
*Kamuia* Matsushita, 1933b: 240 type species *Kamuia bimaculata* Matsushita, 1933  
*bimaculatus* Matsushita, 1933b: 240 (*Kamuia*) A: TAI  
*ibidiiformis* Bates, 1877: 37 A: JA JIX SC TAI  
*ornaticollis* Gressitt & Rondon, 1970: 47 A: YUN **ORR**

**genus Xystrocera Audinet-Serville, 1834b: 69** type species *Cerambyx globosus* Olivier, 1795  
*dispar* Fähræus, 1872a: 49 A: AE YE SA **AFR**

*curticollis* Fairmaire, 1882b: 96  
*nitidiventris* Fairmaire, 1887b: 326  
*parvicollis* Fairmaire, 1892a: 120

*festiva* J. Thomson, 1861: 251 A: AP HAI SD ?TAI YUN **ORR**  
*globosa* Olivier, 1795: 27 (*Cerambyx*) N: EG A: ANH AP BT FUJ GAN GUA GUI GUX HAI HEB HEN HUB HUN ISi JA JIA JIX  
 NP PA SC SD SCH SHA SHG SHN TAI UP YUN ZHE **AFRi AURi NTRi ORR** #280 #127 #344 #380

*invittata* Breuning, 1957h: 1241  
*marginalis* Goldfuss, 1805: 44 (*Callidium*)  
*mediovitticollis* Breuning, 1957h: 1241  
*diehli* Heyrovský, 1967d: 39  
*reductevittata* Breuning, 1957h: 1241

*vittata* Fabricius, 1802: 309 (*Stenocorus*) [“Habitat in Brasilia” – wrong locality] #87  
*viridipicta* Fairmaire, 1896b: 367

#### subfamily Lamiinae Latreille, 1825

#### tribe Acanthocinini Blanchard, 1845

**genus Acanthocinus Dejean, 1821: 106** type species *Cerambyx aedilis* Linnaeus, 1758  
**subgenus Acanthobatesianus** Wallin, Kvamme & Lin, 2012: 19 type species *Leiopus guttatus* Bates, 1873  
*guttatus* Bates, 1873: 384 (*Leiopus*) A: FE (Kunashir) JA JIX NC SC #291  
**subgenus Acanthocinus** Dejean, 1821: 106 type species *Cerambyx aedilis* Linnaeus, 1758  
*Aedilis* Audinet-Serville, 1835a: 32 type species *Aedilis montanus* Audinet-Serville, 1835 (= *Cerambyx aedilis* Linnaeus, 1758)

*Astynomus* Dejean, 1835: 337 type species *Cerambyx aedilis* Linnaeus, 1758  
*Canonura* Casey, 1913: 335 type species *Aedilis spectabilis* LeConte, 1854  
*Graphisurus* Casey, 1913: 334 type species *Acanthocinus pusillus* Kirby, 1837  
*Lamia* Gistel, 1848a: xi [unjustified substitute name, HN] type species *Cerambyx aedilis* Linnaeus, 1758  
*Neacanthocinus* Dillon, 1956: 230 type species *Cerambyx obsoletus* Olivier, 1895  
*Tylocerina* Casey, 1913: 335 type species *Cerambyx nodosus* Fabricius, 1775  
*aedilis* Linnaeus, 1758: 392 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT **KZ** LA LS LT  
 LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GG HEI HEN HUB JIL JIX KZ MG NC  
 NMO SHA SC SHN TR WS  
*dongbeiensis* Z. Wang, 2003: 258  
*marmoratus* Villers, 1789: 239 (*Cerambyx*)  
*montanus* Audinet-Serville, 1835a: 33 (*Aedilis*)  
*obliteratus* Pic, 1917g: 9  
*validus* Matsushita, 1936: 148  
*carinulatus* Gebler, 1833: 302 A: ES FE HEI MG NE NO WS  
*sibiricus* Motschulsky, 1860b: 149 (*Astynomus*)  
*chinensis* Breuning, 1978a: 57 [= 1982a: 24] A: SHG  
*elegans* Ganglbauer, 1884: 534 E: **ST (Dagestan)** A: AB IN **#621**  
*griseus* Fabricius, 1793: 261 (*Cerambyx*) E: AL AN AU BE **BH** BU BY CR CT CZ EN FI FR GE GR HU IT **KZ** NT LA LS LT MC  
 MD ME ND NR PL PT RO SB SK SL SP ST SV SZ TR UK A: ?AB ?AR CY ES ?FUJ ?GAN ?GG ?GUA ?GUI ?GUX ?HEB  
 ?HEI ?HEN ?HUB ?JIL ?JIX KZ **LE** ?LIA MG ?NMO ?SHA SY TR WS ?XIN ?ZHE **#74 #553**  
*alpinus* L.Redtenbacher, 1849: 494 (*Astynomus*)  
*novaki* Tippmann, 1952b: 153  
*obscurus* Pic, 1891b: 32  
*gundaiensis* Kano, 1933a: 285 A: TAI  
*henschi aetnensis* Rapuzzi & Sama, 2010a: 130 E: IT (Sicilia)  
*henschi henschi* Reitter, 1900c: 177 E: AL AU BH BU CR IT GR MC SL  
*hispanicus* Sama & Schurmann, 1981: 43 E: SP  
*meyeri* Vitali, 2011a: 161 E: PT  
*orientalis* K. Ohbayashi, 1939: 116 A: FE (Kurils) JA ?NC SC **#63**  
*reticulatus* Razoumowsky, 1789: 152 (*Cerambyx*) E: AL AU BH BU ?BY CR CZ FR GE GR HU IT PL RO SB SK SL SP SZ UK **#7**

## 52

*atomarius* Fabricius, 1793: 271 (*Lamia*)  
*constrictus* Pic, 1891b: 32  
*costatus* Fabricius, 1793: 261 (*Cerambyx*)  
*criticus* Schoenherr, 1817a: 376 (*Lamia*) [RN]  
*sachalinensis* Matsushita, 1933a: 391 A: **CH** ES FE JA MG NC SC **#63**  
*sinensis* Pic, 1916e: 14 A: XYZ YUN  
*subsolanus* Z. Wang, 2003: 262, 395 A: NMO  
*tethys* Z. Wang, 2003: 262, 396 A: LIA  
*xanthoneurus* Mulsant & Rey, 1852: 2 (*Astynomus*) E: IT  
*disjunctus* Pic, 1908b: 6  
*edmondi* Fairmaire, 1852b: lxiii (*Astynomus*)

**genus Boninella Gressitt, 1956: 182** type species *Boninella degenerata* Gressitt, 1956

*anoplos* N. Ohbayashi, 1976: 6 (*Miaenia*) A: JA (Ogasawara Isls.)  
*degenerata* Gressitt, 1956: 182 A: JA (Ogasawara Isls.)  
*hirsuta* N. Ohbayashi, 1976: 4 (*Miaenia*) A: JA (Ogasawara Isls.)  
*igai* N. Ohbayashi, 1976: 8 (*Miaenia*) A: JA (Ogasawara Isls.)  
*kamezawai* Hasegawa & N. Ohbayashi, 2009: 378 A: JA (Ogasawara Isls.)  
*karubei* Hasegawa & N. Ohbayashi, 2009: 364 A: JA (Ogasawara Isls.)  
*satoi masataakai* Hasegawa & N. Ohbayashi, 2009: 372 A: JA (Ogasawara Isls.)  
*satoi satoi* N. Ohbayashi, 1976: 5 (*Miaenia*) A: JA (Ogasawara Isls.)  
*takakuwai* Hasegawa & N. Ohbayashi, 2009: 369 A: JA (Ogasawara Isls.)

**genus Boninoleiops Hasegawa & Makihara, 2001: 71** type species *Boninella kitajimai* Hasegawa & Makihara, 2001  
*kitajimai* Hasegawa & Makihara, 2001: 72 A: JA (Ogasawara)

**genus Cristenes Breuning, 1978a: 19** type species *Enes cristatus* Pic, 1928  
*cristatus* Pic, 1928a: 20 (*Enes*) A: NP **ORR**

**genus Cristerysamena Breuning, 1963b: 45** type species *Eyssamena cristipennis* Breuning, 1963

*Cristosydonia* Breuning, 1963b: 45 type species *Cristosydonia cristipennis* Breuning, 1963  
*alterna* Holzschuh, 2003b: 312 (*Cristosydonia*) A: NP SD  
*besucheti* Breuning, 1972c: 417 (*Eryssamena*) A: AP

**genus Driopea Pascoe, 1858: 243** type species *Driopea clytina* Pascoe, 1858

**subgenus** *Driopea* Pascoe, 1858: 243 type species *Driopea clytina* Pascoe, 1858  
*schmidi* Breuning, 1972c: 418 A: IN SD UP

**subgenus** *Fasciatodriopea* Breuning, 1963c: 15 type species *Driopea nigrofasciata* Pic, 1923  
*chinensis* Breuning, 1967f: 187 (*Dryopea*) A: GUI

**subgenus** *Trichodriopea* Breuning, 1965b: 29 type species *Dryopea excavatipennis* Breuning, 1965  
*excavatipennis* Breuning, 1965b: 38 (*Dryopea*) A: YUN **ORR**

**genus** *Eoporis* Pascoe, 1864a: 15 type species *Eoporis elegans* Pascoe, 1864

**subgenus** *Eoporimimus* Schwarzer, 1925c: 147 type species *Eoporis bifasciana* Schwarzer, 1925  
*bifasciana* Schwarzer, 1925c: 147 A: TAI

*differens* Pic, 1926g: 143 A: BT SD TAI YUN **ORR** #282 #344  
*glabrosignata* Pic, 1944b: 10

*mitonoi* Seki, 1946: 11 (*Rondibilis*) A: TAI

*pedongensis* Breuning, 1969f: 668 A: SD

*simillima* Hayashi, 1974c: 57 A: TAI

**genus** *Euryclytosemia* Hayashi, 1963c: 15 type species *Euryclytosemia nomurai* Hayashi, 1963  
*nomurai* Hayashi, 1963c: 15 A: JA (Ryukyus) TAI (Lanyu Is.)

**genus** *Jordanoleiopus* Lepesme & Breuning, 1955b: 96 type species *Jordanoleiopus maynei* Lepesme & Breuning, 1955

**subgenus** *Polymitoleiopus* Lepesme & Breuning, 1955b: 96 type species *Leiopus africanus* Jordan, 1894a  
*anae* Lazarev & Skrylnik, 2023 A: OM #337

**genus** *Leiopus* Audinet-Serville, 1835a: 86 type species *Cerambyx nebulosus* Linnaeus, 1758

**subgenus** *Carinopus* Wallin, Kvamme & Lin, 2012: 7 type species *Leiopus holzschuhi* Wallin, Kvamme & Lin, 2012

*campbelli* Gressitt, 1937d: 613 A: JIX

*fallaciosus* Holzschuh, 1993a: 49 A: FUJ **GUA JIX** #606

*flavomaculatus* Wallin, Kvamme & Lin, 2012: 9 A: GUI

*holzschuhi* Wallin, Kvamme & Lin, 2012: 14 A: CHQ GUI HEN SCH SHA

*multipunctellus* Wallin, Kvamme & Lin, 2012: 16 A: SCH YUN

*nigrofasciculosus* Wallin, Kvamme & Lin, 2012: 12 A: ANH SHA

*nigropunctatus* Wallin, Kvamme & Lin, 2012: 8 A: GUI GUX SCH

*ocellatus* Wallin, Kvamme & Lin, 2012: 11 A: SHA

*shibatai* Hayashi, 1974c: 58 A: TAI

**subgenus** *Leiopus* Audinet-Serville, 1835a: 86 type species *Cerambyx nebulosus* Linnaeus, 1758

*Liopus* Agassiz, 1846: 212 [unjustified emendation]

*Phrurus* Gistel, 1856: 376 [unnecessary substitute name]

*albivittis albivittis* Kraatz, 1879c: 112 (*Liopus*) A: ES FE HEI JIL LIA MG NC SC WS #400  
*ganglbaueri* Csiki, 1901: 116

*albivittis malaisei* Aurivillius, 1928a: 42 A: FE (Kamchatka Peninsula and Magadan Region)

*andreae* Sama, 1994c: 43 A: CY

*bedeli* Pic, 1892j: 289 N: AG TU

*evgeniyi* Danilevsky & Skrylnik, 2014: 691 A: IN #23

*ferratus* Fairmaire, 1859a: 62 E: BE BU **CT** FR GE HU IT LU ME NL RO SB ST TR UK A: AB AR GG IN TR #150 #482 #716  
*caspius* Ganglbauer, 1884: 531 (*Liopus*)

*constellatus* Mulsant & Rey, 1863: 159

*pachymerus* Ganglbauer, 1884: 532 (*Liopus*)

*kharazii* Holzschuh, 1974a: 98 **E: ST** A: AB (Talysh) IN #637

*lisae* Rapuzzi & Sama, 2012a: 679 A: TR

*masaoi* Tamura & Tamura, 1992: 195 A: JA

*montanus* Hayashi, 1968a: 25 A: JA

*montanoides* Breuning, 1978a: 58 (*Acanthocinus*) [RN]

*nebulosus caucasicus* Ganglbauer, 1887d: 25 (*Liopus*) E: ST A: AB AR GG TR

*nebulosus insulanus* Sláma, 1985: 19 E: GR (Crete) #80

*nebulosus nebulosus* Linnaeus, 1758: 391 (*Cerambyx*) E: ?AL ?AU BE BH BU ?CR CT[Kaliningrad] DE EN FI FR GB GE ?GR ?HU  
IR IT LA LS LU ?MD ?ME NL NR PL ?PT RO ?SB SL ?SP SV ?SZ TR UK A: ?KZ

*dissimilis* Pic, 1889a: 5

*fasciatus* Villers, 1789: 239 (*Cerambyx*) [HN]

*monilis* Geoffroy, 1785: 75 (*Cerambyx*)

*siculus* Pic, 1924c: 22 (*Liopus*)

*unifasciatus* Pic, 1891c: 23 (*Liopus*)

*punctulatus* Paykull, 1800: 57 (*Cerambyx*) E: AU BY CT CZ EN FI GE HU LA LT NT PL SK ST SV ?SZ UK #115

*settei* Sama, 1985d: 408 E: IT

*stillatus* Bates, 1884a: 254 (*Acanthocinus*) A: FE JA HEB HEI JIL JIX NC SC ZHE

*japonicus* Pic, 1901k: 342 (*Liopus*)

*syriacus abieticola* Sama & Rapuzzi, 2010: 186 A: TR

*syriacus syriacus* Ganglbauer, 1884: 532 (*Liopus*) A: CY IS LE SY TR



major Pic, 1898n: 125 (*Liopus*)  
*syriacus tauricus* Sama & Rapuzzi, 2010: 184 A: ?LE TR #177  
*taeniatus* Gmelin, 1790: 1863 (*Cerambyx*) E: AL AU BE BU BY CR CT CZ DE EN FR GB GE ?GR ?HU KZ LA LT MC MD ?ME NR  
 ?NT PL ?PT RO ?SB SK ?SP ST SV SZ UK A: KZ WS #11 #64 #115 #479 #649  
*bifasciatus* Goeze, 1777: 464 (*Cerambyx*) [HN]  
*linnei* Wallin, Nylander & Kvamme, 2009: 39  
*wrzecionkoi* Sama & Rapuzzi, 2011a: 88 A: SY

**genus *Mimeryssamena* Breuning, 1972c: 417** type species *Mimeryssamena besucheti* Breuning, 1972  
*besucheti* Breuning, 1972c: 418 A: UP

**genus *Mimohoplorana* Breuning, 1960f: 144** type species *Mimohoplorana puncticollis* Breuning, 1960  
*puncticollis* Breuning, 1960f: 144 A: SD

**genus *Mimoxenolea* Breuning, 1960e: 36** type species *Mimoxenolea bicoloricornis* Breuning, 1960  
*Mimaeschopalaea* Breuning, 1961a: 31 type species *Mimaeschopalaea ornata* Breuning, 1961  
*bicoloricornis* Breuning, 1960e: 36 A: SD

**genus *Myromexocentrus* Breuning, 1957a: 20** type species *Myromexocentrus tibialis* Breuning, 1957  
*quadrimaculatus* Hayashi, 1983: 43 A: TAI

**genus *Neacanista* Gressitt, 1940b: 182** type species *Neacanista tuberculipennis* Gressitt, 1940  
*Hoploranomimus* Breuning, 1959b: 87 [= 1960d: 18] type species *Acanthocinus harmandi* Pic, 1939 #323  
*Paracanthocinus* Breuning, 1964e: 52 type species *Paracanthocinus laosensis* Breuning, 1964 #323  
*Sternacanista* Tippmann, 1955: 128 type species *Sternacanista retrospinosa* Tippmann, 1955 #260  
*harmandi* Pic, 1939g: 183 (*Acanthocinus*) A: BT ORR  
*retrospinosa* Tippmann, 1955: 130 (*Sternacanista*) A: FUJ GUX ORR  
*laosensis* Breuning, 1965d: 53 (*Paracanthocinus*) #365  
*tuberculipennis* Gressitt, 1940b: 182 A: CHQ HAI YUN ORR #60 #260

**genus *Neoeryssamena* Hayashi, 1974c: 56** type species *Neoeryssamena mitonoana* Hayashi, 1974  
*mitonoana* Hayashi, 1974c: 56 A: TAI

**genus *Ostedes* Pascoe, 1859: 43** type species *Ostedes pauperata* Pascoe, 1859  
**subgenus *Dentatostedes* Breuning, 1961e: 250** type species *Ostedes subdentata* Breuning, 1961 (= *Eoporis bidentata* Pic, 1933)

*bidentata* Pic, 1933f: 6 (*Eoporis*) A: SCH  
*subdentata* Breuning, 1961e: 249

**subgenus *Ostedes* Pascoe, 1859: 43** type species *Ostedes pauperatus* Pascoe, 1859  
*albomarmorata* Breuning, 1969f: 668 A: SD

*binodosa* Gressitt, 1945a: 130 A: GUA SCH SHA #225

*brunneovariegata* Breuning, 1961i: 337 A: NP

*densepunctata* Hayashi, 1962b: 39 A: JA (Ryukyus) #197

*dentata* Pic, 1936b: 18 A: SCH YUN

*harmandi* Breuning, 1968d: 231 A: SD

*inermis dwabina* Gressitt, 1940b: 190 A: HAI HKG #400

*inermis inermis* Schwarzer, 1925c: 146 A: FUJ GUA TAI ORR

*nubila* Matsushita, 1931c: 405

*kadleci* Danilevsky, 1992c: 204 A: FE ?NC SC #316

*niisatoi* Hasegawa, 2017: 255 A: TAI

*sapporensis* Matsushita, 1933b: 375 (*Rhopaloscelis*) A: JA #197

*serena* Holzschuh, 2018b: 504 A: NP

*sikkimensis* Breuning, 1958a: 34 A: SD

*subfasciata* Matsushita, 1933b: 392 A: TAI

*tuberculata* Pic, 1925a: 31 (*Eryssamena*) A: CH

*yamasakoi* Hasegawa, 2017: 262 A: TAI

**genus *Parachydaeopsis* Breuning, 1968a: 28** type species *Parachydaeopsis laosica* Breuning, 1968  
*shaanxiensis* W.-K. Wang & Jiang, 2002a: 52 A: SHA

**genus *Paraclodia* Breuning, 1974j: 372** type species *Paraclodia besucheti* Breuning, 1974  
*besucheti* Breuning, 1974j: 374 A: NP

**genus *Pararondibilis* Breuning, 1961j: 547** type species *Pararondibilis sikkimensis* Breuning, 1961  
*acrosa* Holzschuh, 2003b: 313 A: NP UP

*eluta* Holzschuh, 2003b: 314 A: NP

*macularia* Holzschuh, 2003b: 314 A: KA

*pinicola* Holzschuh, 2018b: 504 A: NP UP  
*sikkimensis* Breuning, 1961j: 547 A: SD

**genus *Pareoporis* Breuning, 1969e: 197** type species *Pareoporis nigrosignata* Breuning, 1969  
*nigrosignata* Breuning, 1969e: 197 A: NP SD

**genus *Pareryssamena* Breuning, 1969e: 196** type species *Pareryssamena fuscognata* Breuning, 1969  
*fuscognata* Breuning, 1969e: 196 A: BT NP SD

**genus *Planeacanista* Hayashi, 1959b: 59** type species *Planeacanista japonica* Hayashi, 1959  
*japonica* Hayashi, 1959b: 60 A: JA

**genus *Pterolophioides* Breuning, 1942a: 165** type species *Pterolophioides laterifuscus* Fairmaire, 1886a  
*stramentosus* Breuning, 1942a: 165 A: YE AFR

**genus *Rondibilis* J. Thomson, 1857f: 306** type species *Rondibilis bispinosa* J. Thomson, 1857

**subgenus *Rondibilis* J. Thomson, 1857f: 306** type species *Rondibilis bispinosa* J. Thomson, 1857

*Eryssamena* Bates, 1884a: 251 type species *Eryssamena saperdina* Bates, 1884a

*Parenes* Aurivillius, 1927: 29 (= 577) type species *Parenes lineata* Aurivillius, 1927

*Polimeta* Pascoe, 1864a: 13 type species *Ostedes spinosula* Pascoe, 1860a

*amanoi* Hayashi, 1961a: 23 (*Eryssamena*) A: JA

*bastiana* Breuning, 1961j: 545 A: NP SD

#343

*besucheti* Breuning, 1972c: 417 (*Eryssamena*) A: AP

#280

*bispinosa* J. Thomson, 1857f: 307 A: IN NP UP "Himalaya"

*schmidi* Breuning, 1972c: 417 (*Eryssamena*)

*bispinosoides* Hubweber, 2010: 61 A: SHG

*bispinosa* Pic, 1926i: 302 (*Eryssamena*) [HN]

*cambodjensis* Breuning, 1958a: 36 A: NP ORR

#29

*chengtuensis* Gressitt, 1942b: 6 A: SCH

*coreana* Breuning, 1974b: 41 (*Eryssamena*) A: NC SC

#63

*elongata elongata* Hayashi, 1963c: 14 A: JA (Ryukyus)

*elongata minor* Breuning & K. Ohbayashi, 1964: 28 (*Eryssamena*) A: JA (Ryukyus)

*femorata* Gressitt, 1938b: 165 A: JA (Ryukyus) TAI

*grisescens* Pic, 1936b: 19 (*Eryssamena*) A: YUN

*horiensis hongshana* Gressitt, 1937d: 614 A: GUA HUB JIX ZHE

#60

*horiensis horiensis* Kano, 1933a: 285 A: TAI

*mushensis* Matsushita, 1933b: 394

*insularis* Hayashi, 1962b: 38 (*Eryssamena*) A: JA

*japonica* Hayashi, 1968a: 26 A: JA

*kuluensis* Breuning, 1958d: 177 (*Eryssamena*) A: KA

*lineaticollis* Pic, 1922b: 26 (*Eryssamena*) A: HAI HKG HUB ORR

#400

*indentata* Pic, 1922b: 26 (*Eryssamena*)

*seatoni* Gressitt, 1940b: 189

*microdentata* Gressitt, 1942g: 89 (*Eryssamena*) A: ZHE

*paralineaticollis* Breuning, 1968a: 27 A: YUN ORR

#400 #73

*parcesetosa* Gressitt, 1939a: 83 A: GUA

*plagiata* Gahan, 1894a: 84 A: NP

*saperdina* Bates, 1884a: 251 (*Eryssamena*) A: FE (Sakhalin, Kurils) JA

*acuta* Bates, 1884a: 252 (*Eryssamena*)

*spinidorsis* Bates, 1884a: 252 (*Eryssamena*)

*schabliovskiyi* Tsherepanov, 1982b: 30 (*Eryssamena*) A: FE NC NE SC

*semielongata* Hayashi, 1974c: 53 A: TAI

*shibatai* Hayashi, 1974c: 55 (*Eryssamena*) A: TAI

*sikkimensis* Breuning, 1961j: 546 (*Eryssamena*) A: SD

*simillima* Holzschuh, 2003b: 315 A: NP

*slocumi* Gressitt, 1942b: 6 (*Eryssamena*) A: SCH

*subundulata* Breuning, 1958a: 35 (*Eryssamena*) A: NP "North India"

*szetschuanica* Breuning, 1963i: 454 (*Eryssamena*) A: NP SCH

#29

*taiwana* Hayashi, 1974c: 54 (*Eryssamena*) A: TAI

*undulata* Pic, 1922c: 14 (*Eryssamena*) A: GUA SC

*multinotata* Gressitt, 1939a: 83

*yunnana* Breuning, 1957a: 11 (*Eryssamena*) A: YUN

**subgenus *Striatorondibilis* Breuning, 1961j: 546** type species *Rondibilis pedongensis* Breuning, 1961

*pedongensis* Breuning, 1961j: 546 A: NP SD

**genus *Transipochira* Breuning, 1977b: 227** type species *Transipochira sikkimensis* Breuning, 1977

*sikkimensis* Breuning, 1977b: 227 A: SD

**genus *Trichacanthocinus* Breuning, 1963d: 24** type species *Trichacanthocinus rondoni* Breuning, 1963 **#349**  
*rondoni* Breuning, 1963d: 24 A: YUN **ORR** **#349**

**genus *Trichemeopedus* Breuning, 1975d: 357** type species *Trichemeopedus holzschuhi* Breuning, 1975  
*calosus* Holzschuh, 2003b: 311 A: NP  
*holzschuhi* Breuning, 1975d: 358 A: BT NP

**genus *Trichodiboma* Breuning, 1961a: 30** type species *Trichodiboma clytoides* Breuning, 1961  
*clytoides* Breuning, 1961a: 30 A: SD

**genus *Trichohoplorana* Breuning, 1961j: 548** type species *Trichohoplorana dureli* Breuning, 1961 **#709**

*Ipochiromina* Sama & Sudre, 2009: 548 [RN]

*Mimipochira* Breuning, 1982a: 25 Type species: *Mimipochira sikkimensis* Breuning, 1982

*Trichohoplorana* Breuning 1977b: 115 (misspelling).

*dureli* Breuning, 1961j: 548 A: SD

*sikkimensis* Breuning, 1982a 26 (*Mimipochira*) **#709**

*juglandis* Holzschuh, 1989c: 401 A: AP BT **#280**

*luteomaculata* Gouverneur, 2016: 69 A: HAI HUN **ORR** **#709**

*mutica* Holzschuh, 1990: 193 A: NP

*shirakii* Mitono, 1943: 584 (*Acanthocinus*) A: TAI **#419**

*tenuipes* Holzschuh, 2015c: 473 A: NP

**genus *Trichorondibilis* Breuning, 1960a: 20** type species *Trichorondibilis rufipennis* Breuning, 1960

*rufipennis* Breuning, 1960a: 20 A: SD

*basirufum* Breuning, 1965e: 52 (*Trichonarhtron*) **#365**

*laosica* Breuning, 1965c: 47 **#365**

*sikkimensis* Breuning, 1961i: 329 (*Mimaeschopalaea*) **#365**

**genus *Tuberculipochira* Breuning, 1975d: 359** type species *Tuberculipochira wittmeri* Breuning, 1975

*similis* Breuning, 1975d: 360 A: BT

*wittmeri* Breuning, 1975d: 359 A: BT

**genus *Tuberenes* Breuning, 1978a: 20** type species *Eryssamena robustipes* Pic, 1939

*robustipes* Pic, 1939a: 15 (*Eryssamena*) A: GAN SD

*sikkimensis* Breuning, 1978a: 21 A: SD

### tribe Acanthoderini J. Thomson, 1860

**genus *Aegomorphus* Haldeman, 1847: 45** type species *Aegomorphus decipiens* Haldeman, 1847 (= *Lamia modesta* Gyllenhal, 1817)

*clavipes* Schrank, 1781a: 135 (*Cerambyx*) E: AL AU BH BU **BY** CR CT CZ DE EN FI FR GE GR HU IT **KZ** LA LT MD ME NR NT  
PL RO SB SK SL SP ST SV SZ TR UK N: AG MO TU A: AB AR ES FE GG HEB **IN** KZ JA MG NC (Cheongjin) NE TR WS  
XIN

*lucidus* Starck, 1890: 71 (*Acanthoderes*)

*varius* Fabricius, 1787: 130 (*Cerambyx*)

*francottei* Sama, 1994e: 331 E: **BU** FR GR MC PL RO ?SB **#517**

*grisescens* Pic, 1898j: 392 (*Acanthoderes*) A: SY TR

*planiusculus* Holzschuh, 1998: 50

*jaspideus* Germar, 1824: 475 (*Lamia*) Ei: **AZ** **NTR** **#506 #778**

*krueperi* Kraatz, 1859: 56 (*Acanthoderes*) E: BU GR ME SB **#138**

*obscurior* Pic, 1904d: 17 (*Acanthoderes*) E: CT LA PL ST UK A: ES FE KZ MG WS **#255 #752**

*wojtylai* Hilszczanski & Bystrowski, 2005: 202

**genus *Berningerus* Lepesme & Breuning, 1955c: 127** type species *Acanthoderes gorillus* J. Thomson, 1858

*gorilloides* Teocchi, 1987: 26 N: EG

**genus *Callapoecus* Bates, 1884a: 254** type species *Callapoecus guttatus* Bates, 1884

*guttatus* Bates, 1884a: 254 A: JA

**genus *Oplosia* Mulsant, 1862: 300** type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)

*Hoplosia* Fairmaire, 1864a: 158 [unjustified emendation]

*Lepargus* Schiödte, 1864: 512 type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)

*cinerea* Mulsant, 1839: 152 (*Exocentrus*) E: AU BH BY CR CT CZ DE EN FI FR GE GR HU IT LA **LS** LT NR NT PL RO SB SK SL  
ST SV SZ UK **#824**

*fennica* Paykull, 1800: 58 (*Cerambyx*) [HN]

*suvorovi* Pic, 1914e: 65 (*Hoplosia*) A: ES FE JA NC SC **CH**

jezoensis Matsushita, 1933b: 378

### tribe Ancylonotini Lacordaire, 1869

**genus *Idactus* Pascoe, 1864c: 273** type species *Idactus tridens* Pascoe, 1864  
*Pseudocrossotus* Breuning, 1978d: 897 type species *Pseudocrossotus enricoi* Breuning, 1978 (= *Idactus ashanticus* Breuning, 1960)  
*Togonius* Kolbe, 1893: 64 type species *Togonius klingi* Kolbe, 1893  
*bettoni* Gahan, 1898: 46 A: SA  
*coquereli* Fairmaire, 1890: 551 (*Dichostates*) A: AE IN OM YE **AFR** #774  
*iranicus* Breuning, 1975d: 348 #342  
*variegatus* Gestro, 1895: 425  
*hieroglyphicus* Taschenberg, 1883: 179 (*Coptops*) A: YE (Suqutra)  
*granti* Gahan, 1900a: 12  
*maculicornis* Gahan, 1890d: 312 A: YE **AFR**  
*paramaculicornis* Breuning, 1973c: 662 A: PA

**genus *Palimna* Pascoe, 1862a: 346** type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)  
*Apalimna* Bates, 1884a: 241 type species *Apalimna liturata* Bates, 1884a  
*Cylanca* J. Thomson, 1864: 58 type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)  
*Goniages* Pascoe, 1865a: 135 type species *Golsinda infausta* Pascoe, 1859  
*annulata* Olivier, 1797: 465 (*Lamia*) A: FUJ HAI UP TAI YUN **ORR**  
*mouhotii* Pascoe, 1866b: 237  
*nodulosa* Schoenherr, 1817a: 395 (*Lamia*)  
*reticulata* Pascoe, 1857a: 50 (*Golsinda*)  
*tessellata* Pascoe, 1857a: 49 (*Golsinda*)  
*formosana* Kano, 1933a: 282 (*Apalimna*) A: TAI  
*fukiena* Gressitt, 1951a: 434 A: FUJ  
*liturata continentalis* Semenov, 1914: 20 (*Apalimna*) A: FE NC NO SC  
*liturata liturata* Bates, 1884a: 241 (*Apalimna*) A: JA #400  
*glabriventris* Kano, 1933a: 282 (*Apalimna*)  
*palimnoides* Schwarzer, 1925b: 62 (*Apalimna*) A: BT FUJ GUX HAI NP SD TAI YUN **ORR**  
*similis* Gressitt, 1940b: 131  
*yunnana* Breuning, 1935b: 153 A: SD YUN **ORR**

**genus *Palimnodes* Breuning, 1938d: 330** type species *Apalimna ducalis* Bates, 1884a  
*ducalis* Bates, 1884a: 242 (*Apalimna*) A: BT HP NP XIZ YUN "North India" **ORR** #366  
*mimica* Fairmaire, 1898: 399 (*Palimna*)

**genus *Pseudoparaphloeus* Sama, 2009: 25** [RN] type species *Paraphloeus scorteccii* Breuning, 1968  
*Paraphloeus* Breuning, 1968c: 91 [HN] type species *Paraphloeus scorteccii* Breuning, 1968  
*scorteccii* Breuning, 1968c: 92 (*Paraphloeus*) A: SA YE

**genus *Parorsidis* Breuning, 1935d: 65** type species *Parorsidis birmanica* Breuning, 1935  
*Paranephelotes* Breuning, 1935e: 252 type species *Paranephelotes laosensis* Breuning, 1935  
*nigrosarsa nigrosarsa* Pic, 1926a: 15 (*Driopea*) A: BT GUA HAI **ORR** #400  
*birmanica* Breuning, 1935d: 65  
*fouqueti* Pic, 1936a: 19 (*Ostedes*)  
*laosensis* Breuning, 1935e: 252 (*Paranephelotes*)

### tribe *Desmiphorini* J. Thomson, 1860

#400 #486

**genus *Adjinga* Pic, 1926a: 25** type species *Adjinga vittata* Pic, 1926  
*vittata* Pic, 1926a: 25 A: YUN **ORR**  
**genus *Anaesopogonius* Gressitt, 1938a: 53** type species *Anaesopogonius fulvus* Gressitt, 1938  
*fulvus* Gressitt, 1938a: 53 A: SCH  
*ochraceofulvus* Hayashi, 1974c: 49 A: TAI  
*piceonigris* Hayashi, 1972: 39 A: JA (Ryukyus)

**genus *Anaesthetis* Dejean, 1835: 348** type species *Saperda testacea* Fabricius, 1781  
*Anaesthetis* Gistel, 1856: 377 [unjustified emendation]  
*anatolica* Holzschuh, 1969: 79 A: IS LE SY TR  
*confossicollis* Baeckmann, 1903c: 394 A: ES FE GUI JA JIL JIX ?NC NMO MG SC  
*flavipilis* Baeckmann, 1903c: 394 ["Barnaul"] A: WS  
*lanuginosa* Baeckmann, 1903c: 395 A: TM (Kopetdag)  
*testacea rufescens* Baeckmann, 1903c: 395 E: ST A: AB AR CY GG IN LE TR ?SY #244  
*testacea testacea* Fabricius, 1781: 235 (*Saperda*) E: AL AN AU BE BH BU BY CR CT CZ FR EN GE GR HU IT KZ LA LT LU MD  
ME NL PL RO SB SK SL SP ST SV SZ TR UK A: KZ **WS** #468  
*fusca* Geoffroy, 1785: 84 (*Leptura*)

*livida* Herbst, 1784: 95 (*Saperda*)  
*teutonica* Gmelin, 1790: 1842 (*Cerambyx*)

**genus *Anaesthetobrium* Pic, 1923c: 20** type species *Anaesthetobrium luteipenne* Pic, 1923

*Eunidiopsis* Breuning, 1939b: 220 type species *Eunidiopsis bicolor* Breuning, 1939

#580

*Paraphidola* Matsushita, 1933b: 376 type species *Paraphidola fuscoflava* Matsushita, 1933

*bicolor* Breuning, 1939b: 220 (*Eunidiopsis*) A: ZHE

#580

*fuscoflavum* Matsushita, 1933b: 377 (*Paraphidola*) A: TAI

*lieuae* Gressitt, 1942b: 5 A: SCH

*luteipenne* Pic, 1923c: 20 A: BEI HEN JA JIA SC SHG ZHE

#400

#580

*pallidipes* Holzschuh, 2010: 211 A: SHA

**genus *Aragea* Hayashi, 1953: 41** type species *Aragea mizunoi* Hayashi, 1953

*mizunoi* Hayashi, 1953: 42 A: JA

**genus *Arhopaloscelis* Murzin, Danilevsky & Lobanov, 1981: 790** type species *Rhopaloscelis bifasciata* Kraatz, 1879

*bifasciata* Kraatz, 1879c: 113 (*Rhopaloscelis*) A: FE ?NC NE SC

*nipponensis* Pic, 1932a: 3 (*Rhopaloscelis*) A: FE (Kunashir) JA

**genus *Asaperdina* Breuning, 1976a: 51** type species *Asaperda regularis* Pic, 1923

#400

*brunnea* Pesarini & Sabbadini, 2000: 62 A: SHA

*regularis* Pic, 1923c: 21 (*Asaperda*) A: CH

*sordida* Gressitt, 1951a: 506 (*Pseudanaesthetis*) A: HUB SHG

*whiteheadi* Gressitt, 1940b: 177 (*Pseudanaesthetis*) A: HAI

**genus *Bonipogonius* Kusama, 1973: 128** type species *Bonipogonius fujitai* Kusama, 1973

*fujitai* Kusama, 1973: 129 A: JA (Ogasawara)

**genus *Bulborhodopis* Breuning, 1948a: 44** type species *Bulborhodopis barbicornis* Breuning, 1948

*barbicornis* Breuning, 1948b: 1 A: YUN ORR

#668

*humeralis* Bi & Chen, 2022a: 112 A: YUN

**genus *Cervoglenea* Gressitt, 1951a: 621** type species *Glenea lata* Gressitt, 1935

*lata* Gressitt, 1935c: 191 (*Glenea*) A: TAI

**genus *Clytosemia* Bates, 1884a: 253** type species *Clytosemia pulchra* Bates, 1884

*bicincta* Gressitt, 1938b: 164 A: TAI

*pulchra nitidipennis* Holzschuh, 2019a: 72 A: SHA

*pulchra pulchra* Bates, 1884a: 254 A: FE (Kurils) JA

**genus *Cristorhodopina* Breuning, 1966d: 15** type species *Cristorhodopina assamensis* Breuning, 1965

*mussardi* Breuning, 1966d: 15 A: AP

**genus *Cylindilla* Bates, 1884a: 250** type species *Cylindilla grisescens* Bates, 1884a

#580

*Anaesthetomorphus* Pic, 1929b: 6 [RN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla grisescens* Bates, 1884)

*Ascoldatimura* Breuning, 1960a: 27 [RN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla grisescens* Bates, 1884)

*Mimatimura* Breuning, 1958i: 492 [HN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla grisescens* Bates, 1884)

*Pseudanesthetis* Pic, 1929c: 119 [HN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla grisescens* Bates, 1884)

*grisescens* Bates, 1884a: 250 A: CH FE JA ?NC SC

*apicalis* Pic, 1929c: 120 (*Pseudanesthetis*)

*ascoldensis* Heyden, 1884: 298 (*Atimura*)

*inornata* Gressitt, 1951a: 514 (*Microestola*) A: GUA

*makiharai* Hasegawa, 1992: 37 A: JA (Ryukyus) TAI

**genus *Deroplia* Dejean, 1835: 348** type species *Saperda genei* Aragona, 1830

**subgenus *Deroplia* Dejean, 1835: 348** type species *Saperda genei* Aragona, 1830

*Belodera* J. Thomson, 1864: 112 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)

*Stenidea* Mulsant, 1842b: suppl.: 1 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)

*Stenosoma* Mulsant, 1839: 162 [HN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)

*albida* Brullé, 1839: 62 (*Cerambyx*) N: CI

*annulicornis* Brullé, 1839: 62 (*Cerambyx*) N: CI

*costigera* Demelt, 1982: 97 (*Stenidea*) N: CI (Hierro)

*genei genei* Aragona, 1830: 25 (*Saperda*) E: AL AU BH BU CR CZ FR GE GR HU IT ME RO SB SK SL SP ST ?SZ UK A: AB AR

CY GG IS JO LE SY TR

#115 #464 #550

*foudrasi* Mulsant, 1839: 162 (*Stenosoma*)

*obliquetruncata* Rosenhauer, 1847: 59

*genei konvickai* Rapuzzi & Sama, 2012a: 677 A: CY



*geni naviauxi* Villiers, 1970: 136 (*Stenidea*) A: IN  
*gertiana* Sama, 1996a: 86 N: CI (Tenerife)  
*gomeræ* Sama, 1996a: 88 N: CI (Gomera)  
*hesperus* Wollaston, 1863: 110 (*Stenidea*) N: CI (Hierro)  
*lorenzo* García, 2002: 109 N: CI (La Palma)  
*niveopicta* Demelt, 1982: 99 (*Stenidea*) N: CI (Gran Canaria)  
*pilosa* Wollaston, 1862: 181 (*Blabinotus*) N: CI (Lanzarote, Fuerteventura)  
*machadoi* Demelt, 1982: 100 (*Stenidea*)  
*schurmanni* Sama, 1996a: 88 N: CI (Hierro)  
*roberti cruciata* Sama, 1996d: 37 E: GR (Crete)  
*roberti orientalis* Özdikmen & Tezcan, 2020c: 423 A: TR  
*roberti roberti* Mulsant, 1843: 283 (*Stenidea*) E: BH CR FR GR IT MA ME SP N: AG LI MO TU A: CY

**genus *Eupogoniopsis* Breuning, 1949b: 23** type species *Eupogonius tenuicornis* Bates, 1884a

*caudatula* Holzschuh, 1999: 46 A: YUN  
*granulata* Jongok Lim, 2013: 359 A: JAi SC #449  
*niisatoi* Yamasako, 2017: 243 A: TAI  
*omeimontis* Gressitt, 1938a: 54 (*Anaesopogonius*) A: SCH  
*sepicola* Holzschuh, 1999: 46 A: NP  
*tenuicornis* Bates, 1884a: 249 (*Eupogonius*) A: JA

**genus *Eupogonius* LeConte, 1852: 159** type species *Desmiphora tomentosa* Haldeman, 1847 #486

~~*Eriopsilus* Bates, 1866b: 193 type species *Eriopsilus nigrinus* Bates, 1866  
*Phydola* J. Thomson, 1864: 110 type species *Phidola maculicornis* Chevrolat, 1862  
*tomentosus* Haldeman, 1847: 50 (*Desmiphora*) Ni: MO NAR  
*pinivorus* Fitch, 1859: 712~~

**genus *Euseboides* Gahan, 1893b: 385** type species *Euseboides plagiatus* Gahan, 1893

*gorodinskii* Holzschuh, 2006c: 487 A: AP CHQ GUI HP #66 #280  
*liubini* Viktora & Tichý, 2018: 216 A: YUN  
*matsudai matsudai* Gressitt, 1938b: 163 A: JA TAI  
*matsudai spinipennis* Gressitt, 1940b: 137 A: HAI  
*motuoensis* G.-Q. Huang, L. Chen & Li, 2015: 156 A: XIZ  
*plagiatooides* Breuning, 1950f: 266 A: SD  
*plagiatus* Gahan, 1893b: 386 A: AP SD  
*punctatissimus* Holzschuh, 2010: 220 A: HUB GUI  
*reni* G.-Q. Huang, L. Chen & Li, 2015: 157 A: YUN  
*tonkinensis* Breuning, 1973: 45 A: GUI ORR #66

**genus *Falsostesilea* Breuning, 1940b: 168** type species *Stesilea perforata* Pic, 1926

*perforata* Pic, 1926b: 9 (*Stesilea*) A: GUA YUN ORR  
*melli* Breuning, 1964a: 101

**genus *Falsoterinaea* Matsushita, 1938a: 95** [RN] type species *Hirayamaia fuscorufa* Matsushita, 1937 (= *Eupogonius rufipennis*

Matsushita, 1933b)  
*Hirayamaia* Matsushita, 1937: 103 [HN] type species *Hirayamaia fuscorufa* Matsushita, 1937  
*pakistanæ* Breuning, 1975d: 349 A: PA  
*rufipennis* Matsushita, 1933b: 377 (*Eupogonius*) A: TAI  
*formosana* Breuning, 1975a: 22 [1976a: 51] (*Pseudanaesthetis*)  
*fuscorufa* Matsushita, 1937: 103 (*Hirayamaia*)

**genus *Graphidessa* Bates, 1884a: 248** type species *Graphidessa venata* Bates, 1884

*jinfoensis* Liu, Cheng, Yang & Huang, 2023: 17 A: GUI  
*obliquefasciata* Komiya & Kusama, 1974: 138 A: TAI  
*variegata* Hayashi, 1974c: 50 A: TAI  
*venata takakuwai* Fujita, 1980: 15 A: JA (Ryukyus)  
*venata venata* Bates, 1884a: 248 A: JA

**genus *Miccolamia* Bates, 1884a: 252** type species *Miccolamia cleroides* Bates, 1884a

**subgenus *Isomiccolamia* K. Ohbayashi, 1963: 12** type species *Miccolamia verrucosa* Bates, 1884a

*glabricula glabricula* Bates, 1884a: 253 A: FE (Sakhalin, Kurils) JA  
*kaniei* Takakuwa & N. Ohbayashi, 1992: 33  
*glabricula sadoensis* Hasegawa & N. Ohbayashi, 2001: 22 A: JA  
*inspinosa* Takakuwa & N. Ohbayashi, 1995: 197 A: JA (Izu Isls.)  
*takakuwai* Hasegawa & N. Ohbayashi, 2001: 12 A: JA

*tuberculata* Pic, 1918a: 10 (*Pogonocherus*) A: JA  
*verrucosa* Bates, 1884a: 253 A: JA  
*palurae* Takakuwa & N. Ohbayashi, 1995: 194  
*yakushimensis* Hasegawa & N. Ohbayashi, 2001: 24 A: JA (Yakushima)  
**subgenus** *Miccolamia* Bates, 1884a: 252 type species *Miccolamia cleroides* Bates, 1884  
*albasetosa* Gressitt, 1951a: 533 A: TAI  
*arunachalensis* Sreedevi & Ghate, 2020: 296, 299 A: AP  
*bicristata* Pesarini & Sabbadini, 1997: 115 A: SHA  
*castaneoverrucosa* Hayashi, 1974c: 52 A: TAI  
*cleroides* Bates, 1884a: 253 A: FE (Kunashir) JA  
*coenosa* Holzschuh, 2010: 207 A: HUB SHA  
*dracuncula* Gressitt, 1942b: 7 A: FUJ SCH  
*relucens* Holzschuh, 2003b: 312 A: NP SD  
*rugosula* Holzschuh, 2003b: 311 A: SD #514  
*savioi* Gressitt, 1940c: 192 A: JIA SHG  
*tonsilis* Holzschuh, 2010: 207 A: GAN SHA  
*tuberculipennis* Breuning, 1947a: 58 A: FUJ

**genus** *Microestola* Gressitt, 1940b: 180 type species *Microestola bidentata* Gressitt, 1940 #580  
*Mimopothyne* Breuning, 1956a: 7 type species *Mimopothyne flavolineata* Breuning, 1956 #580  
*bidentata* Gressitt, 1940b: 180 A: HAI  
*flavolineata* Breuning, 1956a: 7 (*Mimopothyne*) A: ZHE #400  
*formosana* Gressitt, 1951a: 513 A: TAI  
*interrupta* Gressitt, 1951a: 514 A: FUJ SHA SCH #225  
*parallela* Gressitt, 1951a: 515 A: ?AF HUB ORR

**genus** *Mimapatellarthron* Breuning, 1940: 209 type species *Mimapatellarthron javanicum* Breuning, 1940 #668  
*bulbiferum* Holzschuh, 2017: 159 A: HAI YUN ORR

**genus** *Mimectatina* Aurivillius, 1927: 27 type species *Mimectatina singularis* Aurivillius, 1927  
*Doius* Matsushita, 1933b: 380 type species *Doius rufescens* Matsushita, 1933 (= *Sydonia divaricata* Bates, 1884a)  
*Falsodoius* Breuning, 1953: 16 type species *Doius meridianus* Matsushita, 1933  
*Nipposybra* Breuning, 1939b: 280 type species *Nipposybra fuscoplagiata* Breuning, 1939  
*Parasydonia* Breuning, 1949b: 24 type species *Sydonia divaricata* Bates, 1884  
*divaricata divaricata* Bates, 1884a: 247 (*Sydonia*) A: FE JA JIA ?NC SC TAI ZHE  
*grisea* Matsushita, 1940: 53 (*Doius*)  
*rufescens* Matsushita, 1933b: 380 (*Doius*)  
*divaricata fulvovariata* Hayashi, 1963c: 14 (*Doius*) A: JA  
*divaricata similis* Takakuwa, 1984: 13 A: JA (Izu Isls)  
*divaricata yayeyamana* Toyoshima, 1982: 35 (*Doius*) A: JA (Ryukyus)  
*fukudai* Hayashi, 1969a: 65 (*Doius*) A: TAI  
*fuscoplagiata* Breuning, 1939b: 280 (*Nipposybra*) A: JA ?TA  
*adachii* Hayashi, 1958b: 49 (*Doius*)  
*iriei* Hayashi, 1984: 34 A: JA (Ryukyus) TAI  
*longipennis* Makihara, 2004a: 20 A: JA  
*meridiana meridiana* Matsushita, 1933b: 380 (*Doius*) A: TAI  
*meridiana ohirai* Breuning & Villiers, 1973: 50 A: JA  
*murakamii* Hayashi, 1978b: 111 A: TAI (Lanyu Is.)  
*singularis* Aurivillius, 1927: 575 A:  
*apicesignata* Breuning & de Jong, 1941: 104  
*fuscoapicata* Breuning, 1964f: 304  
*truncatipennis* Pic, 1944a: 14 (*Sybra*) A: CH ORR  
*variegata* Kusama & Takakuwa, 1984: 13 A: JA

**genus** *Mimeuseboides* Breuning, 1967b: 33 type species *Mimeuseboides excavatipennis* Breuning, 1967  
*excavatipennis* Breuning, 1967b: 33 A: AP

**genus** *Mimoscapeuseboides* Breuning, 1976b: 102 type species *Mimoscapeuseboides pedongensis* Breuning, 1976  
*pedongensis* Breuning, 1976b: 103 A: SD

**genus** *Mimovitalisia* Breuning, 1959b: 82 type species *Zodale tuberculata* Pic, 1924  
*wittmeri* Breuning, 1975d: 354 A: BT NP

**genus** *Mimozotale* Breuning, 1951b: 137 type species *Mimozotale flavolineata* Breuning, 1951  
**subgenus** *Mimozotale* Breuning, 1951b: 137 type species *Mimozotale flavolineata* Breuning, 1951  
*sikkimensis* Breuning, 1940a: 79 (*Zotale*) A: SD

- subgenus Parazotale** Breuning, 1976a: 52 type species *Zotale longipennis* Pic, 1927  
*cylindrica* Hayashi, 1981a: 16 A: NP  
*longipennis* Pic, 1927d: 6 (*Zotale*) A: YUN  
*approximata* Pic, 1927b: 18 (*Zotale*)  
*truncatipennis* Breuning, 1949a: 3, 7 (*Euseboides*) A: ?YUN **ORR** #350
- genus Nedine J. Thomson, 1864: 27** type species *Nedine longipes* J. Thomson, 1864  
*Opsioleus* Pascoe, 1864a: 10 type species *Opsioleus adversus* Pascoe, 1864  
*Parazygocera* Heller, 1924c: 200 type species *Parazygocera spaethi* Heller, 1924  
*sparatis* W.-K. Wang & Jiang, 1999c: 214 A: YUN  
*subspinosa* W.-K. Wang & Jiang, 1999c: 213 A: YUN
- genus Paranaesthetis** Breuning, 1982a: 27 type species *Paranaesthetis metallica* Breuning, 1982  
*metallica* Breuning, 1982a: 28 A: CH
- genus Pararhopaloscelides** Breuning, 1947a: 58 type species *Pararhopaloscelides sericeipennis* Breuning, 1947  
*Mimostedes* Breuning, 1955c: 235 type species *Mimostedes basilewskyi* Breuning, 1955  
*Punjabostedes* Breuning, 1957g: 276 type species *Mimostedes punjabensis* Breuning, 1957  
*sericeipennis jumlaensis* Holzschuh, 2003b: 312 A: NP  
*sericeipennis sericeipennis* Breuning, 1947a: 58 A: KA PA "Punjab"  
*kashmirensis* Breuning, 1957g: 277 (*Mimostedes*)  
*punjabensis* Breuning, 1957g: 276 (*Mimostedes*)
- genus Parasophroniella** Breuning, 1943e: 51 type species *Parasophroniella birmanica* Breuning, 1943e  
*birmanica* Breuning, 1943e: 52 A: YUN **ORR**  
*tonkinensis* Breuning, 1956g: 693
- genus Parectatosia** Breuning, 1940b: 207 type species *Parectatosia valida* Breuning, 1940  
*valida* Breuning, 1940b: 208 A: "North India"
- genus Pareuseboides** Breuning, 1948a: 30 type species *Pareuseboides albomarmorata* Breuning, 1948  
*albomarmorata* Breuning, 1948a: 30 A: NP SD
- genus Paroricopis** Breuning, 1958c: 35 type species *Paroricopis latefasciata* Breuning, 1958  
*latefasciata* Breuning, 1958c: 36 A: BT
- genus Penthides Matsushita, 1933b: 430** type species *Penthides flavus* Matsushita, 1933  
*Hirakura* Hayashi, 1957b: 47 type species *Hirakura rufoflava* Hayashi, 1957  
*flavus flavus* Matsushita, 1933b: 431 A: TAI  
*flavus multipubens* Makihara, 1978: 57 A: JA (Ryukyus)  
*modestus* Tippmann, 1955: 135 A: FUJ  
*rufoflavus* Hayashi, 1957b: 48 (*Hirakura*) A: JA
- genus Pseudanaesthetis** Pic, 1922c: 15 type species *Pseudanaesthetis langana* Pic, 1922  
*assamensis* Breuning, 1966c: 14 (*Sophronica*) A: NP **ORR**  
*? langana* Pic, 1922c: 15 A: FUJ GUA GUI HAI HUN JIX SCH SHA SHN ZHE **ORR** #517 #525  
*mizunumai* Hayashi, 1974c: 48 A: TAI  
*rufa* Gressitt, 1942c: 3 A: FUJ
- genus Pseudectatosia** Breuning, 1940b: 209 type species *Pseudectatosia strandiella* Breuning, 1940  
*strandiella* Breuning, 1940b: 209 A: AP BT SD #280
- genus Pseudoterinaea** Breuning, 1940b: 178 type species *Pseudanaesthetis bicoloripes* Pic, 1926  
*Duportius* Pic, 1945c: 59 type species *Pseudanaesthetis bicoloripes* Pic, 1926  
*bicoloripes* Pic, 1926a: 26 (*Pseudanaesthetis*) A: FUJ GUA GUX HAI HKG YUN **ORR**  
*laosensis* Breuning, 1965: 34 (*Desisa*)  
*marmorata* Gressitt, 1940b: 158 (*Phesates*)  
*seticornis* Gressitt, 1940b: 176 (*Pseudanaesthetis*) A: HAI
- genus Quasimesosella** Miroshnikov, 2006: 232 [RN] type species *Microlera ussuriensis* Tsherepanov, 1983  
*Pseudomesosella* Miroshnikov, 1989: 745 [HN] type species *Microlera ussuriensis* Tsherepanov, 1983  
*ussuriensis* Tsherepanov, 1983: 215 (*Microlera*) A: FE ?NC NE SC #63  
*florovi* Tsherepanov, 1984: 128 (*Miaenia*)
- genus Rhodopina** Gressitt, 1951a: 439 [RN] type species *Rhodopis pubera* J. Thomson, 1857  
*Rhodopis* J. Thomson, 1857e: 174 [HN] type species *Rhodopis pubera* J. Thomson, 1857  
*albomaculata* Gahan, 1890a: 60 (*Rhodopis*) A: AP NP SD **ORR** #280

*albomarmorata* Breuning, 1958a: 12 A: NP **SCH** SD #496  
*alboplagiata* Gahan, 1890a: 60 (*Rhodopis*) A: NP SD  
*assamana* Breuning, 1966d: 15 A: AP  
*formosana* Breuning, 1954b: 5 (*Rhodopis*) A: TAI  
*integripennis* Bates, 1884a: 243 (*Rhodopis*) A: JA  
*lewisii koshikijimana* Komiya, 1984b: 463, 15 A: JA (Ryukyus)  
*lewisii lewisii* Bates, 1873: 313 (*Rhodopis*) A: JA  
*japonica* Breuning, 1940d: 414 (*Rhodopis*)  
*lewisii yakushimana* Komiya, 1984b: 15 A: JA  
*laevipunctata* Breuning, 1958a: 12 A: SD  
*manipurensis* Breuning, 1972c: 416 A: NP **ORR**  
*meshimensis* Makihara, 1980: 66 A: JA  
*modica* Komiya, 1984: 15 A: JA (Ryukyus)  
*nasui* Komiya & Kusama, 1974: 138 A: JA #400  
*okinawensis* Matsushita, 1933b: 350 (*Rhodopis*) A: JA (Ryukyus)  
*okinoerabuana* Hayashi, 1961c: 67 A: JA (Ryukyus)  
*paraseriata* Breuning, 1969e: 193 A: "India"  
*parassamensis* Breuning, 1975d: 352 A: BT  
*pedongensis* Breuning, 1969e: 193 A: SD **YUN** #496  
*pubereoides* Breuning, 1956g: 682 (*Rhodopis*) A: SD  
*sakishimana* Yokoyama, 1966: 57 A: JA (Ryukyus)  
*subuniformis* Gressitt, 1951a: 440 A: TAI  
*tokarensis komiyai* Hayashi, 1969a: 66 A: JA (Izu Isls.)  
*tokarensis orientalis* Yokoyama, 1971: 100 A: JA  
*obscura* Makihara, 1977: 65  
*tokarensis tokarensis* Hayashi, 1956c: 14 A: JA (Tokara Isls.)  
*tuberculicollis* Gressitt, 1942b: 4 (*Rhodopis*) A: SHA **SCH** #225

**genus *Rhopaloscelis* Blessig, 1873: 205** type species *Rhopaloscelis unifasciata* Blessig, 1873  
*maculata* Bates, 1877: 38 A: FE (Kunashir) JA #291  
*apicalis* Pic, 1907c: 22 (*Clytosemia*)  
*kuwayamana* Kano, 1933a: 286 (*Clytosemia*)  
*schurmanni* Breuning, 1969c: 76 A: AB (Talysh) IN  
*unifasciata* Blessig, 1873: 206 A: ES FE FUJ GUA HKG JA JIL KZ MG NC SC SHA WS ZHE #225  
*obscura* Plavilstshikov, 1915c: 109

**genus *Salvazaon* Pic, 1928b: 21** type species *Salvazaon metallicum* Pic, 1928  
**subgenus *Salvazaon* Pic, 1928b: 21** type species *Salvazaon metallicum* Pic, 1928  
*saginatatum* Holzschuh, 1999: 45 A: JIX

**genus *Similonedine* Hua, 1993: 31** type species *Similonedine brunniofasciata* Hua, 1993  
*brunniofasciata* Hua, 1993: 31 A: FUJ GUX HUN #60

**genus *Sophronica* Blanchard, 1845: 160** type species *Sophronica calceata* Chevrolat, 1855  
*Dasyo* Pascoe, 1858: 253 type species *Dasyo lineata* Pascoe, 1858  
*Dasystola* Kolbe, 1894b: 63 type species *Dasystola hirta* Kolbe, 1894 (= *Sophronica carbonaria* Pascoe, 1864)  
*Dimbrokoa* Pic, 1944a: 16 type species *Dimbrokoa apicalis* Pic, 1944  
*Elithiotes* Pascoe, 1864c: 279 type species *Elithiotes hirsuta* Pascoe, 1864  
*Eupogonioides* Fisher, 1930: 275 type species *Eupogonioides gardneri* Fisher, 1930 (= *Phunginus apicalis* Pic, 1922)  
*Lasiapheles* Bates, 1873: 382 type species *Lasiapheles obrioides* Bates, 1873  
*Mimanaesthetis* Pic, 1926c: 16 type species *Mimanaesthetis atripennis* Pic, 1926  
*Phunginus* Pic, 1922c: 15 type species *Phunginus apicalis* Pic, 1922  
*apicalis* Pic, 1922c: 15 (*Phunginus*) A: **HKG** NP UP #572  
*gardneri* Fisher, 1930: 276 (*Eupogonioides*)  
*arabica* Breuning, 1962f: 239 A: YE  
*bicoloripes* Pic, 1928a: 29 (*Mimanaesthetis*) A: JIA SHG **ORR** #400  
*bowringi* Gressitt, 1939c: 213 (*Mimanaesthetis*) A: FUJ HKG  
*brunnea* Fisher, 1940: 206 (*Eupogonioides*) A: NP  
*carissae* Fisher, 1930: 277 (*Eupogonioides*) A: UP  
*chinensis* Breuning, 1940a: 48 A: GUI GUX  
*egena* Holzschuh, 2006c: 488 A: AF  
*intricata* Aurivillius, 1926b: 483 A: YE **AFR**  
*koreana* Gressitt, 1951a: 508 A: SC  
*obrioides* Bates, 1873: 382 (*Lasiapheles*) A: JA TAI  
*paupercula* Holzschuh, 2006c: 488 A: NP  
*pienaari* Distant, 1898: 378 (*Tetraglenes*) A: YE **AFR**  
*venzoi* Breuning, 1940c: 173

*pseudintricata* Breuning, 1940a: 55 A: YE **AFR**  
*sundukovi* Danilevsky, 2009b: 25 A: FE ?NC SC (Yanggugun)  
*talhouki* Holzschuh, 1992a: 306 A: YE SA  
*tonkinensis* Breuning, 1976a: 51 A: CH **ORR**  
*wittmeri* Holzschuh, 1992a: 308 A: SA YE

#316  
#774

**genus *Sphingothorax* Gressitt, 1939a: 85** type species *Sphingothorax bicinctus* Gressitt, 1939  
*bicinctus* Gressitt, 1939a: 85 A: GUA  
*tricinctus* Gressitt, 1951a: 534 A: YUN  
*tsushmanus* Hayashi, 1961a: 23 A: JA (Tsushima Is.)

**genus *Spinozorilispe* Breuning, 1963g: 83** type species *Spinozorilispe fusca* Breuning, 1963  
*fusca* Breuning, 1963g: 84 A: BT

**genus *Sybrinus* Gahan, 1900a: 12** type species *Sybrinus commixtus* Gahan, 1900  
*Arabosybrinus* Breuning, 1948b: 16 type species *Sybrinus albosignatus* Breuning, 1848  
*Sokotrosybrinus* Breuning, 1949b: 21 type species *Sybrinus simonyi* Gahan, 1903  
*albosignatus* Breuning, 1948b: 16 A: SA YE  
*commixtus* Gahan, 1900a: 12 A: YE (Suqutra)  
*gahani* Aurivillius, 1922b: 299  
*flavescens* Breuning, 1948b: 16 A: SA YE  
*simonyi* Gahan, 1903: 287 A: YE (Suqutra)  
*sokotrensis* Téocchi, Jiroux & Sudre, 2004: 22 (*Arabosybrinus*)  
*x-ornatus* Téocchi, Jiroux & Sudre, 2007: 23 A: YE (Suqutra)  
*kabateki* Téocchi, Jiroux & Sudre, 2007: 23

**genus *Sybrocentrura* Breuning, 1947a: 57** type species *Sybrocentrura obscura* Breuning, 1947  
*costigera* Holzschuh, 2010: 218 A: SHA  
*fatalis* Holzschuh, 2010: 215 A: SHA  
*obscura* Breuning, 1947a: 57 A: GUX YUN  
*procerior* Holzschuh, 2010: 214 A: GUI  
*ropicooides* Gressitt, 1939c: 214 (*Sydonia*) A: FUJ JIX HAI  
*tenera* Holzschuh, 2010: 219 A: YUN **ORR**  
*tristicula* Holzschuh, 2010: 216 A: GUI SCH

**genus *Taiwanajinga* Hayashi, 1978b: 109** type species *Taiwanajinga albofasciata* Hayashi, 1978  
*albofasciata* Hayashi, 1978b: 110 A: TAI

**genus *Terinaea* Bates, 1884a: 249** type species *Terinaea atrofusca* Bates, 1884a  
*atrofusca* Bates, 1884a: 250 A: JA  
*rufonigra* Gressitt, 1940b: 175 A: FUJ GUA GUX HAI ZHE  
*tiliae* Murzin, 1983: 584 (*Miaenia*) A: FE ?NC SC SHA

#225

**genus *Ussurella* Danilevsky, 1997b: 44** [RN] type species *Ussuria napolovi* Danilevsky, 1995  
*Ussuria* Danilevsky, 1995a: 113 [HN] type species *Ussuria napolovi* Danilevsky, 1995  
*napolovi* Danilevsky, 1995a: 114 (*Ussuria*) A: FE ?NC NO **SC**

**genus *Vittatopothyne* Breuning, 1968b: 58** [RN] type species *Falsopothyne flavovittata* Breuning, 1960  
*Falsopothyne* Breuning, 1960a: 15 [HN] type species *Falsopothyne flavovittata* Breuning, 1960  
*flavovittata* Breuning, 1960a: 16 (*Falsopothyne*) A: SD

**genus *Zotalemimon* Pic, 1925a: 29** type species *Zotalemimon apicale* Pic, 1925 (= *Sybra posticata* Gahan, 1894)  
*Diboma* J. Thomson, 1864: 46 [HN] type species *Diboma tranquilla* J. Thomson, 1864 (= *Hathlia procera* Pascoe, 1859)  
*Donyisia* Gressitt, 1940b: 179 type species *Sydonia costata* Matsushita, 1933  
*butanum* Breuning, 1975a (March): 38 (*Diboma*) A: BT NP  
*bhutanensis* Breuning, 1975d (October): 350 (*Diboma*)  
*ciliatum* Gressitt, 1942e: 212 (*Donyisia*) A: FUJ GUA HAI HKG YUN  
*costatum* Matsushita, 1933b: 379 (*Sydonia*) A: FUJ HAI JA (Ryukyus) TAI ZHE  
*loochooanum* Breuning, 1940a: 78 (*Diboma*)  
*formosanum* Breuning, 1975a: 38 (*Diboma*) A: TAI  
*lineatoides* Breuning, 1969e: 192 (*Diboma*) A: SD  
*malinum* Gressitt, 1951a: 511 (*Diboma*) A: YUN  
*obscurior* Breuning, 1940a: 78 (*Diboma*) A: UP  
*posticatum* Gahan, 1894a: 77 (*Sybra*) A: HAI SD YUN  
*apicale* Pic, 1925a: 29 (*Zotalemimon*)  
*subglabratum* Gressitt, 1938a: 54 (*Sydonia*) A: SCH

#275

#400



tribe Apomecynini J. Thomson, 1860

genus *Apomecyna* Dejean, 1821: 108 type species ~~type species~~ *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)

*Anapomecyna* Pic, 1925a: 29 type species *Anapomecyna luteomaculata* Pic, 1925

*Crassapomecyna* Breuning, 1958i: 492 type species *Apomecyna crassiuscula* Fairmaire, 1896

*Mecynapus* J. Thomson, 1858: 187 type species *Apomecyna parumpunctata* Chevrolat, 1856

*Parapomecyna* Breuning, 1968g: 345 type species *Parapomecyna flavomaculata* Breuning, 1968 (= *Apomecyna quadrisignata* Quedenfeldt, 1885)

*Pseudoalbana* Pic, 1895c: 77 type species *Pseudoalbana lameerei* Pic, 1895

*Vocula* Lacordaire, 1872: 587 type species *Vocula irrorata* Lacordaire, 1872 (= *Apomecyna parumpunctata* Chevrolat, 1856)

*balochica* Ahmed & Barševskis, 2024: 70 A: PA

*binubila binubila* Pascoe, 1858: 253 A: SA

#774

*cretacea* Hope, 1831: 28 (*Callidium*) A: AP GUA GUX HAI NP SD YUN ORR

#280

*laosensis* Pic, 1938: 124

*perroteti* J. Thomson, 1868c: 159

*proba* Newman, 1842c: 299

*fallaciosa* Breuning, 1938a: 50 A: PA UP

*flavovittata* Chiang, 1963: 67 A: XIZ YUN

*histrio* ~~histrio~~ Fabricius, 1793: 288 (*Lamia*) A: AP ES GUI HAI JA (Ryukyus) KO MG NP PA SD TAI UP YUN ORR #127 #280

#730

*alboguttata* Megerle, 1802: 10 (*Saperda*)

*maculaticollis* Pic, 1918b: 6

*quadrifasciata* J. Thomson, 1868c: 159

*lameerei* Pic, 1895c: 77 (*Eurycotyle*) N: AG EG MO A: AE IN IQ IS OM PA SA SI YE AFR

*arabica* Breuning, 1938a: 50

*mateui* Breuning, 1953: 11

*leucosticta* Hope, 1831: 28 (*Callidium*) A: AF BT NP PA SD YUN ORR

#400

*lineata* Pic, 1937a: 14

*longicollis coreana* Breuning, 1967f: 188 A: KO

*longicollis longicollis* Pic, 1926a: 28 A: GUI HKG JIX YUN ORR

*fouqueti* Pic, 1938: 124

*luteomaculata* Pic, 1925a: 29 (*Anapomecyna*) A: YUN ORR

#398

*minor* Ahmed & Barševskis, 2024: 66 A: PA

*naevia deguchii* Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)

*naevia iriei* Hayashi, 1984: 69 A: JA (Izu Isls., Ryukyus)

*naevia naevia* Bates, 1873: 317 A: JA NP SC TAI

#63

#400

*naevia semihistrio* Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus) TAI

#400

#431

#732

*naevia tsutsuii* Hayashi, 1956c: 15 A: JA (Tokara Isls.)

*naevia yokoyamai* Hayashi, 1974c: 68 A: JA

*okinawana* Makihara, 1992b: 74 A: JA (Tokara Isls., Ryukyus)

#730

*proxima* Breuning, 1938a: 49 A: GUI ORR

#400

*saltator* Fabricius, 1787: 141 (*Lamia*) A: AP FUJ GUA GUI GUX HAI HKG HP HUB HUN JA (Ryukyus) JIA JIX NP PA SHA TAI

YUN ZHE ORR

#225 #280 #366

*excavateps* Pic, 1918b: 6

*multinotata* Pic, 1918b: 5

*neglecta* Pascoe, 1865a: 152

*niveosparsa* Fairmaire, 1895: 185

*pertigera* J. Thomson, 1868c: 160

*sinensis* Pic, 1918b: 6

*subuniformis* Pic, 1944a: 14

*tonkinea* Pic, 1918b: 5

*scortecii* Breuning, 1968c: 90 A: SA YE

*tigrina indica* Breuning, 1969f: 656 A: AP SD

#280

*tigrina tigrina* J. Thomson, 1857g: 343 A: YUN ORR

genus *Asaperda* Bates, 1873: 385 type species *Asaperda rufipes* Bates, 1873

*agapanthina agapanthina* Bates, 1873: 386 A: FE (Sakhalin, Kunashir) JA ~~TAI~~

*obscura* Breuning, 1939b: 232

*agapanthina confultis* Komiya, 1984a: 14 A: JA

#736

*agapanthina nakayamai* Komiya, 1984a: 14 A: JA

#736

*agapanthina obliquevittata* Komiya, 1984a: 14 A: JA

#736

*agapanthina yamawakii* Komiya, 1984a: 14 A: JA

#736

*bicostata bicostata* Hayashi, 1956c: 16 A: JA

*bicostata kawadai* Fujita, 2023: 26 (Amami Isls. (Amami-oshima Is., Kikaijima Is., Toku-no-shima Is., Okinoerabu-jima Is))

*bicostata okinawana* Komiya, 1984: 372, 14 A: JA (Ryukyus)

*chongqingensis* L. Chen & Chiang, 1993: 65, 67 A: CHQ

*kami* Hayashi, 1976: 15 A: JA

#108

*krivolutzkayae* Danilevsky, 2023: 329 A: FE (Kunashir) JA

*meridiana* auct., not Matsushita

*maculosa* Pic, 1927k: 199 A: CH **ORR**  
*meridiana* Matsushita, 1931a: 45 A: FUJ GUA GUI HKG JIX TAI **ORR**  
*takushaensis* Kano, 1933a: 283  
*rufa* Breuning, 1954e: 136 A: SHN  
*rufipes albosuturalis* Breuning, 1957g: 278 A: JA #736  
*rufipes rufipes* Bates, 1873: 386 A: ?CH ?FE JA ?NC SC TAI  
*nigricornis* Breuning, 1957g: 278  
*uniformis* Pic, 1907c: 22  
*rufipes tsushimae* Breuning, 1955e: 658 A: JA  
*silvicultrix* Toyoshima & Iwata, 1990: 1 A: JA  
*stenostola* Kraatz, 1879e: 227 A: CH FE ?ES KZ MG ?NC SC WS  
*tenuicornis* Komiya, 1984a: 15 A: JA  
*wadai* Makihara, 1980: 55 A: JA

**genus *Athyilia* Pascoe, 1864a: 27** type species *Athyilia avara* Pascoe, 1864  
*Enispia* Pascoe, 1864a: 28 type species *Enispia venosa* Pascoe, 1864  
*Sodomorphon* Pic, 1926c: 14 type species *Sodomorphon bellum* Pic, 1926 (= *Athyilia nobilis* Breuning, 1960)  
*horishensis* Seki, 1946: 10 (*Enispia*) A: TAI

**genus *Atimura* Pascoe, 1863b: 548** type species *Atimura terminata* Pascoe, 1863  
*affinis* Breuning, 1939b: 240 A: UP **ORR**  
*apicalis* Gahan, 1894a: 76 A: FUJ SCH TAI **ORR**  
*combreti* Gardner, 1930: 158 A: NP UP  
*cylindrica* Gressitt, 1940b: 173 A: HAI  
*formosana* Matsushita, 1933b: 371 A: TAI  
*fujiiwarai* Hayashi, 1994: 70 A: TAI  
*japonica* Bates, 1873: 381 A: JA SHA **ORR** #225 #400 #525  
*tonkinea* Pic, 1931a: 14  
*koreana* Danilevsky, 1996b: 22 A: SC  
*minima* Breuning, 1939b: 240 A: UP **ORR**  
*proxima* Breuning, 1939b: 240 A: UP **ORR**

**genus *Brachysybra* Breuning, 1940d: 427** type species *Brachysybra elliptica* Breuning, 1940  
*elliptica* Breuning, 1940d: 428 A: TAI (Lanyu Is.) **ORR**

**genus *Callomecyna* Tippmann, 1955: 125** type species *Callomecyna superba* Tippmann, 1955  
*Mimoxenoleoides* Breuning, 1963g: 82 type species *Mimoxenoleoides fasciculosa* Breuning, 1963  
*leehsuehae* Yamasako & Chou, 2014a: 252 A: TAI  
*superba* Tippmann, 1955: 126 A: CHQ FUJ GUI GUX HUN #60  
*fasciculosa* Breuning, 1963g: 83 (*Mimoxenoleoides*)  
*tigrimula* Holzschuh, 1999: 44 A: SCH

**genus *Coomanum* Pic, 1927h: 111** type species *Coomanum singulare* Pic, 1927  
*Niphosaperda* Breuning, 1962d: 49 type species *Niphosaperda rondoni* Breuning, 1962  
*singulare* Pic, 1927h: 112 A: YUN **ORR**  
*rondoni* Breuning, 1962d: 49 (*Niphosaperda*)

**genus *Cornallis* J. Thomson, 1864: 47** type species *Cornallis gracilipes* J. Thomson, 1864  
*Parasybrodiboma* Breuning, 1969f: 666 type species *Parasybrodiboma sikkimensis* Breuning, 1969  
*gracilipes* J. Thomson, 1864: 47 A: NP SD  
*bootangensis* Breuning, 1968f: 702 (*Hyagnis*)  
*longipes* Breuning & de Jong, 1941: 104 (*Sybra*) #693  
*sikkimensis* Breuning, 1969f: 667 (*Parasybrodiboma*)  
*sybroides* Breuning, 1939b: 206 (*Hyagnis*) #693

**genus *Diaxenes* C. O. Waterhouse, 1884a: 128** type species *Diaxenes taylori* C. O. Waterhouse, 1884  
*dendrobii* Gahan, 1894e: 520 A: SD **ORR**

**genus *Discolops* Fairmaire, 1886a: 459** type species *Discolops strigicollis* Fairmaire, 1886  
*strigicollis* Fairmaire, 1886a: 459 A: YE **AFR**  
*aureicornis* Gahan, 1890d: 325 (*Stathmodera*)  
*basalis* Kolbe, 1894: 281  
*grandis* C. O. Waterhouse, 1898: 264 (*Stathmodera*)

**genus *Doliops* G. R. Waterhouse, 1841: 57** [= 1845: 42] type species *Doliops curculionoides* G. R. Waterhouse, 1841 #86  
*Dolops* Agassiz, 1846: 128 [unjustified emendation]  
*similis* Miwa & Mitono, 1933: 373 [RN] A: TAI (Lanyu Is.)

*pachyrrhynchoides* Miwa & Mitono, 1932: 306 (*Aprophata*) [HN]

- genus *Enaretta* J. Thomson, 1864: 325** type species *Enaretta castelnaudi* J. Thomson, 1864  
*Athenes* Fähræus, 1872c: 194 type species *Athenes caudata* Fehreus, 1872  
*Fouquetia* Pic, 1932h: 150 type species *Fouquetia fasciculata* Pic, 1932  
*Phoryctus* Gerstaecker, 1871: 78 type species *Phoryctus mucoreus* Gerstaecker, 1871  
*Sympiodes* Pascoe, 1886: 243 type species *Sympiodes varius* Pascoe, 1886  
***samai* Rapuzzi & al Dhafer, 2024: 199 A: SA OM YE**  
***caudata*, Löbl & Smetana, 2010: 231, not Fähræus, 1872b: 36 (*Athenes*) from South Africa #774**
- genus *Estigmenida* Gahan, 1894a: 82** type species *Estigmenida variabilis* Gahan, 1894  
*albolineata* Breuning, 1940b: 211 A: SD #343  
*robusta* Breuning, 1940b: 211 A: SD **ORR**  
*variabilis* Gahan, 1894a: 83 A: YUN **ORR** #400
- genus *Falsoropica* Breuning, 1939b: 232** type species *Falsoropica clavipes* Breuning, 1939  
*grossepunctata* Breuning, 1968a: 32 A: YUN **ORR**  
*sikkimensis* Breuning, 1973c: 651 A: SD
- genus *Falsoropicoides* Breuning, 1965: 25** type species *Falsoropicoides laosensis* Breuning, 1965  
*laosensis* Breuning, 1965: 25 A: YUN **ORR** #818
- genus *Falsozorispella* Breuning, 1963a: 4 [RN]** type species *Falsozorilispe albosignata* Pic, 1945  
*Falsozorilispe* Pic, 1945a: 2 [HN] type species *Falsozorilispe albosignata* Pic, 1945  
*albosignata* Pic, 1945a: 2 (*Falsozorilispe*) A: GUI
- genus *Hyagnis* Pascoe, 1864c: 280** type species *Hyagnis fistularius* Pascoe, 1864  
*apicatus* Holzschuh, 1984c: 369 A: UP  
*basicristatus* Breuning, 1949a: 3, 8 A: ?AP **ORR** #280  
*chinensis* Breuning, 1961i: 317 A: GUA  
*kashmirensis* Breuning, 1939b: 206 A: KA  
*pakistanus* Breuning, 1975d: 352 A: NP PA  
*persimilis* Breuning, 1939b: 206 A: "India"  
*intuberculata* Pic, 1946a: 3 (*Atimura*)
- genus *Iproca* Gressitt, 1940b: 165** type species *Iproca acuminata* Gressitt, 1940  
*acuminata* Gressitt, 1940b: 165 A: HAI  
*aoyamaorum* Hasegawa & N. Ohbayashi, 2006: 253 A: JA (Ryukyus)  
*ishigakiana flavolineata* Hayashi, 1971: 10 A: TAI **ORR** #732  
*ishigakiana ishigakiana* Breuning & K. Ohbayashi, 1966: 34 A: JA (Ryukyus) #732  
*pedongensis* Breuning, 1968f: 701 A: SD
- genus *Microlera* Bates, 1873: 380** type species *Microlera ptinoides* Bates, 1873  
*kanoi* Hayashi, 1971: 9 A: TAI  
*ptinoides* Bates, 1873: 380 A: FE (Kunashir) JA ?NC SC #432 #523 #734  
*yayeyamensis* Hayashi, 1968c: 15 A: JA (Ryukyus) #734
- genus *Microleroides* Breuning, 1956g: 691** type species *Microleroides chinensis* Breuning, 1956  
*chinensis* Breuning, 1956g: 692 A: SCH
- genus *Mimatimura* Breuning, 1939b: 241** type species *Mimatimura rufescens* Breuning, 1939  
*subferruginea* Gressitt, 1951a: 496 (*Atimura*) A: FUJ HAI
- genus *Mimophaeopate* Breuning, 1967b: 30** type species *Mimophaeopate assamensis* Breuning, 1967  
*assamensis* Breuning, 1967b: 31 A: AP
- genus *Mimosybra* Breuning, 1939b: 278** type species *Athelais surigaonis* Heller, 1924  
*strandii* Breuning, 1939b: 278 (*Neosybra*) A: TAI **ORR** #72
- genus *Mycerinopsis* J. Thomson, 1864: 50** type species *Mycerinus aridus* Pascoe, 1862b (= *Hathlia lacteola* Hope, 1841)  
**subgenus *Zotale* Pascoe, 1866c: 329** type species *Zotale unicolor* Pascoe, 1866  
*apomecynoides* Hayashi, 1972: 29 A: JA (Ryukyus)  
*lineata* Gahan, 1894a: 75 A: FUJ GUA JIX HAI HUN YUN **ORR**  
*subunicolor* Breuning, 1968a: 14 A: YUN **ORR**
- genus *Neosybra* Breuning, 1939b: 276** type species *Neosybra ropicooides* Breuning, 1939  
*costata* Matsushita, 1933b: 370 A: TAI

*cribrella* Bates, 1873: 318 (*Sybra*) A: JA  
*flavovittata* Breuning, 1954b: 21 A: SD  
*flavovittipennis* Breuning, 1963e: 6 A: HUN **ORR**  
*hachijoensis hachijoensis* Hayashi, 1961a: 22 (*Palausybra*) A: JA (Izu Islands)  
*hachijoensis tokaraensis* Makihara, 1977: 53 (*Palausybra*) A: JA  
*mizoguchii depressa* Makihara, 1980: 58 (*Palausybra*) A: JA  
*mizoguchii mizoguchii* Hayashi, 1956d: 41 (*Ropica*) A: JA  
*mizoguchii nobozakiensis* Takakuwa, 2015: 222 A: JA  
*ochreovittata* Breuning, 1939b: 277 A: NP  
*rotundipennis* Breuning, 1939b: 278 A: HKG  
*ryukyuensis* Breuning & K. Ohbayashi, 1964: 28 A: JA (Ryukyus)  
*sinuicosta* Gressitt, 1951a: 502 A: TAI

**genus *Novorondonia* Özdikmen, 2008c: 678 [RN] type species *Rondonia ropicoides* Breuning, 1962**

*Rondonia* Breuning, 1962b: 7 [HN] type species *Rondonia ropicoides* Breuning, 1962

*antennata* Holzschuh, 2015a: 51 A: SCH SHA

*hirayamai* Matsushita, 1941: 156 (*Ropica*) A: TAI

*bisignata* Hayashi, 1976: 16 (*Rondonia*)

*ropicoides* Breuning, 1962b: 8 (*Rondonia*) A: YUN **ORR**

#400

#450

**genus *Ogmodera* Aurivillius, 1908: 149 type species *Ogmodera sulcata* Aurivillius, 1908**

*forticornis* Breuning, 1942a: 142 A: SA YE **AFR**

*sulcata* Aurivillius, 1908: 150 A: SA YE **AFR**

**genus *Palausybra* Gressitt, 1956: 153 type species *Palausybra vestigialis* Gressitt, 1956**

*chibi* Hayashi, 1974c: 41 A: TAI

**genus *Paraneosybra* Hayashi, 1978b: 107 type species *Paraneosybra fulvofasciata* Hayashi, 1978**

*fulvofasciata* Hayashi, 1978b: 108 A: TAI

**genus *Pemptolasius* Gahan, 1890a: 64 type species *Pemptolasius humeralis* Gahan, 1890**

*Parazotalemimon* Pic, 1936b: 12 type species *Parazotalemimon nigropunctatum* Pic, 1936

*humeralis* Gahan, 1890a: 65 A: SD YUN **ORR**

*nigropunctatus* Pic, 1936b: 12 (*Parazotalemimon*)

**genus *Plocia* Newman, 1842c: type species *Plocia notata* Newman, 1842**

*Mimoplocia* Breuning, 1949b: 19 type species *Plocia notata* Newman, 1842

*notata* Newman, 1842c: 292 A: TAI (Lanyu Is.) **ORR**

*albicornis* Heyrovský, 1935a: 19 (*Epaphra*)

#220

**genus *Ropica* Pascoe, 1858: 247 type species *Ropica piperata* Pascoe, 1858**

*affinis* Breuning, 1939b: 224 A: NP SD

*assamensis* Breuning, 1972c: 415 A: AP

*bicostata* Pic, 1926a: 27 (*Sybra*) A: CH

*caenosa* Matsushita, 1933a: 107 (*Pterolophia*) A: JA (Ryukyus) TAI

*chinensis* Breuning, 1964a: 403 A: ZHE

*coomani* Pic, 1926b: 5 A: SD

*coreana* Breuning, 1980b: 50 A: SC

*dorsalis* Schwarzer, 1925c: 145 A: BT GUA GUX HAI JA JIA NP SD TAI UP **ORR**

*burketi* Gressitt, 1937d: 609

*langana* Pic, 1945a: 3

*rufescens* Pic, 1926b: 5

*formosana* Bates, 1866a: 351 A: TAI

*fuscolaterimaculata* Hayashi, 1974c: 42 A: TAI (Lanyu Is.)

*honesta* Pascoe, 1865a: 190 A: JA HKG NP TAI **ORR**

*japonica amamiana* Makihara, 1995: 456 A: JA (Ryukyus)

*japonica japonica* Hayashi, 1972: 37 A: JA

*japonica tokarana* Takakuwa, 1984: 12 A: JA (Tokara Isls.)

*lineatithorax* Pic, 1927b: 17 A: NP **ORR**

*curtelineata* Pic, 1945: 3

*elongata* Pic, 1929a: 30 (*Sybra*)

*griseosparsa* Pic, 1927: 17

*vietnamensis* Breuning, 1972b: 235

*loochooana hayashii* Breuning, 1958c: 34 A: JA (Ryukyus)

*loochooana loochooana* Matsushita, 1933b: 361 (*Pterolophia*) A: JA (Ryukyus)

*ngauchilae* Gressitt, 1940b: 163 A: HAI

#400

*nodieri* Pic, 1945a: 3 A: NP #390  
*pedongensis* Breuning, 1968f: 701 A: SD  
*rosti* Breuning, 1958d: 177 A: KA NP SD  
*signatoides* Breuning, 1939b: 221 A: UP  
*subaffinis* Breuning, 1968f: 701 A: SD  
*sublineata* Gressitt, 1940b: 162 A: FUJ HAI  
*subnotata* Pic, 1925e: 138 A: FUJ GUA GUI HEB HEN HKG HUB JIA JIX SHA SHN SHX YUN ZHE #225  
*trichantennalis* Breuning, 1968a: 13 A: FUJ **ORR**  
*tsushimensis* Hayashi, 1972: 38 A: JA  
*umbrata* Gressitt, 1951a: 492 A: FUJ GUA HKG #400  
*variabilis* Schwarzer, 1925b: 68 A: TAI

**genus *Sybra* Pascoe, 1865a: 141** type species *Ropica stigmatica* Pascoe, 1859  
**subgenus *Microzotale* Hayashi, 1956c: 17** type species *Microzotale uenoi* Hayashi, 1956  
*Kirishimoopsis* Hayashi, 1958b: 48 type species *Kirishimoopsis sakamotoi* Hayashi, 1958  
*albodistincta* Takakuwa, 1984: 382 A: JA (Ryukyus)  
*kuri* K. Ohbayashi & Hayashi, 1962: 33 A: JA  
*uenoi sakamotoi* Hayashi, 1958b: 49 (*Kirishimoopsis*) A: JA  
*uenoi uenoi* Hayashi, 1956c: 18 (*Microzotale*) A: JA  
**subgenus *Sybra* Pascoe, 1865a: 141** type species *Ropica stigmatica* Pascoe, 1859  
*Gracisybra* L. S. Dillon & E. S. Dillon, 1952: 64 type species *Gracisybra flava* L. S. Dillon & E. S. Dillon, 1952  
*Microopsis* L. S. Dillon & E. S. Dillon, 1952: 63 type species *Microopsis dimidiata* L. S. Dillon & E. S. Dillon, 1952  
*Paroopsis* L. S. Dillon & E. S. Dillon, 1952: 64 type species *Paroopsis eumilis* L. S. Dillon & E. S. Dillon, 1952  
*Ropicomorpha* Pic, 1944a: 8 type species *Ropica minuta* Pic, 1927  
*Sybrinura* Gahan, 1907: 88 type species *Sybrinura biapicata* Gahan, 1907

*albostictipennis* Breuning, 1963k: 47 A: GUX **ORR** #532  
*alternans* Wiedemann, 1823: 11 (*Lamia*) A: ?TAI NTRi **ORR** #219 #400  
*angustata* Pic, 1926b: 6 (*Atelais*)  
*carolina* Matsushita, 1935: 121  
*fuscovittata* Aurivillius, 1927: 24  
*javaensis* Breuning, 1982a: 10 (*Falsoropica*)  
*ochreovittata* Breuning, 1939a: 77  
**arator** Pascoe, 1865a: 210 A: SD **ORR**  
*icanoides* Breuning, 1942a: 150  
*baculina* Bates, 1866a: 352 A: HKG JA (Ryukyus) TAI #105 #72  
*fulva* Schwarzer, 1925c: 145 (*Atimura*) #175 #734  
*kotoensis* Matsushita, 1935: 541  
*miyakoensis* Hayashi, 1972: 31 A: JA (Ryukyus)  
*basialbofasciata* Hayashi, 1972: 33 A: JA  
*bioculata bioculata* Pic, 1926i: 302 A: FUJ JIA TAI ZHE **ORR**  
*bioculata quadrinotata* Schwarzer, 1925c: 145 A: JIA TAI YUN ZHE **ORR**  
*obliterata* Pic, 1927g: 109  
*bioculata sikkimana* Breuning, 1969f: 657 A: SD  
*botelensis* Breuning & K. Ohbayashi, 1966: 11 A: TAI  
*breuningi* Gressitt, 1940b: 169 A: HAI  
*chaffanjonii* Breuning, 1969f: 656 A: GUI  
*elongatula* Breuning, 1939b: 270 A: SD  
*leucostictica* Breuning, 1939b: 266 A: SD **ORR**  
*ochraceicollis* Breuning, 1940: 162  
*pulvereoides* Breuning, 1939: 268  
*sikkimensis* Breuning, 1939b: 270  
*longipes* Breuning & De Jong, 1941: 104 A: SD  
*maculiclunis hanatanii* Fujita, 2023: 27, 377 A: JA (Yaeyama Isls.: Ishigaki-jima Is., Iriomote-jima Is.)  
*maculiclunis hisaoi* Fujita, 2023: 27 A: JA (Miyako Isls.: Ikema-jima Is., Ogami-jima Is., Miyako-jima Is.)  
*maculiclunis maculiclunis* Matsushita, 1931c: 404 A: HKG JA (Ryukyus) TAI  
*maculiclunis makiharai* Fujita, 2023: 27 A: JA (Okinawa Isls.: Okinawa-hontô Is., Iheyajima Is., Tokashiki-jima Is., Zamami-jima Is., Aka-jima Is., Kume-jima Is.)  
*maculiclunis shoyamai* Fujita, 2023: 27, 377 A: JA (Yaeyama Isls.: Yonaguni-jima Is.)  
*marmorea* Breuning, 1939b: 264 A: CH **ORR**  
*mimobaculina* Breuning, 1970c: 90 A: TAI  
*miscanthivola* Makihara, 1977: 25 A: JA (Ryukyus) TAI  
*multilineata* Pic, 1926c: 16 (*Atelais*) A: YUN #475  
*fuscobiplagiata* Breuning, 1939b: 265  
*narai* Hayashi, 1976: 14 A: TAI  
*nishinoi fukidai* Fujita & Hirayama, 2017: 38 A: JA (Ryukyus)  
*nishinoi nishinoi* Fujita & Hirayama, 2017: 36 A: JA (Ryukyus)  
*flavomaculata* Breuning, 1939b: 263 A: HUB JA SC (Hoenggando Is.)



*albomarmorata* Breuning, 1961i: 333 [*Neosybra*] A: JA #70  
*ordinata flavostriata* Hayashi, 1968c: 16 A: JA (Ryukyus) TAI #732  
*ordinata inadai* Jujita, 2023: 28, 380 A: JA (Okinawa Isls., Aguni-jima Isls.)  
*ordinata loochooana* Breuning, 1939b: 263 #420 #733  
*masataakai* Makihara, 2007: 216 #734  
*ordinata miyakojimana* Hayashi, 1972: 33 A: JA (Ryukyus) #732  
*ordinata okinoerabuensis* Hayashi, 1972: 32 A: JA (Ryukyus) #732  
*ordinata ordinata* Bates, 1873: 318 A: FUJ GUX HAI JA JIA JIX SHG TAI #420 #732  
*albomaculata* Breuning, 1939b: 264 #420  
*formosana* Breuning, 1964a: 305 #420  
*savioi* Pic, 1925e: 138 #420  
*tenganensis* Breuning, 1965h: 178 #420  
*ordinata subtesselata* Breuning, 1960a: 14 A: JA #420 #733  
*ordinata tokara* Hayashi, 1972: 33 #420 #733  
*oshimana mimogeminata* Breuning & K. Ohbayashi, 1964: 17 A: JA (Ryukyus) #732  
*carinatipennis* Breuning & Chûjô, 1970: 56  
*miyakoana* Hayashi, 1972: 31  
*musashinoi* Breuning & Chûjô, 1970: 56  
*oshimana miyamotoi* Fujita, 2023: 27 A: JA (Yaeyama Isls.: Hateruma-jima Is.)  
*oshimana oshimana* Breuning, 1958c: 34 A: JA #732  
*nipponensis* Hayashi, 1972: 32  
*omoro* Hayashi, 1972: 32  
*parvula* Breuning, 1939b: 271 A: "North India"  
*pascoei ishigakii* Breuning & K. Ohbayashi, 1964b: 28 A: JA #72 #734 #736  
*pascoei okinawana* Breuning & K. Ohbayashi, 1967: 4 A: JA (Ryukyus)  
*pascoei pascoei* Lameere, 1893a: 285 A: HAI ORR  
*pascoei taiwanella* Gressitt, 1951a: 499 A: JA (Ryukyus) TAI  
*piceomacula* Gressitt, 1951a: 500 A: FUJ  
*posticalis* Pascoe, 1858: 248 (*Ropica*) A: HAI HKG TAI  
*praeusta* Pascoe, 1859: 51 (*Ropica*) A: NP ORR #61  
*ceylonensis* Breuning, 1939: 274 #61  
*punctatostriata* Bates, 1866a: 351 A: FUJ GUA HAI JIX TAI  
*gossipi* Matsumura, 1912: 219 (*Homonoxa*)  
*pusilla* Breuning, 1939b: 270 A: "North India"  
*rondoniana* Breuning, 1965: 45 A: TAI  
*unifasciata* Fujimura, 1956: 5 A: JA  
*unipunctata* Breuning, 1939b: 264 A: HKG  
**subgenus** *Sybrodiboma* Breuning, 1953: 16 type species *Sybra subfasciata* Bates, 1884a  
*subfasciata mikurensis* Hayashi, 1971: 17 (*Sybrodiboma*) A: JA (Izu Isls.)  
*subfasciata subfasciata* Bates, 1884a: 246 A: JA SC  
*ohbayashii* Breuning, 1960a: 16 (*Hyagnis*)  
*taiwanensis* Hayashi, 1974c: 51 (*Sybrodiboma*) A: TAI  
*trimeresura* Takakuwa, 1984: 12 A: JA (Ryukyus)

**genus Souvanna Breuning, 1963b: 39** type species *Souvanna phoumai* Breuning, 1963. #755  
*signata* Pic, 1926c: 13 (*Alidus*) A: HAI YUN ORR #755  
*coomani* Breuning, 1968e: 858 (*Mipila*) [nec *Mispila coomani* (Pic, 1934) = *Alidus coomani* Pic, 1934]  
*phoumai* Breuning, 1963: 39.  
*quadristigma* Gressitt, 1940b: 156 (*Enispia*)

**genus Xylariopsis Bates, 1884a: 247** type species *Xylariopsis mimica* Bates, 1884a  
*Falsosybra* Pic, 1928a: 28 type species *Falsosybra fulvonotata* Pic, 1928  
*albofasciata* W.-K. Wang & Jiang, 1998b: 232, 233 A: YUN #734  
*esakii esakii* Mitono, 1943: 582 A: HUN TAI YUN #732  
*esakii iriei* Hayashi, 1976: 13 A: JA (Ryukyus) #734  
*fujiwarai* Hayashi, 1994: 71 A: TAI #60 #606  
*mimica* Bates, 1884a: 247 A: BEI FE GAN JA JIA ?NC NE SC SCH SHA SHG #693  
*leucothorax* Breuning, 1938c: 370 (*Sthenias*)  
*uenoi* Hayashi, 1994: 72 A: TAI

**genus Zorilispe Pascoe, 1865a: 156** type species *Zorilispe fulvisparsa* Pascoe, 1865  
*harai* Hayashi, 1979: 92 A: NP

#### tribe Astathini J. Thomson, 1864

**genus Anastathes Gahan, 1901: 60** type species *Astathes nigricornis* J. Thomson, 1865  
*nigricornis* J. Thomson, 1865: 560 (*Astathes*) A: FUJ GUI GUX HAI HUN YUN ORR

*atricornis* Pic, 1922c: 15 (*Chreonoma*)  
*parallela* Breuning, 1956f: 486 A: HUB FUJ  
*parva hainana* Gressitt, 1941a: 143 A: FUJ GUA GUX HUN ZHE HAI **ORR** #713  
*hainana* Gressitt, 1942c: 7 [HN]  
*parva parva* Gressitt, 1935c: 193 A: TAI #489  
*robusta* Gressitt, 1940b: 222 A: FUJ GUA GUX HAI JIX

**genus *Bacchisa* Pascoe, 1866c: 329** [1867b: 342] type species *Bacchisa coronata* Pascoe, 1867b  
**subgenus *Atrobacchisa*** Breuning, 1956f: 457 type species *Chreonoma atrocoerulea* Gressitt, 1951  
*atrocoerulea* Gressitt, 1951a: 617 (*Chreonoma*) A: SHA  
**subgenus *Bacchisa* Pascoe, 1866c: 329** [1867b: 342] type species *Bacchisa coronata* Pascoe, 1867b  
*Chreonoma* Pascoe, 1867b: 348 type species *Chreonoma venustum* Pascoe, 1867  
*atritarsis* Pic, 1912h: 21 (*Chreonoma*) A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE  
*basalis* Gahan, 1894d: 487 (*Chreonoma*) A: FUJ GUA GUX HAI HKG **ORR**  
*tonkinea* Pic, 1916e: 15 (*Chreonoma*)  
*chinensis* Breuning, 1948e: 119 A: CH  
*comata* Gahan, 1901: 67 (*Chreonoma*) A: FUJ GUA GUI GUX HAI HKG YUN ZHE  
*cyaneoapicalis* Gressitt, 1939a: 112 (*Chreonoma*) A: GUA GUI HAI #168  
*dimidiata* Gressitt, 1940b: 224 (*Chreonoma*)  
*cyanipennis* Breuning, 1961i: 338 A: SCH  
*dioica* Fairmaire, 1878: 133 (*Astathes*) A: SCH SHA YUN **ORR**  
*fortunei flavicornis* Kano, 1933a: 291 (*Chreonoma*) A: TAI  
*fortunei fortunei* J. Thomson, 1857a: 58 (*Plaxomicrus*) A: ANH FUJ GAN GUA GUI GUX HEN HUB HUN JIA JIL JIX NC NIN QIN  
SC SCH SHA SHN SHX ZHE  
*obscuricollis* Pic, 1928: 21 (*Chreonoma*)  
*fortunei japonica* Gahan, 1901: 68 (*Chreonoma*) A: FUJ HUN JA NE  
*frontalis* Gahan, 1894a: 100 (*Chreonoma*) A: NP "North India"  
*guerryi* Pic, 1911d: 20 (*Astathes*) A: FUJ GUA GUX HUN JIX YUN **ORR** #119  
*apicalis* Pic, 1911d: 20 (*Astathes*)  
*nigronotata* Pic, 1912h: 21 (*Chreonoma*)  
*hoffmanni* Gressitt, 1939a: 113 (*Chreonoma*) A: GUA  
*klapperichi* Breuning, 1956c: 236 A: FUJ  
*kweichowensis* Breuning, 1959e: 174 A: GUI  
*pallens* S.-H. Chen, 1936c: 165 (*Chreonoma*) A: GUX HUB JIX #400  
*pallidiventrtris* J. Thomson, 1865: 559 (*Astathes*) A: HAI YUN **ORR**  
*aegrota* J. Thomson, 1865: 560 (*Astathes*)  
*pallidicolor* Pic, 1916d: 6 (*Chreonoma*)  
*rigida* Gressitt, 1941a: 141 (*Chreonoma*) A: SCH ZHE  
*rigida* Gressitt, 1942c: 6 (*Chreonoma*) [HN]  
*violaceoapicalis* Pic, 1923a: 14 (*Chreonoma*) A: GUX YUN **ORR**

**genus *Cleonaria* J. Thomson, 1864: 119** type species *Cleonaria bicolor* J. Thomson, 1864  
*taiwana* Hayashi, 1984: 36 A: TAI

**genus *Lasiophrys* Gahan, 1901: 71** type species *Lasiophrys latifrons* Gahan, 1901  
*latifrons* Gahan, 1901: 72 A: NP SD #343

**genus *Momisis* Pascoe, 1867b: 361** type species *Momisis aegrota* Pascoe, 1867  
*longicornis* Pic, 1912b: 10 (*Lasiophrys*) A: HAI  
*tinhsensis* Gressitt, 1940b: 226 (*Lasiophrys*)  
*longzhouensis* Hua, 1982: 53 A: GUX  
*monticola* Breuning, 1956f: 467 A: NP SD  
*submonticola* Breuning, 1968: 31 A: GUI **ORR** #119

**genus *Plaxomicrus* J. Thomson, 1857a: 57** type species *Plaxomicrus ellipticus* J. Thomson, 1857  
*ellipticus* J. Thomson, 1857a: 58 A: GUX HUB JIA NP SCH SHA SHG YUN ZHE **ORR**  
*ventralis* Gahan, 1901: 70  
*latus* Gahan, 1901: 70 A: BT NP YUN  
*nigriventris* Pu, 1991a: 208, 210 A: YUN  
*pallidicolor* Pic, 1912j: 15 A: GUX **ORR**  
*sikkimensis* Breuning, 1956f: 464 A: SD  
*szetschuanus* Breuning, 1956f: 463 A: SCH  
*violaceomaculatus* Pic, 1912b: 11 A: YUN **ORR**

**genus *Tetraophthalmus* Dejean, 1835: 347** type species *Cerambyx splendidus* Fabricius, 1793  
*Astathes* Newman, 1842c: 299 type species *Astathes perplexa* Newman, 1842  
*bimaculatus* Fabricius, 1793: 263 (*Cerambyx*) A: PA **ORR**

*externus* Pascoe, 1859: 46 (*Astathes*)  
*contentiosus* Pascoe, 1867b: 352 (*Astathes*) A: PA  
*episcopalis* Chevrolat, 1852: 418 (*Astathes*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX NC NMO SC  
 SCH SHA SHX TAI XIN ZHE  
*formosanus* Breuning, 1956f: 499 (*Astathes*) A: TAI  
*gibbicollis* J. Thomson, 1865: 559 (*Astathes*) A: "North India"  
*holorufus* Breuning, 1968a: 31 (*Astathes*) A: HKG **ORR**  
*janthinipennis cyanopterus* Gahan, 1900d: 353 (*Astathes*) A: HAI TAI **ORR**  
*janthinipennis flavus* Chiang, 1963: 68 (*Astathes*) A: YUN  
*janthinipennis janthinipennis* Fairmaire, 1895: 187 A: YUN **ORR**  
*janthinipennis yunnanensis* Breuning, 1956f: 500 (*Astathes*) A: YUN  
*japonicus* J. Thomson, 1857a: 51 A: "Himalaya"  
*sikang* Gressitt, 1941a: 142 (*Chreonoma*) A: SCH #713  
*sikanga* Gressitt, 1942c: 6 (*Chreonoma*)  
*splendidus* Fabricius, 1793: 263 (*Cerambyx*) A: CH **ORR**  
*decipiens* Pascoe, 1859: 46 (*Astathes*)  
*flavicornis* Pic, 1939f: 31 (*Astathes*)  
*splendidulus* Aurivillius, 1923a: 583 (*Astathes*)  
*violaceipennis* J. Thomson, 1857a: 53 A: GUX NP SD XIZ **ORR**

### tribe Batocerini J. Thomson, 1864

**genus *Apriona* Chevrolat, 1852: 414** type species *Lamia germari* Hope, 1831  
**subgenus *Apriona* Chevrolat, 1852: 414** type species *Lamia germari* Hope, 1831  
*Anapriona* Breuning, 1949b: 8 type species: *Apriona submaculosa* Pic, 1917  
*Cristapriona* Hua, 1986c: 209 type species *Apriona chemsaki* Hua, 1986  
*Cylindrapriona* Breuning, 1949b: 8 type species *Monochamus cylindricus* J. Thomson, 1857e  
*Humeroapriona* Breuning, 1949b: 8 type species *Lamia swainsoni* Hope, 1840  
*Mesapriona* Breuning, 1949b: 8 type species *Apriona punctatissima* Kaup, 1866  
*Parapriona* Breuning, 1948a: 17 type species: *Parapriona brunneomarginata* Breuning, 1948  
*chemsaki* Hua, 1986c: 209 A: JIX  
*cinerea* Chevrolat, 1852: 416 A: AF HP KA PA UP XIZ #274  
*newcombei* Gilmour, 1958: 112  
*germari germari* Hope, 1831: 28 (*Lamia*) A: AP BT HP NP SD XIZ **ORR** #280 #344 #366  
*cribrata* J. Thomson, 1878b: 57  
*deyrollei* Kaup, 1866: 7  
*germari parvigranula* J. Thomson, 1878b: 58 A: GUA HAI YUN **ORR**  
*rugicollis rugicollis* Chevrolat, 1852: 418 A: ANH FE FUJ GAN GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX JA LIA NC  
 SC SCH SHA SHN SHX TAI XIZ YUN ZHE  
*gressitti* Gilmour, 1958: 76  
*japonica* J. Thomson, 1878b: 59  
*plicicollis* Motschulsky, 1854a: 48  
*rugicollis nobuoi* Breuning & K. Ohbayashii, 1966: 32 A: JA (Ryukyus)  
*rugicollis yayeyamai* Breuning, 1976d: 739 A: JA (Ryukyus)  
*paucigranula* J. Thomson, 1878b: 58 A: SD YUN #280  
*sublaevis* J. Thomson, 1878b: 57 A: HAI GUX **ORR**  
*bicolor* Kriesche, 1920a: 193  
*swainsoni basicornis* Fairmaire, 1895: 185 A: HAI YUN **ORR**  
*swainsoni swainsoni* Hope, 1840: 79 (*Lamia*) A: AP BEI FUJ GUI HAI HEN JA JIA NC (Mt. Nangrim-san) SCH YUN **ORR**  
 #280 #698  
*daifungensis* Chiang, 1982: 41  
*kediana* W.-K. Wang, 1999: 125  
*trilineata* Chevrolat, 1852: 416 A: SD **ORR**  
*unidentata* Pic, 1936a: 16 A: GUI **ORR** #400 #433  
**genus *Batocera* Dejean, 1835: 341** type species *Cerambyx rubus* Linnaeus, 1758 #523  
*Megacriodes* Pascoe, 1866c: 259, 271 type species *Megacriodes saundersii* Pascoe, 1866 #218  
*Semibatocera* Kriesche, 1915: 115 type species *Batocera calana*, Parry, 1844 (= *Lamia calana* Parry, 1844)  
*Tyrannolamia* Kriesche, 1915: 115 type species *Batocera wallacei* J. Thomson, 1858  
*calanus* Parry, 1844: 454 [= 1845: 86] (*Lamia*) A: AP FUJ HAI HP SD XIZ YUN **ORR** #60 #366  
*bimaculata* Schwarzer, 1914: 280  
*fabricii* J. Thomson, 1878b: 54  
*guttata* Vollenhoven, 1871a: 110 (*Megacriodes*)  
*immaculata* Schwarzer, 1914: 280  
*narada* Kriesche, 1928: 45  
*parryi* Hope, 1845b: 77 (*Lamia*)  
 *davidis* H. C. Deyrolle, 1878: 131 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN SCH SHA TAI YUN ZHE **ORR**  
*henrietta* Kriesche, 1915: 138  
*obscura* Gilmour & Dibb, 1948: 38

- horsfieldii* Hope, 1839: 42 A: ANH AP BT FUJ GUA GUI GUX HEB HEN HUB HUN HP JIA JIL JIX KA NP PA SCH SD SC SHA  
SHN XIZ YUN ZHE **ORR** #274 #280 #390 #822
- adelpha* J. Thomson, 1859a: 77
- lineolata* Chevrolat, 1852: 417 A: ANH FUJ GUA GUI GUX HAI HEB HUB JA JIA JIX SC SCH SD SHA TAI YUN ZHE **ORR**
- catenata* Vollenhoven, 1871b: 215
- chinensis* J. Thomson, 1857e: 170
- flachi* Schwarzer, 1914: 280
- hauseri* Schwarzer, 1914: 280
- joannisi* Pic, 1901g: 28
- latealba* Pic, 1926i: 303
- variecollis* Schwarzer, 1925b: 60
- numitor* Newman, 1842b: 275 A: AP HAI NP SCH SD XIZ YUN **ORR** #280
- ajax* J. Thomson, 1858: 455
- ferruginea* J. Thomson, 1858: 456
- javanica* J. Thomson, 1859a: 83
- loki* Kriesche, 1915: 143
- palawanicola* Kriesche, 1928: 47
- rufopunctata* Breuning, 1956a: 1
- sumatrensis* Aurivillius, 1922b: 126 [RN]
- titana* J. Thomson, 1859a: 82
- punctata* Schwarzer, 1925b: 60 A: TAI
- quercinea* R.-Y. Wang, Zhang & F. Zheng, 1993: 59, 61 A: YUN
- roylii* Hope, 1833: 64 (*Lamia*) A: AP BT GUX HAI KA NP SD YUN **ORR** #280
- coreana* Kolbe, 1886: 238
- downesii* Hope, 1845b: 76
- ebenina* Vollenhoven, 1871b: 211
- orientalis* Kriesche, 1915: 119
- porus* Parry, 1844: 454 [= 1845: 86] (*Lamia*)
- princeps* L. Redtenbacher, 1844: 551
- rubus rubus* Linnaeus, 1758: 390 (*Cerambyx*) A: AP FUJ GUA GUI GUX HAI HKG JA (Ryukyus) NP PA SA SCH SHA SHX TAI TR  
UP YUN ZHE **ORR** #166 #218 #402 #525
- albofasciata* DeGeer, 1775: 106 (*Cerambyx*)
- albomaculata* Retzius, 1783: 138 (*Cerambyx*)
- bipunctata* Kriesche, 1915: 134
- dividopunctata* Gilmour & Dibb, 1948: 61
- downesii* Hope, 1845b: 76
- formosana* Kriesche, 1915: 136
- lombokensis* Breuning, 1947a: 16
- mniszechii* J. Thomson, 1859a: 79
- octomaculata* Fabricius, 1793: 290 (*Lamia*)
- palawana* Schwarzer, 1926a: 12
- punctatella* Kriesche, 1915: 135
- sabina* J. Thomson, 1878b: 52
- sarawakensis* J. Thomson, 1858: 452
- siporensis* Schwarzer, 1930: 122
- rufomaculata rufomaculata* DeGeer, 1775: 107 (*Cerambyx*) A: AP HKGi IS KA LE NP OM PA SD SI SY TR UP XIZ YE **AFR NTRI**  
**ORR** #189 #274 #280
- chlorinda* J. Thomson, 1857e: 171
- cruentata* Gmelin, 1790: 1863 (*Cerambyx*)
- diana* Nonfried, 1892b: 276
- flavescens* Gilmour & Dibb, 1948: 68
- kuntzeni* Kriesche, 1915: 139
- thysbe* J. Thomson, 1878: 52
- ushijimai* N. Ohbayashi, 1981: 47 A: TAI
- genus *Microcriodes* Breuning, 1943a: 14** type species *Microcriodes sikkimensis* Breuning, 1943
- cheni* Bi & Holzschuh, 2019: 52 A: XIZ
- ohbayashii* Bi & Holzschuh, 2019: 54 A: YUN **ORR**
- sikkimensis* Breuning, 1943a: 15 A: AP SD XIZ #280 #250
- wuchaoi* Bi & Lin, 2014: 5 A: XIZ

tribe Ceroplesini J. Thomson, 1860  
subtribe Ceroplesina J. Thomson, 1860

- genus *Ceroplesis* Audinet-Serville, 1835a: 93** type species *Lamia aethiops* Fabricius, 1775
- Moecha* J. Thomson, 1860: 96 type species *Lamia molator* Fabricius, 1787
- aestuans* Olivier, 1800: 123 (*Cerambyx*) N: MO **AFR** #373
- aegyptiaca* Gilmour, 1956c: 753
- dakarensis* Fiedler, 1938: 591
- guineensis* Hintz, 1920: 165
- nigerica* Fiedler, 1938: 592

*ornata* Hintz, 1920: 165  
*senegalensis* Fiedler, 1938: 591  
*ubangiensis* Fiedler, 1938: 592  
*elegans* Gestro, 1889: 70 A: SA YE  
*millingeni* Pic, 1895c: 77 A: SA YE

**genus *Thysia* J. Thomson, 1860: 96** type species *Lamia wallichii* Hope, 1831  
*Thysiotis* J. Thomson, 1868c: 201 [RN] type species *Lamia wallichii* Hope, 1831  
*wallichii tonkinensis* Kriesche, 1924: 289 (*Diastocera*) A: GUA GUX **ORR**  
*dalatenis* Breuning, 1968a: 27 (*Diastocera*)  
*savioi* Yen, 1932: 165 (*Diastocera*)  
*wallichii wallichii* Hope, 1831: 27 (*Lamia*) A: AP GUI HP NP PA SD SCH UP YUN **ORR**  
*insularis* Fisher, 1935: 609 (*Diastocera*)  
*tricincta* Duncan, 1835: 254 (*Lamia*)  
*trivittata* Gistel & Bromme., 1850: 624 (*Ceroplesis*)

#368 #369

**genus *Titoceres* J. Thomson, 1868d: 201** [RN] type species *Ceratites jaspidea* Audinet-Serville, 1835  
*Ceratites* Audinet-Serville, 1835a: 34 [HN] type species *Ceratites jaspidea* Audinet-Serville, 1835  
*Paratitoceres* Breuning, 1962g: 235 type species *Paratitoceres arabicus* Breuning, 1962  
*arabicus* Breuning, 1962g: 235 (*Paratitoceres*) A: SA YE  
*jaspideus* Audinet-Serville, 1835a: 35 (*Ceratites*) N: **AG EG MO** A: OM SA YE **AFR**

#### subtribe Crossotina J. Thomson, 1864

**genus *Biobessa* Gahan, 1898: 56** type species *Biobessa beatrix* Gahan, 1898  
*holzschuhi* Téocchi, 1992: 304 A: SA YE

**genus *Crossotus* Audinet-Serville, 1835a: 52** type species *Lamia plumicornis* Audinet-Serville, 1835  
*Crossotides* Hintz, 1912: 192 type species *Crossotides meridionalis* Hintz, 1912  
*albicollis* Guérin-Méneville, 1844: 249 N: MO **AFR**  
*obtus* Hintz, 1912: 194

*senegalensis* Breuning, 1950i: 525  
*arabicus* Gahan, 1896: 458 A: OM ?SA YE

#774

[*erlangeri erlangeri* Hintz, 1912: 195 **AFR**]

#774

*erlangeri saudicola* Téocchi, 1992: 304 A: YE SA

*kadlecii* Sama & Sudre, 2010: 953 A: JE

*katbeh* Sama, 2000b: 107 A: IS JO ?SA YE

#774

*strigifrons* Fairmaire, 1886a: 457 (*Dichosthates*) N: **AG EG LB MO** A: IS JO OM SA SI YE **AFR**

*albicans* Breuning, 1942a: 145

*nebulosus* Fairmaire, 1892a: 124 (*Dichosthates*)

*sublineatus* Gestro, 1892: 788 N: AG MO **A: SA AFR**

#774

*subocellatus subocellatus* Fairmaire, 1886a: 458 (*Dichosthates*) **A: YE SA SI** N: EG **AFR**

#774 #778

*phillippsi* Gahan, 1896: 458

*subocellatus heimschi* Peyerimhoff, 1923b: 318 N: **AG LB MO AFR**

#778

*tamer* Sama & Rapuzzi, 2006: 188 N: EG

*tubericollis* Fairmaire, 1891: 271 (*Dichosthates*) N: MO **AFR**

*bimaculatus* Aurivillius, 1903: 323

*robustus* Jordan, 1894a: 236

*vittatus* Aurivillius, 1914: 30

*vagepictus* Fairmaire, 1886a: 456 A: SA **AFR**

*adenensis* Breuning, 1969f: 665

*lateralis* Hintz, 1912: 194

*niveicollis* Hintz, 1912: 194

*obliquevittatus* Breuning, 1940c: 166

*xanthoneurus* Sama, 2000a: 92 A: IS JO SI

**genus *Ecyroschema* J. Thomson, 1864: 48** type species *Ecyroschema favosum* J. Thomson, 1864  
*favosa* J. Thomson, 1864: 48 A: YE **AFR**

**genus *Gasponia* Fairmaire, 1892a: 123** type species *Gasponia gaurani* Fairmaire, 1892  
*gaurani* Fairmaire, 1892a: 123 A: YE **AFR**

**genus *Lamidorcadion* Pic, 1934g: 33** type species *Lamidorcadion annulipes* Pic, 1934  
*Lamidorcadion*, Breuning, 1950: 161, 196.

#688

*annulipes* Pic, 1934g: 34 A: CHQ SCH ~~YUN XIZ~~

#688

*brunneum* Bi, 2022: 206 A: GUI

*jintengi* Bi, 2022: 207 A: YUN

*minutipunctatum* Bi, 2022: 206 A: HUB HUN



*simile* Bi, 2022: 210 A: YUN  
*subtuberosum* Bi, 2022: 208 A: GUI YUN  
*tuberosum* Holzschuh, 1993a: 47 A: YUN

**genus *Moechohecyra* Breuning, 1938c: 231** type species *Moechohecyra indica* Breuning, 1938 [by original designation]  
*arctifera* W.-K. Wang & Jiang, 2002a: 52 A: GUI YUN  
*verrucicollis* Gahan, 1894a: 60 (*Moechotypa*) A: NP **ORR** #338

**genus *Moechotypa* J. Thomson, 1864: 55** type species *Moechotypa arida* J. Thomson, 1864 (= *Niphona suffusa* Pascoe, 1862)

*Scotinauges* Pascoe, 1871: 277 type species *Scotinauges diphysis* Pascoe, 1871  
*Tylophorus* Blessig, 1873: 213 type species *Tylophorus wulffiusi* Blessig, 1873  
*alboannulata* Pic, 1934a: 13 A: GUI GUX HUN SCH  
*asiatica* Pic, 1903g: 121 (*Hecyrida*) A: GUI GUX NP SD UP YUN **ORR** #127  
*sikkimensis* Breuning, 1936: 324  
*delicatula* White, 1858a: 268 (*Nyphona*) A: GUI GUX HAI HUN SCH TAI YUN ZHE **ORR**  
*elongata* Pic, 1925b: 29  
*diphysis* Pascoe, 1871: 277 (*Scotinauges*) A: ANH FE GAN GUI GUX HEB HEI HEN HUB HUN JA JIL JIX LIA NC NMO SC SCH  
SHA SHX ZHE #521  
*dauidis* Fairmaire, 1887c: 328  
*fuliginosa* Kolbe, 1886: 221  
*wulffiusi* Blessig, 1873: 215 (*Tylophorus*)  
*formosana* Pic, 1917e: 7 (*Hecyrida*) A: TAI  
*nigricollis* W.-K. Wang & Jiang, 2000c: 185 A: YUN  
*paraformosana* Breuning, 1979a: 46 [RN] A: TAI  
*formosana* Breuning, 1974j: 372 [HN]  
*semenovi* Heyrovský, 1934c: 172 A: SCH #523  
*suffusa* Pascoe, 1862a: 336 (*Niphona*) A: HAI YUN **ORR**  
*arida* J. Thomson, 1864: 55  
*thoracica* White, 1858a: 266 (*Nyphona*) A: SD  
*infasciculata* Pic, 1926b: 7  
*tuberculicollis* W.-K. Wang & Jiang, 2000c: 186 A: GUI YUN  
*uniformis* Pic, 1922c: 14 (*Hecyrida*) A: GUX **ORR**

**genus *Paramoechotypa* Breuning, 1938c: 230** type species *Paramoechotypa fasciculata* Breuning, 1938  
*fasciculata* Breuning, 1938c: 230 A: BT

#### tribe Dorcadionini Swainson, 1840

#778

**genus *Dorcadion* Dalman, 1817a: 397** type species *Cerambyx glycyrrhizae* Pallas, 1773  
**subgenus *Acutodorcadion*** Danilevsky, Kasatkin & Rubenyan, 2005: 135 type species *Dorcadion acutispinum* Motschulsky, 1860  
*absinthium absinthium* Plavilstshikov, 1937a: 30 A: KZ  
*absinthium ishkovi* Kadyrbekov, 2004: 94 A: KZ  
*acutispinum* Motschulsky, 1860c: 310 [= 1860d: 304] A: KZ  
*alexandris* Pic, 1900l: 56 A: KZ  
*luteolum* Suvorov, 1910b: 63  
*staudingeri* Pic, 1900k: 29 [HN]  
*arietinum arietinum* Jakovlev, 1898: 678 A: KZ  
*arietinum charynense* Danilevsky, 1996f: 610 A: KZ  
*arietinum chilikense* Danilevsky, 1996f: 611 A: KZ  
*arietinum ketmeniense* Danilevsky, 1996f: 613 A: KZ XIN  
*arietinum lucae* Pic, 1898f: 42 A: XIN  
*arietinum phenax* Jakovlev, 1899c: 68 A: KZ XIN  
*strandii* Plavilstshikov, 1931b: 274  
*arietinum zhalanash* Danilevsky, 1996f: 614 A: KZ  
*ataense ataense* Pic, 1901e: 18 (= *mystacinum* auct. not Ballion, 1878) ["Aulie-Ata"] A: KI KZ ?UZ #539  
*kusnezovi* Jakovlev, 1906b: 40 [Aulie-Ata]  
*ataense pumilio* Plavilstshikov, 1951: 114 A: KZ  
*ataense rufidens* Jakovlev, 1906b: 39 A: KZ  
*borochorensis* Breuning, 1944: 11 A: XIN  
*hornianum* Plavilstshikov, 1958a: 394  
*danilevskiyi* Dolin & Owtschinikov, 1999: 97 A: KI (Sussamyr Valley)  
*darjae darjae* Danilevsky, 2001f: 632 A: KI (Chong-Kemin Canyon)  
*darjae keminum* Danilevsky & Rubenyan, 2021: 1100 A: KI  
*darjae kungeyense* Danilevsky & Rubenyan, 2021: 1099 A: KI  
*globithorax* Jakovlev, 1895a: 288 A: KZ  
*grande* Jakovlev, 1906b: 42 A: KZ  
*irinae* Danilevsky, 1997c: 59 A: KZ

*kapchagaicum* Danilevsky, 1996d: 413 A: KZ  
*kastekum aktyuzum* Danilevsky & Rubenyan, 2021: 1102 A: KI  
*kastekum kastekum* Danilevsky, 1996d: 415 [Kastek Pass] A: KI KZ  
*kastekum kichikeminum* Danilevsky & Rubenyan, 2021: 1101 A: KI  
*koramense* Danilevsky, 1999b: 32 A: KZ #725  
*leopardinum* Plavilstshikov, 1937a: 28 A: XIN  
*mystacinum* Ballion, 1878: 369 A: XIN #539  
*natali* Abramov, 2019: 118 A: KZ  
*nikolaevi aizhan* Kadyrbekov, 2022: 10 A: KZ  
*nikolaevi nikolaevi* Danilevsky, 1995b: 420 A: KZ  
*ninae* Danilevsky, 1995b: 422 A: KZ  
*nivosum* Suvorov, 1913: 66 (*Compsodorcadion*) A: KZ (Sarybel env.)  
*optatum alamedinum* Danilevsky, 2023: 251 (Alamedin River Canyon) A: KI  
*optatum kadyrbekovi* Danilevsky, 1999b: 20 A: KI  
*optatum matthieseni* Suvorov, 1910b: 66 A: KI  
*luctuosum* Suvorov, 1913: 76  
*optatum optatum* Jakovlev, 1906b: 38 A: KI KZ  
*optatum toropyginae* Danilevsky, 1999b: 22 A: KI (Ala-Archa Canyon)  
*optatum vallesum* Danilevsky, 1999b: 27 A: KI  
*pantherinum desertum* Danilevsky, 1995b: 427 A: KZ  
*pantherinum ludmilae* Abramov, 2018: 37 A: KZ (low Syr Darya Valley)  
*pantherinum pantherinum* Jakovlev, 1899b: 147 A: KZ  
*pantherinum sabulosum* Danilevsky, 1995b: 426 A: KZ (Kzyl-Orda env.)  
*pantherinum shamaevi* Danilevsky, 1995b: 427 A: KZ (Kapchagay)  
*pelidnum* Jakovlev, 1906b: 38 A: KI  
*profanifuga* Plavilstshikov, 1951: 113 A: KZ  
*songaricum drumonti* Danilevsky, 2023: 218 A: XIN  
*songaricum songaricum* Ganglbauer, 1884: 477 A: KZ  
*ininterruptum* Pic, 1897f: 94  
*suvorovi karachokense* Danilevsky, 1996e: 459 A: KZ  
*suvorovi konyrolenum* Danilevsky, 1996e: 458 A: KZ  
*suvorovi kugalyense* Danilevsky, 2023: 224 (N Altyn-Emel Mts)  
*suvorovi sholakense* Danilevsky, 2023: 223 (Ili valley, Sholak Mts)  
*suvorovi suvorovi* Jakovlev, 1906c: 274 A: KZ (Usek River Valley)  
*suvorovi tekeliense* Danilevsky, 1996e: 459 A: KZ  
*suvorovianum suvorovianum* Plavilstshikov, 1915b: 80 [RN] A: KZ  
*formosum* Suvorov, 1910b: 65 [HN]  
*taldykurganum* Danilevsky, 1996e: 461 A: KZ (Taldy-Kyrgan env.) #725  
*tianshanense* Breuning, 1947d: 142 A: XIN  
*tianshanskii algaense* Danilevsky, 2012i: 12 A: KZ  
*tianshanskii euzhaisanicum* Danilevsky, 2012i: 20 A: KZ  
*tianshanskii heptapotamicum* Plavilstshikov, 1951: 115 A: KZ  
*tianshanskii otariense* Danilevsky, 2012i: 13 A: KZ  
*tianshanskii parapumilio* Danilevsky, 2012i: 15 A: KZ  
*tianshanskii radkevitshi* Suvorov, 1910b: 61 A: KZ (Chu-Ily Mts)  
*tianshanskii terminum* Danilevsky, 1999b: 23 A: KZ  
*tianshanskii tianshanskii* Suvorov, 1910b: 67 A: KZ  
*tibiale* Jakovlev, 1889: 250 (*Compsodorcadion*) A: KI XIN  
*toropovi* Danilevsky, 1999b: 34 A: KI (Kuvaki Pass)  
*tschitscherini* Jakovlev, 1899b: 153 A: KZ  
*tshitsherini* Plavilstshikov, 1958a: 294, 387 [unjustified emendation]  
*unidiscale* Danilevsky, 1996d: 416 A: KZ (Kaskelen Canyon)  
*urdzharicum* Plavilstshikov, 1937a: 29 A: KZ (Tarbagatay above Urdzhar)  
*zhaisanicum* Shapovalov, 2007: 72 [“north-west part of Chu-Ili mountains”] A: KZ  
**subgenus** *Carinatodorcadion* Breuning, 1943d: 524 type species *Cerambyx carinatus* Pallas, 1771 #46  
*aethiops aethiops* Scopoli, 1763: 53 [Ljubljana] (*Cerambyx*) E: AL AU BU CR CZ GE GR HU MC MD RO SB SK SL SZ TR UK  
*bergmanni* Tippmann, 1958b: 151  
*morio* Fabricius, 1787: 141 (*Lamia*)  
*scopolii* Gmelin, 1790: 1835 (*Cerambyx*)  
*aethiops asenovi* Danilevsky, 2014c: 253 E: BU [Asenovgrad]  
*aethiops balthasari* Heyrovský, 1962b: 225 E: AL (Shkodër, Tirana, Sauk) #571  
*aethiops laevipunctatum* Breuning, 1944a: 14 E: AL (Mali i Thate) MC #571  
*aethiops maderi* Breit, 1923: 147 E: AL (Vora, Kruja, Elbasan) #571  
*aethiops majoripenne* Pic, 1926d: 13 [Saloniki] E: GR #294

*aethiops propinquum* Breuning, 1962a: 517 [Kozani] E: GR #294  
*aethiops sterbai* Breuning, 1944a: 14 E: AL (Moskopolje=Voskopoje, Kulmak) #571  
*aethiops strumense* Danilevsky, 2014c: 252 E: BU (Petrich, Drangovo) GR (Serres) #141  
*carinatum carinatum* Pallas, 1771: 465 (*Cerambyx*) E: CT MD KZ ST UK A: KZ  
*pigrum* Schoenherr, 1817a: 398 (*Lamia*)  
*carinatum cylindraceum* Reitter, 1886: 69 E: ST A: AB  
*carinatum igrenum* Danilevsky, 1998b: 137 E: UK (Dnepropetrovsk area)  
*carinatum sunzhenum* Danilevsky, 1998b: 138 E: ST (Northern Ossetiya)  
*carinatum uralense* Danilevsky, 1998b: 138 A: KZ (Kara-Tugay and Mugodzhary Mts) WS (south of Orenburg Reg.)  
*cervae* Frivaldszky, 1892b: 133 E: HU SL  
*fulvum erythropterum* Fischer von Waldheim, 1823: Tab. L - 7 E: AU CZ MD RO PL SK TR UK #560  
*canaliculatum* Fischer von Waldheim, 1824: 240  
*opillicum* Zamoroka, 2019: 365 #560  
*fulvum fulvum* Scopoli, 1763: 53 (*Cerambyx*) E: AL BH BU CR HU MC SB SL UK  
*freyi* Tippmann, 1958b: 158  
*frontale* Mulsant & Rey, 1863: 154  
*kulzeri* Tippmann, 1958b: 158  
*nigripenne* Fleischer, 1894: 121  
*rugipenne* Tippmann, 1958b: 155  
*sanguinolentum* Scopoli, 1772: 99 (*Prionus*)  
*fulvum heracles* Vartanis, 2024a: 47 E: GR #749  
*fulvum odessum* Lazarev, 2024f: 147 E: UK  
*hybridum hedvigae* Jureček, 1933: 127 E: GR  
*hybridum hybridum* Ganglbauer, 1884: 441 E: GR TR  
*ingae* Peks, 1993: 3 E: TR  
**subgenus Cribridorcadion** Pic, 1901b: 12 type species *Dorcadion mniszehi* Kraatz, 1873 #46  
*Autodorcadion* Plavilstshikov, 1958a: 45 type species *Cerambyx arenarius* Scopoli, 1763  
*Bergerianum* Pesarini & Sabbadini, 2004c: 150 type species *Dorcadion chrysochroum* Breuning, 1943  
*Dzhungarodorcadion* Danilevsky, 1993c: 47 type species *Dorcadion jacobsoni* Jakovlev, 1899  
*Pedestredorcadion* Breuning, 1943d: 526 type species *Lamia pedestris* Poda von Neuhaus, 1761  
*abstersum* Holzschuh, 1982a: 75 A: TR  
*accola* Heyden, 1894: 87 A: TR  
*glabrolineatum* Pic, 1927e: 6  
*mardinense* Pic, 1900c: 6 #584  
*afflictum* Pesarini & Sabbadini, 1999: 54 A: TR  
*akpazarense* Bernhauer & Peks, 2015: 453 A: TR  
*akpinarense* Bernhauer & Peks, 2010a: 196 A: TR  
*albolineatum* Küster, 1847a: 86 A: TR  
*byzantinum* J. Thomson, 1867a: 69  
*albonotatum* Pic, 1895b: 39 A: TR  
*albosuturale* Breuning, 1962a: 351 E: AL GR MC  
*amanense* Breuning, 1943b: 94 A: TR  
*amphissae* Breuning, 1974g: 153 E: GR  
*anachoreta* Pesarini & Sabbadini, 2013b: 34 E: GR  
*anatolicum* Pic, 1900g: 12 A: TR  
*brevipenne* Pic, 1902c: 10  
*chehirense* Pic, 1902c: 10  
*ininterruptum* Pic, 1900g: 13 [HN]  
*mediointerruptum* Pic, 1901p: 73  
*subuniforme* Pic, 1902j: 27  
*andirinense* Bernhauer & Peks, 2011b: 218 A: TR #54 #125  
*amaliae* Pesarini & Sabbadini, 2013a: 55 #54 #125  
*apicecontiguum* Özdikmen & Tezcan, 2021: 119 A: TR  
*apicipenne* Jakovlev, 1899b: 61 A: XIN #605  
*apicerufum* Breuning, 1943b: 91 [RN] A: AB AR GG ?IN TR  
*sanguinolentum* J. Thomson, 1865: 548 [HN]  
*thomsonianum* Plavilstshikov, 1948: 126 [RN]  
*aracense* Bernhauer & Peks, 2011a: 204 A: TR  
*arcivagum* J. Thomson, 1867c: 121 A: TR  
*cilicium* Pic, 1904a: 4  
*ardahense* Breuning, 1975c: 10 A: TR  
*arenarioides* Rabaron, 1979: 11 E: GR  
*arenarium abruptum* Germar, 1839: 18 E: AL BH CR #117  
*arenarium arenarium* Scopoli, 1763: 53 (*Cerambyx*) E: CR IT RO SL SK #180  
*beszedesi* Depoli, 1926a: 11  
*istriatum* Depoli, 1912: 37, 40  
*liburnicum* Depoli, 1912: 37, 39  
*sabandum* Pic, 1945b: 7

*vittigerum* Panzer, 1797: 24 (*Lamia*)  
*arenarium brattiense* J. Müller, 1905: 135 E: BH CR  
*arenarium dalmatinum* J. Müller, 1905: 134 E: BH CR  
*arenarium hypsophilum* J. Müller, 1905: 135 E: AL BH CR ME #117  
*arenarium lemniscatum* Küster, 1847a: 89 E: BH CR  
*mostarense* Pic, 1942a: 1  
*arenarium marsicanum* Fracassi, 1905: 112 (Abruzzi) E: FR IT #671  
*berytense* Breuning, 1964c: 31 (Beiruth) #324  
*fuscovestitum* Pic, 1905a: 11  
*subcarinatum* J. Müller, 1905: 139  
*arenarium muelleri* Depoli, 1912: 37, 40 E: BH CR  
*arenarium rubrimembris* Pic, 1917g: 6 [RN] E: AL BH CR ME  
*rubripes* J. Müller, 1905: 135 [HN]  
*arenarium shkypetarum* Heyrovský, 1937b: 91 E: AL #117  
*arenarium velebiticum* J. Müller, 1905: 140 E: BH CR  
*ariannae* Pesarini & Sabbadini, 2008: 115 E: GR  
*artemi* Lazarev, 2019d: 470 A: AR (near north-west shore of Lake Sevan)  
*auratum* Tournier, 1872: 291 A: GG  
*lederi* Kraatz, 1878a: 217 [1878c: 353]  
*avgadiense* Bernhauer & Peks, 2011b: 215 A: TR  
*axillare* Küster, 1847a: 88 E: BU RO  
*kraatzi* Tournier, 1872: 281  
*varnanum* Pic, 1926d: 13  
*bangi bangi* Heyden, 1894: 89 A: TR  
*bangi heinzorum* Braun, 1975a: 17 A: TR  
*bangi roridum* Pesarini & Sabbadini, 1999: 55 A: TR  
*banjkovskiyi* Plavilstshikov, 1958a: 147 A: TR  
*basale* Kraatz, 1873a: 86 A: TR  
*kagzmanicum* Suvorov, 1915: 120  
*beckeri* Kraatz, 1873a: 71 E: ST (Dagestan planes) A: AB #725  
*beloni* Pic, 1891l: lxxvii A: TR  
*biforme* Kraatz, 1873a: 53 A: IN  
*discomaculatum* Pic, 1905k: 187  
*bisignatum* Jakovlev, 1899c: 66 A: ?GG TR  
*bistriatum* Pic, 1898h: 55 A: AB AR  
*bithyniense* Chevrolat, 1856a: 88 A: TR  
*serotinum* J. Thomson, 1865: 549  
*blanchardi* Mulsant & Rey, 1863: 147 A: IN TR  
*bodemeyeri* K. Daniel, 1900: 140 A: TR  
*boluense boluense* Breuning, 1962c: 38 A: TR  
*boluense corallinum* Pesarini & Sabbadini, 1999: 53 A: TR  
*boluense imitator* Pesarini & Sabbadini, 1999: 53 A: TR  
*boszdaghense* Fairmaire, 1866b: 275 A: TR  
*grammophilum* J. Thomson, 1867a: 70  
*boucardi* Pic, 1942c: 6 A: ?SY TR  
*brauni* Breuning, 1979b: 92 A: TR  
*bremeri* Breuning, 1981c: 181 A: TR  
*brenskii* Ganglbauer, 1884: 450 [RN] E: GR  
*aeginasum* Pic, 1942c: 6  
*apicale* Kraatz, 1873a: 76 [HN]  
*nemeense* Breuning, 1974g: 151  
*breuningii* Heyrovský, 1943: 78 E: GR TR  
*brunneicolle* Kraatz, 1873a: 37 A: IN  
*casvinense* Pic, 1905e: 392  
*jakovlevi* Semenov, 1905: 144  
*subfulvestitum* Pic, 1914b: 8  
*brunoi* Breuning, 1964c: 31 A: LE  
*bulgharmaadense* Breuning, 1946: 116 A: TR  
*buressi* Štěrba, 1922: 2 E: GR  
*cachinno* J. Thomson, 1867c: 120 A: TR  
*immersum* Tournier, 1872: 281  
*cağlayanceritense* Bernhauer & Peks, 2013a: 314 A: TR  
*caprai caprai* Breuning, 1950: 303 A: IN  
*caprai completetomentosum* Breuning, 1974f: 133 (*Pedestredorcadion*) A: IN  
*carinipenne* Pic, 1900g: 13 A: TR  
*caspiense* Breuning, 1956k: 723 A: AB  
*catenatum bleusei* Pic, 1899c: 300 E: GR (Rhodes)

*diversejunctum* T. Pic, 1907: 179 (I'le de Chio)  
*rhodicum* Depoli, 1924: 43  
*catenatum catenatum* Walzl, 1838: 469 (Türkei) A: TR  
*bonyi* Pic, 1942b: 1 (Syrie)  
*divisum* Germar, 1839: 15 (Turcia)  
*dorsale* T. Pic, 1907: 179 (Smyrne)  
*mancum* Gistel, 1848: 431 (Syrien)  
*smyrnanum* Breuning, 1946: 106  
*smyrnense* Pic, 1917a: 10  
*subobliteratum* T. Pic, 1899: 351 (Kleinasien)  
*uninterruptum* T. Pic, 1899: 351 (Smyrna)  
*catenatum dissimile* Ganglbauer, 1884: 458 E: TR  
*catenatum gashtarovi* Sama, Dascalu & Pesarini, 2010: 287 E: BU RO #738  
*catenatum intercisum* Kraatz, 1873a: 66 A: TR  
*catenatum loratum* J. Thomson, 1867c: 123 A: TR  
*catenatum mytilenense* Kraatz, 1873a: 66 E: GR (Lesbos)  
*latevittatum* Kraatz, 1873a: 66  
*sparsedivisum* Pic, 1911e: 185 - Metelin (Mytilene)  
*catenatum oedemischense* Heyrovský, 1932: 104 A: TR  
*catenatum stefani* Özdikmen & Tezcan, 2020h: 550: A: TR  
*catenatum thebesianum* Pic, 1942a: 1 E: GR (Thèbes) #810  
*charlottae* Lukat, 2019: 287 E: GR  
*chopardi* Breuning, 1948c: 60 A: IN  
*chrysochroum* Breuning, 1943b: 95 E: GR  
*cinctellum* Fairmaire, 1866b: 272 A: TR  
*cinerarium adygorum* Lazarev, 2011c: 276 E: ST (Adygea)  
*cinerarium azovense* Lazarev, 2011c: 281 E: UK (Berdyansk env.) #648  
*cinerarium bartenevi* Lazarev, 2011c: 287 E: UK (Crimea: Tarkhancut Cape) #648  
*cinerarium belousovi* Lazarev, 2011c: 280 ["Kuba District, Velvelichay River"] A: AB  
*cinerarium cinerarium* Fabricius, 1787: 140 (*Lamia*) E: ?CT MD ST UK  
*rubripes* Krynicki, 1832: 160  
*tricolor* Fischer von Waldheim, 1805 [1806]: 15 (*Lamia*)  
*cinerarium demidovi* Danilevsky, 2013e: 429 E: MD (Purkary) UK (Odessa Reg., Nikolaev Reg.) #648  
*cinerarium deniz* Lazarev, 2011c: 279 A: AB (Baku env.)  
*cinerarium gorodinskii* Danilevsky, 1996c: 65 E: UK (Kherson Reg. and Zaporozhye Reg.) #648  
*cinerarium macropoides* Plavilstshikov, 1932b: 183 E: UK (Kharkov Reg.) #648  
*cinerarium mosyakini* Danilevsky, 2021f: 1082 E: UK #648  
*cinerarium napolovi* Lazarev, 2011c: 279 A: AB (Shemakha env.)  
*cinerarium novorossicum* Lazarev, 2015: 1109 E: ST (Novorossiysk env.: Gayduk, Verkhnebakanskaya)  
*cinerarium okhrimenkoi* Danilevsky, 2016c: 8 E: ST (Krasnodar Region: Belyi env.)  
*cinerarium panticapaeum* Plavilstshikov, 1951: 116 E: UK (E Crimea) ST (Taman Peninsula)  
*cinerarium papayense* Lazarev, 2014a: 277 E: ST (Krasnodar Reg.: Papay Mt.)  
*cinerarium perroudi* Pic, 1942b: 2 E: UK (most of Crimea)  
*cinerarium sindorum* Lazarev, 2011c: 284 E: ST (Anapa env.: Kumatyr and Shkuratka river)  
*cinerarium skrylniki* Lazarev, 2011c: 282 E: UK (Melitopol env.) #648  
*cinerarium smetanai* Lazarev, 2011c: 281 E: ST (Karachay-Cherkessia and Kabardino-Balkar republics)  
*cinerarium terkense* Lazarev, 2011c: 276 E: ST (Chechnya)  
*cinerarium veniamini* Lazarev, 2011c: 275 E: ST (Krasnodar Reg., Markotkh Ridge)  
*cinerarium zubovi* Lazarev, 2011c: 274 E: MD #633 #648  
*cineriferum* Suvorov, 1910a: 290 A: AB AR  
*cingulatoides cingulatoides* Breuning, 1946: 122 A: IN  
*cingulatoides hassani* Danilevsky, 2010f: 8 A: IN  
*cingulatum* Ganglbauer, 1884: 484 A: IN TR  
*persianum* Breuning, 1943b: 94  
*ursulaheinsi* Bernhauer, 2015: 13 #517 #538  
*ciscaucasicum abramovi* Lazarev, 2009b: 14 E: ST (Taman Peninsula)  
*ciscaucasicum ciscaucasicum* Jakovlev, 1899c: 59 E: ST (Stavropol Reg. and Kalmykia)  
*borodini* Suvorov, 1915: 118  
*ciscaucasicum mokrzechkii* Jakovlev, 1902: 148 E: UK (Kerch Peninsula)  
*coiffaiti* Breuning, 1962a: 392 A: TR  
*complanatum* Ganglbauer, 1884: 485 A: IN  
*condensatum* Küster, 1852: 92 E: BU TR A: TR  
*adampolum* Pic, 1917g: 6  
*inlineatum* Pic, 1917g: 6  
*punctatissimum* Ganglbauer, 1884: 94  
*confluens* Fairmaire, 1866b: 274 A: TR  
*subobscuripes* Pic, 1914b: 9



*conspersum* Pesarini & Sabbadini, 2013a: 56 A: TR  
*corcyricum* Ganglbauer, 1884: 453 E: GR  
*crassicolle* Pesarini & Sabbadini, 2007b: 57 E: GR  
*crux* Billberg, 1817: 175 (*Lamia*) A: TR  
*bifidum* Chevrolat, 1882: 60  
*biinterruptum* Pic, 1901d: 19  
*brevedisjunctum* Pic, 1929b: 9  
*cruciator* Gistel, 1848a: 131  
*graecum* Walth, 1838: 470  
*grandevittatum* Pic, 1904b: 7  
*integrofasciatum* K. Daniel, 1900: 140  
*lateargenteum* Pic, 1929b: 9  
*lunulatum* Pic, 1900g: 12  
*niveopictum* K. Daniel, 1900: 140  
*smirnenis* Linnaeus, 1757: 411 (*Cerambyx*) [not available name] #754  
*smyrnenis* Linnaeus, 1762: 451 (*Cerambyx*) [not available name] #754  
*smyrnenis* Linnaeus, 1766: 229 (*Cerambyx*) [not available name] #754  
*subfurcatum* Pic, 1914b: 9  
*culminicola* J. Thomson, 1867c: 122 A: TR  
*czegodaevi* Danilevsky, 1992b: 110 A: AB  
*czipkai* Breuning, 1973a: 54 A: IN  
*danczenkoi* Danilevsky, 1996d: 417 A: AB (Talysh) IN  
*darakiense* Faizi & Nozari, 2020: 595 A: IN  
*daratshitshagi* Suvorov, 1915: 120 A: AR (Tsakhkadzor env.)  
*decipiens* Germar, 1824: 486 (*Lamia*) E: BU HU MD RO SB SL UK #506 #561  
*jacqueti* Pic, 1902c: 10  
*delagranei* Pic, 1894g: 110 A: TR  
*fuscopubescens* Pic, 1900g: 12  
*deyrollei deyrollei* Ganglbauer, 1884: 482 [Bitlis] A: TR  
*deyrollei opacum* Pesarini & Sabbadini, 2013a: 54 [Ahir Dag, Akyokuş Geçidi] A: TR  
*dimidiatum dimidiatum* Motschulsky, 1838: 186 A: AB AR GG IN TR  
*degaullei* Pic, 1948: 13  
*erivanicum* Pic, 1901r: 91  
*transitorium* Pic, 1948: 13  
*dimidiatum kelkiticum* Özdikmen & Hasbenli, 2004: 23 A: TR #15  
*dimidiatum korgei* Breuning, 1966b: 21 A: TR  
*discodivisum* Pic, 1939c: 21 A: IN  
*dokhtouroffi* Ganglbauer, 1886b: 130 A: KI TD UZ #21  
*dokhturovi* Plavilstshikov, 1958a: 51, 145 [unjustified emendation]  
*subcostatum* Heyden, 1887b: 323  
*drusoides* Breuning, 1962a: 375 A: SY TR  
*drusum* Chevrolat, 1870: 84 A: IS LE SY  
*apicale* Chevrolat, 1873: 205 [HN]  
*libanoticum* Kraatz, 1873a: 100  
*perrini* Fairmaire, 1881: 88  
*tarabuliense* Ganglbauer, 1889d: 481  
*eflaniense* Bernhauer & Peks, 2011a: 205 A: TR  
*elbursense* Breuning, 1943b: 93 A: IN  
*elegans* Kraatz, 1873a: 73 E: CT KZ ST UK A: KZ WS  
*vicinum* Pic, 1892f: 91  
*enricisturanii densepunctatum* Braun, 1978a: 107 A: TR  
*enricisturanii enricisturanii* Breuning & Ruspoli, 1971: 127 [montagne au sud-est de Tosya, route de Çorum] A: TR  
*equestre bernhauerorum* Peks, 2010: 213 A: TR #296  
*equestre bisuturale* Jureček, 1933: 128 [Griechenland, Bos-Dahr-Gebirge bei Drama] E: BU GR TR  
*equestre equestre* Laxmann, 1770: 596 (*Cerambyx*) E: CT MD ST UK A: ?GG (?Gagry) KZ #608  
*cruciatum* Fabricius, 1787: 140 (*Lamia*)  
*cruciferum* Lepechin, 1774: 231 (*Cerambyx*)  
*pallassii* Fischer von Waldheim, 1805 [?1806]: 14 (*Lamia*)  
*razumoffskii* Fischer von Waldheim, 1805 [?1806]: 13 (*Lamia*)  
*equestre festivum* Pesarini & Sabbadini, 2013a: 58 A: TR  
*equestre nogelli* Fairmaire, 1866b: 270 A: TR  
*nogelii* J. Thomson, 1867a: 58 [HN] "Armenia"  
*equestre reclinatatum* Kraatz, 1892: 173 E: AL BU GR MC SB TR  
*immaculatum* Kraatz, 1892: 174 ["Balkan"]  
*equestre transsilvanicum* Ganglbauer, 1884: 462 E: BU HU RO #529 #608  
*niveoconjunctum* T. Pic, 1900c: 352  
*quadristrigatum* Kraatz, 1893: 70  
*romaniense* T. Pic, 1900c: 352  
*equestre vadimi* Danilevsky, 2021f: 1077 E: UK #648

*eskipazarense* Bernhauer & Peks, 2011a: 203 A: TR  
*etruscum bravardi* Pic, 1916a: 22 E: AL GR MC #712  
*etruscum epirense* Breuning, 1942b: 128 E: GR #712  
*etruscum etruscum* Rossi, 1790: 147 (*Lamia*) E: IT  
*apenninum* Depoli, 1926a: 25  
*apulium* Depoli, 1926a: 25  
*beieri* Pic, 1932d: 18  
*calabricum* Breuning, 1942b: 126  
*?femoratum* Brullé, 1832: 259 ["Morée"]  
*fiorii* Breuning, 1942b: 126  
*fuscifrons* Chevrolat, 1882: 60  
*italicum* Küster, 1847b: 99  
*?nudum* Küster, 1852: 93 ["In Ungarn?"]  
*romanorum* Pic, 1917g: 7  
*siculum* Depoli, 1926a: 25  
*subiacum* Pic, 1917a: 10  
*etruscum johannisfranci* Pesarini & Sabbadini, 2007b: 40 E: GR TR #712  
*etruscum salonicum* Pic, 1916a: 22 E: GR ("Environs de Salonique") #712  
*etruscum valonense* Pic, 1917g: 6 E: AL #712  
*apfelbecki* Winkler, 1929: 1188  
*valonense* Apfelbeck, 1923: 145 [HN]  
*eugeniae emgei* Ganglbauer, 1886a: 519 E: GR  
*eugeniae eugeniae* Ganglbauer, 1886a: 521 E: GR  
*arcadicum* Breuning, 1946: 104  
*eustriolatum* Danilevsky & Faizi, 2020: [5] A: IN  
*faldermanni* Ganglbauer, 1884: 493 A: IN  
*ferruginipes* Ménétriés, 1836: 151 E: GR TR A: TR  
*subfuscopubens* Pic, 1911a: 7  
*sublineatum* Pic, 1909: 99  
*thracicum* Küster, 1846a: 90  
*formosum formosum* Kraatz, 1871c: 411 A: TR  
*formosum ponticum* Breuning, 1964b: 1 A: TR  
*frustrator* Plavilstshikov, 1958a: 172 [RN] A: AB  
*hypocrita* Plavilstshikov, 1937a: 27 [HN]  
*hypocritellum* Breuning, 1958b: 29 [RN]  
*funestum* Ganglbauer, 1884: 501 E: GR  
*gallipolitanum atritarse* Pic, 1931c: 10 E: GR TR  
*gallipolitanum fumidum* Pesarini & Sabbadini, 2010: 186 E: GR  
*gallipolitanum gallipolitanum* J. Thomson, 1867a: 59 E: GR TR  
*gandolphei* Tournier, 1872: 288  
*suturaalba* Desbrochers des Loges, 1870: 125  
*gallipolitanum samothrakeanum* Breuning, 1962a: 326 E: GR  
*gazanchidisi* Danilevsky, 2021e: 1063 A: XIN  
*gheisi* Bernhauer, 2015: 12 A: IN  
*glabricolle* Breuning, 1943b: 92 A: TR  
*glaucum glaucum* Faldermann, 1837: 277 A: ?AB ?AR IN  
*glaucum lassallei* Lazarev, 2015: 1112 A: IN  
*glaucum murzinianum* Lazarev, 2015: 1113 A: IN  
*goelbasiense goelbasiense* Bernhauer & Peks, 2013a: 310 A: TR  
*goelbasiense karadutense* Bernhauer & Peks, 2013a: 311 A: TR  
*goelbasiense kathaense* Bernhauer & Peks, 2013a: 312 A: TR  
*goelbasiense oeksuezdagense* Bernhauer & Peks, 2013a: 311 A: TR  
*gorbunovi gorbunovi* Danilevsky, 1985: 313, 328, 332 [= 1987: 617] [Bichenek Pass] A: AB AR  
*gorbunovi rubenyani* Lazarev, 2014a: 278 ["Svarantz"] A: AR  
*gortovannyi* Danilevsky, 2017a: 323 A: TR  
*granigerum* Ganglbauer, 1884: 458 E: GR  
*gusakovi* Danilevsky, 2007b: 1 A: GG (Bzyb Ridge)  
*guzeldereense* Bernhauer & Peks, 2012: 213 A: TR  
*guzeldereense* Bernhauer & Peks, 2013b: 336 [unjustified emendation]  
*hacgedigiense* Bernhauer & Peks, 2011b: 216 A: TR  
*haemorrhoidale* Hampe, 1852b: 313 A: IN TR  
*halepense halepense* Kraatz, 1873a: 72 A: SY TR  
*internenotatum* Pic, 1931c: 9  
*internesignatum* Pic, 1914e: 79  
*latealbum* Pic, 1926d: 13  
*latebivittatum* Pic, 1931c: 1  
*halepense sehitekamilense* Özdikmen, Mercan & Cihan, 2012c: 604 A: TR  
*hampii aureovittatum* Kraatz, 1873a: 81 A: TR

*hampii hampii* Mulsant & Rey, 1863: 157 A: TR  
*heldreichi* Kraatz, 1873a: 90 E: GR  
*bilaterale* Chevrolat, 1882: 59  
*presuturale* Pic, 1903a: 5  
*hellmanni* Ganglbauer, 1884: 486 A: IN IQ TR  
*holosericeum alarorum* Danilevsky, 2023: 130 E: ST  
*holosericeum avarum* Danilevsky, 2023: 131 E: ST  
*holosericeum holosericeum* Krynicki, 1832: 159 E: ?BY CT KZ MD PL RO ST UK #752  
*rossicum* Plavilstshikov, 1927a: 52 [RN]  
*holosericeum tristriatum* Suvorov, 1913: 71 E: ST A: GG [Mt. Kazbek]  
*striatum* Dalman, 1817b: 175 (*Lamia*) [HN]  
*holosericeum ustinovii* Danilevsky, 2021f: 1078 E: UK #648  
*holtzi* Pic, 1905g: 115 A: TR  
*iconiense* K. Daniel, 1900: 140 ["Asia Minor" - Konya] A: TR #52  
*albicolle* Breuning, 1943b: 89 [Konya]  
*fulvovestitum* Pic, 1903a: 5  
*muchei* Breuning, 1962c: 38 ["Çankırı"] #52  
*parescherichi* Breuning, 1966e: 146 [Çorum: Boğazkale]  
*semisetosum* Jakovlev, 1901a: 85 [Konya]  
*subatritarse* Breuning, 1966e: 146 ["Boğazkale" - Turkey: Çorum] #52  
*impressicolle* Kraatz, 1873a: 47 A: SY  
*indutum* Faldermann, 1837: 276 A: AB AR  
*infernale asperatum* Breuning, 1947e: 169 [Diarbekir] A: TR  
*infernale costatidorsum* Özdikmen & Koçak, 2016b: 178 [Konya, Kulu, Kömüşini village env.] A: TR  
*infernale edremittense* Breuning, 1966b: 20 [Edremit] A: TR  
*infernale erdemi* Özdikmen, Kaya & Al-Hamadani, 2014: 179 [Çorum] A: TR #517  
*infernale infernale* Mulsant & Rey, 1863: 158 [?Eskişehir province: Bozdağ] A: TR  
*immutatum* Pic, 1903k: 171 [Bos-Dagh, Eski-Chehir]  
*revestitum* K. Daniel, 1900: 140 ["Asia Minor"]  
*rugosum* J. Thomson, 1867a: 46 ["Siberia"]  
*infernale luteosutura* Özdikmen & Koçak, 2016b: 178 [Karaman province, Ayrancı] A: TR  
*infernale miminfernale* Breuning, 1970d: 98 [Binboğa Dağları, Kahramanmaraş] A: TR  
*infernale postalbosuturale* Özdikmen & Koçak, 2015: 672 [Karaman Prov., Elmaşehir distr.] A: TR #517  
*inikliense* Bernhauer & Peks, 2010b: 208 A: TR  
*inopinatum* Pesarini & Sabbadini, 2013a: 51 A: TR  
*inspersum* Holzschuh, 1982a: 76 A: TR  
*insulare* Kraatz, 1873a: 62 E: GR  
*intrusum* Pesarini & Sabbadini, 2009: 26 E: TR  
*invicinum* Pic, 1902b: 93 A: IN TR #538  
*irakense* Al-Ali & Ismail, 1987: 1 A: IQ  
*iranicum* Breuning, 1947d: 141 A: IN  
*ispartense* Breuning, 1962a: 394 A: TR  
*ispirense* Bernhauer & Peks, 2013b: 328 A: TR  
*jacovleviellum hinisense* Bernhauer & Peks, 2016: 91 ["Hinis"] A: TR #172 #187  
*jacovleviellum jacovleviellum* Plavilstshikov, 1951: 120 [Erzurum] A: TR  
*jacovleviellum vartoense* Bernhauer & Peks, 2016: 92 ["Varto Sefgeç"] A: TR #172 #187  
*janatai* Kadlec, 2006b: 11 A: TR  
*kalashiani* Danilevsky, 1992b: 108 A: AB (Talysh) IN  
*karamanense* Özdikmen & Koçak, 2013: 672 A: TR  
*karsense* Suvorov, 1915: 118 A: TR  
*kartaldagense* Bernhauer & Peks, 2013a: 314 A: TR  
*kartalense* Lazarev, 2016b: 210 A: TR (Eskisehir prov., Kartal Gecidi)  
*kasikoporanum* Pic, 1902c: 10 A: AR TR  
*kazanciense* Bernhauer & Peks, 2010a: 197 A: TR  
*kharpuense* Danilevsky, 1998a: 49 A: IN  
*khosrovi* Lazarev, 2019d: 472 A: AR (Khosrov Reserv)  
*kindermannii* Walth, 1838: 470 A: TR  
*griseum* Walth, 1838: 470  
*kizilcikense hozatense* Bernhauer & Peks, 2015: 452 A: TR  
*kizilcikense kizilcikense* Bernhauer & Peks, 2015: 451 A: TR  
*kizildagense* Bernhauer & Peks, 2012: 212 A: TR  
*karacaorenense* Bernhauer & Peks, 2012: 211 #615  
*karacaorenense* Bernhauer & Peks, 2013b: 336 [unjustified emendation]  
*klavdiae* Danilevsky, 1992a: 92 A: GG (Gori)  
*kocgecense kocgecense* Bernhauer & Peks, 2015: 448 A: TR  
*kocgecense yedigoezense* Bernhauer & Peks, 2015: 449 A: TR

*koechlini* Pic, 1898h: 56 A: SY  
*koenigi* Jakovlev, 1897: 245 E: ST (Dagestan mts) #725  
*impressipenne* Pic, 1900g: 14  
*komarowi komarowi* Jakovlev, 1887a: 155 A: IN TM  
*jancyki* Breuning, 1963f: 36  
*interruptum* Jakovlev, 1895b: 510 [HN]  
*transcaspicum* Jakovlev, 1901b: 108 [RN]  
*komarowi kryzhanovskii* Plavilstshikov, 1958a: 167 A: TM  
*konradi* Bernhauer & Peks, 2012: 210 A: TR  
*kozanii daccordii* Pesarini & Sabbadini, 2007b: 42 E: GR  
*kozanii kozanii* Breuning, 1962a: 318 E: GR  
*kraetschmeri* Bernhauer, 1988: 98 A: TR  
*krueperi* Ganglbauer, 1884: 453 E: AL GR MC  
*thessalicum* Pic, 1942a: 3  
*viturati* Pic, 1903a: 5  
*kuldshanum* Pic, 1908b: 4 A: XIN  
*albidolimbatum* Pic, 1912a: 9 [“Environs de Przewalsk” – wrong locality]  
*juldusianum* Pic, 1912i: 89  
*kuldzhanum* Plavilstshikov, 1958a: 60, 282 [unjustified emendation]  
*pauli* Pic, 1909: 99  
*kurdistanum kurdistanum* Breuning, 1944a: 12 [“Kourdistan: Diarbékir”] A: TR #509  
*kurdistanum rufulipes* Breuning, 1971c: 437 [“nö Bingol”] A: TR #509  
*kurucanum* Holzschuh, 2007: 249 A: TR  
*kykladicum* Breuning, 1944a: 13 E: GR  
*ladikanum* Braun, 1976b: 173 A: TR  
*ladikense* Breuning, 1975c: 10 [HN]  
*paraladikense* Breuning, 1977a: 60  
*laeve laeve* Faldermann, 1837: 278 A: IN  
*pernudum* Reitter, 1913b: 665  
*persicum* Faldermann, 1837: 282  
*plasoni* Ganglbauer, 1884: 491  
*laeve hyrcanum* Jakovlev, 1899c: 64 A: IN  
*laeve micula* Plavilstshikov, 1937a: 26 A: TR  
*laeve vladimiri* Danilevsky & Murzin, 2009a: 13 A: AR  
*lameerei konyaense* Özdikmen & Koçak, 2016 A: TR  
*lameerei lameerei* Théry, 1896: 109 A: TR  
*lamiae* Breuning, 1962a: 263 E: GR ()  
*ledouxi* Breuning, 1975b: 65 A: TR  
*linderi* Tournier, 1872: 285 A: TR  
*henrici* Pic, 1905i: 156  
*kollari* Kraatz, 1873a: 87  
*lineatocolle* Kraatz, 1873a: 57 (“Saloniki”) E: AL BU GR MC ME SB #11 #117  
*atrofemoratum* Pic, 1917g: 7  
*pseudolineatocolle* Breuning, 1962a: 334 [“Philippi bei Kawalla”]  
*riveti* Pic, 1927j: 162  
*sinuaticolle* Pic, 1927e: 6  
*lineatopunctatum* Breuning, 1944a: 13 A: IN  
*litigiosum litigiosum* Ganglbauer, 1884: 454 E: ?MD RO  
*litigiosum otshakovi* Suvorov, 1913: 81 E: UK (Ochakov env.)  
*ljubetense borisi* Heyrovský, 1931: 84 [“Belasitza-Gebirge”, 41°20'N, 22°57'E] E: BU ?GR MC  
*ljubetense heyrovskyi* Breuning, 1943b: 97 [Kozuf Planina, 41°9'N, 22°10'E] E: GR MC  
*ljubetense kaimakcalanum* Jureček, 1929: 143 [40°55'50"N, 21°47'13"E] E: GR MC  
*ljubetense ljubetense* Pic, 1909: 115 [Mt. Ljuboten, 42°12'24" N, 21°07'10"E] E: AL MC SB  
*ljubetense* Breit, 1929: 206 [HN]  
*ljubetense peristeriense* Breuning, 1962a: 248 E: GR [“Mts. Peristeri“ about 39°41'N, 21°07'E]  
*lodosi abanozense* Bernhauer & Peks, 2010a: 199 A: TR  
*lodosi lodosi* Sabbadini & Pesarini, 1992a: 29 A: TR  
*lohsei lohsei* Braun, 1976c: 254 [Karaman env, Sertavul pass] A: TR  
*lohsei taskentense* Bernhauer & Peks, 2016: 89 [Konya, Taşkent] A: TR #172  
*longulum* Breuning, 1943b: 89 A: TR  
*lugubre* Kraatz, 1873a: 41 [Saloniki] E: AL BU GR MC #712  
*discosulcatum* Pic, 1926d: 1  
*giachinoi* Pesarini & Sabbadini, 2007b: 45 [Oros Kavala] #712  
*meteorum* Breuning, 1969b: 42 [Meteora] #712  
*minkovae* Heyrovský, 1962b: 225 [Kresna] #712 #294  
*parinfernale* Breuning, 1975c: 10 [Kavala] #712  
*pelionense* Breit, 1923: 145 [Mt. Pelion - 39°26'N, 23°03'E] #712  
*pseudolugubre* Breuning, 1943b: 96

*sparsepilosum* Pic, 1926d: 13 [“Salonique”]  
*thessalicum* Pic, 1916a: 22 [“Thessalie”] (Pella: Notia - 41°6'6"N, 22°12'30"E e Kilkis: Fanos - 41°4'46"N, 22°28'39"E) #712  
*macedonicum* Jureček, 1929: 143 E: AL MC  
*glabriscapus* Breuning, 1943b: 97  
*maceki* Holzschuh, 1995: 41 A: TR  
*macropus* Kraatz, 1873a: 99 [“Amasya”] A: TR #129  
*amasinum* Pic, 1898h: 58 [Amasya] #129  
*atripes* Reitter, 1900a: 88 [Amasya] #129  
*obscurans* Pic, 1892f: 91 [Amasya] #129  
*marandense* Holzschuh, 2007: 248 A: IN  
*martini* Bernhauer, 1988: 100 A: TR  
*mediterraneum* Breuning, 1942b: 125 E: IT  
*megriense* Lazarev, 2009c: 212 A: AR  
*menradi aksarayense* Lazarev, 2016b: 212 ~~(May)~~ A: TR (E Aksaray prov., Gukunkaya & Konya prov., Dinek)  
*menradi diversum* Özdikmen & Laz, 2022: 1036 A: TR (Kahramanmaraş, Adırmn district)  
*menradi menradi* Holzschuh, 1989a: 172 A: TR (Kahramanmaraş province, Afşin district)  
*menradi pilosicollis* Özdikmen & Koçak, 2016: 355 A: TR (Karaman)  
*merkli* Ganglbauer, 1884: 506 A: TR  
*meschniggi* Breit, 1929: 205 E: GR  
*disconigrolineatum* Heyrovský, 1940: 59  
*olympianum* Meschnigg, 1947: 137  
*mesopotamicum* Breuning, 1944a: 12 A: IQ TR  
*micans majoripunctum* Okutaner, A. Sarıkaya, Ö. Sarıkaya & Özdikmen, 2021: 175 A: TR  
*micans micans* J. Thomson, 1867a: 61 [“Armenien” –Anatolia] A: TR #129  
*corallicorne* Pic, 1904a: 4 [Ankara]  
*sericatum* Kraatz, 1873a: 98 #129  
*subobesum* Pic, 1942b: 2 [“Amasia”]  
*micans subvestitum* K. Daniel, 1900: 140 A: TR #129  
*subreductum* Pic, 1942b: 2 [“Asie M<sup>oc</sup>”] #129  
*minutum atticum* Kraatz, 1873a: 72 E: GR (Evia)  
*luteovittatum* Pic, 1942a: 1  
*multinigranotatum* Pic, 1927e: 6  
*minutum mimarenarium* Breuning, 1974g: 152 E: GR (Fthiotida, Evritania, Fokida)  
*minutum minutum* Kraatz, 1873a: 76 E: GR (Attiki, Fokida, Fthiotida, Viotia)  
*irroratum* Kraatz, 1873a: 76  
*minutum rugicolle* Breuning, 1962a: 263 [“oberhalb der Thermopylen”] E: GR  
*mirabile* Lazarev, 2024g: 152 A: TR  
*mniszewski caverosum* Lazarev, 2014b: 701 A: AR TR  
*mniszewski georgianum* Lazarev, 2014b: 701 A: GG  
*mniszewski mniszewski* Kraatz, 1873a: 39 A: AR IN TR #8  
*moldavicum* Dascalu & Fusu, 2012: 39 E: RO  
*moreanum* Pic, 1907b: 12 E: GR  
*morozovi* Danilevsky, 1992a: 94 A: KZ XIN  
*mosulense* Özdikmen, Al-Hamadani & Ali, 2013: 1 A: IQ  
*multimaculatum* Pic, 1932d: 22 A: TR  
*murrayi* Küster, 1847a: 84 E: HU RO SB  
*montandoni* Pic, 1902c: 9  
*triste* Petri, 1885: 56  
*murzini* Danilevsky, 2015: 221 A: TR  
*musarti* Pic, 1907b: 10 A: XIN  
*narlianum* Özdikmen, Mercan & Cihan, 2012b: 550 A: TR  
*neslihanbalae* Özdikmen, 2019b: 19 A: TR  
*nigrostriatum* Adlbauer, 1982: 104 A: TR  
*nigrosuturatum* Reitter, 1897b: 236 A: AB AR  
*griseipenne* Breuning, 1943b: 92  
*nitidum* Motschulsky, 1838: 185 A: AR GG TR  
*suturatum* Ferrari, 1865: 481  
*niveisparsum* J. Thomson, 1865: 548 A: GG TR  
*cretosum* Ferrari, 1865: 479  
*postobliteratum* Pic, 1942c: 1  
*sobrinum* Pic, 1898h: 55  
*nobile altinyaylaense* Bernhauer & Peks, 2014b: 106 A: TR #156  
*nobile blandulum* Holzschuh, 1977a: 131 A: TR #156  
*nobile elazigi* Fuchs & Breuning, 1971: 439 A: TR #156  
*holzschuhi* Breuning, 1974g: 148  
*nobile gencense* Bernhauer & Peks, 2014b: 110 A: TR #156  
*nobile hanneloreae* Bernhauer & Peks, 2014b: 107 A: TR #156



*nobile ivani* Pesarini & Sabbadini, 2011: 47 A: TR (Bingöl, Kardeşler 38°54'43"N, 40°38'16"E) #156  
*nobile musense* Bernhauer & Peks, 2014b: 109 A: TR #156  
*nobile nihalae* Rapuzzi & Sama, 2012a: 671 A: TR #156  
*nobile nobile* Hampe, 1852b: 313 A: TR #156  
*nobile plaviltschikovi* Lazarev, 2019c: 19 A: AB (Talysh) ?IN  
*nobile rapuzzisamai* Lazarev, 2019c: 14 A: TR  
*nobile sarkislaense* Bernhauer & Peks, 2014b: 105 A: TR #156  
*nobile semivelutinum* Kraatz, 1873a: 82 A: ?IN TR #156  
*nurense* Danilevsky & Murzin, 2009a: 20 A: IN  
*obenbergeri* Heyrovský, 1940: 58 E: GR  
*marani* Heyrovský, 1940: 59  
*obtusicolle* Pic, 1926d: 2 A: XIN  
*obtusum marashense* Breuning, 1948c: 59 A: TR  
*obtusum obtusum* Breuning, 1944a: 13 A: TR  
*oetalicum* Pic, 1902f: 19 E: GR  
*oezdurali* Önalp, 1988: 361 A: TR ()  
*olegpaki* Danilevsky & Skrylnik, 2021: 17 A: IN  
*olympicum convexum* Breuning, 1943b: 90 A: TR (Achu Dagh)  
*olympicum flavosuturale* Krätschmer, 1987: 340 A: TR (Anatolien occ. Ufer Uluabat Göl)  
*olympicum olympicum* Kraatz, 1873a: 78 (Brussa) A: TR  
*obsoletum* Kraatz, 1873a: 78 (Brussa) #51  
*oreophilum* Ganglbauer, 1884: 500 (Olymp bei Brussa)  
*subalpinum* Kraatz, 1873a: 78 (Olymp bei Brussa)  
*ortrudae* Braun, 1978b: 185 A: TR  
*ossae* Heyrovský, 1941c: 79 E: GR  
*ossaum* Meschnigg, 1947: 137  
*ovacikense* Bernhauer & Peks, 2015: 449 A: TR  
*paracinerarium* Breuning, 1974g: 149 A: TR ("Mut, Sertavulpass" 36°54'57.60"N, 33°16'1.20"E) #50  
*paramicans kalechikense* Lazarev, 2016b: 212 A: TR (Ankara prov., Kozayagi NW Kalecik)  
*paramicans keskiense* Lazarev, 2016b: 212 A: TR (Kirikkale prov., Keskin)  
*paramicans paramicans* Lazarev, 2016b: 210-211 A: TR (Çorum prov. & north Yozgat prov.)  
*pararenarium* Breuning, 1969b: 42 E: GR  
*pararufipenne pararufipenne* Braun, 1976c: 257 A: TR  
*pararufipenne rassei* Braun, 1976c: 261 A: TR  
*parcepipicatum* Pesarini & Sabbadini, 2013b: 41 A: TR  
*parcepunctatum* Breuning, 1948c: 60 A: IN  
*parilis* Pesarini & Sabbadini, 2013a: 52 A: TR  
*parnassi* Kraatz, 1873a: 72 E: GR  
*oertzeni* Ganglbauer, 1884: 454  
*pasquieri* Breuning, 1975b: 65 A: IN  
*pavesii* Pesarini & Sabbadini, 1999: 57 A: TR  
*pedestre pedestre* Poda von Neuhaus, 1761: 34 (Cerambyx) ["ad Græcium"] E: AL AU BH BU CR CZ HU MC MD ME RO SB SK SL  
TR UK #83  
*gogium* J. Thomson, 1867c: 125 (Rossia merid.)  
*ruficorne* Pic, 1931c: 10 (?Hongrie)  
*rufipes* Fabricius, 1793: 288 (Lamia) (Hungaria)  
*zoufali* Tippmann, 1958b: 156 (Proßnitz, Mähren) Czechia  
*pedestre kaszabi* Breuning, 1956e: 404 E: HU  
*peksi* Bernhauer, 2010: 190 A: TR  
*peloponesium* Pic, 1902c: 10 E: GR  
*subjunctum* Pic, 1904b: 7  
*weiratheri* Pic, 1929b: 9  
*peloponnesicum* Breuning, 1982b: 146 E: GR  
*pergamenum* Pesarini & Sabbadini, 2009: 22 A: TR  
*petrovitzi* Heyrovský, 1964: 97 A: TR  
*pilosellum obscurimembre* Breuning, 1946: 110 E: GR  
*pilosellum pilosellum* Kraatz, 1873a: 58 E: GR  
*pilosipenne kazdagense* Özdikmen, 2013a: 56 A: TR  
*pilosipenne pilosipenne* Breuning, 1943b: 90 E: GR  
*pilosum* Breuning, 1943: 91  
*pindicum* Breuning, 1966c: 4 E: GR  
*piocharidi* Kraatz, 1873a: 85 A: TR  
*elongatum* Pic, 1898h: 58  
*ladikense* Breuning & Villiers, 1967a: 60 (Pedestredorcadion)  
*mauricei* Plavilstshikov, 1927a: 51 [RN]  
*quadripustulatum* Ganglbauer, 1884: 457

*pelops* Jakovlev, 1901a: 83  
*roberti* Pic, 1905a: 11  
*theophilei* Pic, 1901i: 32 [HN]  
*varievittatum* Pic, 1942a: 1  
*pittinorum paraulrichi* Lazarev, 2016b: 216 A: TR (Sülüklü & Mecitözü env.)  
*pittinorum pittinorum* Pesarini & Sabbadini, 1999: 48 A: TR  
*pluto* J. Thomson, 1867a: 47 A: TR  
*poleti* Breuning, 1948c: 59 A: TR  
*ponomarenkoi* Danilevsky, 2010f: 6 A: AB (N Lachin Distr.: Korchu)  
*praetermissum mikhaili* Özdikmen, 2010: 457 A: TR  
*praetermissum praetermissum* Pesarini & Sabbadini, 1999: 47 A: TR  
*preissi* Heyden, 1894: 86 A: TR  
*pseudarcivagum* Breuning, 1943b: 91 A: TR  
*pseudinfernale* Breuning, 1943b: 94 A: TR  
*pseudobithyniense* Breuning, 1962a: 465 A: TR  
*pseudocinctellum* Breuning, 1943b: 90 A: TR  
*pseudoholosericeum* Breuning, 1962a: 300 A: TR  
*pseudonobile* Breuning, 1946: 120 A: IN  
*pseudopreissi* Breuning, 1962a: 411 A: TR  
*pulchrum* Pic, 1908d: 58 A: AB (Murov-Dag) #295  
*punctipenne* Küster, 1852: 94 [“Kleinasien”] E: GR A: TR  
*distinguendum* Pic, 1931c: 10 [“Macédoine”]  
*gebzeense* Breuning, 1974g: 148 [Gebze, Kocaeli] #48  
*punctulatum* Pesarini & Sabbadini, 2013a: 57 A: TR  
*punctulicolle* Breuning, 1944a: 12 A: TR  
*purkynei* Heyrovský, 1925: 45 E: GR MC  
*pusillum berladense* Pic, 1903a: 7 E: RO #238  
*pusillum ochrolineatum* Dascalu, 2018: 50 E: RO  
*pusillum pusillum* Küster, 1847a: 90 E: MD RO UK  
*pusillum tanaiticum* Kasatkin, 2002: 277 E: ST (Rostov-on-Don env.)  
*pusillum vasiliscus* Dascalu, 2018: 50 E: RO  
*pygmaeum* Breuning, 1947e: 168 A: TR  
*quadripustulatum* Kraatz, 1873a: 88 A: TR  
*rarepunctatum* Lazarev, 2016b: 211 A: TR (Kayseri prov., 4km westwards Sariz)  
*regulare dramaticum* Pesarini & Sabbadini, 2010: 190 E: GR  
*regulare regulare* Pic, 1931c: 6 E: BU GR TR  
*reitteri* Ganglbauer, 1884: 492 A: GG  
*resadiyeense* Bernhauer & Peks, 2011b: 219 A: TR  
*ressli* Holzschuh, 2007: 246 A: IN  
*rezai* Danilevsky, 2018b: 589 A: IN  
*rigattii* Breuning, 1966e: 145 A: TR  
*ringenbachi* Rapuzzi & Sama, 2018: 21 A: IQ #771  
*rizeanum* Breuning & Villiers, 1967b: 60 (*Pedestredorcadion*) A: TR  
*ikizderense* Breuning, 1973a: 54  
*robustum* Ganglbauer, 1884: 500 A: TR  
*rolandmenradi* Peks, 1992: 197 A: TR  
*rosti* Pic, 1900n: 82 A: GG TR  
*kalinowskyi* König, 1901: 10  
*rufoapicipenne* Breuning, 1946: 125 [Baiburt] A: TR  
*rufoapicale* Breuning, 1943b: 91 [HN]  
*rufogenum discoflavovittatum* Breuning, 1946: 129 A: XIN  
*rufogenum rufogenum* Reitter, 1895c: 161 A: KZ XIN  
*posticejunctum* Pic, 1909: 99  
*sabanoezueense* Bernhauer & Peks, 2013b: 326 A: TR  
*sapkaianum* Krätschmer, 1987: 337 E: GR  
*sareptanum estriatum* Suvorov, 1913: 72 [“Pjätigorsk”] E: ST #130 #777  
*sareptanum euxinum* Suvorov, 1915: 119 E: ST (from Temryuk to Krasnodar) #316  
*sareptanum kubanicum* Plavilstshikov, 1934d: 120 E: ST  
*sareptanum sareptanum* Kraatz, 1873a: 74 E: KZ ST A: KZ #634  
*sareptanum striatiforme* Suvorov, 1913: 73 [“Kislowodsk”] E: ST  
*sarvabadense* Danilevsky & Faizi, 2020: [3] A: IN  
*sauleyi javeti* Kraatz, 1873a: 91 A: SY TR #47  
*destinoi* Fairmaire, 1884: 173 [Akbez]  
*tabense* Pic, 1931c: 1 [“Syria: Ain-Tab” – Turkey, Gaziantep]  
*univestitum* Pic, 1903a: 5 [Akbez]  
*sauleyi sauleyi* J. Thomson, 1865: 549 [“Syria”] A: ?SY TR

*adanense* Pic, 1904a: 4 [Adana]  
*bilatevittatum* Pic, 1927l: 167 [Aleppo]  
*fenestratum* Pic, 1895e: cclxxxiv ["Syria: Ain-Tab" – Turkey, Gaziantep]  
*simile* Kraatz, 1884b: 234 [Malatia]  
*subelongatum* Pic, 1931c: 1 [Akbez]

*scabricolle alucranum* Lazarev, 2020a: 52 A: TR  
*scabricolle antonkozlovi* Danilevsky, 2017a: 324 A: TR  
*scabricolle apakoyense* Lazarev, 2020a: 46 A: TR  
*scabricolle araxense* Lazarev, 2020a: 28 A: AB  
*scabricolle artsakhense* Lazarev, 2020a: 24 A: AB  
*scabricolle babakkalense* Lazarev, 2020a: 34 A: IN  
*scabricolle balikesirensense* Breuning, 1962a: 460 A: TR  
*scabricolle buzgoviense* Lazarev, 2020a: 24 A: AB  
*scabricolle caramanicum* K. Daniel & J. Daniel, 1903: 332 A: TR  
*scabricolle corpulentum* Ménétrié, 1832: 226 A: AB IN  
*?lutescens* Kraatz, 1873a: 50

*scabricolle crassofasciatum* Özdikmen, 2013a: 56 A: TR  
*scabricolle dobrovljanskii* Suvorov, 1915: 116 A: AB #459  
*scabricolle gazii* Lazarev, 2020a: 51 A: TR  
*scabricolle gegarkunicum* Lazarev, 2020a: 17 A: AR  
*scabricolle gilanense* Lazarev, 2013a: 227 A: IN  
*scabricolle hajdajorum* Lazarev, 2020a: 47 A: TR  
*scabricolle inonuense* Lazarev, 2020a: 51 A: TR  
*scabricolle korbianum* Lazarev, 2020a: 47 A: TR  
*scabricolle lazistanum* Lazarev, 2020a: 40 A: TR  
*scabricolle modestum* Tournier, 1872: 338 A: AB #491  
*elisabethpolicum* Suvorov, 1915: 119 #491  
*micheli* Pic, 1948: 13

*scabricolle nakhiczevanum* Danilevsky, 1999a: 28 A: AB AR #722  
*scabricolle paiz* Danilevsky, 1999a: 28 A: AB  
*scabricolle paphlagonicum* Breuning, 1962a: 459 A: TR  
*scabricolle pseudosevangense* Lazarev, 2020a: 18 A: AR  
*scabricolle sagezense* Lazarev, 2013a: 227 A: IN  
*scabricolle sahandum* Lazarev, 2020a: 35 A: IN  
*scabricolle salhanum* Lazarev, 2020a: 41 A: TR  
*scabricolle scabricolle* Dalman, 1817b: 174 (*Lamia*) A: AB AR GG ~~TR~~  
*scabricolle sevangense* Reitter, 1889a: 41 A: AR  
*scabricolle shakhbuzum* Lazarev, 2020a: 26 A: AB  
*scabricolle shirakense* Lazarev, 2020a: 13 A: AR TRя  
*scabricolle skoupyi* Lazarev, 2013a: 226 A: IN  
*scabricolle subcorpulentum* Breuning, 1946: 121 A: IN  
*scabricolle tavushense* Lazarev, 2020a: 17 A: AR  
*scabricolle tekhense* Lazarev, 2020a: 20 A: AR  
*scabricolle tuzovi* Lazarev, 2020a: 20 A: AB AR  
*scabricolle uludaghicum* Breuning, 1970d: 98 A: TR  
*scabricolle vaykense* Lazarev, 2020a: 19 A: AR  
*scabricolle yahyalienense* Bernhauer & Peks, 2011b: 217 A: TR #153  
*schultzei* Heyden, 1894: 86 A: TR  
*scopolii* Herbst, 1784: 91 (*Lamia*) E: BU CR CZ GR HU ?MD PL RO SB SK UK  
*convexicolle* Küster, 1852: 91  
*germanicum* Gmelin, 1790: 1835 (*Cerambyx*)  
*interclarepubens* Breuning, 1956e: 404  
*lineatum* Fabricius, 1787: 141 (*Lamia*)  
*ungaricum* Gmelin, 1790: 1836 (*Cerambyx*)

*scrobicolle bouilloni* Breuning & Ruspoli, 1975: 116 A: TR #615  
*scrobicolle carolisturani* Breuning & Ruspoli, 1971: 128 A: TR #615  
*scrobicolle heinzi* Breuning, 1964b: 1 A: TR #615  
*scrobicolle hroni* Lazarev, Tozlu & Tatar, 2021: 37 A: TR  
*scrobicolle morulum* Holzschuh, 1995: 42 A: TR  
*fuscobrevestitum* Breuning, 1971c [unavailable name] #510  
*scrobicolle parabouilloni* Lazarev, Tozlu & Tatar, 2021: 38 A: TR  
*scrobicolle scrobicolle* Kraatz, 1873a: 97 A: TR  
*scrobicolle tatari* Lazarev, Tozlu & Tatar, 2021: 39 A: TR  
*sebenense* Bernhauer & Peks, 2011a: 202 A: TR  
*semenovi aktasyense* Danilevsky, 2023: 176 A: KZ (Ketmen Mt.)  
*semenovi aleksandrae* Danilevsky & Rubenyan, 2021: 1098 A: KI

*semenovi almatense* Danilevsky, 2002: 5 A: KZ (Zailiysky Alatau: plateau Asy)  
*semenovi flavopubescens* Danilevsky, 2002: 13 A: XIN  
*semenovi hauseri* Reitter, 1895c: 160 A: KI (Karakol env.) XIN #400  
*semenovi issykkulense* Pic, 1906h: 96 A: KI (NW Issyk-Kul Lake)  
*bisbicostatum* Pic, 1908d: 52  
*semenovi kaiduense* Danilevsky, 2002: 14 A: XIN  
*semenovi kuvakense* Danilevsky, 2002: 16 A: KI (Kuvaki Pass)  
*semenovi semenovi* Ganglbauer, 1884: 479 A: KI KZ XIN  
*semenovi terskeicum* Danilevsky, 2002: 4 A: KI (SW Issyk-Kul Lake: Ton River)  
*semenovi thaisiae* Danilevsky, 2002: 16 A: KI (S Issyk-Kul Lake: Kadzhi-Say)  
*semenovi uriuktense* Danilevsky, 2002: 9 A: KI (NE Issyk-Kul Lake)  
*semiargentatum burdzushense* Danilevsky & Murzin, 2009b: 14 A: IN  
*semiargentatum ortrudheinzae* Danilevsky, 1998a: 51 A: IN  
*semiargentatum sarabense* Holzschuh, 1993a: 46 A: IN  
*semiargentatum sementivum* Danilevsky & Murzin, 2009b: 6 A: IN  
*semiargentatum semiargentatum* Pic, 1905d: 300 A: IN  
*descampsi* Villiers, 1967: 339 (*Pedestredorcadion*)  
*shiita* Plavilstshikov, 1951: 118  
*semibrunneum mediocreimpressum* Pic, 1909: 123 ["Anamas Gbg."] A: TR #8 #507  
*anamasum* Pic, 1934g: 33 #8 #445  
*semibrunneum notatum* Pesarini & Sabbadini, 2013a: 62 A: TR  
*semibrunneum semibrunneum* Pic, 1903k: 170 [Eski-Chehir, Bos-Dagh] A: TR  
*semibrunneum sivasense* Özdikmen, 2016b: 307 A: TR (Central Sivas Province: Karayün) #507  
*semibrunneum sivrihisarense* Özdikmen, 2016b: 308 A: TR (SE Eskişehir Province: Sivrihisar: Paşakadın Village) #507  
*semibrunneum vlasenkoi* Kasatkin, 2020a: 272 A: TR (Isparta, Davraz Dag)  
*semilineatum* Fairmaire, 1866b: 273 A: TR  
*semilucens* Kraatz, 1873a: 84 A: AB (Sevan Ridge) AR (N Sevan Lake: above Dzhih)  
*mesmini* Pic, 1903i: 146 [Pic, 1904a: 4-5: "Evlak ou plus exactement Golyzino" - wrong locality] #421  
*seminudum* Kraatz, 1873a: 83 A: AB (above Ordubad) AR (Megri Pass and environs)  
*impuncticolle* Breuning, 1962a: 452  
*nachycevanicum* Breuning, 1943b: 92  
*septemlineatum abanti* Braun, 1976a: 54 A: TR  
*septemlineatum demirciense* Breuning, 1966b: 19 A: TR  
*septemlineatum novemlineatum* Kraatz, 1873a: 61 A: TR  
*forcipiferum* Kraatz, 1873a: 60  
*septemlineatum octolineatum* Kraatz, 1873a: 61 A: TR  
*septemlineatum septemlineatum* Walzl, 1838: 469 E: BU GR TR  
*apicale* J. Thomson, 1865: 549  
*rufopicale* Pic, 1942a: 2  
*sericatum* Sahlberg, 1823: 53 E: UK (Crimea: south coast) #633  
*velutinum* Kraatz, 1873a: 96  
*serouense* Kadlec, 2006b: 8 A: IN IQ #555  
*sevliczi* Danilevsky, 1985: 328 [= 1987: 618] A: AR (Goris env.: Sevlich Lake)  
*shestopalovi* Danilevsky, 1993b: 9 A: GG (S slope of Krestovyi Pass and mts westwards)  
*shirvanicum azerbajdzhanicum* Plavilstshikov, 1937a: 25 A: AB (Geokchay env.)  
*shirvanicum shirvanicum* Bogatchev, 1934: 70 A: AB (about 20km W Baku: Perekeshkul)  
*shushense* Lazarev, 2010: 3 A: AB (Shusha env.)  
*sinopense* Breuning, 1962a: 299 A: TR  
*sinuatevittatum* Pic, 1937c: 6 A: TR  
*brevemediolineatum* Pic, 1942c: 6  
*sisianense* Lazarev, 2009c: 210 A: AR  
*skoupyorum* Bernhauer & Peks, 2014a: 191 [RN] A: TR  
*skoupyi* Bernhauer & Peks, 2013b: 326 [HN]  
*sodale blumenthali* Breuning, 1966b: 20 A: TR  
*sodale sodale* Hampe, 1852b: 313 A: ?GG TR  
*sodale soganliense* Bernhauer & Peks, 2016: 92 A: TR #172  
*sodale trapesunticum* Breuning, 1946: 124 A: TR  
*sokolowi* Jakovlev, 1899b: 150-151 A: KZ (SE Dzhungarsky Alatau) XIN  
*amymon* Jakovlev, 1906c: 276  
*conicolle* Breuning, 1946: 130  
*dsungaricum* Pic, 1907b: 11  
*jacobsoni* Jakovlev, 1899a: 243  
*melancholicum* Pic, 1907e: 111 #297  
*merzbacheri* Breuning, 1946: 130  
*sonjae* Peks, 1993: 5 A: TR  
*spectabile* Kraatz, 1873a: 38 A: IN  
*steineri* Holzschuh, 1977a: 129 A: TR

*stephaniae* Pesarini & Sabbadini, 2004c: 142 E: GR  
*striolatum* Kraatz, 1873a: 93 A: ?AB AR GG ?IN TR  
*masculinum* Plavilstshikov, 1927a: 51 [RN]  
*obesum* Tournier, 1872: 340 [HN]  
*suramense* Breuning, 1946: 98 [RN]  
*sturmii* Frivaldszky von Frivald, 1837: 179 E: BU MC TR  
*subcinctellum* Breuning, 1962a: 275 A: TR  
*subdivisum* Breuning, 1955d: 263 A: TR #129  
*subinterruptum* Pic, 1900g: 12 E: TR A: TR  
*indivisum* Pic, 1900g: 12  
*subsericatum majus* Breuning, 1962a: 371 A: TR  
*subsericatum rufipenne* Breuning, 1946: 118 A: TR  
*cankiriense* Breuning, 1962c: 39  
*subsericatum subsericatum* Pic, 1901b: 12 A: TR  
*paphlagoniense* Breuning, 1944a: 12  
*subsericatum vulneratum* Pesarini & Sabbadini, 1999: 51 A: TR  
*sulcipenne argonauta* Suvorov, 1913: 74 A: AR TR #19  
*kurda* Suvorov, 1913: 76  
*sulcipenne caucasicum* Küster, 1847b: 98 A: AR GG  
*impressicorne* Tournier, 1872: 282  
*sulcipenne borzhomeiense* Danilevsky, 2014g: 677 A: GG  
*sulcipenne demokidovi* Suvorov, 1915: 115 A: GG (Mukuzani env.) #19  
*sulcipenne goktshanum* Suvorov, 1915: 117 A: AR (NW coast of Sevan Lake)  
*armenum* Suvorov, 1915: 117  
*sulcipenne gubini* Danilevsky, 2014g: 674 A: GG (Dedoplistskaro env.)  
*sulcipenne maljushenkoi* Pic, 1904b: 8 A: AB (Gyanja env.) #19  
*sulcipenne paki* Danilevsky, 2014g: 674 [“South-east Georgia”] A: GG  
*sulcipenne plyushchi* Danilevsky, 2014g: 673 A: GG (Signakhi env.)  
*sulcipenne sulcipenne* Küster, 1847a: 87 A: GG #19  
*sulcipenne zekariense* Danilevsky, 2014g: 678 A: GG (Zekari Pass)  
*susheriense* Breuning, 1970d: 97 A: TR (“au Sud de Susheri [Susehri]” - Sivas) #129  
*syriense* Breuning, 1943b: 94 A: ?SY TR  
*taborskyi* Heyrovský, 1941d: 149 E: GR #583  
*joanninae* Breuning, 1967a: 1  
*lianokladii* Breuning, 1962a: 255  
*margheritae* Breuning, 1964c: 32  
*wewalkai* Breuning, 1974g: 150  
*talyschense sabalanum*, Lazarev, 2017b: 880 A: IN  
*talyschense talyschense* Ganglbauer, 1884: 491 A: AB (Talysh) IN  
*posticeinterruptum* Pic, 1900g: 12  
*talyschense* Plavilstshikov, 1958a: 234 [unjustified emendation]  
*tassii* Breuning, 1964c: 32 E: GR  
*tauricum pittinoi* Pesarini & Sabbadini, 2010: 185 E: GR #583  
*tauricum tauricum* Walzl, 1838: 468 E: BU GR MD RO SB TR UK #583  
*nigritarse* Kraatz, 1873a: 77  
*taygetanum* Pic, 1902c: 10 E: GR  
*tebricum* Plavilstshikov, 1951: 119 A: IN  
*tekmanense* Bernhauer & Peks, 2016: 89 A: TR  
*tenebricolorum* Özdikmen & Tezcan, 2021: 115 A: TR  
*theophilei costiferum* Pic, 1898h: 57 [“Trebizonde”] A: TR #172  
*theophilei kostandagense* Bernhauer & Peks, 2016: 91 [Kostandağ pass] A: TR #172  
*theophilei theophilei* Pic, 1898h: 57 [“Trebizonde”] A: TR  
*kadleci* Bernhauer & Peks, 2016: 90 [Zigana pass above Trabzon] #172  
*tokatense niksarensense* Bernhauer & Peks, 2013b: 327 A: TR #129  
*tokatense tokatense* Pic, 1901b: 12 [Tokat] A: TR #129  
*tuerki* Ganglbauer, 1884: 486 A: IN  
*curtulum* Pic, 1906f: 50  
*lundbladi* Breuning, 1947d: 141 [“Transcaucasie: Achal-Zich” - Akhaltsikhe]  
*tuleskovi* Heyrovský, 1937a: 30 E: GR  
*frigidum* Meschnigg, 1947: 137  
*olympicola* Heyrovský, 1941d: 148  
*turcicum* Breuning, 1963f: 35 A: TR  
*turkestanicum altimonticola* Danilevsky, 2023: 183 A: KI KZ TD UZ  
*turkestanicum magnum* Danilevsky, 2023: 184 A: KZ  
*turkestanicum turkestanicum* Kraatz, 1881: 335 A: KZ UZ #517  
*samarkandiae* Breuning, 1946: 130  
*ullrichi* Bernhauer, 1988: 102 A: TR



*urmianum* Plavilstshikov, 1937a: 27 A: IN TR  
*variegatum* Ganglbauer, 1884: 502 A: SY TR  
*varium* Pesarini & Sabbadini, 2014: 19 A: TR  
*veluchense albanicum* Heyrovský, 1934b: 135 E: AL #125  
*veluchense australe* Pesarini & Sabbadini, 2013b: 39 E: GR  
*veluchense maliacum* Pesarini & Sabbadini, 2013b: 40 E: GR  
*veluchense veluchense* Pic, 1903a: 6 E: GR  
*vincenzae* Pesarini & Sabbadini, 2007b: 60 E: GR  
*wagneri karayaziense* Bernhauer & Peks, 2016: 90 [“15 km ö. Karayazı Köyçegizgeç, ca 130 km sö. Erzurum”] A: TR #172  
*wagneri wagneri* Küster, 1846a: 87 [“Araratgebirge”] A: AR ?GG TR  
*solyzinusum* Pic, 1942b: 2 #16  
*weyersii* Fairmaire, 1866b: 271 A: TR  
*aolense* Pic, 1942b: 1  
*weyersii* J. Thomson, 1867a: 51 [HN] [“Armenia”]  
*xerophilum* Pesarini & Sabbadini, 2007b: 54 E: GR  
*yilmazi* Özdikmen & Kaya, 2016: 21 A: TR #110  
*zanteanum* Breuning & Villiers, 1967a: 37 (*Pedestredorcadion*) E: GR  
**subgenus** *Dorcadion* Dalman, 1817a: 397 type species *Cerambyx glycyrrhizae* Pallas, 1773  
*Compsodorcadion* Ganglbauer, 1884: 437 type species *Dorcadion gebleri* Kraatz, 1873  
*abakumovi abakumovi* J. Thomson, 1865: 548 A: KZ (Lepsinsk env.)  
*abakumovi laterale* Jakovlev, 1895a: 287 A: KZ (Gerasimovka env. = Sapak)  
*abakumovi lepsyense* Danilevsky, 2004b: 5 A: KZ (Андреевка env. = Kabanbay) #740  
*kapanovi* Kadyrbekov, 2022: 7 (“17 km north of Kabanbay”)  
*abakumovi sarkandicum* Danilevsky, 2004b: 4 A: KZ (Sarkand env.)  
*aizhanae* Kadyrbekov, 2004: 94  
*alakoliense alakoliense* Danilevsky, 1988a: 12 A: KZ (Alakol Lake near Koktuma)  
*alakoliense zlatanovi* Kadyrbekov, 2022: 8 A: KZ (“Dzhungarskiy Alatau, Saykan ridge, 15 km south-west from Enbekshi”)  
*cephalotes* Jakovlev, 1889: 252 (*Compsodorcadion*) A: KZ XIN  
*alexii* Suvorov, 1915: 121 (*Compsodorcadion*)  
*crassipes crassipes* Ballion, 1878: 368 A: KZ  
*crassipes glazunovi* Suvorov, 1910b: 69 A: KZ (SE Dzhungarsky Alatau) XIN  
*crassipes validipes* Jakovlev, 1906c: 279 A: KI XIN  
*chantengrii* Breuning, 1943b: 95  
*robustissimum* Pic, 1908d: 35  
*ganglbaueri ganglbaueri* Jakovlev, 1898: 676, 677 A: KZ  
*ganglbaueri paveli* Danilevsky, 2013h: 35 A: KZ  
*gebleri demimetrum* Danilevsky, 1996a: 3 A: KZ  
*gebleri gebleri* Kraatz, 1873a: 33 A: KZ XIN  
*jakovlevianum* Suvorov, 1911a: 60  
*occidentale* Breuning, 1947e: 164  
*pallasii* Gebler, 1848: 402 [HN] (not *pallasii* Fischer von Waldheim, 1805 [?1806])  
*zaisanense* Suvorov, 1911a: 61  
*gebleri lukhtanovi* Danilevsky, 1996a: 4 A: KZ (N Zaysan Lake)  
*gebleri takyr* Danilevsky, 1996a: 5 A: KZ (NE Zaysan Lake: Buran)  
*gebleri terekensis* Danilevsky, 2023: 210 A: KZ (S Markakol Lake)  
*glycyrrhizae androsovi* Suvorov, 1909b: 93 A: KZ  
*dalilae* Kadyrbekov, 2004: 94 #517  
*glycyrrhizae braginae* Danilevsky, 2023: 191 A: KZ (Naurzum Reserve)  
*glycyrrhizae chivilini* Danilevsky, 2012a: 46 A: KZ (Aktalagay Mts)  
*glycyrrhizae dostojewskii* Semenov, 1899d: 655 A: KZ (Mangyshlak Peninsula)  
*glycyrrhizae dubianskii* Jakovlev, 1906c: 278 A: KZ WS  
*glycyrrhizae eugenyi* Abramov, 2015: 39 A: KZ [“W Kazakhstan, 55 km E Zhympity”]  
*glycyrrhizae fedorenkoi* Danilevsky, 2001c: 17 A: KZ (Emba env.)  
*glycyrrhizae galinae* Danilevsky, 2001c: 23 A: KZ (Arkalyk env.)  
*glycyrrhizae glycyrrhizae* Pallas, 1773: 723 (*Cerambyx*) E: ?ST KZ (Urda env.) A: ?KZ  
*glycyrrhizae guberlense* Danilevsky, 2006a: 19 A: WS (Orenburg Reg., Gay Distr., Kazachya Guberlya)  
*glycyrrhizae nderiense* Suvorov, 1911a: 69 E: KZ A: KZ (Inder Lake env.)  
*glycyrrhizae ishkarganum* Danilevsky, 2009c: 69 [“south most area of Orenburg region, 9 km SE Troitzk”] A: WS  
*glycyrrhizae ivanovi* Danilevsky, 2023: 193 A: KZ (W Kazakhstan, 107 km SW Chelkar)  
*glycyrrhizae korshikovi* Danilevsky, 2006a: 9 [“Orenburg reg., Sol-Iletsk distr., Novoiletsk env.”] A: KZ WS  
*glycyrrhizae murati* Danilevsky, 2013f: 434 [“Atyrau Region, about 50km S Kulsary”] A: KZ  
*glycyrrhizae nemkovi* Danilevsky, 2006a: 15 E: ST KZ A: KZ  
*glycyrrhizae nikireevi* Danilevsky, 2001c: 19 A: KZ (Kustanay env.)  
*glycyrrhizae obtusipenne* Motschulsky, 1860e: 538 [1861c: 444] A: KZ (Kzyl-Orda env.)  
*glycyrrhizae pseudostriatum* Danilevsky, 2023: 200 (N Kazakhstan Region)  
*glycyrrhizae striatum* Goeze, 1777: 464 [HN] (not Linnaeus, 1758) (*Cerambyx*) E: CT KZ ST A: KZ #71

*fimbriatum* Gmelin, 1790: 1862 (*Cerambyx*)  
*iliense* Plavilstshikov, 1937a: 31 ["fl. Ili, Karatshekinskoje", Карачок = Karashoky]  
*olivieri* J. Thomson, 1867a: 39  
*ruffifrons* Motschulsky, 1860c: 311 [= 1860d: 304]  
*glycyrrhizae tobolense* Danilevsky, 2001c: 22 A: KZ (Kustanay region, Adaevka environs)  
*glycyrrhizae turgaicum* Suvorov, 1915: 121 (*Compsodorcadion*) A: KZ  
*akmoliticum* Suvorov, 1915: 121 (*Compsodorcadion*)  
*glycyrrhizae uilense* Danilevsky, 2023: 189 A: KZ [Uil River]  
*glycyrrhizae uvarovi* Suvorov, 1911b: 279 ["Umgegend der Stadt Temir"] A: KZ  
*tenuelineatum kolovi* Kadyrbekov, 2022: 7 - ["Kaykan ridge"] #740  
*tenuelineatum tenuelineatum* Jakovlev, 1895a: 286 A: KZ (NE Dzhungarsky Alatau: Glinovka = Ushbulak)  
*separatum* Pic, 1897f: 94  
**subgenus** *Maculatodorcadion* Breuning, 1943d: 525 type species *Dorcadion quadrimaculatum* Küster, 1848  
*janssensi* Breuning, 1966b: 21 A: TR  
*quadrimaculatum nodicorne* Tournier, 1872: 287 [Taurus] A: TR  
*quadrimaculatum quadrimaculatum* Küster, 1848b: 79 E: GR TR  
*bimaculatum* Pic, 1898h: 56  
*clementinum* Pic, 1918d: 11  
*innotatum* Pic, 1908a: 2  
~~*triste lesvicum* Mpamnaras, Zafeiriou & Özdikmen, 2020a: 16 E: GR (Lesbos Is.) [not available name!]~~ #494  
*triste lesvicum* Mpamnaras, Zafeiriou & Özdikmen, 2020b: 727 E: GR (Lesbos Is.)  
*triste phrygicum* Peks, 1993: 8 [Antalya: Kaş] A: TR #49  
*triste triste* Frivaldszky von Frivald, 1845: 184 ["Smyrna"] A: TR  
*wolffi* Krätschmer, 1985: 24 A: TR  
**subgenus** *Megalodorcadion* Pesarini & Sabbadini, 1999: 58 type species *Dorcadion ledereri* J. Thomson, 1865 #46 #517  
*Anatolodorcadion* Özdikmen & Kaya, 2015a: 3 type species *Dorcadion dombilicoides* Özdikmen & Kaya, 2013 #46  
*Fusodorcadion* Özdikmen & Kaya, 2015a: 3 type species *Dorcadion parallelum* Küster, 1847 #46  
*dombilicoides* Özdikmen & Kaya, 2013: 494 A: TR  
*escherichi* Ganglbauer, 1897b: 54 A: TR  
*angorensis* Ganglbauer, 1897b: 57  
*egregium* Ganglbauer, 1897b: 56  
*obliquesignatum* Pic, 1900g: 12  
*posticedisjunctum* Pic, 1909: 99  
*glabrofasciatum* K. Daniel, 1900: 140 A: TR  
*imparivittatum* K. Daniel, 1900: 140  
*nudofasciatum* Özdikmen & Şenyüz, 2015: 647 (*Megalodorcadion*) #517  
*ledereri* J. Thomson, 1865: 548 A: TR  
*parallelum* Küster, 1847b: 79 A: TR  
*walteri* Holzschuh, 1991c: 55 A: TR  
  
**genus** *Eodorcadion* Breuning, 1947d: 142 type species *Lamia carinata* Fabricius, 1781  
**subgenus** *Eodorcadion* Breuning, 1947d: 142 type species *Lamia carinata* Fabricius, 1781  
*altaicum altaicum* Suvorov, 1909a: 89 (*Neodorcadion*) A: KZ (NE Zaisan)  
*altaicum violovitshi* Danilevsky & Korshunov, 2022: 514 WS (Ust-Koksa)  
*carinatum blessingi* Ganglbauer, 1884: 512 (*Neodorcadion*) A: ES (Khakassiya) KZ (Zaisan, Ridder) WS (Altay)  
*carinatum bramsoni* Pic, 1901p: 67 (*Neodorcadion*) A: WS (Altay: Chemal env.)  
*gassneri* Breit, 1917a: 65 (*Neodorcadion*)  
*carinatum carinatum* Fabricius, 1781: 222 (*Lamia*) E: CT ST A: ES KZ WS  
*carinatum involvens* Fischer von Waldheim, 1823: pl. I (*Dorcadion*) A: ES FE HEI MG NMO XIN  
*longjiangense* Z. Wang, 2003: 299  
*vestitum* Jakovlev, 1901c: 150, 152 (*Neodorcadion*)  
*carinatum kjahtenum* Danilevsky, 2007a: 31 A: ES (Kyakhta env.)  
*chinganicum chinganicum* Suvorov, 1909a: 90 (*Neodorcadion*) A: NMO  
*chinganicum darigangense* Heyrovský, 1967a: 104 A: MG  
*chinganicum mandshukuoense* Breuning, 1944a: 15 (*Neodorcadion*) A: JIL LIA  
*jilinense* Chiang, 1983: 60, 66 [unnecessary RN]  
*gansuense* Breuning, 1943b: 99 (*Neodorcadion*) A: GAN  
*glaucopterum* Ganglbauer, 1884: 511 (*Neodorcadion*) A: GAN NMO QIN SHA #400  
*albescens* Breuning, 1943b: 99 (*Neodorcadion*)  
*annulicorne* Breuning, 1947d: 142  
*atratum* Jakovlev, 1901c: 153 (*Neodorcadion*)  
*griseocens* Breuning, 1947d: 142  
*przewalskyi* Jakovlev, 1887b: 317 (*Neodorcadion*)  
*przewalskii* Jakovlev, 1900a: 71 (*Neodorcadion*) [unjustified emendation]  
*kadleci* Danilevsky, 2007a: 62 A: GAN  
*maurum australe* Danilevsky, 2014a: 151 A: MG  
*maurum katharinae* Reitter, 1898a: 21 (*Neodorcadion*) A: ES MG  
*maurum maurum* Jakovlev, 1889: 247 (*Neodorcadion*) A: ES MG

*boldi* Heyrovský, 1965b: 45  
*fortecostatum* Heyrovský, 1975: 22  
*grumi* Suvorov, 1909a: 80 (*Neodorcadion*)  
*hirtipes* Jakovlev, 1901c: 159 (*Neodorcadion*)  
*maurum quinquevittatum* Hammarström, 1892: 192 (*Neodorcadion*) A: ES  
*maurum otgonum* Danilevsky, 2022a: 299 A: MG  
*maurum sajanicum* Hammarström, 1892: 193 (*Neodorcadion*) A: ES  
*leucogrammum* Suvorov, 1909a: 82 (*Neodorcadion*)  
*minicarinatum* Danilevsky & Lin, 2012b: 22 A: ANH SHA #400  
*multicarinatum* Breuning, 1943b: 99 (*Neodorcadion*) A: GAN NMO QIN SHA SHX #225  
*oligocarinatum* Danilevsky, 2007a: 55 A: SHX SHA #225  
*pyalopleurum* Suvorov, 1909a: 84 (*Neodorcadion*) A: ES  
*rubrosuturale kerulenum* Danilevsky, 2007a: 41 A: MG  
*rubrosuturale rubrosuturale* Breuning, 1943b: 98 (*Neodorcadion*) A: HEB NMO  
*shanxiense* Danilevsky, 2007a: 52 A: SHX  
*sifanicum* Suvorov, 1912: 74 (*Neodorcadion*) A: GAN HEN #400  
*sinicum* Breuning, 1948c: 57 A: CH  
*tuvense* Plavilstshikov, 1958a: 451 A: ES  
*virgatum subvirgatum* Pic, 1914e: 74 (*Neodorcadion*) A: NMO  
*virgatum taihangense* Danilevsky & Lin, 2012b: 21 A: SHX  
*virgatum virgatum* Motschulsky, 1854b: 65 (*Dorcadion*) A: BEI GAN HEB ?MG NMO SHA SHX TIA #400  
**subgenus** *Humerodorcadion* Danilevsky, Kasatkin & Rubenian, 2005: 133 type species *Dorcadion humerale* Gebler, 1823  
*humerale humerale* Gebler, 1823: 130 (*Neodorcadion*) A: ES HEI MG NMO  
*humerale impluviatum* Faldermann, 1833: 66 (*Dorcadion*) A: MG  
*irroratum* Reitter, 1893b: 224 (*Neodorcadion*)  
*humerale quadrilineatum* Breit, 1915: 355 (*Neodorcadion*) A: HEB NMO  
*humerale trabeatum* Jakovlev, 1901c: 148 (*Neodorcadion*) A: BEI FE HEI JIL NMO SHN #400  
*humerale xinganum* S.-N. Chiang & Z. Wang, 2003: 304, 396 A: JIL HEI NMO  
*lutshniki altanelsense* Heyrovský, 1973b: 124 A: MG  
*lutshniki bicoloratum* Danilevsky, 2007a: 158 A: ES  
*lutshniki burenum* Danilevsky, 2007a: 158 [“Buren river valley in Tuva Republic of Russia”] A: ES  
*lutshniki lutshniki* Plavilstshikov, 1937a: 33 (*Neodorcadion*) A: ES  
**subgenus** *Ornatodorcadion* Breuning, 1947d: 142 type species *Dorcadion ornatum* Faldermann, 1833  
*argaloides* Breuning, 1947e: 172 A: MG NMO  
*brandtii* Gebler, 1841b: 610 (*Dorcadion*) A: KZ (N Zaisan Lake) XIN  
*dux* Jakovlev, 1893b: 120 (*Neodorcadion*)  
*nigrolineatum* Reitter, 1897a: 182 (*Neodorcadion*)  
*consentaneum* Jakovlev, 1899a: 241 (*Neodorcadion*) A: MG  
*hirticolle* Jakovlev, 1901c: 154 (*Neodorcadion*)  
*insigne* Jakovlev, 1901c: 160 (*Neodorcadion*)  
*dorcas dorcas* Jakovlev, 1901c: 163 (*Neodorcadion*) A: MG  
*annulatum* Heyrovský, 1969b: 229  
*morosum* Jakovlev, 1901c: 162 (*Neodorcadion*)  
*pruinatum* Jakovlev, 1901c: 163 (*Neodorcadion*)  
*dorcas scabrosum* Namkhaidorzh, 1972: 524 A: MG  
*egregium egregium* Reitter, 1897a: 180 (*Neodorcadion*) A: MG XIN  
*albitarsale* Breuning, 1966f: 257  
*egregium kabaki* Kadyrbekov, 2004: 93 A: XIN #278  
*exaratum argali* Jakovlev, 1889: 249 (*Neodorcadion*) A: MG #215  
*hircum* Jakovlev, 1906a: 1 (*Neodorcadion*)  
*miraculum* Reitter, 1897a: 182 (*Neodorcadion*)  
*quadricarinatum* Heyrovský, 1970b: 141  
*exaratum exaratum* Ménériés, 1854: 38 (*Dorcadion*) A: MG NMO  
*rugipenne* Heyrovský, 1967a: 103  
*gorbunovi* Danilevsky, 2004d: 7 A: MG  
*heros* Jakovlev, 1899a: 237 (*Neodorcadion*) A: NIN NMO  
*intermedium intermedium* Jakovlev, 1889: 246 (*Neodorcadion*) A: MG ?NMO  
*kaszabi* Heyrovský, 1965b: 44  
*mongolicum* Jakovlev, 1895b: 508 (*Neodorcadion*)  
*intermedium kozlovi* Suvorov, 1912: 71 (*Neodorcadion*) A: MG NMO #710  
*hedini* Pic, 1935c: 12 (*Neodorcadion*)  
*jakovlevi fangzhoui* Lin et Danilevsky, 2011: 381 A: NMO  
*jakovlevi jakovlevi* Suvorov, 1912: 70 (*Neodorcadion*) A: NMO  
*kaznakovi kaznakovi* Suvorov, 1912: 73 (*Neodorcadion*) A: NIN NMO  
*kaznakovi zhilini* Lin et Danilevsky, 2011: 382 A: NMO  
*licenti* Pic, 1939c: 25 (*Neodorcadion*) A: NMO #400  
*novitzkyi* Suvorov, 1909a: 87 (*Neodorcadion*) A: MG NMO #215

*oreadis* Reitter, 1897a: 179 (*Neodorcadion*) A: XIN  
*ornatum* Faldermann, 1833: 64 (*Dorcadion*) A: NMO  
*princeps* Jakovlev, 1899a: 239 (*Neodorcadion*)  
*oryx* Jakovlev, 1895b: 506 (*Neodorcadion*) A: MG  
*potaninellum* Danilevsky & Lin, 2012b: 23 A: SHA  
*potanini* Jakovlev, 1889: 245 (*Neodorcadion*) A: NMO  
*pseudornatum* Danilevsky & Lin, 2012b: 24 A: SHA  
*savitskyi* Danilevsky, 2014a: 152 A: MG  
*wenhsini* Ch.-W. Yang & Danilevsky, 2013: 93 A: NMO  
*zhaoi* Danilevsky, X. Chen & Lin, 2019: 141 A: NMO  
*zichyi* Csiki, 1901: 115 (*Neodorcadion*) A: MG

**genus *Iberodorcadion* Breuning, 1943d: 524** type species *Cerambyx fuliginator* Linnaeus, 1758

**subgenus *Baeticodorcadion* Vives, 1976: 166** type species *Dorcadion mus* Rosenhauer, 1856

*amorii amorii* Marseul, 1856: 48 (*Dorcadion*) E: SP

*penasosum* Lauffer, 1911: 44 (*Dorcadion*)

*staudingeri* Chevrolat, 1862: 345 (*Dorcadion*)

*amorii segurense* Escalera, 1911: 82 (*Dorcadion*) E: SP

*albacetae* Breuning, 1947e: 161 (*Dorcadion*)

*seguranum* Lauffer, 1911: 45 (*Dorcadion*)

*atlantis* Bedel, 1921: 60 (*Dorcadion*) N: MO

*chiqui* Verdugo, 2014: 165 E: SP

*isernii* Perez Arcas, 1868: 81 (*Dorcadion*) E: SP

*ceballosi* Breuning, 1948c: 64 (*Dorcadion*)

*dispersepunctatum* Escalera, 1924: 195 (*Dorcadion*)

*impunctatum* Breuning, 1943b: 98 (*Dorcadion*)

*steparium* Escalera, 1900: 239 (*Dorcadion*)

*lorquini cobosi* Vives, 1979: 155 E: SP

*lorquini lorquini* Fairmaire, 1855: 322 (*Dorcadion*) E: SP

*giganteum* Escalera, 1911: 82 (*Dorcadion*)

*rufolabrum* Pic, 1912a: 35 (*Dorcadion*)

*marmottani* Escalera, 1900: 237 (*Dorcadion*) E: SP

*cabrasense* Nicolas, 1904b: 83 (*Dorcadion*)

*robustioripenne* Pic, 1941b: 2 (*Dorcadion*)

*mucidum annulicorne* Chevrolat, 1862: 346 (*Dorcadion*) E: SP (Andalucía) #113

*mucidum coelloi* Verdugo, 1996: 11 E: SP

*mucidum lusitanicum* Chevrolat, 1840: 16 (*Dorcadion*) E: PT SP #495

*boabdil* Flach, 1907: 18 (*Dorcadion*)

*carinicolle* Breuning, 1948c: 64 (*Dorcadion*)

*evorense* Breuning, 1943b: 98 (*Dorcadion*) #495

*mucidum mucidum* Dalman, 1817b: 173 (*Lamia*) E: SP #113

*handschuchii* Küster, 1848b: 77 (*Dorcadion*)

*nigrosparsum* Pic, 1941b: 3 (*Dorcadion*) (Málaga) #113

*mucidum rondense* Verdugo, 2003: 127 E: SP

*mus grisescens* Escalera, 1900: 240 (*Dorcadion*) E: SP

*escalerai* Pic, 1900q: 405 (*Dorcadion*)

*mus mus* Rosenhauer, 1856: 304 (*Dorcadion*) E: SP

*andalusiicum* Breuning, 1962a: 546 (*Dorcadion*)

*quadrifuscivittatum* Breuning, 1947e: 162 (*Dorcadion*)

*rondae* Flach, 1907: 19 (*Dorcadion*)

*parmeniforme* Escalera, 1902: 288 (*Dorcadion*) E: SP #113

*suturale* Chevrolat, 1862: 345 (*Dorcadion*) E: SP

*insuturale* Pic, 1898c: 22 (*Dorcadion*)

*rufescentimembre* Pic, 1947a: 9 (*Dorcadion*)

*schaufussi* Pic, 1947a: 9 (*Dorcadion*)

*suturaloides* Breuning, 1958b: 37 [RN]

**subgenus *Hispanodorcadion* Vives, 1976: 166** type species *Dorcadion hispanicum* Mulsant, 1851

*abantense* Saz Fuchó, Corralesño Iñarra & Murria Beltrán, 2016: 54 E: SP

*abulense abulense* Lauffer, 1902: 105 (*Dorcadion*) E: SP

*granulosum* Pic, 1904e: 17 (*Dorcadion*)

*griseum* Escalera, 1911: 83 (*Dorcadion*)

*hispanoloides* Escalera, 1911: 84 (*Dorcadion*)

*infrafasciatum* Pic, 1910h: 51 (*Dorcadion*)

*laufferoides* Escalera, 1911: 83 (*Dorcadion*)

*nigripenne* Escalera, 1911: 82 (*Dorcadion*)

*perezoides* Escalera, 1911: 84 (*Dorcadion*)

*plurilineatum* Escalera, 1911: 84 (*Dorcadion*)

*puncticolle* Breuning, 1944a: 14 (*Dorcadion*)

*umbripenne* Escalera, 1908: 336 (*Dorcadion*)

- umbrosum* Escalera, 1911: 83 (*Dorcadion*)  
*abulense granulipenne* Escalera, 1908: 337 (*Dorcadion*) E: SP  
*aguadoi* Aguado & Tomé, 2000: 68 E: SP  
*albicans albicans* Chevrolat, 1862: 341 (*Dorcadion*) E: SP  
*aestivum* Pic, 1910i: 79 (*Dorcadion*)  
*inalbicans* Nicolas, 1904b: 83 (*Dorcadion*)  
*lainzi* Breuning, 1956k: 726 (*Dorcadion*)  
*multialternatum* Pic, 1910i: 79 (*Dorcadion*)  
*nigrinum* Escalera, 1911: 82 (*Dorcadion*)  
*palentinum* Lauffer, 1911: 27 (*Dorcadion*)  
*palentinum* Escalera, 1911: 81 (*Dorcadion*) [HN]  
*reynosae* Brisout de Barneville, 1866: 418 (*Dorcadion*)  
*albicans demandense* Escalera, 1902: 286 (*Dorcadion*) E: SP  
*incanum* Lauffer, 1911: 28 (*Dorcadion*)  
*albicans marinae* Tomé & Bahillo, 1996: 715 E: SP  
*albicans vanhoegaerdeni* Breuning, 1956k: 725 (*Dorcadion*) E: SP  
*aries* Tomé & Berger, 1999: 393 E: SP  
*becerrae* Lauffer, 1901: 90 (*Dorcadion*) E: SP  
*guadalajaranum* Pic, 1910h: 90  
*loroi* Escalera, 1924: 196 (*Dorcadion*)  
*pruinatum* Escalera, 1902: 285 (*Dorcadion*)  
*saturioi* Escalera, 1924: 198 (*Dorcadion*)  
*bolivari bolivari* Lauffer, 1898: 107 (*Dorcadion*) E: SP  
*diversevittatum* Pic, 1941b: 2 (*Dorcadion*)  
*grisescens* Pic, 1900c: 7 (*Dorcadion*)  
*laufferi* Pic, 1900c: 7 (*Dorcadion*)  
*operosum* Pic, 1947b: 1 (*Dorcadion*)  
*paulovittatum* Pic, 1947b: 1 (*Dorcadion*)  
*rodriguesi* Pic, 1900c: 405 (*Dorcadion*)  
*rufipes* Escalera, 1900: 238 (*Dorcadion*)  
*semifulvovittatum* Pic, 1947b: 1 (*Dorcadion*)  
*sparsealbum* Pic, 1941b: 2 (*Dorcadion*)  
*toledense* Pic, 1947a: 9 (*Dorcadion*)  
*bolivari danielae* Saz, 2013: 116 E: SP  
*circumcinctum circumcinctum* Chevrolat, 1862: 341 (*Dorcadion*) E: SP  
*arandae* Schramm, 1911: 306 (*Dorcadion*)  
*arias* Chevrolat, 1862: 341 (*Dorcadion*)  
*burgense* Lauffer, 1911: 33 (*Dorcadion*)  
*burgosense* Pic, 1910h: 82 (*Dorcadion*)  
*candidae* Pic, 1914b: 8 (*Dorcadion*)  
*escorialense* Chevrolat, 1866: 107 (*Dorcadion*)  
*sebastiani* Pic, 1901i: 32 (*Dorcadion*)  
*seeboldi* Escalera, 1902: 288 (*Dorcadion*)  
*circumcinctum tenuicinctum* Pic, 1898c: 20 (*Dorcadion*) E: SP  
*rufobasicorne* Pic, 1941b: 3 (*Dorcadion*)  
*ferdinandi* Escalera, 1900: 235 (*Dorcadion*) E: SP  
*fuentei* Pic, 1899a: 81 (*Dorcadion*) E: SP  
*bouvieri* Escalera, 1900: 232 (*Dorcadion*)  
*elvirae* Pic, 1904g: 58 (*Dorcadion*)  
*lesnei* Escalera, 1900: 233 (*Dorcadion*)  
*graellsii cinereum* Escalera, 1901: 81 E: SP  
*atienzanum* Pic, 1910h: 51 (*Dorcadion*)  
*auripenne* Escalera, 1908: 334 (*Dorcadion*)  
*cinerarium* Lauffer, 1901: 92 (*Dorcadion*)  
*fuscolineatum* Schramm, 1910: 288 (*Dorcadion*)  
*graellsii graellsii* Graells, 1858: 91 (*Dorcadion*) E: SP  
*alternatum* Chevrolat, 1862: 338 (*Dorcadion*)  
*consanguineum* Lauffer, 1911: 40 (*Dorcadion*)  
*costicolle* Chevrolat, 1862: 339 (*Dorcadion*)  
*latealbidum* Pic, 1910h: 90 (*Dorcadion*)  
*ovale* Chevrolat, 1870: 85 (*Dorcadion*)  
*subbrevelineatum* Pic, 1941a: 5 (*Dorcadion*)  
*graellsii incallosum* Escalera, 1908: 335 (*Dorcadion*) E: SP  
*paradoxum* Escalera, 1908: 336 (*Dorcadion*)  
*pulvipenne* Escalera, 1908: 335 (*Dorcadion*)  
*graellsii longipenne* Chevrolat, 1862: 342 (*Dorcadion*) E: SP  
*bisbilineatum* Pic, 1910h: 90 (*Dorcadion*)  
*cazurroi* Lauffer, 1901: 91 (*Dorcadion*)  
*matritense* Schramm, 1910: 288 (*Dorcadion*)  
*oberthueri* Ganglbauer, 1884: 471 (*Dorcadion*)  
*tenuilineatum* Escalera, 1924: 196 (*Dorcadion*)



*grustani* González, 1992: 3 E: SP  
*heydenii* Kraatz, 1870a: 161 (*Dorcadion*) E: SP  
*internelineatum* Pic, 1910h: 82 (*Dorcadion*)  
*semiglabratum* Pic, 1910h: 82 (*Dorcadion*)  
*stableaui* Chevrolat, 1870: 84 (*Dorcadion*)  
*korbi* Ganglbauer, 1884: 469 (*Dorcadion*) E: SP  
*rubrocarinatum* Pic, 1912a: 35 (*Dorcadion*)  
*martinezii* Perez Arcas, 1874: 145 (*Dorcadion*) E: SP  
*espanoli* Breuning, 1956k: 727 (*Dorcadion*)  
*longelineatum* Pic, 1941a: 5 (*Dorcadion*)  
*molitor molitor* Fabricius, 1775: 176 (*Lamia*) E: FR SP  
*aragonicum* Breuning, 1957e: 51  
*brisouti* Kraatz, 1873a: 68 (*Dorcadion*)  
*donzeli* Mulsant, 1839: 129 (*Dorcadion*)  
*lineola* Illiger, 1806: 238 (*Lamia*)  
*lutshniki* Plavilstshikov, 1915b: 80 (*Dorcadion*) [RN]  
*pseudodonzeli* Breuning, 1957e: 51  
*rubripes* Pic, 1896c: 142 (*Dorcadion*) [HN]  
*senegalense* J. Thomson, 1867a: 54 (*Dorcadion*)  
*superbum* Lauffer, 1911: 34 (*Dorcadion*)  
*tutori* Lauffer, 1911: 34 (*Dorcadion*)  
*molitor navasi* Escalera, 1900: 234 (*Dorcadion*) E: SP  
*caesaraugustae* Lauffer, 1911: 34 (*Dorcadion*)  
*tarraconense* Breuning, 1967e: 93 (*Dorcadion*)  
*mosqueruelense* Escalera, 1902: 283 (*Dorcadion*) E: SP  
*carbonarium* Nicolas, 1904b: 83 (*Dorcadion*)  
*glabrocostatum* Nicolas, 1909: 115 (*Dorcadion*)  
*nigritulum* Escalera, 1924: 197 (*Dorcadion*)  
*prolongatum* Pic, 1908d: 58 (*Dorcadion*)  
*pseuduhagoni* Breuning, 1948c: 62 (*Dorcadion*)  
*neilense almarzense* Escalera, 1902: 279 (*Dorcadion*) E: SP  
*brevipenne* Pic, 1903l: 178 (*Dorcadion*)  
*circumalbum* Escalera, 1924: 199 (*Dorcadion*)  
*costatum* Escalera, 1902: 280 (*Dorcadion*)  
*logronense* Pic, 1903l: 178 (*Dorcadion*)  
*nicolasianum* Plavilstshikov, 1915b: 80 (*Dorcadion*)  
*nigratum* Escalera, 1924: 200 (*Dorcadion*)  
*nivosum* Escalera, 1924: 198 (*Dorcadion*)  
*obscuratum* Escalera, 1924: 199 (*Dorcadion*)f  
*rufipedes* Escalera, 1924: 199 (*Dorcadion*)  
*schrammi* Nicolas, 1904a: 40 (*Dorcadion*)  
*subbrevipenne* Pic, 1904a: 5 (*Dorcadion*)  
*urbionense* Escalera, 1902: 280 (*Dorcadion*)  
*villosladense* Escalera, 1902: 280 (*Dorcadion*)  
*vincenti* Nicolas, 1904a: 39 (*Dorcadion*)  
*neilense neilense* Escalera, 1902: 278 E: SP  
*nudipenne nudipenne* Escalera, 1908: 337 (*Dorcadion*) E: SP  
*riazanum* Pic, 1910h: 51 (*Dorcadion*)  
*nudipenne schrammianum* Plavilstshikov, 1932d: 198 [RN] E: SP #24  
*perchini* Saz, 2012: 404  
*tricolor* Schramm, 1910: 287 (*Dorcadion*) [HN]  
*subtricolor* Breuning, 1958b: 40 [RN]  
*paulae* Iñarra & Beltrán, 2012: 43 E: SP  
*perezi cercedillanum* Pic, 1900q: 404 (*Dorcadion*) E: SP  
*laufferi* Escalera, 1900: 236 (*Dorcadion*)  
*schrammi* Pic, 1903l: 178 (*Dorcadion*)  
*subpolitum* Lauffer, 1901: 98 (*Dorcadion*)  
*perezi ghilianii* Chevrolat, 1862: 338 (*Dorcadion*) E: SP  
*ebeninum* Lauffer, 1901: 96 (*Dorcadion*)  
*reichei* Chevrolat, 1862: 342 (*Dorcadion*)  
*perezi hispanicum* Mulsant, 1851a: 125 (*Dorcadion*) E: SP  
*albidipenne* Pic, 1907a: 8 (*Dorcadion*)  
*brunneofasciatum* Lauffer, 1901: 94 (*Dorcadion*)  
*cebolterense* Lauffer, 1911: 40 (*Dorcadion*)  
*diversepubens* Pic, 1907a: 8 (*Dorcadion*)  
*encaustum* Chevrolat, 1862: 337 (*Dorcadion*)  
*erythropus* Lauffer, 1901: 93 (*Dorcadion*)  
*griseopubescens* Lauffer, 1911: 41 (*Dorcadion*)  
*multilineatum* Pic, 1907a: 8 (*Dorcadion*)  
*nigrolineatum* Chevrolat, 1862: 339 (*Dorcadion*)  
*perezi ortunoi* Hernández, 1991: 278 E: SP

*perezi perezi* Graells, 1849: 622 (*Dorcadion*) E: SP  
*anthracinum* Chevrolat, 1870: 86 (*Dorcadion*)  
*rutilipes* Nicolas, 1904b: 82 (*Dorcadion*)  
*septemvittatum* Lauffer, 1901: 95 (*Dorcadion*)  
*pseudomolitor* Escalera, 1902: 285 (*Dorcadion*) E: SP  
*segovianum dejeanii* Chevrolat, 1862: 340 (*Dorcadion*) E: SP  
*albolineatum* Escalera, 1924: 200 (*Dorcadion*)  
*baudueri* Pic, 1910h: 91 (*Dorcadion*)  
*carbonicum* Escalera, 1924: 200 (*Dorcadion*)  
*francianum* Breuning, 1956k: 727 (*Dorcadion*)  
*montanum* Lauffer, 1911: 53 (*Dorcadion*)  
*submontanum* Lauffer, 1911: 54 (*Dorcadion*)  
*segovianum segovianum* Chevrolat, 1862: 339 (*Dorcadion*) E: SP  
*castanarense* Breuning, 1948c: 62 (*Dorcadion*)  
*corralimembris* Pic, 1917g: 6 (*Dorcadion*) [RN]  
*gredosanum* Lauffer, 1911: 50 (*Dorcadion*)  
*merceti* Schramm, 1910: 286 (*Dorcadion*)  
*tornavacense* Lauffer, 1911: 52 (*Dorcadion*)  
*tournieri* Pic, 1910h: 91 (*Dorcadion*)  
*villatorensis* Breuning, 1962a: 606  
*seguntianum belbezei* Escalera, 1914b: 152 (*Dorcadion*) E: SP #24  
*bilbilitanum* Escalera, 1914b: 153 (*Dorcadion*)  
*ribotense* Corraleño Iñarra, Murria Beltrán & Saz Fucho, 2013: 106 #24  
*seguntianum intermedium* Escalera, 1902: 287 (*Dorcadion*) E: SP  
*seguntianum seguntianum* K. Daniel & J. Daniel, 1898a: 78 (*Dorcadion*) E: SP #24  
*confluens* Schramm, 1910: 288 (*Dorcadion*)  
*insidiosum* Escalera, 1901: 87 (*Dorcadion*)  
*ruspolii* Breuning, 1974a: 36 (*Dorcadion*)  
*terolense albarium* Escalera, 1902: 283 (*Dorcadion*) E: SP #24  
*terolense terolense* Escalera, 1902: 282 (*Dorcadion*) E: SP #24  
*georgei* Pic, 1904e: 17 (*Dorcadion*)  
*glabripenne* Pic, 1904a: 6 (*Dorcadion*)  
*multiplicatum* Pic, 1908d: 58  
*terolense turdetanum* Lauffer, 1911: 25 (*Dorcadion*) E: SP #24  
*denudatum* Escalera, 1911: 80 (*Dorcadion*)  
*ignotum* Escalera, 1911: 80 (*Dorcadion*)  
*uhagonii pradae* Saz Fucho, 2007: 196 E: SP  
*uhagonii uhagonii* Perez Arcas, 1868: 83 (*Dorcadion*) E: SP  
*avilense* Breuning, 1947e: 158 (*Dorcadion*)  
*cuencaense* Pic, 1941b: 3 (*Dorcadion*)  
*griseolineatum* Pic, 1894d: cccxlvi (*Dorcadion*)  
*inumerale* Pic, 1898c: 21 (*Dorcadion*)  
*lacunosum* Escalera, 1908: 335 (*Dorcadion*)  
*multidisjunctum* Pic, 1941b: 3 (*Dorcadion*)  
*panteli* Théry, 1892: xcvi (*Dorcadion*)  
*subirreductum* Pic, 1910h: 82 (*Dorcadion*)  
*valencianum* Pic, 1910i: 79 (*Dorcadion*)  
*zarcoi* Schramm, 1910: 285 (*Dorcadion*) E: SP #32  
*curvilineatum* Schramm, 1910: 286 (*Dorcadion*)  
*rugulipenne* Breuning, 1947e: 160 (*Dorcadion*)  
*zenete* Anichtchenko & Verdugo, 2004: 33 E: SP  
**subgenus Iberodorcadion** Breuning, 1943d: 524 type species *Cerambyx fuliginator* Linnaeus, 1758  
*brannani* Schaufuss, 1870: 64 (*Dorcadion*) E: PT  
*lategriseovittatum* Breuning, 1947e: 164 (*Dorcadion*)  
*castilianum* Chevrolat, 1862: 347 (*Dorcadion*) E: SP  
*ardoisi* Schramm, 1909: 297 (*Dorcadion*)  
*fuliginator andianum* Pic, 1917g: 8 (*Dorcadion*) E: SP  
*fuliginator fuliginator* Linnaeus, 1758: 393 (*Cerambyx*) E: AU BE FR GE ~~LA~~ LU NL SZ #641  
*annulicorne* Chevrolat, 1882: 60 (*Dorcadion*) [HN]  
*atrum* Bach, 1856: 32 (*Dorcadion*)  
*chevrolati* Ganglbauer, 1884: 475 (*Dorcadion*) [RN]  
*fasciatum* Geoffroy, 1785: 75 (*Cerambyx*)  
*flavicolle* Breuning, 1957e: 44  
*fuliginosum* Schrank, 1798: 658 (*Lamia*)  
*hypocrita* Mulsant, 1862: 255 (*Dorcadion*)  
*jaenneri* Hubenthal, 1908: 43 (*Dorcadion*)  
*mendax* Mulsant, 1853b: 33  
*ovatum* Sulzer, 1776: 45 (*Cerambyx*)  
*quadrilineatum* Mulsant, 1839: 124 (*Dorcadion*)  
*subnitidipenne* Pic, 1917g: 8 (*Dorcadion*)  
*vittiferum* Aurivillius, 1922b: 46 (*Dorcadion*)

*vittigerum* Fabricius, 1802: 303 (*Lamia*)  
*fuliginator loarrense* Berger, 1997: 40 E: FR SP  
*fuliginator meridionale* Mulsant, 1839: 125 (*Dorcadion*) E: FR  
*alpinum* Chevrolat, 1856b: 435 (*Dorcadion*)  
*guerryi* Pic, 1917g: 8 (*Dorcadion*)  
*fuliginator monticola* Mulsant, 1853b: 27 (*Dorcadion*) E: FR  
*fuliginator navarricum* Mulsant, 1853b: 29 (*Dorcadion*) E: FR SP  
*fuliginator obesum* Gautier des Cottés, 1870b: 263 (*Dorcadion*) E: FR  
*fuliginator pyrenaeum* Germar, 1839: 16 (*Dorcadion*) E: FR SP  
*albodiversum* Pic, 1945b: 7 (*Dorcadion*)  
*curtecostatum* Pic, 1941b: 3 (*Dorcadion*)  
*fuliginator striola* Mulsant, 1862: 258 (*Dorcadion*) E: FR  
*fuliginator urgulli* Breuning, 1976c: 161 (*Dorcadion*) E: SP  
*mimomucidum* Breuning, 1976c: 161 E: PT  
*seoanei kricheldorffi* Pic, 1910i: 79 (*Dorcadion*) E: PT SP  
*cabrense* Breuning, 1956k: 724 (*Dorcadion*)  
*lainzgalloi* Rodríguez, 1996: 189  
*suturelevatum* Breuning, 1956k: 725 (*Dorcadion*)  
*seoanei laurae* Bahillo, 1994: 65 E: SP  
*seoanei seoanei* Graells, 1858: 93 (*Dorcadion*) E: SP  
*sulcatithorax* Pic, 1909: 186 (*Dorcadion*)  
*spinolae caunense* Lauffer, 1910: 92 (*Dorcadion*) E: SP  
*escalerae* Lauffer, 1901: 89 [HN]  
*laufferianum* Plavilstshikov, 1915b: 80 [RN]  
*spinolae soricinum* Chevrolat, 1862: 347 (*Dorcadion*) E: SP  
*vallisoletanum* Lauffer, 1901: 89 (*Dorcadion*)  
*spinolae spinolae* Dalman, 1817b: 174 (*Lamia*) E: SP  
*basigranosum* Breuning, 1943b: 97 (*Dorcadion*)  
*mulsanti* Brisout de Barneville, 1866: 420 (*Dorcadion*)  
*paganettii* Pic, 1910i: 79 (*Dorcadion*)

**genus *Neodorcadion* Ganglbauer, 1884: 437** type species *Lamia bilineata* Germar, 1824

*Calabrodorcadion* Özdikmen & Kaya, 2015a: 5 type species *Neodorcadion calabricum* Reitter, 1889  
*Vacarodorcadion* Özdikmen & Kaya, 2015a: 5 type species *Dorcadion virleti* Brullé, 1832  
*bilineatum* Germar, 1824: 485 (*Lamia*) E: AL BH BU CR GR HU MC MD ME RO SB SK TR UK (Odessa env.)  
*macedonicum* Pic, 1917g: 5  
*calabricum* Reitter, 1889a: 41 E: IT  
*difforme* Pesarini & Sabbadini, 2014: 16 A: TR  
*exornatoides* Breuning, 1962a: 68 A: TR  
*exornatum* Frivaldszky von Frivald, 1835: 268 (*Dorcadion*) E: BU GR RO TR A: TR  
*anticejunctum* Pic, 1917g: 6  
*balcanicum* Tournier, 1872: 284 (*Dorcadion*)  
*labyrinthicum* J. Thomson, 1865: 549 (*Dorcadion*)  
*subdiversum* Pic, 1917g: 6  
*fallax* Kraatz, 1873a: 89 (*Dorcadion*) E: BU GR ~~MV~~  
*laqueatum* Waltl, 1838: 469 (*Dorcadion*) E: BU TR A: TR  
*abeillei* Tournier, 1872: 208 (*Dorcadion*)  
*anceyi* Pic, 1913b: 186  
*bulgaricum* Pic, 1913b: 186  
*diversesparsum* Pic, 1914b: 8  
*interruptum* Mulsant & Rey, 1863: 150 (*Dorcadion*)  
*insparum* Pic, 1914b: 8  
*kadiense* Pic, 1917a: 10  
*lemoulti* Pic, 1914b: 8  
*servilorum* Pic, 1917g: 6  
*sparsenotatum* Pic, 1914b: 8  
*sparsum* Mulsant & Rey, 1863: 152 (*Dorcadion*)  
*subinterruptum* Pic, 1917g: 6  
*orientale* Ganglbauer, 1884: 510 A: TR  
*dispar* Pic, 1892n: xxvii  
*eduardi* Pic, 1900n: 82  
*flaschneri* Pic, 1890d: clxxv  
*merkli* Pic, 1893e: cxcvi  
*pelleti* Mulsant & Rey, 1863: 149 (*Dorcadion*) E: GR SB TR A: TR  
*credulum* Pic, 1917a: 10  
*disjunctum* Pic, 1917g: 6  
*segne* Mulsant & Rey, 1863: 155 (*Dorcadion*)  
*virleti* Brullé, 1832: 258 (*Dorcadion*) E: GR  
*acarnanicum* Pic, 1914b: 8  
*ionicum* Pic, 1901i: 52

#506 #517

#46

#46

#506

*subbinotatum* Pic, 1914b: 8

- genus *Politorcadion* Danilevsky, 1996d: 407** type species *Dorcadion politum* Dalman, 1823  
*archarlense* Danilevsky, 1996d: 411 (*Dorcadion*) ["Karaganda reg., to the north from Archarly Mts"] A: KZ  
*lativittis* Kraatz, 1878b: 219 (*Dorcadion*) A: KZ MG XIN #517  
*altaiense* Pic, 1898f: 44 (*Dorcadion*)  
*cribricolle* Kraatz, 1882b: 196 (*Dorcadion*)  
*politum akmolense* Suvorov, 1911a: 63 (*Dorcadion*) E: ST A: KZ  
*politum balchashense* Suvorov, 1911a: 64, 69 (*Dorcadion*) A: KZ #727  
*politum betpakdalense* Danilevsky, 1996d: 410 (*Dorcadion*) A: KZ (Betpakdala Desert) #727  
*politum eurygyne* Suvorov, 1911a: 65, 69 (*Dorcadion*) A: KZ WS #727  
*politum knyazevi* Danilevsky, 2020c: 104 A: WS (Omsk Region)  
*politum lailanum* Danilevsky, 2007e: 204 A: KZ (Kalbinsky Ridge, about 5km N Samarka) #727  
*politum naurzumense* Danilevsky, 2023: 272 A: KZ (Naurzum Reserve)  
*politum politum* Dalman, 1823: 68 (*Dorcadion*) A: KZ WS  
*basicorne* Pic, 1929b: 9 (*Compsodorcadion*)  
*conjunctum* Pic, 1898f: 45 (*Dorcadion*)  
*lydiae* Plavilstshikov, 1929b: 209 (*Dorcadion*)  
*politipenne* Pic, 1897f: 94 (*Dorcadion*)  
*politum shapovalovi* Danilevsky, 2006a: 2 E: ST (S Orenburg Region) A: KZ  
*politum tarbagataicum* Danilevsky, 2023: 275 A: KZ (Tarbagatay Mts, Urdzhar)  
*ribbei bobrovi* Danilevsky, 2001f: 631 (*Dorcadion*) A: KZ (Zaysan-city env.)  
*ribbei ribbei* Kraatz, 1878b: 220 (*Dorcadion*) A: KZ (Tarbagatay Mts) XIN  
*corallipes* Ganglbauer, 1884: 476 (*Dorcadion*)  
*rubrofemoratum* Pic, 1897f: 94 (*Dorcadion*)

- genus *Trichodorcadion* Breuning, 1942a: 116** type species *Trichodorcadion gardneri* Breuning, 1942  
*dubiosum* Breuning, 1954f: 265 A: "India"  
*gardneri* Breuning, 1942a: 116 A: NP UP

#### tribe Dorcaschematini J. Thomson, 1860

- genus *Cylindrecamptus* Breuning, 1940e: 560** type species *Olenecamptus lineatus* Aurivillius, 1914  
*lineatus* Aurivillius, 1914: 25 (*Olenecamptus*) A: YUN ORR  
*interruptus* Pic, 1922c: 14 (*Olenecamptus*)
- genus *Cylindrepomus* Blanchard, 1853: 268** type species *Cylindrepomus nigrofasciatus* Blanchard, 1853  
*Hippardium* Pic, 1925a: 21 type species *Olenecamptus rubriceps* Aurivillius, 1907  
[*fouqueti fouqueti* Pic, 1832h: 138 (*Olenecamptus*) (Saigon)]  
*fouqueti hainanensis* Hua, 1979: 110 (*Olenecamptus*) A: HAI  
*viridipennis* Pic, 1937b: 7 (*Olenecamptus*) A: YUN ORR
- genus *Macrocamptus* L. S. Dillon & E. S. Dillon, 1948: 253** type species *Cylindrepomus virgatus* Gahan, 1890  
*virgatus* Gahan, 1890a: 61 (*Cylindrepomus*) A: AP SD #280
- genus *Microlenecamptus* Pic, 1925a: 22** type species *Cylindrepomus albonotatus* Pic, 1925  
[*albonotatus albonotatus* Pic, 1925: 22 (*Cylindropomus* - misspelling) (Tonkin)]  
*albonotatus flavosignatus* Breuning, 1965d: 53 A: GUX ORR  
*albonotatus reductesignatus* Rondon & Breuning, 1970: 480 A: GUX ORR #305  
*biocellatus* Schwarzer, 1925b: 63 (*Olenecamptus*) A: ANH GUA HUN TAI  
*virescens* Savio, 1929: 8  
*nakabayashii* Takakuwa, 1992: 102 A: JA (Ryukyus)  
*obsoletus* Fairmaire, 1888b: 145 (*Olenecamptus*) A: BEI FUJ HEB JIA TAI  
*albatu* Matsushita, 1933b: 353 (*Dorcaschema*)  
*signatus* Aurivillius, 1914: 25 (*Cylindrepomus*) A: GUX YUN ORR
- genus *Olenecamptus* Chevrolat, 1835: 134** type species *Olenecamptus serratus* Chevrolat, 1835 (= *Saperda biloba* Fabricius, 1802)  
*Authades* J. Thomson, 1857e: 191 type species *Authades indianus* J. Thomson, 1857  
*Ibidimorphum* Motschulsky 1860b: 152 type species *Ibidimorphum octopustulatum* Motschulsky, 1860  
*anogeissi* Gardner, 1930: 156 A: HP NP #159  
*bilobus bilobus* Fabricius, 1802: 324 (*Saperda*) A: AP FUJ GUA GUX HAI HEB HKG HP LIA NP PA SCH SD TAI UP YUN ZHE  
AFR AUR ORR #280 #159 #400 #525  
*dahli* Kriesche, 1926: 375  
*gressitti* L. S. Dillon & E. S. Dillon, 1948: 158  
*luzonensis* L. S. Dillon & E. S. Dillon, 1948: 228  
*rouyeri* Pic, 1916d: 6  
*serratus* Chevrolat, 1835: 134

*ternatus* L. S. Dillon & E. S. Dillon, 1948: 227  
*tonkinus* L. S. Dillon & E. S. Dillon, 1948: 230  
*bilobus nipponensis* L. S. Dillon & E. S. Dillon, 1948: 229 A: JA (Ryukyus)  
*bilobus quinquemaculatus* L. S. Dillon & E. S. Dillon, 1948: 234 A: BT SD  
*clarus* Pascoe, 1859: 44 A: ANH FUJ GUI HEB HEN HUB HUN JA JIA JIX NC SC SCH SHN TAI ZHE  
*cretaceus cretaceus* Bates, 1873: 314 A: HEB HEN HUB JA JIA JIX SC SCH TAI ZHE #63  
*intactus* L. S. Dillon & E. S. Dillon, 1948: 183 #251  
*cretaceus marginatus* Schwarzer, 1925b: 63 A: HEN TAI **ORR**  
*dominus* J. Thomson, 1860: 362 A: HAI NP YUN **ORR** #390  
*formosanus* Pic, 1914d: 19 A: HUB JA SC TAI ZHE **ORR**  
*decemmaculatus* Pic, 1916e: 13  
*hondoensis* Seki, 1941: 453 [31]  
*fukutomii* Hasegawa, 2004: 225 A: JA (Ogasawara Isls.)  
*griseipennis* Pic, 1932g: 138 (*Cylindropemus*) A: GUI HUB SCH YUN ZHE  
*montanus* Gressitt, 1942b: 4 (*Olenocamptus*)  
*indianus* J. Thomson, 1857e: 192 (*Authades*) A: AP HAI HP NP SD TAI UP YUN **ORR** #159 #166  
*albolineatus* Pic, 1916d: 5  
*multinotatus* Pic, 1916f: 141  
*salweeni* Heller, 1926: 39  
*nigromaculatus* Pic, 1915d: 14 A: XIX  
*octopustulatus* Motschulsky, 1860b: 152 (*Ibidimorphum*) A: ANH ES FE FUJ GAN GUI GUX HEI HEN HUB JA JIL JIX LIA MG NC  
NIN NMO SC SHA ?TAI ZHE ?**ORR** #60  
*chinensis* L. S. Dillon & E. S. Dillon, 1948: 204  
*choseni* Gilmour, 1956c: 754  
*mordkoviitshi* Tshernyshev & Dubatov, 2000: 386 ["East Siberia, Chita Area"]  
*pedongensis* Breuning, 1968: 52 A: SD  
*pseudostrigosus* Breuning, 1938c: 226 A: HP SD **ORR** #159  
*quadriplagiatus* L. S. Dillon & E. S. Dillon, 1948: 197 A: GUX YUN **ORR** #400  
*riparius* Danilevsky, 2011c: 67 A: FE JA (Tsushima Is.) NC NE SC YUN ZHE  
*siamensis* Breuning, 1936: 319 A: YUN **ORR**  
*subobliteratus* Pic, 1923c: 19 A: BEI FUJ GUI HEB HUB JIA JIX NE SCH SHA YUN ZHE  
*superbus* Pic, 1908f: 16 A: YUN  
*taiwanus* L. S. Dillon & E. S. Dillon, 1948: 229 A: GUA GUX HAI HKG JA TAI YUN

tribe Eunidiini Teocchi, Sudre & Jiroux, 2010

#400 #778

**genus *Eunidia* Erichson, 1843: 261** type species *Eunidia nebulosa* Erichson, 1843  
*Anomoesia* Pascoe, 1858: 255 type species *Anomoesia fulvida* Pascoe, 1858  
*Aserixia* Pic, 1925b: 31 type species *Aserixia savioi* Pic, 1925  
*Boucardia* Pic, 1925b: 31 type species *Boucardia nigroapicalis* Pic, 1925  
*Frixus* J. Thomson, 1857f: 313 type species *Frixus variegatus* J. Thomson, 1857  
*Mycerinella* Heller, 1924c: 203 type species *Mycerinella subfasciata* Heller, 1924  
*Paphraecia* Fairmaire, 1894b: 332 type species *Paphraecia obliquepicta* Fairmaire, 1894 (= *Eunidia nebulosa* Erichson, 1843)  
*Semclinia* Fairmaire, 1897e: 254 type species *Semclinia denseguttata* Fairmaire, 1898  
*Syessita* Pascoe, 1864c: 284 type species *Syessita vestigialis* Pascoe, 1864  
*Tritomicrus* Fairmaire, 1892a: 125 type species *Tritomicrus marmoreus* Fairmaire, 1892  
*apicemaculata* Breuning, 1939b: 214 A: PA UP #274  
*arabica* Breuning, 1968c: 90 A: SA YE  
*arabensis* Breuning, 1969d: 104 [unnecessary substitute name]  
*atripennis* Pu & D.-R. Yang, 1993: 301, 305 A: CHQ GUI HUB YUN #60  
*atripes* Breuning, 1960g: 475 A: GUA  
*breuningae* Villiers, 1951: 201 N: EG A: OM SA YE **AFR**  
*djiboutiana* Breuning, 1974e: 122  
*naviauxi* Villiers, 1977: 168  
*renaudi* Breuning, 1961f: 252  
*submarmorata* Breuning, 1968c: 91  
*flavicans* Breuning, 1954b: 16 A: YE **AFR**  
*haplotrita* Aurivillius, 1911: 32 [218] A: **OM** SA YE #774  
*kristenseni* Aurivillius, 1911: 29 [215] A: OM SA YE **AFR**  
*kumatai* Hayashi, 1981a: 10 A: NP  
*lateralis* Gahan, 1893b: 387 A: HAI NP YUN **ORR** #525  
*cincta* Pic, 1926h: 237 (*Aserixia*)  
*nebulosa nebulosa* Erichson, 1843: 262 A: OM SA YE **AFR**  
*brevicollis* Fairmaire, 1896b: 394 (*Paraphraecia*)  
*distinguenda* Aurivillius, 1926: 480  
*lateritia* Fairmaire, 1903: 255 (*Diadelia*)  
*gabonica* Breuning, 1938c: 214  
*mixta* Gahan, 1909: 73  
*obliquepicta* Fairmaire, 1894b: 332 (*Paraphraecia*)



*proxima* Breuning, 1938c: 215  
*puncticollis* Fähræus, 1872b: 52  
*rustica* Fähræus, 1872b: 53  
*senilis* J. Thomson, 1868b: 137  
**nigricans** Breuning, 1942d N: EG AFR #778  
*savioi* Pic, 1925b: 31 (*Aserixia*) A: JIA SHA SHG #225  
*taiwanensis* Hayashi & Nara, 1992: 148 A: TAI  
*fengkangshanensis* Hayashi & Nara, 1992: 149  
**thomsoni** Distant, 1898: 377 A: SA YE AFR  
*albicans* Breuning, 1938: 211  
*apiceclarior* Breuning, 1967g: 297  
*bicoloripennis* Breuning, 1974c: 413  
*clarkei* Breuning, 1974c: 414  
*ferrandi* Aurivillius, 1926: 482  
*guttata* Breuning, 1957b: 71 [RN]  
*guttulata* Aurivillius, 1908: 8  
*pseudoalbicans* Breuning, 1968b: 58 [RN]  
*rubroscapus* Breuning, 1962e: 71  
*subalbicans* Breuning, 1967d: 86  
*suturebrunnea* Breuning, 1977b: 273  
*zavattarii* Breuning, 1942d: 94  
*yemeniensis* Breuning, 1968c: 90 A: YE

**genus Eunidiella** Breuning, 1940b: 177 type species *Eunidiella pilosa* Breuning, 1940  
*pilosa* Breuning, 1940b: 178 A: SD UP

**genus Parasophronica** Breuning, 1940d: 430 type species *Parasophronica strandiella* Breuning, 1940 #715  
*Falseunidia* Breuning, 1943a: 52 type species *Falseunidia albosignata* Breuning, 1943  
*strandiella* Breuning, 1940d: 430 A: HP NP SD ORR #280  
*alboguttata* Gouverneur, 2021: 78  
*albosignata* Breuning, 1943a: 52 (*Falseunidia*)

tribe Exocentrini Pascoe, 1864 #778

**genus Acartus** Fähræus, 1872b: 50 type species *Acartus hirtus* Fähræus, 1872  
*biplagiatus* Aurivillius, 1926: 485 A: YE AFR

**genus Exocentrus** Dejean, 1835: 339 type species *Cerambyx balteatus* Fabricius *sensu* Dejean, 1835 (= *Cerambyx lusitanus* Linnaeus, 1767) #44 #517  
*Bicolorihirtus* Kusama & Tahira, 1978: 9 type species *Exocentrus venatoides* Kusama & Tahira, 1978  
*Camptomyne* Pascoe, 1864a: 43 type species *Camptomyne callioides* Pascoe, 1864  
*Formosexocentrus* Breuning, 1958f: 322 type species *Exocentrus variepennis* Schwarzer, 1925  
*Oligopsis* J. Thomson, 1864: 111 type species *Oligopsis exocentroides* J. Thomson, 1864  
*Parasphigmothorax* Breuning, 1974h: 155 type species *Parasphigmothorax ochreosignatus* Breuning, 1974  
*Pseudocentrus* Fairmaire, 1901: 230 type species *Exocentrus reticulatus* Fairmaire, 1898  
*Striatoexocentrus* Breuning, 1955a: type species *Exocentrus nonymoides* Jordan, 1894  
*adpersus* Mulsant, 1846: [9] [NP] E: AL AU BE BH BU CR CZ FR GE GR HU IT LU MC MD ME NL PL RO SB SK SL SP ST SV  
 SZ TR UK A: AB AR CY GG SY TR #292  
*alemdaghensis* Breuning, 1981c: 182  
*clarae* Mulsant & Rey, 1861b: 206 [1861c: 193]  
*hirsutulus* Faldermann, 1837: 272 (*Astynomus*) [DA]  
*quercus* Rossi, 1790: 143 (*Cerambyx*)  
*revelieri* Mulsant & Rey, 1875a: 413 [=1875b: 77] (original spelling: *revelieri*)  
*alboguttatus alboguttatus* Fisher, 1925: 240 A: GUX HAI KA NP UP YUN ORR #242  
*annamensis* Breuning, 1957a: 15  
*multilineatipennis* Breuning, 1974b: 42 [Indien: Kaluwala] #242  
*alboguttatus obscurior* Pic, 1929a: 30 [“Tonkin”] A: FUJ HUB ORR #242  
*rufescens* Pic, 1929a: 30 [Chine] #242  
*alboguttatus subconjunctus* Gressitt, 1940b: 184 A: GUX HAI HKG #242  
*alboguttatus taiwanensis* Kusama & Tahira, 1978: 22 A: TAI  
*alboeriatatus* Gahan, 1894a: 85 A: NP ORR  
*albomultiseriatus* Breuning, 1964b: 6 [RN]  
*alboeriatipennis* Breuning, 1963c: 13 [HN]  
*rubripennis* Pic, 1929a: 29  
*submarginicollis* Breuning, 1965b: 40 [Paksane]  
*alni* Fisher, 1932: 298 A: NP SD  
*ochreosignatus* Breuning, 1974h: 155 #103  
*andamanensis* Fisher, 1932: 231 A: NP ORR #242  
*assamensis* Breuning, 1972c: 419 A: AP  
*basirufus* Gressitt, 1940b: 185 A: GUA HAI

*becvari* Holzschuh, 1999: 48 A: YUN  
*beijingensis* S.-C. Chen, 1993: 197 A: BEI  
*blanditus* Holzschuh, 2010: 199 A: SHA  
*brevisetosus* Gressitt, 1938b: 167 A: HUB TAI YUN **ORR**  
*businskae* Holzschuh, 2007: 266 A: XIZ  
*carissae* Fisher, 1932: 312 A: HP NP PA UP  
*kuluensis* Breuning, 1957g: 277  
*championi* Fisher, 1940: 207 A: BT HP KA NP PA SCH UP  
*kashmirensis* Breuning, 1957g: 277  
*collarti* Breuning, 1958a: 41 A: BT  
*constricticollis* Gressitt, 1940b: 186 A: HAI  
*coronatus* Holzschuh, 2007: 276 A: YUN  
*cudraniae* Fisher, 1932: 314 A: NP UP  
*dalbergiae* Fisher, 1932: 310 A: NP PA UP #274  
*dalbergianus* Gressitt, 1951a: 528 A: HUB  
*diminutus* Holzschuh, 2007: 280 A: GUI  
*diversiceps* Pic, 1931b: 259 A: BT NP SD YUN **ORR** #242  
*lateralis* Pic, 1936: 299 [HN]  
*lateraloides* Breuning, 1958f: 300  
*rufoampliatius* Breuning, 1958f: 300  
*rufobasipennis* Breuning, 1958f: 300  
*testaceus* Fisher, 1932: 322 #242  
*euchromus* Holzschuh, 2007: 279 A: HUN  
*explanatidens* Pic, 1930d: 58 A: BT NP SD  
*fasciolatus fasciolatus* Bates, 1873: 384 A: JA #10  
*curtipennis* Pic, 1918a: 10 ["Japan"]  
*fasciolatus plavilstshikovi* Danilevsky, 2014f: 664 A: FE ?NC NE SC #525  
*fastigatus* Holzschuh, 2007: 275 A: YUN **ORR**  
*ficicola* Fisher, 1932: 315 A: NP UP **ORR**  
*fisheri fisheri* Gressitt, 1935b: 175 A: JA #400 #726  
*fisheri marginatus* Tsherepanov, 1973a: 124 A: FE JIX NC SC #63 #726  
*flemingiae* Fisher, 1932: 297 A: GUI NP SD UP YUN **ORR** #400  
*fuscoscapus* Breuning, 1958f: 299  
*rufiscapus* Pic, 1939e: 344  
*formosofasciolatus* Kusama & Tahira, 1978: 17 A: TAI  
*fulvobrunneus* Kusama & Tahira, 1978: 15 A: TAI  
*fumosus* Gahan, 1894a: 85-86 A: UP **ORR**  
*seticollis* Fisher, 1932: 300  
*galloisi* Matsushita, 1933a: 397 A: JA #63  
*gardneri* Fisher, 1932: 302 A: UP  
*granulicollis* Fisher, 1932: 323-324 A: TAI **ORR** #103  
*rufithorax* Gressitt, 1935e: 286 #103  
*grewiae* Fisher, 1932: 317 A: NP UP  
*himalayanus* Breuning, 1974b: 42  
*guttulatus guttulatus* Bates, 1873: 385 A: JA  
*guttulatus ussuricus* Tsherepanov, 1973c: 138 A: FE NC NE SC  
*hayashii* Samuelson, 1965b: 119 A: JA (Ryukyus)  
*hupehensis hupehensis* Gressitt, 1951a: 528 A: GUI HUB HUN #103  
*immaculatus* Gressitt, 1951a: 529 A: TAI  
*keiichii* Tsuyuki, 1999: 8 A: TAI  
*kentingensis* Kusama & Tahira, 1978: 12 A: TAI  
*kleebergi* Holzschuh, 2003b: 315 A: NP  
*koryonus* Han & Hasegawa, 2022: 284 A: NC  
*kuceraei* Holzschuh, 1999: 48 A: YUN  
*kusamai* Tsuyuki, 1999: 5 A: TAI  
*lineatus* Bates, 1873: 384 A: FE JA JIX NC SC  
*longipennis* Holzschuh, 1999: 50 A: YUN  
*lusitanus* Linnaeus, 1767: 1067 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT **KZ** LA LS LT MC MD ME  
NR NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR GG KZ TR WS  
*balteatus* Gyllenhal, 1817: 163 (*Lamia*)  
*crinitus* Panzer, 1795: 249 (*Cerambyx*)  
*ochreoscutellatus* Breuning, 1974: 155 #103  
*pubicornis* Schrank, 1789: 76 (*Cerambyx*)  
*subpilosus* Piller & Mitterpacher, 1783: 67 (*Cerambyx*)  
*marui* Makihara, 1986b: 253 A: JA (Ryukyus)  
*melli* Breuning, 1961i: 323 A: HKG #400  
*misellomimus* Breuning, 1963b: 48 A: GUX **ORR**

*montilineatus* Kusama & Tahira, 1977: 39 A: JA  
*m-signatus* Pic, 1933f: 6 A: SCH  
*pici* Breuning, 1958f: 230  
*multiguttulatus* Pic, 1927a: 24 A: HAI **ORR**  
*nakanei* Makihara, 1986b: 254 A: JA (Ryukyus)  
*nanshanensis* Kusama & Tahira, 1978: 14 A: TAI  
*nobuoi nobuoi* Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)  
*nobuoi nonakai* Makihara, 1986b: 251 A: JA (Ryukyus)  
*nobuoi okinawensis* Breuning & K. Ohbayashi, 1966: 35 A: JA (Ryukyus)  
*paraguttulatus* Breuning & Chûjô, 1971: 31 #657  
*parassamensis* Breuning, 1975d: 355 A: BT  
*parcus* Holzschuh, 1984a: 157 A: NP  
*parrotiae* Fisher, 1932: 296, 304 A: AF KA PA #103  
*klapperichi* Breuning, 1957c: 12 #103  
*procerulus* Holzschuh, 1984: 154 A: NP  
*pseudopunctipennis* Holzschuh, 1979a: 115 E: ?ST A: AB AR GG IN TM  
*pseudovariipennis* Kusama & Tahira, 1978: 18 A: TAI  
*pubescens* Fisher, 1932: 303 A: NP UP **ORR**  
*punctipennis punctipennis* Mulsant & Guillebeau, 1856: 103 E: AL AU BH BU BY CR CT CZ EN FR GE GR HU IT LA LT LU MD #687  
ME PL RO SB SK SL SP ST SV SZ ?TR UK  
*graecus* Pic, 1901: 52  
*punctipennis signatus* Mulsant & Rey, 1863: 163 E: ST TR A: AB GG ?IN TR  
*ravillus* Holzschuh, 1984a: 158 A: NP SD  
*ritae* Sama, 1985a: 65 A: SY TR  
*rondoni* Breuning, 1963b: 47 A: YUN **ORR**  
*satoi* K. Ohbayashi, 1961a: 20 A: JA (Ryukyus)  
*savioi* Pic, 1925e: 138 A: FUJ GUX JIA JIX SHG TAI  
*semiglaber* Breuning, 1968a: 29 A: YUN **ORR**  
*seriatomaculatus* Schwarzer, 1925c: 147 A: TAI **ORR**  
*specularis* Holzschuh, 1989a: 174 A: NP SD  
*spineus* Holzschuh, 2007: 283 A: GUI SHA  
*spurcatus* Holzschuh, 1984a: 156 A: UP  
*stierlini* Ganglbauer, 1883b: 298 E: CR CT CZ HU MD PL RO SB SK ST UK A: CH ES FE KZ MG NC SC WS #88 #785  
*subbicolor* Breuning, 1958f: 300 [RN] A: NP **ORR**  
*bicolor* Pic, 1929a: 30 [HN]  
*subbidentatus* Gressitt, 1937d: 615 A: FUJ GUA  
*submoerens* Breuning, 1958a: 40 A: HKG  
*subniger* Breuning, 1975d: 356 A: BT  
*subsolanus* Z. Wang, 2003: 369, 397 (*Pogonocherus*) A: HEI  
*superstes* Holzschuh, 1995: 46 A: YUN **ORR**  
*takakuwai* Makihara, 1982a: 43 A: JA (Ryukyus)  
*taniguchii* Makihara, 1986a: 13 A: JA (Ryukyus) TAI (Lanyu Is.)  
*tantillus* Holzschuh, 2007: 264 A: SCH  
*tenellus* Holzschuh, 1984a: 155 A: NP  
*testudineus* Matsushita, 1931a: 47 A: ?CH FE JA SC (Mt. Seoraksan) #63  
*wistariae* Fujimura, 1956: 6  
*theresae* Pic, 1939b: 4 A: BEI **SCH** #496  
*transversifrons* Fisher, 1940: 209 A: KA NP SD UP  
*mediomfasciatus* Hayashi, 1981a: 17  
*trifasciellus* Gressitt, 1940b: 187 A: HAI  
*tsushmanus* Hayashi, 1968a: 27 A: FE JA (Tsushima Is.) NC NE SC #10  
*conjugatofasciatus* Tsherepanov, 1973c: 138  
*ulmicola* Holzschuh, 2007: 284 A: BEI HEB SHA #225  
*variabilis* Holzschuh, 2007: 272 A: YUN **ORR**  
*variipennis* Schwarzer, 1925c: 147 (*Camptomine*) A: TAI  
*venatoides* Kusama & Tahira, 1978: 9 A: TAI  
*vetustus* Holzschuh, 2007: 281 A: SHA  
*zikaweiensis* Savio, 1929: 3 A: FUJ HUB JIA NC SC SHG #685  
*saitoi* Matsushita, 1935: 313

**genus** *Miaenia* Pascoe, 1864a: 27 type species *Miaenia marmorea* Pascoe, 1864  
**subgenus** *Estoliops* Matsushita, 1943: 574 type species *Estoliops fasciatus* Matsushita, 1943  
*fasciata fasciata* Matsushita, 1943: 575 (*Estoliops*) A: JA SC  
*fasciata nobuoi* Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)  
*fasciata okinawana* N. Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)  
*fasciata taiwanensis* Kusama & Oda, 1979: 76 (*Estoliops*) A: TAI

*fasciata yaeyamana* N. Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)  
*sakishimana deguchii* N. Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)  
*sakishimana sakishimana* Gressitt, 1951b: 227 A: JA (Ryukyus)  
**subgenus *Granulimiaena*** Breuning, 1963: 528 type species *Miaenia granulicollis* Gressitt, 1938  
*Granulimiaena* Breuning, 1977b: 259 - wrong subsequent spelling  
*granulicollis* Gressitt, 1938b: 166 A: GUA HKG TAI  
**subgenus *Indoaegocidnus*** Breuning, 1956d: 360 type species *Aegocidnus indicus* Breuning, 1956  
*binhana* Pic, 1926c: 48 (*Exocentrus*) A: HAI HKG **ORR**  
*laterimaculata* Gressitt, 1940b: 188  
*hokkongensis* Breuning, 1968d: 232 (*Sciades*) A: HKG  
**subgenus *Miaenia*** Pascoe, 1864a: 27 type species *Miaenia marmorea* Pascoe, 1864  
*Pseudocidnus* Breuning, 1957f: 122 type species *Exocentrus tonsus* Bates, 1873  
*Miaena*, Breuning, 1963l: 527 - wrong subsequent spelling  
*brevicollis* Gressitt, 1951b: 225 A: JA (Ryukyus)  
*changi* Kusama & Oda, 1979: 75 A: TAI  
*elongata* Gressitt, 1951a: 532 A: HUB NP  
*longicollis* Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)  
*hirashimai* Samuelson, 1965b: 121  
*maritima* Tsherepanov, 1979: 82 A: FE ?NC SC  
*nakanei* Hayashi, 1956c: 18 A: JA  
*subfasciata* Schwarzer, 1925c: 148 A: TAI  
*tonsa* Bates, 1873: 385 (*Exocentrus*) A: JA SC #346  
*fujiyamai* Matsumura & Matsushita, 1933a: 108 (*Exocentrus*)  
*inhirsuta* Pic, 1907c: 21 (*Exocentrus*)  
*leiopodina* Matsushita, 1933b: 397 (*Exocentrus*)  
**subgenus *Truncatomiaenia*** Breuning, 1977b: 253 type species *Nonymoides botelensis* Gressitt, 1938 #43  
*Sciades* Pascoe, 1864a: 30 [HN] type species *Leiopus suffusus* Pascoe, 1864  
*botelensis* Gressitt, 1951a: 531 (*Nonymoides*) A: TAI (Ludao Is., Lanyu Is.)

**genus *Nobuosciades* Hasegawa, 2009: 344** type species *Exocentrus bioculatus* Matsumura & Matsushita, 1933  
**subgenus *Nobuosciades* Hasegawa, 2009: 344** type species *Exocentrus bioculatus* Matsumura & Matsushita, 1933  
*bioculatus* Matsumura & Matsushita, 1933a: 108 (*Exocentrus*) A: JA (Ogasawara Isls.)  
*iwojimana* Gressitt, 1956: 158 (*Sciadella*)  
*lanatus* N. Ohbayashi, 1976: 4 (*Miaenia*) A: JA (Ogasawara Isls.)  
**subgenus *Palmisciades* Hasegawa, Takeda & Karube, 2011: 110** type species *Palmisciades clinostigmai* Hasegawa, Takeda & Karube, 2011.  
*clinostigmai* Hasegawa, Takeda & Karube, 2011: 110 A: JA (Ogasawara Isls.)

#### tribe Gnomini J. Thomson, 1860

**genus *Imantocera* Dejean, 1835: 341** type species *Lamia plumosa* Olivier, 1797  
*Himantocera* Gistel, 1848a: xi [unjustified emendation]  
*penicillata* Hope, 1831: 28 (*Lamia*) A: AP BT GUI GUX HKG NP SD XIZ YUN **ORR** #280 #339 #344  
*vicina* Gahan, 1894a: 47 (*Himantocera*) A: NP UP

**genus *Trichognoma* Breuning, 1956g: 674** type species *Trichognoma chinense* Breuning, 1956  
*chinensis* Breuning, 1956g: 674 A: HUB

#### tribe Gyaritini Breuning, 1950j

**genus *Gyaritus* Pascoe, 1858: 244** type species *Gyaritus hamatus* Pascoe, 1858  
**subgenus *Gyaritus* Pascoe, 1858: 244** type species *Gyaritus hamatus* Pascoe, 1858 #217  
*Axinyllium* Pascoe, 1864a: 27, 46 type species *Axinyllium varium* Pascoe, 1864 #217  
*Mimoenispia* Pic, 1936a: 18 type species *Mimoenispia quadridentata* Pic, 1936a  
*auratus* Breuning, 1963: 19 A: YUN **ORR**  
*lungtauensis* Gressitt, 1951a: 484 (*Yimnashana*) A: GUA #217  
*theae* Gressitt, 1951a: 485 (*Yimnashana*) A: FUJ #217

**genus *Microleropsis* Gressitt, 1937d: 607** type species *Microleropsis rufimembris* Gressitt, 1937  
*rufimembris* Gressitt, 1937d: 608 A: FUJ GUA

**genus *Yimnashana* Gressitt, 1937d: 604** type species *Yimnashana denticulata* Gressitt, 1937  
**subgenus *Tinkhamia* Gressitt, 1937d: 605** type species *Tinkhamia hamulata* Gressitt, 1937 #217  
*hamulata hamulata* Gressitt, 1937d: 606 (*Tinkhamia*) A: JIX #217  
*hamulata lantauana* Gressitt, 1937d: 606 (*Tinkhamia*) A: GUA HKG #217  
*validicornis* Gressitt, 1951a: 487 (*Tinkhamia*) A: GUA #217  
**subgenus *Yimnashana* Gressitt, 1937d: 604** type species *Yimnashana denticulata* Gressitt, 1937 #217

*denticulata* Gressitt, 1937d: 604 A: GUA

**genus *Yimnashaniana* Hua, 1986a: 181** type species *Yimnashaniana jianfenglingensis* Hua, 1986  
*jianfenglingensis* Hua, 1986a: 181 A: HAI

tribe Homonoeini J. Thomson, 1864

**genus *Bumetopia* Pascoe, 1858: 252** type species *Bumetopia oscitans* Pascoe, 1858

**subgenus *Bumetopia* Pascoe, 1858: 252** type species *Bumetopia oscitans* Pascoe, 1858

*Brachyhomonoa* Aurivillius, 1923b: 30 type species *Brachyhomonoa conspersa* Aurivillius, 1923

*Homonoeomorpha* Aurivillius, 1913: 23 type species *Homonoeomorpha flavovariiegata* Aurivillius, 1913

*Microabryna* Pic, 1925b: 28 type species *Microabryna mediodentata* Pic, 1925 (= *Homonoeomorpha flavovariiegata* Aurivillius, 1913)

*Yochostyla* J. Thomson, 1868c: 151 type species *Yochostyla japonica* J. Thomson, 1868

*brevicornis* Makihara, 1978: 54 A: JA (Ryukyus)

*lanhsuana* Hayashi, 1974c: 40 A: TAI (Lanyu Is.)

*lutaooana* Hayashi, 1974c: 41 A: TAI (Lanyu Is.)

*oscitans adachii* Fujita, 2023: 26, 333 A: JA (Danjo IsIs., Me-shima Is.)

*oscitans heiana* Hayashi, 1963b: 57 A: JA (Izu IsIs.)

*oscitans ishigaki* Hayashi, 1966b: 71 A: JA (Ryukyus)

*oscitans japonica* J. Thomson, 1868c: 151 (*Yochostyla*) A: JA #732

*kiushuensis* Matsushita & Tamanuki, 1937: 147

*oscitans okinawana* Hayashi, 1963c: 12 A: JA (Ryukyus)

*oscitans oscitans* Pascoe, 1858: 252 A: HKG SC SHA TAI

*plagiata* Schwarzer, 1925b: 64

*variiegata* Schwarzer, 1925b: 64

*oscitans oshimana* Breuning, 1939b: 162 A: JA (Ryukyus) #732

*oscitans sakishimana* Hayashi, 1966b: 70 A: JA (Ryukyus) #732

*oscitans senkakuana* Hayashi, 1972: 28 A: JA (Ryukyus) #736

*oscitans yonaguni* Hayashi, 1966b: 71 A: JA (Ryukyus)

*stolata* Matsushita, 1931a: 45 (*Tmesisternus*) A: TAI (Lanyu Is.)

*yagii* Hayashi, 1994: 69 A: TAI (Ludao Is.)

**genus *Notomulciber* Blackburn, 1894a: 166** type species *Notomulciber carpentariae* Blackburn, 1894

**subgenus *Micromulciber* Aurivillius, 1913: 22** type species *Mulciber biguttatus* Pascoe, 1867

*Kamikiria* Matsushita, 1933b: 348 type species *Kamikiria plagiata* Matsushita, 1933 (= *Micromulciber quadrisignatus* Schwarzer, 1925)

*gressitti* Tippmann, 1955: 124 (*Kamikiria*) A: FUJ TAI

*quadrisignatus* Schwarzer, 1925b: 64 (*Micromulciber*) A: JA (Ryukyus) TAI

*plagiatus* Matsushita, 1933b: 349 (*Kamikiria*)

**genus *Pseudokamikiria* Breuning, 1964a: 32** type species *Kamikiria klapperichi* Tippmann, 1955

*klapperichi* Tippmann, 1955: 122 (*Kamikiria*) A: FUJ

tribe Lamiini Latreille, 1825

#400 ##778

**genus *Aethalodes* Gahan, 1888a: 270** type species *Aethalodes verrucosus* Gahan, 1888

*formosanus* Kriesche, 1924: 285 A: TAI #798

*verrucosus anhuiensis* Zhou & Ding, 2024: 1134 A: ANH

*verrucosus verrucosus* Gahan, 1888a: 270 A: FUJ GUA GUI GUX HAI HUB JIX NO SCH ZHE ORR #496

*armatus* Nonfried, 1892a: 93 (*Trachystola*)

*nodicollis* Fairmaire, 1900: 640 (*Trachystola*)

**genus *Arctolamia* Gestro, 1888: 129** type species *Arctolamia villosa* Gestro, 1888

*fasciata* Gestro, 1891: 222 A: GUX YUN ORR

*grisea* Pic, 1927b: 35

*laosica* Breuning, 1965e: 46

*fruhstorferi* Aurivillius, 1902: 208 A: GUI GUX SCH YUN ORR

*margaretae* Gilmour, 1950: 537

*luteomaculata* Pu, 1981: 436 A: YUN

*alcinoides* Z. Wang, 2014: 604, 1123

*sinica* Bi & Chen, 2022b: 199 A: YUN ORR #144

*strandii* Breuning, 1936: 296 A: YUN #780

*villosa* Gestro, 1888: 129 A: YUN ORR

**genus *Echinovelleda* Breuning, 1936: 284** type species *Echinovelleda chinensis* Breuning, 1936 #753

*Propedicellus* G.-Q. Huang, J.-B. Huang & Liu, 2020: 518 type species *Propedicellus guoliangi* G.-Q. Huang, J.-B. Huang & Liu, 2020

*chinensis chinensis* Breuning, 1936: 284 A: ANH CHQ GUI HUB HUN #340

*antiqua* Gressitt, 1951a: 347

*sangzhiensis* Hua, 1992: 514, 523 (*Parechthistatus*)



*chinensis dichromata* Bi, 2018: 270 A: GUI HUN  
*guoliangi* G.-Q. Huang, J.-B. Huang & Liu, 2020: 525 (*Propedicellus*) A: YUN  
*inermis* Bi & Chang, 2021: 292 A: HUB HUN  
*mumuae* Bi & Mu, 2024: 74 A: YUN  
*protochinensis* Bi & Lin, 2024a: 72 A: YUN  
*qiului* G.-Q. Huang, J.-B. Huang & Liu, 2020: 525 (*Propedicellus*) A: GUX  
*yanziae* Bi & Chang, 2021: 292 A: GUA

**genus *Echthistatodes* Gressitt, 1938a: 49** type species *Echthistatodes brunneus* Gressitt, 1938  
*brunneus* Gressitt, 1938a: 49 A: SCH  
*gongshanus* Bi, 2016: 296 A: YUN  
*subobscurus* Holzschuh, 1993a: 46 A: YUN

**genus *Hayashiechthistatus* Miyake, 1980: 70** type species *Parechthistatus inexpectus* Hayashi, 1959  
*inexpectus* Hayashi, 1959b: 56 (*Parechthistatus*) A: JA

**genus *Eupromus* Pascoe, 1868: xii** type species *Callimation sieboldi* Guérin-Méneville, 1844 (= *Lamia rubra* Dalman, 1817)  
*nigrovittatus* Pic, 1930a: 16 A: GUA GUI GUX HUB HUN JIA JIX YUN **ORR**  
*ruber* Dalman, 1817b: 167 (*Lamia*) A: FUJ GUA GUI GUX HUB HUN JA JIA JIX SC SCH TAI ZHE **ORR** #306  
*championi* White, 1858b: 398 (*Monochamus*)  
*sieboldi* Guérin-Méneville, 1844: 238 (*Callimation*)

**genus *Herophila* Mulsant, 1862: 273** type species *Dorcadion fairmairei* J. Thomson, 1857  
*Dorcatypus* J. Thomson, 1864: 77 type species *Dorcadion fairmairei* J. Thomson, 1857  
*fairmairei* J. Thomson, 1857d: 151 (*Dorcadion*) E: GR  
*tristis martinascoi* Contarini & Garagnani, 1983: 152 (*Dorcatypus*) E: ?GR IT (Italia : Puglia, Calabria)  
*tristis oblitterata* Pic, 1921a: 5 ["Morea"] E: GR (*Peloponnesus*)  
*moreana* Rapuzzi & Sama, 2018: 22  
*tristis tristis* Linnaeus, 1767: 629 ["Monspeliu" - Montpellier] (*Cerambyx*) E: AL AU BH BU CR FR GR HU IT MC ME RO SB SL SZ  
TR A: TR  
*adpersa* Gmelin, 1790: 1863 ["Carniola"] (*Cerambyx*)  
*beieri* Breuning, 1942e: 135 [Epire] (*Dorcatypus*)  
*bioculatus* Luigioni 1927: 60 [Lazio] (*Dorcatypus*)  
*confirmata* Chevrolat, 1882: 61 ["Oriens?"] (*Dorcatypus*)  
*divisa* Pic, 1921a: 5 ["Marseille"]  
*funerea* Schoch, 1878: 134  
*funesta* Fabricius, 1787: 139 ["in Galliae Sambuco"] (*Lamia*)  
*gennadii* Buquet, 1882: cxxxvii [Grèce] (*Lamia*)  
*interrupta* Pic, 1921a: 5 ["Constantinople"]  
*obsoleta* Fairmaire, 1859a: 62 [Béikos, dans le Bosphore et Constantinople] (*Morimus*)  
*posticalis* Pic, 1921a: 5 ["France M<sup>er</sup>"]  
*pulverulenta* Scopoli, 1772: 95 ["Carniola"] (*Cerambyx*)  
*zajecarensis* Breuning, 1948c: 58 ["Serbie: Zajecar"] (*Dorcadion*)  
*tristis veluchiana* Breuning, 1943b: 96 [Greece: Veluchi] (*Dorcadion*) E: GR #209

**genus *Lamia* Fabricius, 1775: 170** type species *Cerambyx textor* Linnaeus, 1758  
*Morimidus* J. Thomson, 1859b: 95 type species *Cerambyx textor* Linnaeus, 1758  
*Pachystola* Dejean, 1833: 342 type species *Cerambyx textor* Linnaeus, 1758  
*textor* Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT **KZ** LA LT LU MC  
MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GG HEB HEI JA JIL KZ MG NC NMO SC SHN  
TR WS XIN #400  
*nigrorugosa* DeGeer, 1775: 64 (*Cerambyx*)  
*noctis* Gronov [Gronovius], 1764: 162 [n.538] (*Cerambyx*) #328  
*tricarinata* Cornelius, 1884: 50  
*unicolor* P. Brown, 1776: 134 (*Cerambyx*) [HN]

**genus *Lamiomimus* Kolbe, 1886: 223** type species *Lamiomimus gottschei* Kolbe, 1886  
*chinensis* Breuning, 1936: 286 A: GUI YUN  
*gottschei* Kolbe, 1886: 224 A: ANH FE GAN GUI GUX HEI HEN HUB HUN JIA JIL JIX LIA NC SC SCH SHA SHN SHX ZHE  
*adelphus* Ganglbauer, 1887a: 137 (*Lamia*)

**genus *Lonyarbon* Bi, 2018: 274** type species *Lonyarbon motuoensis* Bi, 2018  
*motuoensis* Bi, 2018: 275 A: XIZ

**genus *Mesechthistatus* Breuning, 1950c: 222** type species *Echthistatus binodosus* C. O. Waterhouse, 1881  
*binodosus binodosus* C. O. Waterhouse, 1881: 431 (*Echthistatus*) A: JA  
*binodosus insularis* Hayashi, 1955: 55 A: JA  
*fujisanus* Hayashi, 1957b: 46 A: JA

*furciferus furciferus* Bates, 1884a: 237 (*Echthistatus*) A: JA  
*furciferus meridionalis* Hayashi, 1951b: 79 (*Echthistatus*) A: JA  
*taniguchii* Seki, 1944b: 168 (*Echthistatus*) A: JA  
*hayashii* Yokoyama, 1969: 58

**genus *Microdorcadion* Pic, 1925a: 16** type species *Microdorcadion tuberculatum* Pic, 1925a  
*nitiidituberculatum* Hua, 1992: 509, 523 (*Morimospasma*) A: HUB HUN #400 #643

**genus *Mimechthistatus* Breuning, 1956i: 706** type species *Echthistatus yamahoi* Mitono, 1943  
*yamahoi* Mitono, 1943: 578 (*Echthistatus*) A: TAI

**genus *Morimospasma* Ganglbauer, 1889a: 78** type species *Morimospasma paradoxum* Ganglbauer, 1889 #643  
**subgenus *Morimospasma* Ganglbauer, 1889a: 78** type species *Morimospasma paradoxum* Ganglbauer, 1889  
*chinense chinense* Breuning, 1942e: 132 (*Parechthistatus*) A: SHA #496

*chinense orientale* Bi, 2021: 282 A: HEN SHA

*brachypterum* Bi, 2021: 279 A: HUB

*paradoxum forticorne* Bi, 2021: 277 A: GAN SCH

*paradoxum paradoxum* Ganglbauer, 1889a: 80 A: GAN QIN SCH

*paradoxum difforme* Pic, 1934a: 12 (*Trachystola*) A: ANH CHQ SHA HUB JIX SCH #643

*superciliatum asperum* Bi, 2021: 284 A: SCH SHA

*superciliatum superciliatum* Pu, 1997: 821, 834 (*Neotrachystola*) A: CHQ HUB HUN

**subgenus *Parvorama* Bi, 2021: 284** type species *Morimospasma tuberculatum* Breuning, 1939

*bimaculatum* Breuning, 1947a: 1 A: CHQ GUI HUB HUN #643

*jiangi* Xie G.-L., Zou & Wang W.-K., 2014: 447

*cheni* Bi, 2021: 287 A: SCH

*cylindriscapum* Bi, 2021: 288 A: HEN HUB SHA

*dalaolingense dalaolingense* Xie, Zou & Wang W.-K., 2014: 448 A: HUB

*dalaolingense fasciatum* Bi, 2021: 286 A: SCH

*granulatum* Chiang, 1981: 80 A: GAN HUB NIN SCH SHA #643

*holzschuhi* Bi, 2021: 286 A: GAN SHA

*shennongjiaensis* Zhang, Wang P., Xie & Wang W. K. 2023: 20 A: HUB

*shii* Wang P., Xie G.-L. & Wang W.-K., 2022a: 537 A: HUB

*tuberculatum* Breuning, 1939b: 147 A: ANH HUB ZHE #643 #644

**genus *Morimus* Brullé, 1832: 258** type species *Lamia lugubris* Fabricius, 1793 (= *Cerambyx asper* Sulzer, 1776)

*Morinus* Brullé, 1832: 258 [original incorrect spelling]

*asper asper* Sulzer, 1776: 44 (*Cerambyx*) E: AL CR GR FR IT SP SZ

*lugubris* Fabricius, 1793: 283 (*Lamia*)

*asper funereus* Mulsant, 1862: 279 E: AL AU BEi BH BU ?CR CZ GR HU IT MA MC MD ME RO SB SK ?SL UK #354

*asper ganglbaueri* Reitter, 1894b: 44 E: AL BH CR GR IT ME SB

*asper gazanchidisi* Danilevsky, 2019: 88 [“Greece, Mt. Ossa”] E: GR

*asper graecus* Danilevsky, 2016a: 189 E: GR (Peloponnesus)

*assamensis* Breuning, 1936: 285 A: XIZ ORR

*gabzdili* Danilevsky, 2015: 215 E: SK UK #205

*lethalis* J. Thomson, 1857e: 182 A: SCH YUN ORR

*morimoides* White, 1858a: 266 (*Leptoderia*)

*quadrimaculatus* Pic, 1925a: 17 (*Trachystola*)

*trinotatus* Pic, 1925a: 17 (*Trachystola*)

*whitei* Lacordaire, 1869: 298

*orientalis* Reitter, 1894b: 43 E: BU TR A: TR

*verecundus bulgaricus* Danilevsky, 2016a: 187 E: BU

*verecundus murzini* Danilevsky, 2019: 89 [“Golestan province, mountains southwards Gorgan”] A: IN

*verecundus verecundus* Faldermann, 1836: 396 (*Lamia*) E: ST UK(Crimea) A: AB AR GG IN TM TR

*ficitor* Bogatchev, 1949: 183

**genus *Neotrachystola* Breuning, 1942e: 133** type species *Trachystola maculipennis* Fairmaire, 1900

*incerta* Breuning, 1942e: 134 A: CH

*maculipennis* Fairmaire, 1900: 639 (*Trachystola*) A: GUA SCH ORR #400

*subobliterata* Pic, 1925a: 17 (*Trachystola*)

**genus *Parechthistatus* Breuning, 1942e: 131** type species *Echthistatus gibber* Bates, 1873

*gibber daisen* Miyake & Tsuyi, 1980: 76 A: JA

*gibber gibber* Bates, 1873: 308 (*Echthistatus*) A: JA

*gibber grossus* Bates, 1884a: 237 (*Echthistatus*) A: JA

*gibber longicornis* Hayashi, 1951b: 80 A: JA

*gibber nakanei* Miyake, 1980: 76 A: JA

*gibber nankiensis* Yokoyama, 1969: 59 A: JA  
*gibber pseudogrossus* Miyake, 1980: 78 A: JA  
*gibber shibatai* Miyake, 1980: 74 A: JA  
*gibber tanakai* Miyake, 1980: 77 A: JA  
*gibber tsushimaensis* K. Ohbayashi, 1961b: 49 A: JA (Tsushima Is.) SC (Yeoseodo Is.) #162

**genus *Paroriaethus* Breuning, 1936: 282** type species *Paroriaethus multispinis* Breuning, 1936 #341  
*multispinis* Breuning, 1936: 283 A: YUN **ORR** #341

tribe Mesosini Mulsant, 1839

**genus *Aesopida* J. Thomson, 1864: 62** type species *Aesopida malasiaca* J. Thomson, 1864  
*malasiaca* J. Thomson, 1864: 62 A: HAI NP SD YUN **ORR**  
*dubiosa* Heller, 1926: 37

**genus *Agelasta* Newman, 1842c: 288** type species *Agelasta transversa* Newman, 1842  
**subgenus *Dissosira* Pascoe, 1865a: 124** type species *Agelasta catenata* Pascoe, 1862a  
*Anthriboscyla* J. Thomson, 1868c. 165 type species *Anthriboscyla mima* J. Thomson, 1868.  
*Pseudaemocia* Breuning, 1935. 269 type species *Pseudaemocia rufa* Breuning, 1935.

*cana* Breuning, 1939c: 520 A: TAI  
*gardneri* Breuning, 1938c: 204 A: NP UP  
*helii* Yamasako & Liu, 2017: 218 A: HAI  
*konoï amamiana* Hayashi, 1962a: 13 A: JA (Ryukyus)  
*konoï konoï* Hayashi, 1956c: 13 A: JA (Tokara Isls., Izu Isls.)  
*konoï kumejimana* Kusama & Takakuwa, 1984: 49 A: JA (Ryukyus, Izu Isls.)  
*konoï kamezawai* Fujita, 2023: 26 A: JA (Tokara Isls.: Taira-jima Is.)  
*konoï okinoerabuensis* K. Ohbayashi, 1959: 34 A: JA (Ryukyus)  
*konoï okinawana* Hayashi, 1960d: 27 A: JA (Ryukyus)  
*kumei* Takakuwa, 1991: 52 A: TAI (Ludao Is.)  
*mouhotii* Pascoe, 1862a: 335 A: YUN **ORR**  
*perplexa* Pascoe, 1858: 243 A: FUJ HEN JA JIX LIA SC (Gageodo Is.) TAI ZHE  
*alternans* Schwarzer, 1925b: 62 (*Saimia*)  
*formosana* Pic, 1925b: 30 (*Mimocoptops*)  
*rufa* Breuning, 1935e: 269 (*Pseudaemocia*) A: JA (Ogasawara Isls.)  
*sikkimensis* Breuning, 1963g: 78 A: SD  
*szetschuanica* Breuning, 1967f: 184 A: SCH  
*tonkinea omeishana* Gressitt, 1951a: 427 A: FUJ SCH  
*tonkinea palminsulana* Gressitt, 1940b: 127 (*Choeromorpha*) A: HAI  
*tonkinea tonkinea* Pic, 1925f: 188 A: NP TAI **ORR**  
*formosana* Schwarzer, 1925b: 61  
*yonaguni hiroyukii* Fujita, 2023: 318 A: JA (Miyako Isls.: Tarama-jima Is., Minnajima Is.)  
*yonaguni kashiwaii* Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)  
*yonaguni praelongipes* Kusama & Irie, 1976: 20 A: JA (Ryukyus) #732 #734  
*yonaguni similis* Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus) #734  
*semipraelongipes* Kusama & Takakuwa, 1984: 358  
*yonaguni subkonoï* Breuning, 1964f: 91 A: JA (Ryukyus)  
*yonaguni yonaguni* Hayashi, 1962c: 5 A: JA (Ryukyus)  
*yunnanensis* Breuning, 1954a: 10 A: YUN

**subgenus *Epagelasta* Breuning, 1939c: 429** type species *Agelasta newmani* White, 1856  
*balteata* Pascoe, 1866b: 236 A: YUN **ORR** #176

**subgenus *Mesolophus* Gahan, 1894a: 56** type species *Mesolophus humeralis* Gahan, 1894  
*Samiomimus* Pic, 1927b: 36 type species *Samiomimus marmoratus* Pic, 1927  
*dayremi* Breuning, 1938c: 209 A: HAI **ORR** #453  
*humeralis* Gahan, 1894a: 57 (*Mesolophus*) A: NP  
*marmorata* Pic, 1927b: 36 (*Samiomimus*) A: FUJ SCH **ORR**  
*pici* Breuning, 1938c: 210 A: FUJ NMO  
*yunnana* Chiang, 1963: 69 A: YUN

**subgenus *Parasaimia* Breuning, 1935e: 267** [RN] type species *Mimocoptops laosensis* Pic, 1925  
*Mimocoptops* Pic, 1925a: 32 [HN] type species *Mimocoptops laosensis* Pic, 1925  
*glabrofasciata* Pic, 1917f: 353 (*Mesosa*) A: YUN  
*hirticornis* Gressitt, 1936: 102 (*Saimia*) A: TAI

**subgenus *Pseudagelasta* Breuning, 1939c: 487** type species *Agelasta bifasciana* White, 1858  
*bifasciana* White, 1858a: 273 A: HAI JIX NP SD XIZ YUN **ORR** #60 #453  
*bisinuata* Pic, 1937b: 4 (*Mesosa*)  
*savioi* Pic, 1937b: 4 (*Mesosa*)  
*birmanica* Breuning, 1935e: 273 (*Paragelasta*) A: YUN **ORR**  
*fallaciosa* Breuning, 1938c: 208 A: SD YUN

**genus *Anagelasta* Pic, 1925a: 31** type species *Anagelasta apicalis* Pic, 1925  
**subgenus *Anagelasta* Pic, 1925a: 31** type species *Anagelasta apicalis* Pic, 1925  
*apicalis* Pic, 1925a: 32 A: CH NP SD UP **ORR**  
*adpersa* Schwarzer, 1931a: 68 (*Choeromorpha*)  
**subgenus *Mesagelasta* Breuning, 1939e: 494** type species *Anagelasta trimaculata* Breuning, 1938 **#585**  
*nigromaculata* Breuning, 1938c: 212 A: HP

**genus *Anancylus* J. Thomson, 1864: 61** type species *Anancylus calceatus* J. Thomson, 1864  
**subgenus *Paranancylus* Breuning, 1939c: 472** type species *Anancylus socius* Pascoe, 1865  
*albofasciatus* Pic, 1925: 25 A: HAI **#271**  
*punctifasciata* Gressitt, 1940b: 120 (*Mesocacia*) **#271**

**genus *Cacia* Newman, 1842c: 290** type species *Cacia spinigera* Newman, 1842  
**subgenus *Corethrophora* Blanchard, 1853: 301** type species *Corethrophora semiluctuosa* Blanchard, 1853  
*shirupiti* Kano, 1939: 31 A: TAI (Lanyu Is.)  
**subgenus *Ipocregyes* Pascoe, 1865a: 113** type species *Cacia newmanni*, 1857b: 102  
*Falsoereis* Pic, 1925b: 25 type species *Falsoereis cephalotes* Pic, 1925  
*arisana* Kano, 1933a: 281 (*Ipocregyes*) A: TAI  
*scopifera* Mitono, 1934: 492 (*Cenodocus*)  
*basialboantennalis* Breuning, 1958a: 6 A: BT  
*bootanana* Breuning, 1968f: 693 A: BT  
*cephaloides* Breuning, 1968a: 8 A: YUN **ORR**  
*cephalotes* Pic, 1925b: 25 (*Falsoereis*) A: BT HAI SD YUN **ORR** **#271**  
*formosana* Schwarzer, 1925b: 60 (*Mesosa*) A: FUJ HUB JIX TAI ZHE  
*lepesmei* Gressitt, 1951a: 423 A: GUX SHA  
*nigrofasciata* Gressitt, 1940b: 122 A: HAI  
*subcephalotes* Breuning, 1968a: 9 A: HAI **ORR** **#453**  
*watantakkuni* Kano, 1933a: 280 (*Ipocregyes*) A: TAI  
*yunnana* Breuning, 1938c: 208 A: YUN  
**subgenus *Pericacia* Breuning, 1939c: 459** type species *Lamia cretifera* Hope, 1831  
*cretifera cretifera* Hope, 1831: 27 (*Lamia*) A: : GUA GUI GUX HUB NP PA SCH SD SHX UP XIZ YUN **#127**  
*incensa* Pascoe, 1865a: 112  
*macularia* Gressitt, 1939a: 62  
*cretifera thibetana* Pic, 1917h: 12 (*Mesosa*) A: GUX SCH XIZ YUN  
*thibetana* Pic, 1925b: 27 (*Cacia*) [HN]  
*multirustica* Chiang, 1951: 64 A: GUI

**genus *Choeromorpha* Chevrolat, 1843: 613** type species *Choeromorpha pigra* Chevrolat, 1843  
**subgenus *Choeromorpha* Chevrolat, 1843: 613** type species *Choeromorpha pigra* Chevrolat, 1843  
*lineifrons* Gressitt, 1951a: 429 (*Anagelasta*) A: FUJ HAI **#271**  
*subfasciata* Pic, 1922b: 26 (*Coptops*) A: YUN **ORR**

**genus *Clyzomedus* Pascoe, 1865a: 115** type species *Coptops nanus* Pascoe, 1859  
*laosensis* Breuning, 1965e: 35 A: HAI **ORR** **#453**  
*pani* Lin, Chen & Yamasako, 2023: 316 A: ANH BEI HEN SHA  
*transversefasciatus* Breuning, 1938c: 212 A: UP

**genus *Coptops* Audinet-Serville, 1835a: 64** type species *Coptops parallela* Audinet-Serville, 1835 (= *Lamia aedificator* Fabricius, 1793)  
*aedificator* Fabricius, 1793: 275 (*Lamia*) A: AP KA OM PA SA ?TAI UP YE **AFR ORR** **#127 #274 #280**  
*ambulator* Fabricius, 1775: 171 (*Lamia*)  
*bidens* Wollaston, 1877: 210  
*fuscus* Olivier, 1797: 462 (*Lamia*) [1800: 83 (*Cerambyx*)] **#373**  
*inhambanensis* Bertoloni, 1876: 263 (*Phymasterna*)  
*parallelus* Audinet-Serville, 1835a: 64  
*quadrisignatus* Fähræus, 1872b: 30  
*villicus* Olivier, 1797: 468 (*Lamia*) [1800: 102 (*Cerambyx*)] **#373**  
*albonotatus* Pic, 1917f: 354 (*Pachyosa*) A: SCH YUN **ORR**  
*albosparsus* Pic, 1926b: 7 (*Mutatocoptops*)  
*annulipes annulipes* Gahan, 1894a: 54 A: YUN "North India" **ORR**  
*curvatosignatus* Pu, 1992b: 606 A: SCH  
*diversesparsus* Pic, 1917e: 7 (*Pachyosa*) A: YUN  
*nigrosparsus* Pic, 1933a: 13 (*Mutatocoptops*)  
*japonicus* Breuning, 1936: 311 A: TAI  
*leucosticticus leucosticticus* White, 1858a: 272 A: AP GUI GUX NP SD XIZ YUN **ORR** **#280**  
*centurio* Pascoe, 1869b: 205  
*lacertosus* Pascoe, 1865a: 121

- longipes* Pic, 1925b: 29 (*Mutatocoptops*)  
*niveisparsus* Fairmaire, 1904c: 145  
*olivaceus* Breuning, 1935e: 263  
*petechialis* Pascoe, 1865a: 119  
*polyspilus* Pascoe, 1865a: 118  
*vitalisi* Pic, 1926b: 7 (*Mutatocoptops*)  
*leucosticticus rusticus* Gressitt, 1940b: 124 [RN] A: GUX HAI  
*polyspilus* Gahan, 1900d: 351 [HN]  
*licheneus* Pascoe, 1865a: 118 A: FUJ GUA GUX HAI HKG NP YUN **ORR**  
*salvazai* Pic, 1925b: 29 (*Mutatocoptops*)  
*ocellifer* Breuning, 1965: 37 A: YUN **ORR** #59  
*pascoei* Gahan, 1894a: 55 A: GUX **ORR**  
*bidentatithorax* Pic, 1925b: 30 (*Mutatocoptops*)  
*penghuensis* Yamasako & Lin, 2010: 292 A: TAI (Penghu)  
*szechuanicus* Gressitt, 1951a: 431 A: SCH  
*thibetanus* Breuning, 1974d: 79 A: XIZ
- genus *Epimesosa* Breuning, 1939c: 420** type species *Mesosa taliana* Pic, 1917  
*taliana* Pic, 1917h: 13 (*Mesosa*) A: SCH YUN
- genus *Ereis* Pascoe, 1865a: 105** [RN] type species *Eris anthriboides* Pascoe, 1857 #59  
*Eris* Pascoe, 1857: 110 [HN] type species *Eris anthriboides* Pascoe, 1857 (not Koch, 1846, Arachnida)  
*subfasciata* Pic, 1925b: 25 A: GUX HAI **ORR** #59
- genus *Eurymesosa* Breuning, 1939a: 391** type species: *Ereis ventralis* Pascoe, 1865  
*ziranzhiyi* Yamasako & Lin, 2016: 194 A: HUB SHA
- genus *Falsomesosella* Pic, 1925b: 27** type species *Falsomesosella minor* Pic, 1925  
**subgenus *Falsomesosella* Pic, 1925b: 27** type species *Falsomesosella minor* Pic, 1925  
*Gyarancita* Breuning, 1963: 9 type species *Gyarancita rondoni* Breuning, 1963 #217  
*albofasciata* Pic, 1925b: 27 A: YUN  
*bhutanensis* Breuning, 1968e: 859 (*Mesosella*) A: BT NP  
*breuningi* Pic, 1944b: 14 A: CH  
*gardneri* Breuning, 1938c: 197 A: NP SD UP YUN  
*affinis* Breuning, 1938c: 198  
*annamensis* Breuning, 1939c: 516 (*Mesosa*)  
*gracilior* Bates, 1884a: 244 (*Mesosa*) A: JA  
*grisella* White, 1858b: 401 (*Cacia*) A: HKG TAI  
*horishana* Gressitt, 1938b: 161 A: TAI  
*mediofasciata* Breuning, 1968f: 697 A: SD  
*minor* Pic, 1925b: 27 A: YUN  
*minor* Pic, 1926b: 9 (*Mesosa*)  
*nigronotata hakka* Gressitt, 1937d: 597 A: GUA HAI ZHE **ORR** #489  
*[nigronotata nigronotata* Pic, 1930: 19 – Viet-Nam]  
*rufovittata* Breuning, 1938c: 198 A: NP UP  
*transversefasciata* Breuning, 1938c: 198 A: UP  
*subalba* Gressitt, 1938b: 162 A: TAI  
*taibaishana* Lazarev, 2021b: 142 A: HEN SHA #603  
*truncatipennis* Pic, 1944b: 13 A: HEN HUB SHA ZHE #60 #489 #603  
*unicolor* Breuning, 1965: 44 A: TAI
- genus *Golsinda* J. Thomson, 1861: 343** type species *Golsinda carolina* J. Thomson, 1861  
*basicornis* Gahan, 1894a: 48 A: GUI HAI YUN **ORR** #59  
*rugicollis* Gressitt, 1940b: 121 (*Mesocacia*) #59
- genus *Hypocacia* Breuning, 1935e: 275** type species *Hypocacia biplagiata* Breuning, 1935  
*shimomurai* Holzschuh, 1989b: 386 A: TAI
- genus *Japanomesosa* Yamasako & N. Ohbayashi, 2007: 344** type species *Mesosa poecila* Bates, 1884a  
*poecila* Bates, 1884a: 245 (*Mesosa*) A: JA
- genus *Leptomesosa* Breuning, 1938c: 392** type species *Mesosa cephalotes* Pic, 1903  
*cephalotes* Pic, 1903g: 121 (*Mesosa*) A: SCH SHA YUN **ORR** #225  
*nodosipennis* Pic, 1917h: 12 (*Mesosa*)  
*langana* Pic, 1917: 12 (*Mesosa*) A: HAI **ORR** #59
- genus *Mesocacia* Heller, 1926: 32** type species *Mesocacia assamensis* Heller, 1926 (= *Ereis multimaculata* Pic, 1925)



*duplicaria* Holzschuh, 2006c: 484 A: NP  
*multimaculata* Pic, 1925b: 24 (*Ereis*) A: BT GUX HAI SD YUN **ORR**  
*assamensis* Heller, 1926: 33

**genus Mesoereis Matsushita, 1933b: 338** type species *Mesoereis koshunensis* Matsushita, 1933  
*Trichomesosa* Breuning, 1938: 389 type species *Ereis bifasciata* Pic, 1925 [Tonkin] #69  
*bifasciata* Pic, 1925: 25 (*Ereis*) A: FUJ GUX HAI TAI **ORR** #69  
*koshunensis* Matsushita, 1933b: 339 #69  
*kikuchii* Matsushita, 1933b: 339  
*horiana* Breuning & K. Ohbayashi, 1966b: 33 (*Mesosa*) A: JA (Ryukyus)  
*ohirai* Breuning & Villiers, 1973: 48

**genus Mesosa Latreille, 1829: 124** type species *Cerambyx curculionoides* Linnaeus, 1760  
**subgenus Aplocnemia** Stephens, 1831: 236 type species *Cerambyx nubilus* Gmelin, 1790 (= *Lamia nebulosa* Fabricius, 1781)  
*Aphelocnemia* Stephens, 1832: [414] [emendation, not in usage]  
*Haplocnemia* Agassiz, 1846: 172 [unjustified emendation]  
*Helixoea* Pascoe, 1865a: 124 type species *Agelasta rupta* Pascoe, 1862

*affinis affinis* Breuning, 1936: 306 A: NP BT SD  
*affinis nepalica* Holzschuh, 2003b: 307 A: NP  
*andrewsi* Gressitt, 1942c: 3 A: XIZ  
*angusta* Gressitt, 1951a: 417 A: GUA  
*cheni* Gressitt, 1951a: 418 A: HAI HUB  
*griseomarmorata* Breuning, 1939c: 517 A: GUX  
*jarzabekae* Danilevsky & Müller, 2016: 184 A: IN  
*latifasciata* White, 1858b: 401 (*Cacia*) A: FUJ GAN GUA GUI GUX HAI HEB JIA JIX SCH SHX TAI ZHE **ORR** #60 #271  
#489  
*latifasciata* Matsushita, 1931a: 44  
*luteopubens* Pic, 1917c: 7  
*longipennis* Bates, 1873: 313 A: KO JA #496 #497 #521  
*amakusae* Breuning, 1964f: 91  
*posticeconnexa* Hayashi, 1964: 73  
*subobliterata* Pic, 1901m: 62  
*nebulosa algerica* Pic, 1898h: 58 N: AG TU  
*nebulosa nebulosa* Fabricius, 1781: 218 (*Lamia*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT SL LU MD ME  
NL NR PL PT RO SB SK SP ST SV SZ TR UK A: AB AR GG TR #665  
*brevis* Villers, 1789: 257 (*Cerambyx*)  
*lineatopunctata* Baudi di Selve, 1889a: 193  
*m-nigrum* Schaller, 1783: 291 (*Cerambyx*)  
*nubila* Gmelin, 1790: 1832 (*Cerambyx*)  
*nebulator* Turton, 1806: 306 (*Cerambyx*)  
*silvestrii* Tippmann, 1956: 492  
*nigrofasciaticollis* Breuning, 1968a: 5 A: GUX HKG YUN **ORR**  
*obscura* Gahan, 1894a: 49 A: YUN **ORR** #298  
*tonkinensis* Breuning, 1936: 306 [HN].  
*tonkinea* Breuning, 1939c: 404 [RN].  
*obscuricornis obscuricornis* Pic, 1894b: 44 A: AB (Talysh) IN  
*obscuricornis petrovi* Danilevsky, 2022b: E: ST (Dagestan) #661  
*rupta* Pascoe, 1862a: 335 (*Agelasta*) A: GUA GUX HKG YUN **ORR** #400  
*nhouabayi* Breuning, 1965c: 44  
*nigrobifasciata* Pic, 1925b: 30 (*Mimocoptops*)  
*unifasciata* Pic, 1922b: 26  
*senilis* Bates, 1884a: 245 A: FE (Kunashir) JA  
*sikkimensis* Breuning, 1935e: 274 A: SD **ORR**  
*sparsenotata* Pic, 1922c: 14 A: HAI **ORR** #271  
*maculifemorata* Gressitt, 1940b: 117 #271  
*tenuefasciata* Pic, 1926b: 9 A: HAI **ORR** #453  
*undata* Fabricius, 1793: 270 (*Lamia*) A: GUX **ORR**  
*antennata* White, 1858b: 401 (*Cacia*)  
**subgenus Lissomesosa** Yamasako & N. Ohbayashi, 2007: 340 type species *Mesosa cribrata* Bates, 1884a  
*cribrata cribrata* Bates, 1884a: 245 A: JA #732  
*cribrata kirisimana* Matsushita, 1943: 576 A: JA #732  
*shikokensis* K. Ohbayashi, 1963: 11  
**subgenus Mesosa** Latreille, 1829: 124 type species *Cerambyx curculionoides* Linnaeus, 1760  
*Dendrobium* Gistel, 1834: 30 [unnecessary substitute name]  
*bipunctata* Chiang, 1951: 62 A: GUI GUX  
*curculionoides* Linnaeus, 1760: 193 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT KZ ?LA LT MC MD ME NR PL  
PT RO SB SK SL SP ST SV SZ TR UK A: AB AR GG IN TR KZ #104  
*nigronotata* Pic, 1906h: 86 (*Haplocnemia*)

*oculata* Geoffroy, 1785: 78 (*Leptura*) [HN]  
*tokatensis* Pic, 1904a: 6 (*Haplocnemia*)  
*japonica* Bates, 1873: 312 A: FE (Sakhalin, Kurils) JA  
*mediofasciata* Breuning, 1942a: 142 A: JA  
*myops* Dalman, 1817b: 168 (*Lamia*) E: BY CT FI LA LT NT PL ST SV UK KZ A: ?ANH ES FE ?GAN ?GUA ?GUI HEB HEI ?HEN  
?HUB JIL KZ LIA MG NC NMO ?QIN SC ?SCH ?SHA WS XIN ?ZHE  
*plotina* Z. Wang, 2003: 323, 396  
*stictica* Blanchard, 1871: 812 A: BEI GAN GUI HUB SCH SHA SHN SHX XIZ YUN ZHE  
*oculicollis* Fairmaire, 1878: 131  
*rugosa* Gressitt, 1951a: 416 #329  
**subgenus** *Metamesosa* Breuning, 1939c: 411 type species *Mesosa basinodosa* Pic, 1925  
*basinodosa* Pic, 1925b: 28 A: HAI YUN #453  
*nomurai* Hayashi, 1964: 71 A: JA  
*sinica* Gressitt, 1939b: 113 (*Aesopida*) A: FUJ GUX HUN ZHE  
**subgenus** *Perimesosa* Breuning, 1939c: 409 type species *Mesosa hirsuta* Bates, 1884a  
*atrostigma* Gressitt, 1942g: 84 A: ANH FUJ GUX SHA TAI ZHE #60 #225  
*bimaculata* Breuning, 1936: 306 A: SD UP **ORR**  
*binigrovittata* Breuning, 1942a: 143 A: FUJ TAI  
*binigrovittipennis* Breuning, 1968f: 692 A: AP SD  
*chassoti* Breuning, 1970c: 89 A: TAI  
*enodata* Holzschuh, 2017c: 124 A: GUI  
*guttigera* Holzschuh, 2017c: 125 A: GUI  
*hirsuta albihirsuta* Kusama & Takakuwa, 1984: 11 A: JA  
*hirsuta brevihirsuta* Makihara, 1980: 53 A: JA (Danjo Is.)  
*hirsuta hirsuta* Bates, 1884a: 244 A: JA  
*harmandi* Pic, 1901k: 341  
*nigrohumeralis* Breuning, 1938c: 203  
*hirsuta continentalis* Hayashi, 1964: 76 [= 1965: 29] A: FE NC NE SC  
*hirsuta konishii* Hayashi, 1964: 76 [= 1965: 30] A: JA (Tsushima Is.)  
*hyunchaei* Yamasako & Hasegawa, 2009: 290 A: **BEI JIA SC** #686  
*irrorata* Gressitt, 1939b: 111 A: FUJ HEN HUB HUN JIX SCH SHA ZHE #60  
*medioalbofasciata* Breuning, 1969a: 35 A: TAI  
*pictipes miyamotoi* Hayashi, 1956c: 20 A: JA (Tokara Isls., Ryukyus)  
*pictipes nakabayashii* Fujita, 2023: 26 A: JA (Miyako Isls.: Miyako-jima Is.)  
*pictipes pictipes* Gressitt, 1937b: 323 A: JA (Ryukyus)  
*pictipes yayeyamai* Breuning, 1955b: 61 A: JA (Ryukyus) #732  
*pieli* Pic, 1936d: 16 A: JIX  
*setulosa* Breuning, 1938c: 202 A: HP NP  
*nigromaculata* Breuning, 1938c: 212 (*Anagelasta*) #585  
**subgenus** *Saimia* Pascoe, 1866b: 234 [RN] type species *Samia albidorsalis* Pascoe, 1865  
*Samia* Pascoe, 1864a: 96 [HN] type species *Samia albidorsalis* Pascoe, 1865  
*indica* Breuning, 1935e: 265 A: UP YUN **ORR**  
*kuntzeni* Matsushita, 1933b: 340 A: TAI  
*lata* Breuning, 1956g: 677 A: "North-west India"  
*quadriplagiata* Breuning, 1935a: 264 (*Saimia*) A: UP YUN **ORR**  
*subfasciata* Gahan, 1894a: 49 A: UP YUN **ORR** #298  
*tonkinensis* Breuning, 1935e: 265 (*Saimia*)  
*marmorata* Breuning, 1943e: 47  
*rondoni* Breuning, 1962b: 63.  
*variegata* Breuning, 1962b: 15.  
*paravariegata* Rondon & Breuning, 1970: 326.  
*yunnana* Breuning, 1938c: 202 (*Saimia*) A: HAI YUN  
**genus** *Metipocregyes* Breuning, 1939c: 429 type species *Mesosa nodieri* Pic, 1933  
*nodieri* Pic, 1933a: 14 (*Mesosa*) A: GUX HAI YUN **ORR** #270 #453  
*variabilis* Yamasako & Lin, 2018: 519 A: HAI GUX  
*wenhsini* Yamasako & Chou, 2013: 97 (*Hypocacia*) A: TAI #270  
**genus** *Mutatocoptops* Pic, 1925b: 29 type species *Mutatocoptops alboapicalis* Pic, 1925  
*alboapicalis* Pic, 1925b: 30 A: AP YUN **ORR** #280  
*anancyloides* Schwarzer, 1925b: 61 (*Coptops*) A: TAI **ORR**  
**genus** *Pachyosa* Fairmaire, 1897a: 71 type species *Pachyosa cervinopicta* Fairmaire, 1897 #735  
*atronotata atronotata* Kusama & Irie, 1976: 19 (*Mesosa*) A: JA(Tokara Isls.)  
*atronotata yamawakii* Hayashi, 1976: 11 (*Mesosa*) A: JA  
*cervinopicta* Fairmaire, 1897a: 71 A: JA (Ryukyus)

guanyin Yamasako & Chou, 2014b: 44 A: TAI  
*hirtiventris* Gressitt, 1937b: 324 (*Coptops*) A: JA (Ogasawara Isls.)  
*itoi fukidai* Fujita, 2023: 320 (*Mesosa*) A: JA (Amami Isls.: Amami-ôshima Is.)  
*itoi itoi* Ohbayashi, 1985: 1 (*Mesosa*) A: JA (Ryukyus)  
*kojimai* Hayashi, 1974c: 37 (*Coptops*) A: TAI

**genus *Paragolsinda* Breuning, 1956g: 675** type species *Paragolsinda fruhstorferi* Breuning, 1956g #299  
*fruhstorferi* Breuning, 1956g: 676 A: HAI **ORR** #271  
*obscura* Matsushita, 1933b: 339 (*Mesoereis*) A: TAI  
*tonkinensis* Breuning, 1938c: 197 (*Mesoereis*) A: HAI **ORR**

**genus *Paripocregyes* Breuning, 1938c: 204** type species *Paripocregyes brunneomaculatus* Breuning, 1938  
*brunneomaculatus* Breuning, 1938c: 204 A: UP **ORR**

**genus *Pseudipocregyes* Pic, 1923c: 20** type species *Pseudipocregyes maculatus* Pic, 1923  
*albognatus* Breuning, 1974d: 74 A: CH **ORR**  
*maculatus* Pic, 1923c: 20 A: YUN **ORR**

**genus *Pseudoclyzomedus* Yamasako, 2009: 282** type species *Pseudoclyzomedus ohbayashii* Yamasako, 2009  
*hainanus* Yamasako & Liu, 2019: 2 A: HAI

**genus *Spinipocregyes* Breuning, 1949a: 6** type species *Spinipocregyes nigrescens* Breuning, 1949a  
*wenhsini* Bi, 2013: 104 A: HAI

### tribe Monochamini Gistel, 1848

#13 #521

**genus *Acalolepta* Pascoe, 1858: 247** type species *Acalolepta pusio* Pascoe, 1858  
**subgenus *Acalolepta*** Pascoe, 1858: 247 type species *Acalolepta pusio* Pascoe, 1858 #89  
*Cypriola* J. Thomson, 1864: 16 type species *Cypriola acanthocinooides* J. Thomson, 1864  
*Haplohammus* Bates, 1884a: 239 type species *Monohammus luxuriosus* Bates, 1873  
*Neanthes* Pascoe, 1878: 372 type species *Monohammus curialis* Pascoe, 1858 (= *Monochamus subluscus* J. Thomson, 1857)  
*affinis* Breuning, 1935d: 55 (*Dihammus*) A: NP SD ZHE #400 #434  
*amamiana amamiana* Hayashi, 1962b: 36 (*Cypriola*) A: JA (Ryukyus)  
*amamiana simillima* Breuning & K. Ohbayashi, 1966: 32 A: JA (Ryukyus)  
*okinawensis* Breuning & K. Ohbayashi, 1966: 31  
*aurata* Gahan, 1888c: 260 (*Monohammus*) A: AP NP **ORR** #280  
*basicornis* Gahan, 1894a: 37 (*Haplohammus*) A: GUX HUN SD YUN **ORR**  
*basiplagiata* Breuning, 1935c: 249 (*Dihammus*) A: YUN **ORR**  
*battonii* Breuning, 1980a: 16 A: NP  
*bifasciata* Westwood, 1848: 59 (*Monohammus*) A: AP HUB SD "Himalaya" **ORR**  
*kingana* Pic, 1921b: 6 (*Monohammus*)  
*perplexa* Gahan, 1888d: 393 (*Monohammus*)  
*boninensis* Hayashi, 1971: 16 A: JA (Ogasawara Isls.)  
*bretschneideri* Weigel, 2012: 409 A: AP NP #390  
*breuningi* Gressitt, 1951a: 399 (*Dihammus*) A: GUA  
*breviscapus* Hayashi, 1980a: 2 A: NP  
*cervina* Hope, 1831: 27 (*Monochamus*) A: AP FUJ GUA GUI GUX HAI HUB JIX NP SCH SHA XIZ YUN ZHE **ORR** #280  
~~*fulvicornis* Pascoe, 1875: 64 (*Monochamus*)~~  
*chinensis* Breuning, 1970f: 475 A: GUI  
*coreanica* Breuning, 1956c: 234 A: NC (Mt. Geumgangsán)  
*coreensis* Breuning, 1967f: 183 A: SC (Seoul)  
*crassepunctifrons* Breuning, 1960d: 34 (*Cypriola*) A: SD  
*degeneroides* Breuning, 1948a: 8 (*Dihammus*) A: JIX  
*elongata* Breuning, 1935c: 251 (*Dihammus*) A: GUI NP SCH SD **ORR** #280  
*fasciculata* Hua, 2009: 192, 331 [RN] A: YUN  
*fasciata* Hua, 1992: 492, 524 [HN]  
*ferriei* Breuning, 1954d: 73 (*Cypriola*) A: FUJ JA (Ryukyus)  
*formosana* Breuning, 1935c: 251 (*Dihammus*) A: TAI  
*fraudator fraudator* Bates, 1873: 309 (*Monohammus*) A: FE FUJ GUA HUN JA JIA NE SC ZHE #400  
*fraudator nigricornis* Makihara, 1977: 63 A: JA  
*mogii* Makihara, 1980: 62  
*fraudator satoi* Breuning & K. Ohbayashi, 1966: 32 A: JA (Tsushima Is.)  
*fraudator yakushimana* Yokoyama, 1971: 99 A: JA  
*freudei* Heyrovský, 1976: 184 A: NP  
*gardneri* Breuning, 1938c: 186 (*Dihammus*) A: SD  
*ginkgovora* Makihara, 1992a: 62 A: JA

*griseipennis* J. Thomson, 1857f: 296 (*Monochamus*) A: AP BT NP SD YUN **ORR** #280  
*griseoplagiata* Breuning, 1935c: 250 (*Dihammus*) A: SD  
*grossescapa* Breuning, 1942a: 117 (*Dihammus*) A: TAI  
*hachijoensis* Gressitt, 1956: 113 (*Dihammus*) A: JA (Izu Isls.)  
*mikurensis* Hayashi, 1969a: 64  
*hainana* Breuning, 1959d: 149 (*Cypriola*) A: HAI  
*haradai* Hayashi, 1980a: 3 A: NP  
*hingstoni* Gilmour, 1956b: 743 (*Dihammus*) A: XIZ  
*holosericea* Breuning, 1939b: 158 (*Dihammus*) A: UT XIZ **ORR** #379  
*hunanensis* Breuning, 1963h: 218 A: HUN  
*inaequalis* Gardner, 1937: 8 (*Dihammus*) A: SD  
*iwahashii* Makihara, 1992a: 59 A: JA (Ryukyus)  
*kuniyoshii* Hayashi, 1963c: 11 A: JA (Ryukyus)  
*kusamai* Hayashi, 1969a: 64 A: JA SC  
*laeviceps* Breuning, 1938c: 186 (*Dihammus*) A: SD  
*longicollis* Gilmour, 1956b: 744 (*Dihammus*) A: NP  
*luxuriosa kawadai* Takakuwa, 1984: 431 A: JA (Ryukyus)  
*luxuriosa kuro* Makihara, 1977: 65 A: JA  
*luxuriosa luxuriosa* Bates, 1873: 309 (*Monohammus*) A: FE (Kunashir) JA  
*masataakai* Makihara, 2003: 356 A: JA  
*nepalensis* Hayashi, 1980a: 1 A: NP  
*ningshanensis* Danilevsky, 2013h: 34 A: GUI HUB SCH SHA YUN #60  
*nishimurai* Makihara, 1992a: 70 A: JA (Ryukyus)  
*nivosa* White, 1858b: 409 (*Monohammus*) A: NP PA "Himalaya" **ORR**  
*oshimana omoro* Hayashi, 1963c: 11 A: JA (Ryukyus)  
*oshimana oshimana* Breuning, 1954d: 73 (*Cypriola*) A: JA (Tokara Isls., Ryukyus)  
*paracervina* Breuning, 1972b: 237 A: AP **ORR** #280  
*permutans occidentalis* Breuning, 1958h: 268 (*Cypriola*) A: SCH  
*permutans okinawana* Gressitt, 1951b: 216 (*Dihammus*) A: JA  
*teragrama* Gilmour, 1951: 67 (*Dihammus*)  
*permutans paucipunctata* Gressitt, 1938b: 157 (*Dihammus*) A: JA TAI YUN  
*permutans permutans* Pascoe, 1857b: 103 (*Monohammus*) A: ANH GUA GUI GUX HEN HKG HUB HUN JIX SCH SHA TAI ZHE  
**ORR**  
*severini* Nonfried, 1892a: 94 (*Monohammus*)  
*vicina* Pascoe, 1858: 245 (*Monohammus*)  
*permutans semisericea* Pic, 1935b: 17 (*Dihammus*) A: AP SCH XIZ YUN **ORR** #681  
*mutans* Breuning, 1938a: 32 (*Dihammus*) #280 #681  
*paraspeciosa* Breuning, 1982: 19 #681  
*pseudospeciosa* Breuning, 1965f #681  
*pseudosericans* Breuning, 1949b: 6 A: SHG ZHE **ORR** #400  
*punctifrons* Gahan, 1894a: 36 (*Haplohammus*) A: SD  
*scotti* Breuning, 1936: 289 (*Dihammus*) A: SD  
*sejuncta hamai* Hayashi, 1962b: 36 (*Cypriola*) A: JA  
*sejuncta izuinsulana* Hayashi, 1968a: 25 A: JA (Izu Isls.)  
*sejuncta morii* Makihara, 1980: 65 A: JA  
*sejuncta sejuncta* Bates, 1873: 310 (*Monohammus*) A: FE (Sakhalin, Kunashir) FUJ HUB JA NC SC  
*fraxini* Matsushita, 1933a: 328 (*Dihammus*)  
*fulvicornis* Pascoe, 1875: 64 (*Monochamus*)  
*olivacea* Breuning, 1944b: 471 (*Dihammus*)  
*sejuncta tsushima* Breuning, 1960e: 35 (*Cypriola*) A: JA (Tsushima Is.)  
*semidegenera* Hayashi, 1981a: 14 A: NP  
*semisericea* Pic, 1935b: 17 (*Dihammus*) A: SCH  
*sericans* Breuning, 1938a: 33 (*Dihammus*) A: NP SD UP  
*sericeomicans* Fairmaire, 1889a: 67 (*Monochamus*) A: ANH GUA HAI JIA SCH SHA YUN ZHE **ORR**  
*seunghwani* Danilevsky, 2013h: 32 A: FE (Falatsa Mt. near Anisimovka) JIL NC SC **SCH** #496  
*sikkimensis nigrina* Breuning, 1975d: 344 A: AP BT #280  
*sikkimensis rufoantennata* Breuning, 1975d: 345 A: BT NP  
*sikkimensis sikkimensis* Breuning, 1935c: 250 (*Dihammus*) A: SD  
*sobria* Pascoe, 1858: 246 (*Monohammus*) A: TAI **ORR**  
*socia* Gahan, 1888a: 275 (*Haplohammus*) A: FUJ GUX JIA JIX NO  
*speciosa* Gahan, 1888a: 275 (*Haplohammus*) A: ANH FUJ GUA GUX HAI HKG JIA JIX SCH TAI ZHE **ORR**  
*sublusca boehmeriavora* Makihara, 1992a: 60 A: JA (Ryukyus)  
*sublusca maculihumera* Matsushita, 1933b: 328 (*Dihammus*) A: TAI  
*sublusca sublusca* J. Thomson, 1857f: 293 (*Monochamus*) A: FUJ GUA GUI GUX HAI HUN JIA JIX HEB HEN HUB SCH SHA SHN  
**ZHE ORR**  
*curialis* Pascoe, 1858: 246

*subspeciosa* Breuning, 1963h: 217 A: ZHE  
*sulphurifera* Hope, 1842b: 128 (*Monochamus*) A: SD **ORR**  
*szechuana* Gressitt, 1938c: 155 (*Dihammus*) A: SCH  
*tenuipes* Breuning, 1939b: 158 (*Dihammus*) A: SD  
*ussurica* Plavilstshikov, 1951: 121 (*Dihammus*) A: **CH FE KO**  
*vitalisi* Pic, 1925a: 19 (*Monochamus*) A: FUJ GUA GUX HAI HUN JIX SCH TAI **YUN ZHE ORR** #496  
*ikedai* Mitono, 1943: 581 (*Dihammus*)  
*wittmeri* Breuning, 1975d: 343 A: BT  
*yokoyamai* Hayashi, 1971: 15 A: TAI (Ludao Is., Lanyu Is.)  
**subgenus** *Dihammus* J. Thomson, 1864: 80 type species *Monochamus longicornis* J. Thomson, 1857 (= *Monochamus australis* Boisduval, 1835) #89  
*Niphohammus* Matsushita, 1932: 170 type species *Niphohammus korolensis* Matsushita, 1932  
*rusticator formosensis* Breuning & K. Ohbayashi, 1966a: 11 A: TAI (Ludao Is., Lanyu Is.)  
*rusticator rusticator* Fabricius, 1802: 294 (*Lamia*) A: TAI **ORR**  
*bianor* Newman, 1842b: 277 (*Monohammus*)  
*brunnescens* Breuning, 1980: 175 #586  
*fistulator* Germar, 1824: 478 (*Lamia*) #506  
*musiva* Pascoe, 1866b: 251 (*Monochamus*)  
*whiteheadi* Breuning, 1970: 474 #586

**genus** *Agnioides* Breuning, 1956g: 671 type species *Agnioides striatopunctatus* Breuning, 1956  
*Paragniopsis* Breuning, 1965: 59c type species *Paragniopsis ochraceomaculata* Breuning, 1965 #256  
*striatopunctatus* Breuning, 1956g: 671 A: **SD YUN ORR** #256  
*ochraceomaculata* Breuning, 1965c: 59 (*Paragniopsis*) #256

**genus** *Agniomorpha* Breuning, 1935e: 257 type species *Agniomorpha ochraceomaculata* Breuning, 1935  
*ochraceomaculata* Breuning, 1935e: 257 A: GUI GUX SD **ORR**

**genus** *Agnoderus* J. Thomson, 1864: 83 type species *Agnoderus gnomoides* J. Thomson, 1864  
*gnomoides* J. Thomson, 1864: 83 A: SD

**genus** *Anamera* J. Thomson, 1864: 63 type species *Anamera alboguttata* J. Thomson, 1864  
*gigantea gigantea* Breuning, 1935d: 66 A: PA **ORR**  
*gigantea iliyashenkoi* Jiroux, Garreau & Gurko, 2012: 19 A: PA

**genus** *Anameromorpha* Pic, 1923c: 19 type species *Anameromorpha metallica* Pic, 1923  
*metallica* Pic, 1923c: 19 A: YUN **ORR** #289 #400

**genus** *Annamanum* Pic, 1925a: 23 type species *Annamanum vitalisi* Pic, 1925  
*Uraechopsis* Breuning, 1935f: 76 type species *Uraecha chebana* Gahan, 1894  
*albisparsum* Gahan, 1888b: 62 (*Monochamus*) A: FUJ GUI GUX HUN JIX  
*albonotatum* Pic, 1925a: 22 (*Uraecha*)  
*albomaculatum* Breuning, 1935f: 76 A: CH **ORR**  
*cardoni* Breuning, 1953: 2 A: "India"  
*chebanum* Gahan, 1894a: 41 (*Uraecha*) A: GUA GUX YUN **ORR**  
*flavimaculatum* Shulin Yang & Shaoyong Yang, 2019: 50 A: GUI GUX  
*fuscomaculatum* Breuning, 1979c: 99 A: YUN  
*griseolum* Bates, 1884a: 240 (*Uraecha*) A: JA  
*humurale* Pic, 1934a: 35 (*Uraecha*) A: YUN **ORR**  
*indicum* Breuning, 1938c: 191 A: SD  
*lunulatum* Pic, 1934a: 34 (*Uraecha*) A: GUX YUN **ORR** #200  
*fruhstorferi* Breuning, 1964b: 2 #256  
*longzhouensis* W.-K. Wang & Jiang, 2000a: 47 (*Uraecha*) #200  
*magnum* Holzschuh, 2017c: 127 A: GUI  
*mediomaculatum* Breuning, 1962b: 19 A: GUX **ORR**  
*mimicum* Bi & Weigel, 2024: 2 A: YUN  
*rondoni* Breuning, 1962i: 21 A: YUN **ORR** #496  
*sikkimense* Breuning, 1942a: 119 A: NP SD  
*touzalini* Breuning, 1979c: 99  
*sinicum* Gressitt, 1951a: 387 A: FUJ JIX SCH YUN ZHE #60  
*strandi* Breuning, 1938c: 191 A: XIZ YUN  
*subauratum* Breuning, 1958h: 266 A: SCH  
*szetschuanicum* Breuning, 1947a: 8 A: SCH  
*wenzhui* Lin & Ge, 2017a: 891 A: HEN HUB SHA  
*yunnanum* Breuning, 1947a: 8 A: YUN



**genus *Anoplophora* Hope, 1839: 43** type species *Anoplophora stanleyana* Hope, 1839  
*Callophora* J. Thomson, 1864: 76 [unnecessary replacement name]  
*Cyriocrates* J. Thomson, 1868c: 181 type species *Oplophora horsfieldii* Hope, 1842  
*Falsocyriocrates* Pic, 1953a: 2 type species *Cyriocrates elegans* Gahan, 1888  
*Melanauster* J. Thomson, 1868c: 181 type species *Cerambyx chinensis* Forster, 1771  
*Micromelanauster* Pic, 1931d: 49 type species *Monochamus bowringii* White, 1858  
*Mimonemophas* Breuning, 1961h: 309 type species *Mimonemophas quadrifasciatus* Breuning, 1961 #111  
*Oplophora* Hope, 1839: 42 type species *Oplophora sollii* Hope, 1839

*albopicta* Matsushita, 1933b: 279 (*Cyriocrates*) A: TAI  
*elegans* Kano, 1933a: 279 (*Melanauster*) [HN]

*ankangensis* Chiang, 1981: 82 (*Paranamera*) A: GUX HEN HUN SHA #256 #516

*beryllina* Hope, 1840: 79 (*Monochamus*) A: FUJ GUA GUX HUB HUN JIX SCH SD YUN ZHE ORR  
*argentifera* Pic, 1902i: 31 (*Melanauster*)  
*melanosticta* White, 1858b: 407 (*Monohammus*)  
*subberyllina* Breuning, 1964e: 47

*bowringii* White, 1858b: 398 (*Monohammus*) A: FUJ GUA GUX HKG HUB JIX ZHE #516

*cheni* Bi & N. Ohbayashi, 2015: 294 A: GUI YUN ORR #516

*chiangi* Hua & Zhang, 1991: 77 A: GUI HUN #516

*chinensis chinensis* Forster, 1771: 39 (*Cerambyx*) Ei: AU BE CR FR GE IT NL TR A: ANH FUJ GAN GUA GUI GUX HAI HEB  
HEN HKG HUB HUN JA JIA JIL JIX LIA SC SCH SHA SHN SHX TAI TRi YUN ZHE ORR AURI NARI #56 #188  
#189

*abbreviata* J. Thomson, 1865: 553 (*Callophora*)  
*afflicta* J. Thomson, 1865: 553 (*Callophora*)  
*farinosa* Houttuyn, 1766: 536 (*Cerambyx*) [HN]  
*luctuosa* J. Thomson, 1865: 553 (*Callophora*)  
*perroudi* Pic, 1953a: 3 (*Melanauster*)  
*punctator* Fabricius, 1777: 230 (*Lamia*)  
*sepulchralis* J. Thomson, 1865: 553 (*Callophora*)  
*sinensis* Gmelin, 1793: 1863 (*Cerambyx*)

*chinensis viridis* R.-Y. Wang, 1991: 245, 248 A: YUN #400

*coeruleoantennata* Breuning, 1947b: 23 (*Melanauster*) A: SCH

*davidis* Fairmaire, 1886b: 355 (*Melanauster*) A: GUX SCH SHA TAI XIZ YUN ORR  
*adonis* Pic, 1925a: 20 (*Melanauster*)  
*alboapicalis* Chiang, 1951: 48  
*vitalisi* Pic, 1936b: 16 (*Melanauster*)

*decemmaculata* Pu, 1999: 82 A: HEB HUN SHA SCH #225

*elegans* Gahan, 1888e: 450 (*Cyriocrates*) A: GUA GUI HAI HEN YUN ORR  
*albonotata* Pic, 1926l: 455 (*Melanauster*)  
*macrospila* Gahan, 1900d: 349 (*Melanauster*)  
*superba* Pic, 1925c: 4 (*Melanauster*)

*fanjingensis* Sh. Yang, W. Yang & Tian, 2020: 2 A: GUI

*flavomaculata* Gressitt, 1935f: 385 (*Melanauster*) A: TAI

*freyi* Breuning, 1947b: 23 (*Melanauster*) A: SCH YUN #522

*fruhstorferi* Aurivillius, 1902: 209 (*Callophora*) A: GUX ORR  
*depressinotata* Chiang, 1951: 50 (*Cyriocrates*)

*glabripennis* Motschulsky, 1854a: 48 (*Cerosterna*) Ei: AU CZ FI FR GB GE IT ME NL SK SZ TR A: ANH FE FUJ GAN GUI GUX  
HEB HEI HEN HUB HUN JIA JIL JIX LIA ?NC NIN NMO SA SC SCH SHA SHN SHX TRi XIZ YUN ZHE AURI NARI ORRi  
#56 #180 #188 #189 #358 #517 #774

*angustata* Pic, 1925a: 21 (*Melanauster*)  
*laevigator* J. Thomson, 1857f: 297 (*Cerosterna*)  
*laglaisei* Pic, 1953a: 3 (*Melanauster*)  
*luteonotata* Pic, 1925a: 21 (*Melanauster*)  
*nankinea* Pic, 1926b: 2 (*Melanauster*)  
*nobilis* Ganglbauer, 1889a: 82 (*Melanauster*)

*granata* Holzschuh, 1993a: 48 A: GUX ORR

*gressitti* N. Ohbayashi & Bi, 2014: 156 A: AP XIZ ORR

*horsfieldii horsfieldii* Hope, 1842a: 61 [= 1843: 64] (*Oplophora*) A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX SC SCH  
SHA YUN ZHE ORR #235 #707

*voluptuosa* J. Thomson, 1856: 529 (*Cerosterna*)

*horsfieldii taiwanensis* N. Ohbayashi, 2018: 40 A: TAI

*huangjianbini* Ch.-B. Wang & L. He, 2021: 4 A: FUJ GUX

*iadina* Ch.-B. Wang, L. He & J.-B. Huang, 2023: 166 A: YUN

*imitator* White, 1858b: 404 (*Cerosterna*) A: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SHA ZHE  
*pirouletii* Fairmaire, 1889a: 66 (*Melanauster*)

*jianfenglingensis* Hua, 1989b: 301 A: HAI

*leechi* Gahan, 1888b: 63 (*Melanauster*) A: HEB HEN HUB HUN JIA JIX ZHE

*longehirsuta* Breuning, 1968a: 23 A: GUX ORR  
*parelegans* Chiang, 1981: 81

*lurida* Pascoe, 1856: 47 (*Monohammus*) A: GAN GUX HEB HEN HUB HUN JIA JIX SCH SHA TAI ZHE #225

*macularia* J. Thomson, 1865: 553 (*Callophora*) A: FUJ GUA GUX HAI HEN JA (Ryukyus) JIA NE **SC** SCH TAI ZHE **ORR**  
**#525**

*malasiaca* J. Thomson, 1865: 553 (*Callophora*) Ei: AU CR CZ GE IT NL A: CH JA NC SC **TAI** Tri **ORR** #188 #189  
*multimaculata* Xie & Wang, 2015: 599 (*Mimonemophas*) A: HUB **ZHE** #256 #516  
*ogasawaraensis* Makihara, 1976: 9 A: JA (Ogasawara Isls.)  
*oshimana oshimana* Fairmaire, 1895: 390 (*Melanauster*) A: JA (Ryukyus)  
*oshimana tokunoshimana* Samuelson, 1965b: 89 A: JA (Ryukyus)  
*puxian* C. Wang & He, 2021a: 340 A: **SCH**  
*quadrifasciata* Breuning, 1961h: 309 (*Mimonemophas*) A: GUX **ORR** #112  
*rubidacorpora* Xie, Shi & W.-K. Wang, 2012b: 2 A: GUI  
*rugicollis* P. Wang, Xie & W.-K. Wang, 2022b: 97 (unavailable name - holotype location not published) A: YUN **ORR**  
*ryukyensis* Breuning & K. Ohbayashi, 1964: 15 A: JA (Ryukyus)  
*siderea* Bi, Chen & Ohbayashi, 2020: 267 A: GUX GUA  
*similis* Gahan, 1900d: 350 (*Melanauster*) A: ?FUJ ?GUA HAI #516  
*sollii* Hope, 1839: 43 (*Oplophora*) A: GUX SD **ORR**  
*stanleyana* Hope, 1839: 43 A: BT NP SD SE SW **ORR**  
*angustata* Pic, 1934a: 11 [HN]  
*chapaensis* Breuning, 1950i: 511  
*gloriosa* Tippmann, 1953: 152  
*grisea* Tippmann, 1953: 153 #587  
*melancholica* Tippmann, 1953: 153  
*tonkinea* Breuning, 1943c: 285 [RN]  
*tonkinea* Pic, 1907f: 152 (*Callophora*) A: GUX **ORR**  
*viriantennata* W.-K. Wang & Jiang, 1998c: 335 A: HUB SCH #158  
*wusheana* Chang, 1960: 2 A: TAI  
*xuei* Lin & Wen, 2024: 711 A: GUI GUX **ORR**  
*zhiyuani* P. Wang, Xie & W.-K. Wang, 2025: 197 YUN **ORR**  
*zibroides* Ch.-B. Wang, L. He & J.-B. Huang, 2023: 173 A: HUN GUX  
*zonator* J. Thomson, 1878: 50 (*Cyriocrates*) A: YUN **ORR** #400

**genus *Aristobia* J. Thomson, 1868c: 178** type species *Lamia reticulator* Fabricius, 1781 (designated by Breuning, 1943: 189)  
*angustifrons* Gahan, 1888a: 276 A: YUN **ORR** #400  
*approximator* J. Thomson, 1865: 552 (*Celosterna*) A: AP NP YUN **ORR** #280  
*birmanica* Gahan, 1894a: 40  
*freneyi* Schmitt, 1992: 28 A: YUN **ORR** #400 #435  
*hispidula* Saunders, 1853: 112 (*Cerosterna*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI XIZ  
YUN ZHE **ORR**  
*horridula* Hope, 1831: 27 (*Lamia*) A: KA NP PA SCH SD TAI YUN **ORR**  
*fasciculata* L. Redtenbacher, 1844: 552 (*Cerosterna*)  
*reticulata* Fabricius, 1781: 219 (*Lamia*) A: AP FUJ GUA GUX HAI NP SD SHA YUN **ORR** #280 #166 #280  
*clathratrix* J. Thomson, 1865a: 552 (*Celosterna*)  
*vietnamensis* Breuning, 1972: 236 A: FUJ GUA HAI HKG JIX **ORR**  
*voetii* J. Thomson, 1878: 51 A: FUJ GUA GUX HAI HEN HUB JIX SHA YUN **ORR**  
*pulcherrima* Nonfried, 1892a: 94

**genus *Astynoscelis* Pic, 1904b: 8** type species *Astynoscelis longicornis* Pic, 1904 (= *Monohammus degener* Bates, 1873)  
*Saitoa* Matsushita, 1937: 104 type species *Saitoa teneburosa* Matsushita, 1937 (= *Monohammus degener* Bates, 1873)  
*degener* Bates, 1873: 310 (*Monohammus*) A: FE FUJ GAN GUA GUI GUX HEI HUB HUN JA JIA JIL JIX NC NMO SC SCH SHA  
SHN TAI YUN ZHE  
*contempta* Gahan, 1888b: 62 (*Haplohammus*)  
*longicornis* Pic, 1904b: 8  
*nana* Ganglbauer, 1889a: 81 (*Haplohammus*)  
*savioi* Pic, 1925a: 21 (*Orsidis*)  
*teneburosa* Matsushita, 1937: 104 (*Saitoa*)

**genus *Blepephaeopsis* Breuning, 1938c: 193** type species *Blepephaeopsis nigrosparus* Breuning, 1938  
*taomeiae* Hayashi, Nara & Yu, 1995: 149 (*Uraeoides*) A: TAI #512  
*yagii* Hayashi, 1992: 150 A: TAI

**genus *Blepephaeus* Pascoe, 1866b: 249** type species *Monohammus succinator* Chevrolat, 1852  
*Parablepephaeus* Breuning, 1980c: 171 type species *Parablepephaeus lumawigi* Breuning, 1980  
*Perihammus* Aurivillius, 1923b: 21 type species *Perihammus bifasciatus* Aurivillius, 1924 (= *Monohammus infelix* Pascoe, 1856)  
*arrowi* Breuning, 1935d: 70 A: KA PA SD #274  
*fulvus* Pic, 1933a: 13 (*Uraecha*) A: YUN **ORR**  
*pardalinus* Breuning, 1935d: 68  
*indicus* Breuning, 1935d: 70 A: SD XIZ **ORR**  
*infelix* Pascoe, 1856: 48 (*Monohammus*) A: FUJ GUA GUX HUN JIX ?KO SCH SHA ZHE #225 #400

*bifasciatus* Aurivillius, 1924: 21 (*Perihammus*)  
*multinotatus* Pic, 1925a: 18 (*Nemophas*) A: GUX **ORR**  
*nepalensis* Hayashi, 1981a: 13 (*Perihammus*) A: NP PA #274  
*nigrofasciatus* Pu, 1999: 84 A: HAI  
*nigrosparsus* Pic, 1925b: 28 A: UP YUN **ORR**  
*nigrostigma* W.-K. Wang & S.-N. Jiang, 1998a: 459, 460 A: YUN  
*ocellatus* Gahan, 1888c: 262 (*Monochamus*) A: BT NP YUN ZHE "North India" **ORR**  
*pauloperforatus* Pic, 1930b: 17 (*Epepeotes*)  
*wittmeri* Breuning, 1975d: 342 (*Cypriepepeotes*)  
*puae* Lin, 2011: 44 [RN] A: YUN  
*undulatus* Pu, 1999: 79 (*Perihammus*)  
*stigmus* Gahan, 1894a: 44 A: YUN **ORR**  
*laosensis* Pic, 1930b: 18 (*Epepeotes*)  
*subannulatus* Breuning, 1979c: 100 A: YUN ZHE **ORR** #400  
*subcruciatus* White, 1858b: 410 (*Monohammus*) A: GUA GUX HAI HKG  
*succinator* Chevrolat, 1852: 417 (*Monohammus*) A: AP GUA GUX HAI HKG HUN JIA JIX NP SCH SD SHA SHG TAI XIZ YUN  
ZHE **ORR** #280 #225  
*fleutiauxi* Lameere, 1893a: 283  
*fuscumaculatus* Breuning, 1948a: 11 (*Perihammus*)  
*humeralis* Pic, 1925: 23  
*obfuscatus* White, 1858b: 410  
*scutellaris* Fairmaire, 1895: 179  
*sublineatus* White, 1858b: 410  
*variegatus* Gressitt, 1940b: 107 A: HAI YUN **ORR**  
*sciamai* Breuning, 1962b: 19 (*Paramelanauster*)

**genus *Cereopsius* Pascoe, 1857b: 105** type species *Cereopsius exoletus* Pascoe, 1857  
*Etymestia* Pascoe, 1866c: 228 type species *Cereopsius helena* White, 1858  
*Vitticereopsius* Breuning, 1961c: 143 type species *Epepeotes vittipennis* Fisher, 1935  
*aureomaculatus* Breuning, 1968a: 24 A: YUN **ORR** #400  
*praetorius* Erichson, 1834: 268 (*Lamia*) A: TAI (Lanyu Is.) **ORR**  
*elpenor* Pascoe, 1862: 344  
*shamankariyali* Kano, 1939: 30

**genus *Cerosterna* Dejean, 1835: 341** type species *Lamia gladiator* Fabricius, 1802 (= *Lamia scabrator* Fabricius, 1781)  
*Celosterna* J. Thomson, 1860: 85 type species *Celosterna gladiator* (Fabricius, 1802) (= *Lamia scabrator* Fabricius, 1781) #300  
*Coelosterna* Gemminger, 1872: 3024 [unnecessary emendation]  
*Falsopriona* Pic, 1925c: 3 type species *Falsopriona luteopubens* Pic, 1925  
*Loxotropoides* Fisher, 1935: 600 type species *Loxotropoides brunnea* Fisher, 1935  
*Psaromaia* Pascoe, 1866c: 289 type species *Psaromaia tigrina* Pascoe, 1866  
*Toxosterna* J. Thomson, 1868c: 178 type species *Lamia spinator* Fabricius, 1798  
*Trichocelosterna* Breuning, 1965: 45 type species *Celosterna rouyeri* Ritsema, 1906  
*scabrator* Fabricius, 1781: 224 (*Lamia*) A: NP PA UP **ORR**  
*gladiator* Fabricius, 1802: 284 (*Lamia*)  
*griseator* Aurivillius, 1920: 12 (*Celosterna*)  
*murina* Nonfried, 1894: 82 (*Aristobia*)  
*renei* Pascoe, 1888: 501 (*Psaromaia*)  
*spinator* Fabricius, 1798: 145 (*Lamia*)

**genus *Combe* J. Thomson, 1864: 83** type species *Monohammus brianus* White, 1858  
*Mimomyagrus* Breuning, 1970: 88 type species *Mimomyagrus pfanneri* Breuning, 1970 #780  
*brianus* White, 1858b: 409 (*Monohammus*) A: NP  
*fulguratus* J. Thomson, 1864: 84

**genus *Coscinesthes* Bates, 1890: 246** type species *Coscinesthes porosus* Bates, 1890  
*minuta* Pu, 1985b: 271 A: YUN  
*porosa* Bates, 1890: 247 A: GUA HEN SCH SHA YUN ZHE  
*grossefoveata* Breuning, 1958h: 262 (*Trichocoscinesthes*)  
*multiperforata* Pic, 1920a: 2 (*Monochamus*)  
*salicis* Gressitt, 1951a: 380 A: SCH YUN ZHE  
*foveata* Chiang & Li, 1984: 99 (*Haplothrix*) #301

**genus *Cremnosterna* Aurivillius, 1920: 12** type species *Monohammus carissimus* Pascoe, 1857  
*carissima* Pascoe, 1857b: 104 (*Monohammus*) A: NP XIZ YUN **ORR**  
*laosensis* Breuning, 1965e: 47 (*Jeanvoinea*)  
*maculosa* J. Thomson, 1865: 552 (*Celosterna*)  
*ocellata* Nonfried, 1892c: 379 (*Celosterna*)  
*pardalis* J. Thomson, 1865: 552 (*Celosterna*)  
*tesselata* White, 1858b: 404 (*Celosterna*)

- vittata* Gilmour, 1956c: 747  
*plagiata* White, 1858b: 403 (*Celosterna*) A: PA YUN **ORR** #274
- genus *Cribragapanthia* Pic, 1903g: 121** type species *Cribragapanthia scutellata* Pic, 1903  
*scutellata* Pic, 1903g: 121 A: GUI GUX SCH YUN **ORR**
- genus *Cribrohammus* Breuning, 1966b: 1** type species *Cribrohammus chinensis* Breuning, 1966 #226  
*Pseudagapanthia* Breuning, 1971b: 77 type species *Cribrohammus chinensis* Breuning, 1966  
*chinensis* Breuning, 1966b: 2 A: YUN  
*fragosus* Holzschuh, 1998: 48 A: SCH SHA #225
- genus *Cyanagapanthia* Breuning, 1968a: 25** type species *Cyanagapanthia bicolor* Breuning, 1968  
*aurescens* W.-K. Wang & L.-Y. Zheng, 2002b: 79 A: YUN  
*bicolor* Breuning, 1968a: 25 A: YUN **ORR** #400
- genus *Dolichoprosopus* Ritsema, 1881c: 149** type species *Dolichoprosopus maculatus* Ritsema, 1881  
*sameshimai* N. Ohbayashi, 2001b: 265 A: JA  
*yokoyamai* Gressitt, 1937b: 322 (*Monochamus*) A: JA
- genus *Euoplia* Hope, 1839: 42** type species *Euoplia polypila* Hope, 1839 #664  
*polypila* Hope, 1839: 452 A: YUN **ORR**
- genus *Epepeotes* Pascoe, 1866b: 249** type species *Lamia lusca* Fabricius, 1787 #373  
*Diochares* Pascoe, 1866c: 303 type species *Cerambyx fimbriatus* Olivier, 1797 (= *Lamia fimbriata* Olivier, 1800 = *Cerambyx desertus* Linnaeus, 1758)  
*Falsomonochammus* Pic, 1943b: 3 type species *Falsomonochammus diverseglabratus* Pic, 1943  
*Mengelotes* L. S. Dillon & E. S. Dillon, 1941: 43 type species *Mengelotes ambiguus* L. S. Dillon & E. S. Dillon, 1941  
[*ambigenus ambigenus* Chevrolat, 1841: 228 (*Monochammus*) **ORR**]  
*ambigenus formosanus* Gressitt, 1951a: 361 A: TAI  
*himalayanus* Breuning, 1950a: 1 A: NP **ORR** #390  
*lusca* Fabricius, 1787: 139 (*Lamia*) A: HKG HP JIX SCH YUN **ORR** #348 #521  
*alorensis* Breuning, 1960e: 29  
*enganensis* Gahan, 1907: 80  
*fumosus* Pascoe, 1866c: 301  
*soembanicus* Schwarzer, 1931a: 66  
*uncinatus uncinatus* Gahan, 1888a: 271 A: AP BT NP SD XIZ YUN "North India" **ORR** #280  
*lineatus* Pic, 1944a: 14 (*Pseudopsacotha*)  
*salvazai* Pic, 1925a: 18  
*vittatus* R.-Y. Wang, 1991: 244, 248 A: SCH
- genus *Epicedia* J. Thomson, 1864: 78** type species *Lamia carcelli* Guérin-Méneville, 1833 (= *Lamia maculatrix* Perty, 1831)  
*maculatrix* Perty, 1831: xlii (*Lamia*) A: HP  
*carcelli* Guérin-Méneville, 1833b: 491 (*Lamia*)  
*pleuricosta* J. Thomson, 1857e: 179 (*Leprodera*)
- genus *Erythrotes* Lazarev, 2020d: 171** type species *Erythrotes murzini* Lazarev, 2020  
*murzini* Lazarev, 2020d: 172 A: SCH
- genus *Eutaenia* J. Thomson, 1857e: 184** type species *Ceroplesis javeti* J. Thomson, 1857 (= *Lamia trifasciella* White, 1850)  
*Eutaeniopsis* Gahan, 1888a: 277 type species *Lamia trifasciella* White, 1850  
*trifasciella* White, 1850: 13 (*Lamia*) A: FUJ GUA GUX HKG HUN JIX YUN **ORR**  
*javeti* J. Thomson, 1857b: 127 (*Ceroplesis*)  
*trifasciata* J. Thomson, 1864: 72
- genus *Falsagnia* Breuning, 1938b: 93** type species *Falsagnia obenbergeri* Breuning, 1938  
*obenbergeri* Breuning, 1938b: 93 A: SD
- genus *Falsocylindropomus* Pic, 1927b: 35** type species *Falsocylindropomus maculosus* Pic, 1927 #400  
*maculosus* Pic, 1927b: 35 A: GUX **ORR**
- genus *Falsomecynippus* Bi, Chen & Lin, 2024: 735** type species *Monohammus ciliatus* Gahan, 1888  
**subgenus *Falsomecynippus* Bi, Chen & Lin, 2024: 735** type species *Monohammus ciliatus* Gahan, 1888  
*ciliatus* Gahan, 1888a: 273 (*Monohammus*) A: CHQ GUA GUX HAI HKG JIX SCH YUN **ORR** #307  
*delkeskampii* Breuning, 1961i: 311 (*Mimothestus*)  
*luteicornis* Xie, Shi & W.-K. Wang, 2012a: 67 (*Mimothestus*)  
*rondoni* Breuning, 1964e: 50 (*Monohammus*)  
**subgenus *Tuberculhammus* Bi, Chen & Lin, 2024: 738** type species *Falsomecynippus (Tuberculhammus) superbus* Bi, Chen & Lin, 2024

*superbus* Bi, Chen & Lin, 2024: 738 A: HAI HUN GUA YUN ZHE **ORR**

genus *Gibbohammus* W.-K. Wang & Jiang, 1999b: 121 type species *Gibbohammus stricticollis* W.-K. Wang & Jiang, 1999  
*stricticollis* W.-K. Wang & Jiang, 1999b: 122 A: HAI

genus *Hainanhammus* Gressitt, 1940b: 108 type species *Hainanhammus griseopubens* Gressitt, 1940  
*griseopubens* Gressitt, 1940b: 108 A: HAI

genus *Haplothrix* Gahan, 1888a: 278 type species *Haplothrix simplex* Gahan, 1888  
*amicator* Gahan, 1888c: 261 (*Monochamus*) A: AP SD #280 #280

genus *Hechinoschema* J. Thomson, 1857e: 181 type species *Hechinoschema spinosa* J. Thomson, 1857  
*spinosa* J. Thomson, 1857e: 182 A: SD **ORR** #280  
*armata* White, 1858b: 405 (*Monohammus*)

genus *Jeanvoinea* Pic, 1934a: 10 type species *Jeanvoinea annulipes* Pic, 1934  
*annulipes annulipes* Pic, 1934a: 11 A: AP GUI GUX SCH SHA #280 #801  
*paucisetosa* Gressitt, 1938c: 154 (*Dihammus*) #801  
*annulipes flocculata* Gressitt, 1935c: 188 (*Monochamus*) A: TAI #801

genus *Macrochenus* Guérin-Méneville, 1843: 59 type species *Cerambyx tigrinus* Olivier, 1797  
*Mecotagus* Pascoe, 1866c: 252 type species *Cerambyx tigrinus* Olivier, 1797  
*assamensis* Breuning, 1935d: 61 A: XIZ YUN **ORR**  
*guerinii* White, 1858a: 274 (*Pelargoderus*) A: AP GUX NP SCH SD XIZ YUN **ORR** #60 #166  
*isabellinus* Aurivillius, 1920: 12  
*tigrinus* Olivier, 1797: 468 (*Lamia*) [1800: 101 (*Cerambyx*)] A: PA SD **ORR** #280 #373  
*birmanus* J. Thomson, 1878: 49  
*tesselatus* Guérin-Méneville, 1843: 58  
*tonkinensis* Aurivillius, 1920: 12 A: GUA GUI GUX HAI HUB YUN **ORR**  
*inarmatus* Gressitt, 1940b: 92 (*Psacothoa*)  
*semijunctus* Pic, 1944a: 11

genus *Mecynippus* Bates, 1884a: 240 type species *Mecynippus pubicornis* Bates, 1884  
*pubicornis* Bates, 1884a: 241 A: HUB JA KO #308

genus *Meges* Pascoe, 1866: 272c type species *Monohammus gravidus* Pascoe, 1858 #647  
*Magninia* Clermont, 1932 type species *Magninia tonkinea* Clermont, 1932: 215 #647  
*gravidus* Pascoe, 1858: 245 (*Monohammus*) A: ANH FUJ HEN HUN SHA SHN ZHE **ORR** #60 #647  
*multimaculatus* Pic, 1933c: 31 (*Apriona*)  
*tonkineus* Clermont, 1932: 215 (*Magninia*) A: GUX HAI **ORR** #647

genus *Metopides* Pascoe, 1866: 248 type species *Metopides occipitalis* Pascoe, 1866 #801  
*nivosus* White, 1858 (*Monochammus*): 409 A: PK NP **ORR** #801

genus *Mimocoelosterna* Breuning, 1940b: 125 type species *Mimocoelosterna flavescens* Breuning, 1940  
*hainanensis* Breuning, 1966g: 289 A: HAI

genus *Mimocratotragus* Pic, 1926j: 323 type species *Mimocratotragus superbus* Pic, 1926  
*superbus* Pic, 1926j: 324 A: HUN YUN

genus *Mimognoma* Breuning, 1959d: 151 type species *Mimognoma szetschuanensis* Breuning, 1959  
*szetschuanensis* Breuning, 1959d: 151 A: SCH

genus *Mimorsidis* Breuning, 1938a: 33 type species *Mimorsidis lemoulti* Breuning, 1938  
*scutellata* Gressitt, 1951a: 404 A: FUJ  
*taiwanensis* Hayashi, 1974c: 47 A: TAI  
*yaeyamensis* Samuelson, 1965b: 96 A: JA (Ryukyus)  
*ishigakiana* Breuning & Villiers, 1973: 49 (*Acalolepta*)

genus *Mimothestus* Pic, 1935e: 15 type species *Mimothestus annulicornis* Pic, 1935  
*annulicornis* Pic, 1935e: 16 A: GUA GUI GUX HKG HUB YUN **ORR**  
*atricornis* Pu, 1999: 81 A: HAI

genus *Monochamus* Dejean, 1821: 106 type species *Cerambyx sutor* Linnaeus, 1758 #521 #635  
subgenus *Monochamus* Dejean, 1821: 106 type species *Cerambyx sutor* Linnaeus, 1758  
*Cerataades* Gistel, 1834: 29 [unnecessary substitute name]



*Monohammus* Dejean, 1835: 340 [unjustified emendation]  
*abruptus* Holzschuh, 2015d: 73 A: SHA  
*alboapicalis* Pic, 1934a: 9 (*Thrysimia*) A: GUX **ORR**  
*strandiellus* Breuning, 1935b: 153  
*alternatus alternatus* Hope, 1842a: 61 A: ANH FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SC SCH SHN XIZ YUN  
**ZHE ORR**  
*tesserula* White, 1858b: 408 (*Monohammus*)  
*alternatus endai* Makihara, 2004a: 17 A: JA TAI  
*basifossulatus* Breuning, 1938c: 185 A: NP YUN **ORR**  
*bimaculatus* Gahan, 1888c: 260 (*Monohammus*) A: AP GUA GUX HAI HUB HUN JIX NP PA SD TAI UP XIZ YUN ZHE **ORR**  
**#280**  
*ingranulatus* Pic, 1925a: 20 (*Monohammus*)  
*binigracollis* Breuning, 1965d: 51 A: GUI YUN **ORR** **#400**  
*bootangensis* Breuning, 1947a: 9 A: BT  
*desperatus* J. Thomson, 1857f: 295 A: SD  
*fredericus* White, 1858b: 408 (*Monochammus*)  
*dubius* Gahan, 1894a: 35 (*Monohammus*) A: FUJ GUA GUI GUX HAI NP SCH SD SHA TAI XIZ YUN **#400**  
*sintikensis* Matsushita, 1939: 58  
*sparsenotatus* Pic, 1920a: 2  
*foraminosus* Holzschuh, 2015d: 74 A: SCH  
*foveatus* Breuning, 1961c: 142 A: YUN  
*galloprovincialis cinerascens* Motschulsky, 1860b: 150 (*Monochammus*) E: NT A: ES FE HEI JIL MG NMO WS  
*sibiricus* Pic, 1908b: 5 (*Monohammus*)  
*galloprovincialis galloprovincialis* Olivier, 1800: No. 67: 125 (*Cerambyx*) E: FR IT(Sicily) PT SP N: AG **CI MO MR TU** **#373**  
*parendeli* Théry, 1891: xxiii (*Monohammus*)  
*subrufopubens* Pic, 1912g: 18  
*galloprovincialis pistor* Germar, 1818: 242 (*Lamia*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT MC MD ME  
NL NT PL RO SB SK SL ST SV SZ TR UK A: KI KZ WS **#357**  
*lignator* Krynicki, 1832: 158  
*nitidior* Abeille de Perrin, 1870: 87 (*Monohammus*)  
*unifasciatus* Pic, 1905a: 12 (*Monohammus*) ["Altai"]  
*galloprovincialis tauricola* Pic, 1912g: 18 A: JO SY TR **#74**  
*galloprovincialis transitivus* Lazarev, 2017a: 18 A: AB AR GG ST TR  
*gardneri* Breuning, 1938c: 185 A: SD  
*grandis* C. O. Waterhouse, 1881: 431 A: FE (**Kunashir, Shikotan**) JA  
*guerryi* Pic, 1903g: 121 (*Monohammus*) A: GUA GUI GUX HUB HUN SCH YUN **ORR**  
*granulipennis* Breuning, 1938a: 52 (*Melanauster*) **#309**  
*guttulatus* Gressitt, 1951a: 394 [RN] A: FE HEI HEN JIL LIA NIN NC SC **#400**  
*guttatus* Blessig, 1873: 196 (*Monohammus*) [HN]  
~~*hieki* Breuning, 1964g: 445 A: BT~~ **#589**  
*impluviatus* Motschulsky, 1859a: 571 (*Monohammus*) E: CT NT A: ES FE HEI KO MG NMO SHA WS **#400**  
*silvicola* Z. Wang, 2003: 331, 397  
*karlitzingeri* Tavakilian & Jiroux, 2015: 77 A: FUJ SCH **ORR**  
*itzingeri* Breuning, 1938c: 190 (*Melanauster*) [HN]  
*luteodispersus* Pic, 1927b: 35 (*Monohammus*) A: FUJ **ORR**  
*maruokai* Hayashi, 1962c: 8 A: JA (Ryukyus)  
*masaoi* Kusama & Takakuwa, 1984: 431 A: JA (Ryukyus)  
*nigromaculatus* Gressitt, 1942c: 2 A: SHA XIZ **#225**  
*nitens* Bates, 1884a: 238 (*Monohammus*) A: FE (**Kunashir, ?Sakhalin**) JA SC  
*griseonotatus* Pic, 1921b: 6 (*Monohammus*)  
*rectus* Holzschuh, 2015d: 72 A: HEN SHA  
*saltuarius occidentalis* Sláma, 2017b: 934 E: AU BH ?BY CR CT CZ GE HU IT LA LT NT PL RO SK SL UK **#752**  
*saltuarius saltuarius* Gebler, 1830: 184 (*Monohammus*) E: ?CT ?NT A: ES FE KZ HEI JA JIL JIX MG NC NMO SC SHA SHN SHX  
?WS XIN ZHE **#313**  
*sartor sartor* Fabricius, 1787: 137 (*Lamia*) E: AU BH BU BY CR CZ FR **GB** GE HU IT LS PL RO **SB** SK SL SZ UK  
*mulstantii* Seidlitz, 1891a: 749 [1891b: 844] (*Monochammus*)  
*okenianus* Gistel, 1857a: 49 (*Monohammus*)  
*sartor urussovii* Fischer von Waldheim, 1806: 12 (*Cerambyx*) E: BY CT EN FI LA LT NR NT ST SV UK A: ES FE KZ MG NC NIN  
NMO NW HEB HEI HEN JA JIL SC SHA WS XIN  
*quadrimaculatus* Motschulsky, 1845a: 86 (*Monohammus*)  
*schaufusi* Pic, 1912g: 18  
*sparsutus* Fairmaire, 1889a: 67 A: ANH FUJ HEN HUB HUN JIX SCH SHA TAI YUN ZHE  
*subconvexicollis* Breuning, 1967f: 183 A: BT  
*subfasciatus kumageinsularis* Hayashi, 1955: 35 A: JA  
*subfasciatus meridianus* Hayashi, 1955: 57 A: JA  
*subfasciatus shikokuensis* Breuning, 1956a: 1 A: JA  
*subfasciatus subfasciatus* Bates, 1873: 308 (*Monohammus*) A: FUJ JA JIX SC TAI

*beloni* Pic, 1901k: 341 (*Monohammus*)  
*fascioguttatus* Gressitt, 1938b: 156  
*subgranulipennis* Breuning, 1974h: 153 A: GUI  
*subtriangularis* Breuning, 1972c: 416 A: AP  
*sutor longulus* Pic, 1898c: 23 (*Monohammus*) A: ES FE HEI HEN JA JIL MG NC NMO SHN QIN XIN ZHE  
*sutor sutor* Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LS LT MD ME NL  
NR NT PL RO SB SK SL SP ST SV SZ UK A: AR GG KZ MG WS NARI  
*atomarius* DeGeer, 1775: 65 (*Cerambyx*)  
*heinrothi* Cederhjelm, 1798: 88 (*Lamia*)  
*obscurior* Abeille de Perrin, 1869: 42 (*Monohammus*)  
*pellio* Germar, 1818: 244 (*Lamia*)  
*rosenmuelleri* Cederhjelm, 1798: 89 (*Lamia*) [DA]  
*taiheizanensis* Mitono, 1943: 580 A: TAI  
*talianus* Pic, 1912h: 20 A: GUI XIZ YUN #400  
*tonkinensis* Breuning, 1935c: 249 A: GUA ORR  
**subgenus** *Opepharus* Pascoe, 1868: xiii type species *Opepharus signator* Pascoe, 1868 (= *Monochamus tridentatus* Chevrolat, 1833)  
*Lophoptera* Perroud, 1855: 352 [HN] type species *Lophoptera spectabilis* Perroud, 1855  
*Zephyropepharus* Hayashi, 1962c: 6 type species *Opepharus asiaticus* Hayashi, 1962  
*asiaticus* Hayashi, 1962: 7 A: JA (Ryukyus)  
*kaszabi* Heyrovský, 1955b: 260 A: TAI #602  
**subgenus** *Tibetobia* Frivaldszky, 1892a: 118 type species *Tibetobia szechenyiana* Frivaldszky, 1892 (= *Monohammus millegranus* Bates, 1891)  
*millegranus* Bates, 1891b: 80 (*Monohammus*) A: FUJ GUI SCH XIZ YUN  
*szechenyianus* Frivaldszky, 1892a: 119 (*Tibetobia*)  
*touzalini* Pic, 1920b: 198 (*Monohammus*)  
**genus** *Myagrus* Pascoe, 1878: 372 type species *Myagrus hynesi* Pascoe, 1878  
*yagii* Hayashi, 1994: 74 A: TAI  
**genus** *Nanohammus* Bates, 1884a: 243 type species *Nanohammus rufescens* Bates, 1884  
*Microcycos* Pic, 1934a: 9 type species *Microcycos annulicornis* Pic, 1934  
*Pararhodopis* Breuning, 1935b: 174 type species *Rhodopis abberans* Gahan, 1894  
*Rarasanus* Matsushita, 1941: 156 type species *Rarasanus subfasciatus* Matsushita, 1941  
*aberrans* Gahan, 1894a: 59 (*Rhodopis*) A: GUX ORR  
*myrrhatus* Pascoe, 1878: 374 (*Euthyastus*) A: AP #280  
*oshimanus* Breuning & K. Ohbayashi, 1964: 15 A: JA (Ryukyus)  
*rufescens* Bates, 1884a: 244 A: HUB JA  
*griseonotatus* Pic, 1931c: 14  
*sinicus* Pic, 1926c: 16 (*Orsidis*) A: FUJ GUA HKG HUN JIA JIX SCH  
*blairi* Gressitt, 1937d: 598 (*Rhodopis*)  
*strandii* Breuning, 1935: 173 (*Rhodopis*)  
*subfasciatus* Matsushita, 1941: 157 (*Rarasanus*) A: TAI  
*taiyal* Gressitt, 1951a: 628  
*yunnanus* W.-K. Wang & Jiang, 2000b: 80 A: YUN  
**genus** *Neodihammus* Breuning, 1935d: 60 type species *Neodihammus pici* Breuning, 1935  
*pici* Breuning, 1935d: 60 A: SE SW  
**genus** *Neoxenicotela* Breuning, 1947a: 10 type species *Neoxenicotela mausoni* Breuning, 1947  
*Maaia* Gressitt, 1951a: 384 type species *Maaia terminata* Gressitt, 1951  
*mausoni* Breuning, 1947a: 11 A: FUJ GUX HAI ORR #60  
*flavotarsus* W.-K. Wang & L.-Y. Zheng, 2002a: 377, 379 (*Parapolytrechus* –wrong spelling of *Parapolytretus* Br.) #167  
*terminata* Gressitt, 1951a: 385 (*Maaia*)  
**genus** *Paragnia* Gahan, 1893b: 384 type species *Paragnia fulvomaculata* Gahan, 1893  
*fulvomaculata* Gahan, 1893b: 385 A: GUI SD YUN ORR  
*aureomaculata* Chiang & Li, 1984: 100 (*Stegenagapanthia*)  
**genus** *Paraleprodera* Breuning, 1935e: 253 type species *Lamia crucifera* Fabricius, 1793  
*carolina* Fairmaire, 1900: 641 (*Archidice*) A: FUJ GAN GUI HUB HUN JIA JIX SCH SHA TAI YUN ZHE ORR #225 #496  
*diophthalma diophthalma* Pascoe, 1857a: 49 (*Morimus*) A: ANH FUJ GUI GUX HEB HEN HUB HUN JIA JIX SC SCH SHA YUN  
ZHE #546  
*bioculata* Fairmaire, 1900: 641 (*Leprodera*)  
*diophthalma formosana* Schwarzer, 1925: 58 (*Leprodera*) A: TAI  
*insidiosa* Gahan, 1888d: 391 (*Leprodera*) A: NP SCH SD YUN  
*bimaculata* W.-K. Wang & Jiang, 2000b: 80 #547  
*imbasalis* Pic, 1925a: 18 (*Epepeotes*)

*unimaculata* Pic, 1925a: 19 (*Epepeotes*)  
*itzingeri* Breuning, 1935e: 255 A: TAI  
*mesopthalma* Bi & Lin, 2012: 6 A: XIZ  
*stephana* White, 1858b: 406 (*Monohammus*) A: BT GUX NP SD XIZ YUN **ORR**  
*fasciata* W.-K. Wang, 1997: 440 #76  
*officinator* White, 1858b: 409 (*Monohammus*)  
*quadrinotata* J. Thomson, 1865: 554 (*Archidice*)  
*triangularis* J. Thomson, 1865: 554 (*Epicedia*) A: GUX YUN **ORR**  
*lecta* Gahan, 1888d: 389 (*Leprodera*)

**genus *Paraepepeotes* Pic, 1935: 16 type species *Paraepepeotes breuningi* Pic, 1935**  
*Paraepepeotes* Breuning, 1938c: 182 type species *Paraepepeotes breuningi* Pic, 1935  
*affinis* Breuning, 1938c: 183 (*Paraepepeotes*) A: UP **ORR**  
*albomaculatus* Gahan, 1888a: 272 (*Epepeotes*) A: BT "North India"  
*breuningi* Pic, 1935b: 16 A: SCH SHA XIZ YUN **ORR** #60 #225  
*guttatus* Guérin-Méneville, 1844: 242 (*Monohammus*) A: AP NP SCH SD "Himalaya" **ORR** #280 #280  
*punctulatus* Westwood, 1848: 12 (*Monohammus*)  
*marmoratus* Pic, 1925a: 19 (*Monohammus*) A: YUN **ORR**  
*szetschuanicus* Breuning, 1969e: 188 (*Paraepepeotes*) A: SCH  
*westwoodi* Westwood, 1848: 12 (*Monohammus*) A: SD "Himalaya"

**genus *Paramelanauster* Breuning, 1936: 294 type species *Paramelanauster bimaculatus* Breuning, 1936**  
*flavosparsus* Breuning, 1936: 295 A: YUN **ORR**

**genus *Parapolytretus* Breuning, 1943c: 143, 165 type species *Cycos rugosus* Matsushita, 1933** #167  
*Breuningia* Matsushita, 1943: 576 [HN] type species *Cycos rugosus* Matsushita, 1933  
*rugosus* Matsushita, 1933b: 335 (*Cycos*) A: TAI

**genus *Pareutaenia* Breuning, 1948a: 11 type species *Pareutaenia flavostellata* Breuning, 1948**  
*arnaudi* Breuning, 1962b: 18 A: GUX **ORR**

**genus *Parhaplothrix* Breuning, 1935e: 255 type species *Parhaplothrix strandi* Breuning, 1935**  
*szetschuanica* Breuning, 1935e: 256 A: GUX SCH

**genus *Paruraecha* Breuning, 1935d: 64 type species *Paruraecha szetschuanica* Breuning, 1935**  
**subgenus *Arisania* Gressitt, 1936: 106 type species *Arisania submarmorata* Gressitt, 1936**  
*acutipennis* Gressitt, 1942e: 209 (*Arisania*) A: GUA GUI SHA YUN  
*submarmorata* Gressitt, 1936: 107 (*Arisania*) A: SHA TAI #225  
**subgenus *Paruraecha* Breuning, 1935d: 64 type species *Paruraecha szetschuanica* Breuning, 1935**  
*sikkimensis* Breuning, 1938c: 192 A: SD  
*szetschuanica* Breuning, 1935d: 65 A: SCH

**genus *Peblephaeus* Kusama & Takakuwa, 1984: 14 type species *Cereopsius decoloratus* Schwarzer, 1925**  
*decoloratus* Schwarzer, 1925b: 59 (*Cereopsius*) A: TAI  
*ishigakianus* Yokoyama, 1971: 97 (*Blepephaeus*) A: JA (Ryukyus)  
*lutaensis* Takakuwa, 1991: 55 A: TAI (Ludao Is.)  
*nobuoi* Breuning & K. Ohbayashi, 1966: 31 (*Blepephaeus*) A: JA (Ryukyus)  
*okinawanus doii* Fujita, 2002: 10 A: JA (Ryukyus)  
*okinawanus okinawanus* Hayashi, 1962: 6 (*Blepephaeus*) A: JA (Ryukyus)  
*satoi* Makihara, 2003: 358 A: JA (Ryukyus)  
*yayeyamai* Breuning, 1955b: 60 (*Blepephaeus*) A: JA (Ryukyus)  
*caesius* Takakuwa, 1984: 13  
*yonagunii* Breuning & K. Ohbayashi, 1964: 27 (*Blepephaeus*) A: JA (Ryukyus)  
*ziczac* Matsushita, 1940: 54 (*Etymentia*) A: TAI #450  
*formosana* Matsushita, 1941: 156 (*Eutenia*)

**genus *Peribasis* J. Thomson, 1864: 86 type species *Monohammus helenor* Newman, 1851**  
*pubicollis* Pascoe, 1866c: 231 A: BT **ORR** #264  
*albisparsa* Ritsema, 1888c: 203

**genus *Pharsalia* J. Thomson, 1864: 85 type species *Pharsalia malasiaca* J. Thomson, 1864**  
**subgenus *Antennopharsalia* Breuning, 1944b: 330 type species *Pharsalia antennata* Gahan, 1894**  
*antennata* Gahan, 1894a: 46 A: FUJ GUX **SCH** SD YUN **ORR** #496  
*rondoni* Breuning, 1963d: 20  
*tuberculifera* Pic, 1903b: 22 (*Triammatus*)  
**subgenus *Cycos* Pascoe, 1866b: 244 type species *Monohammus subgemmatum* J. Thomson, 1857**

*gibbifera* Guérin-Méneville, 1844: 243 (*Monohamus*) A: SD  
*subgemmata* J. Thomson, 1857f: 294 (*Monochamus*) A: FUJ GUA GUX HAI HEN NP SCH SD XIZ YUN "Himalaya" **ORR**  
*georgia* White, 1858b: 407  
*rondoniana* Breuning, 1964: 46 (*Anoplophora*) **#309**

**subgenus Pharsalia** J. Thomson, 1864: 85 type species *Pharsalia malasiaca* J. Thomson, 1864  
*mandli* Tippmann, 1955: 118 A: FUJ  
*pulchra pulchra* Gahan, 1888a: 280 A: GUX HAI HUN **ORR**  
*albofasciata* Pic, 1932b: 34  
*ferruginea* Gahan, 1906a: 116  
*nigrofasciata* Aurivillius, 1913: 14  
*thibetana* Breuning, 1982: 17 A: XIZ

**genus Polytretus** Gahan, 1893b: 382 type species *Polytretus cribripennis* Gahan, 1893  
*cribripennis* Gahan, 1893b: 383 A: SD XIZ **ORR**

**genus Psacotha** Gahan, 1888d: 400 type species *Monohammus hilaris* Pascoe, 1857  
*hilaris botelensis* K. Ohbayashi & N. Ohbayashi, 1965: 4 A: TAI (Lanyu Is.)  
*hilaris hilaris* Pascoe, 1857b: 103 (*Monohammus*) **Ei**: FR (Rhône-Alpes) IT A: ANH FUJ GAN GUA GUI GUX HAI HEB HEN HUB  
HUN JA JIA JIX NE SC SCH SHA TAI YUN ZHE **ORR** **#488**  
*albomaculata* Kano, 1933a: 278  
*flavoguttata* Fairmaire, 1887a: 133 (*Diochares*)  
*machidai* Seki, 1935b: 292  
*suzukii* Shiraki, 1913: 611 (*Hammoderus*)  
*szetschuanica* Breuning, 1943c: 220  
*hilaris insularis* Hayashi, 1960d: 25 A: JA  
*hilaris intermedia* Breuning & K. Ohbayashi, 1966: 31 A: JA (Ryukyus)  
*hilaris ishigakiana* K. Ohbayashi & N. Ohbayashi, 1965: 4 A: JA (Ryukyus)  
*iriomotensis* Hayashi, 1969a: 63  
*hilaris macronotata* Hayashi, 1956c: 20 A: JA (Tokara Isls.)  
*hilaris maculata* Hayashi, 1962: 17 A: JA (Ryukyus)  
*hilaris miyakejimana* Matsushita, 1937: 314 A: JA (Izu Isls.)  
*hilaris miyakoana* K. Ohbayashi & N. Ohbayashi, 1965: 5 A: JA (Ryukyus)  
*hilaris teneburosa* Matsushita, 1933b: 322 A: JA (Ryukyus)  
*hilaris yonaguniana* K. Ohbayashi & N. Ohbayashi, 1965: 4 A: JA (Ryukyus)  
*nigrostigma* W.-K. Wang, Jiang & L.-Y. Zheng, 2002: 177 A: YUN  
*rubra* Gressitt, 1938a: 49 A: SCH

**genus Pseudoechthistatus** Pic, 1917e: 6 type species *Pseudoechthistatus obliquefasciatus* Pic, 1917  
*acutipennis* Chiang, 1981: 80 A: SCH  
*chiangshunani* Bi & Lin, 2016: 65 A: YUN **ORR**  
*glabripennis* Bi & Lin, 2016: 77 A: YUN **ORR**  
*granulatus* Breuning, 1942e: 133 A: ?SCH YUN  
*hei* Xie & W.-K. Wang, 2019: 184 A: YUN  
*holzschuhi* Bi & Lin, 2016: 69 A: YUN  
*obliquefasciatus* Pic, 1917e: 7 A: YUN  
*pufujiae* Bi & Lin, 2016: 73 A: YUN  
*rugosus* Huang, 2020: 593 A: YUN  
*sinicus* Bi & Lin, 2016: 63 A: YUN

**genus Pseudomacrogenus** Breuning, 1943c: 271 type species *Pelargoderus antennatus* Gahan, 1894  
*affinis* Breuning, 1960e: 30 A: SD **#343**  
*albipennis* Chiang, 1981: 81 A: SCH  
*antennatus* Gahan, 1894a: 34 (*Pelargoderus*) A: FUJ HAI SCH YUN **ORR**  
*apicalis* Gahan, 1900d: 348 (*Pelargoderus*)  
*perplexus* Schwarzer, 1926a: 11 (*Pelargoderus*)  
*rufilosparsus* Fairmaire, 1902b: 268 (*Mecotagus*)  
*oberthueri* Breuning, 1955b: 59 A: SCH  
*spinicollis* Breuning, 1949a: 5 A: YUN **ORR** **#382**  
*wusuae* He, Liu & Wang, 2017: 113 A: SCH

**genus Pseudomeges** Breuning, 1944b: 299 type species *Hammaticherus marmoratus* Westwood, 1848  
*aureus* Bi, Chen & Lin, 2022: 248 A: YUN **#280** **#647**  
*marmoratus* Westwood, 1848: 11 (*Hammaticherus*) A: AP BT "Himalaya" **XIZ** **#647**  
*variotti* Le Moults, 1946: 136 A: GUA HAI SCH YUN XIZ **ORR** **#126**  
*gigas* Lepesme 1947: 411

- genus *Pseudonemophas* Breuning, 1944b: 281** type species *Monochamus baluanus* Aurivillius, 1923  
*versteegii* Ritsema, 1881d: 155 (*Monochamus*) A: AP FUJ HAI NP SCH SD YUN **ORR** #280  
*albescens* Pic, 1920a: 2 (*Monochamus*)  
*glabronotatus* Pic, 1934g: 34 (*Monochamus*)  
*siamensis* Breuning, 1982: 17 (*Anoplophora*)  
*subuniformis* Pic, 1934g: 34 (*Monochamus*)
- genus *Pseudopsacothea* Pic, 1935b: 16** type species *Pseudopsacothea albonotata* Pic, 1935  
*albonotata albonotata* Pic, 1935b: 16 A: GUA GUI GUX HAI JIX **ORR** #400  
*albonotata psacotheoides* Gressitt, 1942f: 6 (*Epepeotes*) [RN] A: HAI  
*tonkinensis* Gressitt, 1940b: 93 (*Epepeotes*) [HN]
- genus *Pseudorsidis* Breuning, 1944: 495** type species *Diochares griseomaculata* Pic, 1916  
*griseomaculata* Pic, 1916e: 18 (*Diochares*) A: YUN
- genus *Pseudotrachystola* Breuning, 1943c: 187** type species *Trachystola rugiscapus* Fairmaire, 1900  
*rugiscapus* Fairmaire, 1900: 640 (*Trachystola*) A: ?FUJ ?SCH ZHE #400  
*strix* Gressitt, 1939b: 109 (*Leprodera*)  
*yei* Xiang, Xie & Wang, 2016: 121 A: HUB
- genus *Pseuduraecha* Pic, 1925a: 23** type species *Pseuduraecha sulcaticeps* Pic, 1925  
*punctiventris* Heller, 1926: 28 (*Dihammus*) A: FUJ GUX SCH  
*nigronotata* Pic, 1935g: 178 (*Uraecha*)  
*sulcaticeps* Pic, 1925a: 23 A: CH
- genus *Rufohammus* Breuning, 1939b: 147** type species *Rufohammus rufescens* Breuning, 1939  
*rufescens* Breuning, 1939b: 148 [1939d] A: ?GUX **ORR**
- genus *Sarothrocer* White, 1846: 47** type species *Sarothrocer lowii* White, 1846  
*lowii* White, 1846: 47 A: AP **ORR** #166
- genus *Spinaristobia* Breuning, 1963e: 8** type species: *Spinaristobia rondoni* Breuning, 1963,  
*rondoni* Breuning, 1963e: 8 A: HAI **ORR** #310
- genus *Stegenagapanthia* Pic, 1924a: 18** type species *Stegenagapanthia albovittata* Pic, 1924  
*albovittata* Pic, 1924a: 18 A: GUX HAI SHA **ORR**
- genus *Sternohammus* Breuning, 1935c: 253** type species *Dihammus femoralis* Aurivillius, 1928  
*sericeus* Breuning, 1938c: 187 (*Paradihammus*) A: SD  
*yunnanus* W.-K. Wang & Jiang, 1998a: 462 A: YUN
- genus *Sternorsidis* Breuning, 1959c: 126** type species *Sternorsidis brunnea* Breuning, 1959  
*brunnea* Breuning, 1959c: 126 A: SD
- genus *Stratioceros* Lacordaire, 1869: 303** type species *Stratioceros princeps* Lacordaire, 1869  
*Cacoscapus* J. Thomson, 1878: 47 type species *Cacoscapus mouhoti* J. Thomson, 1878  
*princeps* Lacordaire, 1869: 303 A: AP YUN **ORR** #280  
*mouhoti* J. Thomson, 1878: 48 (*Cacoscapus*)
- genus *Taeniotes* Audinet-Serville, 1835a: 90** type species *Lamia subocellata* Olivier, 1792 (= *Cerambyx farinosus* Linné, 1758)  
*Metoscopius* Gistel, 1848a: 131 [unnecessary substitute name]  
*cayennensis* J. Thomson, 1859c: 98 Ei: AZ **NTR**  
*azoricus* Kolbe, 1888: 180
- genus *Thermonotus* Gahan, 1888d: 399** type species *Thermonotus nigripes* Gahan, 1888  
*Gibbanamera* Pic, 1923c: 19 type species *Gibbanamera ruber* Pic, 1923  
*nigripes* Gahan, 1888d: 399 A: SD YUN #400  
*ruber* Pic, 1923c: 20 (*Gibbanamera*) A: YUN **ORR**
- genus *Trachystohamus* Pic, 1936** type species *Trachystohamus subelongatus* Pic, 1936  
*latefasciatus* Breuning, 1944b: 435 (*Monochamus*) [RN] A: GUX **ORR** #689  
*unifasciatus* Breuning, 1935e: 251 [HN]
- genus *Trachystolodes* Breuning, 1943c: 188** type species *Trachystola bimaculatus* Kriesche, 1924  
*huangjianbini* Huang, Guo & Liu, 2020: 52 A: FUJ  
*neltharion* C. Wang & He, 2021b: 295 A: YUN  
*tianjialini* Yu, Wang, Xie & W. Wang, 2021: 137 A: HUB



*tonkinensis* Breuning, 1943c: 188 A: FUJ GUA GUX HAI JIX SCH YUN **ORR**

**genus *Trichoscocinesthes* Breuning, 1954d: 70** type species *Trichoscocinesthes szetschuanica* Breuning, 1954  
*szetschuanica* Breuning, 1954d: 71 A: SCH

**genus *Trichohammus* Breuning, 1938c: 189** type species *Trichohammus granulosis* Breuning, 1938  
*granulosis* Breuning, 1938c: 189 A: BEI

**genus *Uraecha* J. Thomson, 1864: 84** type species *Uraecha bimaculata* J. Thomson, 1864  
*albovittata* Breuning, 1956c: 233 A: FUJ

*angusta* Pascoe, 1857a: 49 (*Monohammus*) A: ANH BEI FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHA TAI XIZ ZHE  
**ORR** **#200**

*attenuata* Pic, 1925a: 23

*bimaculata* Matsushita, 1933b: 330 (*Orsidis*) [HN]

*horishana* Matsushita, 1935: 312 [RN]

*bimaculata bimaculata* J. Thomson, 1864: 85 A: JA NC SC

*bimaculata brevicornis* Makihara, 1980: 60 A: JA

*chinensis* Breuning, 1935d: 61 A: ANH BEI FUJ HEB HEN HUN JIA SHA ZHE **#200 #225**

*gilva gilva* Yokoyama, 1966: 56 A: JA

*gilva hachijoensis* Hayashi, 1969a: 64 A: JA (Izu Isls.)

*guerryi* Pic, 1903e: 105 A: YUN

*nigromaculata* Liang, Guo, W. Yang & Sh. Yang, 2023: 2 A: GUI

*obliquefasciata* Chiang, 1951: 54 A: GUI

*oshimana* Breuning, 1954d: 70 A: JA (Ryukyus)

*punctata* Gahan, 1888b: 63 A: FUJ GUA HAI HKG JIX YUN **ORR** **#60 #200**

*yunnana* Breuning, 1936: 296 A: **GAN** SCH YUN **#496**

*perplexa* Gressitt, 1942d: 3 **#200**

**genus *Xenicotela* Bates, 1884a: 242** type species *Xenicotela fuscata* Bates, 1884a (= *Monohammus pardalinus* Bates, 1884)

*convexicollis* Gressitt, 1942g: 83 (*Monohamus*) A: TAI ZHE **#662**

*distincta* Gahan, 1888d: 392 (*Monohamus*) A: GUI NP SD YUN **ORR** **#741**

*binigracollis*, Wang 1998: 599, misidentification. **#741**

*quadrimaculata* Pic, 1925a: 16 (*Trachystola*) **#741**

*tonkinensis* Pic, 1926g: 143 (*Nephelotes*)

~~*trinitata* Pic, 1925a: 17 (*Trachystola*)~~

*griseomaculata* Xie, Barclay & Chen, 2022: 152 A: CHQ

*muchen* Xie, Barclay & W. Wang, 2023: 197 A: YUN

*pardalina* Bates, 1884a: 239 (*Monohammus*) A: JA SC (Mt. Seoraksan)

*fuscata* Bates, 1884a: 242

**genus *Xenohammus* Schwarzer, 1931b: 204** type species *Xenohammus bimaculatus* Schwarzer, 1931

*albomaculatus* W.-K. Wang & Jiang, 2000b: 78, 80 A: SCH

*bimaculatus* Schwarzer, 1931b: 204 A: FUJ GUA GUI GUX HAI JIX **SCH** TAI ZHE **#496**

*falicornis* Gressitt, 1935f: 383 (*Monochammus*)

*flavoguttatus* Pu, 1999: 83 A: HAI

*griseomarmoratus* Breuning, 1956c: 233 A: FUJ

*nebulosus* Schwarzer, 1931b: 205 A: TAI

### tribe Morimonellini Lobanov, Danilevsky & Murzin, 1981

**genus *Morimonella* Podaný, 1979b: 43** type species *Morimonella bednariki* Podaný, 1979

*bednariki* Podaný, 1979b: 43 E: ST (NW Caucasus) A: GG (Gagry env.)

### tribe Morimopsini Lacordaire, 1869

**genus *Aconodes* Pascoe, 1857b: 106** type species *Aconodes montanus* Pascoe, 1857

*Centrura* Guérin-Méneville, 1843: 61 [HN] type species *Centrura costata* Guérin-Méneville, 1843

*Dioxippe* J. Thomson, 1861: 355 type species *Centrura divaricata* Coquerel, 1852

*Chambaganorum* Pic, 1925a: 27 type species *Chambaganorum angustatum* Pic, 1925

*bilobatus* Breuning, 1939e: 145 (*Centrura*) A: XIZ **ORR** **#742**

*breuningi* Gouverneur, 2015: 88 A: BT

*submontanus* Breuning, 1975d: 345 [HN]

*cheni* Bi, 2023: 88 A: YUN

*euphorbiae* Holzschuh, 2003b: 309 A: NP

*gongshanus* Bi, 2023: 85 A: YUN

*haojiani* Bi, 2023: 84 A: XIZ

*latefasciatus* Holzschuh, 1984a: 153 A: NP **XIZ** **#742**

*lima* Holzschuh, 1989a: 173 A: BT

*macrotuberculatus* Bi, 2023: 82 A: XIZ  
*montanus* Pascoe, 1857b: 107 A: NP SD #378  
*multituberculatus* Breuning, 1947a: 6 (*Centrura*) A: BT  
*nepalensis* Heyrovský, 1976: 183 A: NP XIZ #742  
*ohbayashii* Bi, 2023: 88 A: YUN  
*pedongensis* Breuning, 1956g: 667 A: SD  
*piniphilus* Holzschuh, 2003b: 309 A: BT  
*shihongliangi* Bi, 2023: 87 A: YUN  
*sikkimensis* Breuning, 1940b: 118 (*Centrura*) A: SD  
*submontanus* Breuning, 1949a: 1, 4 (*Centrura*) A: YUN ORR #742  
*tibetanus* Bi, 2023: 77 A: XIZ  
*truncatus* Breuning, 1939b: 144 (*Centrura*) A: SD  
*yaojing* Bi, 2023: 86 A: YUN

**genus *Dolophrades* Bates, 1884a: 237** type species *Dolophrades terrenus* Bates, 1884a  
*Dorcadiohammus* Pic, 1934a: 8 type species *Dorcadiohammus punctatus* Pic, 1934 (= *Cereopsius annulicornis* Schwarzer, 1925)  
*annulicornis* Schwarzer, 1925b: 59 (*Cereopsius*) A: TAI  
*punctatus* Pic, 1933a: 8 (*Dorcadiohammus*)  
*subdenudatus* Gressitt, 1938b: 153  
*mustanganus* Holzschuh, 2003b: 308 A: NP  
*terrenus* Bates, 1884a: 238 A: JA

**genus *Falsotrachystola* Breuning, 1950c: 218** type species *Trachystola asidiformis* Pic, 1916  
*asidiformis* Pic, 1916: 326 (*Trachystola*) A: YUN  
*dongi* G.-Q. Huang, 2019: 50 - A: YUN  
*torquata* Holzschuh, 2007: 250 A: YUN ORR #645  
*xui* Wang Y., He, Wang P., & Wang W. 2023 A: GUI GUX

**genus *Laoechinophorus* Gouverneur, 2016: 26** type species *Laoechinophorus unifasciatus* Gouverneur, 2016  
*yunnanus* Yamasako, Vives & Liu, 2021: 96 A: YUN

**genus *Morimidius* Breuning, 1939b: 156** type species *Morimidius flavosparsus* Breuning, 1939  
*flavosparsus* Breuning, 1939b: 156 A: YUN ORR #590  
*shihongliangi* Bi, 2020: 360 A: XIZ

**genus *Mimodorcadion* Breuning, 1942a: 115** type species *Mimodorcadion griseum* Breuning, 1942 (= *Dorcadion indicum* Guérin-Méneville, 1844)  
*indicum* Guérin-Méneville, 1844: 241 (*Dorcadion*) A: "India"  
*griseum* Breuning, 1942a: 115

**genus *Morimopsis* J. Thomson, 1857e: 182** type species *Morimopsis lacrymans* J. Thomson, 1857  
*amiri* Bi, 2020: 356 A: YUN  
*assamensis* Breuning, 1966d: 14 A: AP  
*cheni* Bi, 2020: 357 A: XIZ  
*dalihodi* Holzschuh, 2003b: 308 A: NP  
*dembickyi* Weigel, 2018: 510 A: AP  
*dongdongi* Bi, 2020: 353 A: XIZ  
*glabripennis* Holzschuh, 2003b: 308 A: BT  
*granulipennis* Breuning, 1966b: 1 A: SD  
*hartmanni* Weigel, 2018: 513 A: NP  
*holzschuhi* Weigel, 2018: 512 A: NP  
*lacrymans* J. Thomson, 1857e: 183 A: NP SD #258  
*mussardi* Breuning, 1966d: 14 A: AP  
*schmidti* Weigel, 2018: 511 A: NP  
*svachai* Bi, 2020: 358 A: YUN  
*truncatipennis* Breuning, 1940d: 410 A: "North India", SD XIZ #590  
*unicolor* Breuning, 1975d: 347 A: BT XIZ #590

**genus *Petromorphus* Bi, 2016: 299** type species: *Petromorphus yunnanus* Bi, 2016  
*yunnanus australis* Bi, 2016: 300 A: YUN  
*yunnanus yunnanus* Bi, 2016: 299 A: YUN

**genus *Pseudhepomidion* Breuning, 1936: 283** type species *Pseudhepomidion assamense* Breuning, 1936  
*Morimopsidius* Breuning, 1948a: 4 type species *Morimopsidius triangularis* Breuning, 1948  
*albomaculatum* Bi, 2020: 363, 364 A: XIZ

*longipenne* Bi, 2020: 362, 364 A: XIZ  
*triangulare* Breuning, 1948a: 5 (*Morimopsidius*) A: BT SD  
*hiekei* Breuning, 1964e: 445 (*Monochamus*)

#258

**genus *Sinodorcadion* Gressitt, 1939b: 107** type species *Sinodorcadion punctulatum* Gressitt, 1939  
*chinense* Xie & W.-K. Wang, 2020: 292 A: HUB  
*chizhouense* P. Wang, Xie & W. Wang, 2022c: 386 A: ANH  
*jiangi* Xie, Shi & W.-K. Wang, 2013: 584 A: ZHE  
*liyanae* C. Wang & He, 2021c: 139 A: GUI  
*magnispinicolle* Xie, Shi & W.-K. Wang, 2013: 585 A: ZHE  
*punctulatum* Gressitt, 1939b: 108 A: ZHE  
*punctuscapum* Xie, Shi & W.-K. Wang, 2013: 587 A: ZHE  
*zenghuaae* Xie & W.-K. Wang, 2020: 293 A: GUX

**genus *Sinomimovelleda* Chiang, 1963: 66** type species *Sinomimovelleda dentihumeralis* Chiang, 1963  
*dentihumeralis* Chiang, 1963: 66 A: SCH

### tribe Nyctimeniini Gressitt, 1951

**genus *Nyctimene* Gressitt, 1951a: 629** [RN] type species *Nyctimene argiloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1802)  
*Nyctimene* J. Thomson, 1857f: 314 [HN] type species *Nyctimene agriloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1802)  
*chiangi* G.-Q. Huang, L. Chen & Liu, 2014: 437 A: YUN  
*tristis* Fabricius, 1793: 314 (*Saperda*) A: HAI NP SD YUN ORR  
*lineatus* Fabricius, 1802: 326 (*Saperda*)  
*testaceovittatus* Pic, 1926g: 144 (*Nyctimene*)  
*vittatus* Pascoe, 1866c: 330 (*Nyctimene*)

### tribe Parmenini Mulsant, 1839

**genus *Deucalion* Wollaston, 1854: 430** type species *Deucalion oceanicus* Wollaston, 1854  
*oceanicus* Wollaston, 1854: 433 N: MR SG

**genus *Leprosoma* Pascoe, 1864c: 278** [RN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)  
*Leprosoma* J. Thomson, 1860: 23 [HN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)  
*gibba* Brullé, 1839: 62 (*Lamia*) N: CI  
*asperata* J. Thomson, 1860: 23 (*Leprosoma*)  
*pedestris* Bory de Saint Vincent, 1803: 366 (*Lamia*) [HN]

**genus *Paradeucalion* Breuning, 1950b: 153** type species *Deucalion desertarum* Wollaston, 1854  
*desertarum* Wollaston, 1854: 430 (*Deucalion*) N: MR (Desertas Is.)  
*maderense* Krátký & Aguiar, 2019: 3 N: MR

**genus *Parmena* Dejean, 1821: 108** type species *Lamia unifasciata* Rossi, 1790  
**subgenus *Parmena* Dejean, 1821: 108** type species *Lamia unifasciata* Rossi, 1790

*aurora* Danilevsky, 1980: 852 A: AB IN #581  
*balteus* Linnaeus, 1767: 1067 (*Cerambyx*) E: BE FR IT SZ  
*balteata* Fabricius, 1793: 262 (*Cerambyx*) – wrong subsequent spelling  
*fasciata* Villers, 1789: 239 (*Cerambyx*)  
*gauthieri* Stöcklein, 1940: 341  
*interrupta* Pic, 1891b: 29 (Pyrénées)

*batumiensis* Danilevsky, 2023: 33 A: GG #581

*bialookii* Danilevsky, 2017b: 21 A: TR

*europaea* Danilevsky, 2017: 1 [“Ukraine, Yareski (49°50'N, 33°54'E) in Poltava Region”] E: MD RO UK

*istanbulensis* Danilevsky & Hizal, 2017: E: TR A: TR #500

*lodosi* Özdikmen & Tezcan, 2020a: 198 A: TR

*mergallii* Sama, 1984: 218 E: AN FR SP

*pontocircassica* Danilevsky & Miroshnikov, 1985: 289 E: ST UK(Crimea) A: AB AR GG IN TR

*striatopunctata* Sama, 1994f: 554 A: TR #171 #581

[*samai* Özdikmen, 2021f: 1440] - unavailable name #581

[*sericata* Sama, 1996c: 114] - unavailable name #581

*unifasciata* Rossi, 1790: 147 (*Lamia*) E: AL BH CR FR GR IT MC ME SB SL SZ #64

**subgenus *Pilosoparmena* Lazarev, 2024b** type species *Lamia pubescens* Dalman, 1817b

*balearica balearica* Vives, 1998: 28 E: SP (Mallorca)

*balearica minoricensis* Vives, 1998: 30 E: SP (Minorca)

*bicincta* Küster, 1849: 69 E: AL BH CR ME

*breuningii* Vives, 1979: 156 [Sierra de Maria (Almeria)] E: SP #463

*cruciata* Pic, 1912c: 4 E: SP  
*schrammi* Pic, 1945b: 7  
*lukati* Sama, 1994a: 12 A: TR  
*mutilloides* Sabbadini & Pesarini, 1992: 27 A: TR  
*novaki* Sama, 1997a: 98 E: GR  
*pilosa pilosa* Brullé, 1832: 260 E: AL BH CR GR IT **SB** SL ?UK  
*hirsuta* Küster, 1846a: 95  
*pilosa inclusa* Mulsant, 1862: 242 E: FR IT MA N: LB  
*dahlia* Mulsant, 1862: 245  
*pubescens* Dalman, 1817b: 176 (*Lamia*) E: IT SP N: AG **LB** MO TU #778  
*algorica* Laporte, 1840: 485 #778  
*minuta* Pic, 1891b: 29  
*slamai* Sama, 1986: 23 E: GR (Crete, Rodos, **Lesbos**) TR  
*soldatii* Cocquempot, 2020: 124 N: TU  
*solieri* Mulsant, 1839: 119 [Marseille] E: FR IT **SP**  
*lanzai* Sama, 1985b: 76 [Poraggia Grande, Corsica] #245  
*pilosa* Solier, 1835: 100 [HN] [Marseille, Montredon]  
*subpubescens* Hellrigl, 1971: 445 E: IT

**genus *Plectrura* Motschulsky, 1845b: 370** type species *Plectrura spinicauda* Motschulsky, 1845  
**subgenus *Phlyctidola* Bates, 1884a: 236** type species *Phlyctidola metallica* Bates, 1884  
*metallica metallica* Bates, 1884a: 236 (*Phlyctidola*) A: FE HUB JA NC NE #63  
*mandshurica* Jakobson, 1899: 43  
*sachalinica* Jakobson, 1899: 44  
*metallica yoshihiroii* Takakuwa, 1984: 12 A: JA

**genus *Xylotoles* Newman, 1840: 12** type species *Xylotoles lentus* Newman, 1840 (*Saperda grisea* Fabricius, 1775) #386  
*griseus* Fabricius, 1775: 186 (*Saperda*) Ei: GBi **AUR** #386

**tribe Petrognathini Blanchard, 1845**

**genus *Falsimalmus* Breuning, 1956: 453** type species *Falsimalmus niger* Breuning, 1956 #492  
*niger* Breuning, 1956j: 359 A: YUN

**genus *Ioesse* J. Thomson, 1864: 68** type species *Ioesse sanguinolenta* J. Thomson, 1864  
*Macrocelosterna* Pic, 1925c: 3 type species *Macrocelosterna rubra* Pic, 1924  
*rubra* Pic, 1925c: 3 (*Macrocelosterna*) 68 A: HAI YUN **ORR**

**genus *Ithocritus* Lacordaire, 1872: 447** type species *Monohammus ruber* Hope, 1839  
*multimaculatus* Pic, 1934g: 35 A: GUX **ORR**  
*fascicollis* Breuning, 1935b: 171  
*ruber* Hope, 1839: 43 (*Monohammus*) A: NP SD YUN **ORR** #311  
*similis* Bi & Lin, 2020: 455 A: YUN

**genus *Pseudapriona* Breuning, 1936: 304** type species *Pseudapriona flavoantennata* Breuning, 1936  
*Parajoesse* Breuning, 1982a: 21 type species *Parajoesse nagaensis* Breuning, 1982: 21  
*flavoantennata* Breuning, 1936: 304 A: AP XIZ **ORR** #280  
*medogensis* Chiang & Chen, 1992, 69 (*Ioesse*)  
*nagaensis* Breuning, 1982a: 21 (*Parajoesse*)  
*niger* Pu, 1988: 300, 303 (*Ithocritus*)

**tribe Phrynetini J. Thomson, 1864**

**genus *Calothyrsa* J. Thomson, 1868c: 168** type species *Phryneta margaritifera* Westwood, 1848  
*margaritifera* Westwood, 1848: 11 (*Phryneta*) A: NP YUN "Himalaya"

**genus *Phryneta* Dejean, 1835: 341** type species *Lamia marmorea* Olivier, 1797  
*Inesida* J. Thomson, 1860: 86 type species *Lamia leprosa* Fabricius, 1775  
*leprosa* Fabricius, 1775: 178 (*Lamia*) Ei: FR MA Ai: TR **AFR** #189  
*brunicornis* Guérin-Méneville, 1844: 239 (*Lamia*)

**tribe Phytoeciini Mulsant, 1839**

**genus *Conizonia* Fairmaire, 1864a: 176** type species *Saperda vittigera* Fabricius, 1802 (= *Saperda detrita* Fabricius, 1793)  
**subgenus *Conizonia* Fairmaire, 1864a: 176** type species *Saperda vittigera* Fabricius, 1802 (= *Saperda detrita* Fabricius, 1793)  
*allardi allardi* Fairmaire, 1866a: 68 N: AG  
*?elegantula* Fairmaire, 1871: 402 #107  
*leprieuri* Pic, 1892g: 104 [1892o: lii]  
*allardi guyi* Sama, 2005a: 37 N: MO

*aresteni* Pic, 1951: 11 N: MO  
*detrita* Fabricius, 1793: 308 (*Saperda*) N: AG MO TU  
*maculosa* Mulsant, 1839: 201 (*Phytoecia*)  
*vittigera* Fabricius, 1802: 318 (*Saperda*)  
*guerini* Breme, 1840: 277 (*Saperda*) N: AG TU  
*glauca* Erichson, 1841: 189 (*Saperda*)  
*luteopubens* Pic, 1918d: 17  
*lineata* Pic, 1918d: 11  
*mounai* Sama, 2005a: 40 N: MO  
*simia* Sama, 2005a: 38 N: AG  
*warnieri* P. H. Lucas, 1847: pl. 43 (*Phytoecia*) N: AG MO TU  
*aumontiana* P. H. Lucas, 1851b: xli (*Phytoecia*)  
*bicoloricornis* Pic, 1942a: 1  
*cinerea* Guérin-Méneville, 1841: 9 (*Saperda*) [HN]  
*coquerelii* Fairmaire, 1873: 353  
*?elegantula* Fairmaire, 1871: 402  
*fuscicornis* Heyden, 1863: 130 (*Phytoecia*)  
*henoni* Pic, 1891b: 49  
*heterogyna* Fairmaire, 1871: 402  
*inlateralis* Pic, 1942d: 3  
*invittata* Pic, 1942a: 1 [DA]  
*mimeweri* Pic, 1950d: 93  
*poweli* Pic, 1941a: 13  
*pygidialis* Pic, 1911a: 9  
*vittithorax* Pic, 1900e: 16

#107

**genus *Conizonioides* Özdikmen, 2015a: 50** type species *Conizonia kalashiani* Danilevsky, 1992b  
*annularis* Holzschuh, 1984a: 160 (*Conizonia*) A: TR  
*anulifera* Löbl & Smetana, 2013: 41 [unjustified emendation]  
*georgiana* Navrátil & Rozsival, 2016: 1 (*Coptosia*) A: GG (Gori env.)  
*kalashiani* Danilevsky, 1992b: 113 (*Conizonia*) ["Mt. Arailer near Egvard"] A: AR

#728

**genus *Eurycoptosia* Reitter, 1913b: 666** type species *Phytoecia bodoani* Pic, 1912  
*bodoani* Pic, 1912a: 10 (*Phytoecia*) A: AB (Talysh) IN

**genus *Iranocoptosia* Villiers, 1967: 340** type species *Iranocoptosia balachowskyi* Villiers, 1967 (= *Phytoecia fausti* Ganglbauer, 1886)  
*fausti* Ganglbauer, 1886c: 521 (*Phytoecia*) A: IN TM (Kopetgag)  
*balachowskyi* Villiers, 1967: 340

**genus *Kabylophytoecia* Sama, 2005d: 149** [RN] type species *Phytoecia cirteensis* P. H. Lucas, 1842  
*Tala* Sama, 2005a: 18 [HN] type species *Phytoecia cirteensis* P. H. Lucas, 1842  
*cirteensis* P. H. Lucas, 1842: 187 (*Phytoecia*) N: AG TU

**genus *Linda J. Thomson, 1864: 122*** type species *Amphionycha femorata* Chevrolat, 1852  
**subgenus *Dasyllinda*** J. Thomson, 1868c: 184 type species *Dasyllinda scopigera* J. Thomson, 1868 (= *Saperda testacea* Saunders, 1839)  
*apicalis apicalis* Pic, 1906d: 17 A: GUI SCH XIZ YUN  
*gibbosicollis* Pic, 1915c: 12  
*nigriventris* Heller, 1923b: 74  
*subcincta* Pic, 1924a: 19

*apicalis yunnanana* Breuning, 1978b: 7 A: GUI SCH XIZ YUN  
*yunnanica* Breuning, 1979a: 46 [RN]

*fasciculata* Pic, 1902i: 32 A: SCH SHA YUN  
*vitalisi* Vuillet, 1912: 300 (*Dasyllinda*)

*scopigera* J. Thomson, 1868c: 185 (*Dasyllinda*) A: AP NP SD XIZ YUN **ORR**  
*rubripennis* Pic, 1923a: 14  
*testacea* Saunders, 1839: 179 (*Saperda*) [HN]

#280

**subgenus *Linda*** J. Thomson, 1864: 122 type species *Amphionycha femorata* Chevrolat, 1852  
*Miocris* Fairmaire, 1902a: 245 type species *Miocris nigroscutata* Fairmaire, 1902  
[*annamensis annamensis* Breuning, 1954g: 556 **ORR** (Annam)]

*annamensis yunnanensis* Breuning, 1960f: 147 A: YUN

*annulicornis* Matsushita, 1933b: 424 A: FUJ GUI GUX TAI YUN  
*subannulata* Breuning, 1966b: 19 [RN]

#400

*subannulicornis* Breuning & K. Ohbayashi, 1964b: 30 [HN] (not *subannulicornis* Breuning, 1956)

*atricornis* Pic, 1924a: 19 A: FUJ ?GAN GUA GUI GUX ?HEB HEN HUB HUN JIA JIX ?NIN ?NMO SCH SHA YUN ZHE

*bimaculicollis* Breuning, 1954g: 558 A: XIZ **ORR**

*femorata* Chevrolat, 1852: 418 (*Amphionycha*) A: FUJ GUA GUI GUX HEN HUB HUN JIA JIX SCH SHA TAI YUN

*melanoptera* Fairmaire, 1895: 187 (*Amphionycha*)

*fraterna* Chevrolat, 1852: 419 (*Amphionycha*) A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHN TAI YUN ZHE  
*luteonotata* Pic, 1907c: 24



*pratti* Pic, 1902a: 3  
*seminigra* Fairmaire, 1887a: 134  
*subtestacea* Pic, 1906d: 17  
*frontalis* Pu, 1988: 304 A: XIZ #523  
*gracilicornis* Pic, 1907c: 24 A: SCH YUN  
*macilenta* Gressitt, 1947: 551 A: SCH SHA #225  
*major* Gressitt, 1942b: 8 A: ANH FUJ GUI SHA #225  
*nigroscutata ampliata* Pu, 1993: 361 A: GUI SCH #400  
*nigroscutata nigroscutata* Fairmaire, 1902a: 245 (*Miocris*) A: GUI HUB HUN SCH XIZ YUN ORR  
*rubescens* Hope, 1831: 28 (*Saperda*) A: AP BT NP SD #280 #523  
*bisbimaculata* Pic, 1930d: 59 (*Miocris*)  
*fulva* Fairmaire, 1895: 188  
*semiatra* Holzschuh, 2003b: 315 A: NP  
*semivittata* Fairmaire, 1887a: 134 (*Oberea*) A: SCH YUN #400  
*subtestaceicolor* Pic, 1916e: 17 (*Oberea*)  
*tricostata* Gressitt, 1947: 554  
*signaticornis* Schwarzer, 1925c: 154 A: TAI  
*stolata* Pesarini & Sabbadini, 1997: 127 A: SCH  
*subannulicornis* Breuning, 1956c: 236 A: FUJ  
*subatricornis* Lin & X.-K. Yang, 2012: 3 A: BEI CHQ FUJ HEB NIN SCH SHA #60  
*zayuensis* Pu, 1981: 428 A: XIZ

**genus *Mallosia* Mulsant, 1862: 399** type species *Saperda graeca* Sturm, 1843  
**subgenus *Eumallosia*** Danilevsky, 1990: 364 type species *Mallosia herminae* Reitter, 1890 #517  
*Anatolomallis* Özdikmen & Aytar, 2012a: 658 – unavailable name – wrong original spelling.  
*Anatolomallis* Özdikmen & Aytar, 2012a: 659 type species *Mallosia nonnigra* Özdikmen & Aytar, 2012a  
*Submallosia* Özdikmen & Aytar, 2012a: 659 type species *Mallosia jakovlevi* Semenov, 1895  
*armeniaca* Pic, 1897a: 188 A: AR IN TR  
*caucasica* Pic, 1898o: 168  
*haiastanica* Danilevsky, 2007b: 3  
*brevipes* Pic, 1897a: 188 A: AR IN TR  
*cribratofasciata* K. Daniel, 1904a: 309  
*costata* Pic, 1898m: 124 [Kurdistan] A: IN TR  
*gobustanica* Danilevsky, 1990: 366 A: AB (Maraza env.)  
*herminae* Reitter, 1890c: 241 A: AB (Nakhichevan) IN  
*imperatrix imperatrix* Abeille de Perrin, 1885: cxl [Bloudan (Antiliban)] A: IN IQ LE SY TR #182  
*robusta* Pic, 1901e: 19 [Syria]  
*imperatrix tauricola* K. Daniel, 1904a: 308 A: TR #67  
*jakowlewi* Semenov, 1895: 204 (*Phytoecia*) A: IN  
*iranica* K. Daniel & J. Daniel, 1898a: 79  
*kurdistanica* Breuning, 1970b: 30 [Kurdistan] A: IN  
*nonnigra* Özdikmen & Aytar, 2012a: 656 A: TR  
*tamashaczi* Sama & Székely, 2010: 896 A: IN  
**subgenus *Mallosia*** Mulsant, 1862: 399 type species *Saperda graeca* Sturm, 1843  
*graeca* Sturm, 1843: 356 (*Saperda*) E: GR  
*cardoriensis* Pic, 1900o: 109  
*tomentosa* Sturm, 1843: 355 (*Dorcadion*)  
**subgenus *Semnosia*** K. Daniel, 1904a: 304 type species *Saperda scovitzii* Faldermann, 1837  
*Eusemnosia* Özdikmen & Aytar, 2012a: 659 type species *Saperda mirabilis* Faldermann, 1837 #517  
*baiocchii* Sama, 2000a: 94 (*Semnosia*) A: SY  
*galinae* Danilevsky, 1990: 364 A: AB GG (Vashlovan) #12  
*interrupta capulcu* Koçak & Kemal, 2013: 2 [“Hakkari”] A: TR  
*interrupta interrupta* Pic, 1905b: 28 [“Kurdistan”] A: IN TR  
*mirabilis dexxula* Holzschuh, 1989a: 176 [“Hakkari”] A: TR  
*mirabilis mirabilis* Faldermann, 1837: 283 (*Saperda*) A: IN IQ TR  
*bülisiensis* Pic, 1902k: 42 [“Bitlis”]  
*delagrangei* Pic, 1902k: 42 [“Monts Amanus”]  
*ganglbaueri* Kraatz, 1884b: 233 [“Malatia”]  
*kotschyi* Hampe, 1852b: 314 (*Phytoecia*) [Kurdistan]  
*multimaculata* Pic, 1902k: 42 [“Malatia”]  
*scovitzii* Faldermann, 1837: 284 (*Saperda*) A: AB AR GG ?IN TR  
*atricornis* Pic, 1915e: 10  
*semilimbata* Pic, 1900g: 14  
*tristis* Reitter, 1888a: 134 A: AB IN  
*angelicae* Reitter, 1890c: 242  
*lederi* Pic, 1908e: 14

**genus *Mallosiola* Semenov, 1895: 205** type species *Mallosia regina* Heyden, 1887

*regina* Heyden, 1887b: 319 (*Mallosia*) A: TD  
*lopatini* Heyrovský, 1969a: 34 (*Mallosia*)

**genus *Micromallosia* Pic, 1900g: 15** type species *Micromallosia theresae* Pic, 1900  
*heinzorum* Holzschuh, 1991a: 27 (*Mallosia*) A: TR  
*heydeni* Ganglbauer, 1888a: 76 (*Phytoecia*) A: TR  
*theresae* Pic, 1900g: 15 A: TR

**genus *Mimocoptosia* Breuning & Villiers, 1972: 37** type species *Mimocoptosia iraniensis* Breuning & Villiers, 1972 (= *Phytoecia luteovittigera* Pic, 1906)  
*luteovittigera* Pic, 1906a: 4 (*Phytoecia*) A: IN TR  
*iraniensis* Breuning & Villiers, 1972: 37

**genus *Nupserha* Chevrolat, 1858: 358** [RN] type species *Saperda fricator* Dalman, 1817  
*Sphenura* Dejean 1835:350 [HN] type species *Saperda fricator* Dalman, 1817

*acuta* Holzschuh, 1986b: 152 A: SD

*ambigua* Lameere, 1893a: 286 A: YUN **ORR**

#523

*annulata annulata* J. Thomson, 1857c: 147 (*Stibara*) A: BT NP PA SD

*subannulicornis* Pic, 1916d: 7 (*Oberea*)

*annulata mustangensis* Holzschuh, 1990: 194 A: NP

*atriceps* Breuning, 1948e: 121 A: GUI GUX SD UP **ORR**

*basipilosa* Holzschuh, 1986b: 148 A: NP SD

*bicolor* J. Thomson, 1857c: 147 (*Stibara*) A: AP UP **ORR**

#280

*brevior* Pic, 1908f: 18 (*Oberea*) A: YUN

*cauta* Holzschuh, 1986b: 150 A: NP

*clypealis clypealis* Fairmaire, 1895: 188 (*Oberea*) A: GUI HKG TAI YUN ZHE **ORR**

#400 #489

*bisbinotaticollis* Pic, 1917h: 13 (*Oberea*)

*clypealis formosana* Breuning, 1960c: 19 A: TAI

*dubia* Gahan, 1894a: 93 A: AP FUJ GUX HAI NP PA SD TAI UP YUN **ORR**

#523

*fricator fricator* Dalman, 1817b: 183 (*Saperda*) A: ?AP FUJ GUX HAI ?NP ?SD TAI **ORR**

#624

*bipartipennis* Pic, 1943b: 3 (*Stibara*)

*haddeni* Gressitt, 1940d: 419

*inopinata* Gilmour, 1965: 482

*lineatipes* Pic, 1928b: 22

*producta* Schwarzer, 1931b: 212

*rufopicea* Schwarzer, 1930: 127

*fumigera* Holzschuh, 2021b: 576 A: NP

*fuscoapicalis* Breuning, 1949a: 15 A: NP SD **ORR**

*fuscodorsalis* W.-K. Wang & Jiang, 2002b: 126 A: SD YUN

#280

*infantula* Ganglbauer, 1889a: 83 (*Oberea*) A: FUJ GAN GUA GUI GUX HEB HUB HUN JIX SCH SHA YUN ZHE

*bisbinotata* Pic, 1928b: 23 (*Oberea*)

*subvelutina* Gressitt, 1937d: 619

*infuscata* Breuning, 1960c: 31 A: XIZ

*lateralis* Holzschuh, 2021b: 574 A: NP

#624

*lenita* Pascoe, 1867b: 410 (*Glenea*) A: NP PA SD UP **ORR**

#523

*annamensis* Pic, 1939a: 18

*nigromaculata* Pic, 1926c: 18

*longipennis* Pic, 1926c: 18 A: XIZ

*malabarensis* Pic, 1939a: 17 A: UP **ORR**

*marginella binhensis* Pic, 1926c: 18 A: FUJ HUN **ORR**

*marginella marginella* Bates, 1873: 390 (*Oberea*) A: FE FUJ GUA GUI GUX HEN HUB HUN JA JIA JIL JIX MG NC SC SHA SHN  
TAI ZHE

*alexandrovi* Plavilstshikov, 1915c: 109 (*Oberea*)

#729

*infrequens* Cherepanov, 1996: 136

#544

*minor* Pic, 1939a: 17 A: FUJ GUX YUN **ORR**

*multimaculata* Pic, 1939a: 16 A: YUN **ORR**

*nigriceps* Gahan, 1894a: 90 A: AP NP YUN **ORR**

#166

*nigricollis* Breuning, 1960c: 13 A: "North India"

*nigrohumeralis* Pic, 1927k: 200 A: YUN **ORR**

*nitidior* Pic, 1939a: 18 A: HP **ORR**

#366

*pallidipennis flavipennis* Breuning, 1950a: 16 A: BT JIX NP SD XIZ

#391 #400

*pallidipennis pallidipennis* L. Redtenbacher, 1844: 552 (*Phytoecia*) A: BT JIX KA NP SD UP XIZ **ORR**

*pseudinfantula* Breuning, 1948e: 119 A: GUX

*quadrioculata* Thunberg, 1787: 57 (*Saperda*) A: NP GUX HAI YUN "North India" **ORR**

*carinata* J. Thomson, 1857c: 146 (*Stibara*)

*corrugata* Gressitt, 1940b: 211

*costata* Wiedemann, 1923: 112 (*Saperda*)

*notaticeps* Pic, 1926c: 17  
*rotundicollis* Breuning, 1950d: 263 A: BT KA NP PA SD #274  
*schmidi arunensis* Holzschuh, 1990: 195 A: NP  
*schmidi darjeelingensis* Holzschuh, 1990: 195 A: SD  
*schmidi schmidi* Breuning, 1966d: 16 A: AP NP SD  
*schmidi tambaensis* Holzschuh, 1990: 195 A: NP  
*sericans* Bates, 1884a: 260 (*Oberea*) A: FE (Kunashir) JA  
*spinifera spinifera* Gressitt, 1948b: 63 A: BT CHQ GUI SCH SD #168 #400  
*subabbreviata* Pic, 1916c: 16 (*Oberea*) A: SCH YUN  
*szetschuanica* Breuning, 1947d: 148 A: SCH  
*taliana* Pic, 1916c: 16 (*Oberea*) A: GUI GUX XIZ YUN **ORR** #400  
*brevilineata* Pic, 1928b: 23 (*Oberea*)  
*lemoulti* Pic, 1916c: 18 (*Oberea*)  
*pseudomarginella* Breuning, 1947d: 148  
*tatsienlui* Breuning, 1948e: 120 A: SCH  
*testaceipes* Pic, 1926c: 18 A: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SCH SHN  
*batesi* Gressitt, 1937d: 618  
*thibetana* Breuning, 1948e: 120 A: SCH XIZ  
*ustulata ustulata* Erichson, 1834: 270 (*Saperda*) A: GUX **ORR**  
*cosmopolita* J. Thomson, 1857c: 146 (*Stibara*)  
*grandis* Pic, 1939a: 17  
*seminigra* Breuning, 1960c: 48  
*variabilis* Gahan, 1894a: 92 A: GUX HKG YUN **ORR** #400  
*apicalis* Aurivillius, 1926: 21 (*Stibara*) [HN]  
*apicalis* Pic, 1925f: 188 (*Stibara*) #523  
*latestacea* Pic, 1942d: 16 (*Stibara*) #523  
*ventralis* Gahan, 1894a: 91 A: HUN SD XIZ YUN **ORR**  
*pseudoventralis* Breuning, 1950d: 263  
*yunnana* Breuning, 1960c: 36 A: YUN  
*yunnanensis* Breuning, 1960c: 19 A: YUN

**genus *Oberea* Dejean, 1835: 351** type species *Cerambyx linearis* Linnaeus, 1760 #9 #523  
**subgenus *Amaurostoma* J. Müller, 1906: 223** type species *Cerambyx erythrocephalus* Schrank, 1776  
*donceeli* Pic, 1907c: 23 A: ES FE GAN HEB MG NIN NMO SHA SHX XIN  
*obscuripennis* Pic, 1939b: 3  
*erythrocephala amanica* Holzschuh, 1993a: 50 (**Adana, Nurdağı geçidi**) A: SY TR #53  
*erythrocephala bicolor* Reiche, 1878a: cxlix (**Lusitania**) E: PT SP (Andalusia) N: MO  
*maroccana* Pic, 1914b: 11  
*reichei* Plavilstshikov, 1927a: 64 [unnecessary RN]  
*erythrocephala calvescens* G. Müller, 1948: 15 E: IT  
*erythrocephala erythrocephala* Schrank, 1776: 67 (*Cerambyx*) E: AN AU BH BU BY CR CT CZ FR GE GR HU IT LS LT **MA MC**  
MD ME PL PT RO SB SK SL SP **ST** SZ TR UK A: AB AR GG IN ?KI KZ LE SY TR WS #752  
*anatolica* Pic, 1901d: 19 (**Konia**)  
*cincta* Gebler, 1830: 186 (**Loktevsk**) (*Saperda*)  
*erivanica* Pic, 1917a: 11  
*hungarica* Pic, 1914b: 11  
*insidiosa* Mulsant, 1862: 396 (**Dalmatia**)  
*luteicollis* Gebler, 1833: 303 ((**Loktevsk**) (*Saperda*)  
*melitana* Reiche, 1878a: cxlix (**Malta**)  
*montandoni* Pic, 1914b: 11 (**Roumania**)  
*planeti* Pic, 1945b: 5 (**France**)  
*richteri* Bau, 1888: 425 (**Berlin**)  
*schurmanni* Heyrovský, 1962a: 42 (**Antitoros**) #53  
*sinuatesignata* Pic, 1945b: 7 (**Caucase**)  
*theophilei* Pic, 1914b: 11 (**Armenie**)

*erythrocephala rubricollis* Özdikmen & Tezcan, 2020d: 447 A: TR (Mersin, Erdemli, Güzeloluk)  
*euphorbiae* Germar, 1813: 131 (*Saperda*) E: AU BU **CR** CT CZ **GR** HU IT **KZ** MD **ME** PL RO **SB** SK **ST** **SZ** ?TR UK A: AB AR KZ  
WS #564  
*imitans* G. Müller, 1948: 76  
*intermedia* Breuning, 1947c: 59 [HN]  
*histrionis* Pic, 1917a: 11 E: AU CZ HU MD PL RO SK **BY** bUK #91 #752  
*moravica* Kratochvíl, 1989: 1  
*ressli* Demelt, 1963: 150 A: TR #201  
*ruficeps muchei* Breuning, 1981a: 26 A: TD (Gissar Ridge, Anzob Pass)  
*ruficeps ruficeps* Fischer von Waldheim, 1842: 18 A: KI KZ TD UZ WS XIN  
*semirufa* Kraatz, 1882a: 115  
*taygetana* Pic, 1901d: 27 E: AL GR #236  
**subgenus *Oberea* Dejean, 1835 351** type species *Cerambyx linearis* Linnaeus, 1760

*Isosceles* Newman, 1842d: 318 type species *Isosceles macilenta* Newman, 1842  
*acuta* Gressitt, 1951a: 629 A: SCH YUN #592  
*angustata* Pic, 1923b: 11 A: FUJ ORR #400  
*obscuripennis* Breuning, 1967c: 40  
*atroantennalis* Breuning, 1960b: 39 [= 1962f: 190] A: FUJ NP #400  
*atropunctata* Pic, 1916e: 17 (Yunnan) A: SCH YUN  
*bicallosicollis* Pic, 1933f: 7 A: SCH  
*bicoloricornis* Pic, 1915c: 13 A: XIZ #201  
*binotaticollis binotaticollis* Pic, 1915c: 13 A: TAI #465  
*griseopennis* Schwarzer, 1925c: 154  
*binotaticollis chinensis* Breuning, 1982a: 29 A: SCH  
*binotaticollis ichangensis* Breuning, 1969e: 670 A: HUB  
*birmanica* Gahan, 1894a: 96 A: GUX SCH YUN ORR  
*lajoyei* Pic, 1919b: 12  
*bisbipunctata bisbipunctata* Pic, 1916e: 17 ?A: GUA GUI GUX NE SCH ZHE ORR #592  
*bisbipunctulata* Breuning, 1960b: 34 [= 1962f: 191] A: SD  
[bivittata bivittata Aurivillius, 1911: 40– Indonesia]  
*bivittata medioplagiata* Breuning, 1960b: 51 [= 1962f: 158] A: NP SD YUN ORR  
*bootangensis* Breuning, 1960b: 55 [= 1962f: 177] A: SD NP  
*breviantennalis* Kurihara & N. Ohbayashi, 2006: 257 A: TAI  
*brevithorax* Gressitt, 1936: 108 A: FUJ HAI TAI ZHE ORR #184  
*inepta* Gressitt, 1939b: 122  
*clara* Pascoe, 1866b: 265 A: YUN ORR  
*armata* Gahan, 1894a: 95  
*fingeriventris* W.-K. Wang, Y.-Z. Le & S.-N. Jian, 2002: 75  
*conica* W.-K. Wang, Y.-Z. Le & Jiang, 2002: 74 A: YUN  
*consentanea* Pascoe, 1867b: 426 A: BT NP SD ORR #523  
*inbrevicollis* Pic, 1928d: 16  
*posticata* Pic, 1926b: 10 [HN]  
*rufopyga* Pic, 1926b: 10  
*coreana* Pic, 1912h: 21 A: SC #424 #525  
*corensis* Gressitt, 1951a: 633 A: FE NC SC #525  
*coxalis* Gressitt, 1940a: 14 [RN] A: GUA  
*discipennis* Gressitt, 1939a: 100 [HN]  
*curialis* Pascoe, 1866b: 264 A: CH ORR  
*brevicollis* Pascoe, 1867b: 420  
*nonfriedi* Pic, 1923a: 14  
*curticornis* Danilevsky, 2023: 463 A: FE  
*curtilineata* Pic, 1916i: 326 A: YUN  
Gebler, 1825: 51 (*Saperda*) A: ES FE FUJ KZ MG NC NE SC SHA WS XIN  
*altaica* Gebler, 1830: 187 (*Saperda*)  
*amurica* Suvorov, 1913: 78  
*rosinae* Pic, 1904d: 18  
*rufomaculata* Kôno & Tamanuki, 1926: 278, 293  
*transbaicalica* Suvorov, 1913: 78  
*distinctipennis* Pic, 1902a: 2 A: FUJ GUA HAI SCH XIZ ORR  
*lateriventris* Gressitt, 1939a: 101  
*subparallela* Pic, 1928b: 23  
*thibetana* Pic, 1916e: 16  
*diversimembris* Pic, 1923b: 11 A: XIZ ZHE ORR  
*diversipes* Pic, 1919b: 11 A: CHQ FUJ GUA GUI HAI HEN HUN SCH SHA XIZ YUN ORR #145  
*brevicollis* Fairmaire, 1895: 190 [HN]  
*fairmairei* Aurivillius, 1923a: 532 [RN] #145  
*dubia* Danilevsky, 2023: 461 A: FE  
*elongatipennis* Pic, 1940: 11 A: GUI  
*ferruginea* Thunberg, 1787: 57 (*Saperda*) A: FUJ GAN GUA GUX HUB HUN NP SD SHA YUN #400  
*atricornis* Fabricius, 1793: 308 (*Saperda*)  
*elongata* Olivier, 1800: 19 (*Saperda*) #373  
*maculiventris* Pic, 1923a: 15 [HN]  
*notativentris* Pic, 1924d: 30 [RN]  
*prolixa* Pascoe, 1867b: 424  
*semiargentata* Pic, 1923a: 15  
*flavescens* Breuning, 1947d: 146 A: SCH SHA #184 #225  
*flavipennis* Kurihara & N. Ohbayashi, 2007: 199 A: TAI  
*formosana* Pic, 1911d: 20 A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX NP SCH SHA TAI ZHE ORR #60  
*formososylvia* Kurihara & N. Ohbayashi, 2007: 207 A: TAI  
*fuscipennis* Chevrolat, 1852: 419 (*Isosceles*) A: FUJ GUA GUI GUX HAI HEB HUB HUN JA JIA JIX SCH SHA SHG XIZ YUN ZHE  
ORR #145 #225

*cephalotes* Breuning, 1947d: 147  
*fulveola* Bates, 1873: 390  
*hanoiensis* Pic, 1923: 12 #145  
*holoxantha* Fairmaire, 1888a: 35  
*pieli* Pic, 1924: 19  
*rosi* Gressitt, 1940b: 214  
*rufotestacea* Pic, 1923b: 12  
*sinensis* Pic, 1902: 2.  
*theryi* Pic, 1902a: 2  
*unicolor* Breuning, 1956c: 236 #523  
*fusciventris* Fairmaire, 1895: 189 A: SE SW **ORR**  
*gracillima gracillima* Pascoe, 1867b: 422 A: ANH AP FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX LIA NP NMO SC SCH  
SHN TAI ZHE **ORR**  
*angustatissima* Pic, 1908f: 17  
*horiensis* Matsushita, 1931a: 47  
*langana* Pic, 1902l: 35  
*michikoi* Yokoyama, 1971: 101  
*nigriventris* Bates, 1873: 389 #9  
*subannulipes* Pic, 1913a: 19  
*grossepunctata* Breuning, 1947d: 145 A: SHN YUN  
*hebescens* Bates, 1873: 389 A: JA JIA  
*herzi* Ganglbauer, 1887c: 23 A: BEI FE HEB JIA JIL ?NC QIN SC SHN  
*teranishii* K. Ohbayashi, 1936b: 17 ["Ikuecho, Osaka" (Japan) – wrong label]  
*heudei* Pic, 1936a: 23 A: SHG  
*heyrovskiyi* Pic, 1927e: 10 A: FE ?NC NE SC  
*himalayana* Breuning, 1972c: 420 A: NP UP **ORR**  
*holatripennoides* Löbl & Smetana, 2010: 59 A: BEI #400  
*holatripennis* Breuning, 1982a: 29 [HN]  
*humeralis* Gressitt, 1939a: 103 A: FUJ GUA HUN JIX NE **ORR**  
*inclusa* Pascoe, 1858: 261 A: FUJ GUA GUX HEN HUB JIA JIX NMO SCH ZHE  
*discipennis* Fairmaire, 1889a: 68  
*incompleta* Fairmaire, 1897e: 255 A: SCH  
*infrangrescens* Breuning, 1960b: 36 A: HEI NIN SC (Jindo Is.) JA #63 #400  
*infratestacea* Pic, 1936a: 24 A: CHQ FUJ JIX SHG **ORR** #145  
*isigakiana* Matsushita, 1941: 158 A: JA (Ryukyus)  
*japonica* Thunberg, 1787: 57 (*Saperda*) A: FUJ GUA GUX HAI HEB HEN HUB HUN JA JIA JIL JIX LIA NIN SCH SHA SHN ZHE  
*japonica* Bates, 1873: 388 [HN]  
*niponensis* Bates, 1884a: 260 [RN]  
*komiyai* Kurihara & N. Ohbayashi, 2006: 261 A: TAI  
*kostini* Danilevsky, 1988b: 35 E: CT (Udmurtia) A: ES KZ WS #394  
*lacana* Pic, 1923a: 16 A: SD YUN **ORR**  
*lama* Gressitt, 1942c: 5 A: XIZ **ORR**  
*laosensis* Breuning, 1963b: 52 A: YUN **ORR**  
*latipennis* Gressitt, 1939a: 104 A: GUA JIX **ORR** #400  
*leucothrix* Toyoshima, 1982: 33 A: JA  
*licenti* Pic, 1939b: 3 [Chine: Fei hien] A: BEI FE NC SC ZHE #652  
*chinensis* Tsherepanov, 1985: 147 [RN]  
*scutellaris* Fairmaire, 1888b: 147 [HN]  
*scutellaroides* Breuning, 1947c: 58 [RN] #63 #400  
*linearis* Linnaeus, 1760: 191 (*Cerambyx*) E: AL AU BE BH BU ?BY CR CT CZ DE EN FR GE GR HU IT LA LS LT LU MD ME NL  
NR PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR GG **IN** TR #133 #752  
*cylindricollis* Gray, 1832: 119 (*Saperda*)  
*fulvipes* Geoffroy, 1785: 79 (*Leptura*)  
*limbata* Mulsant, 1839: 197  
*parallela* Scopoli, 1763: 47 (*Leptura*)  
*regularis* Poda von Neuhaus, 1761: 38 (*Leptura*)  
*lutea lutea* Thunberg, 1787: 57 (*Saperda*) A: SD **ORR**  
*maculicollis* P. H. Lucas, 1842: 187 E: SP N: AG MO #487  
*mauritanica* P. H. Lucas, 1842: 187  
*medioobliterata* Pic, 1945b: 7  
*semijuncta* Pic, 1945b: 7  
*mixta* Bates, 1873: 389 A: JA ZHE  
*morio* Kraatz, 1879c: 117 A: ES FE MG NC NE QIN SC #400  
*pictibasis* Reitter, 1902b: 186  
*nigriceps* White, 1844: 425 (*Saperda*) A: ANH GUI HAI HKG **ORR** #400  
*binhana* Pic, 1923b: 12  
*notata* Pic, 1936a: 24 A: ANH FUJ GUA GUX GUI HUN JIA JIX SCH SHG TAI ZHE #400 #592  
*shimomurai* Kurihara & N. Ohbayashi, 2007: 209  
*oculata* Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT **KZ** LA LS LT LU



MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: MO A: AB AR ES FE GG HEI HUB IN IQ JIL KZ LIA  
MG ?NC NMO SC SHA SHN SY TR WS XIN #63  
*borysthenea* Mokrzecki, 1900: 294  
*inoculata* Heyden, 1892a: 81  
*quadrinaculata* Donisthorpe, 1913: 158  
*tomensis* Kiseleva, 1927: 131  
*okinawana* Kusakabe, 1992: 40 A: JA (Ryukyus)  
*pedemontana* Chevrolat, 1856b: 436 E: AU BH BU CR HU IT ME RO SB SL SZ ?A: TR #564  
?koniensis Breuning, 1960b: 39  
*melanura* Gredler, 1857: 151  
*posticata* Gahan, 1894a: 94 A: AP HAI NP SD TAI ORR #280 #400  
*pseudoposticata* Breuning, 1960b: 53 A: NP ORR  
*pupillata* Gyllenhal, 1817: 185 (*Saperda*) E: AU BE BH BY CR CT CZ EN FR GE GR HU IT LA LS LT LU MC MD ME NT PL RO  
SL SK SP ST SZ UK #807  
*alsatica* Pic, 1915e: 10  
*luteonotata* Pic, 1918d: 5  
*cognata* Lentz, 1857: 145  
*pupillatoides* Breuning, 1947d: 145 A: SHA #201  
*reducesignata* Pic, 1916e: 17 A: FUJ HUB TAI ORR  
*kiotensis* Pic, 1916e: 17  
*rubroantennalis* Lin & Ge, 2017b: 920 A: SCH SHA #201  
*ruficornis* Breuning, 1956c: 235 A: CHQ FUJ GUI GUX HUN SCH ZHE ORR  
*pseudoformosana* Li, Cuccodoro & Chen, 2014: 57 #517  
*rufiventris* Breuning, 1968a: 41 A: GUX ORR  
*rufosternalis* Breuning, 1960b: 42 [= 1961b: 95] A: SCH SHA YUN #225  
*savioi* Pic, 1924a: 19 A: JIA SHG ZHE  
*shibatai* Hayashi, 1962: 40 A: JA (Ryukyus)  
*shirahatai* K. Ohbayashi, 1956b: 762 A: JA  
*shirakii* Hayashi, 1963c: 16 A: JA (Ryukyus)  
*simplex* Gressitt, 1942g: 91 A: ANH CE NE SHG  
*sobosana* K. Ohbayashi, 1956b: 761 A: JA  
*strigicollis* Gressitt, 1942g: 92 A: JIX  
*subelongatipennis* Breuning, 1955b: 77 A: GUI  
*subsericea* Breuning, 1960b: 42 [= 1962f: 180] A: GUI YUN  
*sylvia* Pascoe, 1858: 261 A: NE #184  
*taiwana* Matsushita, 1933b: 423 A: TAI  
*taihokuensis* Breuning, 1960b: 51 [= 1962f: 168] #184  
*tatsienlui* Breuning, 1947d: 145 A: SCH  
*tienmuana* Gressitt, 1939b: 124 A: SHA ZHE #462  
*toi* Gressitt, 1939b: 106 A: GUA JIX #184  
*tsuyukii* Kurihara & N. Ohbayashi, 2007: 206 A: SC TAI #63  
*umebayashii* K. Ohbayashi, 1964: 24 A: JA (Ryukyus)  
*uninotaticollis* Pic, 1939d: 16 A: FUJ GUX JIX SHA YUN ZHE ORR #225 #523  
*unipunctata* Gressitt, 1939b: 125  
*vittata* Blessig, 1873: 223 A: ES FE JA (Tsushima Is.) MG NC NE SC SHA #225 #525  
*longissima* Pic, 1905a: 15  
*walkeri* Gahan, 1894d: 487 A: FUJ GUA GUI GUX HAI HEN HKG JIX SCH SD SHA YUN ZHE ORR #225  
*atroanalis* Fairmaire, 1895: 189  
*bicoloritarsis* Pic, 1923b: 11  
*changii* Gressitt, 1942c: 5  
*robustior* Pic, 1923b: 12  
*wiskotti* Z. Wang, 2003: 347, 397 A: JIL  
*yaoshana* Gressitt, 1942g: 93 A: GUI GUX  
*yasuhikoi* Kusakabe, 2001: 17 A: JA  
*yunnana* Pic, 1926b: 10 A: GUA YUN ORR  
*yunnanensis* Breuning, 1947d: 147 A: GUX HAI YUN ORR

**genus *Obereopsis* Chevrolat, 1855: 289** type species *Obereopsis obscuritarsis* Chevrolat, 1855  
*Paroberea* Kolbe, 1893: 79 type species *Paroberea fuscipes* Kolbe, 1893 (= *Obereopsis obscuritarsis* Chevrolat, 1855)  
*annulicornis* Breuning, 1957d: 107 A: BT NP "North India"  
*aterrima* Breuning, 1949a: 17 A: BT "India"  
*atritarsis* Pic, 1920c: 3 (*Oberea*) A: XIZ  
*atrosternalis* Breuning, 1957: 104 A: NP SD  
*bicoloripes* Pic, 1916e: 16 (*Oberea*) A: TAI  
*bimaculicollis* Breuning, 1949a: 20 A: "India"  
[*bipuncticollis bipuncticollis* Breuning, 1949a: 4, 19 – Burma]  
*bipuncticollis bootanana* Breuning, 1957d: 89 A: SD #343

*bootangensis* Breuning, 1970f: 488 A: SD  
*borchmanni* Breuning, 1959c: 131 A: "North India"  
*darjeelingensis* Breuning & Heyrovský, 1964: 30 A: SD  
*flavicornis* Fairmaire, 1889a: 69 (*Oberea*) A: JIX  
*flavodiscalis bhutanensis* Breuning, 1975d: 362 A: BT  
*flavodiscalis flavodiscalis* Breuning, 1982a: 29 A: SD  
*infranigra* Breuning, 1962f: 181 (*Oberea*) A: NP  
*kankauensis* Schwarzer, 1925c: 153 (*Oberea*) A: FUJ SCH TAI  
*tetrastigma* Gressitt, 1951a: 601 (*Oberea*)  
*limbata* L. Redtenbacher, 1844: 553 (*Phytoecia*) A: KA NP UP #391  
*himalayana* Breuning, 1972c: 420  
*lineaticeps* Pic, 1911d: 21 (*Oberea*) A: TAI ZHE  
*fainanensis* Pic, 1912h: 21 (*Oberea*)  
*longipes* Breuning, 1957d: 109 A: SD NP  
*luteicornis* Breuning, 1957d: 105 A: SD NP "India"  
*maculithorax* Matsushita, 1933b: 421 (*Oberea*) A: SCH TAI  
*pulla* Matsushita, 1933b: 421 (*Oberea*)  
*modica* Gahan, 1894a: 97 (*Oberea*) A: NP GUX JIA SHG "North India" **ORR** #400  
*binhensis* Pic, 1926b: 29 (*Oberea*)  
*diversicornis* Pic, 1923a: 15 (*Oberea*)  
*pallidicornis* Gahan, 1894a: 98 (*Oberea*)  
*rufonotaticeps* Pic, 1923c: 21 (*Oberea*)  
*semisericea* Pic, 1923a: 15 (*Oberea*)  
*nepalensis* Breuning, 1975d: 362 A: NP  
*nigriceps nigriceps* Breuning, 1957d: 81 A: SD  
*nigripes* Breuning, 1957: 83 A: YUN **ORR**  
*obscura nigroabdominalis* Breuning, 1972c: 420 A: NP SD UP  
*obscura obscura* Breuning, 1957d: 57 A: AP #166  
*paratricollis* Breuning, 1967b: 36 A: AP  
*pedongensis* Breuning, 1960f: 148 A: SD  
*pseudannulicornis* Breuning, 1982a: 29 A: SD  
*quadrinotaticollis lachungi* Breuning, 1982a: 28 A: SD  
[*quadrinotaticollis quadrinotaticollis* Breuning, 1949a: 4, 18 **ORR** (Burma)]  
[*rubetra rubetra* Pascoe, 1858: 261 (*Oberea*) – Malaysia, Indonesia]  
*insularis* Fisher, 1937: 198 (*Oberea*)  
*rubetra sikkimana* Breuning, 1982a: 29 (*Oberea*) A: SD  
*rufescens* Breuning, 1960f: 148 A: SD  
*sericea* Gahan, 1894a: 96 (*Oberea*) A: AP SD #343  
*sericeoides* Holzschuh, 2006c: 488 A: BT NP SD  
*signaticornis* Matsushita, 1933b: 423 (*Oberea*) A: TAI  
*sikkimensis* Breuning, 1957d: 108 A: NP SD UP #391  
*subteratra* Breuning, 1957d: 75 A: SD "North India"  
*trinotaticollis* Breuning, 1967b: 36 A: NP **ORR**  
*truncata* Breuning, 1957d: 109 A: SD #343  
*varieantennalis* Breuning, 1982a: 28 A: SD

**genus *Oxylia* Mulsant, 1862: 398** type species *Phytoecia languida* Ménétériés, 1839 #206  
*Coptosia* Fairmaire, 1865: 177 type species *Phytoecia languida* Ménétériés, 1839  
*argentata argentata* Ménétériés, 1832: 227 (*Saperda*) E: UK A: AB AR GG IN TR  
*argentata languida* Ménétériés, 1839: 42 (*Phytoecia*) A: CY IN IQ IS JO LE SY TR  
*duponcheli* Brullé, 1832: 260 (*Saperda*) E: AL BU MC GR  
*atomaria* Frivaldszky von Frivald, 1837: 178 (*Saperda*)  
*vestita* Küster, 1848b: 82 (*Phytoecia*)

**genus *Paramallosia* Fuchs, 1955b: 273** type species *Paramallosia afghanica* Fuchs, 1955  
*afghanica* Fuchs, 1955b: 274 A: AF TM (Kopetdag)

**genus *Paraserixia* Breuning, 1954g: 442** type species *Paraserixia flava* Breuning, 1954  
*flava* Breuning, 1954g: 442 A: SD

**genus *Pardaloberea* Pic, 1926b: 9** type species *Pardaloberea curvaticeps* Pic, 1926  
*curvaticeps* Pic, 1926b: 10 A: YUN **ORR**

**genus *Phytoecia* Dejean, 1835: 351** type species *Cerambyx cylindricus* Linnaeus, 1758  
**subgenus *Barbarina* Sama, 2010: 49** type species *Phytoecia behen* Sama & Rejzek, 1999 #517  
*behen* Sama & Rejzek, 1999: 330 A: TR

*chehirensis* Breuning, 1943b: 103 (*Conizonia*) A: TR  
*nausicae* Rejzek & Kakiopoulos, 2004: 405 E: GR  
*nepheloides* Sama, 1997a: 100 A: SY  
**subgenus** *Cardoria* Mulsant, 1862: 436 type species *Saperda scutellata* Fabricius, 1793 #790  
*scutellata* Fabricius, 1793: 317 (*Saperda*) E: AU CT CZ GE GR HU MD RO SB SK ST UK A: AB AR GG IN TR WS #140  
*obscuricolor* Pic, 1952d: 691  
**subgenus** *Cinctophytoecia* Breuning, 1947d: 143 type species *Phytoecia cinctipennis* Mannerheim, 1849  
*albosuturalis* Breuning, 1947d: 143 A: BEI GAN HEB NIN #400  
*approximata* Pu, 1992b: 613, 621 A: YUN  
*cinctipennis* Mannerheim, 1849: 242 A: BEI ES FE HEB MG NC NIN NMO SC SHA #225 #400 #525  
*corensis* Breuning, 1955e: 658  
*guilleti callosicollis* Pic, 1933e: 7 A: SCH YUN #400  
*guilleti guilleti* Pic, 1906a: 4 A: SCH YUN  
*obscurithorax* Pic, 1922b: 27  
*kukunorensis* Breuning, 1943b: 102 A: QIN  
*punctipennis* Breuning, 1947d: 143 A: ZHE #400  
*sareptana* Ganglbauer, 1888e: 376 A: ~~ES~~ FE HUB KO  
*densepubens* Pic, 1939b: 3  
*testaceolimbata* Pic, 1933e: 7 A: SCH YUN  
**subgenus** *Coptosiella* Kasatkin, 2015a: 127 type species *Phytoecia antoniae* Reitter, 1889 #790  
*antoniae* Reitter, 1889a: 42 A: AB AR GG IN TM TR  
*uniformis* Pic, 1933d: 11 (*Coptosia*)  
**subgenus** *Danilevskovia* Lazarev, 2024e: 715 type species *Saperda molybdaena* Dalman, 1817 [RN]  
*Danilevskia* Lazarev, 2024a: 30 type species *Saperda molybdaena* Dalman, 1817  
*badenkoi* Danilevsky, 1988a: 16 A: KZ (Narunkol env.)  
*molybdaena* Dalman, 1817b: 186 (*Saperda*) E: AU BU CZ FR GE GR HU IT ?KZ PT RO SB SK SP ST ?SZ UK A: ?AB ?AR ES ?GG  
IN KZ TM TR WS N: AG MO TU #115  
*longitarsis* Reitter, 1911: 271  
*tenuilinea* Fairmaire, 1876: 98 N: AG MO TU  
*mateui* Breuning, 1951a: 365  
*uncinata* W. Redtenbacher, 1842: 25 (*Saperda*) E: AL AU BH BU CR ?CT CZ FR GE HU MD PL RO SB SK SL ST UK A: ?TM TR  
#11 #583  
*glabricollis* Roubal, 1934b: 140  
**subgenus** *Fulgophytoecia* Pic, 1900h: 16 type species *Phytoecia circumdata* Kraatz, 1882  
*Pseudallosia* Breuning, 1967a: 1 type species *Pseudomallosia parterufipennis* Breuning, 1967  
*circumdata* Kraatz, 1882c: 337 A: AF KI KZ UZ TD  
*parterufipennis* Breuning, 1967a: 2 (*Pseudomallosia*)  
*sellata* Ganglbauer, 1887e: 296  
*pilosicollis* Holzschuh, 1981: 107 A: KZ UZ  
*valentinae* Skrylnik, 2010: 258 A: AF  
**subgenus** *Helladia* Fairmaire, 1864a: 176 type species *Saperda flavescens* Brullé, 1832  
*adelpha* Ganglbauer, 1886c: 522 A: AR (Byurakan) CY SY TR  
*diversepubens* Pic, 1952d: 691  
*alziari* Sama, 1992b: 306 (*Helladia*) E: GR A: CY IS JO LE SY TR  
*ariannae* Pesarini & Sabbadini, 2011: 51 A: TR  
*demeltiana* Lazarev, 2016d: 14 [RN] A: TR  
*demelti* Sama, 2003: 73 (*Helladia*) [HN]  
*fatima fatima* Ganglbauer, 1884: 570 [“Persien”] A: AB IN SY TR  
*fatima nigroapicalis* Breuning, 1944a: 16 [“de l’Irak: Bagdad”] A: IQ IN  
*fatima ninives* Sama, 1994b: 33 [“Irak, Mossul”, “NE Irak, Kurdistan, Rawandiz”] A: IQ TR #517  
*flavescens* Brullé, 1832: 262 (*Saperda*) E: AL GR MC  
*fumigata* Küster, 1848b: 81  
*humeralis caneri* Özdikmen & Turgut, 2015: 384 A: TR #55  
*humeralis humeralis* Waltl, 1838: 471 (*Saperda*) E: GR (Rodos) TR A: ~~AB~~ CY ~~GG IN~~ IQ IS LE SY TR #22 #517  
*frontalis* Chevrolat, 1882: 63  
*scapularis* Chevrolat, 1882: 63  
*humeralis scapulata* Mulsant, 1851b: 194 [1852: 54] A: SY TR  
*mersinensis* Pic, 1900p: 140  
*humeralis vashlovanica* Danilevsky, 2023: 506 A: AB GG IN  
*insignata* Chevrolat, 1854: 485 A: IS JO LE SY #312  
*bethaniensis* T. Pic, 1900b: 67  
*millefolii* Adams, 1817: 311 (*Saperda*) E: BU GR ST ?TR UK A: AB AR GG IN TR  
*azurea* Steven, 1817: 190 (*Saperda*)  
*excelsa* Stierlin, 1876: 479  
*orbicollis* Reiche & Saulcy, 1858: 15 [“Naplouse”] A: IS JO LE SY  
*damascena* Pic, 1899b: 210  
*edessensis* Reitter, 1898e: 358 [Urfä = Edessa]  
*scapipicta* Reitter, 1898e: 358 [Akbes]

*schmiedeknechti* Pic, 1899b: 209  
*paulusi bludanica* Sama, 2000a: 99 A: SY  
*paulusi paulusi* Holzschuh, 1971: 67 A: LE  
*pontica* Ganglbauer, 1884: 574 A: IS JO SY TR  
*praetextata nigricollis* Pic, 1891h: 102 A: SY TR  
*praetextata praetextata* Steven, 1817: 184 (*Saperda*) E: BU RO ?ST (N Caucasus) TR UK (Crimea) A: AB AR ?GG IN TR #83  
*implagiata* Reitter, 1898b: 126  
*pretiosa* Faldermann, 1837: 298 E: ?ST (Derbent) A: AB AR GG IN ?LE TR #182 #192  
**subgenus *Helladioides* Özdikmen, 2024e: 3126 type species *Musaria testaceovittata* Pic, 1934**  
*armeniaca* Frivaldszky, 1878b: 10 [=1879a: 318; =1879b: 62] A: AB AR GG IS JO LE SY TR #182 #517  
*carnea* Heyden, 1879a: 319 [=1879b: 63]  
*diademata* Faldermann, 1837: 297 A: AB AR GG IN TR  
*dorud* Sama, Rapuzzi & Rejzek, 2007: 160 (*Helladia*) A: IN (Lorestan, Dorud)  
*euimperialis* Faizi & Danilevsky, 2020: 592 A: IN  
*ferrugata* Ganglbauer, 1884: 574 A: IS JO LE SY TR #182  
*dilatocollis* T. Pic, 1900b: 67  
*imperialis* Sama & Rejzek, 2001: 239 A: IN (Azarbaygan-e-Garbi, Serou, 37°39'N, 44°45'E)  
*plasoni* Ganglbauer, 1884: 571 A: AB AR IN TM TR  
*testaceovittata natali* Lobanov, 1994a: 105 [“(Caucasus Major), 14 km W Kilyazi”] A: AB #396  
*testaceovittata testaceovittata* Pic, 1934c: 18 (*Musaria*) [“Ins. Kojun, Lac Urmia”] [= Pic, 1949c: 61] A: IN  
*iranica* Villiers, 1960b: 99 (*Helladia*)  
**subgenus *Kalashania* Danilevsky, 2010a: 43 type species *Phytoecia erivanica* Reitter, 1899**  
*erivanica* Reitter, 1899: 161 [RN] A: AB AR GG IN TR  
*nigritarsis* Pic, 1895b: 40 [HN] [“Wan”]  
*rosinae* Pic, 1900c: 7  
*pici* Reitter, 1892: 64 A: AB AR GG IN IQ TR #181  
*truncatipennis* Pic, 1919a: 22 A: IN  
**subgenus *Metacoptosia* Özdikmen, 2024i: 3403 type species *Phytoecia albovittigera* Heyden, 1863**  
*albovittigera* Heyden, 1863: 130 E: BU GR MC TR A: TR  
*languida* Fairmaire, 1865: 177 (*Coptosia*) [HN]  
*reichei* Kraatz, 1876c: 287 (*Coptosia*)  
*semiannulicornis* Pic, 1936c: 4 (*Coptosia*)  
*vittigera* Fairmaire, 1868a: pl. 54, fig. 256 (*Coptosia*)  
*brunnerae* Sama, 2000a: 98 (*Coptosia*) A: JO LE SY #591  
*demelti* Breuning, 1973b: 143 (*Conizonia*) A: TR  
*gianassoi* Sama, 2007a: 97 (*Coptosia*) A: IN  
*minuta* Pic, 1891a: 2 A: TR  
*kurda* Jakobson, 1924c: 239 [RN]  
*mardinensis* Pic, 1901b: 13 (*Coptosia*)  
*schuberti* Fuchs, 1965: 110 (*Conizonia*) A: TR  
*schuleae* Özdikmen & Koçak, 2022: 622 A: TR  
*tauricola* Breuning, 1943b: 104 (*Conizonia*) A: TR  
*urartica* Kasatkin, 2015b: 43 A: AR IN IQ TR  
**subgenus *Metallidia* Kasatkin, 2012: 143 type species *Phytoecia alinae* Kasatkin, 2012**  
*alinae* Kasatkin, 2012: 143 A: TR  
*lisa* Rapuzzi & Sama, 2018: 26 A: CY  
**subgenus *Metallicophytoecia* Özdikmen, 2025e: 1819 type species *Leptura caerulea* Scopoli, 1772**  
*caerulea baccueti* Brullé, 1832: 262 (*Saperda*) [Peloponnes: Modon env.] E: GR A: TR #154  
*caerulea bethseba* Reiche & Saulcy, 1858: 17 [“Palestine”] N: EG A: IN IQ IS JO LE SY TR #209 #676  
*caerulea caerulea* Scopoli, 1772: 102 (*Leptura*) E: AL AU BH BU ~~BY~~ CR ?CT CZ GR HU IT KZ ?LA MC MD ME PT RO SB SK SL  
SP ST ?SZ TR UK A: AB AR GG IN KZ SY TD TM TR UZ WS #115 #104 #752  
[*caerulea*, alternative spelling: **original spelling: *cærulea***]  
*coelestis* Townson, 1797: 469 (*Saperda*)  
*flavimana* Creutzer, 1796: 15 (*Saperda*)  
*gilvimana* Ménétrés, 1832: 227 (*Saperda*)  
*rufimana* Schrank, 1789: 77 (*Saperda*)  
*viridis* Gronov [Gronovius], 1764: 163 [n. 546] (*Cerambyx*) #193  
***caerulea viridipes* Rapuzzi & Sama, 2018: 24 A: TR #794**  
*coeruleipennis* Breuning, 1947b: 22 A: KA  
*coeruleomicans* Breuning, 1947b: 22 A: JA  
*malachitica* P. H. Lucas, 1847: pl. 43 E: IT PT SP N: AG MO TU  
*bolivari* Perez Arcas, 1874: 149  
*hispanica* Breuning, 1951a: 364 [“*hispancia*” - wrong original spelling (misprint), see correct spelling in the Index, p. 458]  
*parvula* Breuning, 1960a: 23  
**subgenus *Musaria* J. Thomson, 1864: 120 type species *Leptura affinis* Harrer, 1784**  
*affinis affinis* Harrer, 1784: 209 (*Leptura*) [NP] E: AL AU BH BU BY CR CT CZ FR GE GR HU IT KZ MC MD PL RO SB SK SL SP  
ST SZ UK A: KZ

*bipunctata* Piller & Mitterpacher, 1783: 36 (*Cerambyx*) [HN]  
*compacta* Pic, 1890b: 120 [HN]  
*haemorrhoidalis* Fabricius, 1793: 453 (*Saperda*)  
*janus* Frölich, 1793: 154 (*Saperda*)  
*milliati* Pic, 1945b: 7 ["Massif Chartreuse"]  
*mutata* Pic, 1892a: 4 [RN]  
*nigrina* Pic, 1891b: 38  
*nigritarsis* Schoenherr, 1817a: 435 (*Saperda*)  
*oculata* Scopoli, 1763: 47 (*Leptura*) [NO]  
*subaurata* Pic, 1889b: 68  
*affinis altaica* Suvorov, 1913: 79 (*Musaria*) A: ES KZ WS  
*affinis boeberi* Ganglbauer, 1884: 559 [RN] ["Caucasus, Türkei"] E: ST A: AB AR GG IN TR  
*flavipes* Gyllenhal, 1817: 436 (*Saperda*) - nota -"Caucaso" [HN]  
*melichari* Pic, 1914b: 10  
*persathensis* Pic, 1895b: 40  
*affinis ciscaucasica* Danilevsky, 2023: 515 E: ST (planes from Dagestan to Stavropol) #777  
*affinis m-notata* Pic, 1911e: 185 ["Caucase occidentale"] E: ST (mountains from Dagestan to Teberda) #517  
*melichari* Pic, 1952d: 693 ["Im hohen Nordkaukasus"]  
*teberdensis* Pic, 1952d: 693  
*affinis nigrohirta* G. Müller, 1948: 76 E: IT  
*affinis nigropubescentis* G. Müller, 1948: 76 ["la razza caucasica"] E: ST (NW Caucasus) A: ?AR GG ?IN TR  
*affinis trimaculatocollis* Özdikmen & Tezcan, 2020g: 517 A: TR #83  
*affinis tuerki* Ganglbauer, 1884: 575 ["Brussa in Kleinasien"] E: BU TR A: SY TR  
*affinis volgensis* Kraatz, 1883: 276 ["Wolga"] E: ST (SE Russia)  
*anatolica* Fuchs & Breuning, 1971: 75 A: TR  
*argus* Frölich, 1793: 155 (*Saperda*) E: AU BH BU CR CT CZ GR HU IT MD RO SK SL ST UK  
*astarte astarte* Ganglbauer, 1886c: 523 A: SY (north) TR (south-east)  
*astarte lederi* Pic, 1899d: 391 E: ST A: AB AR GG IN TR #194  
*astarte perrini* Pic, 1892l: clxxxvi [1892d: 44] A: LE SY (Bloudan) #552  
*abeillei* Pic, 1934d: 134 (*Musaria*)  
*cephalotes* Küster, 1846b: 61 E: CR SL GR IT  
*faldermanni* Faldermann, 1837: 296 E: ST UK A: AB AR GG IN KZ TR  
*blessigi* Morawitz, 1863: 172  
*pubicollis* Pic, 1917g: 10 (*Musaria*)  
*rosti* Pic, 1900h: 16 (*Musaria*)  
*griseicornis* Pic, 1892l: clxxxvii [1892d: 44] A: TR  
*kurdistana* Ganglbauer, 1884: 572 A: AB AR GG IN IQ TR  
*caucasica* Pic, 1897g: 262 (*Musaria*)  
*innotaticeps* Pic, 1931c: 10  
*korbi* Pic, 1898p: 334  
*luristanica* Pic, 1917g: 9 (*Musaria*)  
*plyushchi* Danilevsky & Skrylnik, 2021: 18 A: IN  
*puncticollis krupitskyi* Danilevsky, 2014h: 687 [Hakkâri prov., Agaçdibi, 37°30'02"N, 43°46'49"E,] A: JO TR #517 #591  
*puncticollis persica* Ganglbauer, 1884: 572 ["Perse"] A: IN #517  
*diversicollis* Pic, 1917g: 9 (*Musaria*) ["Perse"]  
*puncticollis puncticollis* Faldermann, 1837: 291 E: ST A: AB AR GG IN IQ TR  
*aladaghensis* Reitter, 1906a: 37 ["Ala-Dagh in Persien"]  
*gamborensis* Pic, 1917g: 9 (*Musaria*) ["Caucase : Gambor"]  
*mardiniensis* Heyden, 1894: 87  
*trimaculata* Pic, 1917g: 9 (*Musaria*) ["Monts Taurus"]  
*turcica* Pic, 1952b: 4 (*Musaria*) [Turquie]  
*puncticollis stygia* Ganglbauer, 1884: 572 [Schaku am Caspischen Meere] A: IN TM  
*puncticollis vladyslavi* Lazarev & Skrylnik, 2022: 1521 A: JO #648  
*rubropunctata* Goeze, 1777: 507 (*Leptura*) E: FR IT SP GE  
*jourdani* Mulsant, 1839: 202  
*nigrescens* Pic, 1891b: 38  
*obscurior* Pic, 1896c: 142  
*punctata* Geoffroy, 1785: 80 (*Leptura*)  
*punctulata* Gmelin, 1790: 1877 (*Leptura*)  
*tirellii* Luigioni, 1913: 168 E: GR IT #771  
*wachanrui* Mulsant, 1851a: 127 E: GR (Rodos) ST A: IN IS JO LE SY TR  
*alboscuteolata* Chevrolat, 1854: 485  
*berytensis* Pic, 1952d: 696  
*binodosa* Chevrolat, 1882: 61  
*bisulcata* Chevrolat, 1882: 61  
*breuningi* Pic, 1952d: 696  
*coyei* Pic, 1952d: 695  
*haasi* Pic, 1952d: 696  
*innotaticeps* Pic, 1952d: 696 [HN]  
*irregularisignata* Pic, 1952d: 696



*jekeli* Pic, 1917g: 10 (*Musaria*)  
*jezabel* Reiche & Saulcy, 1858: 13  
*marsabana* Pic, 1952d: 696  
*microquadrisignata* Pic, 1952d: 696  
*obscuricornis* Pic, 1897a: 189  
*pallidithorax* Pic, 1898b: 24 (*Musaria*)  
*rufomaculata* Pic, 1917g: 9  
*syriaca* Chevrolat, 1854: 484  
*trinotatithorax* Pic, 1952d: 696  
*tripunctata* Chevrolat, 1882: 61

**subgenus** *Neomusaria* Plavilstshikov, 1928: 123 type species *Saperda balcanica* Frivaldszky von Frivald, 1835  
*adusta* Reitter, 1889a: 43 A: TR  
*alepensis* Pic, 1931c: 2 A: SY #143  
*aligamgami* H.Özdikmen & G.Özdikmen, 2016: 494 A: TR #110  
*balcanica* **balcanica** Frivaldszky von Frivald, 1835: 268 (*Saperda*) E: BU GR TR A: IN IQ TR #109 #517  
*subvitticollis* Breuning, 1951a: 92 [Amasia] #109  
*balcanica skoupyi* Danilevsky, 2021a: 8 A: IN  
*cercii* Özdikmen & Koçak, 2023b: 1791 A: TR (Karaman)  
*dantchenkoii* Danilevsky, 2008a: 7 A: AR  
*inapicalis* Pic, 1905f: 107 A: SY TR  
*latepubens* Pic, 1926d: 6 (*Helladia*)  
*kazaryani* Danilevsky, 2020b: 196 A: AR TR  
*longicornis* Pesarini & Sabbadini, 2009: 27 A: TR  
*merkli* Ganglbauer, 1884: 560 A: SY TR  
*mesopotamica barbarae* Rapuzzi, 2021: 554 A: TR  
*mesopotamica mesopotamica* Breuning, 1948d: 91 A: IN IQ SY  
*salvicola* Holzschuh, 1989a: 176 A: TR  
*suvorowi* Pic, 1905c: 38 A: TR  
*suvorowi* König, 1906: 26

**subgenus** *Neomusarioides* Özdikmen, 2025c: 1800, 1801 (unavailable) type species *Saperda modesta* Waltl, 1838 = *Neomusaria waltli* Sama, 1991)

*firkani* H.Özdikmen & G.Özdikmen, 2016: 495 A: TR  
*pauliraputii* Sama, 1993d: 295 (*Neomusaria*) A: TR  
*shokhini* Kasatkin, 2010: 61 A: TR #517  
*waltli* Sama, 1991: 127 [RN] A: IS JO LE SY TR  
*modesta* Waltl, 1838: 471 (*Saperda*) [HN]

**subgenus** *Obereina* Ganglbauer, 1886c: 524 type species *Phytoecia rubricollis* P. H. Lucas, 1847 (= *Saperda melanocephala* Fabricius, 1787) #259  
*Rubrophytoecia* Breuning, 1943b: 103 type species *Saperda melanocephala* Fabricius, 1787  
*melanocephala* Fabricius, 1787: 148 (*Saperda*) E: IT N: AG LB MO TU  
*lineaticollis* Levrat, 1859: 35  
*rubricollis* P. H. Lucas, 1847: 505, pl. 43

**subgenus** *Opsilia* Mulsant, 1862: 387, 431 type species *Phytoecia flavicans* Mulsant, 1851 (= *Leptura coerulea* Scopoli, 1763)  
*aspericollis* Holzschuh, 1981: 106 A: KZ (Karatau Ridge)  
*brevicornis* Kasatkin, 2013: 265 A: AF  
*bucharica* Breuning, 1943b: 101 A: AF TD (Isfara env.)  
*breuningii* Dahlgren, 1988: 114  
*chinensis* Breuning, 1943: 102 A: HEB  
*coerulea* Scopoli, 1763: 49 (*Leptura*) E: AL AU BE BH BU BY CH CR CT CZ FR GE GR HU IT KZ ?LA LS LT LU  
MC MD ME NL PL PT RO SB SK SL SP ST SZ TR UK N: AG MO TU A: AB AR ES GG IN IQ IS JO KI KZ LE NE TD TR SY  
UZ WS #104 #556 #803

[caerulea, alternative spelling]  
*aeruginosa* O. F. Müller, 1776: 95 (*Leptura*)  
*aeruginosa* Mulsant, 1839: 210 [HN]  
*chlorizans* Chevrolat, 1860c: 303  
*cobaltina* Chevrolat, 1860b: 270  
*echii* Chevrolat, 1860c: 302  
*estrelana* Pic, 1930c: 6 (*Opsilia*)  
*flavescens* Mulsant, 1843: 284 [HN]  
*flavicans* Mulsant, 1851a: 137 [RN]  
*grisescens* Chevrolat, 1860b: 269  
*incerta* Mulsant, 1862: 433 (*Opsilia*)  
*nigrita* Nedelkow, 1905a: 204  
*obscura* Brisout de Barneville, 1863: 116  
*subcoerulea* Geoffroy, 1785: 77 (*Leptura*)  
*tienschanica* Fuchs, 1965: 111  
*trilineata* Schoenherr, 1817a: 433 (*Saperda*)  
*virescens* Fabricius, 1782: 499 (*Saperda*) [Morée]  
*viridiuscula* Goeze, 1777: 506 (*Leptura*)

*coerulescens cretensis* Breuning, 1947c: 60 E: GR  
*prasina kotaika* Miroshnikov, 2009b: 244 A: AR TR  
*prasina prasina* Reitter, 1911b: 270 A: AB (Talysh) IN ?TM #591  
*irakensis* Breuning, 1967h: 435 - "Irak, Sultan-Bulagh" [Iran, Hamadan province, 52 km NW Hamadan city, Soltân Bolâghî] #591  
*schurmanni* Fuchs, 1971: 159 E: MC  
*transcaspica* Fuchs, 1955a: 228 A: KZ TM UZ #517  
*varentzowi* Semenov, 1896: 257 E: ST A: AB AR GG IN KI KZ TD TM UZ  
*immundula* Reitter, 1911b: 270  
**subgenus** *Paracoptosia* Danilevsky, 2017f: 1137 type species *Saperda compacta* Ménétrière, 1832 #206  
*bithynensis* Ganglbauer, 1884: 573 A: IN LE TR #464 #591  
*amasina* Pic, 1949c: 60 (*Coptosia*)  
*conjuncta* Pic, 1901b: 13 (*Coptosia*) [DA]  
*latevittata* Breuning, 1963a: 10 (*Conizonia*)  
*limbata* Pic, 1949c: 61 (*Coptosia*) [DA]  
*piciana* Jakobson, 1924: 239 [RN]  
*trilinea* Pic, 1892s: cxii  
*trilineata* Pic, 1892s: cxii [= 1893d: 419]  
*compacta* Ménétrière, 1832: 228 (*Saperda*) A: AB AR GG IN TR #591  
*rufobrunnea* Heyden, 1894: 88 (*Conizonia*)  
*ganglbaueri* Pic, 1936c: 3 (*Coptosia*) A: CY IS JO LE SY TR  
*sancta* Reiche, 1877b: cxxxvi A: IS JO LE SY #191  
*nigrosuturata* Bytinski-Salz, 1956: 221 (*Coptosia*)  
*tauricola* Breuning, 1943b: 104 (*Conizonia*) A: TR  
*urartica* Kasatkin, 2015b: 43 A: AR IN IQ TR #771  
**subgenus** *Parobereina* Danilevsky, 2018e: 131 type species *Phytoecia vittipennis* Reiche, 1877  
*forticornis forticornis* Breuning, 1947b: 22 A: KA PA  
*forticornis povolnyi* Heyrovský, 1971: 82 A: AF  
*heinzi* Lazarev, 2019a: 123 A: PA  
*kashanica* Danilevsky, 2020b: 197 A: IN  
*magnanii* Sama, Rapuzzi & Rejzek, 2007: 174 (*Blepisanis*) A: IN  
*nigrofemorata* Breuning, 1947b: 23 A: KA  
*nivea* Kraatz, 1882a: 116 A: KI KZ TD UZ  
*ochraceipennis* Kraatz, 1882c: 337 A: AF KI KZ TD UZ #517  
*pallidipennis* Plavilstshikov, 1926c: 340 [HN] #459  
*plavilshikovi* Lazarev, 2019f: 1335 [RN]  
*pashtunica* Lazarev, 2019a: 122 A: AF  
*remaudierei* Villiers, 1967: 341 (*Blepisanis*) A: IN  
*repetekensis* Semenov, 1935a: 279 A: TM  
*tatyanae* Skrylnik, 2010: 260 A: AF  
*tekensis* Semenov, 1896: 258 A: AF IN TM  
*vittipennis leuthneri* Ganglbauer, 1886c: 523 A: IS SY TR  
*akbesiana* Pic, 1900j: 20  
*inhumeralis* Pic, 1900c: 7 (*Obereina*)  
*samai* Özdikmen & Turgut, 2008c: 572  
*vittipennis pallidior* Pic, 1901o: 67 (*Obereina*) A: TR  
*tokatensis* Pic, 1933d: 11 #793  
*vittipennis pravei* Plavilstshikov, 1926a: 8 [= 1926c: 339] A: AB AR GG IN TM TR  
*vittipennis vittipennis* Reiche, 1877c: cxli E: AL BU GR SB A: ?LE TR #213  
*volkovitshi* Danilevsky, 2010e: 24 A: TR  
**subgenus** *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758  
*Hoplotoma* Perez Arcas, 1874: 151 type species *Phytoecia malachitica* P. H. Lucas, 1847  
*acridula* Holzschuh, 1981: 105 A: KI TD UZ  
*aenigmatica* Sama, Rapuzzi & Rejzek, 2007: 166 A: IN TR #584  
*algerica* Desbrochers des Loges, 1870: 126 N: AG MO  
*nigritarsis* Chevrolat, 1882: 62  
*rufotibialis* Pic, 1926d: 6  
*ambrusi* Faizi & Danilevsky, 2020: 593 A: IN  
*annulicornis* Reiche, 1878a: cli N: AG MO #487  
*annulipes* Mulsant & Rey, 1863: 165 A: TR  
*asiatica asiatica* Pic, 1891h: 102 A: TR  
*achilleae* Holzschuh, 1971: 68  
*asiatica sublineata* Holzschuh, 1984a: 159 A: AB AR TR #676  
*atripes* Pic, 1922a: 8 A: BEI #400  
*bangi* Pic, 1897a: 189 A: AR GG IN TR #517  
*bialookii* Danilevsky, 2010e: 22 A: TR  
*bodemeyeri* Reitter, 1913b: 665 A: IN TR #591  
*brunneicollis* Pu, 1992b: 613 A: SCH

*croceipes* Reiche & Saulcy, 1858: 17 [RN] A: AB AR CY GG IQ IN IS LE SY TR  
*annulifera* T.Pic, 1900b: 67  
*longicollis* Costa, 1875: 27  
*macilenta* Mulsant & Wachanru, 1863: 421 [RN]  
*puncticollis* Mulsant & Wachanru, 1852: 175 [HN]  
*cylindrica* Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT **KZ** LA LS LT  
LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GG IN KZ TR WS XIN #11  
*cinerea* DeGeer, 1775: 75 (*Cerambyx*)  
*fuliginosa* Scopoli, 1786: 49 (*Leptura*)  
*grandis* Pic, 1891a: 2 [DA]  
*kaemmereri* Schatzmayr, 1928: 47  
*silphoides* Schrank, 1781a: 145 (*Cerambyx*)  
*simplonica* Stierlin, 1878a: 438  
*verna* O. F. Müller, 1776: 94 (*Leptura*)  
*drurei* Pic, 1909: 153 A: IQ  
*erythrocnema* P. H. Lucas, 1847: pl. 43 E: FR PT SP N: AG MO TU  
*grenieri* Fairmaire, 1861: xi  
*brevis* Chevrolat, 1882: 62  
*cosettae* Iablokoff-Khnzorian, 1953: 61  
*ferrea* Ganglbauer, 1887c: 22 A: BEI ES FE HEB HEI HUB GAN GUA MG NE NMO SHA SHX ?WS ZHE #400  
*analis* Mannerheim, 1849: 244 [HN]  
*atropygidialis* Pic, 1939b: 3  
*mannerheimi* Breuning, 1951a: 368 [RN]  
*nikitini* Hayashi, 1957: 40  
*flavipes* Fabricius, 1802: 329 (*Saperda*) N: MO  
*gamzeae* Özdikmen, 2017a: 23 A: TR #110  
*gaubilii* Mulsant, 1851a: 129 N: AG ?MO TN #487  
*gabilloti* Pic, 1891b: 39  
*griseipes* Pic, 1890f: cxi  
*impunctata* Pic, 1895b: 64  
*innotata* Pic, 1898a: 14  
*peregrina* Reiche, 1877b: cxxxv  
*separata* Pic, 1895b: 70  
*geniculata geniculata* Mulsant, 1862: 420 A: CY IN IQ IS JO LE SY TR  
*ingeniculata* T. Pic, 1900b: 67  
*nazarena* Reiche, 1877b: cxxxvi  
*palaestina* Pic, 1930c: 3  
*geniculata orientalis* Kraatz, 1871a: 272 [RN] E: BU GR TR  
*donatellae* Rapuzzi & Sama, 2010b: 187  
*fuscicornis* Mulsant & Rey, 1863: 168 [HN]  
*gougeleti* Fairmaire, 1880: 251 N: MO  
*griseola* Breuning, 1951a: 359 [RN] A: HP  
*grisea* Breuning, 1947b: 21 [HN]  
*icterica* Schaller, 1783: 292 (*Cerambyx*) E: AL AU BH BU CR CT CZ FR GE GR HU IT **KZ** LU MC MD ME PL PT RO SB SK SL SP  
ST SZ TR UK N: MO A: ?GG KZ WS (Kemerovo, Kurgan Region) #11 #487  
*ephippium* Fabricius, 1793: 317 (*Saperda*)  
*ragusana* Küster, 1844: 55 (*Oberea*) [DA]  
*subannulipes* Pic, 1915: 11  
*kabateki* Sama, 1997a: 104 A: SY  
*kartalensis* Danilevsky, 2010e: 21 A: TR  
*lahoulensis* Breuning, 1951a: 359 A: KA  
*manicata* Reiche & Saulcy, 1858: 17 A: IS LE SY TR  
*marki* Danilevsky, 2008a: 11 A: AR  
*martinae* Danilevsky & Hodek, 2021: 19 A: IN  
*mongolorum* Namkhaidorz, 1979: 584 A: MG  
*napolovi* Danilevsky, 2012c: 4 A: IS  
*nigricornis* Fabricius, 1782: 499 (*Saperda*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT **KZ** LA LT LU MC MD ME  
NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GG KZ IN TR WS #517  
*canaliculata* Fröhlich, 1793: 144 (*Saperda*)  
*caroni* Mulsant & Godart, 1876: 419  
*julii* Mulsant, 1862: 429  
*melanocera* Gmelin, 1790: 1838 (*Cerambyx*)  
*solidaginis* Bach, 1856: 39  
*tristriga* Reitter, 1913a: 70  
*pubescens* Pic, 1895b: 64 E: BH BU CR GR MC SL ST TR A: AB AR GG IN IS JO LE SY TR #83 #182  
*glaphyra* K. Daniel, 1906b: 177  
*pustulata adulta* Ganglbauer, 1884: 572 A: IN (“Astrabad”) #291  
*adnexa* Pic, 1947a: 1 (“Asterabad”) #550  
*pustulata cihanae* Özdikmen, 2017b: 54 [Konya] A: SY TR  
*pustulata murina* Marseul, 1870: 384 [“Sarepta”] E: KZ ST UK A: KZ KI UZ

*pulla* Ganglbauer, 1886a: 130  
*gibbicollis* Reitter, 1893a: 114  
*kryzhanovskii* Kostin, 1973: 230  
*pustulata pilipennis* Reitter, 1895c: 161 A: AB AR IN TR #397  
*vexans* Reitter, 1895c: 162  
*pustulata pustulata* Schrank, 1776: 66 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT ?KZ LA LT MC MD ME PL  
PT RO SB SK SL SP SZ ST TR UK A: AB AR GG KI KZ LE TD TR UZ #464  
*brevenotata* Pic, 1936c: 4  
*lineola* Fabricius, 1781: 235 (*Saperda*)  
*macedonica* Pic, 1929b: 9  
*obscuripes* Pic, 1895b: 65  
*posegana* Piller & Mitterpacher, 1783: 67 (*Cerambyx*)  
*vulnerata* Schaller, 1783: 293 (*Cerambyx*)  
*pustulata taurica* Danilevsky, 2023: 535 E: UK  
*rabatensis* Sama, 1992a: 41 E: SP N: MO  
*rufipes latior* Pic, 1895b: 66 A: SY TR  
*rufipes rufipes* Olivier, 1800: 25 [France: "Var"] (*Saperda*) E: BH BU CR CT FR GR (Crete) IT KZ PT SL SP ST ?SZ ?UK N: AG MO  
A: ES GG ?JIL IN KI KZ ?LIA ?NMO ?SHX TD TM TR UZ WS #115 #373 #400 #467  
*coeca* Küster, 1848a: 85 (*Oberea*)  
*femoralis* Mulsant, 1862: 416 [l'Algérie]  
*ledereri* Mulsant, 1851a: 132  
*ludovici* Pic, 1891e: 133 [1891m: cxxxv] ["Sarepta"]  
*schreiberi* Ganglbauer, 1884: 561 #303  
*sibirica* Gebler, 1833: 304 (*Saperda*)  
*umbellatarum* Gistel, 1831: 303 (*Saperda*)  
*rufiventris* Gautier des Cottés, 1870a: 104 A: ANH ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX MG NC  
NMO SC SHA SHN SHX TAI ZHE ORR  
*abdominalis* Chevrolat, 1882: 62  
*atrimembris* Pic, 1915f: 14  
*hakutorana* Z. Wang, 2003: 365, 397  
*pieli* Pic, 1952d: 699  
*punctigera* Blessig, 1873: 226  
*tonkinea* Pic, 1902l: 34  
*tristigma* Pic, 1897a: 190  
*ventralis* Bates, 1873: 388  
*rufovittipennis* Breuning, 1972c: 419 A: UP  
*rungsi* Antoine, 1953: 221 N: MO  
*sikkimensis* Pic, 1907f: 152 A: KA NP SD  
*kashmirica* Breuning, 1943b: 101  
*reductevittata* Breuning, 1943b: 101  
*stenostoloides* Breuning, 1943b: 101 A: ES FE HEI LIA NMO #198  
*subannularis* Pic, 1901b: 14 A: TR  
*vaulogeri* Pic, 1892k: 314 N: AG  
*virgula centaureae* Sama, Rapuzzi & Rejzek, 2007: 163 A: IN TR #517 #584 #721  
*virgula grisea* Pic, 1891o: 139 E: ST UK A: KZ #721  
*virgula kugitanga* Danilevsky, 2023: 542 A: TM #721  
*virgula montis* Danilevsky, 2023: 541 A: KI #721  
*virgula punctum* Ménétériés, 1832: 227 (*Saperda*) E: ST A: AR AB GG #721  
*virgula russica* Danilevsky, 2023: 539 E: BY CT KZ LA LT ST UK A: ES KZ ?TD UZ WS #721  
*virgula virgula* Charpentier, 1825: 225 (*Saperda*) E: AL AU BH BU CR CZ FR GE GR HU IT MC ME PL PT RO SB SK SL SP SZ TR  
A: CY IN IS JO LE SY TR XIN #517 #721  
*bravardi* Pic, 1947a: 1  
*cyclops* Küster, 1848a: 88  
*major* Pic, 1901b: 14  
*vulneris eremita* Sama, 1999a: 53 E: IT  
*vulneris vulneris* Aurivillius, 1923a: 566 [RN] E: BH CR FR IT MC SL  
*vulnerata* Mulsant, 1851a: 131 [HN]  
*staudingeri* Pic, 1947a: 1  
*paganettii* Breuning, 1944: 16  
**subgenus** *Pseudoblepisanis* Breuning, 1950a: 31 type species *Saperda analis* Fabricius, 1781  
*arabica* Rapuzzi & al Dhafer, 2024: 210 A: SA  
**subgenus** *Pseudocoptosia* Pic, 1900h: 16 type species *Phytoecia eylandti* Semenov, 1891  
*cinerascens* Kraatz, 1882c: 337 A: AF IN KI KZ TD TM UZ  
*sokolowi* Semenov, 1895: 206, 209  
*eylandti* Semenov, 1891: 380 A: AF KI KZ TM TD UZ  
*glasunowi* Semenov, 1895: 207, 210  
*kubani* Holzschuh, 1991c: 56 #729  
**subgenus** *Pseudomusaria* Pic, 1900h: 16 type species *Phytoecia farinosa* Ganglbauer, 1886  
*farinosa* Ganglbauer, 1886c: 522 A: IN TM

*mucida* Semenov, 1893: 506

- genus *Pilemia* Fairmaire, 1864a:** 175 type species *Phytoecia tigrina* Mulsant, 1851  
**subgenus *Pilemia* Fairmaire, 1864a:** 175 type species *Phytoecia tigrina* Mulsant, 1851
- angusterufonotata* Pic, 1952a: 2 E: AL GR #236  
*inarmata* Holzschuh, 1984b: 168  
*annulata annulata* Hampe, 1852b: 315 (*Phytoecia*) A: AB AR IN TR  
*annulata wawerkana* Reitter, 1905b: 240 A: TR ["Akbes"]  
*angorensis* Pic, 1952a: 2  
*breverufonotata* Pic, 1952a: 2 A: TR  
*maculifera* Holzschuh, 1984b: 170  
*griseomaculata* Pic, 1891h: 102 A: LE SY TR #464  
*laterufonotata* Pic, 1952a: 2  
*halperini* Holzschuh, 1999: 51 (*Phytoecia*) A: JO IS #591  
*samii* Özdikmen & Turgut, 2010: 97 A: TR  
*serriventris* Holzschuh, 1984b: 169 E: BU  
*smatanai* Holzschuh, 2003: 240 A: TR  
*tigrina podillica* Zamoroka, Ruicănescu & Mancu, 2024: 21 (*Phytoecia*) E: MD RO UK ?ST UK A: ?AR TR #772  
*tigrina tigrina* Mulsant, 1851a: 134 (*Phytoecia*) E: BU HU RO SB #313 #583 #772  
*anchusae* Fuss, 1852b: 138  
*vagecarinata* Pic, 1952a: 3 A: SY TR #241  
**subgenus *Pseudopilemia* Kasatkin, 2018:** 157 type species *Saperda hirsutula* Frölich, 1793  
*arida* Lazarev, 2023b: 67 IS JO LE SY TR  
*ghobarii* Danilevsky, 2018b: 589 (*Phytoecia*) A: IN  
*hirsutula hirsutula* Frölich, 1793: 141 (*Saperda*) ["Oesterreich"] E: AL BH BU CR GR HU IT KZ MC MD ME RO SB SK SL ST UK  
A: ~~AB AR GG IN IS JO LE KZ SY~~ TR WS #702 #772  
*androsensis* Breuning, 1963a: 10 (*Oxyilia*) - Grèce : Ile d'Andros  
*atomaria* Townson, 1797: 470 (*Saperda*) - Hungary  
*tournieri* Pic, 1952a: 2 (*Phytoecia*) - Sicile  
*hirsutula holosericea* Faldermann, 1837: 287 (*Saperda*) -["Transcaucasia"] A: AB AR GG IN TR #702  
*buglanica* D.Marklund & S.Marklund, 2014: 276 (*Phytoecia*) - Bingöl #241  
*evae* D.Marklund & S.Marklund, 2014: 274 (*Phytoecia*) - Bingöl #241  
*ciliciae* Breuning, 1951a: 406 (*Phytoecia*)  
*obsoleta* Ganglbauer, 1889d: 487 - "Transcaucasien, Pontus".  
*hirsutula karadutensis* Lazarev, 2023b: 77 A: TR (Adiyaman)  
*hirsutula kostali* Skořepa, 2022: 14 (*Phytoecia*) A: IN  
*hirsutula richardi* Lazarev, 2023b: 78 A: IN (Lorestan)  
*homoiesthes* Ganglbauer, 1888d: 197 A: IN TM #702  
*konyaensis* Danilevsky, 2010e: 20 A: TR  
*kruszelnickii* Szczepański & Karpiński, 2017: 142 (*Phytoecia*) E: GR  
*moreana* Breuning, 1943b: 102 (*Phytoecia*) E: GR #183  
*hladilorum* Holzschuh, 2006a: 274  
*holtzi* Pic, 1952a: 3
- genus *Pteromallosia* Pic, 1900h:** 16 type species *Phytoecia albolineata* Hampe, 1852  
*albolineata* Hampe, 1852b: 314 (*Phytoecia*) A: AB AR GG IN ?LE TR #182  
*fulvolineata* Reitter, 1891a: 33 (*Phytoecia*)
- genus *Pygoptosia* Reitter, 1895a:** 86 type species *Phytoecia speciosa* Frivaldszky, 1884  
*darzerkensis* Rapuzzi, 2021: 557 A: TR  
*eugeniae* Ganglbauer, 1884: 568 (*Phytoecia*) A: IN ?TR #471 #584  
*speciosa* Frivaldszky, 1884: 5 (*Phytoecia*) A: IN LE SY TR  
*lineolata* Reitter, 1895a: 86 (*Phytoecia*)  
*pictipennis* Pic, 1909: 106 (*Phytoecia*)
- genus *Semiangusta* Pic, 1893d:** 421 type species *Conizonia delagrangei* Pic, 1891  
*ambrusi* Danilevsky, 2012m: 934 A: IN  
*delagrangei* Pic, 1891a: 2 (*Conizonia*) A: TR  
*brevior* Pic, 1897a: 188 (*Phytoecia*)  
*brevis*, Plavilstshikov, 1927a: 65 (wrong spelling – unavailable name)  
*katarinae* Holzschuh, 1974a: 99 (*Phytoecia*) A: TR  
*rebecca* Sama & Rejzek, 2002: 106 A: IN
- tribe Pogonocherini Mulsant, 1839 #778
- genus *Parmenopsis* Ganglbauer, 1882:** 693 type species *Parmena caucasica* Leder, 1880  
*caucasica* Leder, 1880: 484 (*Parmena*) E: ST A: GG TR



**genus Pogonocherus Dejean, 1821: 107** type species *Cerambyx hispidus* Linnaeus, 1758

**subgenus Pityphilus Mulsant, 1862: 302** type species *Cerambyx ovatus* Goeze, 1777 #778

*decoratus* Fairmaire, 1855: 320 E: AL AU BE BH BU BY CR CT CZ DE EN FR FI GE GR HU IT LA LT MD ME NL NR NT PL SB SK SL SP ST SV SZ TR UK A: KZ TR WS #133

*ehdenensis* Sama & Rapuzzi, 2000: 18 A: LE

*fasciculatus fasciculatus* DeGeer, 1775: 71 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MA MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK N: MR A: AB AR ES FE GG HEI JA KZ MG ?NC NE SC TR WS XIZ #400

*costatus* Motschulsky, 1859a: 234

*pullus* Matsushita, 1931b: 376

*setifer* O. F. Müller, 1776: 92 (*Cerambyx*)

*fasciculatus hondoensis* K. Ohbayashi, 1963: 12 A: JA

*inermicollis* Reitter, 1894e: 247 E: ST A: GG TR

*ovatoides* Rapuzzi & Sama, 2014a: 9 E: IT

*ovatus* Goeze, 1777: 474 (*Cerambyx*) [NP] E: AL AU BE BH CR CZ FR GE GR HU IT LA LU NL PL RO SK SL SP SZ #472 #752

*multipunctatus* Georg, 1857: 64

*ovalis* Gmelin, 1790: 1863 (*Cerambyx*)

*schlumbergeri* Dufour, 1851: 351

*scutellaris* Mulsant, 1846: [11]

*subovatus* Mulsant, 1839: 155

*ressli* Holzschuh, 1977a: 132 A: AB IN

*sturanii* Sama & Schurmann, 1982: 66 E: SP

*zubovi* Danilevsky, 2015c: 588 E: UK (Crimea)

**subgenus Pogonocherus Dejean, 1821: 107** type species *Cerambyx hispidus* Linnaeus, 1758

*Eupogonocherus* Linsley, 1935: 97 type species *Cerambyx hispidus* Linnaeus, 1758

*Pogonocerus* Gistel, 1848a: 131 [unjustified emendation]

*Pogonochaerus* Gemminger, 1873: 3116 [unjustified emendation]

*Strophinus* Gistel, 1856: 376 type species *Cerambyx hispidus* Linnaeus, 1758

*anatolicus* K. Daniel & J. Daniel, 1898a: 76 (*Pogonochaerus*) E: GR (Rodos) A: CY LE SY TR #553

*barbarae* Rapuzzi & Sama, 2012a: 678 A: SY TR #143

*caroli* Mulsant, 1862: 313 E: FR GB SP SV SZ

*griseus* Pic, 1889b: 67 ["département du Var"]

*cedri* Peyerimhoff, 1917: 318 (*Pogonochaerus*) N: AG

*creticus* Kratochvíl, 1985a: 1 E: GR (Crete)

*dimidiatus* Blessig, 1873: 208 A: FE GAN HEI JA JIL NC SC SCH SHA #225 #521

*bicristatus* Kraatz, 1879c: 114

*seminiveus* Bates, 1873: 382

*tristiculus* Kraatz, 1879c: 115

*eugeniae eugeniae* Ganglbauer, 1891: 131 (*Pogonochaerus*) E: AL AU BH CR CZ GR IT RO ?TR A: ?TR #314

*pici* Plavilstshikov, 1929e: 34 (unavailable name).

*eugeniae taygetanus* Pic, 1903a: 8 (*Pogonochaerus*) E: GR (Peloponnisos)

*hispidulus* Piller & Mitterpacher, 1783: 35 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK N: MR A: AB AR GG IN KZ (north-east) TR

*bickhardti* Pic, 1927e: 1 (*Pogonochaerus*)

*bidentatus* C. G. Thomson, 1866: 85

*hispidus* Linnaeus, 1758: 391 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK N: AG ?MO TU A: AB AR GG IN TR

*dentatus* Geoffroy, 1785: 76 (*Cerambyx*)

*pilosus* Fabricius, 1787: 134 (*Cerambyx*)

*rufescens* Pic, 1917a: 6 (*Pogonochaerus*)

*marcoi* Sama, 1993b: 29 E: IT

*neuhausi* J. Müller, 1916: 98 (*Pogonochaerus*) E: BH CR GR IT N: AG MO TU

*icosiensis* Peyerimhoff, 1918b: 143 (*Pogonochaerus*)

*paradimidiatus* Lazarev, 2021a: 57 A: GAN SCH

*pepa* Verdugo & Torres-Méndez, 2010: 110 E: SP N: MO

*perroudi brevipilosus* Holzschuh, 1993a: 50 E: GR (Crete)

*perroudi perroudi* Mulsant, 1839: 158 E: AL BH BU CR FR GR IT SL SP ST TR UK N: AG EG MO TU A: GG CY IS LE TR

*vaulgeri* Pic, 1927e: 1 (*Pogonochaerus*)

*pesarinii* Sama, 1993c: 21 N: MO

*plasoni* Ganglbauer, 1884: 526 (*Pogonochaerus*) E: BH CR GR

*sieversii* Ganglbauer, 1887b: 139 (*Pogonochaerus*) ?E: ?UK A: AR GG TR

*caucasicus* Ganglbauer, 1891: 132 [HN] (*Pogonochaerus*)

*kuksha* Plavilstshikov, 1924: 225 (*Pogonochaerus*)

*slamai* Danilevsky, 2015c: 590 A: CY

**subgenus Trichorondonia Breuning, 1965c: 60** type species *Trichorondonia hybolasioides* Breuning, 1965

*Neopogonocherus* Lazarev, 2021a: 63 type species *Pogonochaerus pillosipes* Pic, 1907 #566

*hybolasioides* Breuning, 1965c: 60 (*Trichorondonia*) A: GUX ORR

*kabateki* Viktora, 2024b: 432 A: SCH  
*pilosipes* Pic, 1907c: 21 (*Pogonochaerus*) A: CH "Chine orientale" #566  
*pilosipes* Pic, 1907c: 21 (*Pogonochaerus*) [incorrect original spelling]

tribe **Prosopocerini** J. Thomson, 1864

genus **Prosopocera** Blanchard, 1845: 160 type species *Lamia fronticornis* Fabricius, 1781 (= *Cerambyx bipunctatus* Drury, 1773)

subgenus **Alphitopola** J. Thomson, 1857f: 299 type species *Aphitopola lactea* J. Thomson, 1857

*Anybostetha* Quedenfeldt, 1888: 201 type species *Anybostetha saperdoides* Quedenfeldt, 1888

*Hodoeporus* J. Thomson, 1858: 188 type species not specified

*Galactesthes* Fairmaire, 1897b: 152 type species *Galactesthes nivosus* Fairmaire, 1897

*Lepesmia* Breuning, 1956g: 672 type species *Lepesmia rufula* Breuning, 1956

*Parachariesthoides* Breuning, 1976e: 1033 type species *Parachariesthoides allaeri* Breuning, 1976

*Pseuderemon* Breuning, 1966i: 181 type species *Pseuderemon bifuscomaculipennis* Breuning, 1966

*Scapochariethoides* Breuning, 1974k: 111 type species *Scapochariethoides macrophthalma* Breuning, 1974

*Zalatida* Fähræus, 1872b: 33 type species *Zalatida paykullii* Fähræus, 1872

unicolor Gahan, 1898: 52 (*Alphitopola*) A: SA AFR

*albescens* Breuning, 1938e: 110

*parvula* Breuning, 1934: 90

*patriziana* Breuning, 1934: 89

subgenus **Dalterus** Fairmaire, 1892a: 125 type species *Dalterus auberti* Fairmaire, 1892

*Timoreticus* Peringuey, 1896: 181 type species *Monohammus degeeri* Fähræus, 1872

*dejeani* Gahan, 1890d: 315 A: SA YE AFR

#774

tribe **Pteropliini** J. Thomson, 1860

genus **Abryna** Newman, 1842c: 289 type species *Abryna coenosa* Newman, 1842

*coenosa coenosa* Newman, 1842c: 289 A: SE SW TAI ORR

*subuniformis* Pic, 1925a: 30

*obscura* Schwarzer, 1925b: 65 A: JA TAI

*oshimensis* Breuning, 1955b: 64 (*Palimna*)

*superba* Pic, 1932d: 24

*uniformis* Breuning & K. Ohbayashi, 1966b: 32

*regispetri* Paiva, 1860: 5 A: YUN ORR

genus **Albana** Mulsant, 1846: [13] type species *Albana m-griseum* Mulsant, 1846

*m-griseum* Mulsant, 1846: [13] E: FR SP

*accentifera* Fairmaire, 1856a: 543 (*Pogonocherus*)

*grisea* Mulsant, 1846: [13] unused original spelling]

~~genus **Alidus** Gahan, 1893a: 258 type species *Alidus biplagiatus* Gahan, 1893~~

~~*biplagiatus* Gahan, 1893a: 258 A: GUA NP YUN ORR~~

genus **Alidus** Gahan, 1893a: 258 type species *Alidus biplagiatus* Gahan, 1893

*Paramispila* Breuning, 1959: 75 type species *Aphelocnemia bispecularis* White, 1858

*bispecularis* White, 1858b: 401 (*Aplocnemia*) A: GUA NP YUN ORR

*biplagiatus* Gahan, 1893a: 258

#400

genus **Anaches** Pascoe, 1865a: 160 type species *Sthenias dorsalis* Pascoe, 1858

*albaninus* Gressitt, 1942g: 85 (*Pterolophia*) A: ANH ANH FUJ GAN GUX ?HEB ?HEI HEN HUB HUN JIA JIX SCH SHA ZHE

5

#22

2

#54

*cylindricus* Gressitt, 1939b: 114 (*Sthenias*) A: FUJ HUN ZHE

#542

*dorsalis* Pascoe, 1858: 251 (*Sthenias*) A: CHQ FUJ GUI GUX HP KA NP SCH SD YUN ZHE ORR

#60

#533

*albonotata* Pic, 1932c: 25 (*Anaches*)

*m-signatus* Lin & Weigel, 2022: 124 A: GUX HUN ZHE

*medioalbus* Breuning, 1956c: 234 (*Paramesosella*) A: FUJ

#542

#650

*murzini* Lazarev, 2020g: 57 (*Sthenias*) A: SCH

#542

#623

#650

*semicylindricus* Hayashi, 1974c: 45 (*Sthenias*) A: GUI TAI

#168

#650

*wenhsini* Holzschuh & Y.-L. Lin, 2013: 152 A: TAI

*yitingi* Holzschuh & Y.-L. Lin, 2013: 154 A: TAI

genus **Cyphoscyla** J. Thomson, 1868a: 65 type species *Cyphoscyla lacordairei* J. Thomson, 1868

*Hoabinhia* Pic, 1934a: 11 type species *Hoabinhia multituberculata* Pic, 1934a

*lacordairei* J. Thomson, 1868: 66 A: YUN ORR

*multituberculata* Pic, 1934a: 12

genus **Desisa** Pascoe, 1865a: 163 type species *Praonetha subfasciata* Pascoe, 1862

**subgenus** *Desisa* Pascoe, 1865a: 163 type species *Praonetha subfasciata* Pascoe, 1862  
*Mesopenthea* Schwarzer, 1925b: 67 type species *Mesopenthea variabilis* Schwarzer, 1925  
*chinensis* Breuning, 1938c: 373 A: CH  
*dispersa* Pic, 1944a: 10 (*Mesosella*) A: YUN  
*kuraruana* Matsushita, 1935: 312 (*Mesosella*) A: TAI  
*subfasciata* Pascoe, 1862a: 348 (*Praonetha*) A: GUA GUX HAI HEN HKG HUB JIA NP UP YUN ZHE **ORR** #127 #390  
*infasciata* Pic, 1944a: 10 (*Mesosella*)  
*latefasciata* Pic, 1924b: 79 (*Mesosella*)  
*major* Pic, 1925b: 28 (*Mesosella*)  
*rufa* Pic, 1936a: 17 (*Falsomesosella*)  
*variabilis* Schwarzer, 1925b: 67 (*Mesopenthea*) A: TAI  
*yunnana* Breuning, 1974d: 72 (*Mesoereis*) A: YUN #69  
**subgenus** *Cylindrostyrax* Aurivillius, 1911: 212 type species *Cylindrostyrax apomecynoides* Aurivillius, 1911 (= *Desisa lunulata* Pascoe, 1866)  
*quadriplagiata* Breuning, 1938c: 372 A: NP PA **ORR** #75  
*takasagoana* Matsushita, 1933b: 364 A: FUJ GUA HAI TAI

**genus** *Egesina* Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864  
**subgenus** *Callegesina* Breuning, 1943a: 34 type species *Egesina vitticollis* Breuning, 1943  
*anfracta* Gressitt, 1940b: 155 (*Enispia*) A: HAI  
**subgenus** *Cuphisia* Pascoe, 1866b: 229 type species *Cuphisia callosa* Pascoe, 1866  
*cleroides* Gahan, 1890a: 63 (*Enispia*) A: NP "North India" **ORR**  
*digitata* Pesarini & Sabbadini, 2000: 62 A: SCH  
*guerryi* Pic, 1926c: 12 (*Enispia*) A: CH  
*salicivora* Holzschuh, 2007: 253 A: YUN  
*subfasciata* Pic, 1926b: 2 (*Gyaritus*) A: GUI **ORR** #400  
*tarsata* Holzschuh, 2007: 252 A: YUN  
**subgenus** *Callienispia* Fisher, 1925: 210 type species *Callienispia elegans* Fisher, 1925  
*Larica* Breuning, 1938c: 388 type species *Egesina cleroides* Breuning, 1938 [HN] (= *Egesina pascoei* Breuning, 1961)  
*anterufipennis* Breuning, 1958a: 16 A: NP SD  
**subgenus** *Egesina* Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864  
*Neogesina* Fisher, 1925: 215 type species *Neogesina ornata* Fisher, 1925  
*Platyzeargyra* Fisher, 1925: 213 type species *Platyzeargyra bakeri* Fisher, 1925  
*albofasciata* Hayashi, 1974c: 46 A: TAI  
*albineata* Breuning, 1942c: 132 A: YUN **ORR**  
*amoenula* Holzschuh & Y.-L. Lin, 2013: 155 A: TAI  
*basirufa* Breuning & Heyrovský, 1961: 142 A: SD  
*bhutanensis* Breuning, 1975d: 338 (*Similosodus*) A: BT  
*diffusa* Holzschuh, 2007: 255 A: YUN  
*generosa* Holzschuh, 2003b: 310 A: NP  
*lacertosa* Holzschuh, 2007: 256 A: GUI  
*lanigera* Holzschuh, 2007: 259 A: GUI  
*nomurai* Hayashi, 1994: 70 A: TAI  
*parteaalboantennata* Breuning, 1965d: 30 A: YUN #400  
*picina* Holzschuh, 2007: 258 A: SHA  
*setosa* Gressitt, 1937d: 603 (*Enispia*) A: JIX  
*umbrina* Holzschuh, 2007: 260 A: GUI SHA #400  
**subgenus** *Nijimaia* Matsushita, 1933b: 386 type species *Nijimaia bifasciana* Matsushita, 1933  
*Baeckmanella* Shabliovsky, 1936: 186 type species *Baeckmanella iljinskyi* Shabliovsky, 1936 (= *Nijimaia bifasciana* Matsushita, 1933)  
— ~~*Pseudenisipia* Breuning, 1938c: 388 type species *Pseudenisipia albomarmorata* Breuning, 1938c~~ #642  
*bifasciana bifasciana* Matsushita, 1933a: 387 (*Nijimaia*) A: CH FE JA NC SC  
*coreana* Breuning, 1950e: 266  
*iljinskyi* Shabliovsky, 1936: 187 (*Baeckmanella*)  
*bifasciana tsushimae* Breuning & K. Ohbayashi, 1964: 27 A: JA (Tsushima Is.)  
*flavoapicalis* Hayashi, 1971: 14 A: JA (Ryukyus)  
*flavopicta* Breuning & Heyrovský, 1961: 144 A: NP SD  
*formosana* Schwarzer, 1925b: 68 (*Enispia*) A: TAI  
*fujiwarai* Toyoshima, 1999: 32 A: JA  
*fuscolaterimaculata* Hayashi, 1971: 13 A: TAI  
*picea* Hayashi, 1962: 16 A: JA (Ryukyus)  
*shibatai* Hayashi, 1962: 15 A: JA (Tokara Isls., Ryukyus)  
*sikkimensis* Breuning, 1940b: 145 A: SD

**genus** *Gibbomesosella* Pic, 1932b: 34 type species *Mesosella nodulosa* Pic, 1932  
*nodulosa* Pic, 1932b: 33 (*Mesosella*) A: GUX **ORR**  
*taiwana* Yamasako & Chou, 2018: 69 A: TAI

**genus *Lychrosimorphus* Pic, 1925a: 26** type species *Lychrosimorphus vittatus* Pic, 1925  
*juglandis* Viktora, 2023a: 410 A: YUN

**genus *Macropraonetha* Breuning, 1961j: 542** type species *Desisa pterolophioides* Gressitt, 1942  
*pterolophioides* Gressitt, 1942a: 6 (*Desisa*) A: FUJ GUI GUX HUN

#400

**genus *Marmylaris* Pascoe, 1866a: 88** type species *Hathlia buckleyi* Pascoe, 1857  
*buckleyi* Pascoe, 1857b: 107 (*Hathlia*) A: NP SD **ORR**  
*truncatipennis* Breuning, 1940b: 140 A: NP SD

**genus *Mesosella* Bates, 1884a: 246** type species *Mesosella simiola* Bates, 1884  
*kumei* Takakuwa, 1984: 12 A: JA  
*simiola* Bates, 1884a: 246 A: JA

**genus *Mimectatosia* Breuning, 1959e: 173** type species *Mimectatosia compacta* Breuning, 1959  
*compacta* Breuning, 1959e: 173 A: SD

**genus *Mispila* Pascoe, 1864a: 58** type species *Mispila venosa* Pascoe, 1864  
**subgenus *Dryusa* Pascoe, 1864a: 58** type species *Dryusa flexuosa* Pascoe, 1864  
*sonthianae* Breuning, 1963: 59 A: GUX **ORR**  
**subgenus *Mispila* Pascoe, 1864a: 58** type species *Mispila venosa* Pascoe, 1864  
*Diatylus* Lacordaire, 1872: 552 type species *Diatylus zonarius* Lacordaire, 1872 (= *Mispila curvilinea* Pascoe, 1869)

***coomani* Pic, 1934 (*Alidus*) A: HKG **ORR****  
***curvilinea* Pascoe, 1869b: 206 A: AP GUX SD YUN **ORR****  
*multilineata* Pic, 1925a: 24 (*Alidus*)

#745

#280 #755

~~—*zonaria* Lacordaire, 1872: 365~~

***khamvengae* Breuning, 1963k: 57 A: GUX **ORR****

#400

***tonkenea* Pic, 1925a: 25 (*Alidus*) A: YUN **ORR****

#695

*punctifrons* Breuning, 1938c: 381

***tenuevittata* Pic, 1930b: 19 (*Sodus*) A: GUX HAI YUN **ORR****

#695

*sonthianae* Breuning, 1963k: 59

*tholana* Gressitt, 1940b: 157 (*Enispia*) A: HAI YUN

**subgenus *Trichomispila* Breuning, 1939a: 71** type species *Trichomispila picta* Breuning, 1939

*pedongensis* Breuning, 1968f: 704 A: SD

**genus *Nipholophia* Gressitt, 1951a: 458** type species *Nipholophia chujoi* Gressitt, 1951  
*chujoi* Gressitt, 1951a: 458 A: TAI

**genus *Niphona* Mulsant, 1839: 169** type species *Niphona picticornis* Mulsant, 1839  
**subgenus *Hamatoniphona* Pic, 1936e: 31** type species *Camptocnema longicornis* Pic, 1926  
*longicornis* Pic, 1926b: 8 (*Camptocnema*) A: HUN SCH YUN XIZ **ORR**

*lateralba* Breuning, 1938c: 241

*tibetana* Gressitt, 1951a: 457

**subgenus *Niphona* Mulsant, 1839: 169** type species *Niphona picticornis* Mulsant, 1839

*Aelara* J. Thomson, 1864: 54 type species *Niphona regisfernandi* Paiva, 1860

*Camptocnema* J. Thomson, 1864: 54 type species *Niphona lateralis* White, 1858

*Falsoniphona* Pic, 1925b: 26 type species *Falsoniphona lutea* Pic, 1925

*Ocheutes* J. Thomson, 1864: 54 type species *Ocheutes scopulifera* J. Thomson, 1864

*albofasciata* Breuning, 1938c: 238 A: HEB

*appendiculata* Gerstaecker, 1871: 78 A: SA

*belligerans* Pesarini & Sabbadini, 1997: 114 A: GUX

#400

*cantonensis* Gressitt, 1939a: 71 A: GUA HAI HKG

*chinensis* Breuning, 1938c: 240 A: CH

*excisa* Pascoe, 1862a: 337 A: HAI **ORR**

*falaizei* Breuning, 1962b: 67 A: YUN **ORR**

*fasciculata* Pic, 1917e: 7 (*Ocheutes*) A: XIZ YUN **ORR**

*furcata* Bates, 1873: 314 (*Aelara*) A: HEN HUB JA JIA JIX SC TAI ZHE

*fuscatrix* Fabricius, 1793: 291 (*Lamia*) A: HP KA NP PA SD **ORR**

#280

*cylindracea* White, 1858a: 268

*spinicollis* Bates, 1891a: 22 (*Ocheutes*)

*hookeri* Gahan, 1900d: 351 A: FUJ GUA GUX HAI HKG HUN SCH SD XIZ YUN **ORR**

*indica* Breuning, 1938c: 239 A: AE AF IN OM PA **ORR**

*assimilis* Breuning, 1938c: 239 [Britisch Indien: Punjab, Chichowatmi]

*grisea* Breuning, 1938c: 241

*lateraliplagiata* Breuning, 1943: 49 A: YUN **ORR**

*longesignata* Pic, 1936e: 31 A: GUX YUN **ORR**

*lutea* Pic, 1925b: 27 (*Falsoniphona*) A: HKG **ORR**  
*obliquata* Breuning, 1938c: 240 A: CH  
*obscura* Breuning, 1938c: 241 A: NP "India or."  
*parallela* White, 1858a: 267 (*Nyphona*) A: FUJ GUA GUI GUX HAI HKG JIX NP TAI "North India" **ORR**  
*malaccensis* Breuning, 1938c: 240  
*minor* Lameere, 1893a: 284 (*Aelara*)  
*minuta* Pic, 1926b: 8  
*picticornis* Mulsant, 1839: 169 E: AL BH BU CR FR GR IT MA ME SP N: AG **EG LB** MO TU A: CY IS JO LE SY TR  
*plagiata* White, 1858a: 267 A: YUN **ORR**  
*pluricristata* Pesarini & Sabbadini, 2000: 60 A: SCH  
*similis* Breuning, 1938c: 238 A: YE **AFR**  
*stoetzeri* Breuning, 1938a: 57 A: SCH  
*stramentosa* Breuning, 1938a: 57 A: PA "Punjab"  
*subgrisea* Breuning, 1973c: 654 A: PA  
*tibialis* Gahan, 1893a: 257 A: HP **ORR** #366  
*variegata* Breuning, 1938c: 239 A: UP  
*yanoi reducta* Gressitt, 1940b: 144 A: HAI  
*yanoi yanoi* Matsushita, 1934a: 240 A: JA (Ryukyus) TAI  
**subgenus** *Spinoniphona* Hua, 1989a: 74 type species *Niphona longzhouensis* Hua, 1989  
*longzhouensis* Hua, 1989a: 74 A: GUX

**genus** *Niphosoma* Breuning, 1943a: 29 type species *Niphosoma compactum* Breuning, 1943  
*sikkimense* Breuning, 1957g: 276 A: SD

**genus** *Paradiexia* Heller, 1923a: 43 type species *Paradiexia pellita* Heller, 1923  
*pellita* Heller, 1923a: 44 A: "India" **ORR**

**genus** *Paramesosella* Breuning, 1940b: 143 type species *Paramesosella fasciculata* Breuning, 1940  
*alboplagiata* Breuning, 1948b: 3 A: SD #343  
*fasciculata* Breuning, 1940: 143 A: YUN **ORR**  
*stheniformis* Breuning, 1940b: 143 A: NP UP  
*sthenioides* Breuning, 1938c: 374 (*Desisa*) A: KA

**genus** *Paramispilopsis* Breuning, 1947a: 36 type species *Paramispilopsis indica* Breuning, 1947  
*indica* Breuning, 1947a: 37 A: SD #343

**genus** *Paranaches* Breuning, 1959b: 70 type species *Anaches simplex* Pic, 1928  
*simplex* Pic, 1928b: 20 (*Anaches*) A: NP

**genus** *Paraniphona* Breuning, 1970e: 371 type species *Paraniphona niphonoides* Breuning, 1970  
*rotundipennis* Breuning, 1974h: 151 A: **SHA** #606

**genus** *Pseudolophia* Breuning, 1938c: 368 type species *Pseudolophia uniformis* Breuning, 1938  
*melanura* Pascoe, 1857b: 106 (*Pterolophia*) A: NP TAI YUN **ORR**  
*moensii* Ritsema, 1881a: 15 (*Praonetha*)  
*montana* Pascoe, 1865a: 165 (*Praonetha*)  
*quadraticollis* Pascoe, 1865a: 168 (*Praonetha*)  
*uniformis* Breuning, 1938c: 368 A: SD

**genus** *Pseudomiccolamia* Pic, 1916e: 14 type species *Pseudomiccolamia pulchra* Pic, 1916  
*pulchra* Pic, 1916e: 14 A: YUN

**genus** *Pseudoparmena* Breuning, 1956c: 235 type species *Pseudoparmena borchmanni* Breuning, 1956  
*borchmanni* Breuning, 1956c: 235 A: FUJ

**genus** *Pterolamia* Breuning, 1942a: 128 type species *Pterolamia strandi* Breuning, 1942  
*quadricristata* Xie, 2024: 24 A: HUN  
*strandi* Breuning, 1942a: 129 A: HAI

**genus** *Pterolophia* Newman, 1842f: 370 [NP] type species *Mesosa bigibbera* Newman, 1842  
**subgenus** *Ale* Pascoe, 1864a: 96 type species *Ale agraria* Pascoe, 1864  
*albovittata* Breuning, 1938c: 250 A: FUJ  
*bicostata* Breuning, 1943a: 26 A: YUN  
*bilatevittata* Breuning, 1942a: 127 A: FUJ  
*brunnea* Breuning, 1938c: 308 A: YUN **ORR**  
*camela* Pic, 1926a: 30 A: HAI **ORR**



*chekiangensis* Gressitt, 1942g: 87 A: FUJ GUA HEN ZHE **ORR** #400  
*cylindricollis* Gressitt, 1942a: 4 A: XIZ  
*gibbosipennis gibbosipennis* Pic, 1926a: 32 A: TAI  
*crispipennis* Matsushita, 1931c: 403  
*gibbosipennis iriomotei* Breuning & K. Ohbayashi, 1966: 33 A: JA (Ryukyus)  
*gibbosipennis kuniyoshii* Hayashi, 1968c: 17 A: JA (Ryukyus)  
*gibbosipennis subcrispipennis* Breuning & K. Ohbayashi, 1964: 16 A: JA  
*jugosa carinissima* Takakuwa, 1984: 12A: JA [Tsushima Is]  
*jugosa jugosa* Bates, 1873: 315 (*Praonetha*) A: FE (Sakhalin, Kunashir) JA NC (Mt. Geumgangsan)  
*lineatipennis* Breuning, 1974j: 371 A: TAI  
*luzonica* Breuning, 1938c A: JAI (Ryukyus) **ORR** #451  
*nitidomaculata* Pic, 1944a: 13 (*Ropica*) A: CH  
*ochreomaculata* Breuning, 1940b: 140 A: SD  
*postscutellaris* Breuning, 1967b: 30 A: AP  
*sikkimensis* Breuning, 1938c: 329 A: SD  
*sinensis* Fairmaire, 1900: 642 (*Praonetha*) A: FUJ JIX SCH #400  
*sulcatithorax* Pic, 1926a: 31 A: SCH YUN  
*humero-gibbosa* Pic, 1926a: 31  
**subgenus Arabopraonetha** Téocchi, 1992: 302 type species *Pterolophia arabica* Téocchi, 1992  
*arabica* Téocchi, 1992: 302 A: SA YE  
**subgenus Armatopraonetha** Breuning, 1961j: 539 type species *Pterolophia armata* Gahan, 1894  
*bifasciata* Breuning, 1968d: 227 A: SD  
**subgenus Curtolophia** Breuning, 1974h: 165 type species *Pterolophia curticornis* Breuning, 1974  
*curticornis* Breuning, 1974h: 165 A: SD  
**subgenus Gibbopraonetha** Breuning, 1961j: 541 type species *Pterolophia quadrigibbosa* Pic, 1926  
*quadrigibbosa* Pic, 1926a: 32 A: YUN  
*quadrigibbosipennis* Breuning, 1968e: 857 A: SCH  
**subgenus Hylobrotus** Lacordaire, 1872: 538 type species *Hylobrotus ploemi* Lacordaire, 1872  
*annulata* Chevrolat, 1845a [1845b]: 99 (*Coptops*) A: FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX ?NC NP SC  
SCH SD SHA TAI YUN ZHE **ORR** #390  
*annulicornis* Pic, 1925e: 138  
*bowringii* Pascoe, 1865a: 170 (*Praonetha*)  
*lacosa* Pic, 1926b: 3  
*scutellata* Schwarzer, 1925b: 66  
*discalis* Gressitt, 1951a: 468 A: GUA GUX HAI **ORR**  
*formosana* Schwarzer, 1925b: 66 A: JA (Ryukyus) TAI  
*humerosopunctata* Breuning, 1938c: 320 A: UP  
*latefascia* Schwarzer, 1925b: 65 A: JA (Ryukyus) TAI  
*fainanensis* Pic, 1926a: 32  
*horii* Breuning & K. Ohbayashi, 1967: 3  
*yayeyamai* Breuning, 1961a: 9  
*lateralis* Gahan, 1894a: 65 A: TAI YUN **ORR**  
*moupinensis* Breuning, 1973c: 657 A: SCH  
*obscuroides* Breuning, 1938c: 274 A: BT SD  
*oculata* Breuning, 1938c: 271 A: NP UP  
*postfasciculata* Pic, 1934b: 11 A: GUA HAI HKG NP SD UP YUN **ORR**  
*arctofasciata* Gressitt, 1940b: 147  
*gerardinae* Breuning, 1938c: 272  
*subfasciculata* Breuning, 1938c: 291  
*subunicolor* Breuning, 1965: 44 A: TAI  
*szetschuanensis* Breuning, 1973c: 658 A: SCH  
*tibialis* Breuning, 1938c: 275 A: NP SD  
*trilineicollis* Gressitt, 1951a: 475 A: FUJ GUA HUN JIX  
*tuberculator* Fabricius, 1781 (*Lamia*) A: AP **AFR ORR** #166  
*yunnanensis* Breuning, 1974i: 237 A: YUN  
**subgenus Lychrosis** Pascoe, 1866a: 89 type species *Mycerinus luctuosus* Pascoe, 1863  
*caballina* Gressitt, 1951a: 476 (*Lychrosis*) A: FUJ GUA GUX HUN YUN  
*caballina* Chiang, 1951: 74 [HN]  
*gressitti* Hubweber, 2010: 61 A: HAI  
*fasciata* Gressitt, 1940b: 152 (*Lychrosis*) [HN]  
*humerosa* J. Thomson, 1865: 550 (*Mycerinus*) A: GUI UP YUN **ORR** #400  
*albonotata* Pic, 1918a: 10 (*Lychrosis*)  
*mimica* Gressitt, 1942g: 88 (*Lychrosis*) A: FUJ GUA JIX ZHE  
*obscuricolor* Breuning, 1943a: 29 A: YUN  
*varipennis* J. Thomson, 1865: 550 (*Mycerinus*) A: "North India"  
*zebrina* Pascoe, 1858: 252 (*Hathlia*) A: FUJ GUA GUX HAI HUB HUN JIX NP SD TAI  
**subgenus Mimoron** Pic, 1925a: 27 type species *Mimoron phungi* Pic, 1934

*brevegibbosa* Pic, 1926a: 32 A: HAI HKG NP SD UP **ORR**  
*gardneri* Schwarzer, 1931a: 71 (*Cenodocus*)  
*dalbergicola* Gressitt, 1951a: 467 A: FUJ HEB #400  
*pedongensis* Breuning, 1968f: 705 A: NP SD  
*phungi* Pic, 1925a: 28 A: NP YUN **ORR**  
*ropicoides* Breuning, 1968e: 857 A: SD #343  
**subgenus** *Ovalopraonetha* Breuning, 1961j: 541 type species *Pterolophia ovalis* Breuning, 1938  
*kanoi* Hayashi, 1966a: 7 A: TAI  
**subgenus** *Paramimoron* Breuning, 1961j: 539 type species *Pterolophia albolateralis* Breuning, 1938  
*rondoniana* Breuning, 1963k: 54 A: SCH **ORR** #400  
*subropicoides* Breuning, 1968e: 857 A: GUI  
**subgenus** *Pseudale* Schwarzer, 1925b: 67 type species *Pseudale fasciata* Schwarzer, 1925  
*adachii* Hayashi, 1983: 41 (*Pseudale*) A: JA (Tsushima Is.) #438 #522  
*dorsotubercularis* Hayashi, 1984: 33 (*Pseudale*) A: TAI  
*fasciata* Schwarzer, 1925b: 67 (*Pseudale*) A: TAI  
*izumikurana* Hayashi, 1971: 13 (*Pseudale*) A: JA (Izu Isls.)  
*jiriensis* Danilevsky, 1996b: 21 A: SC  
*coreana* M. Hasegawa & Lee, 2000: 198  
*koshikijimana* Makihara, 2006: 10 (*Pseudale*) A: JA  
*kyushuensis* Takakuwa, 1988: 103 A: JA  
*obovata* Hayashi, 1971: 12 (*Pseudale*) A: JA (Ryukyus)  
*oshimana* Breuning, 1955b: 64 A: JA (Ryukyus)  
*nobuoi* Breuning & K. Ohbayashi, 1964: 17 (*Ropica*)  
*suginoi* Makihara, 1986a: 9 A: TAI  
**subgenus** *Pterolophia* Newman, 1842f: 370 [NP] type species *Mesosa bigibbera* Newman, 1842  
*Acroptycha* Quedenfeldt, 1888: 209 type species *Acroptycha spinifera* Quedenfeldt, 1888  
*Alyattes* J. Thomson, 1864: 48 type species *Alyattes guineensis* J. Thomson, 1864  
*Cormia* Pascoe, 1864c: 281 type species *Cormia ingrata* Pascoe, 1864  
*Eurycotyle* Blessig, 1873: 210 type species *Eurycotyle maacki* Blessig, 1873  
*Incamelomorpha* Pic, 1926b: 4 type species *Pterolophia depensis* Pic, 1926  
*Praonetha* Dejean, 1835: 344 [NO] type species *Lamia crassipes* Wiedemann, 1823  
*Praonetha* Pascoe, 1862a: 348 [HN, RN] type species *Prioneta albosignata* Blanchard, 1853  
*Prioneta* Blanchard, 1853: 292 [RN] type species *Prioneta albosignata* Blanchard, 1853  
*Prionetopsis* J. Thomson, 1864: 49 type species *Prionetopsis balteata* J. Thomson, 1864 (= *Lamia inaequalis* Fabricius, 1802)  
*Theticus* J. Thomson, 1858: 190 type species *Theticus biarcuatus* J. Thomson, 1858  
*albionigra* Gressitt, 1940b: 146 A: HAI  
*alboplagiata* Gahan, 1894a: 70 A: YUN **ORR**  
*albomaculipennis* Breuning, 1962d: 51  
*bifasciculata* Breuning, 1940d: 422  
*flavovittata* Breuning, 1938a: 47  
*alternata* Gressitt, 1938a: 51 A: SCH  
*angusta angusta* Bates, 1873: 317 (*Praonetha*) A: JA #523  
*angusta multinotata* Pic, 1931c: 1 A: ES FE MG NC NE SC SHA #225 #237  
*burakowskii* Heyrovský, 1973a: 117  
*mandshurica* Breuning, 1938a: 46  
*selenensis* Lyamtzeva, 1979: 79  
*ussuriensis* Plavilstshikov, 1954: 473  
*apicefusca* Breuning, 1938c: 319 A: AF PA SD "North-West India" #280  
*arcuata* Breuning, 1938c: 306 A: GUI  
*baiensis* Pic, 1926a: 30 A: FUJ **ORR**  
*bigibbera* Newman, 1842d: 323 (*Mesosa*) A: JA (Ogasawara Isls.) TAI **ORR**  
*binodosa* Bates, 1866a: 350 (*Praonetha*)  
*camura* Newman, 1842f: 371  
*saipana* K. Ohbayashi, 1941b: 225  
*bimaculaticeps* Pic, 1926b: 3 A: CH  
*bituberata* Breuning, 1938c: 328 A: SD  
*bituberculata* Breuning, 1938c: 270 A: SD  
*bottangensis* Breuning, 1968e: 854 A: BT  
*brahma* Holzschuh, 2006c: 486 A: NP  
*carinata* Gahan, 1894a: 72 A: NP  
*carinipennis* Gressitt, 1942e: 210 A: GUA  
*castaneivora* K. Ohbayashi & Hayashi, 1962: 33 A: JA SC (Jejudo Is.) #525  
*caudata caudata* Bates, 1873: 315 (*Praonetha*) A: JA SC TAI  
*caudata curtipennis* Makihara, 1980: 59 A: JA  
*chinensis* Breuning, 1982: 14 A: CH  
*consularis* Pascoe, 1866b: 240 (*Praonetha*) A: BT GUA GUI GUX HAI YUN SD **ORR** #344  
*cervina* Gressitt, 1939a: 74  
*crisulata* Fairmaire, 1896b: 391 (*Praonetha*)

*notaticeps* Pic, 1934b: 12  
*ochreomaculipennis* Breuning, 1968e: 852  
*crassipes* Wiedemann, 1823: 111 (*Lamia*) A: GUAi **ORR**  
*iliaca* Pascoe, 1865a: 178 (*Praonetha*)  
*imbuta* Newman, 1842: 381  
*dalbergiae* Breuning, 1938c: 268 A: UP  
*densefasciculata* Breuning, 1938c: 269 A: BT "Himalaya" **ORR**  
*elegans* Breuning, 1938c: 321 A: FUJ **ORR**  
*elongata* Pic, 1934b: 12 A: CH  
*elongatissima* Breuning, 1938c: 255 A: "North India"  
*externemaculata* Breuning, 1938c: 292 A: SCH  
*fuchsi* Breuning, 1970a: 9 A: TAI  
*fukiena* Gressitt, 1940c: 189 A: FUJ  
*fulvescens* Breuning, 1938c: 324 A: UP  
*granulata* Motschulsky, 1866: 174 (*Pogonocherus*) A: ANH FUJ GAN GUI GUX **HEB** HEI HUB JA JIA JIL JIX LIA NC NIN SC SCH  
TAI ZHE **#400**  
*rigida* Bates, 1873: 316 (*Praonetha*) **#596**  
*granulosa* Breuning, 1938c: 294 A: SD  
*holzschuhi* Breuning, 1975d: 335 A: PA  
*hongkongensis* Gressitt, 1942e: 211 A: HKG  
*indica* Breuning, 1938c: 328 A: "India"  
*indra* Holzschuh, 2012: 218 A: NP  
*inexpectata* Breuning, 1938c: 255 A: UP  
*kaleea inflexa* Gressitt, 1940a: 11 A: FUJ GUA SCH TAI  
*kaleea kaleea* Bates, 1866a: 351 (*Praonetha*) A: GUI HAI JA (Ryukyus) TAI  
*subleopodina* Breuning & K. Ohbayashi, 1964: 16  
*kiangsina* Gressitt, 1937d: 601 A: FUJ JIX SCH  
*krishna* Holzschuh, 2006c: 487 A: NP  
*kubokii* Hayashi, 1976: 20 A: JA (Ryukyus) TAI  
*kusamai* Hasegawa & Makihara, 1999: 28 A: JA (Ogasawara Isls.)  
*lama* Breuning, 1943a: 20 A: XIZ  
*lateralba* Schwarzer, 1925b: 68 (*Albana*) A: TAI  
*leopodina* Bates, 1873: 317 (*Praonetha*) A: FUJ JA JIX  
*subangusta* Matsushita, 1933b: 362  
*ligata* Pascoe, 1862a: 350 (*Praonetha*) A: SD  
*apicalis* Schwarzer, 1924: 238  
*lunigera* Aurivillius, 1913: 25 A: AP NP **ORR** **#280**  
*maacki* Blessig, 1873: 211 (*Eurycotyle*) A: BEI FE **HEB** JIX NC NE SC SHA SHG SHN ZHE **#225 #400**  
*chahara* Gressitt, 1940c: 188  
*latenotata* Pic, 1927i: 153 (*Sybra*)  
*marmorata* Breuning, 1938c: 322 A: SD  
*matsushitai* Breuning, 1938c: 289 A: TAI  
*multifasciculata* Pic, 1926a: 30 A: YUN **ORR**  
*nigricans* Breuning, 1938c: 323 A: SD  
*nigrobiarcuata* Breuning, 1938a: 45 A: UP  
*nigrofasciculata* Breuning, 1938c: 295 A: YUN **ORR**  
*nigroplagiata* Breuning, 1938c: 320 A: UP  
*nigrovirgulata* Breuning, 1939b: 196 A: NP SD  
*obscura* Schwarzer, 1925b: 66 A: TAI  
*schwarzeri* Mitono, 1944: 161  
*obscurata* Breuning, 1938c: 269 A: NP SD "Himalaya"  
*occidentalis* Schwarzer, 1931a: 72 A: AP UP **#280**  
*omeishana* Gressitt, 1945a: 128 A: SCH  
*pedongana* Breuning, 1968d: 228 A: SD  
*penicillata* Pascoe, 1862a: 349 (*Praonetha*) A: YUN **ORR**  
*tonkinea* Pic, 1926b: 3  
*persimilis* Gahan, 1894a: 71 A: FUJ GUA HKG HP HUB NP SD UP YUN **ORR**  
*subexternefasciata* Pic, 1926a: 29  
*persimiloides* Breuning, 1968e: 854 A: SCH  
*postalbofasciata* Breuning, 1962b: 23 A: YUN **ORR**  
*postfuscomaculata* Breuning, 1973c: 655 A: CH **ORR**  
*pseudobscuroides* Breuning, 1938c: 318 A: SD  
*pseudoculata* Breuning, 1938c: 265 A: NP UP **#390**  
*pseudoculatoides* Breuning, 1968d: 227 A: SD  
*pseudotincta* Breuning, 1938c: 295 A: SD  
*quadrifasciata* Gahan, 1894a: 71 A: NP

*quadrivittata* Breuning, 1938c: 319 A: UP  
*reduplicata* Gressitt, 1951a: 471 A: HUB TAI  
~~*rigida* Bates, 1873: 316 (*Praonetha*) A: ANH GAN GUI GUX HEB HEI HUB JIA JIL JIX NIN SCH TAI ZHE #596~~  
*rubricornis* Gressitt, 1951a: 472 A: FUJ HUN  
*rufobrunnea* Breuning, 1938c: 267 A: SD  
*salebrosa* Breuning, 1938: 289 A: YUN **ORR**  
*serrata* Gressitt, 1939a: 52 A: SCH SHA #225  
*serricornis* Gressitt, 1937d: 599 [RN] A: FUJ HEB HUB JIX ZHE  
*rigida* Gahan, 1894d: 485 [HN]  
*shiva* Holzschuh, 2006c: 486 A: NP  
*sikkimana* Breuning, 1973c: 657 A: SD  
*spinicornis* Breuning, 1938c: 256 A: "India"  
*sthenioides grossepunctipennis* Breuning, 1969f: 660 A: BT SD  
*sthenioides sthenioides* Breuning, 1938c: 309 A: SD  
*subbicarinata* Breuning, 1968c: 853 A: SD  
*subtubericollis* Breuning, 1968a: 2 [RN] A: YUN **ORR**  
*subtubericollis* Breuning, 1965e: 48 [HN]  
*subtubericollis* Breuning & Heyrovský, 1964: 27 A: SD YUN #400  
*suisapana* Gressitt, 1951a: 473 A: HUB  
*szetschuanica* Breuning, 1973c: 656 A: SCH  
*tenebrica* Breuning, 1938c: 324 A: HP  
*thibetana* Pic, 1926a: 32 A: XIZ  
*touzalini* Breuning, 1973c: 655 A: SD  
*transversefasciata* Breuning, 1938c: 252 A: FUJ SD UP YUN **ORR**  
*transverseplagiata* Breuning, 1938c: 275 A: NP UP  
*tsurugiana* Matsushita, 1935: 541 (*Desisa*) A: JA  
*japonica* Breuning, 1939b: 195  
*tubericollis* Breuning, 1938a: 46 A: SD  
*variantennalis* Breuning, 1970a: 10 A: TAI  
*wittmeri* Breuning, 1975d: 337 A: BT PA #274  
*yunnana* Breuning, 1968e: 855 A: YUN  
*yunnanica* Hubweber, 2010: 61 A: YUN  
*yunnanensis* Breuning, 1982: 14  
*zonata* Bates, 1873: 315 (*Praonetha*) A: JA TAI #525  
**subgenus** *Sociopraonetha* Breuning, 1961j: 542 type species *Pterolophia nigrocincta* Gahan, 1894  
*nigrocincta* Gahan, 1894a: 69 A: BT  
*atrofasciata* Pic, 1925e: 138 (*Stesilea*)  
*socia* Gahan, 1894a: 70  
*quadratiplagiata* Breuning, 1938a: 44 A: NP

**genus *Prosoplus* Blanchard, 1853: 290** type species *Prosoplus sinuatofasciatus* Blanchard, 1853 #597  
*Micracantha* Montrouzier 1861 : 271 type species *Micracantha australis* Montrouzier, 1861  
*Prosacanthus* Fauvel, 1862: 163 type species *Prosacanthus Chevrolati* Fauvel, 1862

*bankii* Fabricius, 1775: 176 (*Lamia*) A: GUA HAI JA (Ogasawara Isls.) TAI **AUR ORR**  
*dentata* Olivier, 1797: 469 (*Lamia*)  
*desjardinsii* Fairmaire, 1889b: xcvi (*Micracantha*)  
*hollandicus* Boisduval, 1835: 491 (*Acanthocinus*)  
*insularis* Pascoe, 1859: 39 (*Niphona*)  
*iratus* Pascoe, 1862b: 464 (*Niphona*)  
*madecassa* Künckel, 1890: pl. 50, fig. 5 (*Micracantha*)  
*miscellus* Pascoe, 1863b: 529 (*Niphona*)  
*musivus* Pascoe, 1864a: 65 (*Aegomomus*)  
*nutans* Sharp, 1878: 209 (*Micracantha*)  
*obliquata* Fairmaire, 1896b: 386 (*Micracantha*)  
*spinipes* Olivier, 1800: N° 67, 103 (*Cerambyx*)  
*spinipes* Fabricius, 1802: 282 (*Lamia*) [HN]  
*torosus* Pascoe, 1864b: 223 (*Niphona*)  
*uchiyamai* Matsushita, 1935: 120 (*Rhytiphora*)  
*vaulogeri* Pic, 1925a: 28 (*Zaera*)  
*metallicus* Pic, 1935g: 178 A: YUN **AU**  
*salomonum* Breuning, 1938c: 357 (*Rhytiphora*)

**genus *Similosodus* McKeown, 1945: 292** [RN] type species *Sodus verticalis* Pascoe, 1865  
**subgenus *Similosodus* McKeown, 1945: 292** [RN] type species *Sodus verticalis* Pascoe, 1865  
*Sodus* Pascoe, 1864a: 96 [HN] type species *Sodus verticalis* Pascoe, 1865  
~~*bhutanensis* Breuning, 1975d: 338 A: BT~~  
*chinensis* Gressitt, 1951a: 483 A: FUJ  
*taiwanus* Hayashi, 1966a: 8 A: TAI

*torui* Holzschuh, 1989b: 388 A: TAI

**genus *Spinosogus* Breuning & de Jong, 1941: 96** type species *Spinosodus spinicollis* Breuning & de Jong, 1941 #820  
*Bulbolmotega* Breuning, 1966: 124 type species *Bulbolmotega sumatrensis* Breuning, 1966 #820  
*rufomaculatus* Breuning, 1973c: 660 A: GUX **ORR** #820

**genus *Sthenias* Dejean, 1835: 344** type species *Lamia grisator* Fabricius, 1787 #523

**subgenus *Albosthenias* Breuning, 1961j: 538** type species *Sthenias albicollis* Gahan, 1860 #60  
*partebicollis* Breuning, 1968a: 17 A: GUI YUN **ORR**

**subgenus *Sthenias* Dejean, 1835: 344** type species *Lamia grisator* Fabricius, 1787  
*Anomomomus* Fähræus, 1872c: 194 [RN] type species *Sthenias leucaspis* Fähræus, 1872 (= *Lamia leucaspis* Fabricius, 1802)

*Chalarus* Fähræus, 1872b: 45 [HN] type species *Sthenias leucaspis* Fähræus, 1872 (= *Lamia leucaspis* Fabricius, 1801)

*Thysanodes* Newman, 1842c: 292 type species *Thysanodes jucunda* Newman, 1842

*franciscanus* J. Thomson, 1865: 550 A: FUJ GUX HUN SD YUN **ORR**

*gahani* Pic, 1912d: 19 (*Anaches*) A: YUN

*gracilicornis* Gressitt, 1937d: 602 A: FUJ GUA GUX HAI HUN JIX XIZ YUN #60

*gracilis* Breuning, 1938c: 370 A: AP "India or." #280

*grisator* Fabricius, 1787: 136 A: AP PA UP **ORR** #280

*longeantennatus* Breuning, 1938c: 369 A: NP **ORR**

*pascoei* Ritsema, 1888b: 272 A: YUN "North India" **ORR**

*persimilis* Breuning, 1938c: 368 A: SD UP #377

*pictus* Breuning, 1938c: 369 A: YUN **ORR**

*nigrosignatus* Breuning, 1965e: 41 (*Paramesosella*)

*pseudodorsalis* Breuning, 1938c: 369 A: BT NP SD XIZ **ORR**

*tonkineus* Pic, 1925b: 26 A: CH **ORR**

*yunnanus* Breuning, 1938c: 370 A: YUN

**genus *Trichoniphona* Breuning, 1968e: 860** type species *Trichoniphona albomarmorata* Breuning, 1968  
*albomarmorata* Breuning, 1968e: 860 A: SD

**genus *Xynenon* Pascoe, 1865a: 159** type species *Sthenias bondii* Pascoe, 1859  
*Falsoxynenon* Pic, 1925a: 26 type species *Falsoxynenon convexum* Pic, 1925 (= *Sthenias bondii* Pascoe, 1859)

*bondii* Pascoe, 1859: 48 (*Sthenias*) A: SD

*convexum* Pic, 1925a: 26 (*Falsoxynenon*)

### tribe Saperdini Mulsant, 1839

#523

**genus *Blamada* Lin & Holzschuh, 2013: 95** type species *Blamada rubripronota* Lin & Holzschuh, 2013  
*rubripronota* Lin & Holzschuh, 2013: 97 A: GUX **ORR**

**genus *Cagosima* J. Thomson, 1864: 116** type species *Cagosima sanguinolenta* J. Thomson, 1864  
*sanguinolenta* J. Thomson, 1864: 116 A: FE ?GUX JA

*kiushiuensis* K. Ohbayashi, 1956a: 8

*oshimaensis* Kano, 1933a: 287

**genus *Callundine* J. Thomson, 1879: lvi** type species *Callundine lacordairei* J. Thomson, 1879

*Pseudosaperda* Pic, 1903g: 121 type species *Pseudosaperda goliath* Pic, 1903

*lacordairei* J. Thomson, 1879: lvii A: BT "India" SCH YUN

*goliath* Pic, 1903g: 121 (*Pseudosaperda*)

**genus *Dystomorphus* Pic, 1926c: 11** type species *Dystomorphus notatus* Pic, 1926

*diversus* Holzschuh & Lin, 2017: 273 A: HEN SCH

*esakii* Hayashi, 1974c: 59 A: TAI

*nigrosignatus* Pu, Y. Wang & Li, 1998: 82, 83 A: GAN

*niisatoi* Holzschuh & Lin, 2017: 281 - A: YUN

*notatus* Pic, 1926c: 12 A: ?GAN ?QIN YUN #203

*piceae* Holzschuh, 2003: 238 A: HEN HUB SCH SHA YUN #203

*sichuanensis* C.-K. Yu, 1994: 388 A: SCH

**genus *Entelopes* Guérin-Méneville, 1844: 245** type species *Entelopes glaucus* Guérin-Méneville, 1844

**subgenus *Aspinoentelops* Hua, 1990: 343** type species *Entelopes longzhouensis* Hua, 1990

*longzhouensis* Hua, 1990: 343 A: GUX

**genus *Epiglenea* Bates, 1884a: 259** type species *Epiglenea comes* Bates, 1884a

*comes comes* Bates, 1884a: 259 A: FUJ GUA GUI GUX HEN HUN JA JIX NC SC SCH SHA ZHE YUN **ORR**

*comes formosana* Schwarzer, 1925c: 153 (*Daphisia*) A: TAI

*comes szetschuanica* Breuning, 1967c: 40 (*Phytoecia*) A: SCH



- genus *Eumecocera* Solsky, 1871a: 391** type species *Saperda impustulata* Motschulsky, 1860  
*anomala* Bates, 1884a: 259 (*Stenostola*) A: JA  
*morii* Makihara, 2002: 342  
*argyrosticta* Bates, 1884a: 258 (*Stenostola*) A: JA  
*japonica* Tamanuki, 1927: 124 (*Paraglenea*)  
*callosicollis* Breuning, 1943b: 100 (*Stenostola*) A: FE HEI JIL LIA NC SC #400  
*gleneoides* Gressitt, 1935c: 177 (*Phytoecia*) A: JA  
*impustulata* Motschulsky, 1860b: 151 (*Saperda*) A: ES FE HEB HEI JA (Tsushima Is.) LIA MG NC NMO SC WS #400  
*acuminata* Fischer von Waldheim, 1842: 26 (*Phytoecia*) [NO]  
*impunctata* Motschulsky, 1875: 151 (*Saperda*)  
*minamii* Makihara, 1984: 17 A: JA  
*trivittata* Breuning, 1947d: 143 (*Stenostola*) A: JA  
*brunnescens* Breuning, 1947d: 144 (*Stenostola*)  
*unicolor* Kano, 1933a: 290 (*Stenostola*) A: JA JIL #400 #525  
*atrofusca* Hayashi, 1960: 12  
*univittata* Breuning, 1947d: 144 (*Stenostola*)
- genus *Eutetrappa* Bates, 1884a: 256** type species *Saperda carinata* Blessig, 1873 (= *Saperda sedecimpunctata* Motschulsky, 1860)  
*bicostata* Hayashi, 1994: 75 A: TAI  
*chlorotica* Pu & Jin, 1991: 192, 197 A: SCH YUN #179  
*chrysochloris chrysoargyrea* Bates, 1884a: 256 A: JA  
*chrysochloris chrysochloris* Bates, 1879b: 467 (*Glenea*) A: FE JA  
*breuningi* Pic, 1952: 13  
*piciella* Breuning, 1956b: 17  
*podanyi* Pic, 1953a: 9 [RN]  
*cinnabarina* Pu, 1986: 202 A: GAN HEB HEN HUB SHA SHN #179  
*complexa* Pu & Jin, 1991: 192, 197 A: GAN SHA #179  
*elegans* Hayashi, 1966a: 9 A: TAI YUN #179  
*flavoguttata* Pu & Jin, 1991: 190, 196 A: XIZ ORR #179  
*gui* Lin & X.-K. Yang, 2017: 191 A: HAI #179  
*laosensis* Breuning, 1964d: 62 A: YUN ORR  
*lini* Chou, Chung & Lin, 2010: 313 A: TAI  
*metallescens* Motschulsky, 1860b: 150 (*Saperda*) A: ~~ES~~ FE HEB HEI JIL LIA NC SC SHA  
*ocelota* Bates, 1873: 387 (*Glenea*) A: FE (Kunashir) JA SC ?TAI #179 #517  
*maculithorax* Pic, 1900i: 19  
*parastigmata* Lin & X.-K. Yang, 2017: 162 A: CHQ HEN HUB SHA  
*sedecimpunctata australis* Takakuwa & Hirokawa, 1998: 303 A: JA  
*sedecimpunctata sedecimpunctata* Motschulsky, 1860b: 151 (*Saperda*) A: ES FE HEI HEB ?HUB JA JIL LIA NC SC SHA #179  
*carinata* Blessig, 1873: 219 (*Saperda*)  
*duodecimpunctata* Motschulsky, 1860b: 151 (*Saperda*) [HN]  
*motschulskyi* Plavilstshikov, 1915b: 80 (*Saperda*) [RN]  
*rosinae* Pic, 1904d: 17 (*Saperda*)  
*sulphurata* Matsumura, 1906: 141 n° 698, pl. 52, fig. 13 (*Saperda*) [HN]  
*variicornis* Bates, 1884a: 256  
*shaanxiana* Lin & X.-K. Yang, 2017: 182 A: GAN HUB SHA  
*shiqianensis* Pu & Jin, 1991: 190, 196 A: FUJ GUI #179  
*stigmata* Pu & Jin, 1991: 191, 196 A: GUI GUX #179  
*tianmushana* Lin & Bi, 2017: 185 A: ZHE  
*velutinofasciata* Pic, 1939b: 2 A: BEI HEB HEI LIA NMO SHA SHX #179  
*nigromaculata* W.-K. Wang & Jiang, 2002c: 145 (*Paraglenea*)  
*weni* G.-Q. Huang & Lin, 2016: 590 A: GUI
- genus *Glenea* Newman, 1842c: 301** type species *Saperda novemguttata* Guérin-Méneville, 1831, designated by J. Thomson, 1879: 1.  
**subgenus *Accolona*** Strand, 1942: 392 [RN] type species *Accola citrina*, 1894 (= *Glenea astathiformis* Breuning, 1958)  
*Accola* Jordan, 1894b: 503 [HN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiformis* Breuning, 1958)  
*astathiformis* Breuning, 1958j: 888 [RN] A: NP SD YUN ORR #400  
*citrina* Jordan, 1894b: 503 (*Accola*) [HN]  
**subgenus *Acutoglenea*** Breuning, 1958j: 838 type species *Saperda acuta* Fabricius, 1802  
*langana* Pic, 1903f: 107 A: GUX YUN ORR  
*atrolateralis* Pic, 1926c: 24  
*nigromarginella* W.-K. Wang & Jiang, 2002b  
**subgenus *Aridoglenea*** Breuning, 1958j: 869 type species *Glenea arida* J. Thomson, 1865  
*cancellata* J. Thomson, 1865: 565 A: AP SD YUN ORR #280  
*favrei* Pic, 1943d: 7  
*flavorubra* Gressitt, 1940b: 205 A: HAI ORR  
*invitticollis* Breuning, 1956b: 99  
*meiyingae* Holzschuh, 2009b: 423 A: NP SD YUN ORR

*shuteae* Lin & X.-K. Yang, 2011a: 40 A: YUN  
*vaga* J. Thomson, 1865: 565 A: NP SD UP YUN **ORR**  
**subgenus** *Citrinoglenea* Breuning, 1958j: 885 type species *Glenea citrina* J. Thomson, 1865  
*Laoglenea* Breuning, 1968a: 37 type species *Glenea (Laoglenea) anterufipennis* Breuning, 1968 #222  
*citrina* J. Thomson, 1865: 566 A: YUN **ORR**  
*anthyllis* Pascoe, 1866b: 262  
*gardneriana* Breuning, 1958j: 887 [RN] A: YUN **ORR**  
*bifasciata* Gardner, 1830: 164 [HN]  
**subgenus** *Formosoglenea* Breuning, 1969a: 36 type species *Glenea ochreomaculata* Breuning, 1969  
*ochreomaculata* Breuning, 1969a: 35 A: TAI  
**subgenus** *Glenea* Newman, 1842c: 301 type species *Saperda novemguttata* Guérin-Méneville, 1831 designated by J. Thomson, 1879: 1  
(new name for *Sphenura* Laporte, 1840 (nec Lichtenstein, 1820, Aves).  
*Cryllis* Pascoe, 1867b: 363 type species *Cryllis clytoides* Pascoe, 1867  
*Hapochoron* Gistel, 1848a: x [RN]  
*Hemilocallia* Ramírez Hernández, Santos-Silva & Nascimento, 2019: 90, 92 type species *Hemilocallia grishami* Ramírez Hernández, Santos-Silva & Nascimento, 2019  
*Sphenura* Dejean, 1835: 350 [HN] type species *Saperda novemguttata* Guérin-Méneville, 1831  
*acutoides* Schwarzer, 1925c: 151 A: GUX TAI  
*albosignata* Pic, 1943d: 7  
[*aeolis aeolis* J. Thomson, 1879: 19 – Burma]  
*aeolis laosica* Breuning, 1963b: 49 A: YUN **ORR**  
*afghana* Breuning, 1971a: 44 A: AF PA #274  
*annulicornis* Schwarzer, 1925c: 149 A: TAI  
*nijimai* Matsushita, 1938a: 94  
*atricilla* Pesarini & Sabbadini, 1997: 120 A: FUJ  
*atricornis apicespinosa* Breuning, 1956h: 763 A: GUX **ORR**  
[*atricornis atricornis* Pic, 1943: 11 – Tonkin]  
[*bedoci bedoci* Pic, 1926: 22 – Tonkin]  
*bedoci mussardi* Breuning, 1967b: 35 A: AP  
*beelsoni* Heller, 1926: 46 A: KA PA SD UP **ORR** #246  
*bidiscovittata* Breuning, 1969e: 190 A: SCH  
*bimaculatithorax* Pic, 1946a: 16 A: YUN **ORR**  
*capriciosa* J. Thomson, 1857c: 142 A: BT NP  
*centroguttata* Fairmaire, 1897d: 232 A: FUJ GAN GUA GUX HEN JA SCH SHA TAI XIZ YUN #60  
*issikii* Mitono, 1934: 490  
*chalybeata* J. Thomson, 1861: 57 A: SD  
*inapicalis* Pic, 1926c: 20  
*luteoapicalis* Pic, 1926c: 20  
*mediojuncta* Pic, 1946a: 10  
*changchini* Lin & W. Lin, 2011: 13 A: YUN **ORR**  
*chlorospila chlorospila* Gahan, 1897: 488 A: JA (Ryukyus)  
*chlorospila hachijonis* Matsumura & Matsushita, 1933a: 110 A: JA  
*hayashii* K. Ohbayashi, 1963: 12 [RN]  
*humero-lineata* Hayashi, 1956c: 19 [HN]  
*izuinsularis* Umeya & Fujimura, 1954: 13  
*chlorospila okinawensis* Makihara, 1988: 151 A: JA (Ryukyus)  
*chrysomaculata* Schwarzer, 1925c: 152 A: GUI GUX TAI #168  
*breameri* Kano, 1928: 267  
*chujoi* Mitono, 1937: 149 A: GUA GUI HUB TAI #400  
*citrinopubens* Pic, 1926c: 20 A: GUI GUX HUB SCH YUN  
*coomani* Pic, 1926c: 21 A: HAI YUN **ORR**  
*humerosa* Gressitt, 1940b: 206  
*crucicollis* Breuning, 1956h: 671 A: "India"  
*crucifera* Gahan, 1889: 222 A: BT  
*diana diana* J. Thomson, 1865: 561 A: YUN **ORR**  
*theresae* Pic, 1943c: 15  
*didymoides* Breuning, 1956b: 166 A: SD #343  
*discofasciata* Breuning, 1983: 61 A: JA  
*diverselineata diverselineata* Pic, 1926c: 23 A: YUN **ORR**  
*diverselineatoides* Breuning, 1968a: 34  
*diversenotata* Schwarzer, 1925c: 152 A: FUJ GUX HAI TAI **ORR** #136  
*neohumerosa* Lin & X.-K. Yang, 2011b: 62 #136  
*horishana* Matsushita, 1933b: 412  
*flava* Jordan, 1895: 270 A: BT GUX HUB SD YUN **ORR** #229 #344  
*atroapicalis* Pic, 1926c: 21  
*binhensis* Breuning, 1956h: 683  
*flavosignata* Breuning, 1956h: 736 A: YUN **ORR**

*formosana* Schwarzer, 1925c: 150 A: TAI  
*fortii* Pesarini & Sabbadini, 1997: 121 A: FUJ  
*glabronotata* Pesarini & Sabbadini, 1997: 122 A: SCH  
*glechomoides* Breuning, 1982: 27 A: SD  
*hauseri* Pic, 1933a: 15 A: HUN SCH SHA YUN #225  
*leopardina* Gressitt, 1942d: 4  
*hieroglyphica* Pesarini & Sabbadini, 1997: 123 A: YUN  
*hwasiana* Gressitt, 1945a: 133 A: SCH YUN  
*indecora* Holzschuh, 2021b: 573 A: NP ?SD #523  
*indiana* J. Thomson, 1857c: 141 (*Stibara*) A: BT NP SD ORR  
*inlineata* Pic, 1943d: 6 A: TAI  
*iriei heikichii* Makihara, 1982a: 45 A: JA (Ryukyus)  
*iriei iriei* Hayashi, 1971: 17 A: JA (Ryukyus)  
*iwasakii* Kano, 1933b: 139 A: JA (Ryukyus) TAI  
*stolata* Matsumura & Matsushita, 1933b: 413  
*jeanvoinei* Pic, 1927c: 19 A: YUN ORR  
*jini* Lin & Dai, 2012: 6 A: XIZ  
*kusamai* Makihara, 1988: 151 A: JA (Ryukyus)  
*lacteomaculata* Schwarzer, 1925c: 151 A: TAI #136  
*lecta* Gahan, 1889: 219 A: BT ORR  
*leucomaculata* Breuning, 1968a: 33 A: GUX ORR  
*licenti* Pic, 1939b: 3 A: GAN HUB NIN SCH SHA  
*lineata ihai* Hayashi, 1960d: 29 A: JA (Ryukyus)  
*okinawana* K. Ohbayashi & N. Ohbayashi, 1965: 5  
*lineata lineata* Gahan, 1897: 483 A: JA  
*lineosa* Aurivillius, 1923a: 499  
*lineata ryukyuensis* Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)  
*lineata sauteri* Schwarzer, 1925c: 150 A: GUA TAI YUN  
*synknensis* Breuning & K. Ohbayashi, 1964b: 29  
*linwenhsini* Lin, 2013: 109 A: GUI  
*luteicollis* Gressitt, 1935c: 190 A: TAI  
[luteicolle Gressitt, 1935c: 190 – original spelling]  
*luteosignata* Pic, 1943c: 15 A: YUN  
*magdelainei* Pic, 1943c: 14 A: YUN ORR  
*masakii* Makihara, 1978: 60 A: JA (Ryukyus)  
[maunieri maunieri Pic, 1926c: 22 – Vietnam]  
*maunieri horiensis* Breuning, 1953: 21 A: TAI  
*mitonoana* Gressitt, 1951a: 576 [RN] A: TAI  
*ornata* Mitono, 1934: 491 [HN]  
*mouhoti* J. Thomson, 1865: 567 A: HKG YUN ORR  
*albodiversa* Pic, 1946a: 10  
*cochinchinensis* Breuning, 1956b: 174  
*multiinterrupta* Pic, 1947: 14 A: YUN ORR  
*nanshanchiana* Hayashi, 1978a: 89 A: TAI  
*nigerrima* Breuning, 1953: 26 A: SD  
*obliqua* Gressitt, 1939b: 119 A: ANH FUJ HEN HUB SHA ZHE ORR #60  
*roubali* Heyrovský, 1939b: 68  
*octoguttata* Breuning, 1956h: 685 A: HUB #225  
*omeiensis* Chiang, 1963: 68 A: SCH SHA #343  
*ornata* Gahan, 1889: 223 A: SD #60  
*pallidipes* Pic, 1926c: 23 A: GUI GUX YUN ORR  
*papiliomaculata* Pu, 1992b: 608 A: YUN  
*paraornata* Lin, 2013: 113 A: HAI YUN ORR  
*pici pici* Aurivillius, 1920: 17 A: GUX YUN ORR  
*rufotibialis* Pic, 1947b: 14  
*sexmaculata* Pic, 1947b: 14  
*pici schmidi* Breuning, 1965a: 16 A: AP  
*pieliana nigra* Gressitt, 1940c: 194 A: FUJ GUA GUX HAI JIX #60  
*pieliana pieliana* Gressitt, 1939b: 120 A: FUJ HUB JIX ZHE  
*tiemuschna* Heyrovský, 1939b: 69  
*plagiata* Gardner, 1930: 163 A: BT ORR  
*posticata* Gahan, 1894a: 97 A: YUN ORR  
*vitalisi* Pic, 1926c: 20  
*problematica* Lin & X.-K. Yang, 2009: 171 A: GAN QIN YUN ORR  
*pseudocaninia* Lin & Montreuil, 2009: 166 A: YUN ORR  
*pseudoluctuosa* Breuning, 1953: 22 A: SD #343

*pseudoscalaris miwai* Mitono, 1943: 585 A: TAI  
*pseudoscalaris pseudoscalaris* Fairmaire, 1895: 186 A: GUA GUI GUX **ORR**  
*gressitti* Breuning, 1956h: 725  
*monticola* Gressitt, 1951a: 576 [HN]  
*pulchella* Pascoe, 1858: 260 A: SD **ORR** #280  
*vesta* Pascoe, 1866: 260  
~~*vestalis* Heller, 1934: 284~~ #596  
*pulchra* Aurivillius, 1926: 111 A: GUI GUX NP SD XIZ YUN **ORR** #523  
*pulchella* J. Thomson, 1860: 58 [HN]  
*quadriguttata* Pic, 1926c: 22 A: GUX YUN **ORR** #136  
*quatuordecimmaculata* Hope, 1831: 28 (*Saperda*) A: BT NP PA UP **ORR** #274  
*argus* J. Thomson, 1857c: 145  
*relicta formosensis* Breuning, 1960d: 15 A: TAI  
*relicta izuinsulana* Fujita, 1980: 16 A: JA (Izu Isls.)  
*relicta relicta* Pascoe, 1858: 258 A: ANH FE FUJ GUA GUI GUX HAI HUB HUN JA JIA JIX SC SCH SHA ZHE **ORR**  
*rufipes* Gressitt, 1939a: 94 A: FUJ GUA GUX HAI HKG HUN **ORR** #400  
*atropubens* Pic, 1943c: 16  
*sanctaemariae* J. Thomson, 1857c: 141 (*Stibara*) A: BT **ORR**  
*saperdifformis* Breuning, 1953: 25 A: AP  
*semiluctuosa* Fairmaire, 1902b: 269 (*Sphenura*) A: SCH YUN  
*reitteri* Pic, 1943c: 14  
*siamensis* Gahan, 1897: 481 A: HAI YUN **ORR**  
*sikkimensis* Breuning, 1982: 26 A: SD  
*silhetica* Plavilstshikov, 1927a: 63 [RN] A: FUJ GUA HAI SCH TAI **ORR**  
*assimilis* Gahan, 1897: 494 [HN]  
*subabbreviata* Breuning, 1956h: 791 [RN] A: TAI  
*abbreviata* Gressitt, 1951a: 573 [HN]  
*subalcyone* Breuning, 1964: 20 A: YUN **ORR**  
*subregularis* Pic, 1943c: 14 A: GUA GUX TAI **ORR**  
*tenuivittata* Gressitt, 1951a: 579  
*subsimilis* Gahan, 1897: 479 A: YUN **ORR**  
*subviridescens* Breuning, 1963e: 11 A: YUN **ORR**  
*suensoni* Heyrovský, 1939b: 70 A: ZHE  
*pieli* Pic, 1943c: 14  
*sulphurea* J. Thomson, 1865: 566 A: ?CH SD **ORR**  
*sulphuroides* Breuning, 1982: 27 A: SCH #400  
*suturata* Gressitt, 1939a: 95 A: ANH FUJ GUA HUB HUN #400  
*tatsienlui* Breuning, 1956h: 678 A: SCH #400  
*t-notata* Gahan, 1889: 223 A: GUX HUB NP SCH **ORR**  
*tonkinea* Aurivillius, 1925: 19 A: GUX HAI **ORR** #400  
*torquatella* Aurivillius, 1923a: 505 [RN] A: YUN **ORR**  
*torquata* Gahan, 1907: 104 [HN]  
*virens bastiana* Breuning, 1956h: 700 A: NP SD #343  
[*virens virens* Aurivillius, 1925: 19 **ORR**] #521  
*viridescens* Pic, 1927b: 36 A: GUX YUN **ORR**  
*weigeli* Lin & Liu, 2012: 114 A: YUN  
*wenhsini* Lin, 2013: 107 A: GUI  
*zalinensis* Gahan, 1897: 478 A: BT **ORR**  
**subgenus** *Lobungiglenea* Lin & Tavakilian, 2014: 161 type species *Glenea judsoni* Lin & Tavakilian, 2014  
*judsoni* Lin & Tavakilian, 2014: 162 A: ?TAI  
**subgenus** *Rubroglenea* Breuning, 1956b: 109 type species *Colobothea rubricollis* Hope, 1842 #523  
*nigrorubricollis* Lin et X.-K. Yang, 2009: 11 A: GUA  
**subgenus** *Stiroglenea* Aurivillius, 1920: 30 type species *Lamia cantor* Fabricius, 1787  
*cantor cantor* Fabricius, 1787: 142 (*Lamia*) A: GUA GUI GUX HAI HKG JIX SD YUN **ORR**  
*cantator* Fabricius, 1801: 304 (*Lamia*)  
*luzonica* Aurivillius, 1926: 112  
*quadrinotata* Guérin-Méneville, 1843: (*Saperda*) A: YUN **ORR** #176  
*multilineata* Pic, 1926c: 19  
*nigrolineata* Gahan, 1894a: 88  
*spilota* J. Thomson, 1861: 58 A: AP KA NP PA SD UP #127 #274 #280

**genus** *Glenida* Gahan, 1888b: 65 type species *Glenida suffusa* Gahan, 1888  
*cyaneipennis cyaneipennis* Gahan, 1888: 66 A: BT GUA GUX HAI JIX  
*cyaneipennis ikedai* Mitono, 1939: 147 A: TAI  
*cyaneofasciata* Breuning, 1952: 116 A: SD  
*suffusa* Gahan, 1888b: 66 A: FUJ GUX JIX SCH TAI

**genus *Heteroglenea* Gahan, 1897: 490** type species *Glenea nigromaculata* J. Thomson, 1865  
*bastiensis* Breuning, 1956h: 769 (*Glenea*) A: SD **ORR**  
*fissilis* Breuning, 1953: 20 (*Glenea*) A: YUN XIZ **ORR**  
*gemella* Lin & X.-K. Yang, 2009: 17 A: NP  
*glechoma* Pascoe, 1867b: 409 (*Glenea*) A: JA (Ryukyus) TAI (Lanyu Is.) **AUR ORR** #523  
*fuscovirgata* Fairmaire, 1883a: 53 (*Glenea*)  
*gudalcanalana* Breuning, 1958g: 315 (*Glenea*)  
*hamabovola* Hayashi, 1978a: 91 (*Glenea*)  
*palawana* Breuning, 1956h: 879 (*Glenea*)  
*mediodiscoprolongata* Breuning, 1965: 43 (*Glenea*) A: YUN **ORR**  
*mimoluctuosa* Breuning, 1968a: 34 (*Glenea*)  
*nigromaculata* J. Thomson, 1865: 566 (*Glenea*) A: GUX YUN **ORR**  
*amelia* Gahan, 1889: 224 (*Glenea*)  
*hamifera* Heller, 1926: 49 (*Daphisia*)  
*vicinalis* Lin & X.-K. Yang, 2009: 18 A: NP **ORR**

**genus *Malloderma* Lacordaire, 1872: 842** type species *Malloderma pascoei* Lacordaire, 1872  
*kuegli* Holzschuh, 2010: 223 A: YUN **ORR**  
*pascoei* Lacordaire, 1872: 842 A: BT  
*tonkineum* Pic, 1932h: 151  
*pulchrum* Pic, 1926a: 29 (*Paraglenea*) A: GUX **ORR**

**genus *Mandibularia* Pic, 1925a: 24** type species *Mandibularia nigriceps* Pic, 1925  
*nigriceps* Pic, 1925a: 24 A: XIZ **ORR**

**genus *Menesia* Mulsant, 1856: 157** type species *Menesia perrisi* Mulsant, 1856 (= *Saperda bipunctata* Zubkov, 1829)  
*Daphisia* Pascoe, 1867b: 363 type species *Daphisia pulchella* Pascoe, 1867  
*akemiae* Makihara, 1992b: 78 A: JA  
*albifrons* Heyden, 1886c: 276 A: ES FE ?NC NO SC WS  
*bipunctata* Zubkov, 1829: 167 (*Saperda*) E: AU BH BY CR CT CZ EN FR GE HU IT KZ LA LS LT NT PL RO SB SK SL ST SZ UK  
A: KZ WS  
*biguttata* W. Redtenbacher, 1842: 26 (*Saperda*)  
*perrisi* Mulsant, 1856: 158  
*quadripustulata* Mulsant, 1862: 343  
*trimaculata* Lentz, 1857: 145 (*Saperda*)  
*flavotecta* Heyden, 1886c: 276 A: ANH FE JIL JA LIA ?NC SC SHA SHN #225 #400  
*tokioensis* Kobayashi & Seki, 1935: 42  
*immaculipennis* Breuning, 1954g: 410 [RN] A: SCH  
*immaculata* Gressitt, 1945a: 132 [HN]  
*matsudai* Hayashi, 1985: 135 A: TAI  
*octoguttata* Breuning, 1954g: 411 A: SCH  
*sulphurata* Gebler, 1825: 52 (*Saperda*) E: ?CT ?ST A: ES FE GAN HEB HEN HUB JA JIL KZ MG NC SC SCH SHA SHN SHX TAI  
WS #124 #211 #496  
*nigrocincta* Pic, 1915e: 10  
*semivittata* Pic, 1915e: 10  
*yuasai* Gressitt, 1935b: 176 (*Praolia*)  
*vitiphaga* Holzschuh, 2003: 237 A: SHA

**genus *Mimocagosima* Breuning, 1968a: 32** type species *Mimocagosima ochreipennis* Breuning, 1968  
*humeralis* Gressitt, 1951a: 561 (*Mandibularia*) A: FUJ GUA GUX YUN #60  
*ochreipennis* Breuning, 1968a: 32 A: SHA YUN **ORR** #225

**genus *Neoserixia* Schwarzer, 1925c: 148** type species *Neoserixia pulchra* Schwarzer, 1925 #523  
**subgenus *Neopraolia*** Matsushita, 1933b: 406 type species *Neopraolia delicata* Matsushita, 1933  
*delicata* Matsushita, 1933b: 407 (*Neopraolia*) A: TAI  
*infasciata* Gressitt, 1935e: 289 #400  
*longicollis* Gressitt, 1935e: 287 #476  
*schwarzeri* Gressitt, 1935e #476  
**subgenus *Neoserixia*** Schwarzer, 1925c: 148 type species *Neoserixia pulchra* Schwarzer, 1925  
*pulchra continentalis* Gressitt, 1939a: 91 A: GUA HAI YUN **ORR** #400  
*pulchra pulchra* Schwarzer, 1925c: 148 A: TAI #400

**genus *Neoxantha* Pascoe, 1856: 45** type species *Neoxantha amicta* Pascoe, 1856  
*amicta* Pascoe, 1856: 45 A: FUJ GUX HUB HUN JIA JIX ZHE  
*immaculata* Pic, 1893g: lxxxvii

**genus *Niponostenostola* K. Ohbayashi, 1958d: 64** type species *Stenostola niponensis* Pic, 1901



*gressitti* Lin & Ge, 2017b: 922 (*Niponstenostola*) A: SHA #201  
*nigra* Gressitt, 1951a: 552 (*Saperda*) [HN]

*lineata* Gressitt, 1951a: 609 (*Stenostola*) A: SHA #201  
*niponensis konoii* Kano, 1933b: 140 (*Stenostola*) A: JA  
*jezoana* Matsushita, 1933b: 427 (*Stenostola*)  
*niponensis niponensis* Pic, 1901c: 12 (*Stenostola*) A: JA  
*chichibuensis* Kano, 1933a: 289 (*Stenostola*)  
*niponensis pterocaryai* Hayashi, 1960c: 11 (*Eumecocera*) A: JA

**genus *Ossonis* Pascoe, 1867b: 363, 417** type species *Ossonis clytomima* Pascoe, 1867  
*indica* Breuning, 1954g: 429, 432 A: BT #344

**genus *Paradystus* Aurivillius, 1923a: 184 [RN]** type species *Dystus notator* Pascoe, 1867  
*Dystus* Pascoe, 1867: 416 [HN] type species *Dystus notator* Pascoe, 1867  
*infrarufus* Breuning, 1954: 458, 460 A: YUN **ORR**

**genus *Paraglenea* Bates, 1866a: 352** type species *Glenea fortunei* Saunders, 1853  
*atropurpurea* Gressitt, 1951a: 567 A: FUJ GUX  
*fortunei* Saunders, 1853: 112 (*Glenea*) A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JA JIA JIL JIX SC SCH SHA TAI YUN  
**ZHE ORR**  
*bisbinotata* Pic, 1915f: 14 (*Glenea*)  
*chloromelas* J. Thomson, 1879: 21 (*Glenea*)  
*fasciata* Pic, 1915f: 14 (*Glenea*)  
*innotata* Pic, 1915f: 14 (*Glenea*)  
*innotaticollis* Pic, 1936d: 17  
*notatipennis* Pic, 1914a: 7 (*Glenea*)  
*prescutellaris* Pic, 1953b: 2  
*pubescens* Pic, 1914a: 7 (*Glenea*)  
*savioi* Pic, 1923c: 21 (*Glenea*)  
*szetchwana* Heller, 1926: 48  
*jianfenglingensis* Hua, 1985: 87 A: HAI  
*soluta* Ganglbauer, 1887c: 22 (*Glenea*) A: BEI HEB HEN HUB SCH SHA ZHE #201  
*cinereonigra* Pesarini & Sabbadini, 1997: 126  
*swinhoi swinhoi* Bates, 1866a: 352 A: TAI  
*virides* Pu & Jin, 1991: 191, 196 (*Eutetrappa*) A: SCH #179 #400

**genus *Paramenesia* Breuning, 1952: 139** type species *Paraglenea theaphia* Bates, 1884a  
*kasugensis* Seki & Kobayashi, 1935: 225 (*Glenea*) A: JA TAI  
*subcarinata* Gressitt, 1951a: 557 (*Menesia*) A: GUA HUB **SHA** #496  
*theaphia* Bates, 1884a: 257 (*Paraglenea*) A: FE (Kunashir) JA

**genus *Parastenostola* Breuning, 1952: 200** type species *Saperda brunnipes* Gahan, 1888  
*brunnipes* Gahan, 1888b: 65 (*Saperda*) A: FUJ HUN JIX  
*quadricolor* Gressitt, 1951a: 561  
*nigroantennata nigroantennata* Lin & X.-K. Yang, 2008: 12 A: GUI GUX HAI #60  
*nigroantennata taiwanensis* Lin & X.-K. Yang, 2008: 15 A: TAI

**genus *Pareutetrappa* Breuning, 1952: 135** type species *Paraglenea eximia* Bates, 1884a  
*eximia* Bates, 1884a: 257 (*Paraglenea*) A: JA NC (Mt. Guemgangsán) #63 #525  
*magnifica caeruleithoracica* Takakuwa, 1984: 14 A: JA (Ryukyus)  
*magnifica magnifica* Schwarzer, 1925c: 148 (*Saperda*) A: TAI  
*olivacea* Breuning, 1952: 138 A: YUN #400  
*simulans* Bates, 1873: 388 (*Phytoecia*) A: HEN JA TAI  
*daisenensis* Matsushita, 1933a: 109 (*Glenea*)  
*sylvia* Gressitt, 1951a: 569 (*Paraglenea*) A: FUJ **ORR**  
*postjuncta* Pic, 1952c: 13 (*Paraglenea*)  
*weixiensis* Pu, 1992b: 609 A: YUN #400

**genus *Praolia* Bates, 1884a: 261** type species *Praolia citrinipes* Bates, 1884a  
*citrinipes atripennis* Pic, 1923c: 20 (*Serixia*) A: TAI  
*griseipennis* Gressitt, 1938b: 169 (*Serixia*)  
*citrinipes citrinipes* Bates, 1884a: 261 A: JA SC  
*citrinipes ishigakiana* N. Ohbayashi, 1970: 3 (*Serixia*) A: JA (Ryukyus)  
*iriomoteana* N. Ohbayashi, 1970: 3 (*Serixia*)  
*citrinipes takeuchii* Ohmoto, 1990: 31 A: JA (Ryukyus)  
*citrinipes umui* Kusama & Takakuwa, 1984: 14 A: JA (Ryukyus)  
*hayashii* Hayashi, 1974c: 60 (*Serixia*) A: TAI

*mizutanii* Niisato, 1989: 10 A: JA (Ryukyus)  
*yakushimana* Hayashi, 1976: 22 A: JA

**genus *Saperda* Fabricius, 1775: 184** type species *Cerambyx carcharias* Linnaeus, 1758

**subgenus *Compsidia* Mulsant, 1839: 182** type species *Cerambyx populneus* Linnaeus, 1758

*bacillicornis* Pesarini & Sabbadini, 1997: 116 A: GAN QIN

*bilineatocollis* Pic, 1924a: 19 ["Chang-Hai"] A: FE GAN HEB HEN HUB JIA QIN SCH SHA SHG

*gilanensis* Shapovalov, 2013: 141 (*Compsidia*) A: IN

*mariangelae* Pesarini & Sabbadini, 2015: 53 A: SCH

*populnea balsamifera* Motschulsky, 1860b: 151 (*Compsidia*) A: ES MG ?NMO

*innotatipennis* Pic, 1910a: 2 [Siberie]

*populnea lapponica* Wallin, Kvamme & Bergsten, 2017: 129 E: FI NR NT SV A: ?WS

*populnea populnea* Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA

LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: MO A: AB AF ANH AR ES FE FUJ GAN GG

GUA HEB HEI HEN HUB IN JA JIA JIL KI KZ LIA NC NIN NMO QIN SC SHA SHN SHX TD TR UZ WS XIN XIZ NAR

#487

*betulina* Geoffroy, 1785: 78 (*Leptura*)

*bilineata* Scopoli, 1772: 102 (*Leptura*)

*decempunctata* DeGeer, 1775: 78 (*Cerambyx*)

*populi* Duméril, 1860: 607

*salicis* Zetterstedt, 1818: 258

*quercus ocellata* Abeille de Perrin, 1895: ccxxix A: IS JO SY TR

*quercus quercus* Charpentier, 1825: 224 E: AL BH SB BU GR TR RO HU

#11

*viridipennis* Gressitt, 1951a: 554 A: SHA

#400

**subgenus *Eusaperda* Danilevsky, 2023** type species *Cerambyx scalaris* Linnaeus, 1758

*maculosa* Ménétériés, 1832: 226 A: AB IN

*perforata* Pallas, 1773: 723 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT KZ LA LT MD NR NT PL RO

SK SP ST SV SZ TR UK N: AG A: AB AF AR ES FE GG HEI IN JA KZ MG NE TR WS XIN #89 #257 #481 #841

#867

*albella* Reitter, 1913b: 665

*algerica* Pic, 1903a: 8

*decempunctata* Goeze, 1777: 506 (*Leptura*)

*duodecimpunctata* Brahm, 1790: 176 (*Cerambyx*)

*pallidipes* Pic, 1904b: 9

*rudolphi* Cederhjelm, 1798: 92

*seydlii* Frölich, 1793: 135

*scalaris hieroglyphica* Pallas, 1773: 723 (*Cerambyx*) E: CT NT ST A: ES FE HEI JIL KZ LIA MG NC SC SHN WS XIN

#669

*varia* Gmelin, 1790: 1875 (*Leptura*)

*variegata* Goeze, 1777: 506 (*Leptura*)

*coerulescentialbotomentosa* Blessig, 1873: 218

*scalaris scalaris* Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT

LU MD ME NE NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR GG KZ TR N: AG

*algeriensis* Breuning, 1952: 176

*estellae* Mulsant, 1839: 188

*fenestrata* Reineck, 1919: 72

*niethammeri* Podaný, 1963: 72

*xantha* Demelt, 1960: 182

**subgenus *Nietzscheana* Zubov, 2014: 695** type species *Nietzscheana plutenkoi* Zubov, 2014

#459

*alberti* Plavilstshikov, 1915b: 80 [RN] A: ES FE GUA HEB JA JIL KZ MG NC SC WS

*decempunctata* Gebler, 1830: 186 [HN]

*plutenkoi* Zubov, 2014: 696 A: FE

#459

**subgenus *Lopezcolonia* Alonso-Zarazaga, 1998: 131 [RN]** type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)

*Argalia* Mulsant, 1862: 381 [HN] type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)

*hosokawai* Hasegawa, 2017: 189 A: JA SC

*internescalaris* Pic, 1934g: 36 A: SCH

*interrupta* Gebler, 1825: 52 A: BEI ES FE FUJ HEN JIL LIA MG NC NIN WS

#400

*laterimaculata* Motschulsky, 1860b: 151

*jansonis* Z. Wang, 2003: 382, 397

#400

*kojimai* Makihara & Nakamura, 1985: 18 A: TAI

*octomaculata* Blessig, 1873: 221 A: ES FE JA MG NC SC SHN

*octopunctata* Scopoli, 1772: 101 (*Leptura*) E: AL AU BE BH BU ?BY CR CT CZ FR GE GR HU IT LT MD PL RO SB SK SL SP ST

SZ UK A: AB AR GG TR IN

*magnini* Dayrem, 1928b: 77

*sexpunctata* Reitter, 1909: 57

*tiliae* Schrank, 1798: 667

*tremula* Fabricius, 1775: 186

*ohbayashii* Podaný, 1963c: 62 [RN] A: JA

*breuningi* K. Ohbayashi, 1957: 14 [HN]  
*pallidipennis* Gressitt, 1951a: 553 A: SHA  
*punctata* Linnaeus, 1767: 1067 (*Cerambyx*) E: AL AN AU BH BU ?BY CR ~~CF~~ CZ ?EN FR GE GR HU IT KZ LA ?LT MA MC MD  
 ME ~~NT~~ PL RO SB SK SL SP ST SZ TR UK N: AG A: AB AR CY GG IN TR **WS**  
*gallica* Pic, 1918d: 5  
*subobliterata* Pic, 1910c: 13 A: FE HEI JA JIL LIA ?NC SC  
*mandschukoensis* Breuning, 1943b: 104  
*harbinensis* Chiang, 1983: 60, 66 [unnecessary RN]  
*subscalaris* Breuning, 1952: 179 A: YUN  
*tetrastigma* Bates, 1879b: 466 A: JA NC SC TAI  
*jezoana* Matshushita, 1933: **405** (*Cagosima*)  
**subgenus** *Saperda* Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758  
*Amilia* Mulsant, 1862: 376 type species *Saperda phoca* Frölich, 1793 (= *Saperda similis* Laicharting, 1784)  
*Anaerea* Mulsant, 1839: 184 type species *Cerambyx carcharias* Linnaeus, 1758  
*carcharias* Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT **KZ** LA LT LU  
 MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GAN GG GUI HEI HUB HUN JIA JIL KZ MG  
 NC-(Heohangryeong) SCH SHA TR WS XIN  
*grisescens* Mulsant, 1839: 184 (*Anaerea*)  
*oppermanni* Hummel, 1827: 13  
*villosa* Gmelin, 1790: 1837 (*Cerambyx*)  
*similis* Laicharting, 1784: 31 E: AL AU BE BH BU BY CR CT CZ EN FI FR GE HU IT **KZ** LA LT MC NR NT PL RO SB SK SL SP  
 ST SV SZ UK A: ES FE KI KZ MG XIN TD UZ WS  
*albopubens* Pic, 1925d: 11  
*phoca* Frölich, 1793: 139  
*simulans* Gahan, 1888b: 64 A: HUN JIA JIL JIX SCH SHA **#400**  
**genus** *Saperdoglenea* Breuning, 1964: **22** type species *Saperdoglenea gleneoides* Breuning, 1964 **#400**  
*hunanensis* Hua, 1992: 519, 523 A: GUA GUI HUN **#523**  
**genus** *Savang* Breuning, 1963b: **51** type species *Savang vatthanai* Breuning, 1963  
*sulphuratus* Pesarini & Sabbadini, 1997: 117 A: SCH  
**genus** *Serixia* Pascoe, 1856: **45** type species *Serixia apicalis* Pascoe, 1856  
**subgenus** *Serixia* Pascoe, 1856: 45 type species *Serixia apicalis* Pascoe, 1856  
*Iole* Pascoe, 1858: 254 [HN] type species *Iole prolata* Pascoe, 1858  
*Iolea* Pascoe, 1862a: 353 [RN]  
*albopleura* Gressitt, 1935e: 291 A: TAI  
*aurescens* Breuning, 1965c: 52 A: GUX **ORR**  
*bootangana* Breuning, 1958e: 213 A: BT SD  
*botelensis* Kano, 1933a: 288 A: TAI (Lanyu Is.)  
*chinensis* Breuning, 1948e: 121 A: GUI  
*formosana* Breuning, 1960d: 13 A: TAI  
*juisuiensis* Hayashi, 1974c: 61 A: TAI  
*kisana* Matsushita, 1937: 105 (*Neopraolea*) A: TAI  
*subsericea* Gressitt, 1938b: 170  
*prolata prolata* Pascoe, 1858: 254 (*Iole*) A: HAI HKG **ORR** **#400**  
*abbreviata* Gressitt, 1940b: 200  
*tonkinea* Pic, 1922c: 14  
*pubescens* Gressitt, 1940b: 201 A: HAI YUN  
*sedata gigantea* Breuning, 1950c: 217 A: GUX  
*sedata sedata* Pascoe, 1862a: 354 A: GUX HAI HKG YUN **ORR**  
*signaticornis* Schwarzer, 1925c: 149 A: TAI  
*sinica* Gressitt, 1937d: 616 A: JIX  
*testaceicollis* Kano, 1933a: 287 A: TAI  
**genus** *Spinoberea* Breuning, 1954g: **528** type species *Oberea subspinosa* Pic, 1922  
*cephalotes* Gressitt, 1942b: 7 (*Nupserha*) A: SCH  
*subspinosa* Pic, 1922e: 28 (*Oberea*) A: SCH YUN **ORR**  
*rufopubens* Gressitt, 1942b: 8 (*Nupserha*)  
**genus** *Stenostola* Dejean, 1835: **350** type species *Saperda nigripes* Fabricius, 1793 (= *Cerambyx ferreus* Schrank, 1776)  
*alboscuteolata* Kraatz, 1862: 124 E: GR  
*atra* Gressitt, 1951a: 608 A: SHA  
*basisuturalis* Gressitt, 1935g: 573 A: SCH SHA  
*dubia* Laicharting, 1784: 52 (*Saperda*) E: AU BE BH CR CT CZ DE EN FI FR GE HU IR IT **LA** LS LU MD NL NR NT PL RO SB SL  
 SK SP ST ~~SL~~ SV SZ UK A: AB AR GG **#478** **#752**  
*tiliae* Küster, 1846b: 59

*ferrea ferrea* Schrank, 1776: 66 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MD NR PL RO  
SB SK SL SP ST SZ UK A: AB AR GG TR #696  
*nigripes* Fabricius, 1793: 310 (*Saperda*)  
*plumbea* Bonelli, 1812: 180 (*Saperda*)  
*ferrea maculipennis* Holzschuh, 1982b: 155 E: ST UK  
*ivanovi* Danilevsky, 2014f: 662 A: FE SC  
*nigerrima* Breuning, 1947b: 21 (*Phytoecia*) A: JA  
*pallida* Gressitt, 1951a: 610 A: SHA

**genus *Stibara* Hope, 1840: 79** type species *Stibara tetraspilota* Hope, 1840  
*nigrovittata* Breuning, 1954g: 467 A: "India"  
*rufina* Pascoe, 1858: 259 A: GUX YUN **ORR**

— ~~*dichroma* J. Thomson, 1865: 560~~ #597

*grisea* Pic, 1928b: 22  
*laosensis* Pic, 1925a: 32  
*obsoleta* J. Thomson, 1860: 60

*tetraspilota* Hope, 1840: 79 A: AP HP KA NP SD PA **ORR** #280 #366 #367

*tricolor* Fabricius, 1793: 309 (*Saperda*) A: GUX YUN **ORR** #400

*beloni* Pic, 1907c: 22  
*multipunctata* Pic, 1925f: 188  
*pallidior* Pic, 1943b: 4

**genus *Thermistis* Pascoe, 1867b: 438** type species *Lamia croceocincta* Saunders, 1839

*cheni* Lin & Chou, 2012: 49 A: SCH YUN

*conjunctesignata* Rondon & Breuning, 1971: 546 A: YUN **ORR**

*croceocincta* Saunders, 1839: 178 (*Lamia*) A: ANH FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH SHA YUN ZHE **ORR**

*hainanensis* Lin & X.-K. Yang, 2012: 32 A: HAI

*kaiyuni* Chou & Kurihara, 2012: 45 A: TAI

*nigromacula* Hua, 1992: 521, 523 A: GUX HUN YUN **ORR** #440

*rubromaculata* Pu, 1984: 61 A: GUI GUX **ORR** #440

*sagittifera* Pesarini & Sabbadini, 2000: 65 A: SCH

*sulphureonotata* Pu, 1984: 61 A: GUX **ORR** #517

*taiwanensis* Nara & S.-K. Yu, 1992: 132 A: TAI

*xanthomelas* Holzschuh, 2007: 263 A: FUJ GUI GUX HAI YUN **ORR**

**genus *Thyestilla* Aurivillius, 1923a: 491** [RN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)

*Thyestes* J. Thomson, 1864: 116 [HN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)

*coerulea* Breuning, 1943b: 100 A: SCH

*gebleri* Faldermann, 1835: 434 (*Saperda*) A: ANH ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC

NMO QIN SC SCH SHA SHX ?TAI ZHE

*curtipennis* Pic, 1952b: 5 (*Phytoecia*)

*funebria* Gahan, 1888b: 67 (*Thyestes*)

*infernalis* Pic, 1904e: 17 (*Phytoecia*)

*kadowakii* Fujimura, 1962: 211

*lepesmei* Gilmour, 1950: 554

*nigrinus* Plavilstshikov, 1915c: 109

*pubescens* J. Thomson, 1864: 116 (*Thyestes*)

### tribe Tetrocini Portevin, 1927

**genus *Lenotetrops* Danilevsky, 2012g: 5** type species *Lenotetrops ivanovae* Danilevsky, 2012g

*ivanovae* Danilevsky, 2012g: 6 A: AF

**genus *Paratetrops* Lazarev, 2024a: 29** type species *Tetrops warnckeii* Holzschuh, 1977a

*warnckeii* Holzschuh, 1977a: 133 (*Tetrops*) A: TR

**genus *Tetrops* Kirby, 1826 (in Kirby & Spence 1826: 498)** type species *Leptura praeusta* Linnaeus, 1758

*Anaetia* Dejean, 1835: 350 type species *Leptura praeusta* Linnaeus, 1758

*Polyopsia* Mulsant, 1839: 190 type species *Leptura praeusta* Linnaeus, 1758

**subgenus *Mimosophronica* Breuning, 1943a: 53** type species *Mimosophronica strandiella* Breuning, 1943 (= *Tetrops formosus* Baeckmann, 1903) #228

*bicoloricornis bicoloricornis* Kostin, 1973: 207, 208 A: KI (Sary-Chelek Lake)

*bicoloricornis ferganensis* Danilevsky, 2018a: 280 A: KI UZ

*bicoloricornis nigricornis* Danilevsky, 2018a: 279 A: KI (about 30km S Sary-Chelek Lake)

*bicoloricornis oshensis* Danilevsky, 2018a: 280 A: KI (Osh env.)

*brunneicornis* Pu, 1985a: 102 A: XIN

*elaeagni elaeagni* Plavilstshikov, 1954: 474 [Urda] E: ST (Astrakan Reg.: Dosang) KZ

*elaeagni plavilstshikovi* Kostin, 1973: 206, 209 A: KZ XIN

*elaeagni shapovalovi* Danilevsky, 2018a: 266 A: KZ TM UZ  
*formosus bivittulatus* Jankowski, 1934: 112 A: KZ (Almaty env.)  
*formosus formosus* Baeckmann, 1903b: 311 A: KI KZ  
*formosus songaricus* Kostin, 1973: 206 A: KZ (Dzhungarsky Alatau)  
*formosus strandiellus* Breuning, 1943a: 53 (*Mimosophronica*) ["Kuldsha"] A: XIN #146  
*hauseri hauseri* Reitter, 1897c: 225 ["Thian-Schan (Musart)"] A: XIN  
*hauseri kostini* Özdikmen & Turgut, 2008e: 625 [RN] A: KZ (Bayankol env.)  
*niger* Kostin, 1973: 207 [HN]  
**subgenus** *Tetrops* Kirby, 1826 (in Kirby & Spence 1826: 498) type species *Leptura praeusta* Linnaeus, 1758 #228  
*gilvipes adlbaueri* Lazarev, 2012: 951 E: CZ GE HU PL SK ?SV UK #205 #639  
*gilvipes efetovi* Lazarev, 2012: 949 E: UK (Crimea)  
*gilvipes gilvipes* Faldermann, 1837: 290 (*Anaetia*) E: ST A: AB AR GG TR  
*gilvipes mikati* Sláma, 2019b: 210 E: SK  
*gilvipes murzini* Lazarev, 2012: 950 A: AB IN TM  
*gilvipes niger* Kraatz, 1859: 57 E: IT FR SZ #205  
*muehlfeldi* Mulsant, 1862: 348 (*Polyopsia*)  
*mongolicus* Murzin, 1977: 301 A: ES MG  
*praeustus algericus* Chobaut, 1894b: cclxxvi [1894a: 32] N: AG  
*praeustus anatolicus* Özdikmen & Turgut, 2008e: 627 (Konya, Antalya, Osmaniye) A: TR SY  
*praeustus angorensis* Pic, 1918d: 11 A: LE SY TR #182 #550  
*praeustus praeustus* Linnaeus, 1758: 399 (*Leptura*) E: ~~AL~~AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA  
LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL ~~SL~~SP ST SV SZ TR UK A: AB AR ES GG IR KZ MG SY TR WS  
#464  
*inapicalis* Pic, 1891b: 37  
*peterkai* Skořepa, 2020: 565 [AU, BU, CZ, EN, FI, FR, GE, NR, SK, SV, UK] #511 #767 #816  
*pilosus* Geoffroy, 1785: 78 (*Leptura*) [HN]  
*praetermitus* Sláma, 2020: 572 #511 #816  
~~*praeceustus* Dufour, 1843: 101 (*Saperda*)~~  
*ustulatus* Hagenbach, 1822: 11 (*Saperda*) #543  
*praeustus skrylnyki* Lazarev, Gubin & Pak, 2024: 13 E: AL  
*rosarum* Tsherepanov, 1975a: 34 A: FE HEI #609  
*starkii aquilus* Danilevsky, 2012m: 937, 939 E: ST (Krasnodar env.)  
*starkii starkii* Chevrolat, 1859a: 541 E: AU BE BH BU ?BY CR CT CZ DE EN FR GB GE GR HU IR IT ?LA LT MD NL NR PL RO  
SB SK SL SP ST SV SZ UK A: AB TR [Zonguldak] #41 #104 #752  
*mesmini* Pic, 1928c: 6  
*vicinus* Pic, 1928c: 6

### tribe Tragocephalini J. Thomson, 1857h

**genus** *Chariesthes* Chevrolat, 1858: 312 type species *Chariesthes multinotata* Chevrolat, 1858  
**subgenus** *Sokotheistes* Adlbauer, 2002: 20 type species *Chariesthes socotraensis* Adlbauer, 2002  
*socotraensis* Adlbauer, 2002: 20 A: YE (Suqutra)

**genus** *Kerochariesthes* Téocchi, 1990b: 19 type species *Pseudochariesthes variegata* Breuning, 1939  
*Cherochariesthes*, Löbl & Smetana, 2010: 333 (misspelling)  
*holzschuhi* Téocchi, 1992: 300 (*Freapomecyna*) A: SA YE  
*holzschuhi* Téocchi, 1990a: 11 (*Freapomecyna*) (unavailable name - conditional proposal)

**genus** *Dinocephalus* Peringuey, 1899: 323 type species *Dinocephalus ornatus* Peringuey, 1899  
*heissi* Holzschuh, 1992a: 296 A: SA

### tribe Xenoleini Lacordaire, 1872

**genus** *Hirtaeschopalea* Pic, 1925a: 22 type species *Hirtaeschopalea albolineata* Pic, 1925  
*Jezohammus* Matsushita, 1933b: 347 type species *Jezohammus nubilus* Matsushita, 1933  
*albolineata* Pic, 1925a: 22 A: SHA YUN ORR #400  
*fasciculata* Breuning, 1938c: 226 A: FUJ GUA ORR  
*obliqua* Gressitt, 1940a: 9 (*Xenolea*)  
*nubila* Matsushita, 1933b: 347 (*Jezohammus*) A: JA SC

**genus** *Xenolea* J. Thomson, 1864: 91 type species *Xenolea collaris* J. Thomson, 1864  
*Aeschopalea* Pascoe, 1864a: 10 type species *Aeschopalea agraria* Pascoe, 1864 (= *Xenolea collaris* J. Thomson, 1864)  
*asiatica* Pic, 1925c: 16 (*Aeschopalea*) A: GUA GUX HAI HEN HKG HUB JA JIX NP SC SCH TAI UP YUN ZHE ORR #127  
[*collaris collaris* J. Thomson, 1864: 91 AUR ORR]  
*agraria* Pascoe, 1864a: 24 (*Aeschopalea*)  
*grisella* Pascoe, 1864a: 25 (*Aeschopalea*)  
*laticollis* Pascoe, 1864a: 25 (*Aeschopalea*)  
*collaris formosana* Breuning, 1965h: 177 A: TAI



tribe Xylorhizini Lacordaire, 1872

- genus *Cyrtogrammus* Gressitt, 1939a: 67** type species *Cyrtogrammus lateripictus* Gressitt, 1939  
*laosicus* Breuning, 1968a: 11 A: HAI **ORR** #441  
*lateripictus* Gressitt, 1939a: 67 A: GUA GUX HAI YUN **ORR** #60 #400
- genus *Kuatuniana* Hua, 2002: 212** [RN] type species *Kuatunia subasperata* Gressitt, 1951  
*Kuatunia* Gressitt, 1951a: 437 [HN] type species *Kuatunia subasperata* Gressitt, 1951  
*subasperata* Gressitt, 1951a: 438 (*Kuatunia*) A: FUJ
- genus *Microxylorhiza* Hayashi, 1974c: 38** type species *Microxylorhiza matsudai* Hayashi, 1974  
*matsudai* Hayashi, 1974c: 39 A: TAI
- genus *Parathylactus* Breuning & de Jong, 1941: 65** type species *Thylactus dorsalis* Gahan, 1890  
*dorsalis* Gahan, 1890a: 58 (*Thylactus*) A: NP
- genus *Thylactus* Pascoe, 1866b: 242** type species *Thylactus angularis* Pascoe, 1866  
 *analis* Franz, 1954: 95 A: GUA GUI GUX HAI HEN HUN JIX SCH **AURi** #400 #441  
 *chinensis* Kriesche, 1924: 289 A: GUA SCH TAI **ORR** #199  
 *angustatus* Pic, 1925a: 24  
 *densepunctatus* Chiang & Li, 1984: 100 A: GUA HAI YUN **ORR** #60 #441  
 *dentipennis* W.-K. Wang & Jiang, 1998a: 462 A: XIZ YUN #441  
 *pulawskii* Hua, 1986c: 211 A: GUX HAI **ORR** #400 #441  
 *sikkimensis* Breuning, 1938c: 224 A: NP SD #84  
 *simulans* Gahan, 1890a: 58 A: AP GUI HEN HKG HUN JIX NP SD YUN ZHE **ORR** #84 #280  
 *uniformis* Pic, 1934a: 10 A: GUI "South China" #400
- genus *Xylorhiza* Dejean, 1835: 344** type species *Lamia adusta* Wiedemann, 1819  
 *adusta* Wiedemann, 1819: 182 (*Lamia*) A: AP FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP PA SCH SD YUN ZHE **ORR**  
#280  
 *venosa* Laporte, 1840: 476  
 *pilosipennis* Breuning, 1943a: 16 A: FUG GUA GUX HAI HKG HUN YUN **ORR** #400 #523  
 *erectepilosa* Tippmann, 1951: 309
- subfamily Agapanthiinae Mulsant, 1839 #761**
- tribe Agapanthiini Mulsant, 1839
- genus *Agapanthia* Audinet-Serville, 1835a: 35** type species *Cerambyx cardui* Linnaeus, 1767  
**subgenus *Agapafghania* Danilevsky, 2023: 574** type species *Agapanthia nigriventris* Waterhouse, 1889  
*nigriventris* C. O. Waterhouse, 1889: 130 A: AF TM  
**subgenus *Agapanthia* Audinet-Serville, 1835a: 35** type species *Cerambyx cardui* Linnaeus, 1767  
 *Eucrius* Gistel, 1856: 376 type species *Cerambyx cardui* Linnaeus, 1767  
 *Segmentaria* Gistel, 1848a: viii [unnecessary substitute name]  
 *bohemia* Sláma, 2017a: 62 E: CZ  
 *cardui* Linnaeus, 1767: 632 (*Cerambyx*) E: AL AU BE BH BU CR CT CZ FR GE GR HU IT KZ MC ME NL PL PT RO SB SK SL SP  
ST SZ **TR** UK A: KZ #360 #485  
 *consobrina* Chevrolat, 1840: 17  
 *grossa* Pic, 1891g: 63  
 *marginalis* Mulsant, 1839: 179  
 *nigroaenea* Mulsant, 1839: 179  
 *pannonica* Kratochvíl, 1985a: 3  
 *peragalli* Mulsant, 1862: 364  
 *suturalis* Fabricius, 1787: 149 (*Saperda*) E: FR GR (Dodecanissos) IT MA PT SP N: AG CI **EG** LB MO TU A: AB AR GG CY IN IS  
IQ JO LE SY TR #485  
 *annulata* Fabricius, 1793: 314 (*Saperda*)  
 *ruficornis* Pic, 1918d: 5  
 *rufofemoralis* Pic, 1946a: 8  
 *subacutalis* Chevrolat, 1882: 63  
 *velox* Gistel, 1857b: 560
- subgenus *Agapanthoplia* Pesarini & Sabbadini, 2004b: 122** type species *Agapanthia coeruleipennis* Frivaldszky, 1878 #778  
 *coeruleipennis* Frivaldszky, 1878b: 9 A: IN SY TR  
 *brevis* Pic, 1891a: 1
- subgenus *Amurobia* Pesarini & Sabbadini, 2004b: 128** type species *Agapanthia amurensis* Kraatz, 1879 #778  
 *amurensis* Kraatz, 1879c: 115 A: BEI ES FE FUJ HEB HEI HEN HUB HUN JIA JIL JIX MG NC NIN NMO SC SCH SHA SHN XIN  
ZHE  
 *melanolopha* Fairmaire, 1900: 643  
 *plicatipennis* Pic, 1915e: 8

*semicyanea* Pic, 1915e: 8  
*japonica* Kano, 1933a: 286 A: JA  
*pilicornis laushanensis* Breuning, 1965g: 92 A: HEN SHN #525  
*pilicornis pilicornis* Fabricius, 1787: 148 (*Saperda*) A: ES FE HUB JIA JIL JIX MG NC NMO SC SCH SHA SHN ZHE  
*fasciculosa* Motschulsky, 1861b: 41  
*yiershiensis* Z. Wang, 2003: 266, 396  
*yagii* Hayashi, 1982b: 147 A: JA  
**subgenus** *Chionosticta* Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia niveisparsa* Holzschuh, 1981 #778  
*niveisparsa* Holzschuh, 1981: 103 A: PA  
**subgenus** *Drosotrichia* Pesarini & Sabbadini, 2004b: 126 type species *Saperda annularis* Olivier, 1800 #778  
*annularis* Olivier, 1800: 11 (*Saperda*) E: PT SP N: AG EG LB MO TU #373  
**subgenus** *Eoptes* Gistel, 1857a: 93 [1857b: 605] type species *Lamia asphodeli* Latreille, 1804 #778  
*Agapanthiella* Pesarini & Sabbadini, 2004b: 126 type species *Cerambyx villosoviridescens* DeGeer, 1775 #778  
*altaica* Plavilstshikov, 1933d: 113 A: WS  
*alternans alternans* Fischer von Waldheim, 1842: 26 A: ES KZ MG NC (Cheongjin) NMO SC (Mt. Odaesan) WS XIN #63  
*coeruleonigra* Reitter, 1898c: 132  
*ganglbaueri* Semenov, 1893: 503  
*transbaicalica* Suvorov, 1913: 80  
*alternans eualternans* Danilevsky, 2017c: 29 E: ST (Orenburg env.)  
*alternans paralternans* Danilevsky, 2017c: 26 A: KZ  
*alternans songarica* Kostin, 1973: 225 A: KZ (Dzhungarsky Alatau)  
*songarica* Kostin, 1978: 605 [HN]  
*alternans tarbagataica* Kostin, 1978: 605 A: KZ (Tarbagatai)  
*angelicae* Reitter, 1898c: 131 A: IN TM  
*hauseri* Reitter, 1902b: 185  
*jacobsoni* Plavilstshikov, 1915d: 122  
*latior* Pic, 1898q: 179  
*subnuda* Reitter, 1905a: 93  
*asphodeli asphodeli* Latreille, 1804: 282 (*Lamia*) (environs de Bordeaux) E: AL BH BU FR GR IT MA MC MD PT RO SP ST SZ UK  
A: ?AB ?AR ?GG ?KZ SY TR #484 #632 #724  
*delagranei* Pic, 1894c: 75 ["Akbès"]  
*insularis* Gautier des Cottés, 1870b: 263  
*mimica* Pic, 1927e: 1  
*reyi* Mulsant & Godart, 1870: 27 #724  
*spencii* Gyllenhal, 1817: 187 (*Saperda*)  
*asphodeli cretica* Bernhauer, 1978: 70 E: GR (Crete)  
*probsti* Holzschuh, 1984c: 370 (Crete)  
*asphodeli fadli* Sama & Rapuzzi, 2006: 186 N: EG  
*asphodeli lopadusae* Rapuzzi & Sparacio, 2017: 958 [Lampedusa Is.] E: IT  
*asphodeli nicosiensis* Pic, 1927e: 1 A: CY  
*asphodeli renatae* Steiner & Schmid, 2013 E: GR (Peloponnese)  
*balcanica* Sláma, 2019b: 208 (Attica)  
*asphodeli zappii* Sama, 1987: 62 N: AG LB MO TU #484  
*auliensis* Pic, 1907b: 12 A: KZ UZ  
*amabilis* Holzschuh, 1981: 104  
*badenkoi* Danilevsky, 2024d: 458 A: 458  
*boeberi boeberi* Fischer von Waldheim, 1806: 16 (*Saperda*) ["Sarepta"] E: KZ ST UK A: AB AR GG IN KZ TR WS #634 #691  
#711  
*decora* Krynicki, 1834: 170 (*Saperda*) [Tauria]  
*boeberi michaeli* Sláma, 1986: 469 E: GR (Crete+Peloponnes) #711  
*boeberi chorumensis* Lazarev, 2023c: 1797 A: TR (Chorum)  
*boeberi cynarae* Germar, 1817: 222 (*Saperda*) [Italy] E: BH BU CR CZ ?FR ?GE GR HU IT MC ?MD ME SB SL ?SP RO SK TR UK  
#691  
*boeberi diversicornis* Pic, 1927e: 1 (Albania) E: AL GR MC #711  
*boeberi selengensis* Danilevsky, 2021b: 501 A: ES (Selenga River)  
*boeberi slamai* Lazarev, 2023c: 752 E: GR (Peloponnese) #711  
*dahli alaiensis* Kratochvíl, 1985b: 68 A: KI UZ TD  
*dahli alexandris* Pic, 1901q: 82 A: KI KZ #249  
*dahli calculensis* Lazarev, 2013d: 128 A: KZ  
*dahli dahli* C. F. W. Richter, 1820: pl. 12 (*Saperda*) E: AL AU BE BH BU ?BY CR CT CZ FR GE HU KZ MC MD ME PL RO SB SK  
SL SP ST ?SZ UK A: GG KZ #115 #551 #752  
*gyllenhali* Ganglbauer, 1883a: 190  
*nigricornis* Fabricius, 1793: 314 (*Saperda*) [HN]  
*dahli efimovi* Danilevsky, 2021b: 500 A: WS  
*dahli golestonica* Lazarev, Plewa & Jaworski, 2016: 232 A: IN  
*dahli iliensis* Danilevsky, 2018d: 181 A: KZ ?XIN  
*dahli ismailovae* Lazarev, 2013c: 446 E: ST (Dagestan) A: AB

*dahli kindermanni* Pic, 1905a: 13 A: TR #762  
*amicula* Holzschuh, 1989a: 176  
*dahli kuleshovi* Danilevsky, 2018d: 179 A: WS (Tomsk Region)  
*dahli lateralis* Ganglbauer, 1884: 541 E: TR A: TR #763  
*bilateralis* Pic, 1927e: 1 ["Turkestan" - wrong record]  
*orientalis* Pic, 1901q: 83 [DA]  
*dahli lenkorana* Lazarev, Plewa & Jaworski, 2016: 234 A: AB (Talysh) ?IN  
*dahli lepsyensis* Danilevsky, 2018d: 179 A: KZ (Lepsy River) ?XIN  
*dahli malmerendii* Sama, 1981: 504 E: FR (Corse) IT  
*dahli muellneri* Reitter, 1898c: 133 A: KI UZ ?XIN #249  
*dahli mutinensium* Sama & Rapuzzi, 2010: 179 A: LE #249  
*dahli nitidipennis* Holzschuh, 1984c: 371 A: AB GG #249  
*dahli persica* Semenov, 1893: 505 A: IN #249  
*?theryi* Pic, 1908b: 6  
*dahli pustulifera* Pic, 1905a: 12 A: JO IS LE SY #182 #763  
*dahli rubenyani* Lazarev, 2013c: 443 A: AB AR IN  
*dahli salviae* Holzschuh, 1975a: 88 A: IN ["Elburz, Südseite, 10 km nördlich Karadj"] #763  
*dahli schurmanni* Sama, 1979b: 505 [Macedonia: Ohrid; Greece: Kastoria] E: AL BU GR MC #82 #763  
*dahli sicula* Ganglbauer, 1884: 541 E: IT (Sicilia)  
*dahli subsimplicicornis* Sama & Rapuzzi, 2010: 180 A: LE #763  
*dahli transcaspica* Pic, 1900g: 14 A: IN TM #249  
*dahli ustinovi* Danilevsky, 2013h: 35 A: ?AF TD (Pamir) #137  
*dahli walteri* Reitter, 1898c: 132 A: AB AR GG IN TR #249 #797  
*erivanica* Pic, 1900e: 14  
*danilevskiyi* Lazarev, 2013b: 235 A: KZ (Syr Darya River near Chardara)  
*daurica daurica* Ganglbauer, 1884: 544 A: ES FE HEI HUB JA JIL LIA MG NC NMO SC SHA XIN #225  
*melancholica* Suvorov, 1913: 79  
*daurica sakaii* Hayashi, 1982b: 149 A: JA  
*detrita* Kraatz, 1882c: 336 A: AF KI KZ TD UZ #345  
*bucharica* Pic, 1901b: 13  
*paki* Rapuzzi, 2012: 958 (Afghanistan)  
*griseocaudata* Kasatkin, 2020c: 234 A: AB  
*obydovi* Danilevsky, 2000c: 292 ["Taukum desert near Kolshengel village"] A: KZ  
*papaverina* Kasatkin, 2020c: 233 A: TR  
*parauliensis* Danilevsky, 2017c: 24 A: KZ, UZ  
*perovskiensis chulakkurgana* Danilevsky, 2021b: 500 A: KZ  
*perovskiensis perovskiensis* Danilevsky, 2021b: 499 A: KZ  
*plewai* Danilevsky, 2024d: 458 A: KZ  
*schmidti* Holzschuh, 1975a: 89 A: TR  
*shovkuni* Shapovalov, 2009: 16 A: KZ  
*simplicicornis* Reitter, 1898c: 133 A: ?IN TR (Mardin)  
*subflavida* Pic, 1903j: 163 A: TR  
*turanica* Plavilstshikov, 1929c: 131 A: KI KZ UZ XIN  
*uxoria* Sláma, 2017a: 64 E: GR  
*verecunda* Chevrolat, 1882: 63 A: TR #784  
= *simplicicornis*, Önalp, 1989: 205  
*villosoviridescens gazanchidisi* Lazarev, 2021: 31 A: BU GR #783  
*villosoviridescens giresunica* Lazarev, 2024d: 489 A: TR  
*villosoviridescens helianthi* Plavilstshikov, 1935: 250 E: ST A: AB AR GG #783  
*lopatini* Kaziutshitz, 1988: 583  
*mesmini* Pic, 1927e: 7  
*villosoviridescens hodeki* Danilevsky, 2018d: 181 A: IN #783  
*villosoviridescens lederi* Ganglbauer, 1884: 542 A: AB #633 #783  
*villosoviridescens markusi* Rapuzzi, Sama & Kotán, 2013: 583 E: AL GR #117 #783  
*villosoviridescens murzini* Lazarev, 2024d: 480 A: AR  
*villosoviridescens shankhizai* Lazarev, 2024d: 491 A: TR (Denizli)  
*villosoviridescens subnigra* Pic, 1890b: 119 - "Georgie"; E: ST A: GG #783  
*subacuta* Pic, 1909: 106 - "Caucase".  
*subchalybaea* Reitter, 1898c: 134 - "Kaukasus und Turkestan: Taschkend" #633  
*villosoviridescens syumika* Lazarev, 2024d: 480 A: AB AR  
*villosoviridescens villosoviridescens* DeGeer, 1775: 76 (Cerambyx) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU  
IR IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: ES KZ MG ~~TR~~ WS #783  
*acutipennis* Mulsant, 1862: 357  
*angusticollis* Gyllenhal;l, 1817: 189 (*Saperda*)  
*latreillei* ["latreille"] Fischer von Waldheim, 1805 [?1806]: 17 (*Saperda*)  
*lineatocollis* Donovan, 1797: 71 (*Cerambyx*)  
*nicaeensis* Chevrolat, 1881: xcvi

*pyrenaea* ~~C.~~ Brisout de Barneville, 1863: 117  
*viridescens* Gmelin, 1790: 1864 (*Cerambyx*)

**subgenus** *Homoblephara* Pesarini & Sabbadini, 2004b: 128 type species *Saperda maculicornis* Gyllenhal, 1817 #778  
*fallax* Holzschuh, 1974a: 95 A: TR  
*korostelevi* Danilevsky, 1985: 385 [= 1987: 620] A: AB AR IN TR  
*maculicornis davidi* Sláma, 1986: 465 E: IT  
*maculicornis maculicornis* Gyllenhal, 1817, app.: 189 (*Saperda*) E: BH BU CR CT GR HU KZ MC MD ME RO SK SL ST TR UK A: KZ TR WS #83 #583  
*trivittata* Gebler, 1830: 188 (*Saperda*)  
*martinae* Danilevsky & Navrátil, 2018: 299 A: IN  
*orbachi* Sama, 1993e: 471 A: IS

**subgenus** *Mirabilinia* Kasatkin, 2020c: 248 type species: *Agapanthia hirsuticornis* Holzschuh, 1975.  
*hirsuticornis* Holzschuh, 1975a: 86 [Mazandaran] A: IN  
**subgenus** *Smaragdula* Pesarini & Sabbadini, 2004b: 128 type species *Saperda violacea* Fabricius, 1775 #778  
*amitina* Holzschuh, 1989a: 174 A: IN [“Iran, Zentralprovinz, 35 km NW Ghazvin”] ?TR #583  
*chalybea* Faldermann, 1837: 303 A: AB AR GG IN TR #517  
*chvalkovskiyi* Hodek, 2021b: 1164 A: GG  
*frivaldszkyi* Ganglbauer, 1884: 546 E: BU RO A: IS IN IQ JO SY TR  
*gemella* Holzschuh, 1989a: 175 A: CY  
*grosseri* Hodek, 2021a: 88 A: TR  
*incerta* Plavilstshikov, 1930: 12 A: KI TD UZ #574  
*intermedia* Ganglbauer, 1884: 543 E: AU BY CT CZ DE EN FR GE GR HU IT KZ LA LU MD ME NL NT PL RO SB SK SP ST SZ UK A: GG KZ WS #357 #480  
*izzilloi* Rapuzzi, Sama & Kotán, 2013: 582 E: GR  
*kadlecii* Hodek, 2021a: 92 A: TR  
*lais* Reiche & Saulcy, 1858: 21 A: IS JO LE SY TR #74 #182  
*lazuli* Vartanis, 2023e: 1730 E: GR (Corfu Is.)  
*mardinensis* Rapuzzi, 2021: 549 A: TR  
*mikhaili* Hodek, 2021b: 1161 A: AR  
*naciyae* Rapuzzi & Sama, 2012a: 676 A: TR  
*osmanlis* Reiche & Saulcy, 1858: 19 [“Constantinople”] E: BU GR HU ME RO SB SK TR A: TR  
*ozdikmeni* Rapuzzi & Sama, 2012a: 673 A: TR  
*persicola* Reitter, 1894d: 146 [“Astrabad, Araxesthal”] A: AB AR GG IN TM TR #574  
*violaceipennis* Pic, 1904b: 9  
*pesarinii* Sama & Rapuzzi, 2010: 177 E: TR A: SY TR #500  
*petranyi* Kotán, 2014: 64 A: IN  
*posti* Hodek & Tichý, 2021: 30 A: TR  
*psoraleae* Sama & Rapuzzi, 2010: 176 A: LE IS #574  
*rapuzzi* Hodek & Tichý, 2021: 32 A: TR  
*talassica* Kostin, 1973: 223 A: KI KZ  
*violacea* Fabricius, 1775: 187 (*Saperda*) E: AL AU BE BH BU CT CR CZ FR GE GR HU IT LU MC MD ME NT PL PT RO SB SK SL SP ST SZ TR UK A: AB AR ES GG KZ TR WS #104 #752  
*chalybaea* Mulsant, 1839: 177 [HN]  
*caerulea* Schoenherr, 1817a: 437 (*Saperda*)  
*cyanea* Herbst, 1784: 95 (*Saperda*)  
*janthina* Gmelin, 1790: 1842 (*Cerambyx*)  
*micans* Fuessly, 1775: 13 (*Cerambyx*)  
*smaragdina* Krynicki, 1832: 161 (*Saperda*)

*viti* Rapuzzi & Sama, 2012a: 675 E: AU CR HU RO SB SK UK #325 #648 #823  
**subgenus** *Stichodera* Pesarini & Sabbadini, 2004b: 126 type species *Saperda irrorata* Fabricius, 1787 #778  
*irrorata* Fabricius, 1787: 147 (*Saperda*) E: FR (Corse) IT PT SP N: AG MO TU  
*granulosa* Chevrolat, 1881: xcv  
*integra* Chevrolat, 1882: 64  
*pubiventris* Mulsant, 1862: 352  
*rorida* Gmelin, 1790: 1838 (*Cerambyx*)  
*soror* Kraatz, 1882c: 336 A: AF KI KZ TD UZ #326 #345  
**subgenus** *Synthapsia* Pesarini & Sabbadini, 2004b: 121 type species *Saperda kirbyi* Gyllenhal, 1817 #778  
*kirbyi kirbyi* Gyllenhal, 1817: 186 (*Saperda*) E: CT CZ FR HU IT KZ MD RO SK SP ST UK  
*latipennis* Mulsant, 1862: 352  
*kirbyi samai* Rapuzzi & Parisi, 2022: 86: A: AB AR GG IN IQ IS SY TM TR  
*kirbyi zavadskiyi* Fairmaire, 1866b: 275 [“Kisilgye-Aole” (?Kizilkaya, Burdur prov.), “aussi à Constantinople”] E: AL BH BU CR GR MC ME SB TR A: TR #531  
*valandovensis* Sláma, 2015c: 1127

**genus** *Agapanthiola* Ganglbauer, 1900: 139 type species *Agapanthia euterpe* Ganglbauer, 1900 (= *Saperda leucaspis* Steven, 1817)  
*Calamobiomorphus* Pic, 1904a: 6 type species *Saperda leucaspis* Steven, 1817  
*leucaspis* Steven, 1817: 184 (*Saperda*) E: AU BH BU BY CR CT CZ GR HU KZ MC MD ME RO SB SK ST TR UK A: AB AR GG ES IN KI KZ MG TD TR UZ WS #803

*cyanella* Dalman, 1817b: 190 (*Saperda*)  
*euterpe* Ganglbauer, 1900: 139 (*Agapanthia*)  
*pectoralis* Eschscholtz, 1818: 482 (*Saperda*)  
*sinae* Dahlgren, 1986: 75 (*Agapanthia*) A: XIN

**genus *Aulaconotus* J. Thomson, 1864: 99** type species *Aulaconotus pachypezoides* J. Thomson, 1864  
*atronotatus* Pic, 1927b: 36 A: FUJ GUA GUI GUX HAI HUN JIX SCH YUN **ORR**  
*varius* Gressitt, 1942b: 5

*gracilicornis* Makihara & A. Saito, 1985b: 14 A: TAI

*grammopterus* Breuning, 1940b: 186 A: NP **ORR**

*incorrugatus* Gressitt, 1939b: 117 A: ANH HUN ZHE

#806

*pachypezoides* J. Thomson, 1864: 99 A: FUJ GUA GUI HUB HUN JA JIA JIX SCH TAI ZHE

*breviscaposus* Heller, 1923b: 73 (*Phelipara*)

*semiaulaconotus* Hayashi, 1974c: 43 (*Pothyne*) A: TAI

*szetschuanus* Breuning, 1968f: 709 A: SCH

*yangi* Bi & Lin, 2024b: 721 A: HUN JIX ZHE

#806

**genus *Calamobius* Guérin-Ménéville, 1847: xviii** type species *Saperda gracilis* Creutzer, 1799 (= *Saperda filum* Rossi, 1790)

*filum* Rossi, 1790: 152 (*Saperda*) E: AL AU BE BH BU CR CZ FR GE GR HU IT MA MC MD ME NL PL PT RO SB SK SL SP ST  
SZ TR UK N: AG LB MO TU A: AB AR CY GG IN IQ IS JO LE SY TR

#65

*decoloripes* Pic, 1945b: 7

*gracilis* Creutzer, 1799: 124 (*Saperda*)

*hirtus* Fabricius, 1793: 317 (*Saperda*)

*magnini* Pic, 1931c: 10

*marginellus* Fabricius, 1802: 332 (*Saperda*)

*tenuis* Blanco Fernández, 1859: 411 (*Saperda*)

**genus *Cleptomtopus* J. Thomson, 1864: 95** type species *Cleptomtopus terrestris* J. Thomson, 1864

*Acroama* Jordan, 1894b: 501 type species *Acroama armata* Jordan, 1894

*Anapophrena* Pic, 1925a: 28 type species *Anapophrena luteonotata* Pic, 1925

*Apophrena* Pascoe, 1866c: 323 type species *Apophrena filifera* Pascoe, 1866

*Itohigea* Matsushita, 1938b: 102 type species *Itohigea bimaculata* Matsushita, 1938 (= *Smermus bimaculatus* Bates, 1873)

*Metopoplectus* Gressitt, 1936: 104 type species *Metopoplectus taiwanensis* Gressitt, 1936

*Mimocleptomtopus* Pic, 1934g: 36 type species *Mimocleptomtopus undulatus* Pic, 1934

*Smermus* Lacordaire, 1872: 692 type species *Smermus mniszehi* Lacordaire, 1872

*annulaticornis* Mitono, 1944: 252 A: HAI

*aureovittatus* Breuning, 1947a: 63 A: BT

*bhutanensis* Breuning, 1975d: 342 A: BT

*bimaculatus* Bates, 1873: 383 (*Smermus*) A: JA

*bimaculatus* Matsushita, 1938b: 102 (*Itohigea*) [HN]

*fuscusignatus* Breuning, 1947a: 63 A: SD

*indecorus* Holzschuh, 2012: 413 A: NP

*indistinctus* Breuning, 1940b: 206 A: NP SD

*luteonotatus* Pic, 1925: 29 A: YUN **ORR**

#708

*mimolivaceus* Breuning, 1972a: 50 [RN] A: SD

*aureomaculata* Hüdepohl, 1990: 454 (*Antennopothyne*)

*parolivaceus* Breuning, 1972c: 416 [HN]

*minor* Gressitt, 1937a: 93 (*Metopoplectus*) A: ZHE

*mniszehi* Lacordaire, 1872: 696 (*Smermus*) A: NP SD

*rufovittatus* Breuning, 1966a: 109

*motuoensis* W.-K. Wang & Jiang, 1999a: 14 A: XIZ

*olivaceus* Breuning, 1942a: 172 A: NP **ORR**

*orientalis* Mitono, 1934: 492 A: TAI

*parolivaceus* Breuning, 1966b: 13 A: NP SD

*pseudolivaceus* Breuning, 1975d: 341 A: BT

*quadrilineatus* Pic, 1924d: 24 (*Pothyne*) A: SD **ORR**

*flavopictus* Breuning, 1940b: 206

*schmidi* Breuning, 1971b: 77 A: AP

*grossepunctatus* Breuning, 1967b: 32 [HN]

*mussardi* Breuning, 1977a: 60

*sikkimensis* Breuning, 1972c: 416 A: SD

*similaris* Gressitt, 1945a: 129 (*Metopoplectus*) A: SCH

*similis* Gahan, 1894a: 81 (*Smermus*) A: HUN **ORR**

*subtereaureus* Breuning, 1967b: 33 A: SD

*taiwanensis* Gressitt, 1936: 105 (*Metopoplectus*) A: TAI

**genus *Coreocalamobius* Hasegawa, Han & Oh, 2014: 50** type species *Coreocalamobius parantennatus* Hasegawa, Han & Oh, 2014  
*parantennatus* Hasegawa, Han & Oh, 2014: 50 A: ?JA (Tsushima Is.) FE SC

#517 #690



**genus *Eucomatocera* White, 1846: 49** type species *Eucomatocera vittata* White, 1846  
*minuta* Pu, 1988: 303 A: XIZ  
*vittata* White, 1846: 49 A: NP SD TAI YUN **ORR**

**genus *Hippocephala* Aurivillius, 1920: 25** type species *Hippocephala suturalis* Aurivillius, 1920  
**subgenus *Hippocephala* Aurivillius, 1920: 25** type species *Hippocephala suturalis* Aurivillius, 1920  
*albosuturalis* Breuning, 1954c: 16 A: FUJ HUN  
*dimorpha* Gressitt, 1937d: 612 A: FUJ GUX JIX SCH ZHE  
*guangdongensis* Hua, 1991: 348 A: GUA  
*proxima* Breuning, 1940b: 195 A: SD  
*suturalis* Aurivillius, 1920: 25 A: FUJ JIX  
**subgenus *Mimosmermus* Breuning, 1966a: 104** type species *Hippocephala fuscostriata* Breuning, 1966  
*argentistriata* Holzschuh, 2006c: 485 A: NP  
*fuscolineata* Breuning, 1947a: 64 A: BT

**genus *Hyllisia* Pascoe, 1864c: 285** type species *Hyllisia stenideoides* Pascoe, 1864  
*Falsanandra* Pic, 1924a: 17 type species *Falsanandra albocincta* Pic, 1924  
**subgenus *Hyllisia* Pascoe, 1864c: 285** type species *Hyllisia stenideoides* Pascoe, 1864  
*albolateralis* Breuning, 1950d: 259 A: UP  
*asirica* Rapuzzi & al Dhafer, 2024: 195 A: SA  
*chinensis* Breuning, 1948b: 35 A: GUX JIX  
*flava* Breuning, 1950d: 259 A: UP  
*indica* Breuning, 1947a: 62 A: HP  
*lineata* Gahan, 1894a: 79 A: NP  
*ruficolor* Pic, 1934b: 15 (*Hippopsis*) A: FUJ **ORR**  
*rufipes* Pic, 1934d: 133 (*Hippopsis*) A: YUN  
*saigonensis* Pic, 1933b: 30 (*Pothyne*) A: YUN **ORR**  
*strandi* Breuning, 1940b: 198 A: HKG  
*taihokensis* Matsushita, 1933b: 385 (*Pothyne*) A: JA (Ryukyus) TAI  
*oshimana* Breuning, 1955b: 73  
*subvittipennis* Breuning & K. Ohbayashi, 1966b: 34 (*Pothyne*)

**genus *Neoludwigia* Sama, 2008: 235** [RN] type species *Agapanthia lixoides* P. H. Lucas, 1847  
*Ludwigia* Pic, 1891b: 47 [HN] type species *Agapanthia lixoides* P. H. Lucas, 1847  
*lixoides* P. H. Lucas, 1847: pl. 42 (*Agapanthia*) N: AG TU  
*insuturalis* Pic, 1934c: 22 (*Ludwigia*)

**genus *Parahyllisia* Breuning, 1942a: 170** type species *Parahyllisia annamensis* Breuning, 1942  
*hainanensis* Breuning, 1966a: 81 A: HAI

**genus *Phelipara* Pascoe, 1866c: 322** type species *Phelipara marmorata* Pascoe, 1866  
**subgenus *Phelipara* Pascoe, 1866c: 322** type species *Phelipara marmorata* Pascoe, 1866  
*Diaxenopsis* Breuning, 1939b: 202 type species *Diaxenopsis apomecynodes* Breuning, 1939  
*Falsopothyne* Pic, 1932c: 24 type species *Falsopothyne pilosa* Pic, 1932  
*Oncideropsis* Aurivillius, 1922c: 165 type species *Oncideropsis nebulosa* Aurivillius, 1922  
*Paraphelipara* Breuning, 1940b: 204 type species *Paraphelipara indica* Breuning, 1940  
*affinis* Breuning, 1940b: 204 A: NP SD  
*indica* Breuning, 1940b: 204 (*Paraphelipara*) A: NP "North India"  
*marmorata* Pascoe, 1866c: 322 A: YUN **ORR**  
*radovskyi* Hua, 1987: 90 A: GUX

**genus *Pothyne* J. Thomson, 1864: 97** type species *Pothyne variegata* J. Thomson, 1864  
*Neopothyne* Matsushita, 1931a: 46 type species *Neopothyne variegata* Matsushita, 1931  
*acaciae* Gardner, 1930: 160 A: UP "North India"  
*flavescens* Breuning, 1940b: 186  
*albolineata* Matsushita, 1933b: 383 A: TAI  
*alboternalis* Breuning, 1982a: 12 A: YUN  
*annulata annulata* Breuning, 1942a: 167 A: HAI JA TAI  
*annulata ishigakiana* Takakuwa & Kusama, 1979: 7 A: JA (Ryukyus)  
*annulata nobuoi* Breuning & K. Ohbayashi, 1964: 17 A: JA  
*annulata yonaguniensis* Hayashi, 1976: 17 A: JA (Ryukyus)  
*miyakoensis* Hayashi, 1976: 19  
*chocolata* Gressitt, 1939a: 88 A: GUA HAI HUN JIX TAI ZHE  
*combreti* Gardner, 1930: 160 A: UP  
*convexifrons* Gardner, 1930: 161 A: UP  
*distincta* Breuning, 1950d: 256 A: NP SD

*fasciata* Gressitt, 1951a: 539 A: HUB  
*formosana chocolatoides* Breuning & K. Ohbayashi, 1966: 34 A: JA (Ryukyus)  
*formosana formosana* Schwarzer, 1925c: 146 A: GUA TAI  
*formosana haterumaensis* Takakuwa, 1984: 12 A: JA (Ryukyus)  
*formosana liturata* Matsushita, 1933b: 384 A: JA (Ryukyus)  
*formosana nanshanchina* Takakuwa & Kusama, 1979: 10 A: TAI  
*fusiscapa* Gressitt, 1940b: 194 A: HAI HUB  
*imasakai* Hayashi, 1976: 18 A: JA (Ryukyus)  
*indica* Breuning, 1940b: 188 A: NP **ORR**  
*indistincta* Breuning, 1940b: 187 A: "India"  
*laeviscapa* Breuning, 1950i: 535 A: FUJ  
*lanhsuensis* Hayashi, 1978b: 108 A: TAI (Lanyu Is.)  
*lateralis* Gressitt, 1937d: 611 A: GUX JIX  
*albolateralis* Breuning, 1942a: 166  
*lineolata* Gressitt, 1940b: 195 A: HAI YUN  
*macrophthalma* Breuning, 1940b: 187 A: NP SD  
*obliquetruncata* Gressitt, 1939a: 89 A: FUJ GUA GUX HAI HUN JIX  
*pauloplicata* Breuning, 1934: 14 A: YUN **ORR** #400  
*polyplicata* Hua & She, 1987: 55 A: FUJ GUA GUX HAI JIX ZHE  
*proxima* Breuning, 1940b: 186 A: "North India"  
*rugifrons* Gressitt, 1940b: 196 A: FUJ GUA HAI HUN JIX YUN ZHE  
*septemvittipennis* Breuning, 1962d: 61 A: YUN **ORR**  
*seriata* Gressitt, 1940b: 197 A: HAI  
*sikkimana* Breuning, 1968f: 709 A: SD  
*sikkimensis* Breuning, 1940b: 189 A: NP SD **ORR**  
*nepalensis* Hayashi, 1979: 93  
*silacea* Pascoe, 1871: 278 A: HAI TAI ZHE  
*sinensis* Pic, 1926k: 394 A: YUN  
*suturella* Breuning, 1942a: 167 A: GUI HUN NO  
*thibetana* Breuning, 1950i: 535 A: XIZ  
*variegata hayashii* Breuning, 1953: 19 A: JA (Tokara Isls., Ryukyus)  
*variegata okinoerabua* Takakuwa & Kusama, 1979: 4 A: JA (Ryukyus)  
*variegata ryukyuana* Yokoyama, 1974: 279 [RN] A: JA (Ryukyus)  
*albolateralis* Yokoyama, 1971: 95 [HN]  
*okinawana* Takakuwa & Kusama, 1979: 3  
*variegata variegata* J. Thomson, 1864: 97 A: HKG HUN NP SD TAI YUN **ORR** #400  
*niveosparsa* Pic, 1908f: 16  
*variegata* Matsushita, 1931a: 46 (*Neopothyme*) [HN]  
*variegata yayeyamana* Breuning & K. Ohbayashi, 1966b: 34 A: JA (Ryukyus)  
*virginalis* Takakuwa & Kusama, 1979: 4 A: TAI

**genus *Pseudocalamobius* Kraatz, 1879c: 116** type species *Calamobius japonicus* Bates, 1873  
*bhutanensis* Breuning, 1975d: 340 A: BT  
*burmanensis* Breuning, 1949a: 12 A: NP **ORR**  
*filiformis* Fairmaire, 1888b: 146 A: FUJ HAI HEB HUB HUN SHA ZHE #225  
*japonicus* Bates, 1873: 383 (*Calamobius*) A: JA  
*leptissimus* Gressitt, 1936: 103 A: FUJ GUA TAI  
*luteonotatus* Pic, 1908f: 17 A: NP YUN **ORR**  
*mediomaculatus* Breuning, 1940b: 202  
*montanus* Hayashi, 1959b: 58 A: JA  
*niisatoi* Hasegawa, 1987: 514 A: TAI  
*obscuriscapus* Breuning, 1975d: 339 A: NP  
*okinawanus* Samuelson, 1965b: 125 A: JA (Ryukyus)  
*piceus* Gressitt, 1951a: 543 A: GUA  
*proximus* Breuning, 1940b: 203 A: NP SD  
*pubescens* Hasegawa, 1987: 517 A: TAI  
*rufescens* Breuning, 1940b: 202 A: NP SD **ORR**  
*rufipennis* Gressitt, 1942d: 4 A: GUI SHA XIZ #400  
*szetschuanicus* Breuning, 1947a: 64 A: SCH  
*moupinensis* Breuning, 1967f: 188  
*taiwanensis* Matsushita, 1931c: 404 A: TAI  
*talianus* Pic, 1916e: 15 A: YUN ZHE #400  
*truncatus* Breuning, 1940b: 203 A: NP SD ?XIZ #400 #430  
*tsushimaensis* Breuning, 1961c: 156 A: FE FUJ HUB JA (Tsushima Is.) JIX NC SC ZHE #278 #525  
*yunnanus* Breuning, 1942a: 172 A: YUN

genus *Pseudohyllisia* Breuning, 1942a: 171 type species *Pseudohyllisia madurensis* Breuning, 1942  
*laosensis* Breuning, 1965d: 45 A: HUN **ORR**

#392

genus *Tetraglenes* Newman, 1842c: 300 type species *Tetraglenes insignis* Newman, 1842  
*bacillarius* Lameere, 1893a: 285 A: CH **ORR**  
*hirticornis* Fabricius, 1798: 148 (*Saperda*) A: FUJ GUA GUI GUX HAI NP SD YUN ZHE **ORR**  
*sublineatus* Gressitt, 1935g: 572  
*tonkineus* Pic, 1919b: 11 (*Dorcasta*)  
*insignis* Newman, 1842c: 300 A: PA UP **ORR**

genus *Theophilea* Pic, 1895b: 39 type species *Theophilea cylindricollis* Pic, 1895  
*cylindricollis* Pic, 1895b: 39 A: AB AR GG TR  
*erzurumensis* Önalp, 1974: 174 (*Agapanthia*)  
*subcylindricollis* Hladil, 1988: 1 E: **AL** AU BU **BY** CT CZ HU KZ MD RO SB SK ST UK A: KZ **TR** WS **#388 #467 #583 #803**

genus *Trichopothyne* Breuning, 1942a: 168 type species *Trichopothyne strandiella* Breuning, 1942  
*hindostani* Breuning, 1950d: 258 A: UP

family Cerambycidae, nomina dubia  
*Lamia aspera* Roemer, 1789: 46 [pl. 5] E: IT