

Updated 18.01.2024

**A check list of the longicorn beetles (Cerambycoidea) of Russia
M.L. Danilevsky, 2024**

Regions (see the corresponding map):

R – Russia:

NT – North of European Russia: Komi, Vologda and S.-Petersburg regions.

CT – Centre of European Russia (eastwards to Urals and Ural River) including Kaliningrad, Samara, Bashkiria and Ulianovsk regions).

ST – South of European Russia (including European part of Orenburg Region – south-eastwards to Ural river, Kalmykia, Rostov, Saratov and Astrakhan regions).

CA – Russian Caucasus and Ciscaucasia including Dagestan, Stavropol and Krasnodar regions.

WS – West Siberia: Asian part of Orenburg region, Ekaterinburg, Cheliabinsk, Tiumen, Omsk, Novosibirsk, Tomsk, Kemerovo regions, as well as Khanty-Mansi and Jamalo-Nenetz regions.

AT – Altaj: Altaj Region and Altaj republic.

ES – East Siberia (from Tuva, Khakassia and Krasnoyarsk to Chukotka, Kamchatka and north Kuril Islands (but without Sakhalin and south Kuril Islands))

SE – South-East Siberia: Amur and Khabarovsk regions.

FE – Far East Siberia: Primorie region.

SI – Sakhalin Island.

KU – South Kuril Islands: mostly Kunashir.

E – Europe without Russia:

AL – Albania

AT – Austria

BE – Belgium

BH – Bosnia & Herzegovina

BU – Bulgaria

BY – Belorussiya

CE – Czechia

CR - Croatia

DE – Germany

DK – Denmark

EO – Estonia

ES – Spain

FI – Finland

FR - France (without
Corsica)

FRC - Corsica

GB - Great Britain

GR - Greece (without
Crete)

GRC - Crete

HU – Hungary

IE – Ireland

IT-Italy (without
Sardinia & Sicilia)

ITA - Sardinia

ITI - Sicilia

KD – Macedonia

KZ - European Kazakhstan

LA – Latvia

LJ – Slovenia

LT – Lithuania

LU-Luxembourg

MD – Moldova

MN – Montenegro

MT – Malta

NL – Netherlands

NO – Norway

PL – Poland

PT – Portugal

RO – Romania

SK – Slovakia

SB – Serbia

SV – Sweden

SZ – Switzerland

TR - European Turkey

UK- Ukraine (without
Crimea)

UKC – Crimea

A – Asia without Russia

AB – Azerbaidjan (including
Nakhichevan and Karabakh)

AF - Afghanistan

AR – Armenia

CH – China

CY - Cyprus

GG – Georgia (including Abkhazia
and Adzharia)

ID - India

IN - Iran

IQ - Iraq

IS - Israel

JA – Japan

JO – Jordan

KI – Kyrgyzstan

KO - Korea

KZ – Kazakhstan (without European part of

LE - Lebanon

MG - Mongolia

SY - Syria

TD - Tadjikistan

TM - Turkmenia

TR - Turkey

UZ – Uzbekistan

N – North Africa

The geographical data of the list are consistent with other my lists by Nikolay Anisimov (Blagoveshchensk).

Any comments are welcome to danilevsky@cerambycidae.net

Familia: DISTENIIDAE Thomson, 1861

= Cometites Blanchard, 1845

Tribus: DISTENIINI

Genus: Distenia Lepeletier & Audinet-Serville, 1828

= Apehes Blessig, 1872

Subgenus: Distenia Lepeletier & Audinet-Serville, 1828

gracilis (Blessig, 1872) **R:** SE FE SI **A:** CH KO

japonica Bates, 1873 **R:** KU **A:** JA

ssp. japonica Bates, 1873 **R:** KU **A:** JA

Familia: CERAMBYCIDAE Latreille, 1802

Subfamilia: PRIONINAE Latreille, 1802

Tribus: CALLIPOGONINI

Genus: Callipogon Audinet-Serville, 1832

Subgenus: Eoxenus Semenov, 1899

relictus Semenov, 1898 **R:** SE FE **A:** CH KO

Tribus: ERGATINI

Genus: Ergates Audinet-Serville, 1832

Subgenus: Ergates Audinet-Serville, 1832

faber (Linnaeus, 1760)

ssp. faber (Linnaeus, 1760) **R:** ?CT ST CA **E:** PT ES FR FRC IT ITI AL LJ CR BH SB MN GR BU ?TR HU AT
SZ NL BE DE GB CE SK PL SV LA LT BY UK UKC **A:** GG AR ?AB IQ SY TR N

Tribus: REMPHANINI

Genus: Rhaesus Motschulsky, 1875

= Rhesus Thomson, 1860 (nec Rhesus Lesson, 1840)

serricollis (Motschulsky, 1838) **R:** CA **E:** AL MN KD GR BU TR **A:** CY GG AR AB TR SY LE

IS IN N

Tribus: AEGOSOMATINI

Genus: Aegosoma Audinet-Serville, 1832

Subgenus: Aegosoma Audinet-Serville, 1832

sinicum White, 1853

ssp. sinicum White, 1853 **R:** FE SI **A:** KO CN JA

ivanovi Danilevsky, 2011 **R:** FE

scabricorne (Scopoli, 1763) **R:** ST CA **E:** GB ES FR FRC IT ITA ITI LJ CR BH SB MN KD AL

GR BU TR RO HU AT SZ BE DE CE SK BY UK UKC ?MD **A:** GG AR AB TR SY ?LE IN IQ

Tribus: MEROSCELISINI

Genus: Tragosoma Audinet-Serville, 1832

depsarium (Linnaeus, 1767) **R:** NT CT ST (Orenburg) WS AT ES SE ?FE **E:** ES FR SZ DE IT LJ

CR BH SB MN KD AL GR BU HU RO AT CE SK PL SV NO FI EO LT LA BY UK

Tribus: PRIONINI

Genus: Dorysthenes Vigors, 1826

Subgenus: Cyrtognathus Dejean, 1835

paradoxus (Faldermann, 1833) **R:** ES SE **A:** ?MG ?KO CH

Genus: Prionus Geoffroy, 1762

insularis Motschulsky, 1858

ssp. insularis Motschulsky, 1858 **R:** AT ES SE FE SI KU **A:** KO CH JA

coriarius (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI AL LJ CR BH SB MN GR

BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL SV FI EO LA LT BY UK UKC MD KZ **A:** ?KZ
GG AR AB IN TR SY N

Genus: Mesoprionus Jakovlev, 1887

asiaticus (Faldermann, 1837) **R:** ST CA **E:** KZ **A:** GG AR AB KZ TR IN

Genus: Psilotarsus Motschulsky, 1860

= Psilopus Gebler, 1860

= Otiartes Thomson, 1866

= Brachyprionus Jakovlev, 1887

= Prionoxys Semenov, 1899

brachypterus (Gebler, 1830)

ssp. brachypterus (Gebler, 1830) **R:** ?WS **A:** KZ CH

= latidens Motschulsky, 1860

ssp. hemipterus (Motschulsky, 1845) **R:** ?ST (Orenburg) WS **E:** KZ **A:** KZ UZ

Subfamilia: LEPTURINAE Latreille, 1802

Tribus: XYLOSTEINI
 Genus: Xylosteus I.Frivaldsky, 1837
 caucasicola Plavilstshikov, 1936 **R: CA A: GG TR**
 Genus: Leptorhabdium Kraatz, 1879
 = Psilorhabdium Kraatz, 1879
 caucasicum (Kraatz, 1879) **R: CA A: GG AR AB IN TR**

Tribus: ENCYCLOPINI
 Genus: Encyclops Newman, 1838
 = Microrhabdium Kraatz, 1879
 macilentus (Kraatz, 1879) **R: SE FE A: CH KO**
 = parallelus Pic, 1914
 = ussuricus Tsherepanov, 1975
 olivaceus Bates, 1884 **R: KU A: JA**

Tribus: OXYMIRINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: Neoxymirus Miroshnikov, 2013
 mirabilis (Motschulsky, 1838) **R: CA A: GG AR AB IN TR**
 Genus: Oxymirus Mulsant, 1862
 cursor (Linnaeus, 1758) **R: NT CT ST WS AT E: SP FR IT LJ CR BH SB KD AL GR BU RO**
HU AT SZ CE SK DE LU BE NL DK PL SV NO FI EO LT LA BY UK MD

Tribus: ENOPLORDERINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: Enoploderes Faldermann, 1837
 Subgenus: Enoploderes Faldermann, 1837
 sanguineus Faldermann, 1837 **R: ST CA E: AL UKC A: GG AR AB TR IN**

Tribus: RHAMNUSIINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: Rhamnusium Latreille, 1829
 bicolor (Schrank, 1781)
 = gracilicorne Théry, 1894
 ssp. constans Danilevsky, 2012 **R: NT CT ST WS(Orenburg) E: FI EO LA LT BY UK ?UKC**
MD KZ A: KZ
 testaceipenne Pic, 1897 **R: CA E: UKC A: GG AR TR**

Tribus: RHAGIINI
 Genus: Rhagium Fabricius, 1775
 Subgenus: Hagrium Villiers, 1978
 bifasciatum Fabricius, 1775 **R: ?CT ST CA E: PT ES FR IT ITI AL LJ CR BH SB MN KD GR**
BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL FI EO LT ?BY UK ?UKC MD A: GG AR AB TR
IN N
 Subgenus: Megarhagium Reitter, 1913
 fasciculatum Faldermann, 1837 **R: CA A: GG AR AB TR IN**
 mordax (DeGeer, 1775) **R: NT CT ST WS AT ES E: ES FR IT AL LJ CR BH SB MN KD GR**
BU ?TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO SV FI PL EO LA LT BY UK ?UKC MD A: KZ TM
 caucasicum Reitter, 1889
 ssp. caucasicum Reitter, 1889 **?R: ?CA A: GG AR AB TR**
 sycophanta (Schrank, 1781) **R: CT ST WS AT E: PT ES FR GB IR IT ?ITI AL LJ CR BH SB**
MN KD GR BU TR RO HU AT SZ BE NL DK DE LU CE SK PL SV FI LA LT BY UK ?UKC MD
 Subgenus: Rhagium Fabricius, 1775
 inquisitor (Linnaeus, 1758)
 ssp. inquisitor (Linnaeus, 1758) **R: NT CT ST CA WS ES E: PT ES FR IT ITI AL LJ CR BH**
MN SB GR BU TR RO HU AT SZ BE NL DK DE LU GB ?IE CE SK NO PL SV FI EO LA LT BY UK UKC MD
KZ A: KZ MG CH TR
 ssp. rugipenne Reitter, 1898 **R: ES SE FE SI A: MG CH KO**
 ssp. schtschukini Semenov, 1898 **R: CA A: GG AR AB IN TR**
 = minimum Podaný, 1964
 japonicum Bates, 1884 **R: SI KU A: JA**
 heyrovskiyi Podaný, 1964 **R: SI A: JA**

Genus: Akimerus Audinet-Serville, 1835
 schaefferi (Laicharting, 1784) **R: CT ST E: PT ES FR ?CR BH GR BU RO HU AT ?SZ DE CE**
SK PL UK MD
 ssp. schaefferi (Laicharting, 1784) **R: CT ST E: PT ES FR BH GR BU HU AT SZ DE CE**
SK PL UK MD

Genus: Japanocorus Danilevsky, 2012
 caeruleipennis (Bates, 1873) **R: SI KU A: JA**

Genus: Stenocorus Geoffroy, 1762
 = Toxotus Dejean 1821

Subgenus: Anisorus Mulsant, 1862
 quercus (Götz, 1783)
 ssp. quercus (Götz, 1783) **R:** CT ST CA ?WS ?AT ES **E:** ES FR IT CR BH SB LJ KD GR
 BU ?TR RO HU AT SZ BE DK NL DE LU CE SK PL ?BY UK MD **A:** TR MG

Subgenus: Stenocorus Geoffroy, 1762
 amurensis (Kraatz, 1879) **R:** SE FE SI **A:** CH KO
 = sachalinensis Matsumura, 1911
 meridianus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** ES FR IT AL LJ KD MN CR BH
 SB GR BU ?TR RO HU AT SZ BE NL DK DE LU GB IR CE SK NO PL SV FI EO LA LT BY UK MD **A:** KZ
 insitivus (Germar, 1824)
 ssp. insitivus (Germar, 1824) **R:** CA **E:** UK **A:** GG AR AB TR IN SY
 lepturoides (Reitter, 1914) **R:** SE **A:** CH
 minutus (Gebler, 1841) **R:** ?AT **A:** KZ ?MG CH
 = tataricus Gebler, 1841

Genus: Pachyta Dejean, 1821
 lamed (Linnaeus, 1758) **R:** NT CT WS AT ES SE FE SI **A:** MG CH KO JA **E:** FR IT LJ BU RO
 HU AT SZ DE CE SK PL DK NO SV FI EO LA LT BY UK MD
 = sasakii Fujita, 2018
 bicuneata Motschulsky, 1860 **R:** ES SE FE SI **A:** CH KO
 quadrimaculata (Linnaeus, 1758) **R:** NT CT ST WS AT ES **E:** ES FR IT LJ CR BH SB MN KD
 GR BU RO HU AT SZ DE CE SK PL DK FI EO LA LT BY UK MD **A:** KZ MG CH

Genus: Evodinellus Plavilstshikov, 1915
 Subgenus: Evodinellus Plavilstshikov, 1915
 borealis (Gyllenhal, 1827) **R:** NT CT WS AT ES SE FE SI **E:** SK PL NO SV FI EO LA LT BY
 UK **A:** MG CH KO JA
 = griseus Pic, 1889
 = petrovi (Danilevsky, 2023)

Genus: Brachyta Fairmaire, 1865
 Subgenus: Fasciobrachyta Danilevsky, 2014
 bifasciata (Olivier, 1800)
 ssp. bifasciata (Olivier, 1800) **R:** ES SE FE SI **A:** MG KO CH
 ssp. plasoni (Breit, 1915) **R:** ?ES ?SE **A:** ?MG CH
 ssp. japonica (Matsushita, 1933) **R:** SI **A:** JA
 caucasica (Rost, 1892)
 ssp. caucasica (Rost, 1892) **R:** CA **A:** GG
 = conjuncta Rost, 1893
 ssp. kubanica Miroshnikov, 1990 **R:** CA **A:** GG

Subgenus: Variobrachyta Danilevsky, 2014
 rosti Pic, 1900 **R:** CA **A:** ?GG
 ssp. rosti Pic, 1900 **R:** CA **A:** ?GG
 = caucasicola Plavilstshikov, 1936
 ssp. baksaniense Lazarev, 2010b **R:** CA
 ssp. alexeevi Lazarev, 2010b **R:** CA
 variabilis (Gebler, 1817)
 ssp. variabilis (Gebler, 1817) **R:** NT CT WS ES **A:** KZ
 = constricta Germar, 1824
 ssp. tungusensis Danilevsky, 2014 **R:** ES
 ssp. scapularis (Mannerheim, 1849) **R:** ES FE **A:** MG CH
 = solskyi Kraatz, 1879
 = comosa Solsky, 1871
 ssp. testaceimembris Pic, 1916 **R:** FE **SE**
 = rufimembris Pic, 1926
 ssp. yakutensis Danilevsky, 2014 **R:** ES
 ssp. ivlievi Danilevsky, 2014 **R:** ES
 ssp. chukotensis Danilevsky, 2014 **R:** ES
 ssp. basarukini Danilevsky, 2014 **R:** SI
 ssp. aberrans (Villiers, 1960) **R:** FE **A:** CH KO
 ssp. striolata (Gebler, 1817) **R:** ES
 = mutabilis Motschulsky, 1859a [1859b]
 = eurinensis Tsherepanov, 1978
 ssp. sinuatolineata (Pic, 1915) **R:** ES **A:** MG
 = breiti (Tippmann, 1946)
 ssp. tuvensis Danilevsky, 2014 **R:** ES WS **A:** MG

ssp. kurayensis Danilevsky, 2014 **R:** WS
 interrogationis (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** FR IT SZ AT DE CE
 SK PL NO SV FI EO LA ?LT BY UK **A:** GG KZ MG CH KO
 ssp. interrogationis (Linnaeus, 1758) **R:** NT **E:** NO SV FI
 ssp. russica (Herbst, 1784) **R:** NT CT ST WS AT **E:** EO LA ?LT ?BY MD UK KZ **A:** KZ
 = altajensis Pic, 1900
 ssp. zubovi Lazarev, 2016a **R:** NT WS
 ssp. mannerheimii Motschulsky, 1860 **R:** WS ES **A:** MG
 = marginalis Motschulsky, 1875
 = obsidiana Motschulsky, 1875
 = cruciatus Kraatz, 1879
 ssp. duodecimmaculata Fabricius, 1781 **R:** SE FE SI **A:** CH KO
 =kraatzi Ganglbauer, 1889
 ssp. shapsugorum Lazarev, 2011 **R:** CA
 ssp. miroshnikovii Lazarev, 2011 **R:** CA **A:** GG
 ssp. lederi Lazarev, 2011 **R:** CA
 punctata (Faldermann, 1833) **R:** ES FE **A:** MG CH KO
 ssp. punctata (Faldermann, 1833) **R:** ES **A:** MG CH
 = reductemaculata Pic, 1915
 = sajanensis Pic, 1916
 = subunicolor Pic, 1916
 = quadrinotatus Pic, 1916
 = turanensis Pic, 1927
 = sochondensis Tshernyshev et Dubatolov, 2005
 ssp. lazarevi Danilevsky, 2014 **R:** FE **A:** CH KO
 danilevskiy Tshernyshev, Dubatolov, 2005 **R:** SI KU **A:** JA
 ssp. danilevskiy Tshernyshev, Dubatolov, 2005 **R:** SI KU **A:** JA
 amurensis (Kraatz, 1879) **R:** SE FE **A:** CH KO
 = bisbioculata Pic, 1910
 = inapicalis Pic, 1910
 = korbi Pic, 1910
 = semilunata Pic, 1910
 sachalinensis Matsumura, 1911 **R:** SE FE SI **A:** CH KO JA
 Genus: Gaurotina Ganglbauer, 1889
 sichotensis Danilevsky, 1988 **R:** FE **A:** KO
 Genus: Pseudogaurotina Plavilstshikov, 1958
 splendens (Jakovlev, 1893) **R:** ES **A:** ?MG
 magnifica Plavilstshikov, 1958 **R:** FE
 Genus: Carilia Mulsant, 1863
 virginea (Linnaeus, 1758)
 ssp. virginea (Linnaeus, 1758) **R:** NT CT ST WS **E:** FR IT AL LJ CR BH SB MN KD GR
 BU RO HU AT SZ BE DE CE SK NO PL SV FI EO LA LT BY UK ?UKC MD
 ssp. aemula (Mannerheim, 1852) **R:** ?CT ?ST WS AT ES SE FE SI **A:** KZ MG CH
 ssp. kozhevnikovii (Plavilstshikov, 1915) **R:** FE **A:** CH
 = sibirica Podaný, 1962
 Genus: Paragaurotes Plavilstshikov, 1921
 ussuriensis (Blessig, 1873) **R:** SE FE **A:** KO CH
 doris (Bates, 1884)
 ssp. suvorovi (Semenov, 1914) **R:** SI KU **A:** JA
 Genus: Euracmaeops Danilevsky, 2014
 = Acmaeops auct. nec LeConte, 1850
 marginatus (Fabricius, 1781) **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT LJ BH CR MN AT
 HU SZ CE GR SK BE NL DE PL NO SV FI EO LA ?LT BY UK **A:** TR KZ MG CH ?KO
 septentrionis (Thomson, 1866) **R:** NT CT ST WS AT ES SE FE SI KU **E:** FR IT ?LJ SZ AT DE
 BU RO CE SK PL NO SV FI EO ?LT ?BY UK **A:** KZ MG CH KO JA
 smaragdulus (Fabricius, 1793) [NP] **R:** NT CT WS AT ES SE FE SI **E:** FR ?IT ?SZ NO SV FI PL
 ?LT **A:** KZ MG CH KO
 = smaragdinus Naezen, 1792 [NO]
 angusticollis (Gebler, 1833) **R:** NT CT WS AT ES SE FE SI **E:** PL BY **A:** MG CH KO JA
 = viridula Matsumura, 1911
 = sachalinensis Tsherepanov, 1978
 Genus: Gnathacmaeops Linsley et Chemsak, 1972

pratensis (Laicharting, 1784) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES FR IT LJ CR BH SB
KD AL BU RO HU AT SZ DE CE SK PL NO SV FI EO LA ?LT BY UK ?UKC MD KZ **A:** GG AR AB KZ UZ
KI MG CH KO

Genus: Pseudodiptera Pic, 1900
daghestanica (Pic, 1897) **R:** CA

Genus: Diptera Mulsant, 1863
minuta (Gebler, 1832) **R:** ES FE SE SI **A:** MG CH KO JA
ssp. minuta (Gebler, 1832) **R:** ES FE SE SI **A:** MG CH KO

anthracina (Mannerheim, 1849) **R:** ES SE FE **A:** MG CH KO
collaris (Linnaeus, 1758) **R:** NT CT ST CA WS ES AT **E:** PT ES FR IT ?ITI AL LJ CR BH SB
MN KD GR BU TR RO HU AT SZ BE NL DK DE LU GB ?IE CE SK NO PL SV EO LA LT BY UK UKC MD
KZ **A:** GG AR AB IN TR SY KZ CH

Genus: Cortodera Mulsant, 1863
= Taiwanocarilia Hayashi, 1983

humeralis (Schaller, 1783) **R:** ST **E:** ES FR IT CR BH SB KD GR BU ?TR RO HU AT SZ CE
SK DE BE NL LU PL BY UK MD **A:** TR

femorata (Fabricius, 1787) **R:** NT CT ST ?CA WS **E:** FR IT LJ CR BH GR BU RO HU AT SZ
CE SK DE PL NO SV FI EO LA LT BY UK

pumila Ganglbauer, 1882 **R:** ST CA **A:** GG AR AB TR IN

ssp. pumila Ganglbauer, 1882 **R:** ST CA **A:** GG AB

ussuriensis Tsherepanov, 1978 **R:** FE

villosa Heyden, 1876

ssp. magdeevi Danilevsky, 2011 **R:** CT

ssp. major Miroshnikov, 2007 **R:** CT ?ST

ssp. kuvandykensis Danilevsky, 2012 **R:** ST

ssp. mikhailovi Danilevsky, 2001 **R:** ST WS

ssp. krasnobaevi Danilevsky, 2010 **R:** ?ST **E:** UK

ssp. kazakorum Danilevsky, 2014 **R:** ST

ssp. mariae Danilevsky, 2010 **R:** CA

ssp. circassica Reitter, 1890 **R:** CA

ssp. zhuravlevi Miroshnikov, 2007 **R:** ST **A:** KZ

ssp. chivilini Danilevsky, 2012 **R:** ST

holosericea (Fabricius, 1801)

ssp. holosericea (Fabricius, 1801) **R:** ST CA **E:** IT LJ CR BH SB ?GR BU RO HU AT CE

SK ?BY UK

colchica Reitter, 1890

ssp. aishkha Danilevsky, 2014 **R:** CA

ssp. murzini Danilevsky, 2014 **R:** CA

ssp. ossetica Danilevsky, 2014 **R:** CA

ssp. bulungensis Danilevsky, 2014 **R:** CA

kiesenwetteri Pic, 1898

ssp. kiesenwetteri Pic, 1898 **R:** ST

ssp. subtruncata Pic, 1934 **R:** CT

ciliata Danilevsky, 2001

ssp. sakmarensis Danilevsky, 2006 **R:** ST

ssp. milaenderi Danilevsky, 2001 **R:** CT

reitteri Pic, 1891

ssp. reitteri Pic, 1891 **R:** CT ST **E:** UK

= alexandri Danilevsky, 1996

analis (Gebler, 1830) **R:** AT **A:** KZ

= haemorhoidalis Pic, 1898

= ruficornis Pic, 1926

sibirica (Plavilstshikov, 1915)

= semenovi Plavilstshikov, 1936

ssp. sibirica (Plavilstshikov, 1915) **R:** AT WS

ssp. shavrovi Danilevsky, 2001 **R:** ES

tibialis Marseul, 1876

ssp. tibialis Marseul, 1876 **R:** ST

= pallidipes Pic, 1898

ssp. ruthena Plavilstshikov, 1936 **R:** ST WS(Orenburg) **E:** KZ **A:** KZ

ssp. rossica Danilevsky, 2001 **R:** CT (Ulyanovsk) ST **E:** UK

turgaica Danilevsky, 2001 **R:** WS(Orenburg) **A:** KZ

khatchikovi Danilevsky, 2001 **R:** ST

alpina (Ménétriés, 1832)
 ssp. alpina (Ménétriés, 1832) **R: CA A: AB GG**
 ssp. matusiaki Danilevsky, 2014 **R: CA A: GG**
 ssp. baksaniensis Danilevsky, 2014 **R: CA**
 ssp. rosti Pic, 1892 **R: CA**
 ssp. psebayensis Danilevsky, 2014 **R: CA**
 ssp. starki Reitter, 1888 **R: CA A: GG**
 ssp. fischensis Stark, 1894 **R: CA**

Genus: Fallacia Mulsant et Rey, 1863
 elegans (Faldermann, 1837) **R: CA E: TR A: GG AR AB TR IN**

Genus: Macropidonia Pic, 1901
 = Sivana Strand, 1942
 = Sieversia Ganglbauer, 1886
 bicolor (Ganglbauer, 1886) **R: FE A: CH KO**
 = coreana Okamoto, 1927

Genus: Pseudosieversia Pic 1902
 = Macrorhabdium Plavilstshikov, 1915
 rufa (Kraatz, 1879) **R: SE FE A: CH KO**
 = ruficollis Plavilstshikov, 1915

Genus: Pidonia Mulsant, 1863
 Subgenus: Pseudopidonia Pic, 1900
 similis (Kraatz, 1879) **R: FE A: KO CH**
semiobscura Pic, 1901 R: SI A: JA
 alticollis (Kraatz, 1879) **R: FE A: KO CH**
 = tristicula Kraatz, 1879
 = rubricollis Pic, 1931
 amurensis (Pic, 1900) **R: SE FE A: KO CH**
 = quelpartensis Hayashi 1983
 malthinoides (Kraatz, 1879) **R: FE KO**
 = quercus Tsherepanov, 1975
 gibbicollis (Blessig, 1873) **R: SE FE A: KO CH JA**
 suvorovi Baeckmann, 1903 **R: FE A: KO CH**

Subgenus: Mumon Hayashi, 1968
 debilis (Kraatz, 1879) **R: SE FE SI A: CH KO**

Subgenus: Cryptopidonia Kuboki, 1981
 amentata (Bates, 1884)
 ssp. kurosawai (Ohbayashi et Hayashi, 1960) **R: KU A: JA**

Subgenus: Omphalodera Solsky, 1873
 puziloi (Solsky, 1873) **R: SE FE SI A: ?MG CH KO JA**

Tribus: SACHALINOBIINI
 Genus: Sachalinobia Jacobs. 1899
 koltzei (Heyden, 1887) **R: ES FE SI KU A: CH KO JA**

Tribus: LEPTURINI
 Genus: Grammoptera Dejean, 1835
 Subgenus: Neoencyclops Matsushita et Tamanuki, 1940
 cyanea Tamanuki, 1933 **R: SE FE SI A: CH KO**
 = plavilstshikovi Heyrovsky, 1965

Subgenus: Grammoptera Dejean, 1835
 abdominalis (Stephens, 1831) **R: CT[Kalinigrad] ST E: PT ES FR IT LJ CR BH KD GR BU RO HU AT SZ BE NL DK DE LU GB IE CE SK PL LT BY UK A: GG AR AB TR IN**
 = variegata Germar, 1824
 ruficornis (Fabricius, 1781)
 ssp. ruficornis (Fabricius, 1781) **R: CT[Kalinigrad] ST E: PT ES FR IT ITI AL LJ CR BH SB KD MN GR BU RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL SV EO LT LA BY UK ?UKC MD TR A: TR ?N**
 ustulata (Schaller, 1783) **R: ?ST ?CT E: PT ES FR IT ITI AL LJ CR BH SB KD MN GR GRC BU RO HU AT SZ BE NL DK DE LU IE GB CE SK NO PL SV ?LA ?BY UK ?UKC MD TR A: AR AB IN TR**
 ssp. ustulata (Schaller, 1783) **R: ?ST ?CT E: PT ES FR IT ITI AL LJ CR BH SB KD MN GR GRC BU RO HU AT SZ BE NL DK DE LU IE GB CE SK NO PL SV ?LA ?BY UK ?UKC MD TR A: TR**
 gracilis Brancsik, 1914 **R: SE FE SI A: CH KO**
 coerulea Jurecek, 1933 **R: SE FE A: KO**

Genus: Cornumutilla Letzn. 1844
 quadrivittata (Gebler, 1830) **R: ?CT WS AT ES SE ?FE A: KO**

= semenovi Plavilstshikov, 1936
 lineata (Letzner, 1844) **R:** NT WS ES **E:** FR SZ IT AT RO CE SK PL UK
 Genus: Corenys Bates, 1884
 sericata Bates, 1884 **R:** KU **A:** KO CH JA
 Genus: Nivellia Mulsant, 1863
 sanguinosa (Gyllenhal, 1827) **R:** NT CT WS AT ES SE FE SI ?KU **E:** SB AT DE RO SK CE PL
 NO SV FI EO LA BY UK **A:** ?KZ MG CH KO JA
 = rubripennis Matsumura, 1911
 extensa (Gebler, 1833)
 ssp. extensa (Gebler, 1833) **R:** NT WS ES AT SE FE **E:** SB FI **A:** MG CH KO
 ssp. umbratilis Shimomura & Toyoshima, 1988 **R:** SI **A:** JA
 Genus: Strangalomorpha Solsky, 1873
 tenuis Solsky, 1873
 ssp. tenuis Solsky, 1873 **R:** SE FE SI **A:** CH KO JA
 Genus: Alosterna Mulsant, 1863
 tabacicolor (DeGeer, 1775)
 ssp. tabacicolor (DeGeer, 1775) **R:** NT CT ST CA WS **E:** ES FR IT ITI AL LJ CR BH SB
 KD MN GR BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK PL NO SV FI EO LT LA BY UK ?UKC MD
 TR KZ **A:** KZ
 = chrysoloides Schrank, 1781
 ssp. subvittata Reitter, 1885 **R:** CA **A:** GG AR AB IN TR
 = caucasica Plavilstshikov, 1936
 ssp. erythropus (Gebler, 1841) **R:** WS AT ES SE FE SI KU **A:** KZ MG CH JA
 = bivittis Motschulsky, 1860
 = plavilstshikovi Podaný, 1963
 ssp. tenebris Danilevsky, 2012 **R:** FE **A:** CH KO
 ssp. sachalinensis Danilevsky, 2012 **R:** SI
 ingrlica (Baeckmann, 1902) **R:** NT CT ST WS **E:** SK PL EO LT LA BY UK
 diversipes Pic, 1929 **R:** SE FE SI **A:** CH KO
 = perpera Danilevsky, 1988
 chalybeella (Bates, 1884) **R:** SI KU **A:** JA
 = japonica Pic, 1935
 Genus: Vadonia Mulsant, 1863
 unipunctata (Fabricius, 1787)
 ssp. unipunctata (Fabricius, 1787) **R:** CT ST CA WS **E:** ES FR IT LJ CR BH SB GR BU TR
 RO HU AT CE SK ?PL MD UK UKC KZ **A:** KZ GG AR AB TR IN
 bipunctata (Fabricius, 1781)
 ssp. bipunctata (Fabricius, 1781) **R:** CT ST CA WS KZ **A:** KZ
 ssp. sareptana Pic, 1941 **R:** ST WS **E:** KZ **A:** KZ
 = beckeri Pic, 1941 [HN]
 ssp. urdensis Danilevsky, 2014 **R:** ?ST **E:** KZ **A:** KZ
 ssp. globicollis (Desbrochers des Loges, 1870) **R:** CT ST CA **E:** MD UK RO
 = mulsantiana (Plavilstshikov, 1936)
 ssp. steveni (Sperk, 1835) **R:** ST CA **E:** RO HU MD SK LJ UK
 ssp. teberdensis Danilevsky, 2014 **R:** CA
 Genus: Pseudalosterna Plavilstshikov, 1934
 elegantula (Kraatz, 1879) **R:** SE FE ?SI **A:** CH KO JA (Tsushima Is.)
 = orientalis Plavilstshikov, 1934
 Genus: Pseudovadonia Lobanov, Danilevsky et Murzin, 1981
 livida (Fabricius, 1777)
 ssp. bicarinata (Arnold, 1869) **R:** NT CT ST CA WS AT ES SE **E:** SV PL BY LA LT EO UK
 UKC KZ **A:** AR GG AB IN TR KZ KI CH
 Genus: Konoa Matsushita, 1933
 granulata (Bates, 1884) **R:** SI **A:** JA
 Genus: Anoplodera Mulsant, 1839
 Subgenus: Anoplodera Mulsant, 1839
 rufipes (Schaller, 1783)
 ssp. rufipes (Schaller, 1783) **R:** ?NT **E:** ES FR GB IT LJ KD MN CR BH SB AL GR BU RO
 HU AT SZ LU DE CE SK PL SV ?EO LT LA BY UK MD
 ssp. ventralis Heyden, 1886 **R:** CT ST CA WS ?AT ES **E:** ?BY UK KZ **A:** GG AR AB KZ
 TR
 sexguttata (Fabricius, 1775) **R:** NT CT ST CA WS **E:** ES PT FR IT LJ CR BH SB KD AL GR
 BU TR RO HU AT SZ DE LU BE GB IE NL DK CE SK PL NO SV FI EO LT LA BY UK MD **A:** GG TR N

rufihumeralis (Tamanuki 1938) **R:** FE **A:** KO CH
Genus: Anoploderomorpha Pic, 1901
cyanea (Gebler, 1832) **R:** ES SE FE SI KU **A:** MG CH KO JA
Genus: Xestoleptura Casey, 1913
rufiventris (Gebler, 1830) **R:** WS AT ES ?SE SI **A:** ?KZ MG CH
baeckmanni (Plavilstshikov, 1936) **R:** FE **A:** KO CH
= changbaishanensis (Gao, Meng & Yan, 2011)
Genus: Stictoleptura Casey, 1924
= Brachyleptura auct. (not Casey, 1913)
Subgenus: Aredolpona Nakane et K. Ohbayashi, 1957
= Corymbia Des Gozis, 1886
rubra (Linnaeus, 1758)
ssp. rubra (Linnaeus, 1758) **R:** NT CT ST WS AT ES **E:** PT ES FR FRC IT LJ CR BH SB
MN AL GR BU RO HU AT SZ DE LU BE GB IE NL DK CE SK PL NO SV FI EO LT LA BY UK MD KZ **A:** KZ
dichroa (Blanchard, 1871) **R:** ES SE FE SI KU **A:** CH KO JA
= succedanea Lewis, 1879
Subgenus: Stictoleptura Casey, 1924
cordigera Fuessly, 1775
ssp. cordigera Fuessly, 1775 **R:** CA (Derbent) **E:** BE CR GB SB MN KD BU DE FR GE
GR IT NL RO ES SZ RO UK **N:** LB **A:** AB AR CY GG IN IQ IS LE SY TR
erythroptera (Hagenbach, 1822) **R:** CA **E:** ES FR CR BH SB MN KD AL GR BU TR RO HU AT
SZ DE CE SK UK **A:** AR GG AB TR IN
rufa (Brullé, 1832)
ssp. realis Danilevsky, 2012 **R:** CA **A:** GG AR AB TR
Subgenus: Variileptura Danilevsky, 2014
variicornis (Dalman, 1817) **R:** NT CT ST WS AT ES SE FE SI KU **E:** PL EO LT LA BY UK **A:**
KZ MG CH KO JA
Subgenus: Melanoleptura Miroshnikov 1998
scutellata (Fabricius, 1781)
ssp. scutellata (Fabricius, 1781) **R:** ?CT ST CA **E:** PT ES FR FRC IT ITI ITA LJ CR BH SB
MN KD AL GR BU RO HU AT SZ DE LU BE GB IE DK CE SK PL SV LA BY UK UKC MD TR
ssp. ochracea (Faust, 1878) **R:** ST **A:** GG AR AB TR
Subgenus: Maculileptura Danilevsky, 2014
maculicornis (DeGeer, 1775) **R:** NT CT ST ?CA WS **E:** ES FR IT KD LJ CR BH SB MN AL GR
BU TR RO HU AT SZ DE BE LU CE SK PL NO SV FI EO LT LA BY UK MD **A:** ?GG
Subgenus: Batesiata Miroshnikov, 1998
tesserula (Charpentier, 1825) **R:** CA **E:** CE SB MN AL GR BU RO HU ?DE SK PL UK **A:** GG
AR AB TR IN
Subgenus: Paracorymbia Miroshnikov 1998
fulva (DeGeer, 1775) **R:** CT ST **E:** PT ES FR FRC IT ITI LJ CR BH SB MN KD AL GR BU TR
RO HU AT SZ DE LU BE GB IE NL CE SK PL UK
= apicalis Motschulsky, 1875
tonsa (J.Daniel et K.Daniel, 1891) **R:** CA **E:** UKC **A:** GG AR AB TR IN
= ustulata Ménétériés, 1832 [HN]
pallidipennis (Tournier, 1872) **R:** CA **A:** GG ?AB TR
nadezhdae (Plavilstshikov, 1932) **R:** CA
Genus: Anastrangalia Casey 1924
scotodes (Bates, 1873)
ssp. scotodes (Bates, 1873) **R:** SI KU **A:** JA
ssp. continentalis (Plavilstshikov, 1936) **R:** SE FE **A:** CH KO
sanguinolenta (Linnaeus, 1760) **R:** NT CT ST CA **E:** ES FR IT LJ CR BH SB MN KD AL GR
BU RO HU AT SZ DE DK NL GB IE CE SK PL NO SV FI EO LT LA BY UK ?MD **A:** GG AR AB TR KZ WS
?AT ?ES
dubia (Scopoli, 1763)
ssp. melanota (Faldermann, 1837) **R:** CA **A:** GG AR ?AB TR IN
= distincta (Tournier, 1872)
reyi (Heyden, 1885) **R:** NT CT ST WS **E:** ES FR IT LJ AT RO HU SZ DE CE SK PL NO SV FI
EO LT LA BY UK **A:** KZ
= inexpectata Jansson & Sjöberg, 1928
sequensi (Reitter, 1898) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JA
renardi (Gebler, 1848) **R:** NT WS AT ES SE FE SI ?KU **A:** KZ MG CH KO
Genus: Lepturobosca Reitter, 1913

virens (Linnaeus, 1758) **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT LJ BE MN CR BH SB
 BU RO HU AT SZ DE ?GB CE SK PL NO SV FI EO ?LT LA BY UK **A:** KZ MG CH

Genus: Eustrangalis Bates, 1884
 distenioides Bates, 1884 **R:** KU **A:** JA

Genus: Podostrangalia Sokol. 1897
 Subgenus: Neosphenalia Löble, 2010
 = Sphenalia Daniel 1904 (not Sphenalia Wood, 1874, in Mollusca)
 femoralis (Motschulsky, 1860) **R:** SE FE SI KU **A:** CH KO JA
 = xanthoma Bates, 1873

Genus: Etorofus Matsushita 1933
 Subgenus: Etorofus Matsushita 1933
 nemurensis Matsushita, 1933 **R:** SI KU **A:** JA
 = variicornis Matsushita, 1933 [HN]
 = niger Matsushita, 1933
 = circaocularis (Pic, 1934)
 pubescens (Fabricius, 1787) **R:** NT CT ST CA WS **E:** ES FR IT DK LJ CR BH KD SB MN AL
 GR BU RO AT SZ DE CE SK PL NO SV FI EO LT LA BY UK **A:** ?GG TR

Subgenus: Nakanea Ohb. 1963
 vicaria (Bates, 1884)
 ssp. vicaria (Bates, 1884) **R:** SI KU **A:** JA

Genus: Judolidia Plavilstshikov, 1936
 znojki Plavilstshikov, 1936: **R:** SE FE **A:** CN KO

Genus: Judolia Mulsant, 1863
 sexmaculata (Linnaeus, 1758) **R:** NT CT ST **E:** ?ES FR IT GR SZ AT HU RO DE CE SK IE GB
 PL NO SV FI EO LT LA BY UK **A:** KZ

dentatofasciata Mannerheim, 1852 **R:** NT WS AT ES SE FE SI KU **A:** MG CH KO JA
 = parallelipeda Motschulsky, 1860
 = abbreviata Motschulsky, 1875
 = shirarakensis Matsumura, 1911
 = rufimembris Pic, 1917

Genus: Pachytodes Pic, 1891
 erraticus (Dalman, 1817) **R:** CT ST CA WS AT ES **E:** ES FR IT LJ CR BH SB MN KD AL GR
 BU TR RO HU AT ?SZ DE CE SK PL MD UK **A:** GG AR AB KZ ?CH TR IN SY

cerambyciformis (Schrank, 1781) **R:** ?NT CT ST **E:** PT ES FR IT LJ ME CR BH SB KD AL GR
 BU RO HU AT SZ DE LU BE DK NL GB IR CE SK PL ?EO LT LA BY UK MD **A:** ?TR

bottcheri (Pic, 1911) **R:** WS AT ES **A:** MG CH
 = orthotrichus (Plavilstshikov, 1936)
 longipes (Gebler, 1832) **R:** ES SE FE SI **A:** MG CH KO
 cometes (Bates, 1884) **R:** SI KU **A:** JA KO
 = connecta Nishio 1950

Genus: Oedecinema Thomson, 1857
 gebleri Ganglbauer, 1889 **R:** NT CT ST (Orenburg) WS AT ES SE FE SI KU **E:** BY UK **A:** KZ
 MG CH KO JA

= dubia Fabricius, 1781
 = decemmaculata Matsumura, 1911

Genus: Leptura Linnaeus, 1758
 Subgenus: Noona Sama, 2007
 = Nona Sama, 2002
 regalis (Bates, 1884) **R:** SI KU **A:** JA KO

Subgenus: Macroleptura Nakane et Ohb. 1957
 thoracica Creutzer, 1799 **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** LJ CR BH SB RO SK PL
 FI EO ?LT LA BY UK **A:** KZ MG CH KO JA
 = obscurissima Pic, 1900

Subgenus: Leptura Linnaeus, 1758
 ochraceofasciata (Motschulsky, 1862)
 ssp. ochraceofasciata (Motschulsky, 1862) **R:** SI KU **A:** JA KO CH
 latipennis (Matsushita, 1933) **R:** SI KU **A:** JA
 aurulenta Fabricius, 1793 **R:** ST CT **E:** PT ES FR FRC IT BE LJ CR BH SB MN KD AL GR BU
 TR RO HU AT SZ DE LU GB IE CE SK PL MD ?BY UK **A:** TR N

quadrifasciata Linnaeus, 1758
 ssp. quadrifasciata Linnaeus, 1758 **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR IT
 LJ CR BH SB KD MN AL BU TR RO HU AT SZ DE LU BE DK NL GB IE CE SK PL NO SV FI EO LT LA BY
 UK UKC MD KZ **A:** KZ MG KO CH JA

ssp. *lederi* Ganglbauer, 1882 **R:** CA **A:** GG AR AB TR IN
 = *caucasica* Plavilstshikov, 1924
annularis Fabricius, 1801
 = *arcuata* Panzer, 1793
 ssp. *annularis* Fabricius, 1801 **R:** NT CT ST KZ WS AT ES FE SI **E:** ES FR ?IT CR LJ BH
 RO HU AT SZ DE CE SK PL EO LT LA ?MD BY UK **A:** KZ MG CH KO
 ssp. *mimica* Bates, 1884 **R:** SI KU **A:** JA
duodecimguttata Fabricius, 1801 **R:** KZ WS AT ES SE FE SI **A:** MG CH KO JA
aethiops Poda 1761 **R:** NT CT ST CA WS AT ES SE FE ST SI KU **E:** ES FR IT LJ CR BH SB
 AL GR RO HU AT SZ DE LU BE DK NL CE SK PL EO LT LA BY UK ?UKC MD **A:** ?GG ?AR ?AB KZ MG
 CH KO JA
 = *aterrima* Motschulsky, 1860
 = *akitai* Fujita, 2018
doii (Matsushita, 1933) **R:** KU

Genus: *Lepturalia* Reitter, 1913
nigripes (DeGeer, 1775)
 ssp. *nigripes* (DeGeer, 1775) **R:** NT CT ST WS AT ES **E:** AT LJ RO SK PL NO SV FI EO
 ?LT LA BY UK **A:** KZ
 ssp. *rufipennis* (Blessig, 1873) **R:** WS AT ES SE FE SI **A:** KZ MG CH

Genus: *Strangalia* Dejean, 1835
 = *Strangalina* Aurivillius, 1912
attenuata (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR FRC IT LJ CR
 BH SB MN KD AL GR BU TR RO HU AT SZ DE LU BE NL DK ?GB CE SK PL NO SV FI EO LT LA BY UK
 UKC MD **A:** GG AR AB IN TR KZ MG CH KO JA
takeuchii Matsushita et Tamanuki, 1935 **R:** KU **A:** JA

Genus: *Rutpela* Nakane et Ohbayashi, 1957
maculata (Poda 1761)
 ssp. *maculata* (Poda 1761) **R:** NT CT ST CA WS(Orenburg) **E:** FR FRC IT ITA LJ CR BH
 SB MN KD AL GR BU TR RO HU AT SZ DE LU BE DK NL GB IE CE SK PL NO SV FI EO ?LT LA BY UK
 MD **A:** KZ TR
 ssp. *manca* (Schaufuss, 1863) **R:** CA **E:** PT ES FR IT ITI BU TR UKC **A:** GG AR AB IN TR
 SY
 = *nigricornis* (Stielin, 1864)

Genus: *Stenurella* Villiers 1974
 Subgenus: *Stenurella* Villiers 1974
melanura (Linnaeus, 1758) **R:** NT CT ST ?CA WS AT ES SE **E:** PT ES FR IT LJ CR BH SB MN
 KD AL GR BU TR RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY UK ?UKC MD
 KZ **A:** ?GG ?AR ?AB IN TR KZ MG ?CH JA
 ssp. *melanura* (Linnaeus, 1758) **R:** NT CT ST ?CA WS AT ES SE **E:** PT ES FR IT LJ CR
 BH SB MN KD AL GR BU TR RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY UK
 ?UKC MD **A:** ?GG ?AR ?AB IN KZ MG ?CH JA
 = *sennii* Sama, 2002

Subgenus: *Stenurelloides* Özdikmen, 2013
novercalis (Reitter, 1901) **R:** CA **A:** GG TR
jaegeri (Hummel, 1825) **R:** CT ST CA **E:** UKC **A:** GG AR AB IN TR SY

Subgenus: *Priscostenurella* Özdikmen, 2013
 = *Eduardvivesia* Zamoroka, Trócoli, Shparyk & Semaniuk, 2022: 131 type species *Leptura vaucheri*
 Bedel, 1900
 = *Nigromacularia* Zamoroka, Trócoli, Shparyk & Semaniuk, 2022 132 type species *Leptura*
septempunctata Fabricius 1793
bifasciata (Müller, 1776)
 ssp. *bifasciata* (Müller, 1776) **R:** NT CT ST CA WS AT ES **E:** PT ES FR FRC IT ITI ITA LJ
 CR BH SB MN RO HU AT SZ DE LU BE NL CE SK PL EO LT LA BY UK UKC MD **A:** CH GG AR AB IN
 IQ TR KZ
 = *sedakovi* Mannerheim, 1852
septempunctata (Fabricius, 1793)
 ssp. *latenigra* Pic, 1915 **R:** CA **E:** BU TR **A:** GG AR TR

Subgenus: *Nigrostenurella* Özdikmen, 2013
nigra (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI LJ CR BH SB MN KD AL GR
 BU RO HU AT SZ DE LU BE NL DK GB IR CE SK PL NO SV EO LT LA BY UK UKC MD **A:** GG AR AB
 ?IN TR

ssp. nigra (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI LJ CR BH SB MN
KD AL GR BU RO HU AT SZ DE LU BE NL DK GB IR CE SK PL NO SV EO LT LA BY UK UKC MD KZ **A:**
TR

ssp. maesta Danilevsky, 2013 **R:** CA **A:** GG AR AB ?IN TR

Subfamilia: NECYDALINAE Latreille, 1825

Tribus: NECYDALINI

Genus: Necydalis Linnaeus, 1758

Subgenus: Necydalis Linnaeus, 1758

ulmi (Chevrolat, 1838) **R:** CA **E:** ES FR IT CR BH SB MN KD GR BU TR RO HU AT SZ DE
CE SK PL ?LT ?LA ?BY ?MD UK **A:** AB GG AR IN TR

= mesembrina Plavilstshikov, 1936

major Linnaeus, 1758 **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT CR BH SB MN AL GR
BU RO HU AT SZ DE DK LU BE NL CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** AB GG TR KZ
MG CH KO JA

= xantha Semenov, 1898

= aino Kusama, 1974

gigantea Kano, 1933 **R:** KU **A:** JA

ssp. gigantea Kano, 1933 **R:** KU **A:** JA

Subgenus: Necydalisca Plavilstshikov, 1936

= Eonecydalis Ohbayshi, 1961

pennata Lewis, 1879 **R:** SE FE SI KU **A:** KO CH JA

= morio Kraatz, 1879

= ebenina Bates, 1884

= pacifica Plavilstshikov, 1936

= ussuriensis Plavilstshikov, 1936

= semenovi Plavilstshikov, 1936

= eoa Plavilstshikov, 1936

sachalinensis Matsumura et Tamanuki, 1927 **R:** SE FE SI **A:** KO CH JA

Subfamilia: SPONDYLIDINAE Audinet-Serville, 1832

= Aseminae Thomson, 1860

Tribus: SAPHANINI Gistel, 1848

Genus: Drymochares Mulsant, 1847

starcki Ganglbauer, 1888

ssp. starcki Ganglbauer, 1888 **R:** CA **A:** ?GG

Tribus: ATIMIINI Le Conte, 1873

Genus: Atimia Haldeman, 1847

= Myctus Semenov et Plavilstshikov, 1937

nadezhdae Tsherepanov, 1973 **R:** FE **A:** KO CH

Tribus: ASEMINE Thomson, 1860

Genus: Nothorhina L. Redtenbacher, 1845

punctata (Fabricius, 1798) **R:** NT CT ST WS ?AT **E:** PT ES FR IT ITI BH AL GR BU BH DE
AT CE SK PL NO SV FI EO LT LA BY UK KZ **A:** KZ TR ?SY JA

= muricata (Dalman, 1817)

Genus: Megasemum Kraatz, 1879

quadricostulatum Kraatz, 1879 **R:** SE FE SI KU **A:** KO CH JA

Genus: Asemum Eschscholtz, 1837

striatum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR IT LJ CR BH SB
KD MN AL GR BU RO HU AT SZ DE LU BE NL SV DK GB IE CE SK PL NO SV FI EO LT LA BY UK ?UKC
MD KZ **A:** GG AR ?AB TR KZ KI MG CH KO JA

#554

= subsulcatum Motschulsky, 1860

= amurense Kraatz, 1879

= ishidai Fujita, 2018

tenuicorne Kraatz, 1879 **R:** CA **E:** ES IT ITI GR RO ?AT SV PL UKC **A:** GG TR

ssp. tenuicorne Kraatz, 1879 **R:** CA **E:** ES IT ITI GR RO ?AT SV UKC **A:** GG TR

punctulatum Blessig, 1872 **R:** SE FE SI KU **A:** KO CH JA

Genus: Arhopalus Audinet-Serville, 1834

Subgenus: Arhopalus Audinet-Serville, 1834

= Criocephalum Dejean, 1835

= Criocephalus Mulsant, 1839

rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** PT ES FR FRC IT ITI
LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ DE LU BE NL DK GB IR CE SK PL NO SV FI EO LT LA
BY UK UKC MD KZ **A:** GG AR AB TD TR IN KZ MG CH KO JA N

ssp. rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** PT ES FR FRC IT ITI LJ CR BH SB MN KD AL GR BU TU RO HU AT SZ DE LU BE NL DK GB IR CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB TD TR IN KZ MG CH KO JA **N**

= tristis Fabricius, 1787

?= coreanus Sharp, 1905

ferus (Mulsant, 1839) **R:** NT CT ST CA WS AT ES SE **E:** PT ES FR FRC IT ITI ITA MT LJ CR BH SB MN KD GR GRC AL BU RO HU ?AT SZ DE LU BE NL DK GB ?IE CE SK PL SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB CY TR SY JO IS LE KZ CH **N**

Tribus: Tetropiini Seidlitz, 1891

Genus: Tetropium Kirby 1837

= Isarthron Dejean, 1835

castaneum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR IT LJ CR BH SB MN AL BU GR RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB TR KZ MG CH KO JA

gabrieli Weise, 1905 **R:** ?CT (Kaliningrad Region) **E:** FR IT LJ HU AT SZ DE GB IR LU BE NL DK LS CE SK PL SV LT LA ?BY UK

gracilicorne Reitter, 1889 **R:** NT CT WS AT ES SE FE SI KU **A:** KZ MG CH KO JA

gracilicum Hayashi, 1983 **R:** FE KU **A:** CH JA

aquilonium Plavilstshikov, 1940 **R:** NT WS **E:** SV FI

danilevskyi Slama, 2005 **R:** ES

fuscum (Fabricius, 1787) **R:** NT CT ST CA WS **E:** GB FR IT LJ CR BH SB BU RO HU AT SZ DE BE NL DK CE SK PL NO SV FI EO LT LA BY UK MD KZ **A:** GG TR KZ CH

ssp. fuscum (Fabricius, 1787) **R:** NT CT ST CA WS **E:** GB FR IT LJ BH SB BU RO HU AT SZ DE BE NL DK CE SK PL NO SV FI EO LT LA BY UK MD KZ **A:** GG TR KZ

Tribus: SPONDYLIDINI Audinet-Serville, 1832

Genus: Spondylis Fabricius, 1775

buprestoides (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** PT ES FR FRC IT ITI LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB IN TR AF KZ MG CH KO JA **N**

Subfamilia: APATOPHYSEINAE Lacordaire, 1869

Tribus: APATOPHYSEINI

Genus: Apatophysis Chevrolat, 1860

Subgenus: Apatophysis Chevrolat, 1860

caspiica Semenov, 1901 **R:** CA **A:** AB GG TM UZ KZ TR IN AF

Subfamilia: CERAMBYCINAE Latreille, 1802

Tribus: HESPEROPHANINI

Genus: Hesperophanes Dejean, 1835

sericeus (Fabricius, 1787) **R:** CA **E:** PT ES FR FRC IT ITI ITA MT KD CR BH MN AL GR UKC **A:** GG AR AB TM IN TR CY LE SY JO IS IQ **N**

Genus: Trichoferus Wollaston, 1854

holosericeus (Rossi, 1790) **R:** CA **E:** ES FR FRC SZ IT ITI ITA MT LJ CR BH MN SB AL GR BU UKC **A:** GG AR AB TR IN **N**

= cinereus Villers, 1789

fasciculatus (Faldermann, 1837) **R:** CA **E:** PT ES FR FRC IT ITI ITA SZ MT CR MN AL GR SB BU RO UK UKC **A:** GG AR AB TR CY IN IQ IS JO LE SY **N**

ssp. fasciculatus (Faldermann, 1837) **R:** CA **E:** PT ES FR FRC IT ITI ITA MT CR MN AL GR BU RO UK UKC **A:** GG AR AB TR IN

griseus (Fabricius, 1793) **R:** ?CA **E:** PT ES FR FRC IT ITI ITA MT CR BH SB MN AL GR GRC BU TR RO CE UK UKC **A:** ?GG TR CY JO LE IS SY IQ **N**

campestris (Faldermann, 1835) **R:** CT ST CA WS ES SE FE **E:** AT BE BY CE EO FR GB GE GR HU IT LA LJ LT MD NL SK SV SZ PL RO UK **A:** AB AR KZ KI ID UZ TD TM IQ IN IS JO LE MG CH KO JA **N**

= turkestanicus Heyden, 1886

pallidus (Olivier, 1790) **R:** ST CA **E:** ES PT FR FRC IT CR BH SB GR BU RO HU AT CE SK DE PL MD UKC **A:** TR

Genus: Stomatium Audinet-Serville, 1834

aureatum (Böber, 1793) **R:** ST CA **E:** PT ES FR FRC IT ITI ITA LJ DE MT CR BH SB MN KD AL GR GRC BU TR RO HU LA UK UKC **A:** GG AR AB TM TR CY IN IQ JO IS LE **N**

= fulvum Villers, 1789

= unicolor (Olivier, 1800)

Tribus: CERAMBYCINI

Genus: Neocerambyx Thomson, 1860

= Mallambyx Bates, 1873

= *Mesocerambyx* Breuning et Hitzinger, 1943
raddei Blessig, 1872 **R:** SE **FE A:** CH KO JA
Genus: *Cerambyx* Linnaeus, 1758
Subgenus: *Cerambyx* Linnaeus, 1758
cerdo Linnaeus, 1758
ssp. *cerdo* Linnaeus, 1758 **R:** CT ST **E:** FR FRC IT ITI ITA LJ CR BH SB MN KD AL GR
BU TR RO HU AT SZ DE LU BE NL DK IR CE SK PL SV LT LA BY MD UK **A:** TR N
ssp. *acuminatus* Motschulsky, 1853 **R:**ST CA **E:** UK **A:** GG AR AB IN TR SY JO LE IS IQ
= *klinzigi* Podaný 1964
ssp. *manderstjernae* Mulsant & Godart, 1855 **R:** ST **E:** UKC
dux (Faldermann, 1837) **R:** CA **E:** KD BU GR TR UKC **A:** GG AR AB TR IN IQ SY JO LE IS
nodulosus Germar, 1817 **R:** CA **E:** IT MT LJ CR BH SB MN KD AL GR BU TR RO UKC **A:**
GG AR AB CY TR SY LE
ssp. *nodulosus* Germar, 1817 **R:** CA **E:** IT MT LJ CR BH SB MN KD AL GR BU TR RO
UKC **A:** GG AR AB CY TR SY LE
miles Bonelli, 1812 **R:** CA **E:** PT ES FR IT ITI MT LJ CR BH SB MN KD AL GR BU TR RO
HU AT CE SK SZ MD UKC **A:** GG AR AB IN TR SY N
Subgenus: *Microcerambyx* Miksic et Georgijevic, 1973
= *Mesocerambyx* Zagaikevitch, 1991
scopolii Fuessly, 1775
ssp. *scopolii* Fuessly, 1775 **R:** NT CT ST CA **E:** PT ES FR FRC IT ITA MT LJ CR BH SB
MN KD AL GR GRC BU TR RO HU AT SZ DE LU BE NL DK ?GB IR SV SK PL NO SE ?EO LT BY MD UK
UKC **A:** GG AR AB IN TR SY
Tribus: COMPSOCERINI
= ROSALIINI
Genus: *Rosalia* Audinet-Serville, 1834
alpina (Linnaeus, 1758)
ssp. *alpina* (Linnaeus, 1758) **R:** CT ST CA WS **E:** ES FR FRC IT ITI LJ CR BH SB MN KD
AL GR BU TR RO HU AT SZ DE CE SK PL SV MD UK UKC **A:** GG AR AB TR
coelestis Semenov, 1911 **R:** FE **A:** CH KO
= *yanagii* Fujita & Akita, 2020 [Tsushima Is.]
Tribus: PURPURICENINI
Genus: *Purpuricenus* Dejean, 1821
kaehleri (Linnaeus, 1758)
ssp. *rossicus* Danilevsky, 2019 **R:** CT ST CA **E:** BU GR TR RO HU AT SZ DE BE CE SK
PL BY UK UKC MD KZ **A:** TR
ssp. *miroshnikovii* Lazarev, 2023 **R:** CA **A:** GG
ssp. *menetriesii* Motschulsky, 1845 **A:** AR AB IN TR
= *astrabadensis* Pic, 1915
= *caucasicus* Pic, 1902
globulicollis Dejean, 1839 **R:** CT ST WS **E:** ES FR IT ITI LJ CR BH SB MN AL GR BU RO UK
HU ?AT SZ CE SK ?DE **A:** KZ
ssp. *globulicollis* Mulsant, 1839 **R:** CT ST WS **E:** ES FR IT ITI LJ CR BH SB GR BU RO
UK EO HU ?AT SZ CE SK ?DE **A:** KZ
= *tsherepanovae* Tsherepanov, 1980
budensis (Götz, 1783) **R:** CT ST CA ?WS **E:** ES FR IT LJ CR BH SB MN AL KD GR BU TR
RO HU SK MD UK UKC **A:** GG AR AB CY IN TR SY IS
caucasicola Danilevsky, 2015d **R:** CA **A:** GG ?AR AB TR
lituratus Ganglbauer, 1886 **R:** FE **A:** KO CH JA
= *petasifer* Fairmaire, 1888
sideriger Fairmaire, 1888 **R:** FE **A:** KO CH
ssp. *sideriger* Fairmaire, 1888 **R:** FE **A:** KO CH
Genus: *Anoplistes* Audinet-Serville, 1834
= *Asias* Semenov, 1914
halodendri (Pallas, 1773)
= *humeralis* Olivier, 1795
= *elaeagni* Fischer-Waldheim, 1824
ssp. *ephippium* (Steven et Dalman, 1817) **R:** ST CA **E:** UK KZ **A:** KZ
ssp. *kasatkini* Lazarev, 2014 **R:** CA
ssp. *halodendri* (Pallas, 1773) **R:** WS AT **A:** KZ KI
ssp. *minutus* Hammarström, 1893 **R:** ES **A:** MG CH
ssp. *pirus* (Arakawa, 1932) **R:** ES SE FE **A:** KO CH
tuvensis (Tsherepanov, 1978) **R:** ES **A:** MG

Genus: *Amarysius* Fairmaire, 1888
sanguinipennis (Blessig, 1872) **R:** CT WS AT ES SE FE **A:** KZ MG KO CH JA
suturalis (Pic, 1906) **R:** FE **A:** CH
=grallator Baeckmann, 1924
altajensis (Laxmann, 1770) **R:** WS AT ES FE **A:** KZ MG KO CH
= sellatus Germar, 1824
= affinis Motschulsky, 1875
= ussuricus Tsherepanov, 1975
duplicatus Tsherepanov, 1980 **R:** WS AT ?ES SE FE **A:** KZ? MG CH ?KO

Tribus: CALLICHRMATINI
Genus: *Aphrodisium* Thomson, 1864
= *Tomentaromia* Plavilstshikov, 1934
faldermannii (Saunders, 1853)
ssp. *faldermannii* (Saunders, 1853) **R:**?ES ?SE **A:**?MG CH KO

Genus: *Aromia* Audinet-Serville, 1834
moschata (Linnaeus, 1758)
= *thea* Reitter, 1894
ssp. *moschata* (Linnaeus, 1758) **R:** NT CT ST CA **E:** ES FR FRC IT AL LJ CR BH SB MN
KD GR BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL SV FI EO LA LT BY UK UKC MD KZ
A: GG KZ WS AT ES ?MG
ssp. *malukhini* Danilevsky, 2019 **R:** ST
ssp. *ambrosiaca* (Steven, 1809) **R:** CA **E:** PT ES IT ITI GR TR **A:** GG AR AB TR IN SY IS

LE JO IQ N
orientalis Plavilstshikov, 1932 **R:** ES SE FE SI **A:** MG CH KO JA

Genus: *Chelidonium* Thomson, 1864 U
zaitzevi Plavilstshikov, 1933 **R:** FE **A:** CH

Genus: *Chloridolum* Thomson, 1864
Subgenus: *Chloridolum* Thomson, 1864
sieversi (Ganglbauer, 1887) **R:** FE **A:** KO CH
= *coreana* Fairmaire, 1897

Genus: *Leontium* Thomson, 1864
viride Thomson, 1864 **R:** SI KU **A:** JA CH KO

Genus: *Polyzonus* Dejean, 1835
fasciatus (Fabricius, 1781) **R:** ES SE FE **A:**MG KO CH

Tribus: CALLIDIOPINI
Genus: *Stenygrinum* Bates, 1873
quadrinotatum Bates, 1873 **R:** FE **A:** CH KO JA

Tribus: GRACILIINI
Genus: *Gracilia* Audinet-Serville, 1834
minuta (Fabricius, 1781) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT ITI ITA MT LJ MN CR BH
SB AL GR GRC BU TR RO HU AT ?SZ DE LU BE NL DK GB ?IE CE SK PL NO SV FI EO LT UK UKC MD
KZ **A:** KZ GG AR AB IN TR CH N

Genus: *Penichroa* Stephens, 1839
fasciata (Stephens, 1831) **R:** CA **E:** PT ES FR FRC IT ITI ITA MT LJ CR BH MN SB KD AL
GR GRC BU TR UKC **A:** GG AR AB CY IN TR SY N

Genus: *Axinopalpis* Dejean, 1835
gracilis (Krynicky, 1832)
ssp. *gracilis* Krynicky, 1832 **R:** CT ST CA **E:** IT LJ CR BH SB MN KD AL GR BU RO HU
AT CE SK DE PL UK ?UKC MD **A:** GG TR SY IS

Genus: *Hybometopia* Ganglbauer, 1889
starcki Ganglbauer, 1889
ssp. *starcki* Ganglbauer, 1889 **R:** CA **A:** GG TR

Tribus: OBRIINI
Genus: *Obrium* Dejean, 1821
cantharinum (Linnaeus, 1767)
ssp. *cantharinum* (Linnaeus, 1767) **R:** NT CT ST CA WS AT ES SE FE **E:** ES FR IT BH SB
GR BU RO TR HU AT SZ DE LU BE NL ?GB CE SK PL NO SV FI EO LT LA BY MD UK ?UKC KZ **A:** GG
AR AB TR KZ MN CH JA
brunneum (Fabricius, 1793) **R:**?NT ?CT ?ST CA **E:** ES FR FRC IT LJ CR BH SB AL GR BU
RO HU AT SZ DE LU BE NL DK GB IE CE SK PL SV EO LT LA BY MD UK UKC **A:** GG AR AB TR
obscuripenne Pic, 1904 **R:** FE SI ?KU **A:** KO CH JA
= *graciliforme* Lipp, 1939
= *gracile* Plavilstshikov, 1933

brevicorne Plavilstshikov, 1940 **R:** FE **A:** KO CH JA
 Tribus: CERTALLINI
 Genus: Certallum Dejean, 1821
 = Cartallum Audinet-Serville, 1834
 ebulinum (Linnaeus, 1767) **R:** ST CA **E:** PT ES FR IT ITI MT KD AL GR GRC BU TR UK
 UKC **A:** GG AR AB IN TR CY SY LE JO IS IQ **N**
 = ruficolle Fabricius, 1781
 Tribus: DEILINI
 Genus: Deilus Audinet-Serville, 1834
 fugax (Olivier, 1790) **R:** CT ST CA WS **E:** PT ES FR FRC IT ITI ITA LJ CR BH MN GR GRC
 AL BU RO HU AT SZ LU BE CE SK PL BY MD UK ?UKC KZ **A:** KZ GG AR AB TR CY IN SY JO LE IS **N**
 Tribus: STENOPTERINI
 Genus: Stenopterus Illiger, 1804
 rufus (Linnaeus, 1767)
 ssp. rufus (Linnaeus, 1767) **R:** ST CA **E:** ES FR FRC IT ITI ITA CR MT BH LJ RO BU HU
 AT SZ DE LU BE NL CE SK PL MD UK UKC **A:** GG TR **N**
 ssp. geniculatus Kraatz, 1863 **R:** CA **E:** GR AL SL CR BH SB MN KD AT RO HU BU TR
A: GG AR AB IN TR
 Genus: Callimus Mulsant, 1846
 = Callimellum Strand, 1928
 Subgenus: Lampropterus Mulsant, 1863
 = Callimomimus Ieniştea, 1952
 femoratus (Germar, 1824) **R:** CA **E:** SB KD MN AL GR BU TR RO MD UK UKC **A:** GG AR
 AB IN TR CY SY JO LE IS
 = adonis Perrin, 1881
 = narcissus Perrin, 1881
 = distinctus Ieniştea, 1952
 Subgenus: Procallimus Pic, 1907
 = Protocallimus Plavilstshikov 1940
 egregius Mulsant et Rey, 1863 **R:** ?CA **E:** GR UKC **A:** GG TR SY LE
 Genus: Callimoxys Kraatz, 1863
 gracilis (Brullé, 1832) **R:** ST CA **E:** LJ CR BH SB MN KD AL GR BU RO HU SK UKC **A:** GG
 AR AB TM TR IN
 Tribus: PSEBIINI
 Genus: Nathrius Brethes, 1916
 brevipennis (Mulsant, 1839) **R:** ST CA **E:** PT ES FR FRC IT ITI ITA MT LJ CR BH SB KD MN
 BU GR GRC TR RO HU AT ?SZ CE SK DE GB ?IE BE NL DK GB PL NO SV FI MD UK UKC KZ **A:** KZ GG
 AR AB IN TR IS LE SY CH **N**
 Tribus: MOLORCHINI
 Genus: Leptepania Heller, 1924
 = Molorchinus Shabliovsky, 1936
 okunevi (Shabliovsky, 1936) **R:** FE **A:** MG
 = incognita Tsherepanov, 1975
 Genus: Nadezhdiana Tsherepanov, 1976
 villosa Tsherepanov, 1976 **R:** FE
 Genus: Molorchus Fabricius, 1793
 Subgenus: Caenoptera Thomson, 1859
 minor (Linnaeus, 1758)
 ssp. minor (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES FR IT LJ CR BH
 SB MN AL GR BU RO HU AT SZ DE LU BE NL DK GB IE CE SK PL NO SV FI EO LT LA BY MD UK ?UKC
A: GG KZ MG KO CH TR
 = rufescens Kiesenwetter, 1879
 ssp. fuscus Hayashi, 1955 **R:** KU **A:** JA
 Subgenus: Molorchus Fabricius, 1793
 = Glaphyra Newman, 1840
 = Linomius Mulsant, 1862
 umbellatarum (Schreber, 1759)
 ssp. umbellatarum (Schreber, 1759) **R:** NT CT ST CA **E:** ES FR IT ITI LJ CR BH SB MN
 KD AL GR BU TR RO HU AT SZ DK LU BE NL DE GB IR CE SK NO PL SV EO LT LA BY MD UK UKC **A:**
 GG AR AB IN TR ?TM
 plagiatus Reiche, 1877 **R:** ?CT ST CA **E:** KZ **A:** GG AR AB ?KZ IN TR
 kiesenwetteri Mulsant et Rey, 1861

ssp. *kiesenwetteri* Mulsant et Rey, 1861 **R:** ST CA **E:** IT SL ?LJ CR BH ?MN SB KD GR
 ?SZ ?DE AT CZ SK ?PL HU ?RO BU UKC

ssp. *hircus* Abeille de Perrin, 1881 **R:** CA **E:** TR **A:** GG AR AB IN TR SY LE IS
 = *anatolicus* Adlbauer, 1988

schmidti Ganglbauer, 1883 **R:** CT ST CA WS(Orenburg) **E:** GR HU RO CE SK ?PL UK UKC
 MD KZ **A:** AB GG KZ TM UZ KI

= *salicicola* Stiller, 1935
 = ?*semenovi* Plavilstshikov, 1940

marmottani Brisout de Barneville, 1863
 ssp. *marmottani* Brisout de Barneville, 1863 **R:** CT ST **E:** ES FR IT SZ BU AT DE CE SK

PL **A:** TR

starki Shabliovsky, 1936 **R:** FE **A:** KO CH ?JA
 ?= *kojimai* Matsushita, 1939
 = *ussuriensis* Plavilstshikov, 1940
 = *ichikawai* Niisato, 1988

ishiharai Ohbayashi, 1936 **R:** FE SI KU **A:** ?KO JA
 = *kunashiricus* Tsherepanov, 1981

kobotokensis Ohbayashi, 1963 **R:** FE **A:** KO JA

Subgenus: *Nathrioglyphyra* Sama, 1995
heptapotamicus Plavilstshikov, 1940 **R:** ST **A:** KZ KI UZ
 = *amygdali* Holzschuh, 1979

Tribus: STENHOMALINI
 Genus: *Stenhomalus* White, 1855
japonicus (Pic, 1904) **R:** FE KU **A:** JA KO
 = *lighti* Gressitt, 1935
 = *vulcanus* Tsherepanov, 1976

Tribus: HYLOTRUPINI
 Genus: *Hylotrupes* Audinet-Serville, 1834
bajulus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT ITI ITA MT AL LJ CR BH
 SB MN KD GR GRC BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL SV FI EO LA LT BY UK
 UKC MD **A:** GG AR AB CY IN IQ CH TR SY LE JO IS N

Tribus: CALLIDIINI
 Genus: *Paraxylocrius* Niisato, 2009
testaceus Niisato, 2009 **R:** SI
verigai Danilevsky, 2012 **R:** FE

Genus: *Ropalopus* Mulsant, 1839
 = *Rhopalopus* L. Redtenbacher, 1845

Subgenus: *Prorrhopalopus* Plavilstshikov, 1921
signaticollis (Solsky, 1873) **R:** SE FE **A:** CH KO JA
speciosus (Plavilstshikov, 1915) **R:** FE **A:** CH KO

Subgenus: *Pronocerodes* Plavilstshikov, 1940
ruficollis (Matsumura, 1911) **R:** FE SI
aurantiicollis (Plavilstshikov, 1940) **R:** FE SI **A:** KO

Subgenus: *Ropalopus* Mulsant, 1839
ungaricus Herbst, 1784
 ssp. *insubricus* (Germar, 1824) **R:** CT ST CA **E:** FR IT LJ CR BH SB AL BU TR RO UK

MD

= *fischeri* (Krynicky, 1829)
lederi (Ganglbauer, 1882) **R:** CA **E:** UKC **A:** GG AR AB TR ?SY
clavipes (Fabricius, 1775) **R:** NT CT ST CA WS **E:** ES FR IT MT LJ CR BH SB MN KD AL
 GR GRC BU TR RO HU AT SZ DE BE NL LU DK CE SK PL LT ~~LA~~ BY UK UKC MD KZ **A:** GG AR AB KZ
 IQ IN TR SY

macropus (Germar, 1824) **R:** CT ST CA **E:** LJ CR BH SB BU RO HU AT ?SZ DE CE SK PL LA
 LT BY UK UKC MD TR **A:** GG AR AB IN TR

?= *caucasicus* Desbrochers, 1873
femoratus (Linnaeus, 1758) **R:** CT ?ST **E:** ES FR IT LJ CR BH SB KD GR BU TR RO HU AT
 SZ DE BE LU CE SK PL SV ?LT LA BY MD UK

Genus: *Pronocera* Motschulsky, 1859
sibirica (Gebler, 1848) **R:** AT WS ES SE FE SI **A:** MG CH KO
 = *brevicollis* Gebler, 1833
 = *daurica* Motschulsky, 1859

Genus: *Turanium* Baeckmann, 1923
 Subgenus: *Turanium* Baeckmann, 1923

scabrum (Kraatz, 1882) **R:** ST(Orenburg) WS(Orenburg) **A:** KZ TM KI UZ TD CH
 Genus: Leioderes L. Redtenbacher, 1845
 kollari L. Redtenbacher, 1849 **R:** CT ST CA **E:** ES FR IT ITI LJ CR BH SB KD AL GR BU RO
 HU AT SZ DE CE SK PL NO SV LA LT BY UK ?UKC ?MD **A:** GG LE
 ssp. kollari L. Redtenbacher, 1849 **R:** CT ST CA **E:** ES FR IT LJ CR BH SB KD AL GR BU
 RO HU AT SZ DE CE SK PL NO SV LA LT BY UK ?UKC ?MD **A:** GG LE
 Genus: Callidiellum Linsley, 1940
 rufipenne (Motschulsky, 1861) **R:** CA SI **E:** ES FR BE IT BH CR SK BU **A:** GG CH KO JA
 Genus: Semanotus Mulsant, 1839
 undatus (Linnaeus, 1758) **R:** NT CT ?ST WS ES AT SE FE **E:** FR IT LJ CR BH SB BU RO HU
 AT SZ DE CE SK NO PL SV FI EO LA LT BY UK **A:** MG CH KO
 ruscicus (Fabricius, 1777)
 ssp. ruscicus (Fabricius, 1777) **R:** CA **E:** IT GB CR SB AL GR RO HU BU AT CE SK SZ
 UK UKC **A:** AR AB GG IN TR SY JO LE
 bifasciatus (Motschulsky, 1875) **R:** FE **A:** CH KO JA
 Genus: Callidium Fabricius, 1775
 Subgenus: Palaeocallidium Plavilstshikov, 1940
 coriaceum Paykull, 1800 **R:** NT CT ST WS AT ES SE FE **E:** FR IT DK LJ BH CR SB RO HU
 BU GR AT SZ LU CE SK DE PL NO SV FI EO LT LA BY MD UK **A:** MG CH KO KZ
 chlorizans (Solsky, 1871) **R:** AT ES SE FE SI **A:** MG CH KO
 Subgenus: Callidium Fabricius, 1775
 violaceum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES FR IT LJ CR BH SB
 ME AL BU RO HU AT SZ BE NL DK GB IE DE LU CE SK PL NO SV FI EO LA LT BY UK UKC MD **A:** GG
 AR AB TR KZ MG CH KO JA
 Subgenus: Callidostola Reitter, 1913
 aeneum (DeGeer, 1775)
 ssp. aeneum (DeGeer, 1775) **R:** NT CT ST WS AT ES SE FE SI **E:** FR IT LJ CR BH SB MN
 AL GR BU RO HU AT SZ BE NL LU CE SK DE PL NO SV FI EO LT LA BY UK **A:** KZ MG CH JA
 ssp. longipenne Plavilstshikov, 1940 **R:** CA **A:** GG AB TR
 Genus: Oupyrhidium Pic, 1900
 cinnabarinum (Blessig, 1872) **R:** SE FE **A:** KO CH
 Genus: Pyrrhidium Fairmaire, 1864
 sanguineum (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR IT ITI ITA LJ CR BH SB MN AL
 GR GRC BU TR RO HU AT SZ LU BE NL DK DE GB IR CE SK PL NO SV FI EO LT BY UK UKC MD **A:** GG
 AR AB IN TR SY N
 Genus: Phymatodes Mulsant, 1839
 Subgenus: Phymatodes Mulsant, 1839
 testaceus (Linnaeus, 1758) **R:** NT CT ST CA WS AT FE KU **E:** PT ES FR FRC IT ITI ITA LJ
 CR BH SB MN KD AL GR GRC BU TR RO HU AT SZ LU BE NL DK DE GB IR CE SK PL NO SV FI EO LA
 LT BY UK UKC MD KZ **A:** GG AR AB CY IN IQ TR SY LE IS KZ KO JA N
 Subgenus: Melasmetus Reitter, 1913
 femoralis (Ménétriés, 1832)
 ssp. femoralis (Ménétriés, 1832) **R:** CA **A:** GG AR AB IN TR
 Subgenus: Phymatoderus Reitter, 1913
 = Reitteroderus Sama, 1991
 lividus (Rossi, 1794) **R:** CT ST CA **E:** ES FR FRC IT ITI ITA ?LJ CR SB BH MN GR GRC BU
 RO LU NL ?BE ?DE SZ CE ?SK ?PL UK UKC **A:** GG ?AB TR LE SY IS N
 puncticollis Mulsant, 1862 **R:** CT ST CA **E:** KD BU GR HU RO SK MD UK UKC KZ **A:** KZ
 pusillus (Fabricius, 1787)
 ssp. rufipenne Stark, 1889 **R:** ST CA **E:** UK UKC **A:** GG AR AB IN TR
 glabratus (Charpentier, 1825) **R:** CA **E:** ES FR IT ITA CR BH SB GR BU HU AT SZ DE CE RO
 SK PL UK UKC **A:** GG LE
 abietinus Plavilstshikov et Lurie, 1960 **R:** NT CT WS
 Subgenus: Phymatodellus Reitter, 1913
 rufipes (Fabricius, 1777)
 ssp. rufipes (Fabricius, 1777) **R:** ST CA **E:** ES FR IT LJ CR BH SB BU RO HU AT SZ DE
 CE SK PL UK UKC MD
 zemlinae (Plavilstshikov et Anufriev, 1964) **R:** FE **A:** KO CH
 infasciatus (Pic, 1935) **R:** FE KU **A:** KO CH JA
 = vandykei Gressitt, 1935
 = ussuricus Plavilstshikov, 1940
 murzini Danilevsky, 1993 **R:** FE **A:** KO
 Subgenus: Paraphymatodes Plavilstshikov, 1934

mediofasciatus Pic, 1933 **R:** SE **FE A:** KO CH
 Subgenus: Poecilium Fairmaire, 1864
 alni (Linnaeus, 1767)
 ssp. alni (Linnaeus, 1767) **R:** NT CT ST CA **E:** ES AT BE BH BU BY CR KZ CE DK EO FI
 FR GB IR LA LT LU LK KD MN NL NO SV SZ PL 3E LJ SB RO DE GR HU TR MD UK **A:** KZ TR
 ssp. pici Aurivillius, 1912 **R:** CA **A:** GG AR AB IN TR
 = alnoides Reitter, 1913
 ermolenkoi Tsherepanov, 1980 **R:** FE **A:** KO
 maacki (Kraatz, 1879)
 ssp. maacki (Kraatz, 1879) **R:** SE FE **A:** KO CH
 ssp. viarius Danilevsky, 1988 **R:** SI **KU A:** JA
 Tribus: ANAGLYPTINI
 Genus: Paraclytus Bates, 1884
 excultus Bates, 1884 **R:** KU **A:** JA
 sexguttatus (Adams, 1817) **R:** CA **E:** BU TR **A:** GG AR AB IN TR
 Genus: Anaglyptus Mulsant, 1839
 simplicicornis Reitter, 1905 **R:** CA **A:** GG AR AB IN TR
 arabicus (Küster, 1847) **R:** CA **A:** GG AR AB TR
 Genus: Aglaophis Thomson, 1857
 colobothoides Bates, 1884 **R:** FE **A:** KO CH JA
 Genus: Oligoenoplus Chevrolat, 1863
 rosti (Pic, 1911)
 ssp. rosti (Pic, 1911) **R:** KU **A:** JA
 Tribus: CLYTINI
 Genus: Plagionotus Mulsant, 1842
 detritus (Linnaeus, 1758)
 ssp. detritus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT CR LJ BH MN
 KD SB AL GR GRC BU TR RO HU AT SZ BE LU NL GB DK CE SK PL SV EO LA LT BY UK UKC MD KZ
A: KZ TR
 ssp. caucasicola Plavilstshikov, 1940 **R:** CA **A:** GG AR AB IN TR SY
 pulcher (Blessig, 1872) **R:** SE FE SI **KU A:** KO CH JA
 christophi (Kraatz, 1879) **R:** SE FE **A:** KO CH JA
 arcuatus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI ITA LJ CR BH MC ME SB
 AL GR GRC BU TR RO HU AT SZ LU BE NL DK DE ?GB IR CE SK PL NO SV FI ?EO LA LT BY UK UKC
 MD KZ **A:** KZ KI GG AR AB N
 ssp. arcuatus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI ITA LJ CR BH SB
 AL GR GRC BU TR RO HU AT SZ LU BE NL DK DE ?GB CE SK PL NO SV FI ?EO LA LT BY UK UKC MD
 KZ **A:** KZ GG AB TR N
 Genus: Neoplacionotus Kasatkin, 2005
 bobelayei (Brullé, 1832) **R:** ST CA **E:** ES KD GR BU TR RO UK UKC **A:** GG AR AB TM IN
 TR SY IS JO LE IQ
 ssp. huseyini Lazarev, 2016b **R:** ST CA **E:** UK UKC **A:** GG AR AB TM IN TR
 Genus: Echinocerus Mulsant, 1863
 = Paraplacionotus Kasatkin, 2005
 floralis (Pallas, 1773)
 ssp. floralis (Pallas, 1773) **R:** CT ST WS ES **E:** UK UKC KZ **A:** KZ
 ssp. aulicus (Laicharting 1784) **R:** WS ES AT **E:** ES FR IT LJ MN CR BH SB KD AL GR
 BU TR RO HU AT SZ DE CE SK PL LA LT UK MD **A:** KZ UZ KI TR
 Genus: Teratoclytus Zaitzev, 1937
 plavilstshikovi Zaitzev, 1937 **R:** FE SI **A:** KO CH JA
 Genus: Epiclytus Gressitt, 1935
 ussuricus (Pic, 1933) **R:** SE FE **A:** KO CH
 Genus: Rhabdoclytus Ganglbauer, 1889
 = Hayashiclytus Ohbayashi, 1963
 acutivittis (Kraatz, 1879)
 ssp. acutivittis (Kraatz, 1879) **R:** FE SI **A:** KO CH JA
 Genus: Isotomus Mulsant, 1863
 speciosus (Schneider, 1787) **R:** ST CA **E:** ?FR IT ?SZ ?DE LJ CR BH SB KD AL GR BU RO
 HU AT CE SK PL UK MD **A:** GG AR AB TR
 ssp. speciosus (Schneider, 1787) **R:** ST CA **E:** ?FR IT ?SZ ?DE LJ CR BH SB KD AL GR
 BU RO HU AT CE SK PL UK MD **A:** GG AR AB TR
 comptus (Mannerheim, 1825) **R:** ST CA **E:** UKC **A:** GG AR AB IN TR
 ssp. comptus (Mannerheim, 1825) **R:** ST CA **E:** UKC **A:** GG AR AB TR IN

Genus: Chlorophorus Chevrolat, 1863
Subgenus: Immaculatoides Özdikmen, 2022
varius (Müller, 1766)
ssp. varius (Müller, 1766) **R:** CT ST CA WS **E:** ES FR FRC IT ITI ITA MT LJ CR BH SB
MN KD AL GR BU TR RO HU AT SZ DE SV CE NL SK PL LT BY UK UKC MD KZ **A:** GG AR AB KZ IN AF
TR

elaeagni Plavilstshikov, 1956 **R:** ST **E:** KZ **A:** AB KZ TM UZ KI TD
faldermanni (Faldermann, 1837) **R:** ST **A:** GG AR AB IN KZ TM UZ TD KI AF CH
obliteratus (Ganglbauer, 1889) **R:** ES **A:** MG CH
= mongolicus Pic, 1943
= kaszabi Heyrovsky, 1970
= ubsanurensis Tsherepanov, 1971
simillimus (Kraatz, 1879) **R:** ES SE FE SI KU **A:** MG KO CH JA
= sexmaculatus Motschulsky, 1859
herbstii (Brahm, 1790) **R:** NT CT ST CA WS AT ?ES **E:** ES FR CR BH SB BU TR RO HU AT
SZ DE CE SK PL SV NO FI EO LA LT BY MD UK ?UKC KZ **A:** KZ TR

Subgenus: Humeromaculatus Özdikmen, 2011
figuratus (Scopoli, 1763) **R:** NT CT ST CA AT WS ES **E:** PT ES FR IT CR SL BH SB MN KD
AL GR BU TR RO HU AU SZ LU DE CE SK PL EO LA LT ?BY UK MD KZ **A:** GG AR AB KZ IN TR
japonicus (Chevrolat, 1863) **R:** SI KU **A:** KO CH JA
diadema (Motschulsky, 1854)
ssp. diadema (Motschulsky, 1854) **R:** FE **A:** KO CH ?MG
ssp. inhirsutus Matsushita, 1933 **R:** KU **A:** JA
tohokensis Hayashi, 1968 **R:** FE **A:** KO JA

Subgenus: Eubrevenotatus Özdikmen, 2022
motschulskyi (Ganglbauer, 1886) **R:** ES SE FE SI **A:** MG CH KO
= latofasciatus (Motschulsky, 1861)
= chasanensis Tsherepanov, 1982

Subgenus: Perderomaculatus Özdikmen, 2011
sartor (Müller, 1766) **R:** CT ST CA ?WS ?AT ?ES ?SE ?FE **E:** PT ES FR FRC IT ITI ITA LJ CR
BH SB MN KD AL GR GRC BU TR RO HU AT SZ LU DE CE SK PL ?BY UK UKC MD KZ **A:** GG AR AB TM
KZ CY IN TR SY IS LE JO IQ

Genus: Rhaphuma Pascoe, 1858
gracilipes (Faldermann, 1835) **R:** NT CT ST WS ES AT SE FE SI KU **E:** PL ?RO ?LT BY ?UK
A: KZ MG CH KO
= sachalinensis Matsumura, 1911
diminuta (Bates, 1873)
ssp. diminuta (Bates, 1873) **R:** FE **A:** JA KO

Genus: Demonax Thomson, 1861
savioi (Pic, 1924) **FE A:** CH KO

Genus: Xylotrechus Chevrolat, 1860
Subgenus: Xylotrechus Chevrolat, 1860
antilope (Schönherr, 1817)
ssp. antilope (Schönherr, 1817) **R:** CT ST CA **E:** PT ES FR DK IT ITI LJ CR ME BH SB AL
GR BU TR RO HU AT SZ NL DE CE SK PL NO SV LT BY UK UKC MD **A:** CY TR
arvicola (Olivier, 1800)
ssp. planarius Danilevsky, 2016 **R:** CT ST CA WS **E:** UK KZ **A:** KZ
ssp. lazarevi Danilevsky, 2016 **R:** CA **A:** GG AR AB IN TR ?SY
rufilius Bates, 1884 **R:** FE SI KU **A:** KO CH JA
= irinae Plavilstshikov, 1925
= magnicollis Fairmaire, 1888
mixtus Plavilstshikov, 1940 **R:** FE
hircus (Gebler, 1825) **R:** WS AT ES SE FE SI **A:** KZ MG KO CH JA
cuneipennis (Kraatz, 1879) **R:** ES SE FE SI KU **A:** MG KO CH JA
pavlovskii Plavilstshikov, 1954 **R:** FE **A:** KO
polyzonus (Fairmaire, 1888) **R:** FE **A:** KO CH
capricornus (Gebler, 1830) **R:** CT ST WS AT **E:** SK AT CE PL UK KZ **A:** KZ
= capricornis (Chevrolat, 1863)
ibex (Gebler, 1825) **R:** NT CT ST WS AT ES SE FE **E:** DE PL FI ?BY KZ **A:** KZ MG KO CH
clarinus Bates, 1884 **R:** SI KU **A:** KO CH JA

Subgenus: Turanoclytus Sama, 1994
ilamensis Holzschuh, 1979 **E:** ST **A:** AB AR IN TR

ssp. *zuvandiensis* Lazarev, 2016d **E:** ST **A:** AB IN
Subgenus: *Rusticoclytus* Vives, 1977
salicis Takakuwa et Oda, 1978 **R:** ES SE FE **A:**?MG KO CH JA
= *nadezhdae* Tsherepanov, 1982
rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** PT ES FR LU BE IT
ITA LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ DK DE CE SK PL SV NO EO LA LT FI BY UK UKC
MD KZ **A:** GG AR AB IN TR KZ TM TD MG CH KO JA N
adpersus (Gebler, 1830) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JA
pantherinus (Savenius, 1825) **R:** NT CT ST CA WS AT ES SE FE **E:** FR IT AT SZ RO HU BU
SB CE SK DE PL NO SV FI LT ?BY UK MD **A:** KZ MG CH
= *jakowlewi* Semenov, 1899
= *jakovlevi* Plavilstshikov, 1931
Subgenus: *Ootora* Niisato et Wakejima, 2008
villioni (Villard, 1892) **R:** KU **A:** JA
Subgenus: *Xyloclytus* Reitter, 1913
altaicus (Gebler, 1836) **R:** CT WS AT ES SE SI **A:** ?KZ MG CH KO
chinensis Chevrolat, 1852
ssp. *kurosawai* Fujita, 2010 **R:** ?KU **A:** JA
Genus: *Cyrtoclytus* Ganglbauer, 1882
capra (Germar, 1824) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES FR IT BH SB RO AT SZ DE
CE SK PL EO LT LA BY UK MD KZ **A:** AB KZ MG CH KO
caproides (Bates, 1873)
ssp. *caproides* (Bates, 1873) **R:** SI KU **A:** JA CH
Genus: *Brachyclytus* Kraatz, 1879
singularis Kraatz, 1879 **R:** SE FE SI KU **A:** KO CH JA
Genus: *Pseudosphegesthes* Reitter, 1913
brunnescens (Pic, 1897) **R:** CA **A:** GG AR AB ?IN TR
= *circassica* Pic, 1905
Genus: *Clytus* Laicharting, 1784
Subgenus: *Insolitomaculatus* Özdikmen, 2023
tropicus (Panzer, 1795) **R:** ST(Voronezh) **E:** ES FR FRC IT CR BH SB KD LJ GR BU TR RO
HU AT SZ DE CE SK PL BY MD UK
Subgenus: *Clytoides* Özdikmen, 2023
rhamni Germar, 1817
ssp. *temesiensis* Germar, 1824 **R:** CT ST CA **E:** SB KD LJ BU TR RO HU AT BE DE CE
SK UK UKC MD KZ **A:** GG AR AB KZ TR CY IN IQ SY IS LE SY
Subgenus: *Clytus* Laicharting, 1784
arietis (Linnaeus, 1758)
ssp. *oblitus* Roubal, 1932 **R:** CA **A:** GG AR AB TR IN
ssp. *arietis* (Linnaeus, 1758) **R:** NT CT ST WS CA **E:** PT ES FR FRC IT LJ CR BH SB MN
KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV FI EO LA LT BY UK UKC MD
?KZ **A:** TR N
arietoides Reitter, 1899 **R:** NT CT ?ST WS AT ES SE FE SI **A:** KZ MG CH KO JA
venustulus Plavilstshikov, 1940 **R:** ES SE FE **A:** KO CH
Subgenus: *Paulomaculatoides* Özdikmen, 2023
melaenus Bates, 1884 **R:** KU **A:** KO CH JA
Subgenus: *Paulomaculatus* Özdikmen, 2023
nigritulus Kraatz, 1879 **R:** SE FE **A:** KO CH
= *fulvohirsutus* Pic, 1904
mayeti Théry, 1892 **R:** ?ES ?FE
Subgenus: *Sphegoclytus* Sama, 2005
stepanovi Danilevsky et Miroshnikov, 1985 **R:** CA **A:** GG
raddensis Pic, 1904 **R:** SE FE **A:** KO CH JA
= *hypocrita* Plavilstshikov, 1940
Subfamilia: LAMIINAE Latreille, 1825
Tribus: CEROPLESINI
Genus: *Moechotypa* Thomson, 1864
diphysis (Pascoe, 1871) **R:** FE **A:** KO CH JA
Tribus: PARMENINI
Genus: *Parmena* Dejean, 1821
pontocircassica Danilevsky et Miroshnikov, 1985 **R:** CA **E:** UKC **A:** GG AR AB IN TR
Genus: *Plectrura* Mannerheim, 1852
Subgenus: *Phlyctidola* Bates, 1884

metallica Bates, 1884
 ssp. metallica Bates, 1884 **R:** FE SI KU **A:** KO CH JA
 = sachalinica Jacobson, 1899
 = mandshurica Jacobson, 1899
 Tribus: MESOSINI
 Genus: Mesosa Latreille, 1829
 Subgenus: Mesosa Latreille, 1829
 myops (Dalman, 1817) **R:** NT CT ST WS AT ES SE FE SI **E:** PL FI SV LT LA BY UK KZ **A:**
 KZ MG KO CH
 japonica Bates, 1873 **R:** SI KU **A:** JA
 curculionoides (Linnaeus, 1760) **R:** CT ST CA WS(Orenburg) **E:** PT ES FR FRC IT ITI ITA LJ
 MN CR BH SB KD AL GR BU TR RO HU AT SZ DE CE SK PL NO SV LT BY UK UKC MD KZ **A:** GG AR
 AB KZ IN TR
 Subgenus: Aplocnemia Stephens, 1831
 = Aphelocnemia Stephens, 1832
 nebulosa (Fabricius, 1781)
 ssp. nebulosa (Fabricius, 1781) **R:** CT ST CA **E:** PT ES FR FRC IT ITI ITA LJ CR BH SB
 MN AL GR BU TR RO HU AT SZ LU BE NL DK DE IR GB CE SK PL NO SV BY UK UKC MD **A:** GG AR AB
 TR
 obscuricornis Pic, 1894
 ssp. petrovi Danilevsky, 2022b: ST (Dagestan)
 senilis Bates, 1884 **R:** SI KU **A:** JA
 Subgenus: Perimesosa Breuning, 1939
 hirsuta Bates, 1884
 ssp. continentalis Hayashi, 1964 **R:** FE **A:** KO CH
 Tribus: MORIMONELLINI
 Genus: Morimonella Podaný, 1979 C
 bednariki Podaný, 1979 **R:** CA **A:** GG
 Tribus: BATOCERINI
 Genus: Apriona Chevrolat, 1852
 rugicollis Chevrolat, 1852 **R:** ?ES FE **A:** KO CH JA
 ssp. rugicollis Chevrolat, 1852 **R:** ?ES FE **A:** KO CH JA
 = plicicollis Motschulsky, 1853
 Tribus: MONOCHAMINI
 Genus: Anoplophora Hope, 1839
 glabripennis (Motschulsky, 1854) **R:** ?SE FE **E:** FR GB DE NL AT CE SK MN IT SZ FI TR **A:**
 TR KO CH
 Genus: Acalolepta Pascoe, 1858
 Subgenus: Acalolepta Pascoe, 1858
 ussurica (Plavilstshikov, 1951) **R:** FE **A:** KO CH
 fraudator (Bates, 1873)
 = cervina auct., nec Hope, 1831
 ssp. fraudator (Bates, 1873) **R:** FE KU **A:** KO CH JA
 sejuncta (Bates, 1873)
 ssp. sejuncta (Bates, 1873) **R:** FE SI KU **A:** KO CH JA
 luxuriosa (Bates, 1873)
 ssp. luxuriosa (Bates, 1873) **R:** KU **A:** JA
 seunghwani Danilevsky, 2013 **R:** FE **A:** KO CH
 Genus: Astynoscelis Pic, 1904
 degener (Bates, 1873) **R:** SE FE SI **A:** KO CH JA
 = longicornis Pic, 1904
 Genus: Monochamus Dejean, 1821
 Subgenus: Monochamus Dejean, 1821
 = Monochammus Dejean, 1835 (wrong subsequent spelling)
 guttulatus Gressitt, 1951 **R:** SE FE **A:** KO CH
 = guttatus Blessig, 1873
 impluviatus (Motschulsky, 1859) **R:** NT CT WS AT ES SE FE SI **A:** MG KO CH
 saltuarius Gebler, 1830 **R:** NT CT WS AT ES SE FE SI **E:** IT LJ BH RO HU AT CE SK DE PL
 BY LA LT UK **A:** KZ MG KO CH JA
 ssp. saltuarius Gebler, 1830 **R:** ?NT ?CT WS AT ES SE FE SI **A:** KZ MG KO CH JA
 ssp. occidentalis Sláma, 2017b **R:** NT CT **E:** IT LJ CR BH RO HU AT CE SK DE PL ?BY
 LA LT UK
 galloprovincialis (Olivier, 1800)

ssp. *pistor* (Germar, 1818) **R:** NT CT ST CA WS AT **E:** FRC IT LJ CR BH SB MN KD AL
 GR BU RO HU AT SZ NL DE DK CE SK PL SV FI EO LA LT BY UK MD TR **A:** KZ KI
 = *lignator* Krynicki, 1832
 ssp. *cinerascens* (Motschulsky, 1860) **R:** NT WS ES SE ?FE **A:** MG CH
 = *sibiricus* Pic, 1908
 ssp. *transitivus* Lazarev, 2017 **R:** CA **A:** GG AR AB TR
nitens Bates, 1884 **R:** SI KU **A:** KO JA
grandis Waterhouse, 1881 **R:** KU **A:** JA
sartor (Fabricius, 1787)
 ssp. *urussovii* (Fischer-Waldheim, 1806) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** NO
 SV FI EO LT LA BY UK **A:** ?GG KZ MG CH KO JA
 = *rosenmuelleri* auct., nec Cederhjelm, 1798
sutor (Linnaeus, 1758)
 = *rosenmuelleri* Cederhjelm, 1798
 ssp. *sutor* (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** ES FR GB IT LJ BH SB CR MN
 AL GR BU RO HU AT SZ DE NL CE SK PL DK NO SV FI EO LT LA BY MD UK ?UKC **A:** AR GG KZ MG
 ssp. *longulus* Pic, 1898 **R:** ES SE FE SI KU **A:** MG CH KO JA

Tribus: LAMIINI

Genus: *Lamiomimus* Kolbe, 1886

gottschei Kolbe, 1886 **R:** FE **A:** KO CH

Genus: *Lamia* Fabricius, 1775

textor (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR IT ?ITI LJ CR BH
 SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE SK PL NO SV FI EO LA LT BY UK
 ?UKC MD KZ **A:** GG AR AB TR KZ MG KO CH JA

Genus: *Morimus* Brullé, 1832

= *Morinus* Brullé, 1832 (misprint)

verecundus (Faldermann, 1836) **R:** CA **E:** UKC **A:** GG AR AB TM TR IN

= *ficitor* Bogachev, 1949

ssp. *verecundus* (Faldermann, 1836) **R:** CA **E:** UKC **A:** GG AR AB TM TR IN

= *ficitor* Bogachev, 1949

Tribus: DORCADIONINI

Genus: *Dorcadion* Dalman, 1817

Subgenus: *Carinatodorcadion* Breuning, 1943

= *Dorcadodium* Gistel, 1856

carinatum (Pallas, 1771)

ssp. *carinatum* (Pallas, 1771) **R:** CT ST CA **E:** MD UK UKC KZ **A:** KZ

ssp. *uralense* Danilevsky, 1998 **R:** WS (south of Orenburg Reg.) **A:** KZ

ssp. *sunzhenum* Danilevsky, 1998 **R:** CA

ssp. *cylindraceum* Reitter, 1886 **R:** CA **A:** AB

Subgenus: *Cribridorcadion* Pic, 1901

= *Pedestredorcadion* Breuning, 1943

= *Autodorcadion* Plavilstshikov, 1958

= *Dzhungarodorcadion* Danilevsky, 1993

= *Bergerianum* Pesarini et Sabbadini, 2004

pusillum Küster, 1847

= *otshakovi* Suvorov, 1913

spp. *tanaiticum* Kasatkin, 2002 **R:** ST

ciscaucasicum Jakovlev, 1899 **R:** CA

ssp. *ciscaucasicum* Jakovlev, 1899 **R:** CA

ssp. *abramovi* Lazarev, 2009 **R:** CA

elegans Kraatz, 1873 **R:** CT ST CA WS **E:** UK KZ **A:** KZ

sareptanum Kraatz, 1873

ssp. *sareptanum* Kraatz, 1873 **R:** ST CA **E:** KZ **A:** KZ

ssp. *euxinum* Suvorov, 1915 **R:** ST

ssp. *kubanicum* Plavilstshikov, 1934 **R:** CA

ssp. *estriatum* Suvorov, 1913 **R:** CA

ssp. *striatiforme* Suvorov, 1913 **R:** CA

cinerarium (Fabricius, 1787)

ssp. *cinerarium* (Fabricius, 1787) **R:** ST CA **E:** UK

ssp. *panticapaeum* Plavilstshikov, 1951 **R:** CA **E:** UKC

ssp. *okhrimenkoi* Danilevsky, 2016b **R:** CA

ssp. *sindorum* Lazarev, 2011 **R:** CA

ssp. veniamini Lazarev, 2011 **R:** CA
 ssp. novorossicum Lazarev, 2015 **R:** CA
 ssp. papayense Lazarev, 2014 **R:** CA
 ssp. adygorum Lazarev, 2011 **R:** CA
 ssp. smetanai Lazarev, 2011 **R:** CA
 ssp. terkense Lazarev, 2011 **R:** CA
 holosericeum Krynicky, 1832
 ssp. holosericeum Krynicky, 1832 **R:** CT ST CA **E:** RO ?HU ?SK PL ?BY MD UK UKC KZ
 ssp. tristriatum Suvorov, 1913 **R:** CA **A:** GG
 = striatum Dalman, 1817 [HN]
 ssp. avarum Danilevsky, 2023a **R:** CA
 ssp. alanorum Danilevsky, 2023a **R:** CA
 equestre (Laxmann, 1770)
 ssp. equestre (Laxmann, 1770) **R:** CT ST CA **E:** UK MD **A:** GG KZ
 apicerufum Breuning, 1943 **R:** ?CA **A:** GG AR AB TR
 beckeri Kraatz, 1873 **R:** CA **A:** AB
 koenigi Jakovlev, 1897 **R:** CA
 Subgenus: Dorcadion Dalm. 1817
 = Compsodorcadion Ganglbauer, 1884
 glycyrrhizae (Pallas, 1773)
 ssp. nemkovi Danilevsky, 2006 **R:** ST **E:** KZ **A:** KZ
 ssp. korshikovi Danilevsky, 2006 **R:** WS **A:** KZ
 ssp. ishkarganum Danilevsky, 2009 **R:** WS
 ssp. striatum (Goeze, 1777) **R:** CT ST WS **E:** KZ **A:** KZ
 = rufifrons Motschulsky, 1860
 = ?iliense Plavilstshikov, 1937
 ssp. gubertense Danilevsky, 2006 **R:** ST
 ssp. dubianskii Jakovlev, 1906 **R:** WS **A:** KZ
 gebleri Kraatz, 1873
 = occidentale Breuning, 1947
 ssp. gebleri Kraatz, 1873 **R:** AT **A:** KZ CH
 Genus: Politodorcadion Danilevsky, 1996
 politum (Dalman, 1823)
 ssp. politum (Dalman, 1823) **R:** WS AT **A:** KZ
 = lydiae Plavilstshikov, 1929
 ssp. knyazevi Danilevsky, 2020b **R:** WS
 ssp. akmolense (Suvorov, 1911) **R:** WS **A:** KZ
 ssp. shapovalovi Danilevsky, 2006 **R:** WS **A:** KZ
 ssp. eurygyne (Suvorov, 1911) **R:** AT **A:** KZ
 Genus: Eodorcadion Breuning, 1946
 Subgenus Eodorcadion Breuning, 1946
 carinatum (Fabricius, 1781)
 ssp. carinatum (Fabricius, 1781) **R:** CT ST WS AT ES **A:** KZ
 ssp. blessingi (Ganglbauer, 1884) **R:** AT ?ES **A:** KZ
 ssp. bramsoni (Pic, 1901) **R:** AT
 = gassneri Breit, 1917
 ssp. involvens (Fischer-Waldheim, 1823) **R:** ES SE FE **A:** MG CH
 = vestita Jakovlev, 1901
 = longjiangensis Wang, 2003
 ssp. kiahtenum Danilevsky, 2007 **R:** ES
 aitaicum Suvorov, 1909
 ssp. violovitshi Danilevsky & Korshunov, 2022 **R:** AT
 tuvense Plavilstshikov, 1958 **R:** ES
 ptyalopleurum (Suvorov, 1909) **R:** ES
 maurum (Jakovlev, 1889)
 ssp. quinquevittatum (Hammarström, 1893) **R:** ES
 ssp. sajanicum (Hammarström, 1893) **R:** ES
 = leucogramnum Suvorov, 1909
 ssp. katharinae (Reitter, 1898) **R:** ES **A:** MG
 ssp. maurum (Jakovlev, 1889) **R:** ES **A:** MG
 = hirtipes Jakovlev, 1901
 = grumi Suvorov, 1909
 = boldi Heyrovsky, 1965

- = fortecostatatum Heyrovsky, 1969
- Subgenus Ornatodorcadion Breuning, 1947
 - brandti (Gebler, 1841) **R:** ?AT **A:** KZ CH
 - = dux Jakovlev, 1894
 - = nigrolineatum Reitter, 1897
- Subgenus: Humerodorcadion Danilevsky, Kasatkin, Rubenian, 2005
 - humerales (Gebler, 1823)
 - ssp. humerales (Gebler, 1823) **R:** ES **A:** MG CH
 - ssp. impluviatum (Faldermann, 1833) **R:** ?ES **A:** MG
 - = irroratum Reitter, 1893
 - ssp. trabeatum (Jakovlev, 1901) **R:** SE FE **A:** CH ?KO
 - = mogissemium Suvorov, 1909, unavailable
 - = melan Suvorov, 1909, unavailable
 - = quadrilineatum Breit, 1915
 - = xingana Chiang et Wang in Wang, 2003
 - lutshniki (Plavilstshikov, 1937)
 - ssp. lutshniki (Plavilstshikov, 1937) **R:** ES
 - ssp. burenum Danilevsky, 2007 **R:** ES
 - ssp. bicoloratum Danilevsky, 2007 **R:** ES
- Tribus: ANCYLONOTINI
 - Genus: Palimna Pascoe, 1862
 - liturata (Bates, 1884)
 - ssp. continentalis (Semenov, 1914) **R:** FE **A:** KO CH
- Tribus: DORCASHEMATINI
 - Genus: Olenecamptus Chevrolat, 1835
 - octopustulatus (Motschulsky, 1860)
 - ssp. octopustulatus (Motschulsky, 1860) **R:** ES SE FE SI **A:** MG KO CH JA
 - = mordkovitshi Tshernyshev et Dubatolov, 2000
 - riparius Danilevsky, 2011b **R:** FE **A:** KO CH JA
- Tribus: PTEROPLIINI
 - Genus: Pterolophia Newman, 1842
 - Subgenus: Pterolophia Newman, 1842
 - maacki (Blessig, 1873) **R:** FE **A:** KO CH
 - angusta (Bates, 1873)
 - ssp. multinotata Pic, 1931 **R:** ES SE FE **A:** MG CH KO
 - = mandshurica Breuning, 1938
 - = ussuriensis Plavilstshikov, 1954
 - = burakowskii Heyrovsky, 1973
 - = selengensis Ljamtzeva, 1979
 - Subgenus: Ale Pascoe, 1865
 - jugosa (Bates, 1873)
 - ssp. jugosa (Bates, 1873) **R:** SI KU **A:** JA KO
 - Genus: Egesina Pascoe, 1864
 - = Baeckmanella Shabliovsky, 1936
 - Subgenus: Nijijimaia Matsushita, 1933
 - bifasciana (Matsushita, 1933)
 - ssp. bifasciana (Matsushita, 1933) **R:** FE SI **A:** KO CH JA
 - = iljinskyi Shabliovsky, 1936
- Tribus: APOMECCYNINI
 - Genus: Apomeccyna Dejean, 1829
 - Subgenus: Apomeccyna Dejean, 1829
 - histrio (Fabricius, 1793) **R:** ES **A:** ?MG KO CH JA ID
 - Genus: Microlera Bates, 1873
 - ptinoides Bates, 1873 **R:** KU **A:** JA KO
 - Genus: Asaperda Bates, 1873
 - agapanthina Bates, 1873
 - ssp. agapanthina Bates, 1873 **R:** SI KU **A:** JA
 - krivolutzkayae Danilevsky, 2023 **R:** KU **A:** JA
 - = “meridiana” sensu Krivolutzkaya, 1973 et auct., not Matsushita, 1931(Taiwan)
 - stenostola Kraatz, 1873 **R:** AT ?WS ?ES SE FE **A:** KZ MG CH KO
- Tribus: PTERICOPTINI
 - Genus: Xylariopsis Bates, 1884
 - mimica Bates, 1884 **R:** FE **A:** KO CH JA

Tribus: APODASYINI

- Genus: *Quasimesosella* Miroshnikov 2006
= *Pseudomesosella* Miroshnikov, 1989
ussuriensis (Tsherepanov, 1983) **R:** SE FE **A:** CH KO
= *florovi* Tsherepanov, 1984
- Genus: *Deroplia* Dejean, 1835
= *Stenidea* Mulsant, 1842
genei (Aragona, 1830)
ssp. genei (Aragona, 1830) **R:** CA **E:** ES FR FRC IT ITI LJ CR BH SB MN AL GR BU RO
HU ?DE CE SK AT ?SZ UK **A:** GG AR ?AB TR IS JO
- Genus: *Sophronica* Blanchard, 1845
sundukovi Danilevsky, 2009 **R:** FE **A:** KO
- Genus: *Anaesthetis* Dejean, 1835
confossicollis Beckmann, 1903 **R:** ES SE FE SI **A:** MG CH KO JA
flavipilis Beckmann, 1903 **R:** AT
testacea (Fabricius, 1781)
ssp. testacea (Fabricius, 1781) **R:** CT ST CA WS **E:** ES FR IT ITI ITA LJ CR MN BH SB
AL GR BU TR RO HU AT SZ LU BE NL DE CE SK PL SV BY EO LA LT UK UKC MD KZ **A:** KZ
ssp. rufescens Beckmann, 1903 **R:** CA **A:** GG AR AB IN TR CY
- Genus: *Ussurella* Danilevsky, 1997
= *Ussuria* Danilevsky, 1995
napolovi (Danilevsky, 1995) **R:** FE **A:** CH KO
- Genus: *Cylindilla* Bates, 1884
= *Pseudanaesthetis* Pic, 1929
= *Anaesthetomorphus* Pic, 1929
= *Ascoldatimura* Breuning, 1960
griseus Bates, 1884 **R:** FE SI KU **A:** CH KO JA
= *apicalis* Pic, 1929
= *ascoldensis* Heyden, 1884
- Genus: *Terinaea* Bates, 1884
tiliae Murzin, 1983 **R:** FE **A:** CH KO
- Genus: *Mimectatina* Aurivillius, 1927
= *Doius* Matsushita, 1933
divaricata (Bates, 1884)
ssp. divaricata (Bates, 1884) **R:** FE SI KU **A:** CH KO JA
- Genus: *Rhopaloscelis* Blessig, 1873
maculata Bates, 1877 **R:** KU **A:** JA
unifasciata Blessig, 1873 **R:** WS AT ES SE FE SI KU **A:** KZ MG CH KO JA
- Genus: *Arhopaloscelis* Murzin, Danilevsky et Lobanov, 1981 in Lobanov et al., 1981
bifasciata (Kraatz, 1879) **R:** FE SI **A:** KO CH
nipponensis (Pic, 1932) **R:** KU **A:** JA
- Genus: *Clytosemia* Bates, 1884
pulchra Bates, 1884 **R:** KU **A:** JA
- Genus: *Miccolamia* Bates, 1884
Subgenus: *Miccolamia* Bates, 1884
cleroides Bates, 1884 **R:** KU **A:** JA
Subgenus: *Isomiccolamia* Ohbayashi, 1963
glabricula Bates, 1884
ssp. glabricula Bates, 1884 **R:** SI KU **A:** JA
= *verrucosa* auct. (not Bates, 1884)
- Tribus: POGONOCHERINI
- Genus: *Parmenopsis* Ganglbauer, 1882
caucasica (Leder, 1879) **R:** CA **A:** GG TR
- Genus: *Pogonocherus* Dejean, 1821
Subgenus: *Pogonocherus* Dejean, 1821
hispidus (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR FRC IT ITA ITI LJ CR BH SB MN
AL GR BU RO HU AT SZ LU BE NL DK DE GB IE CE SK PL NO SV FI EO LA LT BY MD UK UKC **A:** GG
AR AB IN TR N
hispidulus (Piller et Mitterpacher, 1783) **R:** NT CT ST CA **E:** PT ES FR FRC IT ITI LJ CR BH
SB MN KD AL GR BU RO HU AT SZ LU BE NL DK DE GB IE CE SK PL NO SV EO LA LT BY UK ?UKC
MD **A:** GG AR AB IN KZ TR N
dimidiatus Blessig, 1873 **R:** SE FE SI KU **A:** CH KO JA
= *seminiveus* Bates, 1873

= tristiculus Kraatz, 1879
perroudi Mulsant, 1839 **R:** CA **E:** ES FR FRC IT ITI ITA LJ BH CR AL GR GRC BU TR UKC
A: GG TR CY IS LE N

Subgenus: Pityphilus Mulsant, 1863
fasciculatus (DeGeer, 1775)
= costatus Motschulsky, 1859
ssp. fasciculatus (DeGeer, 1775) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES FR FRC IT
ITI LJ CR BH SB MN KD AL GR GRC BU RO HU AT SZ LU BE NL DK DE GB IE MT CE SK PL NO SV FI
EO LA LT BY UK UKC MD **KZ A:** GG AR AB TR KZ MG CH KO JA N
decoratus Fairmaire, 1855 **R:** NT CT ST CA WS AT **E:** ES FR IT LJ MN CR BH SB AL GR BU
HU AT SZ BE NL DK DE CE SK PL NO SV FI EO LA LT BY MD TR UK **A:** KZ TR
inermicollis Reitter, 1894 **R:** CA **A:** GG TR

Tribus: ACANTHODERINI
Genus: Aegomorphus Haldeman, 1847
= Acanthoderes auct. (not Audinet-Serville, 1835)
= Psapharochrus auct. (not Thomson, 1874)
clavipes (Schrank, 1781) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES FR FRC IT ITI ITA LJ
CR BH SB MN ?AL GR BU TR RO HU AT SZ DK DE CE SK PL NO SV FI EO LA LT BY UK UKC MD **KZ A:**
GG AR AB IN TR KZ MG CH KO JA N
= lucidus Plavilstshikov, 1927 [Caucasus-Syrie]
obscurior (Pic, 1904) **R:** CT ST WS AT ES SE FE **E:** PL LA UK **A:** KZ MG
= wojtylai Hilszczanski, Bystrowski, 2005

Genus: Oplosia Mulsant, 1862
= Hoplosia Fairmaire, 1864
cinerea (Mulsant, 1839) **R:** NT CT ST CA **E:** FR IT CR BH SB SL GR RO HU AT SZ DE CE
SK PL DK NO SV FI EO LT ?LA BY UK
= fennica Paykull, 1800
suvorovi (Pic, 1914) **R:** SE FE SI **A:** KO CH JA

Tribus: ACANTHOCININI
Genus: Acanthocinus Dejean, 1821
Subgenus: Acanthocinus Dejean, 1821
elegans Ganglbauer, 1884 **R:** ST
griseus (Fabricius, 1793) **R:** NT CT ST CA WS AT ES **E:** PT ES FR FRC IT LJ CR BH SB KD
MN AL GR BU TR RO HU AT SZ DE NL CE BE SK PL NO SV FI EO LA LT BY UK UKC MD **KZ A:** AR ?GG
?AB KZ TR CY SY LE MG
orientalis Ohbayashi, 1939 **R:** KU **A:** JA KO
carinulatus (Gebler, 1833) **R:** WS AT ES SE **A:** MG CH
= sibiricus Motschulsky, 1860
sachalinensis Matsushita, 1933 **R:** ES SE FE SI KU **A:** CH JA KO ?MG
aedilis (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** PT ES FR IT ITI LJ CR BH
SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB ?IE CE SK PL NO SV FI EO LA LT BY UK
UKC MD **KZ A:** GG ?AR ?AB KZ TR MG CH KO

Subgenus: Acanthobatesianus Wallin, Kvamme & Lin, 2012
guttatus (Bates, 1873) **R:** KU **A:** KO CH JA

Genus: Leiopus Audinet-Serville, 1835
Subgenus: Leiopus Audinet-Serville, 1835
stillatus (Bates, 1884) **R:** FE SI KU **A:** KO CH JA
nebulosus (Linnaeus, 1758)
ssp. nebulosus (Linnaeus, 1758) **R:** CT [Kaliningrad] **E:** ?PT ?ES FR ?FRC IT ITI ?MN ?CR
?BH ?SB ?AL ?GR ?BU ?TR ?RO ?HU AT ?SZ ?LU BE DK ?NL DE GB IE ?CE ?SK ?PL NO SV FI EO LT ?BY
UK ?UKC ?MD
ssp. caucasicus Ganglbauer, 1887 **R:** CA **A:** GG AR AB TR
taeniatus (Gmelin, 1790) **R:** ?NT CT ST WS **E:** PT ?ES FR ?FRC ?IT ?ITI ?MN CR ?BH ?SB
?KD ?AL ?GR BU ?TR RO ?HU AT SZ ?LU BE ?NL DK DE GB ?IE CE SK PL NO SV ?FI EO LA LT BY UK
?UKC MD **KZ A:** ?KZ
= linnei Wallin, Nylander & Kvamme, 2009
kharazii Holzschuh, 1974 **R:** ST **A:** AB IN
punctulatus (Paykull, 1800) **R:** NT CT ST **E:** ?FR ?SZ AT DE HU CE SK PL SV EO LT LA BY
UK
femoratus Fairmaire, 1859 **R:** CT ST CA **E:** FR BE NL DE LU IT ITI SB MN HU RO BU TR
UK UKC **A:** GG AR AB IN TR
= pachymerus Ganglbauer, 1884
albivittis (Kraatz, 1879)

= ganglbaueri Csiki, 1901
 ssp. albivittis Kraatz, 1879 **R:** WS AT ES SE FE SI **A:** MG CH KO
 ssp. malaisei Aurivillius, 1928 **R:** ES
 Genus: *Ostedes* Pascoe, 1859
 kadleci Danilevsky, 1992 **R:** FE **A:** KO
 Genus: *Rondibilis* Thomson, 1857
 = *Eryssamena* Bates, 1884
 saperdina Bates, 1884 **R:** SI KU **A:** JA
 schabliovskiyi (Tsherepanov, 1982) **R:** FE **A:** KO CH
 = shabliovskiyi, Tsherepanov, 1984
 Tribus: EXOCENTRINI
 Genus: *Exocentrus* Dejean, 1835
 lusitanus (Linnaeus, 1767) **R:** NT CT ST CA WS **E:** ES FR IT LJ KD MN CR BH SB AL GR BU
 RO HU AT SZ DE CE SK PL DK NO SV FI EO LA LT BY UK UKC MD KZ TR **A:** GG AR AB KZ TR
 adpersus Mulsant, 1846 **R:** ST CA **E:** ES FR FRC IT ITI LJ CR BH KD MN SB AL GR BU TR
 RO HU AT SZ LU BE NL DE CE SK PL SV UK UKC MD **A:** GG AR AB TR CY SY
 = alemdaghensis Breuning, 1981
 = ?hirsutulus Faldermann, 1837
 punctipennis Mulsant et Guill. 1856
 ssp. punctipennis Mulsant et Guillebeau, 1856 **R:** CT ST CA **E:** ES ?FR IT AL BH SB MN
 CR GR BU SZ AT LU DE HU CE SK PL SV RO LJ EO LT LA MD BY UK UKC
 ssp. signatus Mulsant et Rey, 1863 **R:** CA **E:** TR **A:** GG ?AB TR
 stierlini Ganglbauer, 1884 **R:** ST CA WS AT ES SE FE **E:** CR SB RO HU ?AT ?SZ CE SK PL
 UK MD **A:** ?KZ MG CH KO
 fasciolatus Bates, 1873 **R:** FE **A:** KO CH JA
 = curtipennis Pic, 1918
 ssp. plavilstshikovi Danilevsky, 2014c **R:** FE **A:** KO CH
 tsushmanus Hayashi, 1968 **R:** FE **A:** KO CH JA
 = conjugatofasciatus Tsherepanov, 1973
 testudineus Matsushita, 1931 **R:** SI KU **A:** JA KO
 lineatus Bates, 1873 **R:** FE **A:** KO CH JA
 guttulatus Bates, 1873
 ssp. ussuricus Tsherepanov, 1973 **R:** FE **A:** KO CH
 fisheri Gressitt, 1935
 ssp. marginatus Tsherepanov, 1973 **R:** FE **A:** KO CH
 Genus: *Miaenia* Pascoe, 1864
 Subgenus: *Miaenia* Pascoe, 1864
 maritima Tsherepanov, 1979 **R:** FE **A:** KO
 Tribus: TETROPINI
 Genus: *Tetrops* Kirby in Kirby et Spence, 1826
 Subgenus: *Tetrops* Kirby in Kirby et Spence, 1826
 praeustus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** PT ES FR IT ITI ITA LJ CR BH SB
 MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE SK PL NO SV FI EO LA LT BY UK UKC
 MD KZ **A:** GG AR AB TR IN SY KZ MG
 ssp. praeustus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** PT ES FR IT ITI ITA LJ
 CR BH SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE SK PL NO SV FI EO LA LT BY
 UK UKC MD KZ **A:** GG AR AB TR IN SY KZ MG
 starkii Chevrolat, 1859 **R:** CT ST CA **E:** ES FR IT ITI LJ CR BH SB MD GR BU RO HU AU SZ
 DE GB IE CE SK PL BE NL DK NR SV EO LT LA ?BY UK ?UKC **A:** ?GG AB TR
 ssp. starkii Chevrolat, 1859 **R:** CT ST **E:** ES FR IT ITI LJ CR BH SB MD GR BU RO HU
 AU SZ DE GB IE CE SK PL BE NL DK NR SV EO LT ?LA ?BY UK ?UKC **A:** ?GG AB TR
 ssp. aquilus Danilevsky, 2012 **R:** CA
 gilvipes (Faldermann, 1837) **A:** GG AR AB TM TR IN
 ssp. gilvipes (Faldermann, 1837) **R:** ST CA **A:** GG AR AB TR
 ssp. adlbaueri Lazarev, 2012 **R:** ?ST ?CT **E:** DE HU CE PO SK UK [probably most part of
 Europe]
 rosarum Tsherepanov, 1975 **R:** SE FE **A:** CH
 mongolicus Murzin, 1977 **R:** ES **A:** MG
 Subgenus: *Mimosophronica* Breuning, 1943
 elaeagni Plavilstshikov, 1954 **R:** ST **E:** KZ **A:** KZ UZ TM CH
 ssp. elaeagni Plavilstshikov, 1954 **R:** ST **E:** KZ
 Tribus: SAPERDINI
 Genus: *Eutetrappa* Bates, 1884

ocelota (Bates, 1873) **R:** KU **A:** JA KO
 sedecimpunctata (Motschulsky, 1860) **R:** SE ES FE SI KU **A:** KO CH JA
 = motschulskyi Plavilstshikov, 1915
 metallescens (Motschulsky, 1860) **R:** ~~SE~~ FE ?SI **A:** KO CH
 chrysochloris (Bates, 1879)
 ssp. chrysochloris (Bates, 1879) **R:** KU SI **A:** JA
 Genus: Saperda Fabricius, 1775
 = Anaerea Mulsant, 1839
 Subgenus: Saperda Fabricius, 1775
 carcharias (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** ES FR IT LJ MN CR BH SB
 KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE SK PL NO SV FI EO LA LT BY UK ?UKC MD
 KZ **A:** GG AR AB TR KZ MG CH
 similis Laicharting, 1784 **R:** CT NT ST WS AT ES SE FE **E:** ES FR IT LJ CR BH SB KD AL
 BU RO HU AT SZ BE DE CE SK PL NO SV FI ?LT LA EO BY UK KZ **A:** KZ KI TD UZ MG CH
 Subgenus: Eusaperda Danilevsky, 2023
 perforata (Pallas, 1773) **R:** NT CT ST CA WS AT ES SE FE **E:** ES FR DK IT CR AL BH BU
 GR RO HU AT SZ DE CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ TR **A:** GG AR AB IN TR KZ MG
 CH JA N
 scalaris (Linnaeus, 1758)
 ssp. scalaris (Linnaeus, 1758) **R:** NT CT ST CA **E:** ES FR IT ITI LJ CR BH MN SB AL GR
 BU TR RO HU AT SZ LU BE NL DK DE GB IE CE SK PL ?NO SV ?FI EO LA LT BY UK UKC MD KZ **A:** GG
 AR AB KZ TR N
 ssp. hieroglyphica (Pallas, 1773) **R:** NT CT ST WS AT ES SE FE SI **A:** KZ MG CH KO
 Subgenus: Nietzscheana Zubov, 2014
 alberti Plavilstshikov, 1915 **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JA
 = plutenkoi Zubov, 2014
 Subgenus: Lopezcolonia Alonso-Zarazaga, 1998
 = Argalia Mulsant, 1862
 = Scalaperda Shapovalov, 2011 [nomen nudum]
 interrupta Gebler, 1825 **R:** WS AT ES SE FE SI KU **A:** MG CH KO
 subobliterata Pic, 1910 **R:** SE FE **A:** KO CH JA
 = mandschukuoensis Breuning, 1943
 = harbinensis Chiang, 1983
 octomaculata Blessig, 1873 **R:** ES SE FE SI KU **A:** MG CH KO JA
 octopunctata (Scopoli, 1772) **R:** CT ST CA **E:** ES FR IT LJ CR BH SB AL GR BU RO HU AT
 SZ BE DE CE SK PL LT ?BY UK UKC MD **A:** GG AR AB IN TR
 punctata (Linnaeus, 1767) **R:** ST WS **E:** ES FR FRC IT ITI ITA MT MN LJ CR BH SB KD AL
 GR BU TR RO HU AT SZ DE CE SK PL LA ?BY UK UKC MD KZ **A:** GG AR AB IN TR CY N
 Subgenus: Compsidia Mulsant 1839
 populnea (Linnaeus, 1758) **R:** NT CT ST CA WS ES FE AT **E:** PT ES FR IT ITA ITI LJ CR BH
 SB MN KD AL GR BU RO HU AT SZ LU BE NL DK DE IR GB IE CE SK PL NO SV FI EO LA LT BY UK
 UKC MD KZ TR **A:** GG AR AB TR IN KZ TD KO CH JA N
 ssp. populnea (Linnaeus, 1758) **R:** NT CT ST CA WS ES AT FE **E:** PT ES FR IT ITA ITI LJ
 CR BH SB MN KD AL GR BU RO HU AT SZ LU BE NL DK DE IR GB CE SK PL NO SV FI EO LA LT BY
 UK UKC MD KZ TR **A:** GG AR AB TR IN AF KZ KI TD UZ KO CH JA N
 ssp. lapponica Wallin, Kvamme & Bergsten, 2017 **R:** NT **E:** FI NR SV
 ssp. balsamifera (Motschulsky, 1860) **R:** ES **A:** MG
 bilineatocollis Pic, 1924 **R:** SE FE **A:** CH
 Genus: Eumecocera Solsky, 1871
 impustulata (Motschulsky, 1860) **R:** WS AT ES SE FE **A:** MG CH KO JA
 callosicollis (Breuning, 1943) **R:** SE FE **A:** CH KO
 Genus: Stenostola Dejean, 1835
 dubia (Laicharting, 1784) **R:** NT CT ST CA **E:** ES FR IT LJ CR BH SB RO HU AT SZ LU BE
 NL DK DE IR ?GB CE SK PL NO SV FI EO LA UK UKC MD **A:** GG AR AB
 ferrea (Schrank, 1776)
 ssp. ferrea (Schrank, 1776) **R:** CT ST CA **E:** ES FR IT LJ CR BH SB GR BU RO HU AT SZ
 LU BE DK DE ?GB CE SK PL NO FI EO LA LT BY UK UKC MD **A:** GG AR AB TR
 ssp. maculipennis Holzschuh, 1982 **R:** CA **E:** UKC
 ivanovi Danilevsky, 2014c **R:** FE **A:** KO
 Genus: Menesia Mulsant, 1856
 albifrons Heyden, 1886 **R:** AT ?ES SE FE **A:** KO CH
 bipunctata (Zoubkoff, 1829) **R:** NT CT ST WS ?AT **E:** FR IT LJ BH CR SB RO HU AT SZ DE
 CE SK PL EO LA LT BY UK KZ **A:** KZ

sulphurata (Gebler, 1825) **R:** ST WS AT ES SE FE SI KU **A:** KZ MG CH KO JA
 flavotecta Heyden, 1886 **R:** ?ES SE FE SI KU **A:** ?MG CH KO JA
 Genus: Paramenesia Breuning, 1952
 theaphia (Bates, 1884) **R:** KU **A:** JA
 Genus: Cagosima Thomson, 1864
 sanguinolenta Thomson, 1864
 ssp. sanguinolenta Thomson, 1864 **R:** SE SI KU **A:** JA
 Genus: Thyestilla Aurivillius, 1923
 gebleri (Faldermann, 1835) **R:** SE FE **A:** CH KO JA
 Tribus: GLENEINI
 Genus: Glenea Newman, 1842
 Subgenus: Glenea Newman, 1842
 relictata Pascoe, 1858
 ssp. relictata Pascoe, 1868 **R:** SI KU **A:** JA CH KO
 Tribus: PHYTOECIINI
 Genus: Nupserha Chevrolat, 1858
 marginella (Bates, 1873) **R:** SE FE **A:** MG CH KO JA
 = alexandrovi (Plavilstshikov, 1915)
 sericans (Bates, 1884) **R:** KU **A:** JA
 Genus: Oberea Dejean, 1835
 Subgenus: Oberea Dejean, 1835
 pupillata (Gyllenhal, 1817) **R:** NT CT ST **E:** ES FR IT LJ CR BH MN KD GR RO HU AT SZ BE
 DE CE SK PL EO LA LT BY UK ?UKC MD
 kostini Danilevsky, 1988 **R:** CT WS AT ES **A:** KZ
 heyrovskiyi Pic, 1927 **R:** SE FE **A:** KO CH
 depressa (Gebler, 1825) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO
 = amurica Suvorov, 1913
 = transbaicalica Suvorov, 1913
 oculata (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** PT ES FR IT ITI ITA LJ CR
 BH SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE SK PL NO SV FI EO LA LT BY UK
 UKC MD KZ **A:** GG AR AB IN IQ SY TR KZ MG CH KO N
 linearis (Linnaeus, 1761) **R:** CT ST CA **E:** PT ES FR IT ?ITI ITA LJ CR BH MN SB AL GR BU
 RO HU AT SZ LU BE NL DK DE CE SK PL NO SV EO LT LA ?BY UK UKC MD TR **A:** GG AR AB TR IN
 morio Kraatz, 1879 **R:** ES SE FE **A:** MG CH KO
 licenti Pic, 1939 **R:** SE FE **A:** CH KO
 = scutellaris Fairmaire, 1888
 = scutellaroides Breuning, 1947
 = chinensis Tsherepanov, 1985
 coreensis Gressitt, 1951 **R:** FE **A:** KO CH
 dubia Danilevsky, 2023a **R:** FE
 curticornis Danilevsky, 2023a **R:** FE
 herzi Ganglbauer, 1887 **R:** FE **A:** CH KO
 vittata Blessig, 1873 **R:** ES SE FE **A:** MG CH KO JA
 japonica (Thunberg, 1787) **R:** FE **A:** CH JA
 Subgenus: Amaurostoma Müller, 1906
 euphorbiae (Germar, 1813) **R:** CT ST CA WS **E:** ?IT SZ CR SB MN GR ?BU RO HU AT CE SK
 PL UK ?UKC MD KZ **A:** AB AR KZ
 donceeli Pic, 1907 **R:** ES SE FE **A:** MG CH
 erythrocephala (Schrank, 1776)
 ssp. erythrocephala (Schrank, 1776) **R:** CT ST CA WS **E:** PT ES FR IT MT LJ CR BH SB
 MN KD GR GRC BU TR RO HU AT SZ DE CE SK PL LT UK UKC MD KZ **A:** GG AR AB KZ TR IN LE SY N
 Genus: Pilemia Fairmaire, 1863
 Subgenus: Pilemia Fairmaire, 1863
 tigrina Mulsant, 1851 **R:** ?CA(Derbent) **E:** ?FR SB BU RO HU MD UK **A:** AR TR
 Subgenus: Pseudopilemia Kasatkin, 2018
 hirsutula (Frölich, 1793)
 ssp. hirsutula (Frölich, 1793) **R:** ST CA WS **E:** IT CR BH MN LJ SB KD AL GR BU TR RO
 HU SK MD UK UKC KZ **A:** KZ
 Genus: Phytoecia Dejean, 1835
 Subgenus: Cardoria Mulsant, 1863
 scutellata (Fabricius, 1793) **R:** CT ST CA WS **E:** DE AT GR HU CE RO SB LJ ?MD UK UKC
A: GG AR AB IN TR
 Subgenus: Helladia Fairmaire, 1864

millefolii (Adams, 1817)
 ssp. *millefolii* (Adams, 1817) **R:** ST CA **E:** GR GRC BU UKC **A:** GG AR AB TR IN
praetextata (Steven, 1817)
 ssp. *praetextata* (Steven, 1817) **R:** ?CA **E:** BU RO TR ?UK UKC **A:** ?GG AR AB IN TR
pretiosa Faldermann, 1837
 ssp. *pretiosa* Faldermann, 1837 **R:** ?CA **A:** AR AB ?GG IN TR
 Subgenus: *Musaria* Thomson, 1864
faldermanni Faldermann, 1837 **R:** ST CA **E:** UK UKC **A:** GG AR AB IN TR KZ
wachanrui Mulsant, 1851 **R:** ?ST **A:** ?AB IN TR SY JO LE IS
argus (Frölich, 1793) **R:** CT ST **E:** IT CR LJ BH GR BU AT RO HU CE SK UK UKC MD
affinis (Harrer, 1784)
 = *nigripes* Voet, 1778
 = *bipunctata* Piller, 1783
 ssp. *affinis* (Harrer, 1784) **R:** CT ST **E:** ES FR IT LJ CR BH SB KD AL GR BU RO HU AT
 SZ DE CE SK PL UK MD KZ **A:** KZ
 ssp. *ciscaucasica* Danilevsky, 2023a **R:** CA
 ssp. *m-notata* Pic, 1911 **R:** CA
 ssp. *nigropubescens* Müller, 1948 **R:** CA **A:** GG AR TR
 ssp. *altaica* Suvorov, 1913 **R:** WS AT **A:** KZ
 ssp. *volgensis* Kraatz, 1884 **R:** ST **A:** ?KZ
 ssp. *boeberi* Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
astarte Ganglbauer, 1886
 ssp. *lederi* Pic, 1899 **R:** CA **A:** GG AR AB IN TR
puncticollis Faldermann, 1837
 ssp. *puncticollis* Faldermann, 1837 **R:** CA **A:** GG AR AB IN IQ TR
 Subgenus: *Phytoecia* Dejean, 1835
nigricornis (Fabricius, 1782) **R:** NT CT ST CA WS AT ES FE **E:** ES FR IT ITI LJ BH SB MN
 CR KD AL GR BU TR RO HU AT SZ LU BE DE CE SK PL SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR
 AB IN TR KZ
 = *julii* Mulsant, 1863
ferrea Ganglbauer, 1887 **R:** ?WS ES SE FE **A:** MG CH
 = *analisis* Mannerheim, 1849
 = *mannerheimi* Breuning, 1951
stenostoloides Breuning, 1943 **R:** ES SE FE **A:** CH
cylindrica (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** PT ES FR IT LJ CR BH SB
 KD MN AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE SK PL NO SV FI EO LA LT BY UK UKC
 MD KZ **A:** GG AR AB IN TR KZ CH
pustulata (Schrank, 1776)
 ssp. *pustulata* (Schrank, 1776) **R:** CT ST CA **E:** PT ES FR IT LJ LT CR BH SB MN KD AL
 GR BU TR RO HU AT SZ DE CE SK PL LA BY UK UKC MD KZ **A:** GG AR AB KZ KI UZ TD TR LE
 ssp. *murina* Marseul, 1870 **R:** ST KZ **E:** UK **A:** KZ KI UZ
 = *pulla* Ganglbauer, 1886
 = *kryzhanovskii* Kostin, 1973
rufiventris Gautier, 1870 **R:** ES SE FE SI KU **A:** MG CH KO JA
virgula (Charpentier, 1825)
 ssp. *russica* Danilevsky, 2023 **R:** CT ST CA WS ES **E:** BY KZ LA LT UK **A:** KZ ?TD UZ
 ssp. *grisea* Pic, 1891 **ST R:** ST **E:** KZ UK
 ssp. *punctum* Ménétrés, 1832 **R:** CA **A:** AR AB GG
rufipes (Olivier, 1800)
 = *sibirica* Gebler, 1833
 ssp. *rufipes* (Olivier, 1800) **R:** CT ST CA WS AT ?ES **E:** PT ES FR FRC IT ITI LJ BH CR
 ?AT ?SZ GR BU ?UK ?UKC KZ **A:** ?GG TR IN KZ ?TM UZ TD KI N
pubescens Pic, 1895 **R:** CA **E:** LJ CR BH KD GR BU TR **A:** GG AR AB IN TR IS JO SY LE
 = *glaphyra* K.Daniel, 1906
icterica (Schaller, 1783) **R:** CT ST CA WS AT **E:** PT ES FR IT LJ CR BH KD SB MN ?AL GR
 BU TR RO HU AT SZ DE ?BE LU CE SK PL UK UKC MD KZ **A:** ?GG ?AR ?AB KZ N
caerulea (Scopoli, 1772)
 ssp. *caerulea* (Scopoli, 1772) **R:** CT ST CA WS **E:** PT ES IT ITI CR BH SB LJ MN KD AL
 GR BU TR RO HU AT ?SZ CE SK UK UKC MD KZ **A:** GG AR AB IN TR KZ TM UZ TD SY
 Subgenus: *Cinctophytoecia* Breuning, 1947
cinctipennis Mannerheim, 1849
 ssp. *cinctipennis* Mannerheim, 1849 **R:** ES SE FE **A:** MG CH KO
sareptana Ganglbauer, 1888 **R:** SE FE **A:** CH KO

Subgenus: Opsilia Mulsant, 1863
 coerulescens (Scopoli, 1763)
 ssp. coerulescens (Scopoli, 1763) **R:** CT ST CA WS ES **E:** PT ES FR FRC IT ITI ITA LJ CR
 BH SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DE CE SK PL LT ?BY UK UKC MD KZ **A:** GG AR
 AB KZ UZ KI TD IN IQ TR IS SY LE JO CH N
 = tienschanica Fuchs, 1965
 varentzowi Semenov, 1896 **R:** CA **A:** GG AR AB IN KZ TM UZ TD KI
 = varentzovi Semenov, 1912 [unjustified emendation]
 uncinata (W. Redtenbacher, 1842) **R:** CT ST **E:** FR ?IT LJ BH CR SB AL BU RO HU AT CE SK
 PL DE MD UK **A:** TM TR
 molybdaena (Dalman, 1817) **R:** ST CA WS ES **E:** PT ES FR IT ?ITI SB GR BU AT RO HU ?SZ
 DE CE SK ?PL UK **A:** AR GG AB TM TR IN ?KZ N
 Tribus: AGAPANTHIINI
 Genus: Theophilea Pic, 1895
 subcylindricollis Hladil, 1988 **R:** CT ST WS CA **E:** AL SK HU RO BU MD UK **A:** KZ
 Genus: Calamobius Guérin-Méneville, 1844
 filum (Rossi, 1790) **R:** ST CA **E:** PT ES FR FRC BE NL IT ITI ITA MT LJ CR BH SB MN KD
 AL GR GRC BU TR RO HU AT SZ DE PL CE SK UK UKC MD **A:** GG AR AB IN TR CY IQ SY JO LE IS N
 Genus: Pseudocalamobius Kraatz, 1879
 japonicus (Bates, 1873) **R:** ?KU **A:** JA
 tsushimae Breuning, 1961 **R:** SE FE ?SI **A:** CH KO JA
 Genus: Coreocalamobius Hasegawa, Han & Oh, 2014
 parantennatus Hasegawa, Han & Oh, 2014 **R:** FE **A:** KO
 Genus: Agapanthia Audinet-Serville, 1835
 Subgenus: Synthapsia Pesarini et Sabbadini, 2004
 kirbyi (Gyllenhal, 1817) **R:** CT ST CA ?WS **E:** FR IT BH SB KD AL GR BU TR RO HU CE SK
 UK UKC MD **A:** GG AR AB TM TR IN SY IS
 ssp. kirbyi (Gyllenhal, 1817) **R:** CT ST **E:** FR IT RO HU CE SK UK MD
 Subgenus: Epoptes Gistel, 1857
 = Agapanthiella Pesarini et Sabbadini, 2004
 dahli (Richter, 1821)
 ssp. dahli (Richter, 1821) **R:** CT ST CA WS AT ES **E:** ES FR FRC BE LJ CR BH SB MN
 KD AL BU RO HU AT ?SZ DE CE SK PL UK UKC MD KZ **A:** KZ TD UZ KZ ?MG
 ssp. kuleshovi Danilevsky, 2018 **R:** WS
 ssp. efimovi Danilevsky, 2021 **R:** WS
 ssp. ismailovae Lazarev 2013 **R:** CA **A:** AB
 alternans Fischer-Waldheim, 1842
 ssp. alternans Fischer-Waldheim, 1842 **R:** WS AT ES **A:** KZ MG KO CH
 = ganglbaueri Semenov, 1893
 ssp. eualternans Danilevsky, 2017a **R:** ST
 altaica Plavilstshikov, 1933 **R:** AT
 asphodeli (Latreille, 1804) **R:** ST **E:** AL BH BU CR FR GR IT MA KD MD PT RO SP UK
 boeberi (Fischer von Waldheim, 1806)
 ssp. boeberi (Fischer von Waldheim, 1806) **R:** ST CA WS **E:** UK UKC KZ **A:** AR GG AB
 IN TR KZ
 ssp. selengensis Danilevsky, 2021 **R:** ES
 lederi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
 ssp. lederi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
 = mesmini Pic, 1927
 = helianthi Plavilstshikov, 1935
 = lopatini Kaziuchitz, 1988
 subchalybaea Reitter, 1898 **R:** CA **A:** GG AB ?TR
 villosoviridescens (DeGeer, 1775) **R:** NT CT ST CA WS AT ES **E:** PT ES FR FRC IT ITI LJ CR
 BH SB KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV FI EO LA LT BY UK UKC
 MD KZ **A:** KZ ?MG TR
 ssp. villosoviridescens villosoviridescens (DeGeer, 1775) **R:** NT CT ST CA WS AT ES **E:**
 PT ES FR FRC IT ITI LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE IR GB CE SK PL
 NO SV FI EO LA LT BY UK UKC MD KZ **A:** KZ ?MG TR
 daurica Ganglbauer, 1884 **R:** ES SE FE SI KU **A:** MG KO CH JA
 Subgenus: Homoblephara Pesarini et Sabbadini, 2004
 maculicornis (Gyllenhal, 1817) **R:** CT ST CA WS AT **E:** CR MN BH LJ KD GR BU TR RO HU
 SK UK ?MD KZ **A:** KZ TR
 Subgenus: Agapanthia Audinet-Serville, 1835

cardui (Linnaeus, 1767) **R:** CT ST CA WS **E:** PT ES FR IT ITI LJ CR BH SB MN KD AL GR
BU TR RO HU AT SZ DE BE NL CE SK PL UK UKC KZ **A:** KZ

= pannonica Kratochvil, 1985

Subgenus: Amurobia Pesarini et Sabbadini, 2004

pilicornis (Fabricius, 1787)

ssp. pilicornis (Fabricius, 1787) **R:** ES SE FE SI **A:** MG KO CH

amurensis Kraatz, 1879 **R:** ES SE FE **A:** MG KO CH

Subgenus: Smaragdula Pesarini et Sabbadini, 2004

violacea (Fabricius, 1775) **R:** NT CT ST CA WS AT ?ES **E:** ES PT FR IT ITI ?LJ CR BH SB
MN KD AL GR BU TR RO HU AT SZ LU BE DE CE SK PL UK UKC MD **A:** GG AR AB KZ TR

= mulsanti Plavilstshikov, 1930

intermedia Ganglbauer, 1884 **R:** NT CT ST CA WS **E:** ES FR IT MN SB GR HU RO AT SZ LU
DE CE DK NL SK PL EO LA BY UK UKC MD KZ **A:** GG KZ

Genus: Agapanthiola Ganglbauer, 1900

leucaspis (Steven, 1817) **R:** CT ST CA WS AT ES **E:** CR SB MN BH KD GR BU TR RO HU
AT CE SK UK UKC MD KZ **A:** GG AR AB KZ KI UZ TD MG TR IN

= euterpe Ganglbauer, 1900