

Updated 02.03.2021

**A check list of the longicorn beetles (Cerambycoidea) of Russia
M.L. Danilevsky**

Regions (see the corresponding map):

R - Russia:

NT - North of European Russia: Komi, Vologda and S.-Petersburg regions.
CT - Centre of European Russia (eastwards to Urals and Ural River) including Kaliningrad, Samara, Bashkiria and Ulianovsk regions).
ST - South of European Russia (including European part of Orenburg Region - south-eastwards to Ural river, Kalmykia, Rostov, Saratov and Astrakhan regions.
CA - Russian Caucasus and Ciscaucasia including Dagestan, Stavropol and Krasnodar regions.
WS - West Siberia: Asian part of Orenburg region, Ekaterinburg, Cheliabinsk, Tiumen, Omsk, Novosibirsk, Tomsk, Kemerovo regions, as well as Khanty-Mansi and Jamalo-Nenetszk regions.
AT - Altaj: Altaj Region and Altaj republic.
ES - East Siberia (from Tuva, Khakassia and Krasnoiarsk to Chukotka, Kamchatka and north Kuril Islands (but without Sakhalin and south Kuril Islands)
SE - South-East Siberia: Amur and Khabarovsk regions.
FE - Far East Siberia: Primorie region.
SI - Sakhalin Island.
KU - South Kuril Islands: mostly Kunashir.

E - Europe without Russia:

AL - Albania	GB - Great Britain	MD - Moldova
AT - Austria	GR - Greece (without Crete)	MN - Montenegro
BE - Belgium	GRC - Crete	MT - Malta
BH - Bosnia & Herzegovina	HU - Hungary	NL - Netherlands
BU - Bulgaria	IE - Ireland	NO - Norway
BY - Belorussiya	IT-Italy (without Sardinia & Sicilia)	PL - Poland
CE - Czechia	ITA - Sardinia	PT - Portugal
CR - Croatia	ITI - Sicilia	RO - Romania
DE - Germany	KD - Macedonia	SK - Slovakia
DK - Denmark	KZ - European Kazakhstan	SS - Serbia
EO - Estonia	LA - Latvia	SV - Sweden
ES - Spain	LJ - Slovenia	SZ - Switzerland
FI - Finland	LT - Lithuania	TR - European Turkey
FR - France (without Corsica)	LU-Luxembourg	UK- Ukraine (without Crimea)
FRC - Corsica		UKC - Crimea

A - Asia without Russia

AB - Azerbaidjan (including Nakhichevan and Karabakh)	JO - Jordan
AF - Afghanistan	KI - Kyrgyzstan
AR - Armenia	KO - Korea
CH - China	KZ - Kazakhstan (without European part of NW Kazakhstan)
GG - Georgia (including Abkhazia and Adzharia)	LE - Lebanon
ID - India	MG - Mongolia
IN - Iran	SY - Syria
IQ - Iraq	TD - Tadzhikistan
IS - Israel	TM - Turkmenia
JA - Japan	TR - Turkey
	UZ - Uzbekistan

N - North Africa

Familia: DISTENIIDAE Thomson, 1861

= Cometites Blanchard, 1845

Tribus: DISTENIINI

Genus: Distenia Lepeletier & Audinet-Serville, 1828

= Apheles Blessig, 1872

Subgenus: Distenia Lepeletier & Audinet-Serville, 1828

gracilis (Blessig, 1872) **R:** SE FE SI **A:** CH KO

japonica Bates, 1873 **R:** KU **A:** JP

ssp. japonica Bates, 1873 **R:** KU **A:** JP

Familia: CERAMBYCIDAE Latreille, 1802

Subfamilia: PRIONINAE Latreille, 1802

Tribus: CALLIPOGONINI

Genus: Callipogon Audinet-Serville, 1832

Subgenus: Eoxenus Semenov, 1899

relictus Semenov, 1898 **R:** SE FE **A:** CH KO

Tribus: ERGATINI

Genus: Ergates Audinet-Serville, 1832

Subgenus: Ergates Audinet-Serville, 1832

faber (Linnaeus, 1760)

ssp. faber (Linnaeus, 1760) **R:** ?CT ST CA **E:** PT ES FR FRC IT

ITI AL LJ CR BH SS MN GR BU ?TR HU AT SZ NL DE CE SK PL SV LA LT BY UK UKC **A:**
GG AR ?AB **N**

Tribus: REMPHANINI

Genus: Rhaesus Motschulsky, 1875

= Rhesus Thomson, 1860 (nec Rhesus Lesson, 1840)

serricollis (Motschulsky, 1838) **R:** CA **E:** AL MN KD GR BU TR **A:** GG

AR AB TR SY LE IS IN **N**

Tribus: AEGOSOMATINI

Genus: Aegosoma Audinet-Serville, 1832

Subgenus: Aegosoma Audinet-Serville, 1832

sinicum White, 1853

ssp. sinicum White, 1853 **R:** FE SI **A:** KO CN JP

ivanovi Danilevsky, 2011 **R:** FE

scabricorne (Scopoli, 1763) **R:** ST CA **E:** GB ES FR FRC IT ITA ITI

LJ CR BH SS MN KD AL GR BU TR RO HU AT SZ BE DE CE SK BY UK UKC ?MD **A:** GG AR
AB TR SY ?LE IN IQ

Tribus: MEROSCELISINI

Genus: Tragosoma Audinet-Serville, 1832

depsarium (Linnaeus, 1767) **R:** NT CT ST(Orenburg) WS AT ES SE ?FE

E: ES FR SZ DE IT LJ CR BH SS MN AL GR BU AT CE SK PL SV NO FI EO LT LA BY UK

Tribus: PRIONINI

Genus: Dorysthenes Vigors, 1826

Subgenus: Cyrtognathus Dejean, 1835

paradoxus (Faldermann, 1833) **R:** ES SE **A:** ?MG ?KO CH

Genus: Prionus Geoffroy, 1762

insularis Motschulsky, 1858

ssp. insularis Motschulsky, 1858 **R:** AT ES SE FE SI KU **A:** KO CN

JP

coriarius (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI

AL LJ CR BH SS MN GR BU TR RO HU AT SZ BE NL DK DE LU GB CE SK NO PL SV FI EO
LA LT BY UK UKC MD KZ **A:** ?KZ GG AR AB IN TR **N**

Genus: Mesoprionus Jakovlev, 1887

asiaticus (Faldermann, 1837) **R:** ST CA **E:** KZ **A:** GG AR AB KZ TR IN

Genus: Psilotarsus Motschulsky, 1860

= Psilopus Gebler, 1860

= Otiartes Thomson, 1866

= Brachyprionus Jakovlev, 1887

= Prionoxys Semenov, 1899

brachypterus (Gebler, 1830)

ssp. brachypterus (Gebler, 1830) **R:** ?WS **A:**KZ CH
 = latidens Motschulsky, 1860
 ssp. hemipterus (Motschulsky, 1845) **R:** ?ST(Orenburg) WS **E:** KZ
A: KZ UZ
 Subfamilia: LEPTURINAE Latreille, 1802
 Tribus: XYLOSTEINI
 Genus: Xylosteus I.Frivaldsky, 1837
 caucasicola Plavilstshikov, 1936 **R:** CA **A:** GG TR
 Genus: Leptorhabdium Kraatz, 1879
 = Psilorhabdium Kraatz, 1879
 caucasicum (Kraatz, 1879) **R:** CA **A:** GG AR AB IN TR
 Tribus: ENCYCLOPINI
 Genus: Encyclops Newman, 1838
 = Microrhabdium Kraatz, 1879
 macilentus (Kraatz, 1879) **R:** SE FE **A:** CN KO
 = parallelus Pic, 1914
 = ussuricus Tsherepanov, 1975
 olivaceus Bates, 1884 **R:** KU **A:** JP
 Tribus: OXYMIRINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: Neoxymirus Miroshnikov, 2013
 mirabilis (Motschulsky, 1838) **R:** CA **A:** GG AR AB IN TR
 Genus: Oxymirus Mulsant, 1862
 cursor (Linnaeus, 1758) **R:** NT CT ST WS AT **E:** FR IT LJ CR BH SS KD
 AL GR BU RO HU AT SZ CE SK DE LU BE NL DK PL SV NO FI EO LT LA BY UK MD
 Tribus: ENOPLODERINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: Enoploderes Faldermann, 1837
 Subgenus: Enoploderes Faldermann, 1837
 sanguineus Faldermann, 1837 **R:** ST CA **E:** AL UKC **A:** GG AR AB TR IN
 Tribus: RHAMNUSIINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: Rhamnusium Latreille, 1829
 bicolor (Schrank, 1781)
 = gracilicorne Théry, 1894
 ssp. constans Danilevsky, 2012 **R:** NT CT ST WS (Orenburg) **E:** FI
 EO LA LT BY UK ?UKC MD KZ **A:** KZ
 testaceipenne Pic, 1897 **R:** CA **E:** UKC **A:** GG AR TR
 Tribus: RHAGIINI
 Genus: Rhagium Fabricius, 1775
 Subgenus: Hagrium Villiers, 1978
 bifasciatum Fabricius, 1775 **R:** ?CT ST CA **E:** PT ES FR IT ITI AL LJ
 CR BH SS MN KD GR BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL EO LT UK
 ?UKC MD **A:** GG AR AB TR **N**
 Subgenus: Megarhagium Reitter, 1913
 fasciculatum Faldermann, 1837 **R:** CA **A:** GG AR AB TR IN
 mordax (DeGeer, 1775) **R:** NT CT ST WS AT ES **E:** ES FR IT AL LJ CR
 BH SS ME KD BU ?TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL EO LA LT BY
 UK ?UKC MD **A:** KZ
 caucasicum Reitter, 1889
 ssp. caucasicum Reitter, 1889 **?R:** ?CA **A:** GG AR AB TR
 sycophanta (Schrank, 1781) **R:** CT ST WS AT **E:** FR IT ?ITI AL LJ CR
 BH SS BU TR RO HU AT SZ BE NL DK DE LU CE SK PL SV FI LA LT BY UK ?UKC MD
 Subgenus: Rhagium Fabricius, 1775
 inquisitor (Linnaeus, 1758)
 ssp. inquisitor (Linnaeus, 1758) **R:** NT CT ST CA WS ES MG **E:** PT
 ES FR IT ITI AL LJ CR BH SS GR BU TR RO HU AT SZ BE NL DK DE LU GB ?IR CE SK
 NO PL SV FI EO LA LT BY UK UKC MD KZ **A:** KZ MG
 ssp. rugipenne Reitter, 1898 **R:** ES SE FE SI **A:** MG CH KO
 ssp. schtschukini Semenov, 1898 **R:** CA **A:** GG AR AB IN TR
 = minimum Podany, 1964
 japonicum Bates, 1884 **R:** SI KU
 heyrovskyi Podany, 1964 **R:** SI
 Genus: Akimerus Audinet-Serville, 1835
 schaefferi (Laicharting, 1784) **R:** CT ST **E:** PT ES FR ?CR BH GR BU
 HU AT ?SZ DE CE SK PL UK MD

ssp. *schaefferi* (Laicharting, 1784) **R:** CT ST **E:** PT ES FR BH GR
 BU HU AT SZ DE CE SK PL UK MD
 Genus: *Japanocorus* Danilevsky, 2012
 caeruleipennis (Bates, 1873) **R:** SI KU **A:** JP
 Genus: *Stenocorus* Geoffroy, 1762
 = *Toxotus* Dejean 1821
 Subgenus: *Anisorus* Mulsant, 1862
 quercus (Götz, 1783)
 ssp. *quercus* (Götz, 1783) **R:** CT ST CA ?WS ?AT ES **E:** ES FR IT
 CR BH SS GR BU ?TR RO HU AT SZ BE NL DE LU CE SK PL BY UK MD
 Subgenus: *Stenocorus* Geoffroy, 1762
 amurensis (Kraatz, 1879) **R:** SE FE SI **A:** CH KO
 = *sachalinensis* Matsumura, 1911
 meridianus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** ES FR IT
 AL LJ CR BH SS GR BU ?TR RO HU AT SZ BE NL DK DE LU GB CE SK NO PL SV FI EO
 LA LT BY UK MD **A:** KZ
 insitivus (Germar, 1824)
 ssp. *insitivus* (Germar, 1824) **R:** CA **A:** GG AR AB TR SY
 lepturoides (Reitter, 1914) **R:** SE **A:** CH
 minutus (Gebler, 1841) **R:** ?AT **A:** KZ ?MG CH
 = *tataricus* Gebler, 1841
 Genus: *Pachyta* Dejean, 1821
 lamed (Linnaeus, 1758) **R:** NT CT WS AT ES SE FE SI **A:** MG CH KO JP
E: FR IT LJ BU RO HU AT SZ DE CE SK PL DK NO SV FI EO LA LT BY UK MD
 = *sasakii* Fujita, 2018
 bicuneata Motschulsky, 1860 **R:** WS SE FE SI **A:** CH KO
 quadrimaculata (Linnaeus, 1758) **R:** NT CT ST WS AT ES **E:** ES FR IT
 LJ CR BH SS MN KD BU RO HU AT SZ DE CE SK PL DK FI EO LA LT BY UK MD **A:** KZ MG
 CH
 Genus: *Evodinellus* Plavilstshikov, 1915
 Subgenus: *Evodinellus* Plavilstshikov, 1915
 borealis (Gyllenhal, 1827) **R:** NT CT WS AT ES SE FE SI **E:** SK PL NO
 SV FI EO LA LT BY UK **A:** MG CH KO JP
 = *grisescens* Pic, 1889
 Genus: *Brachyta* Fairmaire, 1865
 Subgenus: *Fasciobrachyta* Danilevsky, 2014
 bifasciata (Olivier, 1800)
 ssp. *bifasciata* (Olivier, 1800) **R:** ES SE FE SI **A:** MG KO CH
 ssp. *plasoni* (Breit, 1915) **R:** ?ES ?SE **A:** ?MG CH
 ssp. *japonica* (Matsushita, 1933) **R:** SI **A:** JP
 caucasica (Rost, 1892)
 ssp. *caucasica* (Rost, 1892) **R:** CA **A:** GG
 = *conjuncta* Rost, 1893
 ssp. *kubanica* Miroshnikov, 1990 **R:** CA **A:** GG
 Subgenus: *Variobrachyta* Danilevsky, 2014
 rosti Pic, 1900 **R:** CA **A:** ?GG
 ssp. *rosti* Pic, 1900 **R:** CA **A:** ?GG
 = *caucasicola* Plavilstshikov, 1936
 ssp. *baksaniense* Lazarev, 2010b **R:** CA
 ssp. *alexeevi* Lazarev, 2010b **R:** CA
 variabilis (Gebler, 1817)
 ssp. *variabilis* (Gebler, 1817) **R:** NT CT WS ES **A:** KZ
 = *constricta* Germar, 1824
 ssp. *tungusensis* Danilevsky, 2014 **R:** ES
 ssp. *scapularis* (Mannerheim, 1849) **R:** ES FE **A:** MG CH
 = *solskyi* Kraatz, 1879
 = *comosa* Solsky, 1871
 ssp. *testaceimembris* Pic, 1916 **R:** FE
 = *rufimembris* Pic, 1926
 ssp. *jakutensis* Danilevsky, 2014 **R:** ES
 ssp. *ivlievi* Danilevsky, 2014 **R:** ES
 ssp. *chukotensis* Danilevsky, 2014 **R:** ES
 ssp. *basarukini* Danilevsky, 2014 **R:** SI
 ssp. *aberrans* (Villiers, 1960) **R:** FE **A:** CH KO

ssp. striolata (Gebler, 1817) **R:** ES
 = mutabilis Motschulsky, 1859a [1859b]
 = eurinensis Tsherepanov, 1978
 ssp. sinuatolineata (Pic, 1915) **R:** ES **A:** MG
 =breiti (Tippmann, 1946)
 ssp. tuvensis Danilevsky, 2014 **R:** ES **A:** MG
 ssp. kurayensis Danilevsky, 2014 **R:** WS
 interrogationis (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI
E: FR IT SZ AT DE CE SK PL NO SV FI EO LA ?LT BY UK **A:** GG KZ MG CH KO
 ssp. interrogationis (Linnaeus, 1758) **R:** NT **E:** NO SV FI
 ssp. russica (Herbst, 1784) **R:** NT CT ST WS AT **E:** EO LA ?LT BY
 UK KZ **A:** KZ
 = altajensis Pic, 1900
 ssp. zubovi Lazarev, 2016a **R:** NT WS
 ssp. mannerheimii Motschulsky, 1860 **R:** WS ES **A:** MG
 = marginalis Motschulsky, 1875
 = obsidiana Motschulsky, 1875
 = cruciatus Kraatz, 1879
 ssp. duodecimmaculata Fabricius, 1781 **R:** SE FE SI **A:** CH KO
 =kraatzi Ganglbauer, 1889
 ssp. shapsugorum Lazarev, 2011 **R:** CA
 ssp. miroshnikovi Lazarev, 2011 **R:** CA **A:** GG
 ssp. lederi Lazarev, 2011 **R:** CA
 punctata (Faldermann, 1833) **R:** ES FE **A:** MG CH KO
 ssp. punctata (Faldermann, 1833) **R:** ES **A:** MG CH
 = reductemaculata Pic, 1915
 = sajanensis Pic, 1916
 = subunicolor Pic, 1916
 = quadrinotatus Pic, 1916
 = turanensis Pic, 1927
 = sochondensis Tshernyshev et Dubatolov, 2005
 ssp. lazarevi Danilevsky, 2014 **R:** FE **A:** CH KO
 danilevskiyi Tshernyshev, Dubatolov, 2005 **R:** SI KU **A:** JP
 ssp. danilevskiyi Tshernyshev, Dubatolov, 2005 **R:** SI KU **A:** JP
 amurensis (Kraatz, 1879) **R:** SE FE **A:** CH KO
 = bisbioculata Pic, 1910
 = inapicalis Pic, 1910
 = korbi Pic, 1910
 = semilunata Pic, 1910
 sachalinensis Matsumura, 1911 **R:** SE FE SI **A:** CH KO JP
 Genus: Gaurotina Ganglbauer, 1889
 sichotensis Danilevsky, 1988 **R:** FE **A:** KO
 Genus: Pseudogaurotina Plavilstshikov, 1958
 splendens (Jakovlev, 1893) **R:** ES **A:** ?MG
 magnifica Plavilstshikov, 1958 **R:** FE
 Genus: Carilia Mulsant, 1863
 virginea (Linnaeus, 1758)
 ssp. virginea (Linnaeus, 1758) **R:** NT CT ST WS **E:** IT AL LJ CR
 BH SS ME KD GR BU RO HU AT SZ BE DE CE SK NO PL SV EO LA LT BY UK ?UKC MD
 ssp. aemula (Mannerheim, 1852) **R:** ?CT ?ST WS AT ES SE FE SI **A:**
 KZ MG CH
 ssp. kozhevnikovi (Plavilstshikov, 1915) **R:** FE **A:** CH
 = sibirica Podaný, 1962
 Genus: Paragaurotes Plavilstshikov, 1921
 ussuriensis (Blessig, 1873) **R:** SE FE **A:** KO CH
 doris (Bates, 1884)
 ssp. suvorovi (Semenov, 1914) **R:** SI KU **A:** JP
 Genus: Euracmaeops Danilevsky, 2014
 = Acmaeops auct. nec LeConte, 1850
 marginatus (Fabricius, 1781) **R:** NT CT ST WS AT ES SE FE SI **E:** ES
 FR IT LJ CR MN AT SZ CE GR SK BE NL DE PL NO SV FI EO LA ?LT BY UK **A:** TR KZ
 MG CH ?KO
 septentrionis (Thomson, 1866) **R:** NT CT ST WS AT ES SE FE SI KU **E:**
 FR IT ?LJ SZ AT DE BU RO CE SK PL NO SV FI EO ?LT BY UK **A:** KZ MG CH KO JP

smaragdulus (Fabricius, 1793) [NP] **R:** NT CT WS AT ES SE FE SI **E:**
 FR ?IT ?SZ NO SV FI ?LT BY **A:** KZ MG CH KO
 = smaragdinus Naezen, 1792 [NO]
 angusticollis (Gebler, 1833) **R:** NT CT WS AT ES SE FE SI **E:** PL BY
A: MG CH KO JP
 = viridula Matsumura,, 1911
 = sachalinensis Tsherepanov, 1978
 Genus: Gnathacmaeops Linsley et Chemsak, 1972
 pratensis (Laicharting, 1784) **R:** NT CT ST CA WS AT ES SE FE SI **E:**
 ES FR IT LJ BH SS KD AL BU RO HU AT SZ DE CE SK PL NO SV FI EO LA ?LT BY UK
 ?UKC MD KZ **A:** GG AR AB KZ UZ KI MG CH KO
 Genus: Pseudodiptera Pic,1900
 daghestanica (Pic,1897) **R:** CA
 Genus: Diptera Mulsant, 1863
 minuta (Gebler, 1832) **R:** ES FE SE SI **A:** MG CH KO JP
 ssp. minuta (Gebler, 1832) **R:** ES FE SE SI **A:** MG CH KO
 anthracina (Mannerheim, 1849) **R:** ES SE FE **A:** MG CH KO
 collaris (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** PT ES FR IT
 ?ITI AL LJ CR BH SS MN KD GR BU TR RO HU AT SZ BE NL DK DE LU GB ?IE CE SK NO
 PL SV EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR SY KZ CH
 Genus: Cortodera Mulsant, 1863
 = Taiwanocarilia Hayashi, 1983
 humeralis (Schaller, 1783) **R:** ST **E:** ES FR IT CR BH SB GR BU ?TR
 RO HU AU SZ CZ SK GE BE PL BY UK MD
 femorata (Fabricius, 1787) **R:** NT CT ST ?CA WS **E:** FR IT LJ CR BH
 GR BU RO HU AT SZ CE SK DE PL NO SV FI EO LA LT BY UK
 pumila Ganglbauer, 1882 **R:** ST CA **A:** GG AR AB TR IN
 ssp. pumila Ganglbauer, 1882 **R:** ST CA **A:** GG AB
 ussuriensis Tsherepanov, 1978 **R:** FE
 villosa Heyden, 1876
 ssp. magdeevi Danilevsky, 2011 **R:** CT
 ssp. major Miroshnikov, 2007 **R:** CT ?ST
 ssp. kuvandykensis Danilevsky, 2012 **R:** ST
 ssp. mikhailovi Danilevsky, 2001 **R:** ST WS
 ssp. krasnobaevi Danilevsky, 2010 **R:** ?ST **E:** UK
 ssp. kazakorum Danilevsky, 2014 **R:** ST
 ssp. mariae Danilevsky, 2010 **R:** CA
 ssp. circassica Reitter, 1890 **R:** CA
 ssp. zhuravlevi Miroshnikov, 2007 **R:** ST **A:** KZ
 ssp. chivilini Danilevsky, 2012 **R:** ST
 holosericea (Fabricius, 1801)
 ssp. holosericea (Fabricius, 1801) **R:** ST CA **E:** IT LJ CR BH SS
 ?GR RO HU AT CE SK UK
 colchica Reitter, 1890
 ssp. aishkha Danilevsky, 2014 **R:** CA
 ssp. murzini Danilevsky, 2014 **R:** CA
 ssp. ossetica Danilevsky, 2014 **R:** CA
 ssp. bulungensis Danilevsky, 2014 **R:** CA
 kiesenwetteri Pic,1898
 ssp. kiesenwetteri Pic,1898 **R:** ST
 ssp. subtruncata Pic, 1934 **R:** CT
 ciliata Danilevsky, 2001
 ssp. sakmarensis Danilevsky, 2006 **R:** ST
 ssp. milaenderi Danilevsky, 2001 **R:** CT
 reitteri Pic,1891
 ssp. reitteri Pic, 1891 **R:** CT ST **E:** UK
 = alexandri Danilevsky, 1996
 alalis (Gebler, 1830) **R:** AT **A:** KZ
 = haemorhoidalis Pic,1898
 = ruficornis Pic,1926
 sibirica (Plavilstshikov, 1915)
 = semenovi Plavilstshikov, 1936
 ssp. sibirica (Plavilstshikov, 1915) **R:** AT WS
 ssp. shavrovi Danilevsky, 2001 **R:** ES

tibialis Marseul, 1876
 ssp. tibialis Marseul, 1876 **R:** ST
 = pallidipes Pic, 1898
 ssp. ruthena Plavilstshikov, 1936 **R:** ST WS(Orenburg) **E:** KZ **A:**

KZ

ssp. rossica Danilevsky, 2001 **R:** CT (Ulyanovsk) ST **E:** UK
 turgaica Danilevsky, 2001 **R:** WS(Orenburg) **A:** KZ
 khatchikovi Danilevsky, 2001 **R:** ST
 alpina (Ménétriés, 1832)
 ssp. alpina (Ménétriés, 1832) **R:** CA **A:** AB GG
 ssp. matusiaki Danilevsky, 2014 **R:** CA **A:** GG
 ssp. baksaniensis Danilevsky, 2014 **R:** CA
 ssp. rosti Pic, 1892 **R:** CA
 ssp. psebayensis Danilevsky, 2014 **R:** CA
 ssp. starki Reitter, 1888 **R:** CA **A:** GG
 ssp. fischensis Stark, 1894 **R:** CA

Genus: Fallacia Mulsant et Rey, 1863
 elegans (Faldermann, 1837) **R:** CA **E:** TR **A:** GG AR AB TR IN

Genus: Macropidonia Pic, 1901
 = Sivana Strand, 1942
 = Sieversia Ganglbauer, 1886
 bicolor (Ganglbauer, 1886) **R:** FE **A:** CH KO
 = coreana Okamoto, 1927

Genus: Pseudosieversia Pic 1902
 = Macrorhabdium Plavilstshikov, 1915
 rufa (Kraatz, 1879) **R:** SE FE **A:** CH KO
 = ruficollis Plavilstshikov, 1915

Genus: Pidonia Mulsant, 1863
 Subgenus: Pseudopidonia Pic, 1900
 similis (Kraatz, 1879) **R:** FE **A:** KO CH
 semiobscura Pic, 1901 **R:** SI
 alticollis (Kraatz, 1879) **R:** FE **A:** KO CH
 = tristicula Kraatz, 1879
 = rubricollis Pic, 1931
 amurensis (Pic, 1900) **R:** SE FE **A:** KO CH
 = quelpartensis Hayashi 1983
 malthinoides (Kraatz, 1879) **R:** FE
 = quercus Tsherepanov, 1975
 gibbicollis (Blessig, 1873) **R:** SE FE **A:** KO CH JP
 suvorovi Baeckmann, 1903 **R:** FE **A:** KO CH

Subgenus: Mumon Hayashi, 1968
 debilis (Kraatz, 1879) **R:** SE FE SI **A:** CH KO JP

Subgenus: Cryptopidonia Kuboki, 1981
 amentata (Bates, 1884)
 ssp. kurosawai (Ohbayashi et Hayashi, 1960) **R:** KU **A:** JP

Subgenus: Omphalodera Solsky, 1873
 puziloi (Solsky, 1873) **R:** SE FE SI **A:** ?MG CH KO JP

Tribus: SACHALINOBIINI
 Genus: Sachalinobia Jacobs. 1899
 koltzei (Heyden, 1887) **R:** ES FE SI KU **A:** CH KO JP

Tribus: LEPTURINI
 Genus: Grammoptera Dejean, 1835
 Subgenus: Neoencyclops Matsushita et Tamanuki, 1940
 cyanea Tamanuki, 1933 **R:** SE FE SI **A:** CH KO
 = plavilstshikovi Heyrovsky, 1965

Subgenus: Grammoptera Dejean, 1835
 abdominalis (Stephens, 1831) **R:** CT[Kalinigrad] ST **E:** PT ES FR IT
 LJ CR BH KD GR BU RO HU AT SZ BE NL DK DE LU GB IE CE SK PL LT BY UK **A:** GG AR
 AB TR IR
 = variegata Germar, 1824
 ruficornis (Fabricius, 1781)
 ssp. ruficornis (Fabricius, 1781) **R:** CT[Kalinigrad] ST **E:** PT
 ES FR IT ITI AL LJ CR BH SS GR BU RO HU AT SZ BE NL DK DE LU GB IE CE SK NO
 PL SV EO LT LA BY UK ?UKC MD ?N

ustulata (Schaller, 1783) **R:** ?ST ?CT **E:** PT ES FR IT ITI AL LJ CR
 BH SS GR GRC BU RO HU AT SZ BE NL DK DE LU GB CE SK NO PL SV LA ?LA ?BY UK
 ?UKC MD **A:** AR AB IN TR

ssp. ustulata (Schaller, 1783) **R:** ?ST ?CT **E:** PT ES FR IT ITI
 AL LJ CR BH SS GR GRC BU RO HU AT SZ BE NL DK DE LU GB CE SK NO PL SV LA ?LA
 BY UK ?UKC MD **A:** TR

gracilis Brancsik, 1914 **R:** SE FE SI **A:** CH KO
 coerulea Jurecek, 1933 **R:** SE FE **A:** KO

Genus: Cornumutila Letzn. 1844
 quadrivittata (Gebler, 1830) **R:** ?CT WS AT ES SE ?FE **A:** KO
 = semenovi Plavilstshikov, 1936
 lineata (Letzner, 1844) **R:** NT WS ES **E:** FR SZ IT AT RO CE SK PL UK

Genus: Corennys Bates, 1884
 sericata Bates, 1884 **R:** KU **A:** KO CH JP

Genus: Nivellia Mulsant, 1863
 sanguinosa (Gyllenhal, 1827) **R:** NT CT WS AT ES SE FE SI ?KU **E:** SS
 AT DE RO SK PL NO SV FI EO BY UK **A:** ?KZ MG CH KO JP
 = rubripennis Matsumura, 1911
 extensa (Gebler, 1833)
 ssp. extensa (Gebler, 1833) **R:** NT WS ES AT SE FE **E:** FI **A:** MG
 CH KO

ssp. umbratilis Shimomura & Toyoshima, 1988 **R:** SI **A:** JP

Genus: Strangalomorpha Solsky, 1873
 tenuis Solsky, 1873
 ssp. tenuis Solsky, 1873 **R:** SE FE SI **A:** CH KO JP

Genus: Alosterna Mulsant, 1863
 tabacicolor (DeGeer, 1775)
 ssp. tabacicolor (DeGeer, 1775) **R:** NT CT ST CA WS **E:** ES FR IT
 ITI AL LJ CR BH SS KD GR BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK PL NO
 SV FI EO LT LA BY UK ?UKC MD TR KZ **A:** KZ
 = chrysomeloides Schrank, 1781
 ssp. subvittata Reitter, 1885 **R:** CA **A:** GG AR AB IN TR
 = caucasica Plavilstshikov, 1936
 ssp. erythropus (Gebler, 1841) **R:** WS AT ES SE FE SI KU **A:** KZ
 MG CH KO JP

= bivittis Motschulsky, 1860
 = plavilstshikovi Podaný, 1963
 ssp. tenebris Danilevsky, 2012 **R:** FE **A:** CH KO
 ssp. sachalinensis Danilevsky, 2012 **R:** SI

ingrica (Baeckmann, 1902) **R:** NT CT ST WS **E:** SK PL EO LT LA BY UK
 diversipes Pic, 1929 **R:** SE FE SI **A:** CH KO
 = perpera Danilevsky, 1988
 chalybeella (Bates, 1884) **R:** SI KU **A:** JP
 = japonica Pic, 1935

Genus: Vadonia Mulsant, 1863
 unipunctata (Fabricius, 1787)
 ssp. unipunctata (Fabricius, 1787) **R:** CT ST CA WS **E:** IT LJ CR
 BH SS GR BU TR RO HU AT CE SK ?PL MD UK UKC **A:** KZ GG AR AB TR IN

bipunctata (Fabricius, 1781)
 ssp. bipunctata (Fabricius, 1781) **R:** CT ST CA WS **A:** KZ
 ssp. sareptana Pic, 1941 **R:** ST WS **A:** KZ
 = beckeri Pic, 1941 [HN]
 ssp. urdensis Danilevsky, 2014 **R:** ?ST **A:** KZ
 ssp. globicollis (Desbrochers des Loges, 1870) **R:** CT ST CA **E:**
 MD UK RO

= mulsantiana (Plavilstshikov, 1936)
 ssp. steveni (Sperk, 1835) **R:** ST CA **E:** HU MD SK SL UK
 ssp. teberdensis Danilevsky, 2014 **R:** CA

Genus: Pseudalosterna Plavilstshikov, 1934
 elegantula (Kraatz, 1879) **R:** SE FE ?SI **A:** CH KO
 = orientalis Plavilstshikov, 1934

Genus: Pseudovadonia Lobanov, Danilevsky et Murzin, 1981
 livida (Fabricius, 1777)

ssp. bicarinata (Arnold, 1869) **R:** NT CT ST CA WS AT ES SE **E:**
 SV PL BY LA LT EO UK UKC KZ **A:** AR GG AB IN TR KZ KI
 Genus: Konoa Matsushita, 1933
 granulata (Bates, 1884) **R:** SI **A:** JP
 Genus: Anoplodera Mulsant, 1839
 Subgenus: Anoplodera Mulsant, 1839
 rufipes (Schaller, 1783)
 ssp. rufipes (Schaller, 1783) **R:** ?NT **E:** ES FR IT LJ CR BH SS
 GR BU RO HU AT SZ DE CE SK PL ?EO LT LA BY UK MD
 ssp. ventralis Heyden, 1886 **R:** CT ST CA WS ?AT ES **E:** BY UK KZ
A: GG AR AB KZ
 sexguttata (Fabricius, 1775) **R:** NT CT ST CA WS **E:** ES FR IT LJ CR
 BH SS KD GR BU TR RO HU AT SZ DE LU BE GB IR NL DK CE SK PL NO SV FI EO LT LA
 BY UK MD **A:** GG **N**
 rufihumeralis (Tamanuki 1938) **R:** FE **A:** KO
 Genus: Anoploderomorpha Pic, 1901
 cyanea (Gebler, 1832) **R:** ES SE FE SI KU **A:** MG CH KO JP
 Genus: Xestoleptura Casey, 1913
 rufiventris (Gebler, 1830) **R:** WS AT ES ?SE SI **A:** ?KZ MG
 baeckmanni (Plavilstshikov, 1936) **R:** FE **A:** KO
 = changbaishanensis (Gao, Meng & Yan, 2011)
 Genus: Stictoleptura Casey, 1924
 = Brachyleptura auct. (not Casey, 1913)
 Subgenus: Aredolpona Nakane et K. Ohbayashi, 1957
 = Corymbia Des Gozis, 1886
 rubra (Linnaeus, 1758)
 ssp. rubra (Linnaeus, 1758) **R:** NT CT ST WS AT ES **E:** PT ES FR
 FRC IT LJ CR BH SS MN AL GR BU RO HU AT SZ DE LU BE GB NL DK CE SK PL NO SV
 FI EO LT LA BY UK MD KZ **A:** KZ **N**
 dichroa (Blanchard, 1871) **R:** ES SE FE SI KU **A:** CH KO JP
 = succedanea Lewis, 1879
 Subgenus: Stictoleptura Casey, 1924
 cordigera Fuesslin, 1775
 ssp. cordigera Fuesslin, 1775 **R:** CA (Derbent) **E:** BE GB BU DE
 FR GE GR IT NL RO ES SZ RO UK **N:** LB **A:** AB AR CY GG IN IQ IS LE SY TR
 erythroptera (Hagenbach, 1822) **R:** CA **E:** ES FR CR BH SS GR BU RO
 HU AT SZ DE CE SK UK **A:** AR GG AB TR IN
 rufa (Brullé, 1832)
 ssp. realis Danilevsky, 2012 **R:** CA **A:** GG AR AB TR
 Subgenus: Variileptura Danilevsky, 2014
 variicornis (Dalman, 1817) **R:** NT CT WS AT ES SE FE SI KU **E:** PL EO
 LT LA BY UK **A:** KZ MG CH KO JP
 Subgenus: Melanoleptura Miroshnikov 1998
 scutellata (Fabricius, 1781)
 ssp. scutellata (Fabricius, 1781) **R:** ?CT ST CA **E:** PT ES FR FRC
 IT ITI ITA LJ CR BH SS MN KD AL GR BU RO HU AT SZ DE LU BE GB IR DK CE SK PL
 SV LA BY UK UKC MD
 ssp. ochracea (Faust, 1878) **R:** ST **A:** GG AR AB TR
 Subgenus: Maculileptura Danilevsky, 2014
 maculicornis (DeGeer, 1775) **R:** NT CT ST ?CA WS **E:** ES FR IT LJ CR
 BH SS MN AL GR BU TR RO HU AT SZ DE BE LU CE SK PL NO SV FI EO LT LA BY UK MD
A: ?GG
 Subgenus: Batesiata Miroshnikov, 1998
 tesserula (Charpentier, 1825) **R:** CA **E:** SS AL GR BU RO HU ?DE SK
 PL UK **A:** GG AR AB TR IN
 Subgenus: Paracorymbia Miroshnikov 1998
 fulva (DeGeer, 1775) **R:** CT ST **E:** PT ES FR FRC IT ITI LJ CR BH SS
 MN KD AL GR BU TR RO HU AT SZ DE LU BE GB IR NL CE SK PL ?BY UK
 = apicalis Motschulsky, 1875
 tonsa (J. Daniel et K. Daniel, 1891) **R:** CA **A:** UKC GG AR AB TR IN
 = ustulata Ménétériés, 1832 [HN]
 pallidipennis (Tournier, 1872) **R:** CA **A:** GG ?AB
 nadezhdae (Plavilstshikov, 1932) **R:** CA
 Genus: Anastrangalia Casey 1924

scotodes (Bates, 1873)
 ssp. scotodes (Bates, 1873) **R:** SI KU **A:** JP
 ssp. continentalis (Plavilstshikov, 1936) **R:** SE FE **A:** CH KO
 sanguinolenta (Linnaeus, 1760) **R:** NT CT ST CA **E:** ES FR IT LJ CR
 BH SS KD AL GR BU RO HU AT SZ DE NL GB CE SK PL NO SV FI EO LT LA BY UK ?MD
A: GG AR AB KZ WS ?AT ?ES
 dubia (Scopoli, 1763)
 ssp. melanota (Faldermann, 1837) **R:** CA **A:** GG AR ?AB TR
 = distincta (Tournier, 1872)
 reyi (Heyden, 1885) **R:** NT CT ST WS **E:** LJ AT RO SZ DE CE SK PL NO
 SV FI EO LT LA BY UK **A:** KZ
 = inexpectata Jansson & Sjöberg, 1928
 sequensi (Reitter, 1898) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JP
 renardi (Gebler, 1848) **R:** NT WS AT ES SE FE SI ?KU **A:** KZ MG CH KO
 Genus: Lepturobosca Reitter, 1913
 virens (Linnaeus, 1758) **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT
 LJ CR BH SS BU RO HU AT SZ DE ?GB CE SK PL NO SV FI EO ?LT LA BY UK **A:** KZ MG
 CH
 Genus: Eustrangalis Bates, 1884
 distenioides Bates, 1884 **R:** KU **A:** JP
 Genus: Podostrangalia Sokol. 1897
 Subgenus: Neosphenalia Löbke, 2010
 = Sphenalia Daniel 1904 (not Sphenalia Wood, 1874, in
 Mollusca)
 femoralis (Motschulsky, 1860) **R:** SE FE SI KU **A:** CH KO JP
 = xanthoma Bates, 1873
 Genus: Etorofus Matsushita 1933
 Subgenus: Etorofus Matsushita 1933
 nemurensis Matsushita, 1933 **R:** SI KU **A:** JP
 = variicornis Matsushita, 1933 [HN]
 = niger Matsushita, 1933
 = circaocularis (Pic, 1934)
 pubescens (Fabricius, 1787) **R:** NT CT ST CA WS **E:** ES FR IT DK LJ
 CR BH SS MN AL GR BU RO AT SZ DE CE SK PL NO SV FI EO LT LA BY UK **A:** KZ ?GG
 Subgenus: Nakanea Ohb. 1963
 vicaria (Bates, 1884)
 ssp. vicaria (Bates, 1884) **R:** SI KU **A:** JP
 Genus: Judolidia Plavilstshikov, 1936
 znojkoii Plavilstshikov, 1936: **R:** SE FE **A:** CN KO
 Genus: Judolia Mulsant, 1863
 sexmaculata (Linnaeus, 1758) **R:** NT CT ST **E:** ?ES FR IT SZ AT HU RO
 DE CE SK GB PL NO SV FI EO LT LA BY UK **A:** KZ
 dentatofasciata Mannerheim, 1852 **R:** NT WS AT ES SE FE SI KU **A:** MG
 CH KO JP
 = parallelopipeda Motschulsky, 1860
 = abbreviata Motschulsky, 1875
 = shirarakensis Matsumura, 1911
 = rufimembris Pic, 1917
 Genus: Pachytodes Pic, 1891
 erraticus (Dalman, 1817) **R:** CT ST CA WS AT ES **E:** ES FR IT LJ CR
 BH SS MN KD AL GR BU TR RO HU AT ?SZ DE CE SK PL BY MD UK KZ **A:** GG AR AB KZ
 MN ?CH TR IN SY
 cerambyciformis (Schrank, 1781) **R:** ?NT CT ST **E:** PT ES FR IT LJ CR
 BH SS KD AL BU RO HU AT SZ DE LU BE DK NL GB CE SK PL ?EO LT LA BY UK MD **A:**
 ?TR
 bottcheri (Pic, 1911) **R:** WS AT ES **A:** MG
 = orthotrichus (Plavilstshikov, 1936)
 longipes (Gebler, 1832) **R:** ES SE FE SI **A:** MG CH KO
 cometes (Bates, 1884) **R:** SI KU **A:** JP
 = connecta Nishio 1950
 Genus: Oedecnema Thomson, 1857
 gebleri Ganglbauer, 1889 **R:** NT CT ST (Orenburg) WS AT ES SE FE SI
 KU **E:** UK **A:** KZ MG CH KO JP
 = dubia Fabricius, 1781

= decemmaculata Matsumura, 1911
 Genus: *Leptura* Linnaeus, 1758
 Subgenus: *Noona* Sama, 2007
 = *Nona* Sama, 2002
 regalis (Bates, 1884) **R:** SI KU **A:** JP
 Subgenus: *Macroleptura* Nakane et Ohb. 1957
 thoracica Creutzer, 1799 **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 SL CR BH SS RO SK PL FI EO ?LT LA BY UK **A:** KZ MG CH KO JP
 = *obscurissima* Pic, 1900
 Subgenus: *Leptura* Linnaeus, 1758
 ochraceofasciata (Motschulsky, 1862)
 ssp. *ochraceofasciata* (Motschulsky, 1862) **R:** SI KU **A:** JP KO CH
 latipennis (Matsushita, 1933) **R:** SI KU **A:** JP
 aurulenta Fabricius, 1793 **R:** ST CT **E:** PT ES FR FRC IT LJ CR BH SS
 MN AL GR BU TU RO HU AT SZ DE LU GB IR CE SK PL MD UK **A:** TR **N**
 quadrifasciata Linnaeus, 1758
 ssp. *quadrifasciata* Linnaeus, 1758 **R:** NT CT ST CA WS AT ES SE
 FE SI KU **E:** ES FR IT LJ CR BH SS KD AL BU TR RO HU AT SZ DE LU BE DK NL GB IR
 CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** KZ MG KO CH JP
 ssp. *lederi* Ganglbauer, 1882 **R:** CA **A:** GG AR AB TR IN
 = *caucasica* Plavilstshikov, 1924
 annularis Fabricius, 1801
 = *arcuata* Panzer, 1793
 ssp. *annularis* Fabricius, 1801 **R:** NT CT ST KZ WS AT ES FE SI
E: ES FR ?IT CR BH RO HU AT SZ DE CE SK PL EO LT LA ?MD BY UK **A:** KZ MG CH KO
 ssp. *mimica* Bates, 1884 **R:** SI KU **A:** JP
 duodecimguttata Fabricius, 1801 **R:** KZ WS AT ES SE FE SI **A:** MG
 CH KO JP
 aethiops Poda 1761 **R:** NT CT ST CA WS AT ES SE FE ST SI KU **E:** ES
 FR IT LJ CR BH SS AL GR RO HU AT SZ DE LU BE DK NL CE SK PL EO LT LA BY UK
 ?UKC MD **A:** ?GG ?AR ?AB KZ MG CH KO JP
 = *aterrima* Motschulsky, 1860
 = *doii* (Matsushita, 1933)
 = *akitai* Fujita, 2018
 Genus: *Lepturalia* Reitter, 1913
 nigripes (DeGeer, 1775)
 ssp. *nigripes* (DeGeer, 1775) **R:** NT CT ST WS AT ES **E:** AT RO SK
 PL NO SV FI EO ?LT LA BY UK KZ **A:** KZ
 ssp. *rufipennis* (Blessig, 1873) **R:** WS AT ES SE FE SI **A:** KZ MG
 CH KO
 Genus: *Strangalia* Dejean, 1835
 = *Strangalina* Aurivillius, 1912
 attenuata (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 ES FR FRC IT LJ CR BH SS MN KD AL GR BU TR RO HU AT SZ DE LU BE NL DK ?GB CE
 SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB IN TR KZ MG CH KO JP
 takeuchii Matsushita et Tamanuki, 1935 **R:** KU **A:** JP
 Genus: *Rutpela* Nakane et Ohbayashi, 1957
 maculata (Poda 1761)
 ssp. *maculata* (Poda 1761) **R:** CT ST CA WS(Orenburg) **E:** FR FRC
 IT ITA LJ CR BH SS MN KD AL GR BU RO HU AT SZ DE LU BE DK NL GB IR CE SK PL
 NO SV FI EO ?LT LA BY UK MD KZ **A:** KZ
 ssp. *manca* (Schaufuss, 1863) **R:** CA **E:** PT ES FR IT ITI BU TR
 UKC **A:** GG AR AB IN TR SY
 = *nigricornis* (Stielin, 1864)
 Genus: *Stenurella* Villiers 1974
 Subgenus: *Stenurella* Villiers 1974
 melanura (Linnaeus, 1758) **R:** NT CT ST ?CA WS AT ES SE **E:** PT ES FR
 IT LJ CR BH SS MN KD AL GR BU TR RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV
 FI EO LT LA BY UK ?UKC MD KZ **A:** ?GG ?AR ?AB IN TR KZ MG ?CH JP
 ssp. *melanura* (Linnaeus, 1758) **R:** NT CT ST ?CA WS AT ES SE **E:**
 PT ES FR IT LJ CR BH SS MN KD AL GR BU RO HU AT SZ DE LU BE NL DK GB CE SK PL
 NO SV FI EO LT LA BY UK ?UKC MD KZ **A:** ?GG ?AR ?AB IN KZ MG ?CH JP
 = *sennii* Sama, 2002
 Subgenus: *Stenurelloides* Özdikmen, 2013

novercalis (Reitter, 1901) **R:** CA **A:** GG TR
 jaegeri (Hummel, 1825) **R:** RSC RSS CA **E:** UKC **A:** GG AR AB IN TR SY
 Subgenus: Priscostenurella Özdikmen, 2013
 bifasciata (Müller, 1776)
 ssp. bifasciata (Müller, 1776) **R:** NT CT ST CA WS AT ES **E:** PT
 ES FR FRC IT ITI ITA LJ CR BH SS MN KD AL GR BU RO HU AT SZ DE LU BE NL CE SK
 PL EO LT LA BY UK UKC MD KZ **A:** GG AR AB IN TR KZ
 = sedakovi Mannerheim, 1852
 septempunctata (Fabricius, 1793)
 ssp. latenigra Pic, 1915 **R:** CA **E:** BU TR **A:** GG AR TR
 Subgenus: Nigrostenurella Özdikmen, 2013
 nigra (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI LJ CR
 BH SS MN KD AL GR BU RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV EO LT LA BY
 UK UKC MD KZ **A:** GG AR AB ?IN TR
 ssp. nigra (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT
 ITI LJ CR BH SS MN KD AL GR BU RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV
 EO LT LA BY UK UKC MD KZ **A:** TR
 ssp. maesta Danilevsky, 2013 **R:** CA **A:** GG AR AB ?IN TR
 Subfamilia: NECYDALINAE Latreille, 1825
 Tribus: NECYDALINI
 Genus: Necydalis Linnaeus, 1758
 Subgenus: Necydalis Linnaeus, 1758
 ulmi (Chevrolat, 1838) **R:** CA **E:** ES FR IT CR BH SS MN KD GR BU RO
 HU AT SZ DE CE SK PL ?LT ?LA BY ?MD UK **A:** GG AR IR TR
 = mesembrina Plavilstshikov, 1936
 major Linnaeus, 1758 **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT CR
 BH SS MN AL GR BU RO HU AT SZ DE LU BE NL CE SK PL NO SV FI EO LT LA BY UK
 UKC MD KZ **A:** AB GG TR KZ MG CH KO JP
 = xantha Semenov, 1898
 = aino Kusama, 1974
 gigantea Kano, 1933 **R:** KU **A:** JP
 ssp. gigantea Kano, 1933 **R:** KU **A:** JP
 Subgenus: Necydalisca Plavilstshikov, 1936
 = Eonecydalis Ohbayshi, 1961
 pennata Lewis, 1879 **R:** SE FE SI KU **A:** KO CH JP
 = morio Kraatz, 1879
 = ebenina Bates, 1884
 = pacifica Plavilstshikov, 1936
 = ussuriensis Plavilstshikov, 1936
 = semenovi Plavilstshikov, 1936
 = eoa Plavilstshikov, 1936
 sachalinensis Matsumura et Tamanuki, 1927 **R:** SE FE SI **A:** KO CH JP
 Subfamilia: SPONDYLIDINAE Audinet-Serville, 1832
 = Aseminae Thomson, 1860
 Tribus: SAPHANINI Gistel, 1848
 Genus: Drymochares Mulsant, 1847
 starcki Ganglbauer, 1888
 ssp. starcki Ganglbauer, 1888 **R:** CA **A:** ?GG
 Tribus: ATIMIINI Le Conte, 1873
 Genus: Atimia Haldeman, 1847
 = Myctus Semenov et Plavilstshikov, 1937
 maculipuncta (Semenov et Plavilstshikov, 1937)
 ssp. nadezhdae Tsherepanov, 1973 **R:** FE **A:** KO
 Tribus: ASEMINE Thomson, 1860
 Genus: Nothorhina L. Redtenbacher, 1845
 punctata (Fabricius, 1798) **R:** NT CT ST WS ?AT **E:** PT ES FR IT ITI
 BH AL GR DE AT CE SK PL NO SV FI EO LT LA BY UK KZ **A:** KZ ?SY JP
 = muricata (Dalman, 1817)
 Genus: Megasemum Kraatz, 1879
 quadricostulatum Kraatz, 1879 **R:** SE FE SI KU **A:** KO CH JP
 Genus: Asemum Eschscholtz, 1837
 striatum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 ES FR IT LJ CR BH SS MN AL GR BU RO HU AT SZ DE LU BE NL DK GB IR CE SK PL NO
 SE FI EO LT LA BY UK ?UKC MD KZ **A:** GG AR ?AB TR KZ KI MG CH KO JP

= subsulcatum Motschulsky, 1860
 = amurense Kraatz, 1879
 = ishidai Fujita, 2018
 tenuicornis Kraatz, 1879 **R:** CA **E:** ES IT ITI GR RO ?AT SV PL UKC **A:**
 GG TR
 ssp. tenuicornis Kraatz, 1879 **R:** CA **E:** ES IT ITI GR RO ?AT SV
 UKC **A:** GG TR
 punctulatum Blessig, 1872 **R:** SE FE SI KU **A:** KO CH JP
 Genus: Arhopalus Audinet-Serville, 1834
 Subgenus: Arhopalus Audinet-Serville, 1834
 = Criocephalum Dejean, 1835
 = Criocephalum Mulsant, 1839
 rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 ES FR FRC IT ITI LJ CR BH SS MN KD AL GR BU RO HU AT SZ DE LU BE NL DK GB CE
 SK PL NO SV FI EO LT LA BY UK UKC MD RSN RSC RSS KZ **A:** GG AR AB TD TR IN KZ
 MG CH KO JP **N**
 ssp. rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE
 SI KU **E:** ES FR FRC IT ITI LJ CR BH SS MN KD AL GR BU RO HU AT SZ DE LU BE NL
 DK GB CE SK PL NO SV FI EO LT LA BY UK UKC MD RSN RSC RSS KZ **A:** GG AR AB TD
 TR IN KZ MG CH KO JP **N**
 = tristis Fabricius, 1787
 ?= coreanus Sharp, 1905
 ferus (Mulsant, 1839) **R:** NT CT ST CA WS AT ES SE **E:** PT ES FR FRC
 IT ITI ITA LJ CR BH SS MN KD GR AL BU RO HU ?AT SZ DE LU BE NL DK GB ?IR
 CE SK PL SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB TR SY JO IS KZ CH
 Tribus: Tetropiini Seidlitz, 1891
 Genus: Tetropium Kirby 1837
 = Isarthron Dejean, 1835
 castaneum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 ES FR IT LJ CR BH SS MN AL BU GR RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV
 FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB TR KZ MG CH KO JP
 gabrieli Weise, 1905 **R:** ?CT (Kaliningrad Region) **E:** FR IT SL HU
 AU SZ GE GB IR LU BE NL DE LS CZ SK PL BY UK
 gracilicornis Reitter, 1889 **R:** NT CT WS AT ES SE FE SI **A:** KZ MG CH
 KO JA
 gracilicum Hayashi, 1983 **R:** FE KU **A:** CH JP
 aquilonium Plavilstshikov, 1940 **R:** NT WS **E:** SV FI
 danilevskyi Slama, 2005 **R:** ES
 fuscum (Fabricius, 1787) **R:** NT CT ST CA WS **E:** GB FR IT LJ BH SS
 BU RO HU AT SZ DE BE NL DK CE SK PL NO SV FI EO LT LA BY UK MD KZ **A:** GG TR KZ
 ssp. fuscum (Fabricius, 1787) **R:** NT CT ST CA WS **E:** GB FR IT LJ
 BH SS BU RO HU AT SZ DE BE NL DK CE SK PL NO SV FI EO LT LA BY UK MD KZ **A:** GG
 TR KZ
 Tribus: SPONDYLIDINI Audinet-Serville, 1832
 Genus: Spondylis Fabricius, 1775
 buprestoides (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:**
 PT ES FR FRC IT ITI LJ CR BH SS MN KD AL GR BU RO HU AT SZ DE LU BE NL DK GB
 CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB IN TR AF KZ MG CH KO
 JP
 Subfamilia: APATOPHYSEINAE Lacordaire, 1869
 Tribus: APATOPHYSEINI
 Genus: Apatophysis Chevrolat, 1860
 Subgenus: Apatophysis Chevrolat, 1860
 caspica Semenov, 1901 **R:** CA **A:** AB GG TM UZ KZ TR IN AF
 Subfamilia: CERAMBYCINAE Latreille, 1802
 Tribus: HESPEROPHANINI
 Genus: Hesperophanes Dejean, 1835
 sericeus (Fabricius, 1787) **R:** CA **E:** PT ES FR FRC IT ITI ITA CR BH
 MN AL GR UKC **A:** GG AR AB TM IN TR JO IS IQ **N**
 Genus: Trichoferus Wollaston, 1854
 holosericeus (Rossi, 1790) **R:** CA **E:** ES FR FRC SZ IT ITI ITA MT LJ
 CR BH SS AL GR BU UKC **A:** GG AR AB TR IN **N**
 = cinereus Villers, 1789

fasciculatus (Faldermann, 1837) **R:** CA **E:** PT ES FR FRC IT ITI ITA
 MT CR MN AL GR BU RO UK UKC **A:** GG AR AB TR IN **N**
 ssp. fasciculatus (Faldermann, 1837) **R:** CA **E:** PT ES FR FRC IT
 ITI ITA MT CR MN AL GR BU RO UK UKC **A:** GG AR AB TR IN
 griseus (Fabricius, 1793) **R:** ?CA **E:** PT ES FR FRC IT ITI ITA MT CR
 BH MN AL GR GRC BU TR RO CE UK UKC **A:** ?GG TR JO IS SY IQ **N**
 campestris (Faldermann, 1835) **R:** CT ST CA WS ES SE FE **E:** GE PL LT
 CE SK HU RO MD UK **A:** AB AR KZ KI UZ TD TM IN MG CH KO JP
 = *turkestanicus* Heyden, 1886
 pallidus (Olivier, 1790) **R:** ST CA **E:** ES FR FRC IT CR BH SS GR BU
 RO HU AT CE SK DE PL MD UKC
 Genus: *Stromatium* Audinet-Serville, 1834
 auratum (Böber, 1793) **R:** ST CA **E:** PT ES FR FRC IT ITI ITA LJ DE MT
 CR BH SS MN KD AL GR GRC BU TR RO HU LA UK UKC **A:** GG AR AB TM TR IN IQ JO IS
 LE **N**
 = *fulvum* Villers, 1789
 = *unicolor* (Olivier, 1800)
 Tribus: CERAMBYCINI
 Genus: *Neocerambyx* Thomson, 1860
 = *Mallambyx* Bates, 1873
 = *Mesocerambyx* Breuning et Hitzinger, 1943
 raddei Blessig, 1872 **R:** SE FE **A:** CH KO JP
 Genus: *Cerambyx* Linnaeus, 1758
 Subgenus: *Cerambyx* Linnaeus, 1758
 cerdo Linnaeus, 1758
 ssp. cerdo Linnaeus, 1758 **R:** ?CT **E:** FR FRC IT ITI ITA LJ CR BH
 SS MN KD GR BU TR RO HU AT SZ DE LU BE NL DK CE SK PL SV LT LA BY MD UK
 ssp. acuminatus Motschulsky, 1852 **R:** ST CA **E:** UK **A:** GG AR AB IN
 TR SY JO IS
 = *klinzigi* Podaný 1964
 ssp. manderstjerna Mulsant & Godart, 1855 **R:** ST **E:** UKC
 dux (Faldermann, 1837) **R:** CA **E:** KD BU GR UKC **A:** GG AR AB TR IN IQ
 SY JO LE IS
 nodulosus Germar, 1817 **R:** CA **E:** IT MT LJ CR BH SS MN KD AL GR BU
 TR RO UKC **A:** GG AR AB TR SY
 ssp. nodulosus Germar, 1817 **R:** CA **E:** IT MT LJ CR BH SS MN KD
 AL GR BU TR RO UKC **A:** GG AR AB TR SY
 miles Bonelli, 1812 **R:** CA **E:** PT ES FR IT ITI MT LJ CR BH SS MN KD
 AL GR BU TR RO HU AT CZ SK SZ MD UKC **A:** GG AR AB IN TR SY **N**
 Subgenus: *Microcerambyx* Miksic et Georgijevic, 1973
 = *Mesocerambyx* Zagaikevitch, 1991
 scopolii Fuesslin, 1775
 ssp. scopolii Fuesslin, 1775 **R:** NT CT ST CA **E:** PT ES FR FRC IT
 ITA MT LJ CR BH SS MN KD AL GR GRC BU TR RO HU AT SZ DE LU BE NL DK ?GB CE SK
 PL NO SE ?EO LT BY MD UK UKC **A:** GG AR AB IN TR SY
 Tribus: COMPSOCERINI
 = ROSALIINI
 Genus: *Rosalia* Audinet-Serville, 1834
 alpina (Linnaeus, 1758)
 ssp. alpina (Linnaeus, 1758) **R:** ST CA WS **E:** ES FR FRC IT ITI
 LJ CR BH SS MN KD AL GR BU TR RO HU AT SZ DE CE SK PL BY MD UK UKC **A:** GG AR
 AB TR
 coelestis Semenov, 1911 **R:** FE **A:** CH KO
 = *yanagii* Fujita & Akita, 2020 [Tsushima Is.]
 Tribus: PURPURICENINI
 Genus: *Purpuricen* Dejean, 1821
 kaehler (Linnaeus, 1758)
 ssp. rossicus Danilevsky, 2019 **R:** CT ST CA **E:** BU TR RO HU AT
 SZ DE CE SK PL BY UK UKC MD KZ
 ssp. menetriesi Motschulsky, 1845 **R:** CA **A:** GG AR AB IN TR
 = *astrabadensis* Pic, 1915
 = *caucasicus* Pic, 1902
 globulicollis Mulsant, 1839 **R:** CT ST WS **E:** ES FR IT ITI LJ CR BH
 SS AL GR BU RO UK HU ?AT SZ CE SK ?DE **A:** KZ

ssp. globulicollis Mulsant, 1839 **R:** CT ST WS **E:** ES FR IT ITI
 LJ CR BH SS GR BU RO UK HU ?AT SZ CE SK ?DE **A:** KZ
 = tsherepanovae Tsherepanov, 1980
 budensis (Götz, 1783) **R:** CT ST CA ?WS **E:** ES FR IT LJ CR BH SS MN
 AL KD GR BU RO HU SK UK UKC **A:** GG AR AB IN TR SY IS
 caucasicola Danilevsky, 2015d **R:** CA **A:** GG ?AR AB TR
 lituratus Ganglbauer, 1886 **R:** FE **A:** KO CH JP
 = petasifer Fairmaire, 1888
 sideriger Fairmaire, 1888 **R:** FE **A:** KO CH
 ssp. sideriger Fairmaire, 1888 **R:** FE **A:** KO CH
 Genus: Anoplistes Audinet-Serville, 1834
 = Asias Semenov, 1914
 halodendri (Pallas, 1773)
 = humeralis Olivier, 1795
 = elaeagni Fischer-Waldheim, 1824
 ssp. ephippium (Steven et Dalman, 1817) **R:** ST CA **E:** UK KZ **A:**
 KZ
 ssp. kasatkini Lazarev, 2014 **R:** ST
 ssp. halodendri (Pallas, 1773) **R:** WS AT **A:** KZ
 ssp. minutus Hammarström, 1893 **R:** ES **A:** MG CH
 ssp. pirus (Arakawa, 1932) **R:** SE FE **A:** KO CH
 tuvensis (Tsherepanov, 1978) **R:** ES **A:** MG
 Genus: Amarysius Fairmaire, 1888
 sanguinipennis (Blessig, 1872) **R:** CT WS ES SE FE **A:** KZ MG KO CH
 JP
 suturalis (Pic, 1906) **R:** FE **A:** CH
 =grallator Baeckmann, 1924
 altajensis (Laxmann, 1770)
 ssp. altajensis (Laxmann, 1770) **R:** WS AT **A:** KZ CH
 = sellatus Germar, 1824
 = affinis Motschulsky, 1875
 ssp. coreanum (Okamoto, 1924) **R:** ES SE FE **A:** MG CH KO
 = ussuricus Tsherepanov, 1975
 duplicatus Tsherepanov, 1980 **R:** WS AT ?ES SE FE **A:** KZ? MG CH ?KO
 Tribus: CALLICHRMATINI
 Genus: Aphrodisium Thomson, 1864
 = Tomentaromia Plavilstshikov, 1934
 faldermannii (Saunders, 1853)
 ssp. faldermannii (Saunders, 1853) **R:**?ES ?SE **A:**?MG CH KO
 Genus: Aromia Audinet-Serville, 1834
 moschata (Linnaeus, 1758)
 = thea Reitter, 1894
 ssp. moschata (Linnaeus, 1758) **R:** NT CT ST CA **E:** FR FRC IT AL
 LJ CR BH SS KD BU TR RO HU AT SZ BE NL DK DE LU GB IR CE SK NO PL SV FI EO LA
 LT BY UK UKC MD KZ **A:** GG KZ WS AT ES ?MG
 ssp. malukhini Danilevsky, 2019 **R:** ST
 ssp. ambrosiaca (Steven, 1809) **R:** CA **E:** PT ES IT ITI GR **A:** GG
 AR AB TR IN SY IS LE JO IQ **N**
 orientalis Plavilstshikov, 1932 **R:** ES SE FE SI **A:** MG CH KO JP
 Genus: Chelidonium Thomson, 1864 U
 zaitzevi Plavilstshikov, 1933 **R:** FE
 Genus: Chloridolum Thomson, 1864
 Subgenus: Chloridolum Thomson, 1864
 sieversi (Ganglbauer, 1886) **R:** FE **A:** KO CH JP
 = coreana Fairmaire, 1897
 Genus: Leontium Thomson, 1864
 viride Thomson, 1864 **R:** SI KU **A:** JP CH KO
 Genus: Polyzonus Dejean, 1835
 fasciatus (Fabricius, 1781) **R:** ES SE FE **A:**MG KO CH
 Tribus: CALLIDIOPINI
 Genus: Stenygrinum Bates, 1873
 quadrinotatum Bates, 1873 **R:** FE **A:** CH KO JP
 Tribus: GRACILIINI
 Genus: Gracilia Audinet-Serville, 1834

minuta (Fabricius, 1781) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT ITI
 ITA MT LJ CR BH SS AL GR GRC BU TR RO HU AT ?SZ DE LU BE NL DK GB ?IR CE SK
 PL NO SV FI EO LT UK UKC MD KZ **A:** KZ GG AR AB IN TR **N**
 Genus: Penichroa Stephens, 1839
 fasciata (Stephens, 1831) **R:** CA **E:** PT ES FR FRC IT ITI ITA MT LJ
 CR BH SS KD AL GR GRC BU TR UKC **A:** GG AR AB IN TR SY **N**
 Genus: Axinopalpis Dejean, 1835
 gracilis (Krynicky, 1832)
 ssp. gracilis Krynicky, 1832 **R:** CT ST CA **E:** IT LJ CR BH SS MN
 KD AL GR BU RO HU AT CE SK DE PL LA LT UK ?UKC MD **A:** GG TR SY
 Genus: Hybometopia Ganglbauer, 1889
 starcki Ganglbauer, 1889
 ssp. starcki Ganglbauer, 1889 **R:** CA **A:** GG TR
 Tribus: OBRIINI
 Genus: Obrium Dejean, 1821
 cantharinum (Linnaeus, 1767)
 ssp. cantharinum (Linnaeus, 1767) **R:** NT CT ST CA WS AT ES SE
 FE **E:** ES FR IT BH SS GR BU RO TR HU AT SZ DE LU BE NL ?GB CE SK PL NO SV FI
 EO LT LA BY MD UK ?UKC KZ **A:** GG AR AB TR KZ MN CH JP
 brunneum (Fabricius, 1793) **R:** ?NT ?CT ?ST CA **E:** ES FR IT LJ CR BH
 SS AL GR BU RO HU AT SZ DE LU BE NL DK GB CE SK PL SV EO LT LA BY MD UK UKC
A: GG AR AB TR IR
 obscuripenne Pic, 1904 **R:** FE SI ?KU **A:** KO CH JP
 = graciliforme Lipp, 1939
 = gracile Plavilstshikov, 1933
 brevicorne Plavilstshikov, 1940 **R:** FE **A:** KO CH
 Tribus: CERTALLINI
 Genus: Certallum Dejean, 1821
 = Cartallum Audinet-Serville, 1834
 ebulinum (Linnaeus, 1767) **R:** ST CA **E:** PT ES FR IT ITI MT AL GR
 GRC TR UK UKC **A:** GG AR AB IN TR SY LE JO IS **N**
 = ruficolle Fabricius, 1781
 Tribus: DEILINI
 Genus: Deilus Audinet-Serville, 1834
 fugax (Olivier, 1790) **R:** CT ST CA WS **E:** PT ES FR FRC IT ITI ITA
 LJ CR BH MN GR GRC AL BU RO HU AT SZ LU BE CE SK PL BY MD UK ?UKC KZ **A:** KZ GG
 AR AB TR IN SY JO LE IS **N**
 Tribus: STENOPTERINI
 Genus: Stenopterus Illiger, 1804
 rufus (Linnaeus, 1767)
 ssp. rufus (Linnaeus, 1767) **R:** ST CA **E:** ES FR FRC IT ITI ITA
 MT LJ RO BU HU AT SZ DE LU BE NL CE SK PL MD UK UKC **A:** GG TR
 ssp. geniculatus Kraatz, 1863 **R:** CA **E:** GR AL CR BH SS MN KD AT
 HU BU **A:** GG AR AB IN TR
 Genus: Callimus Mulsant, 1846
 = Callimellum Strand, 1928
 Subgenus: Lampropterus Mulsant, 1863
 = Callimomimus Ienisteia, 1952
 femoratus (Germar, 1824) **R:** CA **E:** SS KD AL GR BU TR RO MD UK UKC
A: GG AR AB IN TR SY JO LE IS
 = adonis Perrin, 1881
 = narcissus Perrin, 1881
 = distinctus Ienisteia, 1952
 Subgenus: Procallimus Pic, 1907
 = Protocallimus Plavilstshikov 1940
 egregius Mulsant et Rey, 1863 **R:** ?CA **E:** UKC **A:** GG TR SY LE
 Genus: Callimoxys Kraatz, 1863
 gracilis (Brullé, 1832) **R:** ST CA **E:** LJ CR BH MN KD GR BU RO HU SK
 UKC **A:** GG AR AB TM TR IN
 Tribus: PSEBIINI
 Genus: Nathrius Brethes, 1916
 brevipennis (Mulsant, 1839) **R:** ST CA **E:** PT ES FR FRC IT ITI ITA
 MT LJ CR BH SS KD BU GR GRC TR RO HU AT ?SZ CE SK DE GB ?IR BE NL DK GB PL NO
 SV FI MD UK UKC KZ **A:** KZ GG AR AB IN TR IS LE **N**

Tribus: MOLORCHINI
 Genus: Leptepania Heller, 1924
 = Molorchinus Shabliovsky, 1936
 okunevi (Shabliovsky, 1936) **R:** FE **A:** MN
 = incognitus Tsherepanov, 1975
 Genus: Nadezhdiana Tsherepanov, 1976
 villosa Tsherepanov, 1976 **R:** FE
 Genus: Molorchus Fabricius, 1793
 Subgenus: Caenoptera Thomson, 1859
 minor (Linnaeus, 1758)
 ssp. minor (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI
 KU **E:** FR IT LJ CR BH SS AL GR BU RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV
 FI EO LT LA BY MD UK ?UKC **A:** GR KZ MG KO JP CH TR
 = rufescens Kiesenwetter, 1879
 Subgenus: Molorchus Fabricius, 1793
 = Glaphyra Newman, 1840
 = Linomius Mulsant, 1862
 umbellatarum (Schreber, 1759)
 ssp. umbellatarum (Schreber, 1759) **R:** NT CT ST CA **E:** ES FR IT
 ITI SL CR BH SB MC AL GR BU TR RO HU AU SZ DE LU BE NL GE GB CZ SK NR PL SV
 EO LT LA BY MD UK UKC **A:** GG AR AB IR TR ?TM
 plagiatus Reiche, 1877 **R:** ?CT ST CA **A:** GG AR AB ?KZ IN TR
 kiesenwetteri Mulsant et Rey, 1861
 ssp. kiesenwetteri Mulsant et Rey, 1861 **R:** ST CA **E:** IT ?LJ CR
 SS ?SZ ?DE AT ?PL HU ?RO BU UKC
 ssp. hircus Abeille de Perrin, 1881 **R:** CA **E:** TR **A:** GG AR AB IN
 TR SY LE IS
 = anatolicus Adlbauer, 1988
 schmidti Ganglbauer, 1883 **R:** CT ST CA WS (Orenburg) **E:** GR HU RO CE
 SK ?PL UK UKC MD KZ **A:** AB GR KZ TM UZ KI
 = salicicola Stiller, 1935
 = ?semenovi Plavilstshikov, 1940
 marmottani Brisout de Barneville, 1863
 ssp. marmottani Brisout de Barneville, 1863 **R:** CT ST **E:** ES FR
 IT SZ BU AT DE CE SK PL **A:** TR
 starki Shabliovsky, 1936 **R:** FE **A:** KO CH ?JP
 ?= kojimai Matsushita, 1939
 = ussuriensis Plavilstshikov, 1940
 = ichikawai Niisato, 1988
 ishiharai Ohbayashi, 1936 **R:** FE SI KU **A:** ?KO JP
 = kunashiricus Tsherepanov, 1981
 kobotokensis Ohbayashi, 1963 **R:** FE **A:** KO JP
 Subgenus: Nathrioglaphyra Sama, 1995
 heptapotamicus Plavilstshikov, 1940 **R:** ST **A:** KZ KI UZ
 = amygdali Holzschuh, 1979

Tribus: STENHOMALINI
 Genus: Stenhomalus White, 1855
 japonicus (Pic, 1904) **R:** FE KU **A:** JP
 = lighti Gressitt, 1935
 = vulcanus Tsherepanov, 1976

Tribus: HYLOTRUPINI
 Genus: Hylotrupes Audinet-Serville, 1834
 bajulus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT ITI
 ITA MT AL LJ CR BH SS MN KD GR GRC BU TR RO HU AT SZ BE NL DK DE LU GB IE CE
 SK NO PL SV FI EO LA LT BY UK UKC MD **A:** GG AR AB IN CH TR SY LE JO IS **N**

Tribus: CALLIDIINI
 Genus: Paraxylocrius Niisato, 2009
 testaceus Niisato, 2009 **R:** SI
 verigai Danilevsky, 2012 **R:** FE
 Genus: Ropalopus Mulsant, 1839
 = Rhopalopus L. Redtenbacher, 1845
 Subgenus: Prorrhopalopus Plavilstshikov, 1921
 signaticollis (Solsky, 1873) **R:** SE FE **A:** CH KO JP
 speciosus (Plavilstshikov, 1915) **R:** FE **A:** CH KO

Subgenus: Pronocerodes Plavilstshikov, 1940
 ruficollis (Matsumura, 1911) **R:** FE SI
 aurantiicollis (Plavilstshikov, 1940) **R:** FE SI **A:** KO
 Subgenus: Ropalopus Mulsant, 1839
 ungaricus Herbst, 1784
 ssp. insubricus (Germar, 1824) **R:** CT ST CA **E:** ES FR IT SL CR
 BH SB AL GR BU TR RO UK MD
 = fischeri (Krynicky, 1829)
 lederi (Ganglbauer, 1882) **R:** CA **E:** UKC **A:** GG AR AB IN TR ?SY
 clavipes (Fabricius, 1775) **R:** NT CT ST CA WS SE **E:** ES FR IT MT LJ
 CR BH SS MN KD AL GR GRC BU TR RO HU AT SZ DE BE NL DK CE SK PL LT LA BY UK
 UKC MD KZ **A:** GG AR AB KZ IN TR SY
 macropus (Germar, 1824) **R:** CT ST CA **E:** LJ CR BH SS BU RO HU AT
 ?SZ DE CE SK PL LA BY UK UKC MD **A:** GG AR AB IN TR
 ?= caucasicus Desbrochers, 1873
 femoratus (Linnaeus, 1758) **R:** ?CT ST **E:** ES FR IT LJ CR BH SS KD
 GR BU TR RO HU AT SZ DE BE CE SK PL SV ?LT LA BY MD UK
 Genus: Pronocera Motschulsky, 1859
 sibirica (Gebler, 1848) **R:** AT WS ES SE FE SI **A:** MG CH KO
 = brevicollis Gebler, 1833
 = daurica Motschulsky, 1859
 Genus: Turanium Baeckmann, 1923
 Subgenus: Turanium Baeckmann, 1923
 scabrum (Kraatz, 1882) **R:** ST(Orenburg) WS(Orenburg) **A:** KZ TM KI
 UZ TD
 Genus: Leioderes L. Redtenbacher, 1845
 kollari L. Redtenbacher, 1849 **R:** CT ST CA **E:** ES FR IT ITI LJ CR
 BH SS KD AL GR BU RO HU AT SZ DE CE SK PL NO SV LA LT BY UK ?UKC ?MD **A:** GG
 ssp. kollari L. Redtenbacher, 1849 **R:** CT ST CA **E:** ES FR IT LJ
 CR BH SS KD GR BU RO HU AT SZ DE CE SK PL NO SV LA LT BY UK ?UKC ?MD **A:** GG
 Genus: Callidiellum Linsley, 1940
 rufipenne (Motschulsky, 1861) **R:** CA SI **E:** ES FR BE IT BH CR SK BU
A: GG CH KO JP
 Genus: Semanotus Mulsant, 1839
 undatus (Linnaeus, 1758) **R:** NT CT ?ST WS ES AT SE FE **E:** FR IT LJ
 CR BH SS BU RO HU AT SZ DE CE SK NO PL SV FI EO LA LT BY UK **A:** MG CH KO
 russicus (Fabricius, 1777)
 ssp. russicus (Fabricius, 1777) **R:** CA **E:** IT CR SS AL GR RO HU
 BU AT CZ SK UK UKC **A:** AR AB GG IN TR
 bifasciatus (Motschulsky, 1875) **R:** FE **A:** CH KO JP
 Genus: Callidium Fabricius, 1775
 Subgenus: Palaeocallidium Plavilstshikov, 1940
 coriaceum Paykull, 1800 **R:** NT CT ST WS FT ES FE **E:** FR IT DK LJ BH
 RO HU BU AT SZ LU CE SK DE PL NO SV FI EO LT LA BY UK **A:** MG CH KO JP
 chlorizans (Solsky, 1871) **R:** WS AT ES SE FE SI **A:** MG CH KO JP
 Subgenus: Callidium Fabricius, 1775
 violaceum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES
 FR IT LJ CR BH SS AL BU RO HU AT SZ BE NL DK GB IR DE LU CE SK PL NO SV FI EO
 LA LT BY UK UKC MD **A:** GG AR AB KZ MG CH KO JP
 Subgenus: Callidostola Reitter, 1913
 aeneum (DeGeer, 1775)
 ssp. aeneum (DeGeer, 1775) **R:** NT CT ST WS AT ES SE FE SI **E:** FR
 IT SL CR BH SB ME AL GR BU RO HU AU SZ BE NL CZ SK GE PL NR SV FI EO LT LA BY
 UK **A:** KZ MG CH
 ssp. longipenne Plavilstshikov, 1940 **R:** CA **A:** GG AB
 Genus: Oupyrrhidium Pic, 1900
 cinnabarinum (Blessig, 1872) **R:** SE FE **A:** KO CH
 Genus: Pyrrhidium Fairmaire, 1864
 sanguineum (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR IT ITI ITA
 LJ CR BH SS MN AL GR GRC BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SE
 FI EO LT BY UK UKC MD **A:** GG AR AB IN TR SY **N**
 Genus: Phymatodes Mulsant, 1839
 Subgenus: Phymatodes Mulsant, 1839

testaceus (Linnaeus, 1758) **R:** NT CT ST CA WS AT FE **E:** PT ES FR
 FRC IT ITI ITA LJ CR BH SS MN KD AL GR GRC BU TR RO HU AT SZ LU BE NL DK DE
 GB CE SK PL NO SV FI EO LA LT BY UK UKC MD RSN RSC RSS KZ **A:** GG AR AB IN TR
 SY IS KZ JP **N**

Subgenus: Melasmetus Reitter, 1913
 femoralis (Ménétriés, 1832)
 ssp. femoralis (Ménétriés, 1832) **R:** CA **E:** TR **A:** GG AR AB IN TR

Subgenus: Phymatoderus Reitter, 1913
 = Reitteroderus Sama, 1991
 lividus (Rossi, 1794) **R:** CT ST CA **E:** ES FR FRC IT ITI ITA ?LJ CR
 BH MN GR GRC BU RO ?BE ?DE SZ CE ?SK ?PL UK UKC **A:** GG ?AB TR SY IS **N**
 puncticollis Mulsant, 1862 **R:** CT ST CA **E:** KD BU RO SK UK UKC KZ
A: KZ

pusillus (Fabricius, 1787)
 ssp. rufipenne Stark, 1889 **R:** ST CA **E:** UK UKC **A:** GG AR AB IN
 TR

glabratus (Charpentier, 1825) **R:** CA **E:** ES FR IT ITA CR BH SS GR
 BU HU AT SZ DE CE SK PL UK UKC **A:** GG
 abietinus Plavilstshikov et Lurie, 1960 **R:** NT CT WS

Subgenus: Phymatodellus Reitter, 1913
 rufipes (Fabricius, 1777)
 ssp. rufipes (Fabricius, 1777) **R:** ST CA **E:** ES FR IT LJ CR BH
 SS BU RO HU AT SZ DE CE SK PL UK UKC MD

zemlinae (Plavilstshikov et Anufriev, 1964) **R:** FE **A:** KO CH
 infasciatus (Pic, 1935) **R:** FE KU **A:** KO CH JP
 = vandykei Gressitt, 1935
 = ussuricus Plavilstshikov, 1940
 murzini Danilevsky, 1993 **R:** FE **A:** KO

Subgenus: Paraphymatodes Plavilstshikov, 1934
 mediofasciatus Pic, 1933 **R:** SE FE **A:** KO CH JP

Subgenus: Poecilium Fairmaire, 1864
 alni (Linnaeus, 1767)
 ssp. alni (Linnaeus, 1767) **R:** NT CT ST CA **E:** MD UK **A:** KZ
 ssp. pici Aurivillius, 1912 **R:** CA **A:** GG AR AB IN TR
 = alnoides Reitter, 1913
 ermolenkoi Tsherepanov, 1980 **R:** FE **A:** KO
 maacki (Kraatz, 1879)
 ssp. maacki (Kraatz, 1879) **R:** SE FE **A:** KO CH
 ssp. viarius Danilevsky, 1988 **R:** SI KU **A:** JP

Tribus: ANAGLYPTINI

Genus: Paraclytus Bates, 1884
 excultus Bates, 1884 **R:** KU **A:** JP
 sexguttatus (Adams, 1817) **R:** CA **E:** BU **A:** GG AR AB IN TR

Genus: Anaglyptus Mulsant, 1839
 simplicicornis Reitter, 1905 **R:** CA **A:** GG AR AB IN TR
 arabicus (Küster, 1847) **R:** CA **A:** GG AR AB TR

Genus: Aglaophis Thomson, 1857
 colobothooides Bates, 1884 **R:** FE **A:** KO CH JP

Genus: Oligoenoplus Chevrolat, 1863
 rosti (Pic, 1911)
 ssp. rosti (Pic, 1911) **R:** KU **A:** JP

Tribus: CLYTINI

Genus: Plagionotus Mulsant, 1842
 detritus (Linnaeus, 1758)
 ssp. detritus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR
 FRC IT CR BH SS AL GR GRC BU TR RO HU AT SZ BE NL GE DE CE SK PL SV EO LA LT
 BY UK UKC MD KZ **A:** KZ
 ssp. caucasicola Plavilstshikov, 1940 **R:** CA **A:** GG AR AB IN TR
 SY

pulcher (Blessig, 1872) **R:** SE FE SI KU **A:** KO CH JP
 christophi (Kraatz, 1879) **R:** SE FE **A:** KO CH JP
 arcuatus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI
 ITA LJ CR BH SS AL GR GRC BU TR RO HU AT SZ LU BE NL DK DE ?GB CE SK PL NO SV
 FI ?EO LA LT BY UK UKC MD KZ **A:** KZ KI GG AR AB **N**

ssp. arcuatus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR
 IT ITI ITA LJ CR BH SS AL GR GRC BU TR RO HU AT SZ LU BE NL DK DE ?GB CE SK
 PL NO SV FI ?EO LA LT BY UK UKC MD KZ **A:** KZ GG AB **N**
 Genus: Neoplacionotus Kasatkin, 2005
 bobelayei (Brullé, 1832) **R:** ST CA **E:** ES KD GR BU TR RO UK UKC **A:**
 GG AR AB TM IN TR SY IS JO LE IQ
 ssp. huseyini Lazarev, 2016b **R:** ST CA **E:** UK UKC **A:** GG AR AB TM
 IN TR
 Genus: Echinocerus Mulsant, 1863
 = Paraplagionotus Kasatkin, 2005
 floralis (Pallas, 1773) **R:** NT CT ST CA WS AT ES **E:** ES FR IT LJ CR
 BH SS KD AL GR BU TR RO HU AT SZ DE CE SK PL LA LT UK MD KZ **A:** GG AR AB KZ TM
 UZ TD KI IN TR SY IS LE JO IQ
 Genus: Teratoclytus Zaitzev, 1937
 plavilstshikovi Zaitzev, 1937 **R:** FE SI **A:** KO CH JP
 Genus: Epiclytus Gressitt, 1935
 ussuricus (Pic, 1933) **R:** SE FE **A:** KO CH
 Genus: Rhabdoclytus Ganglbauer, 1889
 = Hayashiclytus Ohbayashi, 1963
 acutivittis (Kraatz, 1879)
 ssp. acutivittis (Kraatz, 1879) **R:** FE SI **A:** KO CH JP
 Genus: Isotomus Mulsant, 1863
 speciosus (Schneider, 1787) **R:** ST CA **E:** ?FR IT ?SZ ?DE LJ CR BH
 SS KD AL GR BU RO HU AT CE SK PL UK MD **A:** GG AR AB TR
 ssp. speciosus (Schneider, 1787) **R:** ST CA **E:** ?FR IT ?SZ ?DE LJ
 CR BH SS KD AL GR BU RO HU AT CE SK PL UK MD **A:** GG AR AB TR
 comptus (Mannerheim, 1825) **R:** ST CA **E:** UKC **A:** GG AR AB IN TR
 ssp. comptus (Mannerheim, 1825) **R:** ST CA **E:** UKC **A:** GG AR AB TR
 Genus: Chlorophorus Chevrolat, 1863
 Subgenus: Immaculatus Özdikmen, 2011
 varius (Müller, 1766)
 ssp. varius (Müller, 1766) **R:** CT ST CA WS **E:** ES FR FRC IT ITI
 ITA MT LJ CR BH SS MN KD AL GR BU TR RO HU AT SZ DE SV CE SK PL LT BY UK UKC
 MD KZ **A:** GG AR AB KZ IN TR
 elaeagni Plavilstshikov, 1956 **R:** ST **A:** AB KZ TM UZ KI TD
 faldermanni (Faldermann, 1837) **R:** ST **A:** GG AR AB IN KZ TM UZ TD
 KI CH
 obliteratus (Ganglbauer, 1889) **R:** ES **A:** MG CH
 = mongolicus Pic, 1943
 = kaszabi Heyrovsky, 1970
 = ubsanurensis Tsherepanov, 1971
 simillimus (Kraatz, 1879) **R:** ES SE FE SI KU **A:** MG KO CH JP
 = sexmaculatus Motschulsky, 1859
 herbstii (Brahm, 1790) **R:** NT CT ST CA WS AT ?ES **E:** ES FR CR BH SS
 BU TR RO HU AT SZ DE CE SK PL SV NO FI EO LA LT BY UK MD UK ?UKC KZ **A:** KZ
 Subgenus: Humeromaculatus Özdikmen, 2011
 figuratus (Scopoli, 1763) **R:** NT CT ST CA AT WS ES **E:** PT ES FR IT
 CR BH SB ME MC AL GR BU TR RO HU AU SZ LU GE CZ SK PL EO LA LT BY UK MD KZ **A:**
 GG AR AB KZ IN TR
 japonicus (Chevrolat, 1863) **R:** SI KU **A:** KO CH JP
 motschulskyi (Ganglbauer, 1886) **R:** ES SE FE SI **A:** MG CH KO
 = latofasciatus (Motschulsky, 1861)
 = chasanensis Tsherepanov, 1982
 diadema (Motschulsky, 1854)
 ssp. diadema (Motschulsky, 1854) **R:** FE **A:** KO CH ?MG
 ssp. inhirsutus Matsushita, 1933 **R:** KU **A:** JP
 tohokensis Hayashi, 1968 **R:** FE **A:** KO JP
 Subgenus: Perderomaculatus Özdikmen, 2011
 sartor (Müller, 1766) **R:** CT ST CA ?WS ?AT ?ES ?SE ?FE **E:** PT ES FR
 FRC IT ITI ITA LJ CR BH SS MN KD AL GR GRC BU TR RO HU AT SZ LU DE CE SK PL
 BY UK UKC MD KZ **A:** GG AR AB TM KZ IN TR SY IS LE JO IQ
 Genus: Rhaphuma Pascoe, 1858
 gracilipes (Faldermann, 1835) **R:** NT CT ST WS ES AT SE FE SI KU **E:**
 PL ?RO ?LT BY ?UK **A:** KZ MG CH KO JP

= sachalinensis Matsumura, 1911
 diminuta (Bates, 1873)
 ssp. diminuta (Bates, 1873) **R:** FE **A:** JP KO
 Genus: Demonax Thomson, 1861
 savioi (Pic, 1924) FE **A:** CH KO
 Genus: Xylotrechus Chevrolat, 1860
 Subgenus: Xylotrechus Chevrolat, 1860
 antilope (Schönherr, 1817)
 ssp. antilope (Schönherr, 1817) **R:** CT ST CA **E:** PT ES FR DK IT
 ITI LJ CR BH SS AL GR BU TR RO HU AT SZ DE CE SK PL NO SV LT BY UK UKC MD **A:**
 GG AR AB IN TR **N**
 arvicola (Olivier, 1800)
 ssp. planarius Danilevsky, 2016 **R:** CT ST CA WS **E:** KZ
 ssp. lazarevi Danilevsky, 2016 **R:** CA **A:** GG AR AB IN TR ?SY
 rufilius Bates, 1884 **R:** FE SI KU **A:** KO CH JP
 = irinae Plavilstshikov, 1925
 = magnicollis Fairmaire, 1888
 mixtus Plavilstshikov, 1940 **R:** FE
 hircus (Gebler, 1825) **R:** WS AT ES SE FE SI **A:** KZ MG KO CH JP
 cuneipennis (Kraatz, 1879) **R:** ES SE FE SI KU **A:** MG KO CH JP
 pavlovskii Plavilstshikov, 1954 **R:** FE **A:** KO
 polyzonus (Fairmaire, 1888) **R:** FE **A:** KO CH
 capricornus (Gebler, 1830) **R:** CT ST WS AT **E:** SK AU CE PL UK KZ **A:**
 KZ
 = capricornis (Chevrolat, 1863)
 ibex (Gebler, 1825) **R:** NT CT ST WS AT ES SE FE **E:** DE PL FI BY KZ
A: KZ MG KO CH
 clarinus Bates, 1884 **R:** SI KU **A:** KO CH JP
 Subgenus: Rusticoclytus Vives, 1977
 salicis Takakuwa et Oda, 1978 **R:** ES SE FE **A:**?MG KO CH JP
 = nadezhdae Tsherepanov, 1982
 rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 PT ES FR LU IT ITA LJ CR BH SS MN KD AL GR BU TR RO HU AT SZ DK DE CE SK PL
 EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ TM TD MG CH KO JP
 adspersus (Gebler, 1830) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JP
 pantherinus (Savenius, 1825) **R:** NT CT ST CA WS AT ES SE FE **E:** FR
 IT AT RO HU CE SK DE PL NO SV FI LT BY UK MD **A:** KZ MG KO CH
 = jakowlewi Semenov, 1899
 = jakovlevi Plavilstshikov, 1931
 Subgenus: Ootora Niisato et Wakejima, 2008
 villioni (Villard, 1892) **R:** KU **A:** JP
 Subgenus: Xyloclytus Reitter, 1913
 altaicus (Gebler, 1836) **R:** CT WS AT ES SE SI **A:** ?KZ MG CH KO
 chinensis Chevrolat, 1852
 ssp. kurosawai Fujita, 2010 **R:** ?KU **A:** JP
 Genus: Cyrtoclytus Ganglbauer, 1882
 capra (Germar, 1824) **R:** NT CT ST CA WS AT ES SE FE SI **E:** FR IT BH
 SS RO AT SZ DE CE SK PL EO LT LA BY UK MD KZ **A:** AB KZ MG CH KO
 caproides (Bates, 1873)
 ssp. caproides (Bates, 1873) **R:** SI KU **A:** JP
 Genus: Brachyclytus Kraatz, 1879
 singularis Kraatz, 1879 **R:** SE FE SI KU **A:** KO CH JP
 Genus: Pseudosphegesthes Reitter, 1913
 brunnescens (Pic, 1897) **R:** CA **A:** GG AR AB ?IN TR
 = circassica Pic, 1905
 Genus: Clytus Laicharting, 1784
 Subgenus: Clytus Laicharting, 1784
 tropicus (Panzer, 1795) **R:** ST (Voronezh) **E:** ES FR FRC CR SS KD GR
 BU TR RO HU AT SZ DE CE SK PL BY UK
 rhamni Germar, 1817
 ssp. temesiensis Germar, 1824 **R:** CT ST CA **E:** SS KD BU TR RO HU
 AT DE CE SK BY UK UKC MD KZ **A:** GG AR AB KZ TR IR SY IS LE SY
 arietis (Linnaeus, 1758)
 ssp. oblitus Roubal, 1932 **R:** CA **A:** GG AR AB TR IR

ssp. arietis (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR FRC
 IT LJ CR BH SS KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB ?IR CE SK PL NO
 SV FI EO LA LT BY UK UKC MD ?KZ
 arietoides Reitter, 1899 **R:** NT CT ?ST WS AT ES SE FE SI **A:** KZ MG
 CH KO JP
 = venustulus Plavilstshikov, 1940
 mayeti Théry, 1892 **R:** ?ES ?FE
 melaenus Bates, 1884 **R:** KU **A:** KO JP
 raddensis Pic, 1904 **R:** SE FE **A:** KO CH JP
 = hypocrita Plavilstshikov, 1940
 nigritulus Kraatz, 1879 **R:** SE FE **A:** KO CH
 = fulvohirsutus Pic, 1904
 Subgenus: Sphegoclytus Sama, 2005
 stepanovi Danilevsky et Miroshnikov, 1985 **R:** CA **A:** GG
 Subfamilia: LAMIINAE Latreille, 1825
 Tribus: CEROPLESINI
 Genus: Moechotypa Thomson, 1864
 diphysis (Pascoe, 1871) **R:** FE **A:** KO CH JP
 Tribus: PARMENINI
 Genus: Parmena Dejean, 1821
 pontocircassica Danilevsky et Miroshnikov, 1985 **R:** CA **E:** UKC **A:**
 GG AR AB IN TR
 Genus: Plectrura Mannerheim, 1852
 Subgenus: Phlyctidola Bates, 1884
 metallica Bates, 1884
 ssp. metallica Bates, 1884 **R:** FE SI KU **A:** KO CH JP
 = sachalinica Jacobson, 1899
 = mandshurica Jacobson, 1899
 Tribus: MESOSINI
 Genus: Mesosa Latreille, 1829
 Subgenus: Mesosa Latreille, 1829
 myops (Dalman, 1817) **R:** NT CT ST WS AT ES SE FE SI **E:** PL FI SV LT
 LA BY UK KZ **A:** KZ MG KO CH
 japonica Bates, 1873 **R:** SI KU **A:** JP
 curculionoides (Linnaeus, 1761) **R:** CT ST CA WS (Orenburg) **E:** PT ES
 FR FRC IT ITI ITA LJ CR BH SS KD AL GR BU TR RO HU AT SZ DE CE SK PL NO SV LT
 BY UK UKC MD KZ **A:** GG AR AB KZ IN TR
 Subgenus: Aplocnemia Stephens, 1831
 = Aphelocnemia Stephens, 1832
 nebulosa (Fabricius, 1781)
 ssp. nebulosa (Fabricius, 1781) **R:** CT ST CA **E:** PT ES FR FRC IT
 ITI ITA LJ CR BH SS MN AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO
 SV BY UK UKC MD **A:** GG AR AB TR
 senilis Bates, 1884 **R:** SI KU **A:** JP
 Subgenus: Perimesosa Breuning, 1939
 hirsuta Bates, 1884
 ssp. continentalis Hayashi, 1964 **R:** FE **A:** KO CH
 Tribus: MORIMONELLINI
 Genus: Morimonella Podaný, 1979 C
 bednariki Podaný, 1979 **R:** CA **A:** GG
 Tribus: BATO CERINI
 Genus: Apriona Chevrolat, 1852
 rugicollis Chevrolat, 1852 **R:** ?ES FE **A:** KO CH JP
 ssp. rugicollis Chevrolat, 1852 **R:** ?ES FE **A:** KO CH JP
 = plicicollis Motschulsky, 1853
 Tribus: MONOCHAMINI
 Genus: Anoplophora Hope, 1839
 glabripennis (Motschulsky, 1854) **R:** ?SE FE **E:** FR GB DE NL AT CE
 SK IT TR **A:** KO CH
 Genus: Acalolepta Pascoe, 1858
 Subgenus: Acalolepta Pascoe, 1858
 ussurica (Plavilstshikov, 1951) **R:** FE **A:** KO CH
 fraudator (Bates, 1873)
 = cervina auct., nec Hope, 1831

ssp. fraudator (Bates, 1873) **R:** FE KU **A:** KO CH JP
 sejuncta (Bates, 1873)
 ssp. sejuncta (Bates, 1873) **R:** FE SI KU **A:** KO CH JP
 luxuriosa (Bates, 1873)
 ssp. luxuriosa (Bates, 1873) **R:** KU **A:** JP
 seunghwani Danilevsky, 2013 **R:** FE **A:** KO CH
 Genus: Astynoscelis Pic, 1904
 degener (Bates, 1873) **R:** SE FE SI **A:** KO CH JP
 = longicornis Pic, 1904
 Genus: Monochamus Dejean, 1821
 Subgenus: Monochamus Dejean, 1821
 = Monochammus Dejean, 1835 (wrong subsequent spelling)
 guttulatus Gressitt, 1951 **R:** SE FE **A:** KO CH
 = guttatus Blessig, 1873
 impluviatus (Motschulsky, 1859) **R:** NT CT WS AT ES SE FE SI **A:** MG
 KO CH
 saltuarius Gebler, 1830 **R:** NT CT WS AT ES SE FE SI **E:** IT LJ BH RO
 HU AT CE SK DE PL BY LA LT UK **A:** KZ MG KO CH JP
 ssp. saltuarius Gebler, 1830 **R:** ?NT ?CT WS AT ES SE FE SI **A:**
 KZ MG KO CH JP
 ssp. occidentalis Sláma, 2017b **R:** NT CT **E:** IT LJ BH RO HU AT
 CE SK DE PL BY LA LT UK
 galloprovincialis (Olivier, 1800)
 ssp. pistor (Germar, 1818) **R:** NT CT ST CA WS AT **E:** FRC IT LJ
 CR BH SS KD AL GR BU RO HU AT SZ NL GE DE CE SK PL SV FI EO LA LT BY UK MD **A:**
 KZ KI
 = lignator Krynicki, 1832
 ssp. cinerascens (Motschulsky, 1860) **R:** WS ES SE ?FE **A:** MG CH
 = sibiricus Pic, 1908
 ssp. transitivus Lazarev, 2017 **R:** CA **A:** GG AR AB TR
 nitens Bates, 1884 **R:** SI KU **A:** KO JP
 grandis Waterhouse, 1881 **R:** KU **A:** JP
 sartor (Fabricius, 1787)
 ssp. urussovii (Fischer-Waldheim, 1805) **R:** NT CT ST CA WS AT
 ES SE FE SI KU **E:** NO SV FI EO LT LA BY UK **A:** ?GG KZ MG CH KO JP
 = rosenmuelleri auct., nec Cederhjelm, 1798
 sutor (Linnaeus, 1758)
 = rosenmuelleri Cederhjelm, 1798
 ssp. sutor (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** ES FR IT
 LJ BH SS ME AL BU RO HU AT SZ DE NL CE SK PL DK NO SV FI EO LT LA BY MD UK
 ?UKC **A:** AR GG KZ
 ssp. pellio (Germar, 1818) **R:** ES SE FE SI KU **A:** MG CH KO JP
 Tribus: LAMIINI
 Genus: Lamiomimus Kolbe, 1886
 gottschei Kolbe, 1886 **R:** FE **A:** KO CH
 Genus: Lamia Fabricius, 1775
 textor (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES
 FR IT ?ITI LJ CR BH SS MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IR CE
 SK PL NO SV FI EO LA LT BY UK ?UKC MD KZ **A:** GG AR AB IR TR KZ MG KO CH JP
 Genus: Morimus Brullé, 1832
 = Morinus Brullé, 1832 (misprint)
 verecundus (Faldermann, 1836) **R:** CA **E:** UKC **A:** GG AR AB TM TR IN
 = ficitor Bogachev, 1949
 ssp. verecundus (Faldermann, 1836) **R:** CA **E:** UKC **A:** GG AR AB TM
 TR IN
 = ficitor Bogachev, 1949
 Tribus: DORCADIONINI
 Genus: Dorcadion Dalman, 1817
 Subgenus: Carinatodorcadion Breuning, 1943
 = Dorcadodium Gistel, 1856
 carinatum (Pallas, 1771)
 ssp. carinatum (Pallas, 1771) **R:** CT ST CA **E:** MD UK UKC KZ **A:**

KZ

ssp. sunzhenum Danilevsky, 1998 **R:** CA
 ssp. cylindraceum Reitter, 1886 **R:** CA **A:** AB
 Subgenus: Cribridorcadion Pic, 1901
 = Pedestredorcadion Breuning, 1943
 = Autodorcadion Plavilstshikov, 1958
 = Dzhungarodorcadion Danilevsky, 1993
 = Bergerianum Pesarini et Sabbadini, 2004
 pusillum Küster, 1847
 = otshakovi Suvorov, 1913
 ssp. tanaiticum Kasatkin, 2002 **R:** ST
 ciscaucasicum Jakovlev, 1899 **R:** CA
 ssp. ciscaucasicum Jakovlev, 1899 **R:** CA
 ssp. abramovi Lazarev, 2009 **R:** CA
 elegans Kraatz, 1873 **R:** ST CA WS **E:** UK KZ **A:** KZ
 sareptanum Kraatz, 1873
 ssp. sareptanum Kraatz, 1873 **R:** ST CA **E:** KZ **A:** KZ
 ssp. euxinum Suvorov, 1915 **R:** ST
 ssp. kubanicum Plavilstshikov, 1934 **R:** CA
 ssp. estriatum Suvorov, 1913 **R:** CA
 ssp. striatifforme Suvorov, 1913 **R:** CA
 cinerarium (Fabricius, 1787)
 ssp. cinerarium (Fabricius, 1787) **R:** ST CA **E:** UK
 ssp. panticapaeum Plavilstshikov, 1951 **R:** CA **E:** UKC
 ssp. okhrimenkoi Danilevsky, 2016b **R:** CA
 ssp. sindorum Lazarev, 2011 **R:** CA
 ssp. veniamini Lazarev, 2011 **R:** CA
 ssp. novorossicum Lazarev, 2015 **R:** CA
 ssp. papayense Lazarev, 2014 **R:** CA
 ssp. adygorum Lazarev, 2011 **R:** CA
 ssp. smetanai Lazarev, 2011 **R:** CA
 ssp. terkense Lazarev, 2011 **R:** CA
 holosericeum Krynicki, 1832
 ssp. holosericeum Krynicki, 1832 **R:** CT ST CA **E:** RO ?HU ?SK PL
 BY MD UK UKC KZ
 ssp. tristriatum Suvorov, 1913 **R:** CA **A:** GG
 = striatum Dalman, 1817 [HN]
 equestre (Laxmann, 1770)
 ssp. equestre (Laxmann, 1770) **R:** CT ST CA **E:** UK UKC **A:** GG
 apicerufum Breuning, 1943 **R:** ?CA **A:** GG AR AB TR
 beckeri Kraatz, 1873
 ssp. beckeri Kraatz, 1873 **R:** CA **A:** AB
 ssp. koenigi Jakovlev, 1897 **R:** CA
 Subgenus: Dorcadion Dalm. 1817
 = Compsodorcadion Ganglbauer, 1884
 glicyrrhizae (Pallas, 1773)
 ssp. nemkovi Danilevsky, 2006 **R:** ST **E:** KZ **A:** KZ
 ssp. korshikovi Danilevsky, 2006 **R:** WS **A:** KZ
 ssp. ishkarganum Danilevsky, 2009 **R:** WS
 ssp. striatum (Goeze, 1777) **R:** CT ST WS **E:** KZ **A:** KZ
 = rufifrons Motschulsky, 1860
 = ?iliense Plavilstshikov, 1937
 ssp. guberlense Danilevsky, 2006 **R:** ST
 ssp. dubianskii Jakovlev, 1906 **R:** WS **A:** KZ
 gebleri Kraatz, 1873
 = occidentale Breuning, 1947
 ssp. gebleri Kraatz, 1873 **R:** AT **A:** KZ CH
 Genus: Politodorcadion Danilevsky, 1996
 politum (Dalman, 1823)
 ssp. politum (Dalman, 1823) **R:** WS AT **A:** KZ
 = lydiae Plavilstshikov, 1929
 ssp. knyazevi Danilevsky, 2020b **R:** WS
 ssp. akmolense (Suvorov, 1911) **R:** WS **A:** KZ
 ssp. shapovalovi Danilevsky, 2006 **R:** WS **A:** KZ
 eurygyne (Suvorov, 1911)

ssp. eurygyne (Suvorov, 1911) **R:** AT **A:** KZ CH
 Genus: Eodorcadion Breuning, 1946
 Subgenus Eodorcadion Breuning, 1946
 carinatum (Fabricius, 1781)
 ssp. carinatum (Fabricius, 1781) **R:** CT ST WS AT ES **A:** KZ
 ssp. blessigi (Ganglbauer, 1884) **R:** AT ?ES **A:** KZ
 ssp. bramsoni (Pic, 1901) **R:** AT
 = gassneri Breit, 1917
 ssp. involvens (Fischer-Waldheim, 1823) **R:** ES SE FE **A:** MG CH
 = vestita Jakovlev, 1901
 = longjiangensis Wang, 2003
 ssp. kiahtenum Danilevsky, 2007 **R:** ES
 tuvense Plavilstshikov, 1958 **R:** ES
 ptyalopleurum (Suvorov, 1909) **R:** ES
 maurum (Jakovlev, 1889)
 ssp. quinquevittatum (Hammarström, 1893) **R:** ES
 ssp. sajanicum (Hammarström, 1893) **R:** ES
 = leucogrammum Suvorov, 1909
 ssp. katharinae (Reitter, 1898) **R:** ES **A:** MG
 ssp. maurum (Jakovlev, 1889) **R:** ES **A:** MG
 = hirtipes Jakovlev, 1901
 = grumi Suvorov, 1909
 = boldi Heyrovsky, 1965
 = fortocostatum Heyrovsky, 1969
 Subgenus Ornatodorcadion Breuning, 1947
 brandti (Gebler, 1841) **R:** ?AT **A:** KZ CH
 = dux Jakovlev, 1894
 = nigrolineatum Reitter, 1897
 Subgenus: Humerodorcadion Danilevsky, Kasatkin, Rubenian, 2005
 humerale (Gebler, 1823)
 ssp. humerale (Gebler, 1823) **R:** ES **A:** MG
 ssp. impluviatum (Faldermann, 1833) **R:** ?ES **A:** MG
 = irroratum Reitter, 1893
 ssp. trabeatum (Jakovlev, 1901) **R:** SE FE **A:** CH ?KO
 = mogissemium Suvorov, 1909, unavailable
 = melan Suvorov, 1909, unavailable
 = quadrilineatum Breit, 1915
 = xingana Chiang et Wang in Wang, 2003
 lutshniki (Plavilstshikov, 1937)
 ssp. lutshniki (Plavilstshikov, 1937) **R:** ES
 ssp. burenum Danilevsky, 2007 **R:** ES
 ssp. bicoloratum Danilevsky, 2007 **R:** ES
 Tribus: ANCYLONOTINI
 Genus: Palimna Pascoe, 1862
 liturata (Bates, 1884)
 ssp. continentalis (Semenov, 1914) **R:** FE **A:** KO CH
 Tribus: DORCASCHEMATINI
 Genus: Olenecamptus Chevrolat, 1835
 octopustulatus (Motschulsky, 1860)
 ssp. octopustulatus (Motschulsky, 1860) **R:** ES SE FE SI **A:** MG
 KO CH JP
 = mordkovitshi Tshernyshev et Dubatolov, 2000
 riparius Danilevsky, 2011b **R:** FE **A:** KO CH JP
 Tribus: PTEROPLIINI
 Genus: Pterolophia Newman, 1842
 Subgenus: Pterolophia Newman, 1842
 maacki (Blessig, 1873) **R:** FE **A:** KO CH
 angusta (Bates, 1873)
 ssp. multinotata Pic, 1931 **R:** ES SE FE **A:** MG CH KO
 = mandshurica Breuning, 1938
 = ussuriensis Plavilstshikov, 1954
 = burakowskii Heyrovsky, 1973
 = selengensis Ljamtzeva, 1979
 Subgenus: Ale Pascoe, 1865

jugosa (Bates, 1873)
 ssp. jugosa (Bates, 1873) **R:** SI KU **A:** JP
 Genus: Egesina Pascoe, 1864
 = Baeckmanella Shabliovsky, 1936
 Subgenus: Niijimaia Matsushita, 1933
 bifasciana (Matsushita, 1933)
 ssp. bifasciana (Matsushita, 1933) **R:** FE SI **A:** KO CH JP
 = iljinskyi Shabliovsky, 1936
 Tribus: APOMECYNINI
 Genus: Apomecyna Dejean, 1829
 Subgenus: Apomecyna Dejean, 1829
 histrion (Fabricius, 1793) **R:** ES **A:** ?MG KO CH JP ID
 Genus: Microlera Bates, 1873
 ptinoides Bates, 1873 **R:** KU **A:** JP
 Genus: Asaperda Bates, 1873
 agapanthina Bates, 1873
 ssp. agapanthina Bates, 1873 **R:** SI KU **A:** JP
 = "meridiana" sensu Krivolutzkaya, 1973 et auct., not
 Matsushita, 1931 (Taiwan)
 rufipes Bates, 1873
 ssp. rufipes Bates, 1873 **R:** FE **A:** ?KO ?CH JP
 stenostola Kraatz, 1873 **R:** AT ?WS ?ES SE FE **A:** KZ MG CH KO
 Tribus: PTERICOPTINI
 Genus: Xylariopsis Bates, 1884
 mimica Bates, 1884 **R:** FE **A:** KO CH JP
 Tribus: APODASYINI
 Genus: Quasimesosella Miroshnikov 2006
 = Pseudomesosella Miroshnikov, 1989
 ussuriensis (Tsherepanov, 1983) **R:** SE FE **A:** CH KO
 = florovi Tsherepanov, 1984
 Genus: Deroplia Dejean, 1835
 = Stenidea Mulsant, 1842
 genei (Aragona, 1830)
 ssp. genei (Aragona, 1830) **R:** CA **E:** ES FR FRC IT ITI LJ CR BH
 SS MN AL GR BU RO HU ?DE CE SK AT ?SZ UK UKC **A:** GG AR ?AB IN TR IS JO
 Genus: Sophronica Blanchard, 1845
 sundukovi Danilevsky, 2009 **R:** FE **A:** KO
 Genus: Anaesthetis Dejean, 1835
 confossicollis Beckmann, 1903 **R:** ES SE FE SI **A:** MG CH KO
 flavipilis Beckmann, 1903 **R:** AT
 testacea (Fabricius, 1781)
 ssp. testacea (Fabricius, 1781) **R:** CT ST CA WS **E:** ES FR IT ITI
 ITA LJ CR BH SS AL BU TR RO HU AT SZ LU BE NL DE CE SK PL SV BY EO LA LT UK
 UKC MD KZ **A:** KZ
 ssp. rufescens Beckmann, 1903 **R:** CA **A:** GG AR AB IN TR
 Genus: Ussurella Danilevsky, 1997
 = Ussuria Danilevsky, 1995
 napolovi (Danilevsky, 1995) **R:** FE **A:** CH
 Genus: Cylindilla Bates, 1884
 = Pseudanaesthetis Pic, 1929
 = Anaesthetomorphus Pic, 1929
 = Ascoldatimura Breuning, 1960
 grisescens Bates, 1884 **R:** FE SI KU **A:** CH KO JP
 = apicalis Pic, 1929
 = ascoldensis Heyden, 1884
 Genus: Terinaea Bates, 1884
 tiliae Murzin, 1983 **R:** FE **A:** CN KO
 Genus: Mimectatina Aurivillius, 1927
 = Doius Matsushita, 1933
 divaricata (Bates, 1884)
 ssp. divaricata (Bates, 1884) **R:** FE SI KU **A:** CH KO JP
 Genus: Rhopaloscelis Blessig, 1873
 maculata Bates, 1877 **R:** KU **A:** JP

unifasciata Blessig, 1873 **R:** WS AT ES SE FE SI KU **A:** KZ MG CH KO
 JP
 Genus: Arhopaloscelis Murzin, Danilevsky et Lobanov, 1981 in Lobanov et al., 1981
 bifasciata (Kraatz, 1879) **R:** FE SI **A:** KO CH
 nipponensis (Pic, 1932) **R:** KU **A:** JP
 Genus: Clytosemia Bates, 1884
 pulchra Bates, 1884 **R:** KU **A:** JP
 Genus: Miccolamia Bates, 1884
 Subgenus: Miccolamia Bates, 1884
 cleroides Bates, 1884 **R:** KU **A:** JP
 Subgenus: Isomiccolamia Ohbayashi, 1963
 glabricula Bates, 1884
 ssp. glabricula Bates, 1884 **R:** SI KU **A:** JP
 = verrucosa auct. (not Bates, 1884)
 Tribus: POGONOCHEIRINI
 Genus: Parmenopsis Ganglbauer, 1882
 caucasica (Leder, 1879) **R:** CA **A:** GG TR
 Genus: Pogonocherus Dejean, 1821
 Subgenus: Pogonocherus Dejean, 1821
 hispidus (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR FRC IT ITI
 LJ CR BH SS MN AL GR BU RO HU AT SZ LU BE NL DK DE GB IR CE SK PL NO SV FI EO
 LA LT BY UK UKC **A:** GG AR AB IN TR **N**
 hispidulus (Piller et Mitterpacher, 1783) **R:** NT CT ST CA **E:** PT ES
 FR FRC IT ITI LJ CR BH KD AL GR BU RO HU AT SZ LU BE NL DK DE GB IR CE SK PL
 NO SV EO LA LT BY UK ?UKC MD **A:** GG AR AB IN KZ TR
 dimidiatus Blessig, 1873 **R:** SE FE SI KU **A:** CH KO JP
 = seminiveus Bates, 1873
 = tristiculus Kraatz, 1879
 perroudi Mulsant, 1839 **R:** CA **E:** ES FR FRC IT ITI ITA LJ CR AL GR
 GRC UKC **A:** GG TR IS LE **N**
 Subgenus: Pityphilus Mulsant, 1863
 fasciculatus (DeGeer, 1775)
 = costatus Motschulsky, 1859
 ssp. fasciculatus (DeGeer, 1775) **R:** NT CT ST CA WS AT ES SE
 FE SI **E:** ES FR FRC IT ITI LJ CR BH SS MN KD AL GR GRC BU RO HU AT SZ LU BE NL
 DK DE GB CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ MG
 CH KO JP
 decoratus Fairmaire, 1855 **R:** NT CT ST CA WS AT **E:** ES FR IT LJ CR
 BH SS AL GR BU HU AT SZ BE NL DK DE CE SK PL NO SV FI EO LA LT BY UK UKC **A:**
 KZ
 inermicollis Reitter, 1894 **R:** CA **A:** GG TR
 Tribus: ACANTHODERINI
 Genus: Aegomorphus Haldeman, 1847
 = Acanthoderes auct. (not Audinet-Serville, 1835)
 = Psapharochrus auct. (not Thomson, 1874)
 clavipes (Schrank, 1781) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES
 FR FRC IT ITI ITA LJ CR BH SS ?AL GR BU TR RO HU AT SZ DK DE CE SK PL NO SV
 FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ MG CH KO JP **N**
 = lucidus Plavilstshikov, 1927 [Caucasus-Syrie]
 obscurior (Pic, 1904) **R:** CT ST WS AT ES SE FE **E:** PL LA UK **A:** KZ
 MG
 = wojtylai Hilszczanski, Bystrowski, 2005
 Genus: Oplasia Mulsant, 1862
 = Hoplosia Fairmaire, 1864
 cinerea (Mulsant, 1839) **R:** NT CT ST CA **E:** FR IT CR RO HU AT SZ DE
 CE SK PL DK NO SV FI EO LT ?LA BY UK
 = fennica Paykull, 1800
 suvorovi (Pic, 1914) **R:** SE FE SI **A:** KO CH JP
 Tribus: ACANTHOCININI
 Genus: Acanthocinus Dejean, 1821
 Subgenus: Acanthocinus Dejean, 1821

griseus (Fabricius, 1793) **R:** NT CT ST CA WS AT ES **E:** ES FR FRC IT
LJ CR BH SS KD AL GR BU TR RO HU AT SZ DE CE BE SK PL NO SV FI EO LA LT BY UK
UKC MD KZ **A:** AR ?GG ?AB KZ
orientalis Ohbayashi, 1939 **R:** KU **A:** JP KO
carinulatus (Gebler, 1833) **R:** WS AT ES SE **A:** MG CH
= *sibiricus* Motschulsky, 1860
sachalinensis Matsushita, 1933 **R:** ES SE FE SI KU **A:** CH KO ?MG
aedilis (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** PT
ES FR IT LJ CR BH SS KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB ?IR CE SK
PL NO SV FI EO LA LT BY UK MD KZ **A:** GG ?AR ?AB KZ MG CH KO
Subgenus: *Acanthobatesianus* Wallin, Kvamme & Lin, 2012
guttatus (Bates, 1873) **R:** KU **A:** KO CH JP
Genus: *Leiopus* Audinet-Serville, 1835
Subgenus: *Leiopus* Audinet-Serville, 1835
stillatus (Bates, 1884) **R:** FE SI KU **A:** KO CH JP
nebulosus (Linnaeus, 1758)
ssp. nebulosus (Linnaeus, 1758) **R:** CT [Kaliningrad] **E:** ?PT ?ES
FR ?FRC IT ITI ?ME ?CR ?BH ?SS ?AL ?GR ?BU ?TR ?RO ?HU AT ?SZ ?LU BE ?NL GE
GB IR ?CZ ?SK ?PL NR SV FI EO LT ?BY UK ?UKC ?MD
ssp. caucasicus Ganglbauer, 1887 **R:** CA **A:** GG AR AB **E:** MD UK IN
TR
linnei Wallin, Nylander & Kvamme, 2009 **R:** ?NT CT ST WS **E:** PT ?ES
FR ?FRC ?IT ?ITI ?ME CR ?BH ?SS ?AL ?GR BU ?TR RO ?HU AU SZ ?LU BE ?NL GE GB
?IR CZ SK PL NR SV ?FI EO LA LT BY UK ?UKC MD KZ **A:** ?KZ
punctulatus (Paykull, 1800) **R:** NT CT **E:** ?FR ?SZ AT DE HU CE SK PL
SV EO LT LA BY UK
femoratus Fairmaire, 1859 **R:** ST CA **E:** FR BE NL DE LU IT ITI SB ME
HU BU TR UK UKC **A:** GG AR AB IN TR
= *pachymerus* Ganglbauer, 1884
albivittis (Kraatz, 1879)
= *ganglbaueri* Csiki, 1901
ssp. albivittis Kraatz, 1879 **R:** WS AT ES SE FE SI **A:** MG CH KO
ssp. malaisei Aurivillius, 1928 **R:** ES
Genus: *Ostedes* Pascoe, 1859
kadleci Danilevsky, 1992 **R:** FE **A:** KO
Genus: *Rondibilis* Thomson, 1857
= *Eryssamena* Bates, 1884
saperdina Bates, 1884 **R:** SI KU **A:** JP
schabliovskiyi (Tsherepanov, 1982) **R:** FE **A:** KO CH
= *shabliovskiyi*, Tsherepanov, 1984
Tribus: EXOCENTRINI
Genus: *Exocentrus* Dejean, 1835
lusitanus (Linnaeus, 1767) **R:** NT CT ST CA WS **E:** ES FR IT LJ CR BH
SS AL GR BU RO HU AT SZ DE CE SK PL DK NO SV FI EO LA LT BY UK UKC MD KZ **A:**
GG AR AB KZ
adspersus Mulsant, 1846 **R:** ST CA **E:** ES FR FRC IT ITI LJ CR BH SS
AL GR BU TR RO HU AT SZ LU BE DE CE SK PL SV UK UKC MD **A:** GG AR AB TR
= *alemdaghensis* Breuning, 1981
= ?*hirsutululus* Faldermann, 1837
punctipennis Mulsant et Guill. 1856
ssp. punctipennis Mulsant et Gullebeau, 1856 **R:** CT ST CA **E:**
?FR SZ AT DE HU CE SK PL SV EO LT LA BY UK
ssp. signatus Mulsant et Rey, 1863 **R:** CA **A:** GG ?AB TR
stierlini Ganglbauer, 1884 **R:** ST CA WS AT ES SE FE **E:** CR SS RO HU
?AT ?SZ CE SK PL UK MD **A:** ?KZ MG CH KO
fasciolatus Bates, 1873 **R:** FE **A:** KO CH JP
= *curtipennis* Pic, 1918
ssp. plavilstshikovi Danilevsky, 2014c **R:** FE **A:** KO CH
tsushmanus Hayashi, 1968 **R:** FE **A:** KO CH JP
= *conjugatofasciatus* Tsherepanov, 1973
testudineus Matsushita, 1931 **R:** SI KU **A:** JP KO
lineatus Bates, 1873 **R:** FE **A:** KO CH JP
guttulatus Bates, 1873
ssp. ussuricus Tsherepanov, 1973 **R:** FE **A:** KO CH

marginatus Tsherepanov, 1973 **R:** FE **A:** KO CH
 ?= fisheri Gressitt, 1935
 Genus: Miaenia Pascoe, 1864
 Subgenus: Miaenia Pascoe, 1864
 maritima Tsherepanov, 1979 **R:** FE **A:** KO
 Tribus: TETROPINI
 Genus: Tetrops Kirby in Kirby et Spence, 1826
 Subgenus: Tetrops Kirby in Kirby et Spence, 1826
 praeustus (Linnaeus, 1758)
 ssp. praeustus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** PT
 ES FR IT ITI ITA LJ CR BH SS MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB
 IR CE SK PL NO SV FI EO LA LT BY UK UKC MD RSN RSC RSS KZ **A:** GG AR AB TR IN
 SY KZ MG
 starkii Chevrolat, 1859 **R:** CT ST CA **E:** ES FR IT ITI SL CR BH SB
 MD GR BU RO HU AU SZ GE GB IR CZ SK PL BE NL DE NR SV EO LT LA BY MD UK ?UKC
A: ?GG AB
 ssp. starkii Chevrolat, 1859 **R:** CT ST **E:** ES FR IT ITI SL CR BH
 SB MD GR BU RO HU AU SZ GE GB IR CZ SK PL BE NL DE NR SV EO LT ?LA BY MD UK
 ?UKC **A:** ?GG ?AB
 ssp. aquilus Danilevsky, 2012 **R:** CA
 gilvipes (Faldermann, 1837) **A:** GG AR AB TM TR IN
 ssp. gilvipes (Faldermann, 1837) **R:** ST CA **A:** GG AR AB TR
 ssp. adlbaueri Lazarev, 2012 **R:** ?ST ?CT **E:** CE [probably most
 part of Europe]
 rosarum Tsherepanov, 1975 **R:** SE FE
 mongolicus Murzin, 1977 **R:** ES **A:** MG
 Subgenus: Mimosophronica Breuning, 1943
 elaeagni Plavilstshikov, 1954 **R:** ST **E:** KZ **A:** KZ UZ TM CH
 ssp. elaeagni Plavilstshikov, 1954 **R:** ST **E:** KZ
 Tribus: SAPERDINI
 Genus: Eutetrappa Bates, 1884
 ocelota (Bates, 1873) **R:** KU **A:** JP
 sedecimpunctata (Motschulsky, 1860) **R:** SE FE SI KU **A:** KO CH JP
 = motschulskyi Plavilstshikov, 1915
 metallescens (Motschulsky, 1860) **R:** SE FE ?SI **A:** KO CH
 chrysochloris (Bates, 1879)
 ssp. chrysochloris (Bates, 1879) **R:** KU SI **A:** JP
 Genus: Saperda Fabricius, 1775
 = Anaerea Mulsant, 1839
 Subgenus: Saperda Fabricius, 1775
 carcharias (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** ES
 FR IT LJ CR BH SS KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV
 FI EO LA LT BY UK ?UKC MD KZ **A:** GG AR AB TR KZ MG CH
 similis Laicharting, 1784 **R:** CT ST WS AT ES SE FE **E:** ES FR IT LJ
 CR SS KD AL BU RO HU AT SZ BE DE CE SK PL NO SV FI ?LT LA EO BY UK KZ **A:** KZ
 KI TD UZ MG CH
 Subgenus: Lopezcolonia Alonso-Zarazaga, 1998
 = Argalia Mulsant, 1862
 = Scalaperda Shapovalov, 2011 [nomen nudum]
 = Nietzscheana Zubov, 2014
 alberti Plavilstshikov, 1915 **R:** WS AT ES SE FE SI **A:** KZ MG CH KO
 JP
 = plutenkoi Zubov, 2014
 perforata (Pallas, 1773) **R:** NT CT ST CA WS AT ES SE FE **E:** ES FR
 DK IT CR BH BU RO HU AT SZ DE CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:**
 GG AR AB IN TR KZ MG CH JP **N**
 scalaris (Linnaeus, 1758)
 ssp. scalaris (Linnaeus, 1758) **R:** NT CT ST CA **E:** ES FR IT ITI
 LJ CR BH SS AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL ?NO SV ?FI EO
 LA LT BY UK UKC MD KZ **A:** GG AR AB KZ TR **N**
 ssp. hieroglyphica (Pallas, 1773) **R:** NT CT ST WS AT ES SE FE
 SI **A:** KZ MG CH KO
 interrupta Gebler, 1825 **R:** WS AT ES SE FE SI KU **A:** MG CH KO
 subobliterata Pic, 1910 **R:** SE FE **A:** KO CH JP

= mandschukuoensis Breuning, 1943
 = harbinensis Chiang, 1983
 ootomaculata Blessig, 1873 **R:** ES SE FE SI KU **A:** MG CH KO JP
 octopunctata (Scopoli, 1772) **R:** CT ST CA **E:** ES FR IT LJ CR BH SS
 AL GR BU RO HU AT SZ BE DE CE SK PL LT BY UK UKC MD **A:** GG AR AB IN TR
 punctata (Linnaeus, 1767) **R:** CT ST WS **E:** ES FR FRC IT ITI ITA MT
 LJ CR BH SS KD AL GR BU TR RO HU AT SZ DE CE SK PL LA BY UK UKC MD KZ **A:** GG
 AR AB IN TR **N**
 Subgenus: Compsidia Mulsant 1839
 populnea (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** PT ES FR IT ITI
 LJ CR BH SS MN KD AL GR BU RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV FI EO
 LA LT BY UK UKC MD KZ **A:** GG AR AB TR IN KZ TD KO CH **N**
 ssp. populnea (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** PT ES
 FR IT ITI LJ CR BH SS MN KD AL GR BU RO HU AT SZ LU BE NL DK DE GB CE SK PL
 NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB TR IN AF KZ TD KO CH **N**
 ssp. lapponica Wallin, Kvamme & Bergsten, 2017 **R:** NT **E:** FI NR
 SV
 ssp. balsamifera (Motschulsky, 1860) **R:** ES **A:** MG
 bilineatocollis Pic, 1924 **R:** SE FE **A:** CH
 Genus: Eumecocera Solsky, 1871
 impustulata (Motschulsky, 1860) **R:** WS AT ES SE FE **A:** MG CH KO JP
 callosicollis (Breuning, 1943) **R:** SE FE **A:** CH KO
 Genus: Stenostola Dejean, 1835
 dubia (Laicharting, 1784) **R:** NT CT ST CA **E:** FR IT LJ CR BH SS RO
 HU AT SZ LU BE NL DK DE ?GB CE SK PL NO SV EO LA UK UKC MD **A:** GG AR AB
 ferrea (Schrank, 1776)
 ssp. ferrea (Schrank, 1776) **R:** CT ST CA **E:** FR IT LJ CR BH BU
 RO HU AT SZ LU BE DK DE ?GB CE SK PL NO FI EO LA LT BY UK UKC MD **A:** GG AR AB
 ssp. maculipennis Holzschuh, 1982 **R:** CA **E:** UKC
 ivanovi Danilevsky, 2014c **R:** FE **A:** KO
 Genus: Menesia Mulsant, 1856
 albifrons Heyden, 1886 **R:** AT ?ES SE FE **A:** KO CH
 bipunctata (Zoubkoff, 1829) **R:** NT CT ST WS ?AT **E:** FR IT LJ BH SS
 RO HU AT SZ DE CE SK PL EO LA LT BY UK KZ **A:** KZ
 sulphurata (Gebler, 1825) **R:** ST WS AT ES SE FE SI KU **A:** KZ MG CH
 KO JP
 flavotecta Heyden, 1886 **R:** ?ES SE FE SI KU **A:** ?MG CH KO
 Genus: Paramenesia Breuning, 1952
 theaphia (Bates, 1884) **R:** KU **A:** JP
 Genus: Cagosima Thomson, 1864
 sanguinolenta Thomson, 1864
 ssp. sanguinolenta Thomson, 1864 **R:** SE SI KU **A:** JP
 Genus: Thyestilla Aurivillius, 1923
 gebleri (Faldermann, 1835) **R:** SE FE **A:** CH KO JP
 Tribus: GLENEINI
 Genus: Glenea Newman, 1842
 Subgenus: Glenea Newman, 1842
 relictata Pascoe, 1868
 ssp. relictata Pascoe, 1868 **R:** SI KU **A:** JP
 Tribus: PHYTOECIINI
 Genus: Nupserha Chevrolat, 1858
 marginella (Bates, 1873) **R:** SE FE **A:** MG CH KO JP
 sericans (Bates, 1884) **R:** KU **A:** JP
 alexandrovi (Plavilstshikov, 1915) **R:** FE **A:** CH
 Genus: Oberea Dejean, 1835
 Subgenus: Oberea Dejean, 1835
 pupillata (Gyllenhal, 1817) **R:** NT CT ST **E:** ES FR IT LJ CR BH MN
 KD GR RO HU AT SZ BE DE CE SK PL EO LA LT BY UK ?UKC MD
 kostini Danilevsky, 1988 **R:** CT WS AT ES **A:** KZ
 heyrovskyi Pic, 1927 **R:** SE FE **A:** KO CH
 depressa (Gebler, 1825) **R:** WS AT ES SE FE SI **A:** MG CH KO
 = amurica Suvorov, 1913
 = transbaicalica Suvorov, 1913

oculata (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** PT ES
 FR IT ITI ITA LJ CR BH SS MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE
 SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN IQ TR KZ MG CH KO **N**
 linearis (Linnaeus, 1761) **R:** CT ST CA **E:** PT ES FR IT ?ITI ITA LJ
 CR BH SS AL GR BU RO HU AT SZ LU BE NL DK DE CE SK PL NO SV LA BY UK UKC MD
A: GG AR AB TR IN
 morio Kraatz, 1879 **R:** ES SE FE **A:** MG CH
 scutellaroides Breuning, 1947 **R:** SE FE **A:** MG CH KO
 = scutellaris Fairmaire, 1888
 = chinensis Tsherepanov, 1985
 coreensis Gressitt, 1951 **R:** FE **A:** KO CH
 herzi Ganglbauer, 1887 **R:** FE **A:** CH
 vittata Blessig, 1873 **R:** ES SE FE **A:** MG CH KO JP
 japonica (Thunberg, 1787) **R:** FE **A:** CH JP
 Subgenus: Amaurostoma Müller, 1906
 euphorbiae (Germar, 1813) **R:** CT ST CA WS **E:** ?IT SZ CR SS MN GR
 ?BU RO HU AT CE SK PL UK ?UKC MD KZ **A:** AR KZ
 doncceeli Pic, 1907 **R:** ES SE FE **A:** MG CH
 erythrocephala (Schrank, 1776)
 ssp. erythrocephala (Schrank, 1776) **R:** CT ST CA WS **E:** PT ES FR
 IT MT LJ CR BH SS MN KD GR GRC BU TR RO HU AT SZ DE CE SK PL LT BY UK UKC MD
 KZ **A:** GG AR AB KZ TR IN LE SY **N**
 Genus Pilemia Fairmaire, 1863
 Subgenus Pilemia Fairmaire, 1863
 tigrina Mulsant, 1851 **R:** ?CA(Derbent) **E:** ?FR SS BU RO HU MD UK **A:**
 AR TR
 Subgenus: Pseudopilemia Kasatkin, 2018
 hirsutula (Frölich, 1793)
 ssp. hirsutula (Frölich, 1793) **R:** ST CA WS **E:** IT CR BH SS KD
 AL GR BU TR RO HU SK MD UK UKC KZ **A:** GG AR AB KZ IN TR SY
 Genus: Phytoecia Dejean, 1835
 Subgenus: Cardoria Mulsant, 1863
 scutellata (Fabricius, 1793) **R:** CT ST CA WS **E:** ?MD UK **A:** GG AR AB
 IN TR
 Subgenus: Helladia Fairmaire, 1864
 millefolii (Adams, 1817)
 ssp. millefolii (Adams, 1817) **R:** ST CA **E:** GR GRC BU UKC **A:** GG
 AR AB TR IN
 praetextata (Steven, 1817)
 ssp. praetextata (Steven, 1817) **R:** ?CA **E:** BU RO ?UK UKC **A:** ?GG
 AR AB IN TR
 pretiosa Faldermann, 1837
 ssp. pretiosa Faldermann, 1837 **R:** ?CA **A:** AR AB ?GG
 Subgenus: Musaria Thomson, 1864
 faldermanni Faldermann, 1837 **R:** ST CA **E:** UK UKC **A:** GG AR AB IN TR
 KZ
 wachanrui Mulsant, 1851 **R:** ?ST **A:** ?AB IN TR SY JO LE IS
 argus (Frölich, 1793) **R:** CT ST **E:** IT CR BH GR BU AT RO HU CE SK
 UK UKC MD
 affinis (Harrer, 1784)
 = nigripes Voet, 1778
 = bipunctata Piller, 1783
 ssp. affinis (Harrer, 1784) **R:** CT ST CA WS **E:** ES FR IT LJ CR
 BH SS KD AL GR BU RO HU AT SZ DE CE SK PL BY UK MD KZ **A:** KZ
 ssp. nigropubescens Müller, 1948 **R:** CA **A:** GG AR TR
 ssp. altaica Suvorov, 1913 **R:** WS AT **A:** KZ
 ssp. volgensis Kraatz, 1884 **R:** ST **A:** ?KZ
 ssp. boeberi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
 astarte Ganglbauer, 1886
 ssp. lederi Pic, 1899 **R:** CA **A:** GG AR AB IN TR
 puncticollis Faldermann, 1837
 ssp. puncticollis Faldermann, 1837 **R:** CA **A:** GG AR AB IN TR
 Subgenus: Phytoecia Dejean, 1835

nigricornis (Fabricius, 1782) **R:** NT CT ST CA WS AT ES FE **E:** ES FR
IT ITI LJ BH SS KD AL GR BU TR RO HU AT SZ LU BE DE CE SK PL SV FI EO LA LT
BY UK UKC MD KZ **A:** GG AR AB IN TR KZ
= julii Mulsant, 1863
ferrea Ganglbauer, 1887 **R:** ?WS ES SE FE **A:** MG CH
= analis Mannerheim, 1849
= mannerheimi Breuning, 1951
stenostoloides Breuning, 1943 **R:** ES SE FE **A:** CH
cylindrica (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** PT
ES FR IT LJ CR BH SS AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV
FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ
pustulata (Schrank, 1776)
ssp. pustulata (Schrank, 1776) **R:** CT ST CA **E:** PT ES FR IT LJ
CR BH SS MN KD AL GR BU TR RO HU AT SZ DE CE SK PL LA BY UK UKC MD KZ **A:** GG
AR AB KZ KI UZ TD TR IN
ssp. pulla Ganglbauer, 1886 **R:** ST **A:** KZ KI UZ
= kryzhanovskii Kostin, 1973
rufiventris Gautier, 1870 **R:** ES SE FE SI KU **A:** MG CH KO JP
virgula (Charpentier, 1825) **R:** CT ST CA WS ES **E:** PT ES FR IT ITI
LJ CR BH SS KD AL GR BU TR RO HU AT SZ DE CE SK PL LA LT BY UK UKC MD KZ **A:**
GG AR AB KZ TM UZ KI TD SY LE JO
rufipes (Olivier, 1800)
= sibirica Gebler, 1833
ssp. rufipes (Olivier, 1800) **R:** CT ST CA WS AT ?ES **E:** ES FR
FRC IT ITI LJ CR ?AT ?SZ ?UK ?UKC KZ **A:** ?GG TR KZ ?TM UZ TD KI **N**
pubescens Pic, 1895 **R:** CA **E:** LJ CR BH KD GR BU TR **A:** GG AR AB IN
TR
= glaphyra K. Daniel, 1906
icterica (Schaller, 1783) **R:** CT ST CA WS AT **E:** PT ES FR IT LJ CR
BH SS MN ?AL GR BU TR RO HU AT SZ DE ?BE CE SK PL UK UKC MD KZ **A:** ?GG ?AR ?AB
KZ
caerulea (Scopoli, 1772)
ssp. caerulea (Scopoli, 1772) **R:** CT ST CA **E:** PT ES IT ITI CR
BH SS KD AL GR BU TR RO HU AT ?SZ CE SK BY UK UKC MD KZ **A:** GG AR AB IN TR KZ
TM UZ TD SY
Subgenus: Cinctophytoecia Breuning, 1947
cinctipennis Mannerheim, 1849
ssp. cinctipennis Mannerheim, 1849 **R:** ES SE FE **A:** MG CH
sareptana Ganglbauer, 1888 **R:** SE FE **A:** CH KO
Subgenus: Opsilia Mulsant, 1863
coerulescens (Scopoli, 1763)
ssp. coerulescens (Scopoli, 1763) **R:** CT ST CA WS **E:** PT ES FR
FRC IT ITI ITA LJ CR BH SS MN KD AL GR BU TR RO HU AT SZ LU BE NL DE CE SK PL
LT ?BY UK UKC MD KZ **A:** GG AR AB KZ UZ KI TD SY LE **N**
= ?tienschanica Fuchs, 1965
varentzowi Semenov, 1896 **R:** CA **A:** GG AR AB IN KZ TM UZ TD KI
= varentzovi Semenov, 1912 [unjustified emendation]
uncinata W. Redtenbacher, 1842 **R:** CT ST **E:** FR ?IT LJ CR SS AL BU
RO HU AT CE SK PL DE MD UK **A:** TM
molybdaena (Dalman, 1817) **R:** ST CA WS **ES E:** PT ES FR IT ?ITI SB
GR BU RO HU ?SZ GE CZ SK ?PL UK **A:** AR GG AB TM TR IN ?KZ **N**
Tribus: AGAPANTHIINI
Genus: Theophilea Pic, 1895
subcylindricollis Hladil, 1988 **R:** CT ST WS CA **E:** SK HU RO BU MD
UK **A:** KZ
Genus: Calamobius Guérin-Méneville, 1844
filum (Rossi, 1790) **R:** ST CA **E:** PT ES FR FRC BE NL IT ITI ITA MT
LJ CR BH SS MN KD AL GR GRC BU TR RO HU AT SZ DE PL CE SK UK UKC MD **A:** GG AR
AB IN TR IQ SY JO LE IS **N**
Genus: Pseudocalamobius Kraatz, 1879
japonicus (Bates, 1873) **R:** ?KU **A:** JP
tsushimae Breuning, 1961 **R:** SE FE ?SI **A:** CH KO
Genus: Agapanthia Audinet-Serville, 1835
Subgenus: Synthapsia Pesarini et Sabbadini, 2004

kirbyi (Gyllenhal, 1817) **R:** CT ST CA ?WS **E:** ES FR IT BH SS KD AL
 GR BU TR RO HU UK UKC MD **A:** GG AR AB TM TR IN SY IS
 ssp. kirbyi (Gyllenhal, 1817) **R:** CT ST CA ?WS **E:** ES FR IT BH
 SS KD AL GR BU TR RO HU UK UKC MD **A:** GG AR AB TM TR IN SY IS
 Subgenus: Eoptes Gistel, 1857
 = Agapanthiella Pesarini et Sabbadini, 2004
 dahli (Richter, 1821)
 ssp. dahli (Richter, 1821) **R:** CT ST CA WS AT ES **E:** ES FR FRC
 BE LJ CR BH SS MN KD AL BU RO HU AT ?SZ DE CE SK PL BY UK UKC MD KZ **A:** KZ TD
 UZ KZ ?MG
 ssp. kuleshovi Danilevsky, 2018 **R:** WS
 ssp. ismailovae Lazarev 2013 **R:** CA **A:** AB
 alternans Fischer-Waldheim, 1842
 ssp. alternans Fischer-Waldheim, 1842 **R:** WS AT ES **A:** KZ MG KO
 = ganglbaueri Semenov, 1893
 ssp. eualternans Danilevsky, 2017a **R:** ST
 altaica Plavilstshikov, 1933 **R:** AT
 cynarae (Germar, 1817)
 ssp. cynarae (Germar, 1817) **R:** ST CA WS ES **E:** IT LJ CR BH SS
 MN KD GR BU TU RO HU CE SK ?DE UK UKC ?MD RSS KZ **A:** GG AR AB KZ
 lederi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
 ssp. lederi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
 = mesmini Pic, 1927
 = helianthi Plavilstshikov, 1935
 = lopatini Kaziuchitz, 1988
 subchalybaea Reitter, 1898 **R:** CA **A:** GG AB ?TR
 villosoviridescens (DeGeer, 1775) **R:** NT CT ST CA WS AT ES **E:** PT
 ES FR FRC IT ITI LJ CR BH SS KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE
 SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** KZ ?MG
 daurica Ganglbauer, 1884 **R:** ES SE FE SI KU **A:** MG KO CH JP
 Subgenus: Homoblephara Pesarini et Sabbadini, 2004
 maculicornis (Gyllenhal, 1817) **R:** ST CA WS AT **E:** CR MN KD GR BU
 TR RO HU SK UK ?MD KZ **A:** KZ
 Subgenus: Agapanthia Audinet-Serville, 1835
 cardui (Linnaeus, 1767) **R:** CT ST CA WS **E:** PT ES FR IT ITI LJ CR
 BH SS MN KD AL GR BU TR RO HU AT SZ DE BE NL CE SK PL UK UKC KZ **A:** KZ
 = pannonica Kratochvil, 1985
 Subgenus: Amurobia Pesarini et Sabbadini, 2004
 pilicornis (Fabricius, 1787)
 ssp. pilicornis (Fabricius, 1787) **R:** ES SE FE SI **A:** MG KO CH
 amurensis Kraatz, 1879 **R:** ES SE FE **A:** MG KO CH
 Subgenus: Smaragdula Pesarini et Sabbadini, 2004
 violacea (Fabricius, 1775) **R:** NT CT ST CA WS AT ?ES **E:** ES FR IT
 ITI ?LJ CR BH SS MN KD AL GR BU TR RO HU AT SZ LU BE DE CE SK PL BY UK UKC MD
A: GG AR AB KZ TR
 = mulsanti Plavilstshikov, 1930
 intermedia Ganglbauer, 1884 **R:** NT CT ST CA WS **E:** ES FR IT HU RO
 AT SZ GE DE CE DK SK PL EO LA BY UK UKC MD KZ **A:** GG KZ
 Genus: Agapanthiola Ganglbauer, 1900
 leucaspis (Steven, 1817) **R:** CT ST CA WS AT ES **E:** CR SS MN KD GR
 BU TR RO HU AT CE SK UK UKC MD KZ **A:** GG AR AB KZ KI UZ TD MG TR IN
 = euterpe Ganglbauer, 1900