

Updated 02.03.2021

A check list of the longicorn beetles (Cerambycoidea) of Russia, Ukraine, Moldova, Transcaucasia, Central Asia, Kazakhstan and Mongolia.

All geographical divisions are accepted according to "Catalogue of Palaearctic Coleoptera" [volumes 1st - 5th, but not 6th with another geographical divisions!] editing by I. Löbl and A. Smetana, but Transcaucasia (Georgia, Armenia and Azerbajdzhan) is traditionally joined to Asia.

Regions:

E:

- NT - North of European Russia (including Komi, Vologda and S.-Petersburg regions).
- CT - Centre of European Russia (including transural Asian territories of Ekaterinburg and Cheliabinsk regions, as well as Pskov, Novgorod, Tver, Jaroslavl, Kostroma, Kirov, Perm regions and Udmurtia)
- ST - South of European Russia and Russian Caucasus (including transural Asian territory of Orenburg Region, Kursk, Voronezh and Saratov regions, as well as whole Dagestan, Krasnodar and Stavropol regions.)
- MD - Moldova (including Tiraspol Region)
- UK - Ukraine (including Crimea)

A:

- WS - West Siberia (without Ekaterinburg, Cheliabinsk and Orenburg regions; including Tiumen, Omsk, Novosibirsk, Tomsk, Kemerovo and Altai regions, as well as Khanty-Mansi and Jamalo-Nenetz regions)
- ES - East Siberia (from Tuva and Krasnoyarsk to Chita regions, including Irkutsk region and Yakutia)
- FE - Far East Russia (Amur, Khabarovsk, Primorie, Magadan, Chukotka, Kamchatka and Sakhalin regions, including Kunashir Is.)
- AR - Armenia
- GG - Georgia (including Abkhazia and Adzharia)
- AB - Azerbaidjan (including Nakhichevan and Karabakh)

- TM - Turkmenia
- UZ - Uzbekistan
- TD - Tadzhikistan
- KI - Kyrgyzstan
- KZ - Kazakhstan (including European part of NW Kazakhstan)
- MG - Mongolia

Familia: VESPERIDAE Mulsant, 1839

Subfamilia: PHILINAE Thomson, 1860

Tribus: PHILINI

Genus: Mantitheus Fairmaire, 1889

 pekinensis Fairmaire, 1889 **A:** MG

 =gracilis Pic, 1924

Familia: DISTENIIDAE Thomson, 1861

= Cometites Blanchard, 1845

Tribus: DISTENIINI

Genus: Distenia Lepeletier & Audinet-Serville, 1828

 = Apheles Blessig, 1872

Sugenus: *Distenia* Lepeletier & Audinet-Serville, 1828
 gracilis Blessig, 1872 **A:** FE
 japonica Bates, 1873 **A:** FE
 ssp. *japonica* Bates, 1873 **A:** FE

Familia: CERAMBYCIDAE Latreille, 1802
 Subfamilia: PARANDRINAE Blanchard, 1845
 Tribus: PARANDRINI
 Genus: *Archandra* Lameere, 1912
 caspia Ménétriés, 1832 **A:** AB

Subfamilia: PRIONINAE Latreille, 1802
 Tribus: CALLIPOGONINI
 Genus: *Callipogon* Audinet-Serville, 1832
 Subgenus: *Eoxenus* Semenov, 1899
 relictus Semenov, 1898 **A:** FE

Tribus: ERGATINI
 Genus: *Ergates* Audinet-Serville, 1832
 Subgenus: *Ergates* Audinet-Serville, 1832
 faber Linnaeus, 1760
 ssp. *faber* Linnaeus, 1760 **E:** UK CT ST **A:** GG AR ?AB

Tribus: MACROTOMINI
 Genus: *Prinobius* Mulsant, 1842
 myardi Mulsant, 1842
 ssp. *slamorum* Danilevsky, 2012 [RN] **E:** UK **A:** GG
 = *scutellaris* Germar, 1817 [HN]

Tribus: REMPHANINI
 Genus: *Rhaesus* Motschulsky, 1875
 = *Rhesus* Thomson, 1860 (nec *Rhesus* Lesson, 1840)
 serricollis Motschulsky, 1838 **E:** ST **A:** GG AR AB

Tribus: AEGOSOMATINI
 Genus: *Aegosoma* Audinet-Serville, 1832
 Subgenus: *Aegosoma* Audinet-Serville, 1832
 sinicum White, 1853
 ssp. *sinicum* White, 1853 **A:** FE
 ivanovi Danilevsky, 2011 **A:** FE
 scabricorne Scopoli, 1763 **E:** ?MD UK ST **A:** GG AR AB

Tribus: MEROSCELISINI
 Genus: *Tragosoma* Audinet-Serville, 1832
 depsarium Linnaeus, 1767 **E:** UK NT CT ST **A:** WS ES ?FE

Tribus: PRIONINI
 Genus: *Dorysthenes* Vigors, 1826
 Subgenus: *Cyrtognathus* Dejean, 1835
 paradoxus Faldermann, 1833 **A:** FE ?MG

 Genus: *Prionus* Geoffroy, 1762
 insularis Motschulsky, 1858
 ssp. *insularis* Motschulsky, 1858 **A:** WS ES FE
 coriarius Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS ?KZ GG AR AB

 Genus: *Mesoprionus* Jakovlev, 1887
 asiaticus Faldermann, 1837 **E:** ST **A:** GG AR AB KZ
 angustatus Jakovlev, 1887 **A:** KZ TR UZ TD KI
 zarudnii Semenov, 1933 **A:** TD

 Genus: *Psilotarsus* Motschulsky, 1860
 = *Psilopus* Gebler, 1860
 = *Otiartes* Thomson, 1866
 = *Brachyprionus* Jakovlev, 1887
 = *Prionoxys* Semenov, 1899
 brachypterus Gebler, 1830
 ssp. *brachypterus* Gebler, 1830 **A:** ?WS KZ
 = *latidens* Motschulsky, 1860

ssp. hemipterus Motschulsky, 1845 **E:** ST **A:** KZ UZ
 ssp. aralensis Danilevsky, 2000 **A:** KZ UZ
 ssp. pubiventris Semenov, 1900 **A:** KZ
 = hypogymnus Semenov, 1900
 ssp. alpherakii Semenov, 1900 **A:** ?KZ
 hirticollis Motschulsky, 1860
 ssp. hirticollis Motschulsky, 1860 **A:** KZ UZ TD
 ssp. nudicollis Danilevsky, 2000 **A:** KZ
 ssp. auliensis Danilevsky, 2000 **A:** KZ KI
 turkestanicus Semenov, 1888 **A:** TM UZ TD
 = curticornis Ganglbauer, 1888
 =? ruficornis Fairmaire, 1892
 heydeni Ganglbauer, 1888
 =? ruficornis Fairmaire, 1892
 ssp. heydeni Ganglbauer, 1888 **A:** UZ KI
 = minusculus Semenov, 1935
 ssp. arkitensis Danilevsky, 2000 **A:** KI
 ssp. talassicus Danilevsky, 2000 **A:** KI
 ssp. alatauensis Danilevsky, 2014 **A:** KZ
 Genus: Lobarthron Semenov, 1900
 balassogloi Jakovlev, 1885 **A:** KZ UZ KI
 ssp. balassogloi Jakovlev, 1885 **A:** UZ
 ssp. brevispinum (Jakovlev, 1885) **A:** KZ UZ KI
 Genus: Polylobarthron Semenov, 1899
 margelanicum Théry, 1896 **A:** KI KZ UZ
 Genus: Pogonarthron Semenov, 1899
 Subgenus: Pogonarthron Semenov, 1899
 bedeli Semenov, 1899 **A:** TD
 petrovi Danilevsky, 2004 **A:** TD
 ssp. petrovi Danilevsky, 2004 **A:** TD
 ssp. ivanovae Pak & Skrylnik, 2014 **A:** TD
 tschitscherini Semenov, 1889 **A:** UZ KI
 ssp. tschitscherini Semenov, 1889 **A:** KI
 ssp. brunnescens Danilevsky & Shapovalov, 2017 **A:** KI UZ
 ssp. pallidus Danilevsky & Shapovalov, 2017 **A:** KI UZ
 Subgenus: Multicladum Danilevsky in Danilevsky & Komiya, 2014
 semenovianus Plavilstshikov, 1936 **A:** TD
 Genus: Pseudoprionus Pic, 1898
 bienerti Heyden, 1885 **A:** TM
 = pluschewskyi Jakovlev, 1887
 = banghaasi Pic, 1901
 Genus: Miniprionus Danilevsky, 2000
 pavlovskii Semenov, 1935 **A:** TD
 Genus: Microarthron Pic, 1900
 komaroffi (Dohrn, 1885) [orig. spell.] **A:** KZ TM UZ TD
 = komarowi Pic, 1898 [unjustify emendation]
 = komarovi Semenov, 1935 [unjustify emendation]
 Subfamilia: LEPTURINAE Latreille, 1802
 Tribus: XYLOSTEINI
 Genus: Xylosteus I. Frivaldsky, 1837
 caucasicola Plavilstshikov, 1936 **E:** ST **A:** GG
 Genus: Leptorhabdium Kraatz, 1879
 = Psilorhabdium Kraatz, 1879
 caucasicum Kraatz, 1879 **E:** ST **A:** GG AR AB
 Tribus: ENCYCLOPINI
 Genus: Encyclops Newman, 1838
 = Microrhabdium Kraatz, 1879
 macilentus Kraatz, 1879 **A:** FE
 = parallelus Pic, 1914

= *ussuricus* Tsherepanov, 1975
olivaceus Bates, 1884 **A:** FE
 Tribus: OXYMIRINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: *Neoxymirus* Miroshnikov, 2013c
mirabilis Motschulsky, 1838 **E:** ST **A:** GG AR AB
 Genus: *Oxymirus* Mulsant, 1862
cursor Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS
 Tribus: ENOPLODERINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: *Enoploderes* Faldermann, 1837
 Subgenus: *Enoploderes* Faldermann, 1837
sanguineus Faldermann, 1837 **E:** UK ST **A:** GG AR AB
 Tribus: RHAMNUSIINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: *Rhamnusium* Latreille, 1829
bicolor Schrank, 1781 **E:** MD UK NT CT ST **A:** AR GG AB KZ
ssp. constans Danilevsky, 2012 **E:** MD UK NT CT ST **A:** KZ
ssp. testaceipenne Pic, 1897 **E:** UK ST **A:** GG AR
ssp. lenkoranum Danilevsky, 2012 **A:** AR AB
 Tribus: RHAGIINI
 Genus: *Rhagium* Fabricius, 1775
 Subgenus: *Hagrium* Villiers, 1978
bifasciatum Fabricius, 1775 **E:** MD UK ?CT ST **A:** GG AR AB
 Subgenus: *Megarhagium* Reitter, 1913
fasciculatum Faldermann, 1837 **E:** ST **A:** GG AR AB
mordax DeGeer, 1775 **E:** MD UK NT CT ST **A:** WS ES KZ
caucasicum Reitter, 1889 C TI
ssp. caucasicum Reitter, 1889 ?**E:** ?ST **A:** GG AR AB
ssp. semicorne Holzschuh, 1974 **A:** AB
sycophanta Schrank, 1781 **E:** MD UK CT ST **A:** WS
pygmaeum Ganglbauer, 1882 **A:** AB
 Subgenus: *Rhagium* Fabricius, 1775
inquisitor Linnaeus, 1758
ssp. inquisitor Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS ES KZ MG
ssp. rugipenne Reitter, 1898 **A:** ES FE MG
ssp. schtschukini Semenov, 1898 **E:** ST **A:** GG AR AB
 = *minimum* Podany, 1964
japonicum Bates, 1884 **A:** FE
heyrovskyi Podany, 1964 **A:** FE
 Genus: *Akimerus* Audinet-Serville, 1835
schaefferi Laicharting, 1784 **E:** MD UK CT ST
 Genus: *Japanocorus* Danilevsky, 2012
caeruleipennis Bates, 1873 **A:** FE
 Genus: *Stenocorus* Geoffroy, 1762
 = *Toxotus* Dejean 1821
 Subgenus: *Anisorus* Mulsant, 1862
quercus Götze, 1783 **E:** MD UK CT ST **A:** ?WS ES GG AR AB MG
ssp. quercus Götze, 1783 **E:** MD UK CT ST **A:** ?WS ES MG
ssp. aureopubens Pic, 1908 **A:** GG AR AB
 Subgenus: *Stenocorus* Geoffroy, 1762
amurensis Kraatz, 1879 **A:** FE
 = *sachalinensis* Matsumura, 1911
meridianus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS ES KZ
insitivus Germar, 1824 **E:** UK ST **A:** GG AR AB
ssp. insitivus Germar, 1824 **E:** UK ST **A:** GG AR AB
ssp. persicus Faldermann, 1837 **A:** AB
biformis Tournier, 1872 **A:** GG
vittidorsum Reitter, 1890 **A:** GG AR AB
lepturoides Reitter, 1914 **A:** ?FE
minutus Gebler, 1841 **A:** KZ ?WS ?MG
 = *tataricus* Gebler, 1841

vittatus Fischer-Waldheim, 1842 **A:** KZ
 = turkestanicus Ganglbauer, 1889
 = suvorovi Reitter, 1907
 Subgenus: Toxotochorus Reitter, 1907
 validicornis Pic, 1900
 ssp. karatauensis Danilevsky, 2012 **A:** KZ
 ssp. univittatus Reitter, 1913 **A:** KZ KI
 ssp. mediocris Danilevsky, 2012 **A:** KZ UZ KI
 ssp. validicornis Pic, 1900 **A:** UZ KI
 ssp. shapovalovi Danilevsky, 2019 **A:** KI
 ssp. alaiensis Pic, 1906 **A:** KI
 ssp. milkoi Danilevsky, 2014 **A:** KI
 ssp. tarbinskyi Danilevsky, 2014 **A:** KI
 Genus: Pachytella Heyrovsky, 1969
 mongolica Heyrovsky, 1969 **A:** MG
 Genus: Pachyta Dejean, 1821
 lamed Linnaeus, 1758 **E:** MD UK NT CT **A:** WS ES FE MG
 = sasakii Fujita, 2018
 bicuneata Motschulsky, 1860 **A:** ES FE
 quadrimaculata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS ES KZ MG
 Genus: Evodinellus Plavilstshikov, 1915
 Subgenus: Evodinellus Plavilstshikov, 1915
 borealis Gyllenhal, 1827 **E:** UK NT CT **A:** WS ES FE MG
 = grisescens Pic, 1889
 Subgenus: Brachytodes Planet, 1924
 clathratus Fabricius, 1793 **E:** MD UK
 Genus: Brachyta Fairmaire, 1865
 Subgenus: Fasciobrachyta Danilevsky, 2014
 bifasciata Olivier, 1800
 ssp. bifasciata Olivier, 1800 **A:** ES FE
 ssp. plasoni Breit, 1915 **A:** ?ES ?MG
 ssp. japonica Matsushita, 1933 **A:** FE
 caucasica Rost, 1892
 ssp. caucasica Rost, 1892 **E:** ST **A:** GG
 = conjuncta Rost, 1893
 ssp. kubanica Miroshnikov, 1990 **E:** ST **A:** GG
 Subgenus: Variobrachyta Danilevsky, 2014
 rosti Pic, 1900 **E:** ST **?A:** ?GG
 ssp. rosti Pic, 1900 **E:** ST **?A:** ?GG
 = caucasicola Plavilstshikov, 1936
 ssp. baksaniense Lazarev, 2010b **E:** ST
 ssp. alexeevi Lazarev, 2010b **E:** ST
 variabilis Gebler, 1817 **E:** NT CT **A:** KZ WS ES FE MG
 "variabilis variabilis group"
 ssp. variabilis Gebler, 1817 **E:** NT CT **A:** KZ WS ES
 = constricta Germar, 1824
 ssp. shapovalovi Lazarev, 2014 **A:** KZ
 ssp. tungusensis Danilevsky, 2014 **A:** ES
 ssp. scapularis Mannerheim, 1849 **A:** ES FE MG
 = comosa Solsky, 1871
 = solskyi Kraatz, 1879
 ssp. testaceimembris Pic, 1916 **A:** ES FE
 = rufimembris Pic, 1926
 ssp. jakutensis Danilevsky, 2014 **A:** ES
 ssp. ivlievi Danilevsky, 2014 **A:** FE
 ssp. chukotensis Danilevsky, 2014 **A:** FE
 ssp. basarukini Danilevsky, 2014 **A:** FE
 ssp. aberrans Villiers, 1960 **A:** FE
 "variabilis striolata group"

ssp. striolata Gebler, 1817 **A:** ES
 = eurinensis Tsherepanov, 1978
 = mutabilis Motschulsky, 1859
 ssp. sinuatolineata (Pic, 1915) **A:** ES
 = discobilineata Pic, 1928
 = breiti Tippmann, 1946
 ssp. striatiformis Plavilstshikov, 1936 **A:** MG
 ssp. tuvensis Danilevsky, 2014 **A:** ES MG
 ssp. kurayensis Danilevsky, 2014 **A:** KZ WS
 Subgenus: Brachyta Fairmaire, 1865
 interrogationis Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG KZ WS ES
 FE MG
 ssp. interrogationis (Linnaeus, 1758 **E:** NT
 = altajensis Pic, 1900
 ssp. russica **E:** MD UK NT CT ST **A:** KZ WS
 ssp. zubovi Lazarev, 2016a **E:** NT **A:** WS
 ssp. gabzdili Danilevsky & Peks, 2016 **E:** UK
 ssp. mannerheimii Motschulsky, 1860 **A:** ES MG
 = marginalis Motschulsky, 1875
 = obsidiana Motschulsky, 1875
 = cruciata Kraatz, 1879
 ssp. duodecimmaculata Fabricius, 1781 **A:** FE
 = kraatzi Ganglbauer, 1889
 ssp. shapsugorum Lazarev, 2011 **E:** ST
 ssp. miroshnikovi Lazarev, 2011 **E:** ST **A:** GG
 ssp. lederi Lazarev, 2011 **E:** ST
 punctata (Faldermann, 1833) **A:** ES MG
 ssp. punctata (Faldermann, 1833) **A:** ES MG
 = reductemaculata Pic, 1915
 = sajanensis Pic, 1916
 = subunicolor Pic, 1916
 = quadrinotatus Pic, 1916
 = turanensis Pic, 1927
 = sochondensis Tshernyshev et Dubatolov, 2005
 ssp. lazarevi Danilevsky, 2014 **A:** FE
 danilevskyi Tshernyshev, Dubatolov, 2005 **A:** FE
 ssp. danilevskyi Tshernyshev, Dubatolov, 2005 **A:** FE
 amurensis Kraatz, 1879 **A:** FE
 = bisbioculata Pic, 1910
 = inapicalis Pic, 1910
 = korbi Pic, 1910
 = semilunata Pic, 1910
 sachalinensis Matsumura, 1911 **A:** FE
 Genus: Gaurotina Ganglbauer, 1889
 sichotensis Danilevsky, 1988 **A:** FE
 Genus: Pseudogaurotina Plavilstshikov, 1958
 splendens Jakovlev, 1893 **A:** ES ?MG
 magnifica Plavilstshikov, 1958 **A:** FE
 excellens Brancsik, 1874 **E:** UK
 Genus: Carilia Mulsant, 1863
 virginea Linnaeus, 1758
 ssp. virginea Linnaeus, 1758 **E:** MD UK NT CT ST
 ssp. aemula Mannerheim, 1852 **E:** ?CT ?ST **A:** KZ WS ES FE MG
 ssp. kozhevnikovi Plavilstshikov, 1915 **A:** FE
 = sibirica Podany, 1962
 Genus: Paragaurotes Plavilstshikov, 1921
 ussuriensis Blessig, 1873 **A:** ES FE
 doris Bates, 1884
 ssp. suvorovi Semenov, 1914 **A:** FE

Genus: *Euracmaeops* Danilevsky, 2014
 = *Acmaeops* auct. nec LeConte, 1850
marginatus Fabricius, 1781 **E:** UK NT CT ST **A:** KZ WS ES FE MG
septentrionis Thomson, 1866 **E:** UK NT CT ST **A:** KZ WS ES FE MG
smaragdulus Fabricius, 1793 [NP] **E:** NT CT **A:** KZ WS ES FE MG
 = *smaragdinus* Naezen, 1792 [NO]
angusticollis Gebler, 1833 **E:** NT CT **A:** WS ES FE MG
 = *viridula* Matsumura,, 1911
 = *sachalinensis* Tsherepanov, 1978

Genus: *Gnathacmaeops* Linsley et Chemsak, 1972
pratensis Laicharting, 1784 **E:** MD UK NT CT ST **A:** GG AR AB KZ UZ KI WS
 ES FE MG
brachypterus K.Daniel et J.Daniel, 1898 **A:** KZ KI

Genus: *Pseudodinoptera* Pic,1900
daghestanica Pic,1897 **E:** ST

Genus: *Dinoptera* Mulsant, 1863
minuta Gebler, 1832 **A:** ES FE
 ssp. *minuta* Gebler, 1832 **A:** ES FE
anthracina Mannerheim, 1849 **A:** ES FE MG
collaris Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES
concolor Heyden & Faust, 1888 **A:** GG

Genus: *Rhondia* Gahan, 1906
placida Heller, 1923 **A:** MG

Genus: *Cortodera* Mulsant, 1863
 = *Taiwanocarilia* Hayashi, 1983
humeralis Schaller, 1783 **E:** MD UK ST
femorata Fabricius, 1787 **E:** UK NT CT ST
pumila Ganglbauer, 1882 **E:** ST **A:** GG AR AB
 ssp. *pumila* Ganglbauer, 1882 **E:** ST **A:** GG AB
 ssp. *tournieri* Pic, 1895 **A:** GG AR ?AB
kazaryani Danilevsky, 2014 **A:** AR
syriaca Pic,1901 **A:** AR AB
ussuriensis Tsherepanov, 1978 **A:** FE
villosa Heyden, 1876
 ssp. *villosa* Heyden, 1876 **E:** MD UK
 ssp. *krasnobaevi* Danilevsky, 2010 **E:** UK ?ST
 ssp. *kazakorum* Danilevsky, 2014 **E:** ST
 ssp. *mariae* Danilevsky, 2010 **E:** ST
 ssp. *magdeevi* Danilevsky, 2011 **E:** CT
 ssp. *major* Miroshnikov, 2007 **E:** CT ?ST
 ssp. *kuvandykensis* Danilevsky, 2012 **E:** ST
 ssp. *mikhailovi* Danilevsky, 2001 **E:** CT ST
 ssp. *circassica* Reitter, 1890 **E:** ST
 ssp. *miroshnikovi* Danilevsky, 2010 **A:** GG
 ssp. *nakhichevanica* Miroshnikov, 2007 **A:** AB
 ssp. *zhuravlevi* Miroshnikov, 2007 **E:** ST **A:** KZ
 ssp. *chuvilini* Danilevsky, 2012 **E:** ST
 ssp. *aktolagaica* Miroshnikov, 2007 **A:** KZ
 ssp. *parfentjevi* Miroshnikov, 2007 **E:** UK
ivanovi Danilevsky, 2013 **A:** KZ
holosericea Fabricius, 1801
 ssp. *holosericea* Fabricius, 1801 **E:** UK ST **A:** ?GG
kaphanica Danilevsky, 1985 **A:** AR
 = *kafanica* Danilevsky, 1987
colchica Reitter, 1890
 ssp. *colchica* Reitter, 1890 **E:** ST **A:** GG AR AB
 ssp. *erevanica* Danilevsky, 2014 **A:** AR
 ssp. *dilizhanica* Danilevsky, 2014 **A:** AR
 ssp. *ponomarenkoi* Danilevsky, 2014 **A:** AB
 ssp. *deyrollei* Pic, 1894 **A:** GG

ssp. pseudalpina Danilevsky, 2014 **A:** GG
 ssp. aishkha Danilevsky, 2014 **E:** ST
 ssp. murzini Danilevsky, 2014 **E:** ST
 ssp. bulungensis Danilevsky, 2014 **E:** ST
 ssp. ossetica Danilevsky, 2014 **E:** ST
 ssp. danczenkoi Danilevsky, 1985 **A:** AB
 ssp. kalashiani Danilevsky, 2000 **A:** AR
 kiesenwetteri Pic, 1898
 ssp. kiesenwetteri Pic, 1898 **E:** ST
 ssp. subtruncata Pic, 1934 **E:** CT
 ssp. gusakovi Danilevsky, 2013 **A:** KZ
 ciliata Danilevsky, 2001
 ssp. ciliata Danilevsky, 2001 **A:** KZ
 ssp. sakmarensis Danilevsky, 2006 **E:** ST
 ssp. milaenderi Danilevsky, 2001 **E:** CT
 goriensis Danilevsky & Hodek, 2016 **A:** GG
 reitteri Pic, 1891
 ssp. reitteri Pic, 1891 **E:** UK ST
 = alexandri Danilevsky, 1996
 ssp. taurica Plavilstshikov, 1936 **E:** UK
 = beckeriana Plavilstshikov, 1936
 analis Gebler, 1830 **A:** WS KZ
 = haemorhoidalis Pic, 1898
 = ruficornis Pic, 1926
 kokpektensis Danilevsky, 2007 **A:** KZ
 sibirica Plavilstshikov, 1915
 = semenovi Plavilstshikov, 1936
 ssp. sibirica Plavilstshikov, 1915 **A:** WS
 ssp. shavrovi Danilevsky, 2001 **A:** ES
 tibialis Marseul, 1876
 ssp. tibialis Marseul, 1876 **E:** ST
 = pallidipes Pic, 1898
 ssp. ruthena Plavilstshikov, 1936 **E:** ST KZ **A:** KZ
 ssp. rossica Danilevsky, 2001 **E:** UK CT ST
 komarovi Danilevsky, 1996 **A:** KZ
 ssp. komarovi Danilevsky, 1996 **A:** KZ
 ssp. solodovnikovi Danilevsky, 2013 **A:** KZ
 ssp. romantzovi Danilevsky, 2013 **A:** KZ
 ssp. sarysuensis Danilevsky, 2013 **A:** KZ
 turgaica Danilevsky, 2001 **E:** ST **A:** KZ
 moldovana Danilevsky, 1996 **E:** MD
 flavimana Waltl, 1838 **A:** ?GG
 khatchikovi Danilevsky, 2001 **E:** ST
 alpina Ménéttriés, 1832
 ssp. alpina Ménéttriés, 1832 **E:** ST **A:** AB GG
 ssp. baksaniensis Danilevsky, 2014 **E:** ST
 ssp. matusiaki Danilevsky, 2014 **E:** ST **A:** GG
 ssp. gudissensis Danilevsky, 2013 **A:** GG
 ssp. rosti Pic, 1892 **E:** ST
 ssp. psebayensis Danilevsky, 2014 **E:** ST
 ssp. starki Reitter, 1888 **E:** ST **A:** GG
 ssp. fischtensis Stark, 1894 **E:** ST
 ssp. armeniaca Pic, 1898 **A:** AR
 ssp. umbripennis Reitter, 1890 **A:** AR AB
 ssp. zekarensis Danilevsky, 2014 **A:** GG
 ssp. svanorum Danilevsky, 2014 **A:** GG
 tatianae Miroshnikov, 2011 AB
 transcaspica Plavilstshikov, 1936 **A:** AR AB TM
 ssp. transcaspica Plavilstshikov, 1936 TM

ssp. lobanovi Kaziuchitz, 1988 AR AB
 pseudomoplus Reitter, 1889 **A:** AR AB TM
 Genus: Fallacia Mulsant et Rey, 1863
 elegans Faldermann, 1837 **E:** ST **A:** GG AR AB
 Genus: Macropidonia Pic, 1901
 = Sivana Strand, 1942
 = Sieversia Ganglbauer, 1887
 bicolor Ganglbauer, 1887 **A:** FE
 = coreana Okamoto, 1927
 Genus: Pseudosieversia Pic 1902
 = Macrorhabdium Plavilstshikov, 1915
 rufa Kraatz, 1879 **A:** FE
 = ruficollis Plavilstsshikov, 1915
 Genus: Pidonia Mulsant, 1863
 Subgenus: Pidonia Mulsant, 1863
 lurida Fabricius, 1793 **E:** MD UK
 Subgenus: Pseudopidonia Pic, 1900
 similis Kraatz, 1879 **A:** FE
 semiobscura Pic, 1901 **A:** FE
 alticollis Kraatz, 1879 **A:** FE
 = tristicula Kraatz, 1879
 = rubricollis Pic, 1931
 amurensis Pic, 1900 **A:** FE
 = quelpartensis Hayashi 1983
 malthinoides Kraatz, 1879 **A:** FE
 = quercus Tsherepanov, 1975
 gibbicollis (Blessig, 1873) **A:** FE
 suvorovi Baeckmann, 1903 **A:** FE
 Subgenus: Mumon Hayashi, 1968
 debilis Kraatz, 1879 **A:** FE
 Subgenus: Cryptopidonia Kuboki, 1981
 kurosawai Ohbayashi et Hayashi, 1960 **A:** FE
 Subgenus: Omphalodera Solsky, 1873
 puziloi Solsky, 1873 **A:** FE ?MG
 Tribus: SACHALINOBIINI
 Genus: Sachalinobia Jacobs. 1899
 koltzei Heyden, 1887 **A:** ES FE
 Genus: Xenoleptura Danilevsky, Lobanov et Murzin, 1981 in Lobanov et
 al., 1981
 hecate Reitter, 1896 **A:** KZ KI TD UZ
 Tribus: LEPTURINI
 Genus: Grammoptera Dejean, 1835
 Subgenus: Neoencyclops Matsushita et Tamanuki, 1940
 cyanea Tamanuki, 1933 **A:** FE
 = plavilstshikovi Heyrovsky, 1965
 Subgenus: Grammoptera Dejean, 1835
 abdominalis Stephens, 1831 **E:** UK ST **A:** GG AR AB
 = variegata Germar, 1824
 ruficornis Fabricius, 1781
 ssp. ruficornis Fabricius, 1781 **E:** MD UK ST
 ssp. obscuricornis Kraatz, 1886 **A:** AB
 ustulata Schaller, 1783 **E:** MD UK ?ST ?CT **A:** AR AB
 ssp. ustulata Schaller, 1783 **E:** MD UK ?ST ?CT
 ssp. tibialis Kraatz, 1886 **A:** AR AB
 gracilis Brancsik, 1914 **A:** FE
 coerulea Jurecek, 1933 **A:** FE
 Genus: Cornumutilla Letzn. 1844
 lineata Letzner, 1844 **E:** UK NT **A:** WS ES
 quadrivittata Gebler, 1830 **E:** ?CT **A:** WS ES ?FE

= semenovi Plavilstshikov, 1936 **A:** ES FE
 Genus: Corenny's Bates, 1884
 sericata Bates, 1884 **A:** FE
 Genus: Nivellia Mulsant, 1863
 sanguinosa Gyllenhal, 1827 **E:** UK NT CT **A:** ?KZ WS ES FE MG
 = rubripennis Matsumura, 1911
 extensa Gebler, 1833 **E:** NT **A:** WS ES FE MG
 ssp. extensa Gebler, 1833 **E:** NT **A:** WS ES FE MG
 ssp. umbratilis Shimomura & Toyoshima, 1988 **A:** FE
 Genus: Strangalomorpha Solsky, 1873
 tenuis Solsky, 1873
 ssp. tenuis Solsky, **A:** FE
 Genus: Kirgizobia Danilevsky, 1992
 = Kirgisiana Ovchinnikov 1996 [unavailable]
 = Kirgisobia Ovchinnikov, 2007 [unavailable]
 bohnei Danilevsky, 1992 **A:** KI
 Genus: Alosterna Mulsant, 1863
 scapularis Heyden, 1879 **A:** AB TM
 = talyschensis Reitter, 1885
 tabacicolor DeGeer, 1775
 ssp. tabacicolor DeGeer, 1775 **E:** MD UK NT CT ST **A:** KZ WS
 = chrysomeloides Schrank, 1781
 ssp. subvittata Reitter, 1885 **E:** ST **A:** GG AR AB
 = caucasica Plavilstshikov, 1936
 ssp. azerbaijanica Danilevsky, 2014 **A:** AB
 ssp. erythropus Gebler, 1841 **A:** KZ WS ES FE MG
 = bivittis Motschulsky, 1860
 = plavilstshikovi Podany, 1963
 ssp. tenebris Danilevsky, 2012 **A:** FE
 ssp. sachalinensis Danilevsky, 2012 **A:** FE
 ingrica Baeckm. 1902 **E:** UK NT ST CT
 diversipes Pic, 1929 **A:** FE
 = perpera Danilevsky, 1988
 chalybeella Bates, 1884 **A:** FE
 = japonica Pic, 1935
 Genus: Vadonia Mulsant, 1863
 bitlisiensis Chevrolat, 1882 **A:** AR AB
 bicolor Redt. 1850 **A:** AB
 unipunctata Fabricius, 1787
 ssp. unipunctata Fabricius, 1787 **E:** MD UK ST CT **A:** KZ GG AR AB
 saucia Mulsant et Godart, 1855 **E:** UK
 bipunctata Fabricius, 1781
 ssp. bipunctata Fabricius, 1781 **E:** CT ST **A:** KZ WS
 ssp. sareptana Pic, 1941 **E:** ST **A:** KZ WS
 = beckeri Pic, 1941 [HN]
 ssp. urdensis Danilevsky, 2014 **E:** ?ST **A:** KZ
 ssp. aralensis Danilevsky, 2019 **A:** KZ
 ssp. laterimaculata (Motschulsky, 1875) **E:** UK
 = puchneri Holzschuh, 2007
 ssp. globicollis Desbrochers des Loges, 1870 **E:** MD UK ST
 = mulsantiana Plavilstshikov, 1936
 = bilitigiosa Pic, 1941
 ssp. steveni Sperk 1835 **E:** MD UK ST
 ssp. teberdensis Danilevsky, 2014 **E:** ST
 Genus: Pseudalosterna Plavilstshikov, 1934
 elegantula Kraatz, 1879 **A:** FE
 = orientalis Plavilstshikov, 1934
 Genus: Pseudovadonia Lobanov, Danilevsky et Murzin, 1981
 livida Fabricius, 1777

ssp. livida Fabricius, 1777 **E:** UK
 ssp. setosa Danilevsky, 2013 **E:** MD UK
 ssp. bicarinata Arnold, 1869 **E:** UK NT CT ST **A:** AR GG AB KZ KI
 WS ES FE

ssp. desbrochersi Pic, 1891 **A:** AR GG AB
 Genus: Konoa Matsushita, 1933 I
 granulata Bates, 1884 **A:** FE
 Genus: Anoplodera Mulsant, 1839
 Subgenus: Anoplodera Mulsant, 1839
 rufipes Schaller, 1783
 ssp rufipes Schaller, 1783 **E:** MD UK ?NT
 ssp. ventralis Heyden, 1886 **E:** UK CT ST **A:** GG AR AB KZ ?WS ES
 ssp. astrabadensis Pic, 1900 **A:** AB
 sexguttata Fabricius, 1775 **E:** MD UK NT CT ST **A:** GG
 rufihumeralis Tamanuki 1938 **A:** FE
 Genus: Anoploderomorpha Pic, 1901
 cyanea Gebler, 1832 **A:** ES FE MG
 Genus: Xestoleptura Casey, 1913
 rufiventris Gebler, 1830 **A:** ?KZ WS ES MG
 baeckmanni Plavilstshikov, 1936 **A:** FE
 = changbaishanensis Gao, Meng & Yan, 2011
 Genus: Stictoleptura Casey, 1924
 = Brachyleptura auct. (not Casey, 1913)
 Subgenus: Aredolpona Nakane et K. Ohbayashi, 1957
 = Corymbia Des Gozis, 1886
 rubra Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ WS ES
 ssp. rubra Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ WS ES
 dichroa Blanchard, 1871 **A:** ES FE
 = succedanea Lew., 1879
 Subgenus: Stictoleptura Casey, 1924
 cardinalis K.Daniel et J.Daniel, 1898 **A:** KI TD UZ
 cordigera Fuesslin, 1775
 ssp. cordigera Fuesslin, 1775 **E:** UK ST **A:** GG AR AB
 erythroptera Hagenbach, 1822 **E:** UK ST **A:** AR GG AB
 rufa Brullé, 1832
 ssp. realis Danilevsky, 2012 **E:** ST **A:** GG AR AB
 Subgenus: Variileptura Danilevsky, 2014
 variicornis Dalman, 1817 **E:** UK NT CT **A:** KZ WS ES FE MG
 Subgenus: Melanoleptura Miroshnikov 1998
 scutellata Fabricius, 1781
 ssp. scutellata Fabricius, 1781 **E:** MD UK ?CT ST
 ssp. ochracea Faust, 1878 **E:** ST **A:** GG AR AB
 ssp. miroshnikovii Danilevsky, 2012 **A:** AB
 Subgenus: Maculileptura Danilevsky, 2014
 maculicornis DeGeer, 1775 **E:** MD UK NT CT ST **A:** ?GG
 Subgenus: Melanoleptura Miroshnikov 1998
 deyrollei Pic, 1895 **A:** GG
 Subgenus: Batesiata Miroshnikov, 1998
 tesserula Charp. 1825 **E:** UK ST **A:** GG AR AB
 Subgenus: Paracorymbia Miroshnikov 1998
 fulva DeGeer, 1775 **E:** UK CT ST
 = apicalis Motschulsky, 1875
 tonsa J.Daniel et K.Daniel, 1891 **E:** UK ST **A:** GG AR AB
 = ustulata Ménétériés, 1832 [HN]
 pallidipennis Tournier, 1872 **E:** ST **A:** GG ?AB
 nadezhdae Plavilstshikov, 1932 **E:** ST
 Genus: Anastrangalia Casey 1924
 scotodes Bates, 1873 UI CJ
 ssp. scotodes Bates, 1873 **A:** FE

ssp. *continentalis* Plavilstshikov, 1936 **A:** FE
sanguinolenta Linnaeus, 1760 **E:** ?MD UK NT CT ST **A:** GG AR AB KZ WS
 ?ES
dubia Scopoli, 1763
 ssp. *dubia* Scopoli, 1763 **E:** ?MD UK
 ssp. *melanota* Faldermann, 1837 **E:** ST **A:** GG AR AB
 = *distincta* Tournier, 1872
reyi Heyden, 1885 **E:** UK NT CT ST **A:** WS KZ
 = *inexpectata* Jans. et Sjob. 1928
sequensi Reitter, 1898 **E:** CT **A:** KZ WS ES FE MG
renardi Gebler, 1848 **E:** NT **A:** KZ WS ES FE MG
 Genus: *Lepturobosca* Reitter, 1913
virens Linnaeus, 1758 **E:** UK NT CS ST **A:** KZ WS ES FE MG
 Genus: *Xenoleptura* Danilevsky, Lobanov et Murzin, 1981 in Lobanov et
 al., 1981
hecate Reitter, 1896 **A:** KZ KI TD UZ
 Genus: *Eustrangalis* Bates, 1884
distenioides Bates, 1884 **A:** FE
 Genus: *Pedostrangalia* Sokol. 1897
 Subgenus: *Pedostrangalia* Sokol. 1897
imberbis Ménétrés, 1832 **A:** AB TM
revestita Linnaeus, 1767 **E:** MD UK
tokatensis Sama, 1996 **A:** GG
 Subgenus: *Neosphenalia* Löble, 2010
 = *Sphenalia* Daniel 1904 (not *Sphenalia* Wood, 1874, in Mollusca)
kurda Sama, 1996 **A:** AR GG
verticenigra Pic, 1893 **A:** ?GG
verticalis Germar, 1822 **E:** ?MD
femoralis Motschulsky, 1860 **A:** ES FE
 = *xanthoma* Bates, 1873
 Genus: *Etorofus* Matsushita 1933
 Subgenus: *Etorofus* Matsushita 1933
nemurensis Matsushita 1933 **A:** FE
 = *variicornis* Matsushita, 1933
 = *niger* Matsushita, 1933
 = *circaocularis* Pic, 1934
pubescens Fabricius, 1787 **E:** UK NT CT ST **A:** ?GG
 Subgenus: *Nakanea* Ohb. 1963
vicaria Bates, 1884
 ssp. *vicaria* Bates, 1884 **A:** FE
 Genus: *Judolidia* Plavilstshikov, 1936
znojkoii Plavilstshikov, 1936 **A:** FE
bangi Pic, 1902 **A:** ?FE
 Genus: *Judolia* Mulsant, 1863
sexmaculata Linnaeus, 1758 **E:** UK NT CT ST **A:** KZ
dentatofasciata Mannerheim, 1852 **E:** ?NT **A:** WS ES FE MG
 = *parallelopipeda* Motschulsky, 1860
 = *abbreviata* Motschulsky, 1875
 = *shirarakensis* Matsumura, 1911
 = *rufimembris* Pic, 1917
 Genus: *Pachytodes* Pic, 1891
erraticus Dalman, 1817 **E:** MD UK CT ST KZ **A:** WS ES GG AR AB KZ ?MG
cerambyciformis Schrank 1781 **E:** MD UK NT CT ST
bottcheri Pic, 1911 **A:** WS ES MG
 = *orthotrichus* Plavilstshikov, 1936
longipes Gebler, 1832 **A:** ES FE MG
cometes Bates, 1884 **A:** FE
 = *connecta* Nishio 1950
 Genus: *Rapuziana* Danilevsky, 2006

hangaiensis Danilevsky, 2006 **A:** MG
 Genus: Oedecnema Thomson, 1857
 gebleri Ganglbauer, 1889 **E:** UK NT CT **A:** KZ WS ES FE MG
 = dubia Fabricius, 1781
 = decemmaculata Matsumura, 1911
 Genus: Dokhtouroffia Ganglbauer, 1886
 baeckmanni Jankowski, 1934 **A:** UZ KI
 nebulosa Gebler, 1845 **A:** KZ KI ?WS ?MG
 Genus: Leptura Linnaeus, 1758
 Subgenus: Noona Sama, 2007
 =Nona Sama, 2002
 regalis Bates, 1884 **A:** FE
 Subgenus: Macroleptura Nakane et Ohb. 1957
 thoracica Creutz. 1799 **E:** UK ST CT NT **A:** KZ WS ES FE MG
 = obscurissima Pic, 1900
 Subgenus: Leptura Linnaeus, 1758
 ochraceofasciata Motschulsky, 1862
 ssp. ochraceofasciata Motschulsky, 1862 **A:** FE
 latipennis Matsushita, 1933 **A:** FE
 aurulenta Fabricius, 1793 **E:** UK ST CT
 quadrifasciata Linnaeus, 1758
 ssp. quadrifasciata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ WS
 ES FE MG
 ssp. lederi Ganglbauer, 1882 **E:** ST **A:** GG AR AB
 = caucasica Plavilstshikov, 1924
 annularis Fabricius, 1801
 = arcuata Panzer, 1793
 ssp. annularis Fabricius, 1801 **E:** ?MD UK NT CT ST **A:** KZ WS ES
 FE MG
 ssp. mimica Bates, 1884 **A:** FE
 duodecimguttata Fabricius, 1801 **A:** KZ WS ES FE MG
 aethiops Poda 1761 **E:** MD UK NT CT ST **A:** ?GG ?AR ?AB KZ WS ES FE
 MG
 = aterrima Motschulsky, 1860
 = akitai Fijita, 2018
 = doii Matsushita, 1933
 Genus: Lepturalia Reitter, 1913
 nigripes DeGeer, 1775
 ssp. nigripes DeGeer, 1775 **E:** UK NT CT ST **A:** KZ WS ES
 ssp. rufipennis Blessig, 1873 **A:** KZ WS ES FE MG
 Genus: Strangalia Dejean, 1835
 = Strangalina Aurivillius, 1912
 attenuata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES
 FE MG
 takeuchii Matsushita et Tamanuki, 1935 **A:** FE
 Genus: Rutpela Nak. et Ohb. 1957
 maculata Poda 1761 **E:** MD UK CT ST **A:** GG AR AB KZ
 ssp. maculata Poda 1761 **E:** MD UK CT ST **A:** KZ
 ssp. manca (Schaufuss, 1863) **E:** UK ST **A:** GG AR AB
 = nigricornis (Stielin, 1864) **E:** UK ST **A:** GG AR AB
 inermis K.Daniel et J.Daniel, 1898 **A:** AB TM
 Genus: Stenurella Villiers 1974
 Subgenus: Stenurella Villiers 1974
 melanura Linnaeus, 1758 **E:** MD UK NT CT ST **A:** ?GG ?AR ?AB KZ WS ES
 FE MG
 ssp. melanura Linnaeus, 1758 **E:** MD UK NT CT ST **A:** ?GG ?AR ?AB
 KZ WS ES FE MG
 =sennii Sama, 2002
 Subgenus: Stenurelloides Özdikmen, 2013

novercalis Reitter, 1901 **E:** ST **A:** GG
 jaegeri Humm. 1825 **E:** UK CT ST **A:** GG AR AB
 Subgenus: Priscostenurella Özdikmen, 2013
 bifasciata Müller, 1776
 ssp. bifasciata Müller, 1776 **E:** MD UK NT CT ST **A:** GG AR AB KZ
 WS ES
 = sedakovi Mannerheim, 1852
 ssp. limbiventris Reitter, 1898 **A:** GG
 septempunctata Fabricius, 1793
 ssp. septempunctata Fabricius, 1793 **E:** MD UK
 = suturata (Reiche, 1858)
 ssp. latenigra Pic, 1915 **E:** ST **A:** GG AR
 = anatolica Heyrovsky, 1961
 Subgenus: Nigrostenurella Özdikmen, 2013
 nigra Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB
 ssp. nigra Linnaeus, 1758 **E:** MD UK NT CT ST
 ssp. maesta Danilevsky, 2013 **E:** ST **A:** GG AR AB
 Subfamilia: NECYDALINAE Latreille, 1825
 Tribus: NECYDALINI
 Genus: Necydalis Linnaeus, 1758
 Subgenus: Necydalis Linnaeus, 1758
 ulmi (Chevrolat, 1838) **E:** ?MD UK ST **A:** GG AR AB
 = mesembrina Plavilstshikov, 1936
 major Linnaeus, 1758 **E:** MD UK NT CT ST **A:** AB GG KZ WS ES FE MG
 = xantha Semenov, 1898
 = aino Kusama, 1974
 gigantea Kano, 1933 **A:** FE
 ssp. gigantea Kano, 1933 **A:** FE
 Subgenus: Necydalisca Plavilstshikov, 1936
 = Eonecydalis Ohbayshi, 1961
 pennata Lew. 1879 **A:** FE
 = morio Kraatz, 1879
 = ebenina Bates, 1884
 = pacifica Plavilstshikov, 1936
 = ussuriensis Plavilstshikov, 1936
 = semenovi Plavilstshikov, 1936
 = eoa Plavilstshikov, 1936
 sachalinensis Matsumura et Tamanuki, 1927 **A:** FE
 Subfamilia: SPONDYLIDINAE Audinet-Serville, 1832
 = Aseminae Thomson, 1860
 Tribus: SAPHANINI Gistel, 1848
 Genus: Drymochares Mulsant, 1847
 starcki Ganglbauer, 1888 **E:** ST **A:** ?GG
 cavazzutii Sama et Rapuzzi, 1993 **A:** GG AR
 ssp. cavazzutii Sama et Rapuzzi, 1993 **A:** GG AR
 Genus: Saphanus Audinet-Serville, 1834
 piceus Laicharting, 1784
 ssp. piceus Laicharting, 1784 **E:** UK
 = ?pubescens Pic, 1907
 Genus: Oxypleurus Mulsant, 1839
 nodieri Mulsant, 1839 **E:** UK **A:** GG
 Tribus: ANISARTHINI Mamaev et Danilevsky, 1973
 Genus: Anisarthron Dejean, 1835
 = Falsanoeme Villiers, 1971
 cyrus Villiers, 1971 **A:** AB
 barbipes Schrank, 1781 **E:** UK
 Tribus: ATIMIINI Le Conte, 1873
 Genus: Atimia Haldeman, 1847
 = Myctus Semenov et Plavilstshikov, 1937

maculipuncta Semenov et Plavilstshikov, 1937
 ssp. maculipuncta Semenov et Plavilstshikov, 1937 **A:** MG
 ssp. nadezhdae Tsherepanov, 1973 **A:** FE
 Tribus: ASEMINE Thomson, 1860
 Genus: Nothorhina Redt. 1845
 punctata Fabricius, 1798 **E:** UK NT CT ST **A:** KZ WS
 = muricata Dalman, 1817
 Genus: Megasemum Kraatz, 1879
 quadricostulatum Kraatz, 1879 **A:** FE
 Genus: Asemum Eschz. 1830
 striatum Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR ?AB KZ KI WS
 ES FE MG
 = subsulcatum Motschulsky, 1860
 = amurense Kraatz, 1879
 = ishidai Fujita, 2018
 tenuicorne Kraatz, 1879 **E:** UK ST **A:** ?GG
 ssp. tenuicorne Kraatz, 1879 **E:** UK ST **A:** ?GG
 punctulatum Blessig, 1872 **A:** FE
 Genus: Arhopalus Audinet-Serville, 1834
 Subgenus: Arhopalus Audinet-Serville, 1834
 = Criocephalum Dejean, 1835
 = Criocephalus Mulsant, 1839
 rusticus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ TD WS ES
 FE MG
 ssp. rusticus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ
 TD WS ES FE MG
 = tristis Fabricius, 1787
 ?= coreanus Sharp, 1905
 ferus Mulsant, 1839 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE
 Genus: Tetropium Kirby 1837
 = Isarthron Dejean 1835
 castaneum Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES
 FE MG
 gabrieli Weise 1905 **E:** UK ?CT(Kaliningrad Reg.)
 gracilicorne Reitter, 1889 **E:** CT **A:** KZ WS ES FE MG
 gracilicum Hayashi 1983 **A:** FE
 staudingeri Pic, 1901 **A:** KZ KI UZ
 = tjanshanicum Semenov, 1906
 = laticolle Semenov, 1906
 aquilonium Plavilstshikov, 1940 **E:** NT **A:** WS
 tauricum Shapovalov, 2007 **E:** UK
 danilevskiyi Slama, 2005 **A:** ES
 fuscum Fabricius, 1787 **E:** MD UK NT CT ST **A:** GG KZ WS
 ssp. fuscum Fabricius, 1787 **E:** MD UK NT CT ST **A:** GG KZ WS
 Tribus: SPONDYLIDINI Audinet-Serville, 1832
 Genus: Spondylis Fabricius, 1775
 buprestoides Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS
 ES FE MG
 Subfamilia: APATOPHYSEINAE Lacordaire, 1869
 Tribus: APATOPHYSEINI
 Genus: Apatophysis Chevrolat, 1860
 Subgenus: Apatophysis Chevrolat, 1860
 pavlovskii Plavilstshikov, 1954 **A:** TD UZ
 serricornis Gebler, 1843 **A:** KZ MG
 = tomentosa Gebl. 1845
 = spinicornis Gebl. 1859
 = obtusicollis Motschulsky, 1860
 = mongolica Sem. 1901
 = kadyrbekovi Kadlec, 2006

caspica Semenov, 1901 **E:** ST **A:** AB GG TM ?UZ KZ
vedica Danilevsky, 2008 **A:** AR
komarowi Semenov, 1889 **A:** AB TM TD
baeckmanniana Semenov, 1907 **A:** KZ KI UZ
 Subgenus: *Angustephysis* Pic, 1956 A
margiana Semenov et Schegoleva-Barovskaia, 1936 **A:** TM **UZ KZ**
 = *plavilstshikovi* Miroshnikov, 1992
 Subfamilia: CERAMBYCINAE Latreille, 1802
 Tribus: ACHRYSONINI
 Genus: *Icosium* Lucas 1854
tomentosum Lucas 1854
 ssp. *atticum* Ganglbauer 1882 **A:** AB
 Tribus: HESPEROPHANINI
 Genus: *Turcmenigena* Melg. 1894
warentzowi Melg. 1894 **A:** KZ TM UZ
 Genus: *Hesperophanes* Dejean, 1835
sericeus Fabricius, 1787 **E:** UK ST **A:** GG AR AB TM
heydeni Baeckm. 1923 **A:** KZ MG
pilosus Bodung. 1908 **A:** AB
 Genus: *Trichoferus* Woll. 1854
holosericeus Rossi 1790 **E:** UK ST **A:** GG AR AB
 = *cinereus* Villers 1789
fasciculatus Faldermann, 1837 **E:** UK ST **A:** GG AR AB
 ssp. *fasciculatus* Faldermann, 1837 **E:** UK ST **A:** GG AR AB
griseus Fabricius, 1793 **E:** UK ?ST **A:** ?GG
campestris Faldermann, 1835 **E:** MD CT ST UK **A:** KZ KI UZ TD TM AB
 AR ES FE MG
 = *turkestanicus* Heyden, 1886
pallidus Olivier, 1790 **E:** MD UK ST
 Genus: *Stromatium* Audinet-Serville, 1834
auratum (Böber, 1793) **E:** UK ST **A:** GG AR AB TM
 = *fulvum* Villers 1789
 = *unicolor* Olivier, 1800
 Tribus: Phoracanthini
 Genus: *Phoracantha* Newman, 1840
semipunctata Fabricius, 1775 **Ai:** GG
 Tribus: CERAMBYCINI
 Genus: *Neocerambyx* Thomson, 1860
 = *Mallambyx* Bates, 1873
 = *Mesocerambyx* Breuning et Hitzinger, 1943
raddei Blessig, 1872 **A:** FE
 Genus: *Cerambyx* Linnaeus, 1758
 Subgenus: *Cerambyx* Linnaeus, 1758
welensii Küster, 1846
 = *velutinus* Brullé, 1832
 ssp. *welensii* Küster, 1846 **E:** UK **A:** GG AB
cerdo Linnaeus, 1758
 ssp. *cerdo* Linnaeus, 1758 **E:** MD UK ?CT ?ST
 ssp. *acuminatus* Motschulsky, 1852 **E:** UK ST **A:** GG AR AB
 = *klinzigi* Podany, 1964
 ssp. *manderstjernae* Mulsant & Godart, 1855 **E:** UK ST
dux Faldermann, 1837 **E:** UK ST **A:** GG AR AB
nodulosus Germar, 1817 **E:** UK ST **A:** GG AR AB
 ssp. *nodulosus* Germar, 1817 **E:** UK ST **A:** GG AR AB
miles Bonelli, 1812 **E:** MD UK ST **A:** GG AR AB
 Subgenus: *Microcerambyx* Miksic et Georgijevic, 1973
 = *Mesocerambyx* Zagaikevitch, 1991
scopolii Fuesslin, 1775
 ssp. *scopolii* Fuesslin, 1775 **E:** MD UK NT CT ST **A:** GG AR AB

multiplicatus Motschulsky, 1859 **A:** AB
 Genus: Trirachis Hope, 1843 #853
 = Aeolesthes auct.
 sarta Solsky, 1871 **A:** KZ TM UZ TD KI
 Genus: Xenopachys Sama, 1999 **A:**
 matthiesseni Reitter, 1907 **A:** TM
 Genus: Dissopachys Reitter, 1886 **A:**
 pulvinatus Reitter, 1886 **A:** AB TM
 Genus: Neoplocaederus Sama, 1991
 danilevskyi Lazarev, 2009 **A:** UZ
 scapularis Fischer-Waldheim, 1821 **A:** KZ TM UZ TD KI
 Tribus: COMPSOCERINI
 = ROSALIINI
 Genus: Rosalia Audinet-Serville, 1834
 alpina Linnaeus, 1758
 ssp. alpina Linnaeus, 1758 **E:** UK ST **A:** GG AR AB
 coelestis Semenov, 1911 **A:** FE
 = yanagii Fujita & Akita, 2020 [Tsushima Is.]
 Tribus: PURPURICENINI
 Genus: Purpuricenens Dejean, 1821
 kaehlerii Linnaeus, 1758 **E:** MD UK CT ST **A:** WS GG AR AB
 ssp. rossicus Danilevsky, 2019 **E:** MD UK CT ST **A:** KZ
 ssp. menetriesi Motschulsky, 1845 **E:** ST **A:** GG AR AB
 = astrabadensis Pic, 1915
 = caucasicus Th. Pic, 1902
 globulicollis Mulsant, 1839 **E:** UK CT ST **A:** KZ WS
 ssp. globulicollis Mulsant, 1839 **E:** UK CT ST **A:** KZ WS
 = tsherepanovae Tsherepanov, 1980
 budensis Götz, 1783 **E:** MD UK CT ST **A:** GG AR AB ?WS
 caucasicola Danilevsky, 2015 **E:** ST **A:** GG ?AR AZ
 baeckmanni Danilevsky, 2007 **E:** UK
 wachanrui Levr. 1858 **A:** AB
 deyrollei Thomson, 1867 **A:** TM
 talyshensis Reitter, 1891 **A:** AB
 litoratus Ganglbauer, 1887 **A:** FE
 = petasifer Fairmaire, 1888
 sideriger Fairmaire, 1888 **A:** FE
 ssp. sideriger Fairmaire, 1888 **A:** FE
 Genus: Anoplistes Audinet-Serville, 1834
 = Asias Semenov, 1914
 jacobsoni Baeckm. 1901 **A:** KZ
 halodendri Pall. 1773
 = humeralis Olivier 1795
 = elaeagni Fischer-Waldheim, 1824
 ssp. ephippium Steven et Dalman, 1817 **E:** UK ST **A:** KZ
 ssp. kasatkini Lazarev, 2014a **E:** ST
 ssp. halodendri Pall. 1773 **A:** WS KZ
 ssp. heptapotamicus Semenov, 1923 **A:** KZ ?WS ?ES
 ssp. minutus Hamm. 1893 **A:** ES MG
 ssp. pirus Arakawa 1932 **A:** ES FE
 churkini Danilevsky, 2020 **A:** KI
 kozlovi Semenov et Znoiko, 1934 **A:** MG
 gobiensis Namhaidorzh 1973 **A:** MG
 agababiani Danilevsky, 2000 **A:** AR
 diabolicus Reitter, 1915 **A:** KZ
 forticornis Reitter, 1901 **A:** KZ KI ?UZ
 jomudorum Plavilstshikov, 1940 **A:** TM ?KZ
 = chodjaini Holzschuh, 1974
 galusoi Kostin 1974 **A:** KZ

tuvensis Tsherepanov, 1978 **A:** ES MG
 amoenus Reitter, 1898
 = procerus Semenov, 1907
 = francisci Reymond, 1933
 ssp. mongolicus Ganglbauer, 1889 **A:** MG
 Genus: Amarysius Fairmaire, 1888
 sanguinipennis Blessig, 1872 **E:** CT **A:** KZ WS ES FE MG
 suturalis Pic, 1906 **A:** FE
 =grallator Baeckm. 1924
 altajensis Laxmann, 1770
 ssp. altajensis Laxmann, 1770 **A:** KZ WS
 =sellatus Germar, 1824
 =affinis Motschulsky, 1875
 ssp. coreanus Okamoto, 1924 **A:** ES FE MG
 =ussuricus Tsherepanov, 1975
 duplicatus Tsherepanov, 1980 **A:** KZ WS ?ES FE ?MG
 Tribus: CALLICHRMATINI
 Genus: Aphrodisium Thomson, 1864
 = Tomentaromia Plavilstshikov, 1934
 faldermannii Saunders, 1853
 ssp. faldermannii Saunders, 1853 **A:**?ES ?MG
 Genus: Aromia Audinet-Serville, 1834
 moschata Linnaeus, 1758
 = thea Reitter, 1894
 ssp. moschata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG KZ WS ES
 ?MG
 ssp. malukhini Danilevsky, 2019 **E:** ST
 ssp. ambrosiaca Steven, 1809 **E:** ST **A:** GG AR AB
 ssp. sumbarensis Danilevsky, 2007 **A:** TM
 ssp. cruenta Bogatchev, 1962 **A:** TD ?KI
 ssp. jankovskyi Danilevsky, 2007 **A:** KI
 ssp. vetusta Bogatchev, 1962 **A:** KZ
 orientalis Plavilstshikov, 1932 ES FE MG
 bungii Faldermann, 1835 **A:** ?MN
 Genus: Turkaromia Danilevsky 1993
 pruinosa Reitter, 1903 **A:** KZ
 gromenkoi Danilevsky, 2000 **A:** UZ TD
 Genus: Chelidonium Thomson, 1864 U
 zaitzevi Plavilstshikov, 1933 **A:** FE
 Genus: Chloridolum Thomson, 1864
 Subgenus: Chloridolum Thomson, 1864 U
 sieversi Ganglbauer, 1887 **A:** FE
 = coreana Fairmaire, 1897
 Genus: Leontium Thomson, 1864
 viride Thomson, 1864 **A:** FE
 Genus: Polyzonus Dejean, 1835
 fasciatus Fabricius, 1781 **A:** ES FE MG
 Tribus: CALLIDIOPINI
 Genus: Stenygrinum Bates, 1873
 quadrinotatum Bates, 1873 **A:** FE
 Tribus: GRACILIINI
 Genus: Gracilia Audinet-Serville, 1834
 minuta Fabricius, 1781 **E:** MD UK NT CT ST KZ **A:** GG AR AB
 Genus: Penichroa Stephens, 1839
 fasciata Stephens, 1831 **E:** UK ST **A:** GG AR AB
 Genus: Axinopalpis Dejean, 1835
 gracilis Krynicki, 1832
 ssp. gracilis Krynicki, 1832 **E:** MD UK ST CT **A:** GG
 Genus: Hybometopia Ganglbauer, 1889

starcki Ganglbauer, 1889
 ssp. starcki Ganglbauer, 1889 **E:** ST **A:** GG
 Tribus: OBRIINI
 Genus: Obrium Dejean, 1821
 cantharinum Linnaeus, 1767
 ssp. cantharinum Linnaeus, **E:** MD UK NT CT ST **A:** KZ WS ES FE GG
 AR AB
 brunneum Fabricius, 1793 **E:** MD UK ?NT ?CT ST **A:** GG AR AB
 obscuripenne Pic, 1904 **A:** FE
 = graciliforme Lipp, 1939
 = gracile Plavilstshikov, 1933
 brevicorne Plavilstshikov, 1940 **A:** FE
 Tribus: CERTALLINI
 Genus: Certallum Dejean, 1821
 = Cartallum Audinet-Serville, 1834
 ebulinum Linnaeus, 1767 **E:** UK ST **A:** GG AR AB
 = ruficolle Fabricius, 1781
 Tribus: DEILINI
 Genus: Deilus Audinet-Serville, 1834
 fugax Olivier, 1790 **E:** MD UK CT ST **A:** KZ GG AR AB
 Tribus: STENOPTERINI
 Genus: Stenopterus Illiger, 1804
 rufus Linnaeus, 1767 **E:** MD UK ST **A:** GG AR AB TM
 ssp. rufus Linnaeus, 1767 **E:** MD UK ST
 ssp. geniculatus **E:** ST **A:** GG AR AB
 ssp. transcaspicus Lazarev, 2008 **A:** TM
 flavicornis Küster, 1846 **E:** UK
 ater Linnaeus, 1767 **E:** UK **A:** GG
 Genus: Callimus Mulsant, 1846
 = Callimellum Strand, 1928
 Subgenus: Callimus Mulsant, 1846
 angulatus Schrank, 1789
 ssp. angulatus Schrank, 1789 **E:** MD UK **A:** GG AR AB TM
 Subgenus: Lampropterus Mulsant, 1863
 = Callimomimus Ieniştea, 1952
 femoratus Germar, 1824 **E:** MD UK ST **A:** GG AR AB
 = adonis Perrin, 1881
 = narcissus Perrin, 1881
 = distinctus Ieniştea, 1952
 Subgenus: Procallimus Pic, 1907
 = Protocallimus Plavilstshikov 1940
 egregius Mulsant et Rey, 1863 **E:** UK ?ST **A:** ?GG
 Genus: Callimoxys Kraatz, 1863
 gracilis Brullé, 1832 **E:** UK ST **A:** GG AR AB TM
 Tribus: PSEBIINI
 Genus: Nathrius Brethes, 1916
 brevipennis Mulsant, 1839 **E:** MD UK ST **A:** KZ GG AR AB
 Tribus: MOLORCHINI
 Genus: Leptepania Heller, 1924
 = Molorchinus Shabliovskiy, 1936
 okunevi Shabliovskiy, 1936 **A:** FE
 = incognitus Tsherepanov, 1975
 Genus: Nadezhdiana Tsherepanov, 1976
 villosa Tsherepanov, 1976 **A:** FE
 Genus: Molorchus Fabricius, 1793
 Subgenus: Caenoptera Thomson, 1859
 minor Linnaeus, 1758
 ssp. minor Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG KZ WS ES FE

= rufescens Kiesenwetter, 1879
 monticola Plavilstshikov, 1931 **A:** GG AR AB TM
 ? = rufescens Kiesenwetter, 1879
 juglandis Sama, 1982 **A:** ?GG
 ? = rufescens Kiesenwetter, 1879
 pallidipennis Heyden, 1887 **A:** KZ KI ?UZ
 tjanschanicus Plavilstshikov, 1959 **A:** ?KZ KI
 Subgenus: Molorchus Fabricius, 1793
 = Glaphyra Newman, 1840
 = Linomius Mulsant, 1862
 umbellatarum Schreber, 1759
 ssp. umbellatarum Schreber, 1759 **E:** MD UK NT CT ST **A:** GG AR AB

?TM

plagiatus Reiche, 1877 **E:** ?CT ST **A:** GG AR AB ?KZ
 kiesenwetteri Mulsant et Rey, 1861
 ssp. kiesenwetteri Mulsant et Rey, 1861 **E:** UK ST
 ssp. hircus Abeille de Perrin, 1881 **E:** ?UK ?ST **A:** GG AR AB
 = anatolicus Adlbauer, 1988
 schmidti Ganglbauer, 1883 **E:** UK CT ST **A:** AB GG KZ TM UZ KI
 = salicicola Stiller, 1935
 = ?semenovi Plavilstshikov, 1940
 marmottani Brisout de Barneville, 1863
 ssp. marmottani Brisout de Barneville, 1863 **E:** CT ST
 starki Shabliovsky, 1936 **A:** FE
 ?= kojimai Matsushita, 1939
 = ussuriensis Plavilstshikov, 1940
 = ichikawai Niisato, 1988
 ishiharai Ohbayashi, 1936 **A:** FE
 = kunashiricus Tsherepanov, 1981
 kobotokensis Ohbayashi, 1963 **A:** FE
 Subgenus: Nathrioglaphyra Sama, 1995
 heptapotamicus Plavilstshikov, 1940 **E:** ST **A:** KZ KI UZ
 = amygdali Holzschuh, 1979

Tribus: Brachypteromatini Sama, 2008
 Genus: Dolocerus Mulsant, 1862
 =Brachypteroma Heyden, 1863
 reichii Mulsant, 1862 **A:** AB AR GG
 = ottomanum Heyden, 1863

Tribus: STENHOMALINI
 Genus: Stenhomalus White, 1855
 japonicus Pic, 1904 **A:** FE
 = lighti Gressitt, 1935
 = vulcanus Tsherepanov, 1976

Tribus: HYLOTRUPINI
 Genus: Hylotrupes Audinet-Serville, 1834
 bajulus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS GG AR AB UZ

Tribus: CALLIDIINI
 Genus: Paraxylocrius Niisato, 2009
 testaceus Niisato, 2009 **A:** FE
 verigai Danilevsky, 2012 **A:** FE
 Genus: Ropalopus Mulsant, 1839
 = Rhopalopus L. Redtenbacher, 1845
 Subgenus: Prorrhopalopus Plavilstshikov, 1921
 signaticollis Solsky, 1873 **A:** FE
 speciosus Plavilstshikov, 1915 **A:** FE
 Subgenus: Pronocerodes Plavilstshikov, 1940
 ruficollis Matsumura, 1911 **A:** FE
 aurantiicollis Plavilstshikov, 1940 **A:** FE
 Subgenus: Ropalopus Mulsant, 1839

ungaricus Herbst, 1784 **E:** UK ST CT
 ssp. ungaricus Herbst, 1784 **E:** UK
 ssp. insubricus Germar, 1824 **E:** UK ST CT
 = fischeri Krynicky, 1829
 lederi Ganglbauer, 1882 **E:** UK ST **A:** GG AR AB
 clavipes Fabricius, 1775 **E:** MD UK NT CT ST **A:** FE GG AR AB KZ WS
 macropus Germar, 1824 **E:** MD UK CT ST **A:** GG AR AB
 ?= caucasicus Desbrochers, 1873
 varini Bedel, 1870 **E:** MD UK
 = spinicornis Abeille de Perrin, 1869
 femoratus Linnaeus, 1758 **E:** MD UK ?CT ST
 nadari Pic, 1894 **A:** KI TD UZ
 mali Holzschuh, 1993 **A:** KZ KI UZ
 Genus: Pronocera Motschulsky, 1859
 sibirica Gebler, 1848 **A:** WS ES FE MG
 = brevicollis Gebler, 1833
 = daurica Motschulsky, 1859
 angusta Kreichbaum, 1844 **E:** UK
 Genus: Turanium Baeckmann, 1923
 Subgenus: Turanium Baeckmann, 1923
 rauschorum Holzschuh, 1998 **A:** KZ KI
 tekeorum Danilevsky, 2001 **A:** TM
 pilosum Reitter, 1891 **A:** KZ KI TD UZ TM
 scabrum Kraatz, 1882 **E:** ST **A:** WS KZ TM KI UZ TD
 hladili Kratochvil, 1985 **A:** UZ
 Subgenus: Chalcoturanium Jankowski, 1934
 johannis Baeckmann, 1923 **A:** KI
 ssp. johannis Baeckmann, 1923 **A:** KI
 ssp. juglandis Jankowsky, 1934 **A:** KI
 ssp. n. **A:** KI
 badenkoi Danilevsky, 2001 **A:** KZ
 Genus: Leioderes L. Redtenbacher, 1845
 kollari L. Redtenbacher, 1849 **E:** MD UK CT ST **A:** GG
 ssp. kollari L. Redtenbacher, 1849 **E:** MD UK CT ST **A:** GG
 Genus: Callidiellum Linsley, 1940
 rufipenne Motschulsky, 1861 **E:** ST **A:** GG FE
 Genus: Semanotus Mulsant, 1839
 undatus Linnaeus, 1758 **E:** UK NT CT ?ST **A:** WS ES FE MG
 russicus Fabricius, 1777
 ssp. russicus Fabricius, 1777 **E:** UK ST **A:** AR AB GG
 ssp. persicus Solsky, 1876 **A:** TM
 semenovi Okunev, 1933 **A:** KZ KI UZ TD
 bifasciatus Motschulsky, 1875 **A:** FE
 Genus: Callidium Fabricius, 1775
 Subgenus: Palaeocallidium Plavilstshikov, 1940
 coriaceum Paykull, 1800 **E:** UK NT CT ST **A:** WS ES FE MG
 chlorizans Solsky, 1871 **A:** ES FE MG
 Subgenus: Callidium Fabricius, 1775
 violaceum Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ KI WS
 ES FE MG
 Subgenus: Callidostola Reitter, 1913
 aeneum DeGeer, 1775
 ssp. aeneum DeGeer, 1775 **E:** UK NT CT ST **A:** WS ES FE KZ MG
 ssp. longipenne Plavilstshikov, 1940 **E:** ST **A:** GG AB
 Genus: Oupyrrhidium Pic, 1900
 cinnabarinum Blessig, 1872 **A:** FE
 Genus: Pyrrhidium Fairmaire, 1864
 sanguineum Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB
 Genus: Phymatodes Mulsant, 1839

Subgenus: Phymatodes Mulsant, 1839
testaceus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS FE

Subgenus: Melasmetus Reitter, 1913
femoralis Ménétriés, 1832
ssp. femoralis Ménétriés, 1832 **E:** ST **A:** GG AR AB

Subgenus: Phymatoderus Reitter, 1913
= Reitteroderus Sama, 1991
lividus Rossi, 1794 **E:** UK CT ST **A:** GG ?AB
puncticollis Mulsant, 1862 **E:** UK CT ST **A:** KZ
pusillus Fabricius, 1787
ssp. pusillus Fabricius, 1787 **E:** MD UK
ssp. rufipenne Stark, 1889 **E:** UK ST **A:** GG AR AB
glabratus Charpentier, 1825 **E:** UK ST **A:** GG
abietinus Plavilstshikov et Lurie, 1960 **E:** CT NT **A:** WS

Subgenus: Phymatodellus Reitter, 1913
rufipes Fabricius, 1777
ssp. rufipes Fabricius, 1777 **E:** MD UK ST
zemlinae Plavilstshikov et Anufriev, 1964 **A:** FE
infasciatus Pic, 1935 **A:** FE
= vandykei Gressitt, 1935
= ussuricus Plavilstshikov, 1940
murzini Danilevsky, 1993 **A:** FE

Subgenus: Paraphymatodes Plavilstshikov, 1934
fasciatus Villers 1789 **E:** MD UK
hauseri (Pic, 1907) **A:** KZ
mediofasciatus Pic, 1933 **A:** FE

Subgenus: Poecilium Fairmaire, 1864
alni Linnaeus, 1767
ssp. alni Linnaeus, 1767 **E:** MD UK ST CT NT **A:** KZ
ssp. pici Aurivillius, 1912: **E:** ST **A:** GG AR AB
= alnoides Reitter, 1913
ssp. lateniger (Pic, 1945) **A:** AB
= elburzensis Holzschuh, 1977
ermolenkoi Tsherepanov, 1980 **A:** FE
maacki Kraatz, 1879
ssp. maacki Kraatz, 1879 **A:** FE
ssp. viarius Danilevsky, 1988 **A:** FE

Tribus: TILLOMORPHINI

Genus: Cleroclytus Kraatz, 1884
Subgenus: Obliqueclytus Lazarev, 2014a A
gracilis Jakovlev, 1900 **A:** TD
= baeckmanni Okunev 1933
= grandiculus Plavilstshikov, 1940
banghaasi Reitter, 1895 **A:** TD ?KI
= semenowi Jakovlev, 1900
Subgenus: Cleroclytus Kraatz, 1884
semirufus Kraatz, 1884
= vestitus Jakovlev, 1900
ssp. semirufus Kraatz, 1884 **A:** KZ KI UZ
ssp. collaris Jakovlev, 1885 **A:** KZ KI
= strigicollis Jakovlev, 1900
ssp. savitzkyi Lazarev, 2014a **A:** MG

Tribus: ANAGLYPTINI

Genus: Paraclytus Bates, 1884
excultus Bates, 1884 **A:** FE
raddei Ganglbauer, 1882 **A:** AB
reitteri Ganglbauer, 1882 **A:** AB
sexguttatus Adams, 1817 **E:** ST **A:** GG AR AB

Genus: Anaglyptus Mulsant, 1839

bicallosus Kraatz, 1882 **A:** TD UZ KI KZ
 mysticus Linnaeus, 1758 **E:** MD UK
 simplicicornis Reitter, 1905 **E:** ST **A:** GG AR AB
 mysticoides Reitter, 1894 **A:** GG AR AB
 ssp. mysticoides Reitter, 1894 **A:** GG AR AB
 arabicus Küster, 1847 **E:** ST **A:** GG AR AB
 ganglbaueri Reitter, 1886 **A:** AB
 = natae Lobanov, 1994
 = persicus Pic, 1906
 danilevskii Miroshnikov, 2000 **A:** ?GG AR AB
 Genus: Aglaophis Thomson, 1857 U
 colobothooides Bates, 1884 **A:** FE
 Genus: Oligoenoplus Chevrolat, 1863
 rosti Pic, 1911
 ssp. rosti Pic, 1911 **A:** FE
 Tribus: CLYTINI
 Genus: Plagionotus Mulsant, 1842
 detritus Linnaeus, 1758
 ssp. detritus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ
 ssp. caucasicola Plavilstshikov, 1940 **E:** ST **A:** GG AR AB
 pulcher Blessig, 1872 **A:** FE
 christophi Kraatz, 1879 **A:** FE
 arcuatus (Linnaeus, 1758) **E:** MD UK NT CT ST **A:** WS KZ KI GG AR AB
 ssp. arcuatus (Linnaeus, 1758) **E:** MD UK NT CT ST **A:** WS KZ GG AB
 ssp. multiinterruptus Pic, 1933 **A:** AR AB
 ssp. lugubris (Ménétriés, 1832) **A:** AR AB TM
 ssp. kirgizicus Lazarev, 2010 **A:** KZ
 bartholomei Motschulsky, 1859 **A:** AB
 Genus: Neoplacionotus Kasatkin, 2005
 bobelayei Brullé, 1832 **E:** UK ST **A:** GG AR AB TM
 = speciosus Adams 1817
 ssp. huseyini Lazarev, 2016b **E:** UK ST **A:** GG AR AB TM
 Genus: Echinocerus Mulsant, 1863
 =Paraplacionotus Kasatkin, 2005
 floralis Pallas, 1773 **E:** MD UK NT CT ST **A:** GG AR AB KZ TM UZ TD
 KI WS ES
 Genus: Teratoclytus Zaitzev, 1937
 plavilstshikovi Zaitzev, 1937 **A:** FE
 Genus: Epiclytus Gressitt, 1935
 ussuricus Pic, 1933 **A:** FE
 Genus: Rhabdoclytus Ganglbauer, 1889
 = Hayashiclytus Ohbayashi, 1963
 acutivittis Kraatz, 1879
 ssp. acutivittis Kraatz, 1879 **A:** FE
 Genus: Isotomus Mulsant, 1863
 speciosus Schneider, 1787 **E:** MD UK ST **A:** GG AR AB
 ssp. speciosus Schneider, 1787 **E:** MD UK ST **A:** GG AR AB
 comptus Mannerheim, 1825 **E:** UK ST **A:** GG AR AB
 ssp. comptus Mannerheim, 1825 **E:** UK ST **A:** GG AR AB
 Genus: Chlorophorus Chevrolat, 1863
 Subgenus: Crassofasciatus Özdikmen, 2011
 hubenyi Viktora, 2019 **A:** KI
 Subgenus: Immaculatus Özdikmen, 2011
 varius Müller, 1766
 ssp. varius Müller, 1766 **E:** MD UK CT ST **A:** GG AR AB KZ WS
 hrabovskiy Kratochvil, 1985 **A:** TM
 elaegni Plavilstshikov, 1956 **E:** ST **A:** AZ KZ TM UZ KI TD
 faldermanni Faldermann, 1837 **E:** ST **A:** GG AR AB KZ TM UZ TD KI ?MG
 obliteratus Ganglbauer, 1889 **A:** ES MG

= mongolicus Pic, 1943
 = kaszabi Heyrovsky, 1970
 = ubsanurensis Tsherepanov, 1971
 simillimus Kraatz, 1879 **A:** ES FE MG
 = sexmaculatus Motschulsky, 1859
 herbstil (Brahm, 1790) **E:** MD UK NT CT ST **A:** KZ WS ?ES
 Subgenus: *Humeromaculatus* Özdikmen, 2011
 figuratus Scopoli, 1763 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES
 navratili Holzschuh, 1981 **A:** UZ TD
 japonicus Chevrolat, 1863 **A:** FE
 motschulskyi Ganglbauer, 1887 **A:** ES FE MG
 = latofasciatus Motschulsky, 1861
 = chasanensis Tsherepanov, 1982
 diadema Motschulsky, 1854
 ssp. diadema Motschulsky, 1854 **A:** FE ?MG
 ssp. inhirsutus Matsushita, 1933 **A:** FE
 tohokensis Hayashi, 1968 **A:** FE
 Subgenus: *Perderomaculatus* Özdikmen, 2011
 sartor Müller, 1766 **E:** MD UK CT ST **A:** GG AR AB TM KZ ?WS ?ES ?FE
 Genus: *Rhaphuma* Pascoe, 1858
 gracilipes Faldermann, 1835 **E:** NT CT ST **A:** KZ WS ES FE MG
 = sachalinensis Matsumura, 1911
 diminuta Bates, 1873
 ssp. diminuta Bates, 1873 **A:** FE
 Genus: *Demonax* Thomson, 1861
 savioi (Pic, 1924) **A:** FE
 Genus: *Xylotrechus* Chevrolat, 1860
 Subgenus: *Xylotrechus* Chevrolat, 1860
 antilope Schönherr, 1817
 ssp. antilope Schönherr, 1817 **E:** MD UK CT ST
 ssp. bitlisiensis S. Marklund & D. Marklund, 2013 **A:** GG AR AB
 arvicola Olivier, 1800 **E:** MD UK CT ST **A:** GG AR AB KZ
 ssp. arvicola Olivier, 1800 **E:** MD UK
 ssp. planarius Danilevsky, 2016 **E:** UK CT ST **A:** KZ
 ssp. lazarevi Danilevsky, 2016 **E:** ST **A:** GG AR AB
 ssp. iranicus Rapuzzi & Sama, 2014 **A:** AB
 rufilius Bates, 1884 **A:** FE
 = irinae Plavilstshikov, 1925
 = magnicollis Fairmaire, 1888
 stebbingi Gahan, 1906 **A:** TD
 mixtus Plavilstshikov, 1940 **A:** FE
 hircus Gebler, 1825 **A:** KZ WS ES FE MG
 cuneipennis Kraatz, 1879 **A:** ES FE
 pavlovskii Plavilstshikov, 1954 **A:** FE
 polyzonus Fairmaire, 1888 **A:** FE
 capricornus Gebler, 1830 **E:** UK CT ST **A:** KZ WS
 = capricornis (Chevrolat, 1863)
 ibex Gebler, 1825 **E:** NT CT ST **A:** KZ WS ES FE MG
 clarinus Bates, 1884 **A:** FE
 Subgenus: *Turanoclytus* Sama, 1994
 sieversi Ganglbauer, 1890 **A:** GG AR AB
 ilamensis Holzschuh, 1979 **A:** AB AR
 ssp. zuvandiensis Lazarev, 2016d **A:** AB
 ssp. hadullai Danilevsky, 2010 **A:** AR
 asellus Thieme, 1881 **A:** KZ TM UZ TD KI
 = grumi Semenov, 1889
 namanganensis Heyden, 1885 **A:** KZ TM UZ TD KI
 Subgenus: *Kostiniclytus* Danilevsky, 2009
 zaisanicus Plavilstshikov, 1940 **A:** KZ

alakolensis Karpiński & Szczepański, 2018 **A:** KZ
katerinae Shapovalov, 2014 **A:** KZ
arnoldii Kostin, 1974 **A:** KZ
 ssp. arnoldii Kostin, 1974 **A:** KZ
 ssp. tenebrosus Shapovalov, 2014 **A:** KZ
medvedevi Danilevsky, 2009 **A:** MG
Subgenus: Rusticoclytus Vives, 1977
 salicis Takakuwa et Oda, 1978 **A:** ES FE ?MG
 = nadezhdae Tsherepanov, 1982
 rusticus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ TM TD WS
ES FE MG
 adpersus Gebler, 1830 **A:** KZ WS ES FE MG
 pantherinus Savenius, 1825 **E:** MD UK NT CT ST **A:** KZ WS ES FE MG
Subgenus: Ootora Niisato et Wakejima, 2008
 villioni Villard, 1892 **A:** FE
Subgenus: Xyloclytus Reitter, 1913
 altaicus Gebler, 1836 **E:** CT **A:** ?KZ WS ES FE MG
 chinensis Chevrolat, 1852 ?U CJ
 ssp. kurosawai Fujita, 2010 ?U J
Genus: Cyrtoclytus Ganglbauer, 1882
 capra Germar, 1824 **E:** MD UK NT CT ST **A:** AB KZ WS ES FE MG
 caproides Bates, 1873
 ssp. caproides Bates, 1873 **A:** FE
Genus: Brachyclytus Kraatz, 1879
 singularis Kraatz, 1879 **A:** FE
Genus: Pseudosphegosthes Reitter, 1913
 cinerea Laporte et Gory, 1836 **E:** UK
 brunnescens Pic, 1897 **E:** ST **A:** GG AR AB
 = circassica Pic, 1905
Genus: Clytus Laicharting, 1784
 Subgenus: Clytus Laicharting, 1784
 tropicus Panzer, 1795 **E:** MD UK ST
 schneideri Kiesenwetter, 1879
 ssp. schneideri Kiesenwetter, 1879 **A:** GG AR AB
 rhamni Germar, 1817
 ssp. temesiensis Germar, 1824 **E:** MD UK CT ST **A:** GG AR AB KZ
 lama Mulsant, 1847 **E:** UK MD
 arietis Linnaeus, 1758
 ssp. oblitus Roubal, 1932 **E:** ST **A:** GG AR AB
 ssp. arietis Linnaeus, 1758 **E:** MD UK NT CT ST
 ssp. lederi Ganglbauer, 1882 **A:** AB TM
 arietoides Reitter, 1899 **E:** NT CT ?ST **A:** KZ WS ES FE MG
 = venustulus Plavilstshikov, 1940
 mayeti Théry, 1892 **A:** ?ES ?FE
 melaenus Bates, 1884 **A:** FE
 raddensis Pic, 1904 **A:** FE
 = hypocrita Plavilstshikov, 1940
 nigritulus Kraatz, 1879 **A:** FE
 = fulvohirsutus Pic, 1904
 Subgenus: Sphegoclytus Sama, 2005
 vesparum Reitter, 1889 **A:** AB
 stepanovi Danilevsky et Miroshnikov, 1985 **E:** ST **A:** GG
Subfamilia: LAMIINAE Latreille, 1825
Tribus: CEROPLESINI
 Genus: Moechotypa Thomson, 1864
 diphysis Pascoe, 1871 **A:** FE
Tribus: PARMENINI
 Genus: Parmena Dejean, 1821
 aurora Danilevsky, 1980 **A:** GG AB

pontocircassica Danilevsky, 1985 **E:** UK ST **A:** GG AR AB
 europaea Danilevsky, 2017 **E:** MD UK
 pilosa Brullé, 1832
 ssp. pilosa Brullé, 1832 **E:** ?UK
 Genus: Plectrura Mannerheim, 1852
 Subgenus: Phlyctidola Bates, 1884
 metallica Bates, 1884
 ssp. metallica Bates, 1884 **A:** FE
 = sachalinica Jacobson, 1899
 = mandshurica Jacobson, 1899
 Tribus: MESOSINI
 Genus: Mesosa Latreille, 1829
 Subgenus: Mesosa Latreille, 1829
 myops Dalman, 1817 **E:** UK NT CT ST **A:** KZ WS ES FE MG
 japonica Bates, 1873 **A:** FE
 curculionoides Linnaeus, 1761 **E:** MD UK CT ST **A:** GG AR AB KZ WS
 Subgenus: Aplocnemia Stephens, 1831
 = Aphelocnemia Stephens, 1832
 nebulosa Fabricius, 1781
 ssp. nebulosa Fabricius, 1781 **E:** MD UK CT ST **A:** GG AR AB
 obscuricornis Pic, 1894 **A:** AB
 senilis Bates, 1884 **A:** FE
 Subgenus: Perimesosa Breuning, 1939
 hirsuta Bates, 1884
 ssp. continentalis Hayashi, 1964 **A:** FE
 Tribus: MORIMONELLINI
 Genus: Morimonella Podany, 1979
 bednariki Podany, 1979 **E:** ST **A:** GG
 Tribus: BATOCERINI
 Genus: Apriona Chevrolat, 1852
 rugicollis Chevrolat, 1852 **A:** ?ES FE
 ssp. rugicollis Chevrolat, 1852 **A:** ?ES FE
 = plicicollis Motschulsky, 1853
 Tribus: MONOCHAMINI
 Genus: Murzinia Lazarev, 2011
 = ?Ethiopicochamus Dillon & Dillon 1961
 karatauensis Lazarev, 2011 **A:** KZ
 = ?ruspator Fabricius, 1781 [Africa]
 Genus: Anoplophora Hope, 1839
 glabripennis Motschulsky, 1854 **A:** FE
 Genus: Acalolepta Pascoe, 1858
 Subgenus: Acalolepta Pascoe, 1858
 ussurica Plavilstshikov, 1951 **A:** FE
 fraudator Bates, 1873
 ssp. fraudator Bates, 1873 **A:** FE
 sejuncta Bates, 1873
 ssp. sejuncta Bates, 1873 **A:** FE
 luxuriosa Bates, 1873
 ssp. luxuriosa Bates, 1873 **A:** FE
 seunghwani Danilevsky, 2013 **A:** FE
 Genus: Astynoscelis Pic, 1904
 degener Bates, 1873 **A:** FE
 = longicornis Pic, 1904
 Genus: Monochamus Dejean, 1821
 Subgenus: Monochamus Dejean, 1821
 guttulatus Gressitt, 1951 **A:** FE
 = guttatus Blessig, 1873
 impluviatus Motschulsky, 1859 **E:** NT CT **A:** WS ES FE MG
 saltuarius Gebler, 1830 **E:** UK NT CT **A:** KZ WS ES FE MG

ssp. saltuarius Gebler, 1830 ?**E**: ?NT ?CT **A**: KZ WS ES FE MG
 ssp. occidentalis Sláma, 2017b **E**: UK NT CT **A**: ?KZ
 galloprovincialis Olivier, 1800
 ssp. pistor Germar, 1818 **E**: MD UK NT CT ST KZ WS **A**: KZ KI
 =lignator Krynicki, 1832 [Odessa]
 ssp. cinerascens Motschulsky, 1860 **A**: WS ES FE MG
 = sibiricus Pic, 1908
 ssp. transitivus Lazarev, 2017 **E**: ST **A**: GG AR AB
 nitens Bates, 1884 **A**: FE
 grandis Waterhouse, 1881 **A**: FE
 urussovii Fischer-Waldheim, 1805 **E**: UK NT CT ST **A**: ?GG KZ WS ES
 FE MG
 = rosenmuelleri auct., nec Cederhjelm, 1798
 sartor Fabricius, 1787 **E**: UK
 = fleischeri Heyrovsky, 1966 [unavailable]
 sutor Linnaeus, 1758
 = rosenmuelleri Cederhjelm, 1798
 ssp. sutor Linnaeus, 1758 **E**: UK NT CT ST **A**: GG KZ
 = pellio Germar, 1818 ["Curland"]
 ssp. longulus Pic, 1898 ["Amour"] **A**: WS ES FE MG
 Tribus: LAMIINI
 Genus: Lamiomimus Kolbe, 1886
 gottschei Kolbe, 1886 **A**: FE
 Genus: Lamia Fabricius, 1775
 textor Linnaeus, 1758 **E**: MD UK NT CT ST **A**: GG AR AB KZ WS ES FE
 MG
 Genus: Morimus Brullé 1832
 = Morinus Brullé 1832 (misprint)
 verecundus Faldermann, 1836 **E**: UK ST **A**: GG AR AB TM
 ssp. verecundus Faldermann, 1836 **E**: UK ST **A**: GG AR AB TM
 = ficitor Bogachev, 1949
 gabzdili Danilevsky, 2015 **E**: ?UK
 asper Sulzer, 1776
 ssp. funereus Mulsant, 1863 **E**: MD UK
 Tribus: DORCADIONINI
 Genus: Dorcadion Dalman, 1817
 Subgenus: Carinatodorcadion Breuning, 1943
 = Dorcadodium Gistel, 1856
 carinatum Pallas, 1771
 ssp. carinatum Pallas, 1771 **E**: MD UK ST
 ssp. igrenum Danilevsky, 1998 **E**: UK
 ssp. sunzhenum Danilevsky, 1998 **E**: ST
 ssp. uralense Danilevsky, 1998 **A**: KZ
 ssp. cylindraceum Reitter, 1886 **E**: ST **A**: AB
 fulvum Scopoli, 1763
 ssp. fulvum Scopoli, 1763 **E**: UK
 ssp. erythropterum Fischer von Waldheim, 1823 **E**: MD UK
 = canaliculatum Fischer von Waldheim, 1824
 = erythropterum Fischer von Waldheim, 1824 [wrong spelling]
 aethiops Scopoli, 1763 **E**: MD UK
 Subgenus: Cribridorcadion Pic, 1901
 = Pedestredorcadion Breuning, 1943
 = Autodorcadion Plavilstshikov, 1958
 = Dzhungarodorcadion Danilevsky, 1993
 = Bergerianum Pesarini et Sabbadini, 2004
 mniszechi Kraatz, 1873
 ssp. mniszechi Kraatz, 1873 **A**: AR
 ssp. cavernosum Lazarev, 2014b AR
 ssp. georgianum Lazarev, 2014b GG

pedestre Poda, 1761
 ssp. pedestre Poda, 1761 **E:** MD UK
 decipiens Germar, 1824 **E:** MD UK
 sericatum Sahlberg, 1823 **E:** UK
 pusillum Küster, 1847
 = otshakovi Suvorov, 1913
 ssp. pusillum Küster, 1847 **E:** MD UK
 ssp. tanaiticum Kasatkin, 2002 **E:** ST
 scopolii Herbst, 1784 **E:** MD UK
 litigiosum Ganglbauer, 1884 **E:** ?MD UK
 ssp. litigiosum Ganglbauer, 1884 **E:** ?MD
 ssp. otshakovi Suvorov, 1913 **E:** UK ?MD
 ciscausicum Jakovlev, 1899b
 ssp. ciscausicum Jakovlev, 1899b **E:** ST
 ssp. abramovi Lazarev, 2009 **E:** ST
 ssp. mokrzeckii Jakovlev, 1902 **E:** UK
 = crimeense Breuning, 1946
 elegans Kraatz, 1873 **E:** UK ST **A:** KZ WS
 frustrator Plavilstshikov, 1958 **A:** AB
 = hypocrita Plavilstshikov, 1937
 auratum Tournier, 1872 **A:** GG ?AR
 komarowi Jakovlev, 1887
 ssp. komarowi Jakovlev, 1887 **A:** TM
 = interruptum Jakovlev, 1895
 = transcasicum Jakovlev, 1901
 = janzcyki Breuning, 1963
 ssp. kryzhanovskii Plavilstshikov, 1958 **A:** TM
 sareptanum Kraatz, 1873
 ssp. sareptanum Kraatz, 1873 **E:** ST KZ
 ssp. euxinum Suvorov, 1915 **E:** ST
 ssp. kubanicum Plavilstshikov, 1934 **E:** ST
 ssp. estriatum Suvorov, 2013 **E:** ST
 ssp. striatiforme Suvorov, 1913 **E:** ST
 daratshitshagi Suvorov, 1915 **A:** AR
 cinerarium Fabricius, 1787
 ssp. zubovi Lazarev, 2011 **E:** MD
 ssp. demidovi Danilevsky, 2013e **E:** UK MD
 ssp. gorodinskii Danilevsky, 1996 **E:** UK
 ssp. cinerarium (Fabricius, 1787) **E:** UK ST
 = tricolor Fischer von Waldheim, 1805
 ssp. macropoides Plavilstshikov, 1932 **E:** UK
 ssp. skrylniki Lazarev, 2011 **E:** UK
 ssp. azovense Lazarev, 2011 **E:** UK
 ssp. perroudi Pic, 1942 **E:** UK
 ssp. bartenevi Lazarev, 2011 **E:** UK
 ssp. panticapaeum Plavilstshiko, 1951 **E:** UK ST
 ssp. okhrimenkoi Danilevsky, 2016b
 ssp. sindorum Lazarev, 2011 **E:** ST
 ssp. veniamini Lazarev, 2011 **E:** ST
 ssp. novorossicum Lazarev, 2015 **E:** ST
 ssp. papayense Lazarev, 2014a **E:** ST
 ssp. adygorum Lazarev, 2011 **E:** ST
 ssp. smetanai Lazarev, 2011 **E:** ST
 ssp. terkense Lazarev, 2011 **E:** ST
 ssp. belousovi Lazarev, 2011 **A:** AB
 ssp. deniz Lazarev, 2011 **A:** AB
 ssp. napolovi Lazarev, 2011 **A:** AB
 kasikoporanum Pic, 1902 **A:** AR
 kalashiani Danilevsky, 1992 **A:** AB

sisianense Lazarev, 2009 **A:** AR
 shushense Lazarev, 2010 **A:** AB
 megriense Lazarev, 2009 **A:** AR
 sulcipenne Küster, 1847
 ssp. sulcipenne Küster, 1847 **A:** GG
 ssp. caasicum Küster, 1847 **A:** GG AR
 = impressicorne Tournier, 1872
 ssp. demokidovi Suvorov, 1915 **A:** GG
 ssp. plyushchi Danilevsky, 2014d **A:** GG
 ssp. gubibni Danilevsky, 2014d **A:** GG
 ssp. maljushenkoi Pic, 1904 **A:** AB
 ssp. borzhomiense Danilevsky, 2014d **A:** GG
 ssp. zekariense Danilevsky, 2014d **A:** GG
 ssp. goektshanum Suvorov, 1915 **A:** AR
 = armenum Suvorov, 1915
 ssp. argonauta Suvorov, 1913 **A:** AR GG
 = kurda Suvorov, 1913
 ssp. paki Danilevsky, 2014d **A:** GG
 caspiense Breuning, 1956 **A:** AB
 czegodaevi Danilevsky, 1992 **A:** AB
 holosericeum Krynicki, 1832
 ssp. holosericeum Krynicki, 1832 **E:** MD UK CT ST KZ
 ssp. tristriatum Suvorov, 1913 **E:** ST **A:** GG
 = striatum Dalman, 1817
 striolatum Kraatz, 1873 **A:** GG AR ?AB
 = masculinum Plavilstshikov, 1926 [ab. - unavailable]
 equestre Laxmann, 1770
 ssp. equestre Laxmann, 1770 **E:** UK CT ST **A:** GG
 ssp. transsilvanicum Ganglbauer 1884 **E:** MD
 rufogenum Reitter, 1895 **A:** KZ
 ssp. rufogenum Reitter, 1895 **A:** KZ
 semenovi Ganglbauer, 1884
 ssp. semenovi Ganglbauer, 1884 **A:** KZ KI
 ssp. terskeicum Danilevsky, 2002 **A:** KI
 ssp. almatense Danilevsky, 2002 **A:** KZ
 ssp. issykkulense Pic, 1906 **A:** KI
 ssp. bisbicostatum Pic, 1908 **A:** KI
 ssp. uriuktense Danilevsky, 2002 **A:** KI
 ssp. hauseri Reitter, 1895 **A:** KI
 = oblitteraticostum Suvorov, 1913 [not available]
 ssp. kuvakense Danilevsky, 2002 **A:** KI
 ssp. thaisiae Danilevsky, 2002 **A:** KI
 kuldschanum Pic, 1908 **A:** ?KZ ?KI
 dokhtouroffi Ganglbauer, 1886 **A:** KI ZU TD
 sokolowi Jakovlev, 1899a **A:** KZ
 = apicipenne Jakovlev, 1899b
 = jacobsoni Jakovlev, 1899c
 = amymon Jakovlev, 1906
 = dsungaricum Pic, 1907
 = melancholicum Pic, 1907
 = conicolle Breuning, 1946
 = ? merzbacheri Breuning, 1946
 = ? samarkandiae Breuning, 1946
 morozovi Danilevsky, 1992 **A:** KZ
 laeve Faldermann, 1837
 ssp. vladimiri Danilevsky et Murzin, 2009 **A:** AR
 shirvanicum Bogatchev, 1934
 ssp. shirvanicum Bogatchev, 1934 **E:** ST **A:** AB
 ssp. azerbajdzhanicum Plavilstshikov, 1937 **A:** AB

talyschense Ganglbauer, 1884
ssp. talyschense Ganglbauer, 1884 **A:** AB
scabricolle Dalman, 1817
ssp. scabricolle Dalman, 1817 **A:** GG AR ?AB
ssp. shirakense Lazarev, 2020 **A:** AR
ssp. artsakhense Lazarev, 2020 **A:** AR
ssp. tavushense Lazarev, 2020 **A:** AR
ssp. gegarkunicum Lazarev, 2020 **A:** AR
ssp. tekhense Lazarev, 2020 **A:** AR
ssp. vaykense Lazarev, 2020 **A:** AR
ssp. tuzovi Lazarev, 2020 **A:** AR
ssp. araxense Lazarev, 2020 **A:** AB
ssp. dobrovljanskii Lazarev, 2020 **A:** AB
ssp. modestum Tournier, 1872 **A:** AB
= elisabethpolicum Suvorov, 1915
= micheli Pic, 1948
ssp. corpulentum Ménétrés, 1832 **A:** AB
= lutescens Kraatz, 1873
ssp. shakhbuzum Lazarev, 2020 **A:** AB
ssp. buzgoviense Lazarev, 2020 **A:** AB
ssp. sevangense Reitter, 1889 **A:** AR
ssp. nakhiczevanum Danilevsky, 1999 **A:** AB
ssp. paiz Danilevsky, 1999 **A:** AB
artemi Lazarev, 2019d **A:** AR
khosrovi Lazarev, 2019d **A:** AR
klavdiae Danilevsky, 1992 **A:** GG
niveisparsum Thomson, 1865 **A:** GG
wagneri Küster, 1846 **A:** AR GG
ssp. wagneri Küster, 1846 **A:** AR GG
gorbunovi Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985 **A:**
ssp. gorbunovi Danilevsky in Danilevsky et Miroshnikov, 1985 **A:**
ssp. rubenyani Lazarev, 2014a **A:** AR
semilucens Kraatz, 1873 **A:** AR AB
cineriferum Suvorov, 1909 **A:** AR AB
ponomarenkoi Danilevsky, 2010 **A:** AB
indutum Faldermann, 1837 **A:** AR AB
pulchrum Pic, 1908 **A:** AB
nigrosuturatum Reitter, 1897 **A:** AR
= griseipenne Breuning, 1943
sevliczi Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985 **A:**
glaucum Faldermann, 1837 **A:** AR ?AB
nitidum Motschulsky, 1838 **A:** GG AR AB
danczenkoi Danilevsky, 1996 **A:** AB
dimidiatum Motschulsky, 1838
ssp. dimidiatum Motschulsky, 1838 **A:** GG AR AB
nobile Hampe, 1852
ssp. plavilshikovii Lazarev, 2019 **?A:** AB
bistriatum Pic, 1898 **A:** AR AB
seminudum Kraatz, 1873 **A:** AR AB
= nachycevanicum Breuning, 1943
= impuncticolle Breuning, 1946
bisignatum Jakovlev, 1899b **A:** ?GG
apicerufum Breuning, 1943 **E:** ?ST **A:** GG AR AB
gusakovi Danilevsky, 2007 **A:** GG
reitteri Ganglbauer, 1884 **A:** GG
shestopalovi Danilevsky, 1993 **A:** GG

AR AB

AR AB

AR

sodale Hampe, 1852 **A:** ?GG
 ssp. sodale Hampe, 1852 **A:** ?GG
 rosti Pic, 1900 **A:** GG
 tauricum Waltl, 1838 **E:** UK
 ssp. tauricum Waltl, 1838 **E:** UK
 turkestanicum Kraatz, 1881 **A:** KZ KI UZ TD
 = samarkandiae Breuning, 1946
 beckeri Kraatz, 1873
 ssp. beckeri Kraatz, 1873 **E:** ST **A:** AB
 ssp. koenigi Jakovlev, 1897 **E:** ST
 Subgenus: Dorcadion Dalm. 1817
 = Compsodorcadion Ganglbauer, 1884
 glycyrrhizae Pallas, 1773
 ssp. glycyrrhizae Pallas, 1773 **E:** ?ST KZ **A:** ?KZ
 ssp. murati Danilevsky, 2013f **A:** KZ
 ssp. eugenyi Abramov, 2015 **A:** KZ
 ssp. chuvilini Danilevsky, 2012 **A:** KZ
 ssp. androsovi Suvorov, 1909 **A:** KZ
 = dalilae Kadyrbekov, 2004
 ssp. obtusipenne Motschulsky, 1860 **A:** KZ
 ssp. fedorenkoi Danilevsky, 2001 **A:** KZ
 ssp. dostojewskii Semenov, 1899 **A:** KZ
 ssp. nikireevi Danilevsky, 2001 **A:** KZ
 ssp. inderiense Suvorov, 1911 **E:** KZ **A:** KZ
 ssp. korshikovi Danilevsky, 2006 **E:** ST **A:** KZ
 ssp. ishkarganum Danilevsky, 2009 **E:** ST
 ssp. striatum Goeze, 1777 **E:** ST CT KZ **A:** KZ
 = rufifrons Motschulsky, 1860
 = ?iliense Plavilstshikov, 1937
 ssp. nemkovi Danilevsky, 2006 **E:** ST KZ **A:** KZ
 ssp. guberlense Danilevsky, 2006 **E:** ST
 ssp. dubianskii Jakovlev, 1906 **A:** KZ ST
 ssp. uvarovi Suvorov, 1911 **A:** KZ
 ssp. turgaicum Suvorov, 1915 **A:** KZ
 ssp. tobolense Danilevsky, 2001 **A:** KZ
 ssp. galinae Danilevsky, 2001 **A:** KZ
 crassipes Ballion, 1878
 ssp. crassipes Ballion, 1878 **A:** KZ KI
 ssp. validipes Jakovlev, 1906 **A:** ?KZ KI
 ssp. glazunovi Suvorov, 1910 **A:** KZ
 ganglbaueri Jakovlev, 1898 **A:** KZ
 ssp. ganglbaueri Jakovlev, 1898 **A:** KZ
 ssp. paveli Danilevsky, 2013f **A:** KZ
 gebleri Kraatz, 1873 **A:** KZ WS
 = occidentale Breuning, 1947
 ssp. gebleri Kraatz, 1873 **A:** KZ WS
 ssp. demimetrum Danilevsky, 1996 **A:** KZ
 ssp. takyr Danilevsky, 1996 **A:** KZ
 ssp. lukhtanovi Danilevsky, 1996 **A:** KZ
 cephalotes (Jakovlev, 1889) **A:** KZ
 alakoliense Danilevsky, 1988 **A:** KZ
 abakumovi Thomson, 1964 **A:** KZ
 ssp. abakumovi Thomson, 1964 **A:** KZ
 ssp. sarkandicum Danilevsky, 2004 **A:** KZ
 = aizhanae Kadyrbekov, 2004
 ssp. laterale Jakovlev, 1895 **A:** KZ
 ssp. lepsyense Danilevsky, 2004 **A:** KZ
 tenuelineatum Jakovlev, 1895 **A:** KZ
 Subgenus: Acutodorcadion Danil., Kasat., Rub., 2005

songaricum Ganglbauer, 1884 **A:** KZ
urdzharicum Plavilstshikov, 1937 **A:** KZ
natali Abramov, 2019 **A:** KZ
acutispinum Motschulsky, 1860 **A:** KZ
nivosum Suvorov, 1913 **A:** KZ
suvorovi Jakovlev, 1906
 ssp. suvorovi Jakovlev, 1906 **A:** KZ
 ssp. konyrolenum Danilevsky, 1996 **A:** KZ
 ssp. karachokense Danilevsky, 1996 **A:** KZ
 ssp. tekeliense Danilevsky, 1996 **A:** KZ
 ssp. taldykurganum Danilevsky, 1996
nikolaevi Danilevsky, 1995 **A:** KZ
arietinum Jakovlev, 1898
 ssp. arietinum Jakovlev, 1898 **A:** KZ
 ssp. zhalanash Danilevsky, 1996 **A:** KZ
 ssp. phenax Jakovlev, 1899b **A:** KZ
 = strandi Plavilstshikov, 1931
 ssp. charynense Danilevsky, 1996 **A:** KZ
 ssp. ketmeniense Danilevsky, 1996 **A:** KZ
 ssp. chilikense Danilevsky, 1996 **A:** KZ
irinae Danilevsky, 1997 **A:** KZ
pantherinum Jakovlev, 1899a
 ssp. pantherinum Jakovlev, 1899a **A:** KZ
 ssp. ludmilae Abramov, 2018 **A:** KZ
 ssp. sabulosum Danilevsky, 1995 **A:** KZ
 ssp. shamaevi Danilevsky, 1995 **A:** KZ
 ssp. desertum Danilevsky, 1995 **A:** KZ
absinthium Plavilstshikov, 1937 **A:** KZ
 ssp. absinthium Plavilstshikov, 1937 **A:** KZ
 ssp. ishkovi Kadyrbekov, 2004 **A:** KZ
ninae Danilevsky, 1995 **A:** KZ
zhaisanicum Shapovalov, 2007 **A:** KZ
kusnezovi Jakovlev, 1906
 (= mystacinum, auct., not Ballion, 1878)
 ssp. kusnezovi Ballion, 1878 **A:** KZ KI UZ
 = ataense Pic, 1901 (unavailable name)
 = auliense Pic, 1901 (unavailable name)
 = capreolum Heyden, 1887 (unavailable name)
 ssp. rufidens Jakovlev, 1906 **A:** KZ
 ssp. pumilio Plavilstshikov, 1951 **A:** KZ
suvorovianum Plavilstshikov, 1915
 ssp. suvorovianum Plavilstshikov, 1915 **A:** KZ
 ssp. koramense Danilevsky, 1999 **A:** KZ
unidiscale Breuning, 1946 **A:** KZ
tschitscherini Jakovlev, 1899a **A:** KZ
kapchagaicum Danilevsky, 1996 **A:** KZ
tianshanskii Suvorov, 1910
 ssp. tianshanskii Suvorov, 1910 **A:** KZ
 ssp. radkevitshi Suvorov, 1910 **A:** KZ
 ssp. terminum Danilevsky, 1999 **A:** KZ
 ssp. heptapotamicum Plavilstshikov, 1951 **A:** KZ
 ssp. algaense Danilevsky, 2012 **A:** KZ
 ssp. otariense Danilevsky, 2012 **A:** KZ
 ssp. parapumilio Danilevsky, 2012 **A:** KZ
 ssp. euzhaisanicum Danilevsky, 2012 **A:** KZ
optatum Jakovlev, 1906
 ssp. optatum Jakovlev, 1906 **A:** KI KZ
 ssp. matthieseni Suvorov, 1910 **A:** KI
 ssp. toropyginae Danilevsky, 1999 **A:** KI

ssp. kadyrbekovi Danilevsky, 1999 **A:** KZ
 ssp. vallesum Danilevsky, 1999 **A:** KI
 danilevskyi Dolin et Ovtshinnikov, 1999 **A:** KI
 darjae Danilevsky, 2001 **A:** KI
 kastekum Danilevsky, 1996 **A:** KZ KI
 alexandris Pic, 1900 **A:** KI
 = luteolum Suvorov, 1910
 profanifuga Plavilstshikov, 1951 **A:** KZ
 globithorax Jakovlev, 1895 **A:** KZ
 grande Jakovlev, 1906 **A:** KZ
 pelidnum Jakovlev, 1906 **A:** KI
 toropovi Danilevsky, 1999 **A:** KI
 tibiale (Jakovlev, 1889) **A:** KI
 Genus: Neodorcadion Ganglbauer, 1884
 bilineatum Germar, 1824 **E:** MD UK
 Genus: Politodorcadion Danilevsky, 1996
 ribbei Kraatz, 1878
 ssp. ribbei Kraatz, 1878 **A:** KZ
 ssp. bobrovi Danilevsky, 2001 **A:** KZ
 politum Dalman, 1823
 ssp. politum Dalman, 1823 **A:** WS KZ
 = lydiae Plavilstshikov, 1929
 ssp. knyazevi Danilevsky, 20020b **A:** WS
 ssp. akmolense Suvorov, 1911 **E:** ST
 ssp. shapovalovi Danilevsky, 2006 **E:** ST **A:** KZ
 balchashense Suvorov, 1911
 ssp. balchashense Suvorov, 1911 **A:** KZ
 ssp. betpakdalense Danilevsky, 1996 **A:** KZ
 archarlense Danilevsky, 1996 **A:** KZ
 eurygyne Suvorov, 1911 **A:** KZ WS
 ssp. eurygyne Suvorov, 1911 **A:** KZ WS
 ssp. lailanum Danilevsky, 2007 **A:** KZ
 lativittis Kraatz, 1878 **A:** KZ
 Genus: Eodorcadion Breuning, 1946
 Subgenus Eodorcadion Breuning, 1946
 carinatum Fabricius, 1781 **E:** CT ST **A:** WS ES KZ MG
 ssp. carinatum Fabricius, 1781 **E:** CT ST **A:** WS ES KZ
 ssp. blessigi Ganglbauer, 1884 **A:** KZ WS ?ES
 ssp. bramsoni Pic, 1901 **A:** WS
 = gassneri Breit, 1917
 ssp. involvens Fischer-Waldheim, 1823 **A:** ES FE MG
 = vestita Jakovlev, 1901
 = longjiangensis Wang, 2003
 ssp. kiahtenum Danilevsky, 2007 **A:** ES
 altaicum Suvorov, 1909 **A:** KZ
 chinganicum Suvorov, 1909 **A:** MG
 ssp. kerulenum Danilevsky, 2007 **A:** MG
 darigangense Heyrovsky, 1967 **A:** MG
 tuvense Plavilstshikov, 1958 **A:** ES
 ptyalopleurum Suvorov, 1909 **A:** ES
 maurum Jakovlev, 1889 **A:** ES MG
 ssp. sajanicum Hammarström, 1893 **A:** ES
 ssp. quinquevittatum Hammarström, 1893 **A:** ES
 = leucogrammmum Suvorov, 1909
 ssp. maurum Jakovlev, 1889 **A:** ES MG
 = hirtipes Jakovlev, 1901
 = grumi Suvorov, 1909
 = boldi Heyrovsky, 1965
 = fortocostatum Heyrovsky, 1969

ssp. *katharinae* Reitter, 1898 **A:** ES MG
 ssp. *australe* Danilevsky, 2014 **A:** MG
 Subgenus *Ornatodorcadion* Breuning, 1947
dorcas Jakoblev, 1901 **A:** MG
 ssp. *dorcas* Jakoblev, 1901 **A:** MG
 = *morosum* Jakoblev, 1901
 = *annulatum* Heyrovsky, 1969
 ssp. *scabrosum* Namhaidorzh, 1972 **A:** MG
consentaneum Jakoblev, 1899 **A:** MG
 = *hirticollis* Jakoblev, 1901
 = *insignis* Jakoblev, 1901
savitskyi Danilevsky, 2014 **A:** MG
intermedium Jakoblev, 1889 **A:** MG
 ssp. *intermedium* Jakoblev, 1889 **A:** MG
 = *mongolicum* Jakoblev, 1896
 = *kaszabi* Heyrovsky, 1965
 ssp. *kozlovi* Suvorov, 1912 **A:** MG
 = *hedini* Pic, 1935
gorbunovi Danilevsky, 2004 **A:** MG
argaloides Breuning, 1947 **A:** MG
zichyi Csiki, 1901 **A:** MG
 = *heros*, Namkhaidorzh, 1972, not Jakoblev, 1899
oryx Jakoblev, 1896 **A:** MG
novitzkyi Suvorov, 1909 **A:** MG
 = *inalbatum* Suvorov, 1909
exaratum Ménétriés in Motschulsky, 1854 **A:** MG
 ssp. *exaratum* Ménétriés in Motschulsky, 1854 **A:** MG
 = *rugipenne* Heyrovsky, 1967
 ssp. *argali* Jakoblev, 1889 **A:** MG
 = *miraculum* Reitter, 1897
 = *hircus* Jakoblev, 1906
 = *quadricarinatum* Heyrovsky, 1970
egregium Reitter, 1897 **A:** MG
 = *albitarsale* Breuning, 1966
 = *kabaki* Kadyrbekov, 2004
brandti Gebler, 1841 **A:** KZ ?WS
 = *dux* Jakoblev, 1894
 = *nigrolineatum* Reitter, 1897
 Subgenus: *Humerodorcadion* Danilevsky, Kasatkin, Rubenian, 2005
humerale Gebler, 1823 **A:** ES FE MG
 ssp. *humerale* Gebler, 1823 **A:** ES MG
 ssp. *impluviatum* Faldermann, 1833 **A:** ?ES MG
 = *irroratum* Reitter, 1893
 ssp. *trabeatum* (Jakoblev, 1901) **A:** FE
 = *mogissemium* Suvorov, 1909, unavailable
 = *melan* Suvorov, 1909, unavailable
 = *quadrilineatum* Breit, 1915
 = *xingana* Chiang et Wang in Wang, 2003
lutshniki Plavilstshikov, 1937 **A:** ES MG
 ssp. *lutshniki* Plavilstshikov, 1937 **A:** ES
 ssp. *burenum* Danilevsky, 2007 **A:** ES
 ssp. *bicoloratum* Danilevsky, 2007 **A:** ES
 ssp. *altanelsense* Heyrovsky, 1973 **A:** MG
 Tribus: ANCYLONOTINI
 Genus: *Palimna* Pascoe, 1862
liturata Bates, 1884
 ssp. *continentalis* Semenov, 1914 **A:** FE
 Tribus: DORCASHEMATINI
 Genus: *Olenecamptus* Chevrolat, 1835

octopustulatus Motschulsky, 1860
 ssp. octopustulatus Motschulsky, 1860 **A:** ES FE MG
 = mordkovitshi Tshernyshev et Dubatolov, 2000
 riparius Danilevsky, 2011b **A:** FE

Tribus: PTEROPLIINI

Genus: Pterolophia Newman, 1842

 Subgenus: Pterolophia Newman, 1842

 maacki Blessig, 1873 **A:** FE

 angusta (Bates, 1873)

 ssp. multinotata Pic, 1931 **A:** ES FE MG

 = mandshurica Breuning, 1938

 = ussuriensis Plavilstshikov, 1954

 = burakowskii Heyrovsky, 1973

 = selengensis Ljamtzeva, 1979

 Subgenus: Ale Pascoe, 1865

 jugosa Bates, 1873

 ssp. jugosa Bates, 1873 **A:** FE

Genus: Egesina Pascoe, 1864

 = Baeckmanella Shabliovskiy, 1936

 Subgenus: Niijimaia Matsushita, 1933

 bifasciana Matsushita, 1933

 ssp. bifasciana Matsushita, 1933 **A:** FE

 = iljinskyi Shabliovskiy, 1936

Tribus: APOMECCYNINI

Genus: Apomeccyna Dejean, 1829

 Subgenus: Apomeccyna Dejean, 1829

 histrion Fabricius, 1793 **A:** ES ?MG

Genus: Microlera Bates, 1873

 ptinoides Bates, 1873 **A:** FE

Genus: Asaperda Bates, 1873

 agapanthina Bates, 1873

 ssp. agapanthina Bates, 1873 **A:** FE

 = meridiana auct. not Matsushita, 1931

 rufipes Bates, 1873

 ssp. rufipes Bates, 1873 **A:** ?FE

 stenostola Kraatz, 1873 **A:** KZ WS FE MG

Tribus: PTERICOPTINI

Genus: Xylariopsis Bates, 1884

 mimica Bates, 1884 **A:** FE

Tribus: APODASYINI

Genus: Quasimesosella Miroshnikov 2006

 = Pseudomesosella Miroshnikov, 1989

 ussuriensis Tsherepanov, 1983 **A:** FE

 = florovi Tsherepanov, 1984

Genus: Deroplia Dejean, 1835

 = Stenidea Mulsant, 1842

 genei Aragona, 1830

 ssp. genei Aragona, 1830 **E:** UK ST **A:** GG AR ?AB

Genus: Sophronica Blanchard, 1845

 sundukovi Danilevsky, 1873 **A:** FE

Genus: Anaesthetis Dejean, 1835

 confossicollis Beckmann, 1903 **A:** ES FE MG

 flavipilis Beckmann, 1903 **A:** WS

 = ?strandiella Breuning, 1943

 lanuginosa Beckmann, 1903 **A:** TM

 testacea Fabricius, 1781

 ssp. testacea Fabricius, 1781 **E:** MD UK CT ST **A:** KZ WS

 ssp. rufescens Beckmann, 1903 **E:** ST **A:** GG AR AB

Genus: Ussurella Danilevsky, 1997

= Ussuria Danilevsky, 1995
 napolovi Danilevsky, 1995 **A:** FE
 Genus: *Cylindilla* Bates, 1884
 = *Pseudanaesthetis* Pic, 1929
 = *Anaesthetomorphus* Pic, 1929
 = *Ascoldatimura* Breuning, 1960
 griseus Bates, 1884 **A:** FE
 = *apicalis* Pic, 1929
 = *ascoldensis* Heyden, 1884
 Genus: *Terinaea* Bates, 1884
 tiliae Murzin, 1983 **A:** FE
 Genus: *Mimectatina* Aurivillius, 1927
 = *Doius* Matsushita, 1933
 divaricata Bates, 1884
 ssp. *divaricata* Bates, 1884 **A:** FE
 Genus: *Rhopaloscelis* Blessig, 1873
 maculata Bates, 1877 **A:** FE
 unifasciata Blessig, 1873 **A:** KZ WS ES FE MG
 schurmanni Breuning, 1969 **A:** AB
 = *schuberti* Breuning, 1975
 Genus: *Arhopaloscelis* Murzin, Danilevsky et Lobanov, 1981 in Lobanov et al., 1981
 bifasciata Kraatz, 1879 **A:** FE
 nipponensis Pic, 1932 **A:** FE
 Genus: *Clytosemia* Bates, 1884
 pulchra Bates, 1884 **A:** FE
 Genus: *Miccolamia* Bates, 1884
 Subgenus: *Miccolamia* Bates, 1884
 cleroides Bates, 1884 **A:** FE
 Subgenus: *Isomiccolamia* Ohbayashi, 1963
 glabricula Bates, 1884
 ssp. *glabricula* Bates, 1884 **A:** FE
 = *verrucosa* auct. (not Bates, 1884)
 Tribus: POGONOCHERINI
 Genus: *Parmenopsis* Ganglbauer, 1882
 caucasica Leder, 1879 **E:** ST **A:** GG
 Genus: *Pogonocherus* Dejean, 1821
 Subgenus: *Pogonocherus* Dejean, 1821
 hispidus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB
 hispidulus Piller et Mitterpacher, 1783 **E:** MD UK NT CT ST **A:** GG
 AR AB KZ
 dimidiatus Blessig, 1873 **A:** FE
 = *seminiveus* Bates, 1873
 = *tristiculus* Kraatz, 1879
 sieversii Ganglbauer, 1887 **?E:** ?UK **A:** GG AR
 = *causicus* Ganglbauer, 1891
 = *kuksha* Plavilstshikov, 1924
 perroudi Mulsant, 1839 **E:** UK ST **A:** GG
 Subgenus: *Pityphilus* Mulsant, 1863
 fasciculatus DeGeer, 1775
 = *costatus* Motschulsky, 1859
 ssp. *fasciculatus* DeGeer, 1775 **E:** MD UK NT CT ST **A:** GG AR AB KZ
 WS ES FE MG
 decoratus Fairmaire, 1855 **E:** MD UK NT CT ST **A:** WS KZ
 ovatus Goeze, 1777 **E:** ?UK ?CT
 inermicollis Reitter, 1894 **E:** ST **A:** GG
 ressli Holzschuh, 1977 **A:** AB
 zubovi Danilevsky, 2015 **E:** UK
 Tribus: ACANTHODERINI

Genus: *Aegomorphus* Haldeman, 1847
 = *Acanthoderes* auct. (not Audinet-Serville, 1835)
 = *Psapharochrus* auct. (not Thomson, 1874)
clavipes Schrank, 1781 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE

MG
obscurior Pic, 1904 **E:** CT ST UK **A:** KZ WS ES FE MG
 = *wojtylai* Hilszczanski, Bystrowski, 2005

Genus: *Oplosia* Mulsant, 1862
cinerea Mulsant 1839 **E:** UK NT CT ST
 = *fennica* Paykull, 1800
suvorovi Pic, 1914 **A:** ES FE

Tribus: ACANTHOCININI

Genus: *Acanthocinus* Dejean, 1821
 Subgenus: *Acanthocinus* Dejean, 1821
elegans Ganglbauer, 1884 **E:** ST **A:** AB
reticulatus Razoumowsky, 1789 **E:** UK
griseus Fabricius, 1793 **E:** MD UK NT CT ST **A:** AR ?GG ?AB KZ WS ES

?MG
orientalis Ohbayashi, 1939 **A:** FE
carinulatus Gebler, 1833 **A:** WS ES FE MG
 = *sibiricus* Motschulsky, 1860
sachalinensis Matsushita, 1933 **A:** ES FE ?MG
aedilis Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG ?AR ?AB KZ WS ES

FE MG
 Subgenus: *Acanthobatesianus* Wallin, Kvamme & Lin, 2012
guttatus (Bates, 1873) FE

Genus: *Leiopus* Audinet-Serville, 1835
 Subgenus: *Leiopus* Audinet-Serville, 1835
stillatus Bates, 1884 **A:** FE
nebulosus Linnaeus, 1758
 ssp. *nebulosus* Linnaeus, 1758 **E:** ?MD UK CT[Kaliningrad]
 ssp. *caucasicus* Ganglbauer, 1887 **E:** ST **A:** GG AR AB
linnei Wallin, Nylander & Kvamme, 2009 **E:** MD UK ?NT CT ST **A:** KZ
kharazii Holzschuh, 1974 **A:** AB
punctulatus Paykull, 1800 **E:** UK NT CT
femoratus Fairmaire, 1859 **E:** UK ST **A:** GG AR AB
 = *pachymerus* Ganglbauer, 1884
albivittis Kraatz, 1879
 = *ganglbaueri* Csiki, 1901
 ssp. *albivittis* Kraatz, 1879 **A:** WS ES FE MG
 ssp. *malaisei* Aurivillius, 1928 **A:** FE

Genus: *Ostedes* Pascoe, 1859
kadleci Danilevsky, 1992 **A:** FE

Genus: *Rondibilis* Thomson, 1857
 = *Eryssamena* Bates, 1884
saperdina Bates, 1884 **A:** FE
schabliovskiyi Tsherepanov, 1982 **A:** FE
 = *shabliovskiyi*, Tsherepanov, 1984

Tribus: EXOCENTRINI

Genus: *Exocentrus* Dejean, 1835
 Subgenus: *Exocentrus* Dejean, 1835
lusitanus Linnaeus, 1767 **E:** MD UK NT CT ST **A:** GG AR AB KZ ?WS
adpersus Mulsant, 1846 **E:** MD UK ST **A:** GG AR AB
 = *alemdaghensis* Breuning, 1981
 = ?*hirsutulus* Faldermann, 1837
pseudopunctipennis Holzschuh, 1979 **A:** GG AR AB TM
punctipennis Mulsant et Guill. 1856
 ssp. *punctipennis* Mulsant et Guill. 1856 **E:** MD UK ST CT
 ssp. *signatus* Mulsant et Rey, 1863 **E:** ST **A:** GG ?AB

stierlini Ganglbauer, 1884 **E:** MD UK ST **A:** ?KZ WS ES FE
 fasciolatus Bates, 1873 **A:** FE
 ssp. *plavilstshikovi* Danilevsky, 2014c **A:** FE
 tsushmanus Hayashi, 1968 **A:** FE
 = conjugatofasciatus Tsherepanov, 1973
 testudineus Matsushita, 1931 **A:** FE
 lineatus Bates, 1873 **A:** FE
 guttulatus Bates, 1873
 ssp. ussuricus Tsherepanov, 1973 **A:** FE
 marginatus Tsherepanov, 1973 **A:** FE
 Genus: *Miaenia* Pascoe, 1864
 Subgenus: *Miaenia* Pascoe, 1864
 maritima Tsherepanov, 1979 **A:** FE
 Tribus: TETROPINI
 Genus: *Tetrops* Kirby in Kirby et Spence, 1826
 Subgenus: *Tetrops* Kirby in Kirby et Spence, 1826
 praeustus Linnaeus, 1758
 ssp. *praeustus* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ
 WS ES MG
 starkii Chevrolat, 1859 **E:** MD UK CT ST **A:** ?GG AB
 ssp. *starkii* Chevrolat, 1859 **E:** MD UK CT **A:** ?GG ?AB
 ssp. *aquilus* Danilevsky, 2012 **E:** ST
 gilvipes Faldermann, 1837 **E:** UK ST **A:** GG AR AB TM
 ssp. *gilvipes* Faldermann, 1837 **E:** ST **A:** GG AR AB
 ssp. *efetovi* Lazarev, 2012 **E:** UK
 ssp. *murzini* Lazarev, 2012 **A:** AB TM
 ssp. *adlbaueri* Lazarev, 2012 **E:** ?MD UK ?CT ?ST
 rosarum Tsherepanov, 1975 **A:** FE
 mongolicus Murzin, 1977 **A:** ES MG
 Subgenus: *Mimosophronica* Breuning, 1943
 elaeagni Plavilstshikov, 1954 **E:** ST KZ **A:** KZ UZ TM
 ssp. *elaeagni* Plavilstshikov, 1954 **E:** ST KZ
 ssp. *plaviltshikovi* Kostin, 1973 **A:** KZ
 ssp. *shapovalovi* Danilevsky, 2018 **A:** KZ UZ TM
 formosus Baeckmann, 1903
 ssp. *formosus* Baeckmann, 1903 **A:** KI KZ
 ssp. *bivittulatus* Jankowski, 1934 **A:** KZ
 ssp. *songaricus* Kostin 1973 **A:** KZ
 bicoloricornis Kostin, 1973 **A:** KI UZ
 ssp. *bicoloricornis* Kostin, 1973 **A:** KI
 ssp. *ferganensis* Danilevsky, 2018 **A:** KI UZ
 ssp. *nigricornis* Danilevsky, 2018a **A:** KI
 ssp. *oshensis* Danilevsky, 2018a **A:** KI
 hauseri Reitter, 1897 **A:** KZ
 ssp. *kostini* Özdikmen, Turgut, 2008 KZ
 = *nigra* Kostin, 1973
 Tribus: SAPERDINI
 Genus: *Eutetrappa* Bates, 1884
 ocelota (Bates, 1873) **A:** FE
 sedecimpunctata Motschulsky, 1860 **A:** ?ES FE
 = *motschulskyi* Plavilstshikov, 1915
 metallescens Motschulsky, 1860 **A:** ?ES FE
 chrysochloris Bates, 1879
 ssp. *chrysochloris* Bates, 1879 **A:** FE
 Genus: *Saperda* Fabricius, 1775
 Subgenus: *Saperda* Fabricius, 1775
 = *Anaerea* Mulsant, 1839
 carcharias Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ KI WS
 ES FE MG

similis Laicharting, 1784 **E:** UK NT CT ST **A:** KZ KI TD UZ WS ES FE
 MG
 Subgenus: Lopezcolonia Alonso-Zarazaga, 1998
 = Argalia Mulsant, 1862
 = Scalaperda Shapovalov, 2011 [nomen nudum]
 = Nietzscheana Zubov, 2014
 alberti Plavilstshikov, 1915 **A:** KZ WS ES FE MG
 = plutenkoi Zubov, 2014
 perforata Pallas, 1773 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE
 MG
 maculosa Ménéttriés, 1832 **A:** AB
 scalaris Linnaeus, 1758
 ssp. scalaris Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ
 ssp. hieroglyphica Pallas, 1773 **E:** NT CT ST **A:** KZ WS ES FE MG
 interrupta Gebler, 1825 **A:** WS ES FE
 octopunctata Scopoli, 1772 **E:** MD UK CT ST **A:** GG AR AB
 punctata Linnaeus, 1767 **E:** MD UK CT ST **A:** GG AR AB KZ WS
 subobliterata Pic, 1910 **A:** FE
 = mandschukoensis Breuning, 1943
 = harbinensis Chiang, 1983
 octomaculata Blessig, 1873 **A:** ES FE MG
 Subgenus: Compsidia Mulsant 1839
 balsamifera Motschulsky, 1860 **A:** ES FE MG
 populnea Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ KI WS ES
 FE MG
 ssp. populnea Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ KI
 TD WS ES FE
 ssp. lapponica Wallin, Kvamme & Bergsten, 2017 **E:** NT **A:** ?WS
 ssp. balsamifera Motschulsky, 1860 **A:** WS MG
 bilineatocollis Pic, 1924 **A:** FE
 Genus: Eumecocera Solsky, 1871
 impustulata Motschulsky, 1860 **A:** WS ES FE MG
 callosicollis Breuning, 1943 **A:** FE
 Genus: Stenostola Dejean, 1835
 dubia Laicharting, 1784 **E:** MD UK NT CT ST **A:** GG AR AB
 ferrea Schrank, 1776
 ssp. ferrea Schrank, 1776 **E:** MD UK CT ST **A:** GG AR AB
 ssp. maculipennis Holzschuh, 1982 **E:** ST UK
 ivanovi Danilevsky, 2014c **A:** FE
 Genus: Menesia Mulsant, 1856
 albifrons Heyden, 1886 **A:** ES FE
 bipunctata Zoubkoff, 1829 **E:** UK NT CT ST **A:** KZ
 sulphurata Gebler, 1825 **E:** ST **A:** KZ WS ES FE MG
 flavotecta Heyden, 1886 **A:** ?ES FE ?MG
 Genus: Paramenesia Breuning, 1952
 theaphia Bates, 1884 **A:** FE
 Genus: Cagosima Thomson, 1864
 sanguinolenta Thomson, 1864
 ssp. sanguinolenta Thomson, 1864 **A:** FE
 Genus: Thyestilla Aurivillius, 1923
 gebleri Faldermann, 1835
 Tribus: GLENEINI
 Genus: Glenea Newman, 1842
 Subgenus: Glenea Newman, 1842
 relictas Pascoe, 1868
 ssp. relictas Pascoe, 1868 **A:** FE
 Tribus: PHYTOECIINI
 Genus: Nupserha Chevrolat, 1858
 marginella Bates, 1873 **A:** FE MG

sericans Bates, 1884 **A:** FE
 alexandrovi Plavilstshikov, 1915 **A:** FE
 Genus: Oberea Dejean, 1835
 Subgenus: Oberea Dejean, 1835
 pupillata Gyllenhal, 1817 **E:** UK NT CT ST
 kostini Danilevsky, 1988 **E:** CT **A:** KZ WS ES
 heyrovskiyi Pic, 1927 **A:** FE
 depressa Gebler, 1825 **A:** WS ES FE MG
 = amurica Suvorov, 1913
 = transbaicalica Suvorov, 1913
 oculata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE
 MG
 linearis Linnaeus, 1761 **E:** MD UK CT ST **A:** GG AR AB
 morio Kraatz, 1879 **A:** ES FE MG
 scutellaroides Breuning, 1947 **A:** FE
 = scutellaris Fairmaire, 1888
 = chinensis Tsherepanov, 1985
 coreensis Gressitt, 1951 **A:** FE
 herzi Ganglbauer, 1887 **A:** FE
 vittata Blessig, 1873 **A:** ES FE MG
 japonica Thunberg, 1787 **A:** FE MG
 Subgenus: Amaurostoma Müller, 1906
 euphorbiae Germar, 1813 **E:** MD UK ST CT **A:** AR KZ WS
 donceeli Pic, 1907 **A:** ES FE MG
 moravica Kratochvil, 1989 **E:** MD UK
 = histrionis Pic, 1917
 erythrocephala Schrank, 1776
 ssp. erythrocephala Schrank, 1776 **E:** MD UK CT ST **A:** GG AR AB KZ
 WS
 ruficeps Fischer-Waldheim, 1842
 ssp. ruficeps Fischer-Waldheim, 1842 **A:** KZ UZ KI WS
 ssp. muchei Breuning, 1981 **A:** TD
 Genus: Oxylia Mulsant, 1863
 = Coptosia Fairmaire, 1865
 argentata Ménétériés, 1832
 ssp. argentata Ménétériés, 1832 **E:** UK **A:** GG AR AB
 Genus: Pteromallosia Pic, 1900
 albolineata Hampe, 1852 **A:** GG AR AB
 Genus: Mallosia Mulsant, 1863
 Subgenus: Semnosia K. Daniel, 1904
 = Eusemnosia Özdikmen & Aytar, 2012
 scovitzi Faldermann, 1837 **A:** GG AB AR
 tristis Reitter, 1888 **A:** AB
 = angelicae Reitter, 1890
 galinae Danilevsky, 1990 **A:** AB GG
 Subgenus: Eumallosia Danilevsky, 1990
 = Anatolomallosia Özdikmen & Aytar, 2012
 = Submallosia Özdikmen & Aytar, 2012
 brevipes Pic, 1897 **A:** AR
 = cribratofasciata Daniel 1904
 armeniaca Pic, 1897 **A:** AR ?AB
 = caucasica Pic 1898
 = haiastanica Danilevsky, 2007
 gobustanica Danilevsky 1990 **A:** AB
 herminae Reitter, 1890 **A:** AB
 Genus: Paramallosia Fuchs, 1955
 afghanica Fuchs, 1955 **A:** TM
 Genus: Mallosiola Semenov, 1895
 regina Heyden, 1887 **A:** TD

Genus: *Conizonia* Fairmaire, 1864
 Subgenus: *Iranocoptosia* Villiers, 1967
 fausti Ganglbauer, 1886 **A:** TM
 = *balachowskyi* Villiers, 1967
 Subgenus: *Conizonioides* Özdikmen, 2015
 kalashiani Danilevsky, 1992 **A:** AR
 georgiana Navrátil & Rozsival, 2016 **A:** GG
 Subgenus: *Eurycoptosia* Reitter, 1913
 bodoani Pic, 1912 **A:** AB

Genus: *Pilemia* Fairmaire, 1863
 Subgenus: *Pilemia* Fairmaire, 1863
 annulata Hampe, 1852
 ssp. annulata Hampe, 1852 **A:** AB AR
 tigrina Mulsant, 1851 **E:** MD UK ?ST **A:** ?AR
 Subgenus: *Pseudopilemia* Kasatkin, 2018
 hirsutula Frölich, 1793
 ssp. hirsutula Frölich, 1793 **E:** MD UK ST **A:** GG AR AB KZ WS
 ssp. homoiesthes Ganglbauer, 1888 **A:** TM

Genus: *Phytoecia* Dejean, 1835
 Subgenus: *Paracoptosia* Danilevsky, 2017b
 compacta Ménétriés, 1832 **A:** GG AR AB
 Subgenus: *Coptosiella* Kasatkin, 2015
 antoniae Reitter, 1889 **A:** GG AR AB TM
 Subgenus: *Pseudocoptosia* Pic, 1900
 cinerascens Kraatz, 1882 **A:** KZ TM UZ TD KI
 = *sokolovi* Semenov, 1895
 eylandti Semenov, 1891 **A:** KZ TM UZ TD KI
 = *glasunovi* Semenov, 1895
 kubani Holzschuh, 1991 **A:** TD
 Subgenus: *Cardoria* Mulsant, 1863
 scutellata Fabricius, 1793 **E:** ?MD UK CT ST **A:** GG AR AB
 Subgenus: *Pseudomusaria* Pic, 1900
 farinosa Ganglbauer, 1886 **A:** TM
 = *mucida* Semenov, 1893
 Subgenus: *Fulgophytoecia* Pic, 1900
 = *Pseudomallosia* Breuning, 1967
 circumdata Kr. 1882 **A:** KZ KI UZ TD
 = *sellata* Ganglbauer, 1887
 = *parterufipennis* Breuning, 1967
 pilosicollis Holzsch. 1981 **A:** KZ UZ ?KI
 Subgenus: *Helladia* Fairmaire, 1864
 pretiosa Faldermann, 1837
 ssp. pretiosa Faldermann, 1837 ?**E:** ?ST **A:** AR AB ?GG
 fatima Ganglbauer, 1884 **A:** AB
 diademata Faldermann, 1837 **A:** GG AR AB
 adelpha Ganglbauer, 1886 **A:** AR
 millefolii Adams, 1817
 ssp. millefolii Adams, 1817 **E:** UK ST **A:** GG AR AB
 armeniaca Frivaldsky, 1878 **A:** AR AB GG
 testaceovittata Pic, 1934
 = *iranica* Villiers, 1960
 = *holzschuhi* Özdikmen, 2008 [unavailable name]
 ssp. natali Lobanov, 1994 **A:** AB
 praetextata Steven, 1817
 ssp. praetextata Steven, 1817 **E:** UK ST **A:** GG AR AB
 humeralis Walzl, 1838 **A:** AB GG
 plasoni Ganglbauer, 1884 **A:** AR ?AB TM
 Subgenus: *Musaria* Thomson, 1864
 faldermanni Faldermann, 1837 **E:** UK ST **A:** GG AR AB KZ

argus Frölich, 1793 **E:** MD UK CT ST
 affinis Harrer, 1784
 = nigripes Voet, 1778
 = bipunctata Piller, 1783
 ssp. affinis Harrer, 1784 **E:** MD UK CT ST **A:** KZ
 ssp. nigropubescens Müller, 1948 **E:** ST **A:** GG AR
 ssp. m-notata Pic, 1911 **E:** ST
 ssp. altaica Suvorov, 1913 **A:** KZ WS
 ssp. volgensis Kraatz, 1884 **E:** ST
 ssp. boeberi Ganglbauer, 1884 **E:** ST **A:** GG AR AB
 wachanrui Mulsant, 1851 **E:** ?ST **A:** ?AB
 astarte Ganglbauer, 1886
 ssp. lederi Pic, 1899 **E:** ST **A:** GG AR AB
 kurdistana Ganglbauer, 1884 **A:** GG AR AB
 puncticollis Faldermann, 1837
 ssp. puncticollis Faldermann, 1837 **E:** ST **A:** GG AR AB
 ssp. stygia Ganglbauer, 1884 **A:** TM
 Subgenus: Neomusaria Plav. 1928
 dantchenkoi Danilevsky, 2008 **A:** AR
 kazaryani Danilevsky, 2020 **A:** AR
 Subgenus: Kalashania Danilevsky, 2010
 erivanica Reitter, 1899 **A:** GG AR AB
 pici Reitter, 1892 **A:** GG AR AB
 Subgenus: Phytoecia Dejean, 1835
 nigricornis Fabricius, 1782 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS
 ES FE
 = julii Mulsant, 1863
 ferrea Ganglbauer, 1887 **A:** ?WS ES FE MG
 = analis Mannerheim, 1849
 = mannerheimi Breuning, 1951
 stenostoloides Breuning, 1943 **A:** ES FE
 mongolorum Namhaidorz, 1979 **A:** MG
 cylindrica Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES
 FE
 pustulata Schrank, 1776
 ssp. pustulata Schrank, 1776 **E:** MD UK CT ST **A:** GG AR AB KZ KI
 UZ TD
 = murina Marseul, 1870
 ssp. pilipennis Reitter, 1895 **A:** AR AB
 ssp. pulla Ganglbauer, 1886 **E:** ST **A:** KZ KI UZ
 = kryzhanovskii Kostin, 1973
 rufiventris Gautier, 1870 **A:** ES FE MG
 virgula Charpentier, 1825 **E:** MD UK CT ST **A:** GG AR AB KZ TM UZ KI
 TD WS ES
 rufipes Olivier, 1800
 = sibirica Gebler, 1833
 ssp. rufipes Olivier, 1800 **E:** ?UK CT ST **A:** ?GG KZ ?TM UZ TD KI
 WS ?ES
 bangi Pic, 1897 **A:** AR GG
 acridula Holzschuh, 1981 **A:** KI UZ TD
 croceipes Reiche, 1858 **A:** GG AR AB
 asiatica Pic, 1891
 = achilleae Holzschuh, 1971
 ssp. sublineata Holzschuh, 1984 **A:** AR AB
 pubescens Pic, 1895 **E:** ST **A:** GG AR AB
 = glaphyra K. Daniel, 1906
 icterica Schaller, 1783 **E:** MD UK ST CT **A:** ?GG ?AR ?AB KZ
 marki Danilevsky, 2008 **A:** AR GG
 caerulea Scopoli, 1772

ssp. caerulea Scopoli, 1772 **E:** MD UK CT ST **A:** GG AR AB KZ TM UZ

TD

Subgenus: Cinctophytoecia Breuning, 1947
 cinctipennis Mannerheim, 1849 **A:** ES FE MG
 = coreensis Breuning, 1955
 sareptana Ganglbauer, 1888 **A:** ES FE

Subgenus: Opsilia Mulsant, 1863
 coerulescens Scopoli, 1763
 ssp. coerulescens Scopoli, 1763 **E:** MD UK CT ST **A:** GG AR AB KZ

UZ KI TD WS

= ?tienschanica Fuchs, 1965
 transcaspica Fuchs, 1955 **A:** KZ TM UZ
 bucharica Breuning, 1943 **A:** TD
 = breuningi Dahlgren, 1988
 aspericollis Holzschuh, 1981 **A:** KZ
 varentzowi Semenov, 1896 **E:** ST **A:** GG AR AB KZ TM UZ TD KI
 = varentzovi Semenov, 1912 [unjustified emendation]
 prasina Reitter, 1911 **A:** AB AR ?TM
 ssp. prasina Reitter, 1911 **A:** AB ?TM
 ssp. kotaika Miroshnikov, 2009b **A:** AR
 uncinata W. Redtenbacher, 1842 **E:** MD UK CT ST **A:** TM
 molybdaena Dalman, 1817 **E:** UK ST **A:** AR GG AB TM ?KZ WS ES
 badenkoi Danilevsky, 1988 **A:** KZ

Subgenus: Parobereina Danilevsky, 2018
 vittipennis Reiche, 1877 **A:** GG AR AB TM
 ssp. pravei Plavilstshikov, 1926 **A:** GG AR AB TM
 ochraceipennis Kraatz, 1882 **A:** KZ KI TD UZ TM
 = pallidipennis Plavilstshikov, 1926
 = plavilschikovi Lazarev, 2019
 tekensis Semenov, 1896 **A:** TM
 nivea Kraatz, 1882 **A:** KZ KI UZ TD
 repetekensis Semenov, 1935 **A:** TM

Tribus: AGAPANTHIINI

Genus: Theophilea Pic, 1895
 cylindricollis Pic, 1895 **A:** GG AR AB
 subcylindricollis Hladil, 1988 **E:** MD UK ST CT **A:** KZ

Genus: Calamobius Guérin-Méneville, 1844
 filum Rossi, 1790 **E:** MD UK ST **A:** GG AR AB

Genus: Pseudocalamobius Kraatz, 1879
 tsushimae Breuning, 1961 **A:** FE
 japonicus Bates, 1873 **A:** ?FE

Genus: Agapanthia Audinet-Serville, 1835
 Subgenus: Synthapsia Pesarini et Sabbadini, 2004
 kirbyi Gyllenhal, 1817 **E:** MD UK CT ST **A:** GG AR AB TM
 ssp. kirbyi Gyllenhal, 1817 **E:** MD UK CT ST **A:** GG AR AB TM

Subgenus: Eoptes Gistel, 1857
 = Agapanthiella Pesarini et Sabbadini, 2004
 nigriventris Waterhouse, 1889 **A:** TM
 detrita Kraatz, 1882 **A:** KZ UZ TD KI
 = bucharica Pic, 1901
 = paki Rapuzzi, 2012
 obyдови Danilevsky, 2000 **A:** KZ
 auliensis Pic, 1907 **A:** KZ UZ ?TM
 = bilateralis Pic, 1927
 = amabilis Holzschuh, 1981
 parauliensis Danilevsky, 2017a **A:** KZ UZ
 shovkuni Shapovalov, 2009 **A:** KZ
 dahli Richter, 1821
 ssp. dahli Richter, 1821 **E:** MD UK CT ST KZ **A:** ?GG TD UZ KZ WS

ES ?MG

ssp. *calculensis* Lazarev 2013 **A:** KZ
ssp. *kuleshovi* Danilevsky, 2018 **A:** WS
ssp. *ismailovae* Lazarev 2013 **E:** ST **A:** AB
ssp. *nitidipennis* Holzschuh, 1984 **A:** GG
ssp. *rubenyani* Lazarev 2013 **A:** AB AR
ssp. *lenkorana* Lazarev, Plewa & Jaworski, 2016 **A:** AB
ssp. *walteri* Reitter, 1898 **A:** GG AR AB
ssp. *transcaspica* Pic, 1900 **A:** TM
ssp. *muellneri* Reitter, 1898 **A:** KI UZ
ssp. *alexandris* Pic, 1901 **A:** KZ KI
ssp. *iliensis* Danilevsky, 2018 **A:** KZ
ssp. *lepsyensis* Danilevsky, 2018 **A:** KZ
ssp. *alaiensis* Kratochvil, 1985 **A:** KI UZ
ssp. *ustinovi* Danilevsky, 2013 **A:** TD
alternans Fischer-Waldheim, 1842 **A:** KZ WS ES MG
ssp. *alternans* Fischer-Waldheim, 1842 **A:** KZ WS ES MG
= *ganglbaueri* Semenov, 1893
ssp. *eualternans* Danilevsky, 2017a **E:** ST
ssp. *paralternans* Danilevsky, 2017a **A:** KZ
ssp. *songarica* Kostin, 1973 **A:** KZ
ssp. *tarbagataica* Kostin, 1978 **A:** KZ
angelicae Reitter, 1898 **A:** TM
= *latior* Pic, 1898
= *hauseri* Reitter, 1901
= *subnuda* Reitter, 1905
= *jacobsoni* Plavilstshikov, 1915
altaica Plavilstshikov, 1933 **A:** WS
cynarae Germar, 1817
ssp. *cynarae* Germar, 1817 **E:** UK ST **A:** GG AR AB
danilevskyi Lazarev, 2013b **A:** KZ
griseocaudata Kasatkin, 2020 **A:** AR
lederi Ganglbauer, 1884 **E:** ST **A:** GG AR AB
ssp. *lederi* Ganglbauer, 1884 **E:** ST **A:** GG AR AB
= *mesmini* Pic, 1927
= *helianthi* Plavilstshikov, 1935
= *lopatini* Kaziuchitz, 1988
ssp. *hodeki* Danilevsky, 2018 **A:** AB
subchalybaea Reitter, 1898 **E:** ST **A:** GG AB
subnigra Pic, 1890 **A:** GG
villosoviridescens DeGeer, 1775 **E:** MD UK NT CT ST **A:** KZ WS ES ?MG
turanica Plavilstshikov, 1929 **A:** KZ KI UZ
daurica Ganglbauer, 1884 **A:** ES FE MG
Subgenus: *Homoblephara* Pesarini et Sabbadini, 2004
maculicornis Gyllenhal, 1817 **E:** MD UK ST **A:** KZ WS
korostelevi Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985
A: AB AR
Subgenus: *Agapanthia* Audinet-Serville, 1835
cardui Linnaeus, 1767 **E:** UK CT ST **A:** WS KZ
= *pannonica* Kratochvil, 1985
suturalis Fabricius, 1787 **A:** GG AR AB
Subgenus: *Stichodera* Pesarini et Sabbadini, 2004
soror Kraatz, 1882 **A:** KZ KI UZ TD
Subgenus: *Amurobia* Pesarini et Sabbadini, 2004
pilicornis Fabricius, 1787
ssp. *pilicornis* Fabricius, 1787 **A:** ES FE MG
amurensis Kraatz, 1879 **A:** ES FE MG
Subgenus: *Smaragdula* Pesarini et Sabbadini, 2004
violacea Fabricius, 1775 **E:** MD UK ST CT NT **A:** GG AR AB ?KZ ?ES

= *multisanti* Plavilstshikov, 1930
talassica Kostin, 1973 **A:** KZ KI
intermedia Ganglbauer, 1884 **E:** MD UK NT CT ST **A:** GG KZ
incerta Plavilstshikov, 1930 **A:** KI TD UZ
chalybea Faldermann, 1837 **A:** GG AR AB
= *chalybaea* auct.

persicola Reitter, 1894 **A:** GG AR AB TM

Genus: *Agapanthiola* Ganglbauer, 1900

leucaspis Steven, 1817 **E:** UK MD ST CT **A:** GG AR AB KZ KI UZ TD WS

ES MG

= *euterpe* Ganglbauer, 1900