

Updated 02.03.2021

SYSTEMATIC LIST OF LONGICORN BEETLES (CERAMBYCOIDEA) OF THE TERRITORY
OF THE FORMER USSR

M.L. Danilevsky

I am very grateful to my colleagues who sent me a lot of remarks, corrections and new data to the list:

K. Adlbauer (Graz)
E. Akulov (Krasnoyarsk)
N. Anisimov (Blagoveshchensk)
D. Heffern (Houston)
C. Holzschuh (Villah)
S. Ivanov (Vladivostok)
S. Kadlec (Litvinov)
S. Kakunin (Krasnodar)
D. Kasatkin (Rostov-on-Don)
D. Kuleshov (Tomsk)
J. Kurzawa (Tomaszow Maz)
M. Lazarev (Moscow)
O. Legezin (Tver)
A. Lobanov (St.-Petersburg)
M. Malukhin (Obninsk)
D. Milko (Bishkek)
A. Miroshnikov (Krasnodar)
S. Murzin (Moscow)
A. Napolov (Riga)
O. Pak (Donetzk)
G. Sama (Cesena)
A. Shapovalov (Orenburg)
Yu. Skrylnik (Kharkov)
P. Švácha (České Budějovice)
T. Tichý (Opava)
A. Verdugo (Cadiz)
E. Vives (Barcelona)

USSR

A - Republics of Central Asia (Kirgizia, Uzbekistan, Tadzhikistan, Turkmenia)
C - Caucasus (Republics of Transcaucasia and territories of North Caucasus from Krasnodar
Region to Daghestan)
E - Europe (including European part of Orenburg Region; without territories of North Caucasus, and without European NW part of Kazakhstan)
I - Sakhalin and Kunashir Islands
K - Kazakhstan
S - East Siberia (from Tuva and Krasnoyarsk region eastwards to north part of Khabarovsk reg. and further northwards)
U - Far East Russia (Amur region and eastwards to Khabarovsk and Vladivostok)
W - West Siberia (Asian part of Orenburg Region; Ekaterinburg, Cheliabinsk, Tiumen, Kurgan, Omsk, Altai, Novosibirsk, Tomsk and Kemerovo regions)
Y - Crimea Peninsula

Palaeartic region

A - North Africa

B - Balkan Peninsula
 C - China, Korea
 E - North and Middle Europe
 I - Iran, Afghanistan
 J - Japan
 M - Mongolia
 T - Near East (Turkey, Cyprus, Lebanon, Syria, Israel, Jordan, Irak, Arabian Peninsula)
 S - South Europe (Portugal, Spain, S France, Italy)

Familia: DISTENIIDAE Thomson, 1861 #699
 = Cometites Blanchard, 1845 #677
 Tribus: DISTENIINI
 Genus: Distenia Lepeletier & Audinet-Serville, 1828 UI #794
 = Apehes Blessig, 1872
 Sugenus: Distenia Lepeletier & Audinet-Serville, 1828
 gracilis (Blessig, 1872) UI C #6 #773
 japonica Bates, 1873 I J #773
 ssp. japonica Bates, 1873 I J #6

Familia: CERAMBYCIDAE Latreille, 1802
 Subfamilia: PARANDRINAE Blanchard, 1845
 Tribus: PARANDRINI
 Genus: Archandra Lameere, 1912 #1 #889
 caspia (Ménétriés, 1832) C I #1 #822

Subfamilia: PRIONINAE Latreille, 1802
 Tribus: CALLIPOGONINI #2
 Genus: Callipogon Audinet-Serville, 1832 U
 Subgenus: Eoxenus Semenov, 1899 #5
 relictus Semenov, 1899 U C #5

Tribus: ERGATINI #2
 Genus: Ergates Audinet-Serville, 1832 EYC
 faber (Linnaeus, 1760) EYC ASEBT #3
 ssp. faber (Linnaeus, 1760) EYC ASEBT

Tribus: MACROTOMINI #4
 Genus: Prinobius Mulsant, 1842 YC #4
 myardi Mulsant, 1842 YC ASBTI
 ssp. slamorum Danilevsky, 2012 YC SBTI #4
 = scutellaris Germar, 1817 #4

Tribus: REMPHANINI #743
 Genus: Rhaesus Motschulsky, 1875 C
 = Rhesus Thomson, 1860 (nec Rhesus Lesson, 1840)
 serricollis (Motschulsky, 1838) C BTI #8

Tribus: AEGOSOMATINI #9
 Genus: Aegosoma Audinet-Serville, 1832 EYCUI
 Subgenus: Aegosoma Audinet-Serville, 1832
 sinicum White, 1853 UI CJ
 ssp. sinicum White, 1853 UI CJ #6
 ivanovi Danilevsky, 2011i U - #6
 scabricorne (Scopoli, 1763) EYC SEBTI

Tribus: MEROSCELISINI #10
 Genus: Tragosoma Audinet-Serville, 1832 E?CWSU
 depsarium (Linnaeus, 1767) E?CWSU SEB #11

Tribus: PRIONINI
 Genus: Dorysthenes Vigors, 1826 U
 Subgenus: Cyrtognathus Dejean, 1835 #783
 paradoxus (Faldermann, 1833) U C?M #12
 Genus: Prionus Geoffroy, 1762 ESYCAKWUI #384
 insularis Motschulsky, 1858 WSUI CJ #13
 ssp. insularis Motschulsky, 1858 WSUI JC #13

= tetanicus Pascoe, 1867
 coriarius (Linnaeus, 1758) EYCKW ASEBTI #896
 Genus: Mesoprionus Jakovlev, 1887 ECAK
 asiaticus (Faldermann, 1837) ECK IT #14
 angustatus (Jakovlev, 1887) AK I #7
 zarudnii (Semenov, 1933) A I #15
 = zarudnyi Plavilstshikov, 1936
 Genus: Psilotarsus Motschulsky, 1860 EAK?W #16
 = Psilopus Gebler, 1860 #17
 = Otiartes Thomson, 1866
 = Brachyprionus Jakovlev 1887
 = Prionoxys Semenov, 1899
 brachypterus (Gebler, 1830) ?EWAK C
 ssp. brachypterus (Gebler, 1830) ?WK C #556
 = latidens Motschulsky, 1860
 ssp. hemipterus (Motschulsky, 1845) ?EWKA - #16
 ssp. aralensis Danilevsky, 2000 KA -
 ssp. pubiventris (Semenov, 1900) K - #873
 = hypogymnus Semenov, 1900
 ssp. alpherakii (Semenov, 1900) ?K C
 hirticollis Motschulsky, 1860 KA - #16
 ssp. hirticollis Motschulsky, 1860 KA -
 ssp. nudicollis Danilevsky, 2000 K -
 ssp. auliensis Danilevsky, 2000 KA - #873
 turkestanicus (Semenov, 1888) A - #69 #838
 = curticornis Ganglbauer, 1888
 =? ruficornis Fairmaire, 1892
 heydeni (Ganglbauer, 1888) A -
 =? ruficornis Fairmaire, 1892
 ssp. heydeni (Ganglbauer, 1888) A -
 = minusculus Semenov, 1935
 = lividipennis Plavilstshikov, 1936 [not available] #16
 ssp. arkitensis Danilevsky, 2000 A -
 ssp. talassicus Danilevsky, 2000 A -
 ssp. alatauensis Danilevsky, 2014e A - #806
 Genus: Lobarthron Semenov, 1900 AK
 balassogloi (Jakovlev, 1885) AK - #681b
 ssp. balassogloi (Jakovlev, 1885) A - #772
 ssp. brevispinum (Jakovlev, 1885) A - #772
 Genus: Polylobarthron Semenov, 1899 A
 margelanicum (Théry 1896) AK - #358 #463
 Genus: Pogonarthron Semenov, 1899 A #385
 Subgenus: Pogonarthron Semenov, 1899 A #385
 bedeli (Semenov, 1899) A - #847
 tschitscherini (Semenov, 1889) A - #358
 ssp. tschitscherini (Semenov, 1889) A - #358
 ssp. pallidus Danilevsky & Schapovalov, 2017 A - #848
 ssp. brunnescens Danilevsky & Schapovalov, 2017 A - #848
 petrovi Danilevsky, 2004 A - #385
 ssp. petrovi Danilevsky, 2004 A - #385
 ssp. ivanovae Pak & Skrylnik, 2014 A - #385
 Subgenus: Multicladum Danilevsky in Danilevsky & Komiya, 2014 A #385
 semenovianum (Plavilstshikov, 1936) A ?I #18 #19
 Genus: Pseudoprionus Pic, 1898 A
 bienerti (Heyden, 1885) A I
 = pluschewskyi Jakovlev, 1887
 = banghaasi Pic, 1901
 Genus: Miniprionus Danilevsky 2000d A
 pavlovskii (Semenov, 1935) A I #506 #895

Genus: *Microarthron* Pic, 1900 AK
komaroffi (Dohrn, 1885) [original spelling] AK ?I #114 #715
= *komarowi* Pic, 1898e [unjustify emendation]
= *komarovi* Semenov, 1935 [unjustify emendation]

Subfamilia: LEPTURINAE Latreille, 1802 #20

Tribus: XYLOSTEINI #424

Genus: *Xylosteus* I. Frivaldszky, 1837 C #439
caucasicola Plavilstshikov, 1936 C T #18 #21 #22 #606

Genus: *Leptorhabdium* Kraatz, 1879 C #21 #439
= *Psilorhabdium* Kraatz, 1879
caucasicum (Kraatz, 1879) C IT #23

Tribus: ENCYCLOPINI #20 #699

Genus: *Encyclops* Newm. 1838 UI #24
= *Microrhabdium* Kraatz, 1879 #814
macilentus (Kraatz, 1879) U C #25
= *parallelus* Pic, 1914
= *ussuricus* Tsherepanov, 1975
olivaceus Bates, 1884 I J

Tribus: OXYMIRINI Danilevsky in Althoff, Danilevsky, 1997 #20 #26 #606
#699

Genus: *Neoxymirus* Miroshnikov, 2013c #690
mirabilis (Motschulsky, 1838) C I #690

Genus: *Oxymirus* Mulsant, 1862 ECW #690
cursor (Linnaeus, 1758) EW EB

Tribus: ENOPLODERINI Danilevsky in Althoff, Danilevsky, 1997 #20 #632

Genus: *Enoploderes* Faldermann, 1837 ECY #407
Subgenus: *Enoploderes* Faldermann, 1837 #407
sanguineus Faldermann, 1837 ECY BIT

Tribus: RHAMNUSIINI Danilevsky in Althoff, Danilevsky, 1997 #20 #26
#632 #699

Genus: *Rhamnusium* Latreille, 1829 EYCK #364
bicolor (Schrank, 1781) EK EBS
= *gracilicorne* Théry, 1894
spp. constans Danilevsky, 2012h EWK - #43 #364

#816
spp. testaceipenne Pic, 1897 YC T #43 #364 #531 #750
spp. lenkoranum Danilevsky, 2012h C I #364

Tribus: RHAGIINI Kirby, 1837

= *Toxotaires* Mulsant, 1839
= *Stenocoritae* Thomson, 1864

Genus: *Rhagium* Fabricius, 1775 EYCKWSUI #26
Subgenus: *Hagrium* Villiers 1978 #418
bifasciatum Fabricius, 1775 E?YC SEBTI #424

Subgenus: *Megarhagium* Reitter, 1913 #418
fasciculatum Faldermann, 1837 C TI
mordax (DeGeer, 1775) EK?YWS SEB #418
caucasicum Reitter, 1889 C TI
spp. caucasicum Reitter, 1889 C T #27
spp. semicorne Holzschuh, 1974 C I #418 #572
sycophanta (Schrank, 1781) E?YW EB?T #425
pygmaeum Ganglbauer, 1882 C I

Subgenus: *Rhagium* Fabricius, 1775 #28 #323
inquisitor (Linnaeus, 1758) EYCKWSUI ASEBTICJ #418
spp. inquisitor (Linnaeus, 1758) EYCKWS ASEBT #29 #30
spp. rugipenne Reitter, 1898 SUI MC #480
spp. schtschukini Semenov, 1898 C T?I #480
= *stshukini* Plavilstshikov, 1915 #480
= *minimum* Podany 1964 #697
japonicum Bates, 1884 I J

heyrovskyi Podaný, 1964 I J #697
 Genus: Akimerus Audinet-Serville, 1835 E
 schaefferi (Laicharting, arting, . 1784) E SEB #377 #566
 #570
 Genus: Japanocorus Danilevsky, 2012 #604
 caeruleipennis (Bates, 1873) I J #35
 Genus: Stenocorus Geoffroy, 1762 EYCAKWSUI #33 #604
 = Toxotus Dejean, 1821 #24
 Subgenus: Anisorus Mulsant, 1863 #604 #727
 quercus (Götz, 1783) EC?WS SEBT?IM #357 #566
 #594
 ssp. quercus (Götz, 1783) EC?WS SEBTM
 ssp. aureopubens (Pic, 1908) C IT #357
 Subgenus: Stenocorus Geoffroy, 1762
 amurensis (Kraatz, 1879) UI C #30
 = sachalinensis Matsumura, 1911 #404
 meridianus (Linnaeus, 1758) ECKWS SEB
 insitivus (Germar, 1824) EYC TI #37 #577
 ssp. insitivus (Germar, 1824) EYC TI
 ssp. persicus (Falderman, 1837) C I #577
 biformis (Tournier, 1872) C -
 vittidorsum (Reitter, 1890) C T
 lepturoides (Reitter, 1914) U C #588
 minutus (Gebler, 1841) K?S ?MC #639
 =tataricus Gebler, 1841 #372
 vittatus (Fischer-Waldheim, 1842) K C [prevailing usage] #820
 = vittattus Fischer-Waldheim, 1842 [original spelling]
 = turkestanicus Ganglbauer, 1889 #372
 = suworowi Reitter, 1907 #38
 = suvorovi Semenov, 1910 [unjust. emendation]
 Subgenus: Toxotochorus Reitter, 1907 #372 #604
 validicornis (Pic, 1900) AK - #372
 ssp. karatauensis Danilevsky, 2012 K - #775
 ssp. univittatus Reitter, 1914 AK - #323 #775
 ssp. mediocris Danilevsky, 2012 AK - #775
 ssp. validicornis (Pic, 1900) A - #873
 ssp. shapovalovi Danilevsky, 2019 A - #873
 ssp. alaiensis Pic, 1906 A - #873
 ssp. milkoi Danilevsky, 2014e A - #775
 ssp. tarbinskyi Danilevsky, 2014e A - #775
 Genus: Pachyta Dejean, 1821 EKWSUI
 lamed (Linnaeus, 1758) EWSUI EBM CJ #872
 = sasakii Fujita, 2018 #872
 bicuneata Motschulsky, 1860 SUI C
 quadrifasciata (Linnaeus, 1758) EKWS EBM C #12
 Genus: Evodinellus Plavilstshikov, 1915 EWSUI #442
 Subgenus: Evodinellus Plavilstshikov, 1915 EWSUI
 borealis (Gyllenhal, 1827) EWSUI EMCJ #39 #816
 = griseus Pic, 1889 #39
 Subgenus: Brachytodes Planet, 1924 E #372 #442
 clathratus (Fabricius, 1793) E SEB #39 #678
 Genus: Brachyta Fairmaire, 1865 ECKWSUI
 Subgenus: Fasciobrachyta Danilevsky, 2014e #807
 bifasciata (Olivier, 1800) SUI MCJ #40 #733
 #879
 ssp. bifasciata (Olivier, 1800) SU MC #879
 ssp. japonica (Matsushita, 1933) ?I J #733
 ssp. plasoni (Breit, 1915) ?S C?M #733
 caucasica (Rost, 1892a [1892b]) C - #452

ssp. caucasica (Rost, 1892 [1892b]) C -	#452
= conjuncta Rost, 1893	
ssp. kubanica Miroshnikov, 1990 C -	#452
Subgenus: Variobrachyta Danilevsky, 2014e	#807
rosti Pic, 1900 C -	#453
ssp. rosti Pic, 1900 C -	#453
= caucasicola Plavilstshikov, 1936	#24
ssp. baksaniense Lazarev, 2010b C -	#453
ssp. alexeevi Lazarev, 2010b C -	#453
variabilis (Gebler, 1817) EKWSUI MC	#449
"variabilis variabilis group"	
ssp. variabilis (Gebler, 1817) EKWS MC	#449
= constricta Germar, 1824	
ssp. shapovalovi Lazarev, 2014a K -	#801
ssp. tungusensis Danilevsky, 2014e S -	#449
ssp. scapularis (Mannerheim, 1849) SU MC	#449
= comosa Solsky, 1871	
= solskyi Kraatz, 1879	
= diversesignatus Pic, 1935 - not available	
= jekeli Pic, 1935 - not available	
= medioadjunctus Pic, 1935 - not available	
ssp. testaceimembris Pic, 1916 U -	#449
= rufimembris Pic, 1926	
ssp. jakutensis Danilevsky, 2014e S -	#449
ssp. ivlievi Danilevsky, 2014e S -	#449
ssp. chukotensis Danilevsky, 2014e S -	#449
ssp. basarukini Danilevsky, 2014e S -	#449
ssp. aberrans (Villiers, 1960) U C	#449
"variabilis striolata group"	
ssp. striolata (Gebler, 1817) S -	#449
= eurinensis Tsherepanov, 1978	#449
= mutabilis Motschulsky, 1859a [1859b]	#449
ssp. sinuatolineata (Pic, 1915) S M	#42 #449
= discobilineata Pic, 1928a	#42
= breiti Tippmann, 1946	#42 #449
ssp. tuvensis Danilevsky, 2014e S ?M	#449
ssp. kurayensis Danilevsky, 2014e W -	#449
Subgenus: Brachyta Fairmaire, 1865	#807
interrogationis (Linnaeus, 1758) ECKWSUI ESMC #30 #466 #448 #905	
ssp. interrogationis (Linnaeus, 1758) E E	#827 #828
ssp. russica (Herbst, 1784) EKW -	#827
= altajensis Pic, 1900	
ssp. zubovi Lazarev, 2016a EW -	#827
ssp. gabzdili Danilevsky & Peks, 2016 E E	#828
ssp. mannerheimii Motschulsky, 1860 S MC	#448
= marginalis Motschulsky, 1875	#448
= obsidiana Motschulsky, 1875	#448
= cruciata Kraatz, 1879	#448
ssp. duodecimmaculata Fabricius, 1781 UI C	#828
= kraatzi Ganglbauer, 1889	#448
ssp. shapsugorum Lazarev, 2011 C -	#466
ssp. miroshnikovii Lazarev, 2011 C -	#466
ssp. lederi Lazarev, 2011 C -	#466
punctata (Faldermann, 1833) S MC	#40 #448
ssp. punctata (Faldermann, 1833) S MC	#448
= reductemaculata Pic, 1915	
= sajanensis Pic, 1916	
= subunicolor Pic, 1916	
= quadrinotatus Pic, 1916	

= turanensis Pic, 1927
 = sochondensis Tshernyshev et Dubatolov, 2005
 ssp. lazarevi Danilevsky, 2014e U C #448
 danilevskiyi Tshernyshev, Dubatolov, 2005 I J #448
 ssp. danilevskiyi Tshernyshev, Dubatolov, 2005 I J #877
 amurensis (Kraatz, 1879) U C #44
 = bisbioculata Pic, 1910
 = inapicalis Pic, 1910
 = korbi Pic, 1910
 = semilunata Pic, 1910
 sachalinensis Matsumura, 1911 UI JC #40 #448
 Genus: Gaurotina Ganglbauer, 1889 U
 sichotensis Danilevsky, 1988 U C #25 #887
 Genus: Pseudogaurotina Plavilstshikov, 1958 ESU
 splendens (Jakovlev, 1893) S ?M
 magnifica Plavilstshikov, 1958 U -
 excellens (Brancsik, 1874) E E #845
 Genus: Paragaurotes Plavilstshikov, 1921 SUI #443 #604
 #727
 ussuriensis (Blessig, 1873) SU C
 doris (Bates, 1884) I J
 ssp. suvorovi (Semenov, 1914) I J #40 #604
 Genus: Carilia Mulsant, 1863 EKWSUI #443 #604
 #727
 virginea (Linnaeus, 1758) EKWSUI SEBMC
 ssp. virginea (Linnaeus, 1758) EW SEB
 ssp. aemula (Mannerheim, 1852) KWSUI MC #45
 ssp. kozhevnikovi (Plavilstshikov, 1915) U C #46 #290
 = sibirica Podany 1962 #45
 Genus: Euracmaeops Danilevsky, 2014e EKWSUI #444
 = Acmaeops auct. nec LeConte, 1850 #444 #727
 marginatus (Fabricius, 1781) EKWSUI SEBTMC #30 #47 #491 #816
 #905
 septentrionis (C. G. Thomson, 1866) EKWSUI ESBMCJ #40 #491
 #905
 smaragdulus (Fabricius, 1793) [NP] EKWSUI ESMC #541 #678 #814
 #905
 = smaragdinus Naezen, 1792 [NO]
 angusticollis (Gebler, 1833) EWSUI EMC #566 #816 #891
 = subbrachyptera Plaviltshikov, 1915
 = viridula Matsumura, 1911 #404
 = sachalinensis Tsherepanov, 1978 #48
 Genus: Gnathacmaeops Linsley et Chemsak, 1972 ECKWSUI #444 #727
 pratensis (Laicharting, 1784) ECAKWSUI SEBTMC #29 #49 #450 #814
 #905
 brachypterus (K. Daniel et J. Daniel, 1898) AK C #49
 Genus: Pseudodiptera Pic, 1900 K #727
 daghestanica (Pic, 1897) C - #549
 Genus: Diptera Mulsant, 1863 EYCKWSUI
 minuta (Gebler, 1832) SUI CJ #392 #845
 ssp. minuta (Gebler, 1832) SUI C #392
 anthracina (Mannerheim, 1849) SU MC
 collaris (Linnaeus, 1758) EYCKW SEBTIC
 concolor Heyden & Faust, 1888 C T #770
 Genus: Cortodera Mulsant, 1863 EYCAKWSU
 = Taiwanocarilia Hayashi, 1983 #810
 humeralis (Schaller, 1783) E EB #559
 femorata (Fabricius, 1787) EW SEB
 pumila Ganglbauer, 1882 EC TI #81 #425

#531	ssp. pumila Ganglbauer, 1882 EC -	#81 #425
#531	ssp. tournieri Pic, 1895 C TI	#81
	kazaryani Danilevsky, 2014 C -	#808
	syriaca Pic, 1901 C T	#50
	ussuriensis Tsherepanov, 1978 U -	
	villosa Heyden, 1876 E?YCW EB?T	#52 #562
	ssp. villosa Heyden, 1876 E?Y EB	#52
	= nigrita Heyden, 1876	#502
	= frivaldskyi Kraatz, 1876	
	ssp. parfentjevi Miroshnikov, 2007 Y -	#52
	ssp. krasnobaevi Danilevsky, 2010d E -	#711
	ssp. kazakorum Danilevsky, 2014 E -	#711
	ssp. chuvilini Danilevsky, 2012 E	#753
	ssp. aktolagaica Miroshnikov, 2007 K -	#52
	ssp. zhuravlevi Miroshnikov, 2007 EK -	#52
	ssp. mariae Danilevsky, 2010d C -	#711
	ssp. circassica Reitter, 1890 C-	#52
	ssp. miroshnikovii Danilevsky, 2010a C -	#709
	ssp. nakhichevanica Miroshnikov, 2007 C -	#52
	ssp. magdeevi Danilevsky, 2011d E -	#711
	ssp. major Miroshnikov, 2007 E -	#52 #687
	ssp. kuvandykensis Danilevsky, 2012 E	#753
	ssp. mikhailovi Danilevsky, 2001 EW -	#711
	ivanovi Danilevsky, 2013b K -	#778
	holosericea (Fabricius, 1801) EC EBS	#376 #502
	ssp. holosericea (Fabricius, 1801) EC E?B?S	#727
	kaphanica Danilevsky, 1985 C I	#343 #502
#672	= kafanica Danilevsky, 1987 (unavailable name)	#343
	colchica Reitter, 1890 C TI	#52 #365
	ssp. colchica Reitter, 1890 C TI	
	ssp. erevanica Danilevsky, 2014e C -	#809
	ssp. dilizhanica Danilevsky, 2014e C -	#809
	ssp. ponomarenkoi Danilevsky, 2014e C -	#809
	ssp. deyrollei Pic, 1894 C -	#809
	ssp. pseudalpina Danilevsky, 2014e C -	#365 #809
	ssp. aishkha Danilevsky, 2014e C -	#809
	ssp. murzini Danilevsky, 2014e C -	#809
	ssp. bulungensis Danilevsky, 2014e C -	#809
	ssp. ossetica Danilevsky, 2014e C -	#809
	ssp. danczenkoi Danilevsky, 1985 C -	#343 #680
	ssp. kalashiani Danilevsky, 2000c C -	#502
	goriensis Danilevsky & Hodek, 2016 C -	#832
	kiesenwetteri Pic, 1898 E -	#562 #566
	ssp. kiesenwetteri Pic, 1898 E -	#780
	ssp. subtruncata Pic, 1934 E -	#510 #576 #780
	ssp. gusakovi Danilevsky, 2013a KZ -	#780
	ciliata Danilevsky, 2001 EK -	#780
	ssp. ciliata Danilevsky, 2001 K -	#780
	ssp. sakmarensis Danilevsky, 2006 E -	#780
	ssp. milaenderi Danilevsky, 2001 E -	#780
	reitteri Pic, 1891 EYW -	#382 #562
	ssp. reitteri Pic, 1891 E -	
	= kiesenwetteri Kraatz, 1876 [nomen nudum]	
	= alexandri Danilevsky, 1996	#52
	ssp. taurica Plavilstshikov, 1936 Y -	#52
	= beckeriana Plavilstshikov, 1936	

analis (Gebler, 1830) KW -
 = haemorhoidalis Pic, 1898 #389
 = haemorrhoidalis Aurivillius, 1912: 197 [unjustified
 emendation]
 = ruficornis Pic, 1926 #389
 kokpektensis Danilevsky, 2007 K - #610
 sibirica (Plavilstshikov, 1915) WS - #57
 ssp. sibirica (Plavilstshikov, 1915) W -
 = semenovi Plavilstshikov, 1936 WS - #57 #610
 ssp. shavrovi Danilevsky, 2001 S -
 tibialis (Marseul, 1876) („Sarepta“) EKW - #365 #486 #562
 #566
 ssp. tibialis (Marseul, 1876) E - #365 #727
 = pallidipes Pic, 1898 #727
 ssp. ruthena Plavilstshikov, 1936 EKW - #365 #727
 ssp. rossica Danilevsky, 2001 E - #365
 komarovi Danilevsky, 1996 K - #52 #778
 ssp. komarovi Danilevsky, 1996 K - #52 #778
 ssp. solodovnikovi Danilevsky, 2013b K - #778
 ssp. romantzovi Danilevsky, 2013b K - #778
 ssp. sarysuensis Danilevsky, 2013b K - #778
 turgaica Danilevsky, 2001 WK - #778
 moldovana Danilevsky, 1996 E - #52
 flavimana (Waltl, 1838) ?C EBT #52 #554
 ssp. corallipes Pesarini & Sabbadini, 2009 ?C T #802
 khatchikovi Danilevsky, 2001 E - #22
 alpina (Ménétriés, 1832) C T #22 #53 #56
 ssp. alpina (Ménétriés, 1832) C - #53
 = daghestanica Kraatz, 1876 [nomen nudum]
 = beckeri Desbrochers des Loges, 1875
 = confusa Reitter, 1891
 ssp. rosti Pic, 1892 C - #53
 ssp. psebayensis Danilevsky, 2014e C - #809 #831
 ssp. baksaniensis Danilevsky, 2014e C - #53
 ssp. matusiaki Danilevsky, 2014e C - #53
 ssp. gudissensis Danilevsky, 2013 C - #53
 ssp. starki Reitter, 1888 C - #53 #426
 ssp. fischtensis Starck, 1894 C - #53
 ssp. umbripennis Reitter, 1890 C ?T?I #531 #365
 #606
 ssp. armeniaca Pic, 1898 C ?T #727
 ssp. zekarensis Danilevsky, 2014e C - #53
 ssp. svanorum Danilevsky, 2014e C - #53
 tatianae Miroshnikov, 2011 C - #745
 transcaspica Plavilstshikov, 1936 CA TI #50 #55
 ssp. transcaspica Plavilstshikov, 1936 A I #745
 ssp. lobanovi Kaziuchitz, 1988 C IT #27 #745
 pseudomophlus Reitter, 1889 CA IT
 Genus: Fallacia Mulsant et Rey, 1863 C
 elegans (Faldermann, 1837) C IT #746
 Genus Macropidonia Pic, 1901
 = Sivana Strand, 1942 #61
 = Sieversia Ganglbauer, 1887
 bicolor (Ganglbauer, 1887) U C
 = coreana Okamoto, 1927
 Genus: Pseudosieversia Pic, 1902 U #61
 = Macrorhabdium Plavilstshikov, 1915 #638
 rufa (Kraatz, 1879) U C
 = ruficolle Plavilstshikov, 1915 #638

Genus: <i>Pidonia</i> Mulsant, 1863 EUI	#62		
Subgenus: <i>Pidonia</i> Mulsant, 1863 E	#62	#727	
<i>lurida</i> (Fabricius, 1793) E SEB	#37	#678	
#851			
Subgenus: <i>Pseudopidonia</i> Pic, 1900 UI	#62	#727	
<i>similis</i> (Kraatz, 1879) U C			
<i>semiobscura</i> Pic, 1901 I J	#646		
<i>alticollis</i> (Kraatz, 1879) U C			
= <i>tristicula</i> Kraatz, 1879	#280		
= <i>rubricollis</i> Pic, 1931			
<i>amurensis</i> (Pic, 1900) U C	#63		
= <i>quelpartensis</i> Hayashi, 1983			
<i>malthinoides</i> (Kraatz, 1879) U C	#65		
= <i>quercus</i> Tsherepanov, 1975	#56		
<i>gibbicollis</i> (Blessig, 1873) U CJ			
<i>suvorovi</i> Baeckmann, 1903 U C	#44		
Subgenus: <i>Mumon</i> Hayashi, 1968			
<i>debilis</i> (Kraatz, 1879) UI C	#30		
Subgenus: <i>Cryptopidonia</i> Kuboki, 1981			
<i>kurosawai</i> (Ohbayashi et Hayashi 1960) I J	#67		
Subgenus: <i>Omphalodera</i> Solsky, 1873			
<i>puziloi</i> (Solsky, 1873) UI ?MCJ	#401		
Tribus: SACHALINOBIINI	#20	#632	
Genus: <i>Sachalinobia</i> Jacobson, 1899 SUI	#20		
<i>koltzei</i> (Heyden, 1887) SUI CJ			
Tribus: LEPTURINI			
Genus: <i>Grammoptera</i> Dejean, 1835 ECU	#632	#784	#859
Subgenus: <i>Neoencyclops</i> Matsushita et Tamanuki, 1940		#25	#58
<i>cyanea</i> (Tamanuki, 1933) UI C		#25	
= <i>plavilstshikovi</i> Heyrovský, 1965			
Subgenus: <i>Grammoptera</i> Dejean, 1835		#784	
<i>abdominalis</i> (Stephens, 1831) EC SEBTI		#692	
= <i>variegata</i> Germar, 1824			
<i>ruficornis</i> (Fabricius, 1781) EC ISEB		#59	#727
ssp. <i>ruficornis</i> (Fabricius, 1781) E SEB			
ssp. <i>obscuricornis</i> Kraatz, 1886 C I	#60	#531	
<i>ustulata</i> (Schaller, 1783) EC SEBTI		#454	
ssp. <i>ustulata</i> (Schaller, 1783) E SEBT		#454	
ssp. <i>tibialis</i> Kraatz, 1886 C I		#454	
<i>gracilis</i> Brancsik, 1914 UI C	#44	#366	
<i>coerulea</i> Jureček, 1933 U C		#814	
Genus: <i>Cornumutila</i> Letzner, 1844 EWS?U			
<i>lineata</i> (Letzner, 1844) EWS E		#198	
<i>quadrivittata</i> (Gebler, 1830) ?EWS C	#44	#198	
#814			
= <i>semenovi</i> Plavilstshikov, 1936		#198	
Genus: <i>Corennys</i> Bates, 1884			
<i>sericata</i> Bates, 1884 I CJ		#857	
Genus: <i>Nivellia</i> Mulsant, 1863 E?KWSUI	#720		
<i>sanguinosa</i> (Gyllenhal, 1827) E?KWSUI EMCJ		#566	
= <i>rubripennis</i> Matsumura, 1911		#404	
<i>extensa</i> (Gebler, 1833) EWSUI ?EMCJ		#66	
ssp. <i>extensa</i> (Gebler, 1833) EWSU EMC		#66	
ssp. <i>umbratilis</i> (Shimomura & Toyoshima, 1988) I J		#66	
Genus: <i>Strangalomorpha</i> Solsky, 1873 UI			
<i>tenuis</i> Solsky, 1873 UI CJ?M			
ssp. <i>tenuis</i> Solsky, 1873 UI C?MJ		#40	
Genus: <i>Kirgizobia</i> Danilevsky, 1992 A			
= <i>Kirgisiana</i> Ovtchinnikov, 1996 [unavailable]		#69	

= Kirgisobia Ovchinnikov, 2007 [unavailable]
 bohnei Danilevsky, 1992 A - #675
 Genus: Alosterna Mulsant, 1863 ECKWSUI
 = Allosterna Stierlin, 1898
 scapularis (Heyden, 1878) CA I #360
 = talyschensis Reitter, 1885
 tabacicolor (DeGeer 1775) ECKWSUI SEBTIMCJ #89 #604
 ssp. tabacicolor (DeGeer 1775) ECKW SEB
 = chrysomeloides Schrank, 1781
 ssp. subvittata Reitter, 1885 C TI #642 #691
 = caucasica Plavilstshikov, 1936 #642 #727
 ssp. azerbaijanica Danilevsky, 2014e C - #642
 ssp. erythropus (Gebler, 1841) KWSUI MCJ #89 #90
 #541
 = bivittis Motschulsky, 1860
 = plavilstshikovi Podany, 1963 #32
 ssp. tenebris Danilevsky, 2012 U C #642
 ssp. sachalinensis Danilevsky, 2012 U - #642
 ingrica (Baeckmann, 1902) EW E #90 #816
 diversipes Pic, 1929 UI C #776
 = perpera Danilevsky, 1988
 chalybeella (Bates, 1884) I J #25
 = japonica Pic, 1935 #88
 Genus: Vadonia Mulsant, 1863 EYCKS
 bitlisiensis Chevrolat, 1882 C T #543
 = bittisiensis Chevrolat, 1882 [original spelling]
 bicolor (L. Redtenbacher, 1850) C I?T #764
 unipunctata (Fabricius, 1787) [NP] ECK ASEBTI #572 #640
 #683
 = pilosa Forster, 1777 [NO] #683
 ssp. unipunctata (Fabricius, 1787) ECK ASEBTI #331
 saucia (Mulsant et Godart, 1855) Y E #640
 bipunctata (Fabricius, 1781) ECK SEB #640 #641
 #701
 ssp. bipunctata (Fabricius, 1781) EWK - #494 #641
 ssp. sareptana Pic, 1941 EK - #494 ##641
 = beckeri Pic, 1941 #641
 ssp. urdensis Danilevsky, 2014e ?EK - #641 #873
 ssp. aralensis Danilevsky, 2019 K - #873
 ssp. laterimaculata (Motschulsky, 1875) Y - #641 #494
 = puchneri Holzschuh, 2007 #641
 ssp. globicollis (Desbrochers des Loges, 1870) E EB #494
 = mulsantiana (Plavilstshikov, 1936) #494
 = bilitigiosa Pic, 1941
 ssp. steveni (Sperk, 1835) E E #494 #641
 ssp. teberdensis Danilevsky, 2014e K - #641
 Genus: Pseudalosterna Plavilstshikov, 1934 U #417
 = Pseudallosterna Plavilstshikov, 1936 [unjustified emendation]
 elegantula (Kraatz, 1879) U C #92 #387
 #872
 = orientalis Plavilstshikov, 1934 #24
 Genus: Pseudovadonia Lobanov, Danilevsky et Murzin, 1981 EYCKWS
 livida (Fabricius, 1777) EYCKAWS SEBTI #98 #409
 #681b
 ssp. livida (Fabricius, 1777) E SEB?T #98 #409
 #681b
 ssp. setosa Danilevsky, 2013h E EBT #98
 ssp. bicarinata (Arnold, 1869) EYCKAWSU ?ETI #98 #409
 #870

ssp. desbrochersi (Pic, 1891) C T	#98
= corallipes Reitter, 1894	
Genus: Konoa Matsushita, 1933 I	
granulata (Bates, 1884) I J	#404
Genus: Anoplodera Mulsant, 1839 ECKSUI	#445
Subgenus: Anoplodera Mulsant, 1839	#57
rufipes (Schaller, 1783) [HN] ECK?WS SEBTI	#732
ssp. rufipes (Schaller, 1783) E SEB	#732
= krueperi (Ganglbauer, 1882)	#732
ssp. ventralis Heyden, 1886 ECK?WS T	#732
= rufiventris (Tournier, 1872) [HN]	
ssp. astrabadensis Pic, 1900 C I	#732
sexguttata (Fabricius, 1775) EC ASEB	
rufihumeralis (Tamanuki 1938) U C	#92
Genus: Anoploderomorpha Pic, 1901	#445 #604
cyanea (Gebler, 1832) SUI MCJ	#40
Genus: Xestoleptura Casey, 1913	#93
rufiventris (Gebler, 1830) ?KWS?UI MC	#89 #415
baeckmanni (Plavilstshikov, 1936) U C	#601 #814
= changbaishanensis (Gao, Meng & Yan, 2011)	#885
Genus: Stictoleptura Casey, 1924 ECYKAWSUI SEBTI	#93
= Brachyleptura auct. (not Casey, 1913)	
Subgenus: Stictoleptura Casey 1924	#93
cardinalis (K.Daniel & J.Daniel, 1898) A -	
cordigera (Fuesslin, 1775) YC SEBTI	
ssp. cordigera (Fuesslin, 1775) YC SEBTI	#728
erythroptera (Hagenbach, 1822) EC SEBTI	#616
rufa (Brullé, 1832) C SEBTI	#684
ssp. realis Danilevsky, 2012 C T	#95
Subgenus: Variileptura Danilevsky, 2014e	#93
variicornis (Dalman, 1817) EKWSUI EMCJ	
= tsuyukii Fujita, 2018	#890
Subgenus: Melanoleptura Miroshnikov 1998	#93 #493
scutellata (Fabricius, 1781) EYC SEBTI	#566
ssp. scutellata (Fabricius, 1781) EY SEBT	
= carbonaria Scopoli, 1763 [NO]	#614
ssp. ochracea (Faust, 1878) C T	#724 #750
ssp. miroshnikovii Danilevsky, 2012 C I	#724 #750
Subgenus: Aredolpona Nakane et K. Ohbayashi, 1957	#93 #493
= Corymbia Des Gozis, 1886	
rubra (Linnaeus, 1758) EKWS ASEB	#763
ssp. rubra (Linnaeus, 1758) EKWS ASEB	
dichroa (Blanchard, 1871) SUI CJ	#97
= succedanea Lewis, 1879	
Subgenus: Maculileptura Danilevsky, 2014e	#93
maculicornis (DeGeer 1775) E?CW SE	#429
Subgenus: Miroshnikovia Danilevsky, 2014e	#93
deyrollei (Pic, 1895) C T	
Subgenus: Batesiata Miroshnikov, 1998	#93 #493
tesserula (Charpentier, 1825) EC EBTI	
ssp. tesserula (Charpentier, 1825) EC EBTI	
Subgenus: Paracorymbia Miroshnikov 1998	#93 #493
fulva (DeGeer 1775) E SEBT	#183 #744
= apicalis Motschulsky, 1875	#94
tonsa (K.Daniel & J.Daniele, 1891) CY?E TI	#37 #183
#435	
= ustulata Ménétriés, 1832 [HN]	#96 #435
= menetriesi Ganglbauer, 1889 [Talysh; nomen oblitum]	#435
pallidipennis (Tournier, 1872) C -	#435

= circassica K. Daniel & J. Daniel, 1891
 nadezhdae (Plavilstshikov, 1932) C -
 Genus: Anastrangalia Casey, 1924 ECKWSUI
 scotodes (Bates, 1873) UI CJ
 ssp. scotodes (Bates, 1873) I ?CJ
 ssp. continentalis (Plavilstshikov, 1936) U C
 sanguinolenta (Linnaeus, 1760) ECKW?S SEBC #399 #633
 #851
 dubia (Scopoli, 1763) EC SEBTI #536 #851 #905
 ssp. dubia (Scopoli, 1763) E SEB #744
 ssp. melanota Faldermann, 1837 C TI #536
 = distincta (Tournier, 1872)
 reyi (Heyden, 1889) EK SE #536 #851
 = inexpectata Jansson et Sjöberg, 1928 #24
 sequensi (Reitter, 1898) KWSUI MCJ #399
 renardi (Gebler, 1848) E?KWSUI MC #158 #399
 Genus: Lepturobosca Reitter, 1913 EKWSUI #424
 virens (Linnaeus, 1758) EKWSUI SEBMC #30 #542
 #905
 Genus: Xenoleptura Danilevsky, Lobanov et Murzin in Lobanov et al., 1981 AK
 #20
 hecate (Reitter, 1896) AK C
 Genus: Eustrangalis Bates, 1884 I
 distenioides Bates, 1884 I J
 Genus: Pedostrangalia Sokolov, 1897 ECASUI #71
 Subgenus: Pedostrangalia Sokolov, 1897 ECA
 imberbis (Ménétriés, 1832) CA I #70 #895
 = imperbis Plavilstshikov, 1932 [wrong spelling]
 revestita (Linnaeus, 1767) E SEB #511
 tokatensis Sama, 1996 C T #511
 = revestita auct. nec Linnaeus, 1767
 Subgenus: Neosphenalia Löbl, 2010 SUIC
 =Sphenalia K. Daniel, 1904 (not Sphenalia Wood, 1874, in
 Mollusca)
 kurda Sama, 1996 C T #455
 = emmipoda auct. nec Mulsant, 1863
 verticenigra (Pic, 1893) ?C BT #512 #554
 verticalis (Germar, 1822) ?E EBS?T #512
 femoralis (Motschulsky, 1860) SUI CJ
 = xanthoma Bates, 1873 #24
 Genus: Etorofus Matsushita 1933 IE #71
 Subgenus: Etorofus Matsushita 1933 IE
 = Etorofus auct. (wrong spelling, not available)
 nemurensis Matsushita, 1933 I J #72
 = variicornis Matsushita, 1933 [HN]
 = niger Matsushita, 1933
 = circaocularis (Pic, 1934) #72
 pubescens (Fabricius, 1787) E?CKW SEBT #446
 Subgenus: Nakanea Ohbayashi, 1963 I #71 #604
 vicarius (Bates, 1884) I J
 ssp. vicarius (Bates, 1884) I J #40
 Genus: Judolidia Plavilstshikov, 1936 U
 znojkoii Plavilstshikov, 1936 U C #83
 bangi (Pic, 1902) ?I J #83
 Genus: Judolia Mulsant, 1863 EKWSUI
 sexmaculata (Linnaeus, 1758) EKW ES
 dentatofasciata Mannerheim, 1852 EWSUI CMJ #84 #695
 = parallelopipeda Motschulsky, 1860
 = abbreviata Motschulsky, 1875

= shirarakensis Matsumura, 1911 #404
 = rufimembris Pic, 1917 #695
 Genus: Pachytodes Pic, 1891 ECKWSUI
 erraticus (Dalman, 1817) EYCKWS SEBTIC #85 #684
 #750
 cerambyciformis (Schrank 1781) E SEB #605 #684
 bottcheri (Pic, 1911) WS M #393 #750
 = orthotrichus (Plavilstshikov, 1936) #396
 longipes (Gebler, 1832) SUI MC #396
 cometes (Bates, 1884) I JC #44
 = connecta Nishio 1950 #86
 Genus: Oedecnema Dejean, 1835 EKWSUI
 gebleri Ganglbauer, 1889 [RN] EKWSUI MCJ #87 #566
 #616
 = dubia Fabricius, 1781
 = decemmaculata Matsumura, 1911 #404 #872
 Genus: Dokhtouroffia Ganglbauer, 1886 AK?S #73
 = Dochturovia Jakobson, 1924 [unjustified emendation]
 = Dokhturovia Semenov, 1926 [unjustified emendation]
 baeckmanni (Jankovsky, 1934) A - #74
 nebulosa (Gebler, 1845) AK?S ?MC #487
 Genus: Leptura Linnaeus, 1758 EYCAKWSUI #40
 Subgenus: Noona Sama, 2007 #40 #492
 #604
 = Nona Sama, 2002 #727
 regalis (Bates, 1884) I JC #44 #845
 Subgenus: Macroleptura Nakane et Ohbayashi, 1957 #40 #727
 thoracica Creutzer, 1799 E?CKWSUI E?IMCJ #456 #684 #814
 #905
 = obscurissima Pic, 1900 #872
 Subgenus: Leptura Linnaeus, 1758
 ochraceofasciata (Motschulsky, 1862) I CJ
 ssp. ochraceofasciata (Motschulsky, 1862) I CJ #40
 latipennis (Matsushita, 1933) I J
 aurulenta Fabricius, 1793 E SEBT #76 #633 #637 #678
 #744
 quadrifasciata Linnaeus, 1758 EYCKWSUI SEBTIMCJ
 ssp. quadrifasciata Linnaeus, 1758 ECKWSUI SEBMCJ
 ssp. lederi Ganglbauer, 1882 C TI #691
 = caucasica Plavilstshikov, 1924 #691
 annularis Fabricius, 1801 EKWSUI EBM CJ #29 #872
 = arcuata Panzer, 1793
 ssp. annularis Fabricius, 1801 EKWSU EBMC #858
 ssp. mimica Bates, 1884 I J #604 #858
 duodecimguttata Fabricius, 1801 KWSUI MCJ #40 #722
 aethiops Poda von Neuhaus, 1761 E?CKWSUI SEB?T?IMC #78
 = aterrima Motschulsky, 1860
 = doii (Matsushita, 1933) #326
 = akitai Fujita, 2018 #878
 = chihiroae Fujita, 2018 #878
 Genus: Lepturalia Reitter, 1913 EKWSUI #424
 nigripes (DeGeer 1775) EKWSUI EMC #905
 ssp. nigripes (DeGeer 1775) EKWS E #91
 ssp. rufipennis (Blessig, 1873) ?EKWSUI MC #91
 Genus: Strangalia Dejean, 1835 EYCKWSUI #785
 = Strangalina Aurivillius, 1912 #356
 attenuata (Linnaeus, 1758) EYCKWSUI SEBTIMCJ #80
 takeuchii Matsushita & Tamanuki, 1935 I J
 Genus: Rutpela Nak. et Ohbayashi, 1957 #440

maculata (Poda von Neuhaus, 1761) EYCK SEBTI #563 #905
 ssp. maculata (Poda von Neuhaus, 1761) EYCKW SEBTI #75
 ssp. manca (Schaufuss, 1863) CY STI #649
 = nigricornis (Stierlin, 1864)
 inermis (K.Daniel et J.Daniel 1898) CA I #894 #895
 Genus: Stenurella Villiers 1974 EYCKWS?U
 Subgenus: Stenurella Villiers 1974 #787
 melanura (Linnaeus, 1758) ECKWSU SEBMJ #40
 ssp. melanura (Linnaeus, 1758) E?CKWSU SEBMJ #40 #723
 = sennii Sama, 2002 #767
 Subgenus: Stenurelloides Özdikmen, 2013 #787
 novercalis (Reitter, 1901) C T #81
 jaegeri (Hummel, 1825) EY TI #37
 Subgenus: Priscostenurella Özdikmen, 2013 #787
 bifasciata (Müller, 1776) EYCKWS SEBTI
 ssp. bifasciata (Müller, 1776) EYCKWS SEBTI
 = sedakovi Mann. 1852
 ssp. limbiventris (Reitter, 1898) C T #82
 septempunctata (Fabricius, 1793) EYC EBTI #678
 ssp. septempunctata (Fabricius, 1793) EY EBTI
 = suturata (Reiche, 1858)
 ssp. latenigra (Pic, 1915) C BT #82
 = anatolica Heyrovský, 1961 #82
 Subgenus: Nigrostenurella Özdikmen, 2013 #787
 nigra (Linnaeus, 1758) EYCW SEBTI #82
 ssp. nigra (Linnaeus, 1758) EYW SEBTI #82
 ssp. maesta Danilevsky, 2013a C TI #82
 Subfamilia: NECYDALINAE Latreille, 1825 #632
 Tribus: NECYDALINI
 Genus: Necydalis Linnaeus, 1758 EYCKWSUI
 Subgenus: Necydalis Linnaeus, 1758
 ulmi (Chevrolat, 1838) EC EBT?I #99
 = mesembrina Plavilstshikov, 1936 #99
 = hadullai Szallies, 1994 #99
 major Linnaeus, 1758 EYCKWSUI SEBMCJ #40 #99
 = xantha Semenov, 1898 #99
 = aino Kusama, 1974 #100
 gigantea Kano 1933 I J #68
 ssp. gigantea Kano 1933 I J #68
 Subgenus: Necydalisca Plavilstshikov,, 1936
 pennata Lewis, 1879 UI JC #44 #545
 = morio Kraatz, 1879 #40 #545
 #604
 = ebenina Bates, 1884
 = pacifica Plavilstshikov, 1936
 = ussuriensis Plavilstshikov, 1936
 = semenovi Plavilstshikov, 1936
 = eoa Plavilstshikov, 1936
 sachalinensis Matsumura & Tamanuki, 1927 UI JC #40 #44
 = akitai Fujita, 2018 #890
 Subfamilia: SPONDYLIDINAE Audinet-Serville, 1832 #101
 = Aseminae auct.
 Tribus: SAPHANINI Gistel, 1848
 Genus: Drymochares Mulsant, 1847 C
 starcki Ganglbauer, 1888 C - #102
 cavazzutii Sama et Rapuzzi 1993 C T #131
 ssp. cavazzutii Sama et Rapuzzi 1993 C T #131
 Genus: Saphanus Audinet-Serville, 1834 E SEB?T
 piceus (Laicharting, 1784) E SEBT #50 #103

ssp. piceus (Laicharting, 1784) E SEB
 = ?pubescens Pic, 1907 #131
 Genus: Oxypleurus Mulsant, 1839 YC
 nodieri Mulsant, 1839 YC ASB #434
 Tribus: ANISARTHRIINI Mamaev et Danilevsky, 1973 #420 #606
 Genus: Anisarthron Dejean, 1835 EC
 = Falsanoeme Villiers, 1971
 cyrus (Villiers, 1971) C I
 barbipes (Schrank 1781) E EB
 Tribus: ATIMIINI LeConte, 1873
 Genus: Atimia Haldeman, 1847 U
 = Myctus Semenov et Plavilstshikov, 1937 #104
 maculipuncta (Semenov et Plavilstshikov, 1937) U MC
 ssp. nadezhdae Tsherepanov, 1973 U C #105 #814
 [= okayamensis Hayashi, 1972]
 Tribus: ASEMINE Thomson, 1860
 Genus: Megasemum Kraatz, 1879 UI
 quadricostulatum Kraatz, 1879 UI CJ
 Genus: Asemum Eschscholtz, 1830 EYCAKWSUI
 striatum (Linnaeus, 1758) ECAKWSUI SEBMCJ
 = subsulcatum Motschulsky, 1860 #107
 = amurense Kraatz, 1879 #24
 = ishidai Fujita, 2018 #872
 tenuicorne Kraatz, 1879 YC EST #109
 ssp. tenuicorne Kraatz, 1879 YC EST #109
 punctulatum Blessig, 1872 UI ?MCJ #6
 Genus: Arhopalus Audinet-Serville, 1834 EYCKWSUI
 Subgenus: Arhopalus Audinet-Serville, 1834 EYCKWSUI
 = Criocephalum Dejean, 1835 #24
 = Criocephalum Mulsant, 1839
 rusticus (Linnaeus, 1758) EYCKWSUI SEBTIMCJ #838
 ssp. rusticus (Linnaeus, 1758) EYCKWSUI SEBTIMCJ #838
 = tristis Fabricius, 1787 #111
 = coreanus Sharp, 1905 #762
 ferus (Mulsant, 1839) EYCKWSU ASEBTC #111 #541
 Genus: Nothorhina L. Redtenbacher, 1845 EKW #106
 punctata (Fabricius, 1798) EKW EBTJ #40 #441 #750
 = muricata (Dalman, 1817)
 Genus: Tetropium Kirby, 1837 EYCAKWSUI
 = Isarthron Dejean, 1835 #47
 castaneum (Linnaeus, 1758) EYCKWSUI SEBMCJ #50 #110
 gabrieli Weise, 1905 E SE #108
 gracilicorne Reitter, 1889 ?EKWSUI MCJ #108 #814
 ssp. gracilicorne Reitter, 1889 ?EKWSUI MCJ #108 #814
 gracilicum Hayashi, 1983 UI CJ #25 #547
 staudingeri Pic, 1901 AK C
 = tjanshanicum Semenov, 1907
 = laticolle Podani, 1967 #56 #69
 aquilonium Plavilstshikov, 1940 EW E #112 #845
 tauricum Shapovalov, 2007 E - #607
 danilevskyi Slama, 2005 S - #585
 fuscum (Fabricius, 1787) ECKW SEBT #40 #109
 #383
 ssp. fuscum (Fabricius, 1787) ECKW SEBT
 Tribus: SPONDYLIDINI Audinet-Serville, 1832 #101 #632
 Genus: Spondylis Fabricius, 1775 EYCKWSUI
 buprestoides (Linnaeus, 1758) EYCKWSUI SEBTIMCJ
 Subfamilia: APATOPHYSEINAE Lacordaire, 1869 #113 #632

#699

- Tribus: APATOPHYSEINI
Genus: Apatophysis Chevrolat, 1860 CAK?W #608
Subgenus: Apatophysis Chevrolat, 1860 CAK
pavlovskii Plavilstshikov, 1954 A - #354
serricornis (Gebler, 1843) K CM #69 #558
= tomentosa Gebler, 1845 #24
= spinicornis Gebler, 1860
= obtusicollis Motschulsky, 1860 #558
= mongolica Semenov, 1901 ?AK MC #558
= kadyrbekovi Kadlec, 2006 #558
caspiica Semenov, 1901 CAK I #114 #508
vedica Danilevsky, 2008 C T #508
komarowi Semenov, 1889 AC I #508
baeckmanniana Semenov, 1907 AK -
Subgenus: Angustephyasis Pic, 1956 A #671
margiana Semenov et Schegoleva-Barovskaya, 1936 AK I #671 #895
= plavilstshikovi Miroshnikov, 1992 #671
Subfamilia: CERAMBYCINAE Latreille, 1802 #333 #632
Tribus: ACHRYSONINI
Genus: Icosium Lucas, 1854 C
tomentosum Lucas, 1854 C ABST
ssp. atticum Ganglbauer, 1882 C BST #115 #425
Tribus: HESPEROPHANINI
Genus: Turcmenigena Melgunov, 1893b AK #104
warenzowi Melgunov, 1893b AK BC
Genus: Hesperophanes Dejean, 1835 EYCAK #33
sericeus (Fabricius, 1787) EYCA SBTI #571 #727
heydeni Baeckmann, 1923 K MC #89 #761
pilosus Bodungen, 1908 C A
Genus: Trichoferus Wollaston, 1854 EYACKSU #336 #604
holosericeus (Rossi, 1790) EYC ASBTI #116
= cinereus Villers, 1789
fasciculatus (Faldermann, 1837) EYC ASBTI #117
ssp. fasciculatus (Faldermann, 1837) EYC ASBTI
griseus (Fabricius, 1793) EY?C ASBT #117 #678
campestris (Faldermann, 1835) EYCAKSU EMCJ #50 #518
#566 #633
= turkestanicus Heyden, 1886
pallidus (Olivier, 1790) EYC SEB #629
Genus: Stomatium Audinet-Serville, 1834 EYCA #538
auratum (Böber, 1793) EYCA ASBTI #755
= fulvum (Villers, 1789)
= unicolor (Olivier, 1800) #96 #879
Tribus: Phoracanthini
Genus: Phoracantha Newman, 1840 C
semipunctata (Fabricius, 1775) C ATS #118
Tribus: CERAMBYCINI
Genus: Neocerambyx Thomson, 1860 U #119
= Mallambyx Bates, 1873
= Mesocerambyx Breuning et Hitzinger, 1943
= Massicus Pascoe, 1867 #897
raddei (Blessig, 1872) U CJ
Genus: Cerambyx Linnaeus, 1758 EYC
Subgenus: Cerambyx Linnaeus, 1758
welensii Küster, 1846 ?E?YC ASEBTI #96 #120
= velutinus Brullé, 1832
ssp. welensii Küster, 1846 ?C ASEBT
cerdo Linnaeus, 1758 EYC ASEBTI #121 #566

#571

ssp. cerdo Linnaeus, 1758 E SEB

ssp. acuminatus Motschulsky, 1852 C ATI #121

= klinzigi Podany, 1964 #121

ssp. manderstjernaes Mulsant & Godart, 1855 YC #121

dux (Faldermann, 1837) YC BTI

nodulosus Germar, 1817 YC SBT

ssp. nodulosus Germar, 1817 YC SBT

miles Bonelli, 1812 YC SEBT #436

Subgenus: Microcerambyx Miksic et Georgijevic, 1973 #106 #727

= Mesocerambyx Zagajkevitch, 1991 [unavailable]

scopolii Fuesslin, 1775 EYC SEBT #563

ssp. scopolii Fuesslin, 1775 EYC SEBT #647

multiplicatus Motschulsky, 1859 C I

= elegans Dohrn, 1873 #457

Genus: Trirachys Hope, 1843 AK #853

= Aeolesthes auct., nec Gahan, 1890 #853

sartus (Solsky, 1871) AK IC

Genus: Xenopachys Sama, 1999 A

matthiesseni (Reitter, 1907) A I #895

Genus: Dissopachys Reitter, 1886 A

pulvinatus Reitter, 1886 AC I #122

Genus: Neoplocaederus Sama, 1991 AK #96

danilevskyi Lazarev, 2009b A -

scapularis (Fischer-Waldheim, 1821) AK I #692 #765

#871

Tribus: COMPSOCERINI #869

= ROSALIINI

Genus: Rosalia Audinet-Serville, 1834 EYCU

alpina (Linnaeus, 1758) EYCW SEBT #587

ssp. alpina (Linnaeus, 1758) EYCW SEBT

coelestis Semenov, 1911 U C #123 #359

= yanagii Fujita & Akita, 2020 [Tsushima Is.] #902

Tribus: PURPURICENINI #539

Genus: Purpuricenius Dejean, 1821 EYCAKWU #33 #850

kaehlerii (Linnaeus, 1758) EYCK SEBTI #528 #560

#572

ssp. rossicus Danilevsky, 2019 EYCK SET #560 #572

#873

ssp. menetriesi Motschulsky, 1845 C IT #528

= caucasicus Th. Pic, 1902 #481 #727

= astrabadensis Pic, 1915

budensis (Götz, 1783) EYC?W ASEBTI #481 #602

baeckmanni Danilevsky, 2007 Y - #481 #727

caucasicola Danilevsky, 2015 C T #481 #727

= caucasicus auct. not T. Pic, 1902 #481

globulicollis Mulsant, 1839 EWK BES #528 #560

ssp. globulicollis Mulsant, 1839 EWK BES #528

= laurenti Bonneau, 1987

= tsherepanovae Tsherepanov, 1980 #528

wachanrui Levrat, 1858 C TI #110

deyrollei Thomson, 1867 A TI

talyshensis Reitter, 1891 C I #124 #426

sideriger Fairmaire, 1888 U C #56

ssp. sideriger Fairmaire, 1888 U C #56

lituratus Ganglbauer, 1887 U CJ #604

= petasifer Fairmaire, 1888 #125

Genus: Anoplistes Audinet-Serville, 1834 ECAKWSU #462

= Asias Semenov, 1914 #462

	<i>jacobsoni</i> Baeckmann, 1901 K -	#126
	<i>halodendri</i> (Pallas, 1773) ECKWSU MC	#37 #126
	= <i>humeralis</i> Olivier, 1795	
	= <i>elaeagni</i> Fischer-Waldheim, 1824	
	<i>ssp. ehippium</i> (Steven et Dalman, 1817) ECK -	
	<i>ssp. kasatkini</i> Lazarev, 2014a C	#801
	<i>ssp. halodendri</i> (Pallas, 1773) KW -	#597
	<i>ssp. heptapotamicus</i> (Semenov, 1923) K?W?S ?C	#126
	<i>ssp. minutus</i> Hammarström, 1893 S M?C	#126
	<i>ssp. pirus</i> (Arakawa,1932) SU C	#126
	<i>churkini</i> Danilevsky, 2020c A -	
	<i>agababiani</i> (Danilevsky, 2000c) C -	
	<i>diabolicus</i> Reitter, 1915 K -	
	<i>forticornis</i> Reitter, 1901 AK ?C	#597
	<i>jomudorum</i> (Plavilstshikov, 1940) A?K -	#127
	= <i>chodjaii</i> Holzschuh, 1974	#127
	<i>galusoi</i> (Kostin, 1974) K -	
	<i>tuvensis</i> (Tsherepanov,1978) S M	#375
	Genus: <i>Amarysius</i> Fairmaire,1888 EKWSU	
	<i>sanguinipennis</i> (Blessig, 1872) EKWSU MCJ	#158 #402
#541		
	<i>suturalis</i> (Pic, 1906) U C	#673
	= <i>grallator</i> Baeckmann, 1924	
	<i>altajensis</i> (Laxmann, 1770) KWSU MC	
	<i>ssp. altajensis</i> (Laxmann, 1770) KW -	#394
	= <i>sellatus</i> Germar,1824 (Barnaul)	
	= <i>affinis</i> Motschulsky,1875 (Altaj,Dauria)	
	<i>ssp. coreanus</i> (Okamoto, 1924) US MC	#394
	= <i>ussuricus</i> Tsherepanov,1975	
	<i>duplicatus</i> Tsherepanov,1980 W?SKU ?M?C	#394 #541
	Tribus: CALLICHROMATINI	
	Genus: <i>Aphrodisium</i> Thomson, 1864 ?S	
	= <i>Tomentaromia</i> Plavilstshikov, 1934	#128
	<i>faldermannii</i> (Saunders, 1853) ?S ?MC	#129
	<i>ssp. faldermannii</i> (Saunders, 1853) ?S ?MC	
	Genus: <i>Aromia</i> Audinet-Serville, 1834 EYCAKWSUI	
	<i>moschata</i> (Linnaeus, 1758) EYCAKWS ASEBTIC	
	= <i>thea</i> Reitter, 1894	
	<i>ssp. moschata</i> (Linnaeus, 1758) EYCKAWS EB	#410
	<i>ssp. ambrosiaca</i> (Steven, 1809) ?EC ASTI	#410
	<i>ssp. malukhini</i> Danilevsky, 2019 E -	#873 #880
	<i>ssp. sumbarensis</i> Danilevsky, 2007 A -	
	<i>ssp. cruenta</i> Bogatchev, 1962 A -	#410 #589
	<i>ssp. jankovskyi</i> Danilevsky, 2007 A -	
	<i>ssp. vetusta</i> Bogatchev,1962 K -	#590
	<i>orientalis</i> Plavilstshikov, 1932 SUI MCJ	#540 #604
	Genus: <i>Turkaromia</i> Danilevsky 1993 AK C	
	<i>pruinosa</i> (Reitter, 1903) K C	
	<i>gromenkoi</i> Danilevsky, 2000 A -	
	Genus: <i>Chelidonium</i> Thomson, 1864 U	
	<i>zaitzevi</i> Plavilstshikov, 1933 U C	#719
	Genus: <i>Chloridolum</i> Thomson, 1864 U	
	Subgenus: <i>Chloridolum</i> Thomson, 1864 U	
	<i>sieversii</i> (Ganglbauer, 1887) U C	
	= <i>coreana</i> Fairmaire,1897	#280
	Genus: <i>Leontium</i> Thomson, 1864 I	#40 #604
	<i>viride</i> Thomson, 1864 I JC	#845
	Genus: <i>Polyzonus</i> Dejean, 1835 SU	
	<i>fasciatus</i> (Fabricius, 1781) SU MC	

Tribus: CALLIDIOPINI #420
Genus: Stenygrinum Bates, 1873 U
quadrinotatum Bates, 1873 U CJ
Tribus: GRACILIINI
Genus: Gracilia Audinet-Serville, 1834 EYCW
minuta (Fabricius, 1781) EYCWK ASEBTC #30 #471
#560
Genus: Penichroa Stephens, 1839 YC #337 #355
#593
= Graecoeme Adlbauer, 2006
fasciata (Stephens, 1831) YC ASEBTI
= eggeri Adlbauer, 2006
Genus: Axinopalpis Dejean, 1835 EC #420
gracilis (Krynicky, 1832) EC SEBTI #130
ssp. gracilis (Krynicky, 1832) EC SEBT #130
Genus: Hybometopia Ganglbauer, 1889 C #420
starcki Ganglbauer, 1889 C T #102
ssp. starcki Ganglbauer, 1889 C T #75
Tribus: OBRIINI
Genus: Obrium Dejean 1821 EYCKWSUI
cantharinum (Linnaeus, 1767) ECKWSU SEBTJ #40 #862
ssp. cantharinum (Linnaeus, 1767) ECKWSU SEBT #40
brunneum (Fabricius, 1793) EYC SEBTI #110 #566 #678
obscuripenne (Pic, 1904) UI CJ
ssp. obscuripenne (Pic, 1904) UI C
= graciliforme Lipp, 1939 #133
= gracile Plavilstshikov, 1933
brevicornis (Plavilstshikov, 1940) U JK #169
= japonicum
Tribus: CERTALLINI
Genus: Certallum Dejean, 1821 EYC #50
= Cartallum Audinet-Serville, 1834
ebulinum (Linnaeus, 1767) EYC ASEBTI
= ruficolle Fabricius, 1787 #150 #701
Tribus: DEILINI
Genus: Deilus Audinet-Serville, 1834 E?YCK #572
fugax (Olivier, 1790) E?YCKW ASEBT #471 #862
Tribus: STENOPTERINI
Genus: Stenopterus Illiger, 1804 EYCA
rufus (Linnaeus, 1767) EYCA ASEBTI #146 #554 #851
ssp. rufus (Linnaeus, 1767) EYC ASEB
ssp. geniculatus Kraatz, 1863 C SBTI #146
ssp. transcaspicus Lazarev, 2008 A I #146
flavicornis Küster, 1846 E ESBT #702
ater (Linnaeus, 1767) Y?C ASEB #147
Genus: Callimus Mulsant, 1846 EYC #148
= Callimellum Strand, 1928
Subgenus: Callimus Mulsant, 1846 #727
angulatus (Schrank 1789) ECA ASEBTI #469 #851
ssp. angulatus (Schrank, 1789) ECA ASEBTI
Subgenus: Lampropterus Mulsant, 1863 #727
= Callimomimus Ieniştea, 1952
femoratus (Germar, 1824) EYC ABTI
= adonis Abeille de Perrin, 1881 #24
= narcissus Abeille de Perrin, 1881
= distinctus Ieniştea, 1952
Subgenus: Procallimus Pic, 1907 #727
= Protocallimus Plavilstshikov, 1940 #149
egregius Mulsant et Rey, 1863 YC T

Genus: *Callimoxys* Kraatz, 1863 YCA
 gracilis (Brullé, 1832) YCA EBTI #470 #851
 Tribus: PSEBIINI
 Genus: *Nathrius* Brèthes, 1916 EYCK
 brevipennis (Mulsant, 1839) EYCK ASEBIC
 Tribus: MOLORCHINI
 Genus: *Leptepania* Heller, 1924 U
 = *Molorchinus* Shabliovsky, 1936 #416
 okunevi (Shabliovsky, 1936) U M #56 #416
 #761
 = *incognitus* Tsherepanov, 1975
 Genus: *Nadezhdiana* Tsherepanov, 1976 U
 villosa Tsherepanov, 1976 U -
 Genus: *Molorchus* Fabricius, 1793 EYCAKWSUI #678
 Subgenus: *Caenoptera* C.G. Thomson, 1859 #693 #727
 minor (Linnaeus, 1758) EC?AKWSUI SEBTIMCJ #40
 ssp. minor (Linnaeus, 1758) EC?AKWSUI SEBTIMCJ #40 #135
 = *rufescens* Kiesenwetter, 1879
 monticola Plavilstshikov, 1931 AC I #50 #136
 #672
 pallidipennis Heyden, 1887 AK C
 tjanschanicus Plavilstshikov, 1959 A?K - #468
 Subgenus: *Molorchus* Fabricius, 1793 #693 #727
 = *Glaphyra* Newman, 1840 #604
 = *Linomius* Mulsant, 1862 #137
 umbellatarum (Schreber, 1759) EYC?W ESBTI
 ssp. umbellatarum (Schreber, 1759) EYC?W ESBTI #467
 plagiatus Reiche, 1877 ECK I #138 #139
 #566
 kiesenwetteri Mulsant et Rey, 1861 EYC SEBT #138 #69
 #284
 ssp. kiesenwetteri Mulsant et Rey, 1861 E?Y SEB #139
 ssp. hircus Abeille de Perrin, 1881 ?YC T #139 #700
 = *anatolicus* Adlbauer, 1988 #139
 schmidti Ganglbauer, 1883 EYCAK E #139 #284
 = *salicicola* Stiller, 1935 #139
 = *?semenovi* Plavilstshikov, 1940 #69 #139
 #284
 marmottani Brisout de Barneville, 1863 E SET #139 #140 #566
 #862
 ssp. marmottani Brisout de Barneville, 1863 E SE #139
 starki Shabliovsky, 1936 U C?J #143
 = *ussuriensis* Plavilstshikov, 1940 #25
 ?= *kojimai* Matsushita, 1939 #143
 = *ichikawai* Niisato, 1988 #143
 ishiharai Ohbayashi, 1936 UI J #141
 = *kunashiricus* Tsherepanov, 1981 #141
 kobotokensis Ohbayashi, 1963 U JC #142
 Subgenus: *Nathrioglaphyra* Sama, 1995 EWAK #727
 heptapotamicus Plavilstshikov, 1940 EWKA ?C #144 #145
 = *amygdali* Holzschuh, 1979 #145
 Tribus: *Brachypteromatini* Sama, 2008 #683
 Genus: *Dolocerus* Mulsant, 1862 C #683 #730
 = *Brachypteroma* Heyden, 1863 #683 #730
 reichii Mulsant, 1862 C SBT #730
 = *ottomanum* Heyden, 1863 #730
 Tribus: STENHOMALINI #132 #604
 #699
 Genus: *Stenhomalus* White, 1855 UI

japonicus (Pic, 1904) UI J	#604
= lighti Gressitt, 1935	#132
= vulcanus Tsherepanov, 1976	
Tribus: HYLOTRUPINI	#106 #606
#699	
Genus: Hylotropes Audinet-Serville, 1834 EYCW	
bajulus (Linnaeus, 1758) EYCAW ASEBTIC	#685
Tribus: CALLIDIINI	
Genus: Paraxylocrius Niisato, 2009	#688
testaceus Niisato, 2009 I -	#688
verigai Danilevsky, 2012 U -	#688
Genus: Ropalopus Mulsant, 1839 EYCAK?SUI	#151
= Rhopalopus L. Redtenbacher, 1845	
Subgenus: Prorrhopalopus Plavilstshikov, 1921	
signaticollis (Solsky, 1873) UI CJ	#814
speciosus (Plavilstshikov, 1915) U C	#290 #823
Subgenus: Pronocerodes Plavilstshikov, 1940	
ruficollis (Matsumura, 1911) UI -	#581
aurantiicollis (Plavilstshikov, 1940) UI C	#581
Subgenus: Ropalopus Mulsant, 1839	
ungaricus (Herbst, 1784) E SEB	#152 #566
ssp. ungaricus (Herbst, 1784) E SEB	#884
ssp. insubricus (Germar, 1824) YE SEB	#37 #152
#884	
= fischeri (Krynicky, 1829)	#152 566
lederi (Ganglbauer, 1882) YC IT	#425 #741
clavipes (Fabricius, 1775) EYCKWU SEIT	#59 #870
macropus (Germar, 1824) EYC SEBTI	#683
= caucasicus Desbrochers, 1873	#153
varini (Bedel, 1870) E SEB	
= spinicornis Abeille de Perrin, 1869	#154
femoratus (Linnaeus, 1758) E SEB	#441 #472
= punctatus: Sama 2002 (not Fabricius, 1798)	#441
nadari (Pic, 1894) A -	#473
mali Holzschuh, 1993 AK -	#473
Genus: Pronocera Motschulsky, 1859 EWSUI	#155
sibirica (Gebler, 1848) WSUI MC	#155
= brevicollis Gebler, 1833	
= daurica Motschulsky, 1859	#155
angusta (Kriechbaumer, 1844) E EB	
Genus: Turanium Baeckmann, 1923 ?EWAK	#371
Subgenus: Turanium Baeckmann, 1923	
rauschorum Holzschuh, 1998 AK -	#474
tekeorum Danilevsky, 2001 A I	#617 #691
pilosum (Reitter, 1891) AK C	#342
scabrum (Kraatz, 1882) ?EWAK C	#568
= simplarium Heyden, 1885	
hladili Kratochvil, 1985 A -	
Subgenus: Chalcoturanium Jankovsky, 1934	
johannis Baeckmann, 1923 A -	#490
ssp. johannis Baeckmann, 1923 A -	#490
ssp. juglandis Jankovsky, 1934 A -	#490
ssp. n. A [Arslan-Bob - Kara-Alma] -	#490
badenkoi Danilevsky, 2001 K ?C	
Genus: Leioderes L. Redtenbacher, 1845 E?C	#458
kollari L. Redtenbacher, 1849 E?C SEB	#458
ssp. kollari L. Redtenbacher, 1849 E?C SEB	#458
Genus: Callidiellum Linsley, 1940 C	
rufipenne (Motschulsky, 1861) C CJES	#156

Genus: *Semanotus* Mulsant, 1839 EYCAKWSU
undatus (Linnaeus, 1758) E?YWSU SEBMC #157
russicus (Fabricius, 1777) EYCA AEBTI #592
ssp. russicus (Fabricius, 1777) EYC EBT
ssp. persicus (Solsky, 1876) A I
semenovi Okunev, 1933 AK - #475
bifasciatus (Motschulsky, 1875) U CJ

Genus: *Callidium* Fabricius, 1775 EYCKWSUI #124
Subgenus: *Palaeocallidium* Plavilstshikov, 1940 #493 #604
coriaceum Paykull, 1800 EWSUI SEBMC?J #525 #816
= lucidum Scopoli, 1772 [NO] #614
? = chlorizans Solsky, 1871 WSU MCJ #525
Subgenus: *Callidium* Fabricius, 1775 #493
violaceum (Linnaeus, 1758) EYCKAWSUI SEBMCJ #676 #814
Subgenus: *Callidostola* Reitter, 1913 #335 #424

#493
aeneum DeGeer, 1775 ECKWSU SEBTMJ #158
ssp. aeneum (DeGeer, 1775) EWKSU SEBTMJ #158
ssp. longipenne Plavilstshikov, 1940 C - #159

Genus: *Oupyrrhidium* Pic, 1900 U
cinnabarinum (Blessig, 1872) U C

Genus: *Pyrrhidium* Fairmaire, 1864 EYC
sanguineum (Linnaeus, 1758) EYC ASEBTI #357

Genus: *Phymatodes* Mulsant, 1839 EYCKAWUI #160 #604
Subgenus: *Phymatodes* Mulsant, 1839
testaceus (Linnaeus, 1758) EYCKWU ASEBTIJ #357
Subgenus: *Melasmetus* Reitter, 1913 #424
femoralis (Ménétriés, 1832) C IT
ssp. femoralis (Ménétriés, 1832) C I
Subgenus: *Phymatoderus* Reitter, 1913 #424 #493

#727
= Reitteroderus Sama, 1991 #161
lividus (Rossi, 1794) EYC ASEB #700
puncticollis Mulsant, 1862 EYC EB
pusillus (Fabricius, 1787) EYCA SEB
ssp. pusillus (Fabricius, 1787) E SEB
ssp. rufipenne (Starck, 1889) EYCA - #162
glabratus (Charpentier, 1825) EYC SEB
abietinus Plavilstshikov & Lurie, 1960 EW - #552
Subgenus: *Phymatodellus* Reitter, 1913 #424 #493

#604
rufipes (Fabricius, 1777) EY SEBT #571 #727
ssp. rufipes (Fabricius, 1776) EY SEBT #567
zemlinae Plavilstshikov & Anufriev, 1964 U C #777
infasciatus (Pic, 1935) UI CJ #163
= vandykei Gressitt, 1935 #25
= ussuricus Plavilstshikov, 1940
murzini Danilevsky, 1993e U C #855
Subgenus: *Paraphymatodes* Plavilstshikov, 1934 #493 #604

#727
fasciatus (Villers, 1789) E SEB #164 #700
hauseri (Pic, 1907) K C #643
mediofasciatus Pic, 1933 U C #814
Subgenus: *Poecilium* Fairmaire, 1864 #493 #604

#727
alni (Linnaeus, 1767) EYCK ASEBTI
ssp. alni (Linnaeus, 1767) EYK SEB #50 #683
ssp. pici Aurivillius, 1912 ("Tiflis")?EC ATI #165 #424

#438

= alnoides Reitter, 1913	#165
ssp. lateniger (Pic, 1945) C I	#165
= elburzensis (Holzschuh, 1977)	#165
ermolenkoi Tsherepanov, 1980 U C	#823
maacki (Kraatz, 1879) UI CJ	
ssp. maacki (Kraatz, 1879) U C	
ssp. viarius Danilevsky, 1988 I J	#604
Tribus: TILLOMORPHINI	
Genus: Cleroclytus Kraatz, 1884 AK	#166
Subgenus: Obliqueclytus Lazarev, 2014a A	#166 #801
gracilis Jakovlev, 1900 A -	
= baeckmanni Okunev, 1933	
= grandiculus Plavilstshikov, 1940	
banghaasi (Reitter, 1895) A -	
= semenowi Jakovlev, 1900	
Subgenus: Cleroclytus Kraatz, 1884 AK	#166 #801
semirufus Kraatz, 1884 AK IMC	#89 #895
= vestitus Jakovlev, 1900	
ssp. semirufus Kraatz, 1884 AK I	
ssp. collaris Jakovlev, 1885 AK MC	#89
= strigicollis Jakovlev, 1900	
Tribus: ANAGLYPTINI	#699
Genus: Paraclytus Bates, 1884 CI	
excultus Bates, 1884 I J	
raddei (Ganglbauer, 1882) C I	#425
reitteri (Ganglbauer, 1882) C I	#425
sexguttatus (Adams, 1817) C BTI	#507 #437
Genus: Anaglyptus Mulsant, 1839 EYCA	#349
Subgenus: Anaglyptus Mulsant, 1839	
bicallosus (Kraatz, 1882) KA -	#681b
mysticus (Linnaeus, 1758) E?Y ASEB	#167 #168
simplicicornis Reitter, 1905 C TI	
mysticoides Reitter, 1894 C T	
ssp. mysticoides Reitter, 1894 C T	#835
arabicus (Küster, 1847) C T	
ganglbaueri Reitter, 1886 C I	
= natae Lobanov, 1994	#168
= persicus Pic, 1906	#140 #168
danilevskii Miroshnikov, 2000 C TI	#729
Genus: Aglaophis Thomson, 1857 U	#349 #604
colobothaeoides Bates, 1884 U CJ	
Genus: Oligoenoplus Chevrolat, 1863 I	#25 #349
rosti (Pic, 1911) I J	
ssp. rosti (Pic, 1911) I J	#271
Tribus: CLYTINI	
Genus: Plagionotus Mulsant, 1842 EYCAK?WU	#171 #683
#727	
detritus (Linnaeus, 1758) EYCK?W SEBTI	
ssp. detritus (Linnaeus, 1758) EYCK?W SEBTI	
ssp. caucasicola Plavilstshikov, 1940 C -	#170 #727 #750
pulcher (Blessig, 1872) U CJ	
christophi (Kraatz, 1879) U CJ	
arcuatus (Linnaeus, 1758) EYCKWA ASEBTI	#519 #836
ssp. arcuatus (Linnaeus, 1758) EYCKW ASEBT	#519
ssp. multiinterruptus Pic, 1933 C T	#519
ssp. lugubris (Ménétriés, 1832) CA I	#519
ssp. kirgizicus Lazarev, 2010 A -	#519
bartholomei (Motschulsky, 1859) C I	#423
= admirabilis Heyden in Schneider & Leder, 1879	#423

Genus: Neoplacionotus Kasatkin, 2005 EYCA BTI	#171 #173 #606
#683 #727	
bobelayei (Brullé, 1832) EYCA BTI	#37 #96
= speciosus Adams, 1817 [HN]	
ssp. huseyini Lazarev, 2016c EYCA -	#829
Genus: Echinocerus Mulsant, 1863	#171 #172
#683 #727	
= Paraplagionotus Kasatkin, 2005 EYCKAWS	#171 #172
#606	
floralis (Pallas, 1773) EYCKAWS SEBTI	#526
Genus: Teratoclytus Zaitzev, 1937 UI	
plavilstshikovi Zaitzev, 1937 UI JC	#731
Genus: Epiclytus Gressitt, 1935 U	
= Eoclytus Plavilstshikov, 1940	
ussuricus (Pic, 1933) U -	#575
Genus: Rhabdoclytus Ganglbauer, 1889 UI	#381 #604
= Hayashiclytus Ohbayashi, 1963	
acutivittis (Kraatz, 1879) UI CJ	
ssp. acutivittis (Kraatz, 1879) UI CJ	
Genus: Isotomus Mulsant, 1863 EYC	
speciosus (Schneider, 1787) EYC EBT	#140 #570
#744	
ssp. speciosus (Schneider, 1787) EYC EBT	#140
comptus (Mannerheim in Hummel, 1825) EYC TI	#378 #744
ssp. comptus (Mannerheim in Hummel, 1825) EYC T	
Genus: Chlorophorus Chevrolat, 1863 EYCAKWSUI	#734
= Chloropterus Löbl & Smetana, 2011 [not available]	#734
Subgenus: Crassofasciatus Özdikmen, 2011	
hubenyi Viktora, 2019 A -	#881
Subgenus: Immaculatus Özdikmen, 2011	#742
varius (Müller, 1766) EYCKW SEBTIC	#735 #895
ssp. varius (Müller, 1766) EYCKW SEBTIC	
hrabovskiyi Kratochvil, 1985 A I	#840
elaeagni Plavilstshikov, 1956 ECAK -	#578
faldermanni (Faldermann, 1837) ECAK IC	#174 #584
obliteratus (Ganglbauer, 1889) S CM	#56 #175
#761	
= mongolicus Pic, 1943	#174
= kaszabi Heyrovský, 1970	#174
= ubsanurensis Tsherepanov, 1971	#56
simillimus (Kraatz, 1879) SUI MCJ	
= sexmaculatus Motschulsky, 1859	#134
herbstii (Brahm, 1790) E?Y?CKW?S SEBT	#586 #684
Subgenus: Humeromaculatus Özdikmen, 2011	#742
figuratus (Scopoli, 1763) EYCKWS SEBTI	#554
navratili Holzschuh, 1981 A -	
japonicus (Chevrolat, 1863) I CJ	
motschulskyi (Ganglbauer, 1887) SUI MCJ	#460 #644
= latofasciatus (Motschulsky, 1861)	#644
= chasanensis Tsherepanov, 1982	#341
diadema (Motschulsky, 1854) UI ?MCJ	#174
ssp. diadema (Motschulsky, 1854) U ?MCJ	
ssp. inhirsutus Matsushita, 1933 I J	#25
tohokensis Hayashi, 1968 U JC	#24
Subgenus: Perderomaculatus Özdikmen, 2011	#742
sartor (Müller, 1766) EYCAK?W?S?U SEBTI	#397 #535
Genus: Rhaphuma Pascoe, 1858 EKWSUI	#177
gracilipes (Faldermann, 1835) EKWSUI EMCJ	#636 #782

#862

- = sachalinensis Matsumura, 1911 #404
- diminuta (Bates, 1873) U CJ
- ssp. diminuta (Bates, 1873) U CJ #169
- Genus: Demonax Thomson, 1861 U #747
- savioi (Pic, 1924) U C #747
- Genus: Xylotrechus Chevrolat, 1860 EYCAKWSUI #686
- Subgenus: Xylotrechus Chevrolat, 1860
- antilope (Schönherr, 1817) EYC ASEBTI #792
- ssp. antilope (Schönherr, 1817) EYC ASEBTI
- ssp. bitlisiensis S.Marklund & D.Marklund, 2013 C T #792
- arvicola (Olivier, 1800) EYCKW ASEBTI #726 #879
- ssp. arvicola (Olivier, 1800) E ASEBT #879
- ssp. planarius Danilevsky, 2016a EYKW - #726
- ssp. lazarevi Danilevsky, 2016a C IT #726
- ssp. iranicus Rapuzzi & Sama, 2014a C I #726
- rufilius Bates, 1884 U?I CJ #683
- = irinae Plavilstshikov, 1925 #351
- = magnicollis Fairmaire, 1888 #351
- stebbingi Gahan, 1906 A ESBTI #573 #683
- mixtus Plavilstshikov, 1940 U -
- hircus (Gebler, 1825) KSUI MCJ
- cuneipennis (Kraatz, 1879) SUI CJ
- pavlovskii Plavilstshikov, 1954 U C #754
- polyzonus (Fairmaire, 1888) U C #179
- capricornus (Gebler, 1830) EKW EB #541 #816
- = capricornis (Chevrolat, 1863)
- ibex (Gebler, 1825) EKWSUI EBMC #541 #563

#566

- clarinus Bates, 1884 I CJ
- Subgenus: Turanoclytus Sama, 1994 #171 #683

#727

- sieversii Ganglbauer, 1890 C T?I #524 #683
- ilamensis Holzschuh, 1979 C I #524 #683
- ssp. zuvandiensis Lazarev, 2016c C I #524
- ssp. hadullai Danilevsky, 2010f C I #725
- asellus (Thieme, 1881) AK C #56
- = grumi Semenov, 1889
- namanganensis (Heyden, 1885) [prev.usage] AK CI #171 #895
- = namaganensis Heyden, 1885 [original spelling]
- Subgenus: Kostiniclytus Danilevsky, 2009 #686
- zaisanicus Plavilstshikov, 1940 K ?C #639
- alakolensis Karpiński & Szczepański, 2018 K - #854
- katerinae Shapovalov, 2014 K - #811
- arnoldii Kostin, 1974 K - #639
- ssp. arnoldii Kostin, 1974 K - #811
- ssp. tenebrosus Shapovalov, 2014 K - #811
- Subgenus: Rusticoclytus Vives, 1977 #178 #604 #683

#750

- salicis Takakuwa et Oda, 1978 SU JC?M #25
- = nadezhdae Tsherepanov, 1982 #25
- rusticus (Linnaeus, 1758) EYCKAWSUI SEBTIMCJ #323 #475
- adpersus (Gebler, 1830) KWSUI MCJ #30 #814
- pantherinus (Savenius, 1825) ECKWSU EBMC?I #476 #761
- = jakowlewi Semenov, 1899
- = jakovlevi Plavilstshikov, 1931 #476
- Subgenus: Xylloclytus Reitter, 1913 #178 #424

#604

- altaicus (Gebler, 1836) E?KWSUI MC #158 #551 #814

chinensis Chevrolat, 1852 ?U CJ #760
 = kurosawai Fujita, 2010 #760
 Subgenus: Ootora Niisato et Wakejima, 2008 #686
 villioni (Villard, 1892) I J #64
 Genus: Cyrtoclytus Ganglbauer, 1882 E?CKWSUI EBMC?I #425
 capra (Germar, 1824) E?CKWSUI EBMC?I #527 #816
 caproides (Bates, 1873) I CJ
 ssp. caproides (Bates, 1873) I CJ #40
 Genus: Brachyclytus Kraatz, 1879 UI
 singularis Kraatz, 1879 UI CJ #424
 Genus: Pseudosphegesthes Reitter, 1913 EC
 cinerea (Laporte et Gory, 1836) E SE #489
 brunnescens (Pic, 1897) C T?I #24
 = circassica Pic, 1905
 Genus: Clytus Laicharting, 1784 EYCAKWSUI
 Subgenus: Clytus Laicharting, 1784 EYCAKWSUI
 tropicus (Panzer, 1795) E EB #636
 schneideri Kiesenwetter, 1879 C TI #684
 ssp. schneideri Kieswetter, 1879 C TI #75
 rhamni Germar, 1817 EYCK SEBTI #518 #744
 ssp. temesiensis (Germar, 1824) EYCK EBTI #696 #750
 lama Mulsant, 1847 E SEB
 arietis (Linnaeus, 1758) EYCA SEBTI #513
 = gazella Fabricius, 1793 #513
 ssp. oblitus Roubal, 1932 C -
 ssp. arietis (Linnaeus, 1758) EYC SEBTI #687 #862
 ssp. lederi Ganglbauer, 1882 CA I #50 #425
 arietoides Reitter, 1899 EKWSUI MCJ #569 #814
 = venustulus Plavilstshikov, 1940 #181
 mayeti Théry, 1892 ?S?U - #674
 melaenus Bates, 1884 I JC #44
 raddensis Pic, 1904 U CJ
 = hypocrita Plavilstshikov, 1940 #181
 nigritulus Kraatz, 1879 U C
 = fulvohirsutus Pic, 1904 #182
 Subgenus: Sphegoclytus Sama, 2005 C TI #180
 vesparum Reitter, 1889 C TI #180
 stepanovi Danilevsky et Miroshnikov, 1985 C ?T #180
 Subfamilia: LAMIINAE Latreille, 1825
 Tribus: CEROPLESINI
 Genus: Moechotypa Thomson, 1864 U
 diphysis (Pascoe, 1871) U CJ
 Tribus: PARMENINI
 Genus: Parmena Dejean, 1821 EYC #33
 aurora Danilevsky, 1980 C ?T #50
 pontocircassica Danilevsky, 1985 EYC T #432 #701
 europaea Danilevsky, 2017 in Danilevsky & Hızal, 2017 E E #637
 #701 #833
 pilosa Brullé, 1832 ?E SEB #748
 ssp. pilosa Brullé, 1832 ?E SEB #748
 Tribus: MORIMOPSINI
 Genus: Plectrura Mannerheim, 1852 I
 Subgenus: Phlyctidola Bates, 1884
 metallica (Bates, 1884) IU CJ #814 #843
 ssp. metallica (Bates, 1884) IU CJ #40
 = sachalinica Jacobson, 1899
 = mandschurica Jacobson, 1899 #40
 Tribus: MESOSINI
 Genus: Mesosa Latreille, 1829 EYCKWSUI

Subgenus: *Mesosa* Latreille, 1829 #493
 myops (Dalman, 1817) EYKWSU EMC
 japonica Bates, 1873 I J #41
 curculionoides (Linnaeus, 1761) ECKW ASEBTIC #670
 Subgenus: *Aplocnemia* Stephens, 1831 #201 #493
 = *Aphelocnemia* Stephens, 1832 [RN]
 nebulosa (Fabricius, 1781) EYC ASEBT
 ssp. nebulosa (Fabricius, 1781) EYC ASEBT
 obscuricornis Pic, 1894 C I #202 #497
 senilis Bates, 1884 I J #203
 Subgenus: *Perimesosa* Breuning, 1939
 hirsuta Bates, 1884 U CJ
 ssp. continentalis Hayashi, 1964 U C #204
 Tribus: MORIMONELLINI #191
 Genus: *Morimonella* Podany, 1979 C #191
 bednariki Podany, 1979 C -
 Tribus: BATOCERINI
 Genus: *Apriona* Chevrolat, 1852
 rugicollis Chevrolat, 1852 U CJ #205
 ssp. rugicollis Chevrolat, 1852 U CJ
 = *plicicollis* Motschulsky, 1853
 Tribus: MONOCHAMINI #604 #740
 Genus: *Anoplophora* Hope, 1839 ?S?U
 glabripennis (Motschulsky, 1854) ?SU ESTC?J #391
 Genus: *Acalolepta* Pascoe, 1858 UI
 Subgenus: *Acalolepta* Pascoe, 1858 UI #875
 ussurica (Plavilstshikov, 1951) U - #31
 fraudator (Bates, 1873) IU CJ #188
 ssp. fraudator (Bates, 1873) IU CJ
 = *cervina* auct. (not Hope, 1831) #31
 sejuncta (Bates, 1873) I?U CJ #31 #188
 ssp. sejuncta (Bates, 1873) I?U CJ #40
 luxuriosa (Bates, 1873) I CJ
 ssp. luxuriosa (Bates, 1873) I CJ #40
 seunghwani Danilevsky, 2013h U C #797
 Genus: *Astynoscelis* Pic, 1904 U
 degener (Bates, 1873) U CJ
 = *longicornis* Pic, 1904 #24
 Genus: *Monochamus* Dejean, 1821 EYCKWSUI
 = *Monochammus* Dejean, 1835 (unjustified emendation)
 Subgenus: *Monochamus* Dejean, 1821 EYCKWSUI
 guttulatus Gressitt, 1951 U C #30
 = *guttatus* Blessig, 1873 #24
 impluviatus (Motschulsky, 1859) EWSUI MC
 saltuarius (Gebler, 1830) EKWSUI EBM CJ #206
 ssp. saltuarius (Gebler, 1830) WSUI MCJ #206 #849
 ssp. occidentalis Sláma, 2017 E - #849
 galloprovincialis (Olivier, 1800) EYCKAWS?U ASEBTM #30 #879
 ssp. pistor (Germar, 1818) EYKAW EB #683 #685 #750
 = *lignator* Krynicki, 1832 [Odessa]
 ssp. cinerascens Motschulsky, 1860 S?U M #207 #750
 = *sibiricus* Pic, 1908
 ssp. transitivus Lazarev, 2017 C T #207 #750
 nitens (Bates, 1884) I JC #44
 grandis Waterhouse, 1881 I J #44
 urussovii (Fischer-Waldheim, 1805) ECKWSUI EMCJ #208 #408
 #499
 = *quadrimaculatus* Motschulsky, 1845
 = *rosenmuelleri* auct., nec Cederhjelm, 1798 #604

sartor (Fabricius, 1787) E SEB #538
fleischeri Heyrovský, 1966 [unavailable]
sutor (Linnaeus, 1758) EYCKWSUI SEBMCJ
ssp. sutor (Linnaeus, 1758) EYCKW SEBM #499
= rosenmuelleri Cederhjelm, 1798
= pellio (Germar, 1818) ["Curland"]
ssp. longulus Pic, 1898 ["Amour"] SUI MCJ #209
#683
Tribus: LAMIINI
Genus: Lamiomimus Kolbe, 1886 U
gottschei Kolbe, 1886 U C
Genus: Lamia Fabricius, 1775 ECKWSUI
textor (Linnaeus, 1758) ECKWSUI SEBTMCJ
Genus: Morimus Brullé, 1832 E?YC #96 #422
= Morinus Brullé, 1832 (misprint, not available) #96
verecundus (Faldermann, 1836) EYCA BTI #529
= ficitor Bogatchev, 1949
ssp. verecundus (Faldermann, 1836) EYCA TI #529
gabzdili Danilevsky, 2015 ?E #529
asper (Sulzer, 1776) E SEB #529 #727
ssp. funereus (Mulsant, 1863) E SEB
Tribus: DORCADIONINI #521 #683
Genus: Dorcadion Dalman in Schönher, 1817 EYCAKWS #496 #521
Subgenus: Carinatodorcadion Breuning, 1943 #210 #496
#606
= Dorcadodium Gistel, 1856
carinatum (Pallas, 1771) EYCK - #211 #851
ssp. carinatum (Pallas, 1771) EYCK -
ssp. igrenum Danilevsky, 1998 E -
ssp. sunzhenum Danilevsky, 1998 C -
ssp. uralense Danilevsky, 1998 K -
ssp. cylindraceum (Reitter, 1886) C - #211
fulvum (Scopoli, 1763) EY EB #260
ssp. fulvum (Scopoli, 1763) E E
ssp. erythropterum Fischer von Waldheim, 1823 EY EB #716
= canaliculatum Fischer von Waldheim, 1824 #716
= erythropterum Fischer von Waldheim, 1824 [wrong spelling]
aethiops (Scopoli, 1763) E EB #851
Subgenus: Cribridorcadion Pic, 1901 #521 #606
= Pedestredorcadion Breuning, 1943 #496 #521
= Autodorcadion Plavilstshikov, 1958
= Dzhungarodorcadion Danilevsky, 1993 #521
= Bergerianum Pesarini et Sabbadini, 2004 #533
mniszechi Kraatz, 1873 C T #707
ssp. mniszechi Kraatz, 1873 C T #707
ssp. cavernosum Lazarev, 2014b C T #707
ssp. georgianum Lazarev, 2014b C - #707
pedestre (Poda von Neuhaus, 1761) EY SEB #591
ssp. pedestre (Poda von Neuhaus, 1761) EY SEB
decipiens (Germar, 1824) E EB
sericatum Sahlberg, 1823 Y - #218
pusillum Küster, 1847 EY E
spp. pusillum Küster, 1847 EY -
ssp. tanaiticum Kasatkin, 2002 E -
scopolii (Herbst, 1784) E EB
litigiosum Ganglbauer, 1884 E EB #425
ssp. litigiosum Ganglbauer, 1884 ?E EB
ssp. otshakovi Suvorov, 1913 E - #219
ciscaucasicum Jakovlev, 1899b YC - #352 #428

#631

#631	ssp. ciscaucasicum Jakovlev, 1899b C -	#352 #428
	ssp. abramovi Lazarev, 2009 C -	#352
	ssp. mokrzeckii Jakovlev, 1902 Y -	#220 #352
	= crimeense Breuning, 1946 (not available)	#221
#566	elegans Kraatz, 1873 ECKW -	#221 #222 #353
	frustrator Plavilstshikov, 1958 C -	
	= hypocrita Plavilstshikov, 1937	
	auratum Tournier, 1872 C -	#708
	komarowi Jakovlev, 1887 A I	#73 #223
	ssp. komarowi Jakovlev, 1887 A I	
	= interruptum Jakovlev, 1895	#737
	= transcasicum Jakovlev, 1901	
	= janczyki Breuning, 1963	
	ssp. kryzhanovskii Plavilstshikov, 1958 A -	#223
	sareptanum Kraatz, 1873 ECK -	
	ssp. sareptanum Kraatz, 1873 ECK -	#224 #409
#831	ssp. euxinum Suvorov, 1915 C -	#224 #409 #521
	ssp. kubanicum Plavilstshikov, 1934 C -	#224 #727
	ssp. estriatum Suvorov, 1913 C	#224
	ssp. striatiforme Suvorov, 1913 C -	#224
	daratshitshagi Suvorov, 1915 C -	
#629	cinerarium (Fabricius, 1787) EY -	#50 #213
	ssp. zubovi Lazarev, 2011 E -	#214
	ssp. gorodinskii Danilevsky, 1966 E -	#214 #532
	ssp. demidovi Danilevsky, 2013e E -	#532
	ssp. cinerarium (Fabricius, 1787) E -	#214
	= tricolor Fischer von Waldheim, 1805	
	ssp. macropoides Plavilstshikov, 1932 E -	#214
	ssp. skrylniki Lazarev, 2011 E -	#214
	ssp. azovense Lazarev, 2011 E -	#214
	ssp. perroudi Pic, 1942 Y -	#214
	ssp. bartenevi Lazarev, 2011 Y -	#214
	ssp. panticapaeum Plavilstshikov, 1951 YC -	#214 #352
	ssp. okhrimenkoi Danilevsky, 2016b C -	#830
	ssp. sindorum Lazarev, 2011 C -	#214 #831
	ssp. veniamini Lazarev, 2011 C -	#214
	ssp. novorossicum Lazarev, 2015 C -	#821
	ssp. papayense Lazarev, 2014a C -	#801
	ssp. adygorum Lazarev, 2011 C -	#214
	ssp. smetanai Lazarev, 2011 C -	#214
	ssp. terkense Lazarev, 2011 C -	#214
	ssp. belousovi Lazarev, 2011 C -	#214
	ssp. deniz Lazarev, 2011 C -	#214
	ssp. napolovi Lazarev, 2011 C -	#214
	kasikoporanum Pic, 1902 C TI	#215
	kalashiani Danilevsky, 1992 C I	#215
	sisianense Lazarev, 2009 C -	#213
	shushense Lazarev, 2010 C -	#717
	megriense Lazarev, 2009 C -	#213
	sulcipenne Küster, 1847 C T	#213
	ssp. sulcipenne Küster, 1847 C -	
	ssp. caucasicum Küster, 1847 C -	#213 #521
	= impressicorne Tournier, 1872	#213
	= exsertum Plavilstshikov, 1948 (not available)	
	ssp. demokidovi Suvorov, 1915 C -	

	ssp. plyushchi Danilevsky, 2014d C -	#803
	ssp. gubini Danilevsky, 2014d C -	#803
	ssp. maljushenkoi Pic, 1904 C -	#803
	ssp. borzhomiense Danilevsky, 2014d C -	#803
	ssp. zekariense Danilevsky, 2014d C -	#803
	ssp. goktshanum Suvorov, 1915 C -	#216
	= armenum Suvorov, 1915	
	ssp. argonauta Suvorov, 1913 C T	#216 #350
	= kurda Suvorov, 1913	
	ssp. paki Danilevsky, 2014d C -	#803
	caspiense Breuning, 1956 C -	#213 #217
	czegodaevi Danilevsky, 1992 C -	#215
	holosericeum Krynicki, 1832 EYCK E	#350 #514
#629		
	ssp. holosericeum Krynicki, 1832 EYCK E	
	ssp. tristriatum Suvorov, 1913 C -	#225
	= striatum Dalman, 1817 (homonym)	#225
	striolatum Kraatz, 1873 C TI	
	= masculinum Plavilstshikov, 1927 [ab.- unavailable]	
	equestre (Laxmann, 1770) EYC EBT	
	ssp. equestre (Laxmann, 1770) EYC EBT	#566
	= cruciferum (Lepechin, 1774)	
	ssp. transsilvanicum Ganglbauer, 1884 E E	#226 #425
	rufogenum Reitter, 1895 K C	
	ssp. rufogenum Reitter, 1895 K C	
	semenovi Ganglbauer, 1884 AK C	#235 #425
	ssp. semenovi Ganglbauer, 1884 AK C	
	ssp. terskeicum Danilevsky, 2002 A -	
	ssp. almatense Danilevsky, 2002 K -	
	ssp. issykkulense Pic, 1906 A -	
	ssp. bisbicostatum Pic, 1908 A -	
	ssp. uriuktense Danilevsky, 2002 A -	
	ssp. hauseri Reitter, 1895 A -	#235
	= obliteraticostum Suvorov, 1913	
	ssp. kuvakense Danilevsky, 2002 A -	
	ssp. thaisia Danilevsky, 2002 A -	
	kuldschanum Pic, 1908 ?A?K C	#73 #236
#237		
	dokhtouroffi Ganglbauer, 1886 A C	#73 #805
	= dokhturovi Plavilstshikov, 1958	
	sokolowi Jakovlev, 1899a K C	#69 #73 #231
#247 #428		
	= apicipenne Jakovlev, 1899b	#428
	= jacobsoni Jakovlev, 1899c	#428
	= amymon Jakovlev, 1906	
	= dsungaricum Pic, 1907	
	= melancholicum Pic, 1907	#892
	= conicolle Breuning, 1946	
	= ? merzbacheri Breuning, 1946	#231
	= ? samarkandiae Breuning, 1946	#232
	morozovi Danilevsky, 1992 K C	#233 #234
	laeve Faldermann, 1837 C IT	#609
	ssp. vladimiri Danilevsky & Murzin, 2009 C -	#609
	shirvanicum Bogachev, 1934 C -	#227
	ssp. shirvanicum Bogachev, 1934 C -	#227
	ssp. azerbajdzhanicum Plavilstshikov, 1937 C -	#227
	talyschense Ganglbauer, 1884 C I	#425 #426
	= talyschense Plavilstshikov, 1958	
	ssp. talyschense Ganglbauer, 1884 C I	

scabricolle (Dalman, 1817) C TI	#350 #353
ssp. scabricolle (Dalman, 1817) C -	#900
ssp. shirakense Lazarev, 2020 C T	#900
ssp. artsakhense Lazarev, 2020 C -	#900
ssp. tavushense Lazarev, 2020 C -	#900
ssp. gegarkunicum Lazarev, 2020 C -	#900
ssp. tekhense Lazarev, 2020 C -	#900
ssp. vaykense Lazarev, 2020 C -	#900
ssp. tuzovi Lazarev, 2020 C -	#900
ssp. araxense Lazarev, 2020 C -	#900
ssp. dobrovljanskii Suvorov, 1915 C -	#645 #900
ssp. modestum Tournier, 1872 C -	#900
= elisabethpolicum Suvorov, 1915	#635
= micheli Pic, 1948	
ssp. corpulentum Ménétrié, 1832 C I	#635
= lutescens Kraatz, 1873	
ssp. shakhbuzum Lazarev, 2020 C -	#900
ssp. buzgoviense Lazarev, 2020 C -	#900
ssp. sevangense Reitter, 1889 C -	#645
ssp. nakhiczevanum Danilevsky, 1999a C -	
ssp. paiz Danilevsky, 1999a C -	
artemi Lazarev, 2019d C -	#876
khosrovi Lazarev, 2019d C -	#876
klavdiae Danilevsky, 1992 C -	#521
niveisparsum Thomson, 1865 C ?T	
wagneri Küster, 1846 C T	#353
ssp. wagneri Küster, 1846 C T	#837
= solyzinosum Pic, 1942	#623
= solyzinum Breuning, 1962	#623
gorbunovi Danilevsky, 1985 C -	#343
ssp. gorbunovi Danilevsky, 1985 C -	#343
ssp. rubenyani Lazarev, 2014a C	#801
semilucens Kraatz, 1873 C -	
cineriferum Suvorov, 1909 C -	#359
indutum Faldermann, 1837 C I	#229 #727
ponomarenkoi Danilevsky, 2010f C -	#725
pulchrum Pic, 1908 C -	#229
nigrosuturatum Reitter, 1897 C -	#229 #727
= griseipenne Breuning, 1943	
sevliczi Danilevsky, 1985 C -	#343
glaucum Faldermann, 1837 C I	#459
nitidum Motschulsky, 1838 C T	
danczenkoi Danilevsky, 1996 C I	#213 #521
dimidiatum Motschulsky, 1838 C TI	
ssp. dimidiatum Motschulsky, 1838 C TI	
bistriatum Pic, 1898 C -	
seminudum Kraatz, 1873 C ?T?I	
= nachycevanicum Breuning, 1943	
= impuncticolle Breuning, 1946	
bisignatum Jakovlev, 1899b ?C T	#228 #428
nobile Hampe, 1852 ?C TI	#515
ssp. plaviltschikovi Lazarev, 2019c ?C ?I	#515
apicerufum Breuning, 1943 C TI	#557
= thomsonianum Plavilstshikov, 1948	
gusakovi Danilevsky, 2007 C -	#620
reitteri Ganglbauer, 1884 C -	#425
shestopalovi Danilevsky, 1993 C -	
sodale Hampe, 1852 ?C T	#230
ssp. sodale Hampe, 1852 ?C T	

	rostri Pic, 1900 C T	
	= kalinowskyi König, 1901	
	tauricum Waltl, 1838 E?Y EB	#167
	ssp. tauricum Waltl, 1838 E?Y EB	
	turkestanicum Kraatz, 1881 AK C	#232 #521
#788		
	= ? samarkandiae Breuning, 1946	#232
	beckeri Kraatz, 1873 C -	#411
	ssp. beckeri Kraatz, 1873 C -	
	ssp. koenigi Jakovlev, 1897 C -	#212
Subgenus: Dorcadion Dalman, 1817		#496 #521
	= Compsodorcadion Ganglbauer, 1884	#239 #425
	glycyrrhizae (Pallas, 1773) EKW -	#73 #245
	= glycyrrhizae Fabricius,, 1781 [unjustified emendation]	
	"ssp. glycyrrhizae-group"	
	ssp. glycyrrhizae (Pallas, 1773) ?EK -	#363 #379
	ssp. murati Danilevsky, 2013a K -	#790
	ssp. eugenyi Abramov, 2015 K -	#818
	ssp. chuvilini Danilevsky, 2012 K -	#751
	ssp. androsovi Suvorov, 1909 K -	#359
	= dalilae Kadyrbekov, 2004	#595
	ssp. obtusipenne Motschulsky, 1860 K -	#240
	ssp. fedorenkoi Danilevsky, 2001 K -	#790
	ssp. dostojewskii Semenov, 1899 K -	#73
	ssp. nikireevi Danilevsky, 2001 K -	
	"ssp. inderiense-group"	
	ssp. inderiense Suvorov, 1911 K -	#359
	ssp. korshikovi Danilevsky, 2006 KW -	#580
	ssp. ishkarganum Danilevsky, 2009 K -	
	"ssp. striatum-group"	
	ssp. striatum (Goeze, 1777) EKW -	#245 #566
	= rufifrons Motschulsky, 1860	
	= ?iliense Plavilstshikov, 1937	#245
	ssp. nemkovi Danilevsky, 2006 EK -	
	ssp. guberlense Danilevsky, 2006 W -	#244
	ssp. dubianskii Jakovlev, 1906 WK -	#582
	ssp. uvarovi Suvorov, 1911 K -	#359
	"ssp. turgaicum -group"	
	ssp. turgaicum (Suvorov, 1915) K -	#246
	ssp. tobolense Danilevsky, 2001 K -	
	ssp. galinae Danilevsky, 2001 K -	
	crassipes Ballion, 1878 AK C	#240
	ssp. crassipes Ballion, 1878 AK -	
	ssp. validipes Jakovlev, 1906 A?K -	#323
	ssp. glazunovi Suvorov, 1910 K C	#359
	ganglbaueri Jakovlev, 1898 K -	#241
	ssp. ganglbaueri Jakovlev, 1898 K -	
	ssp. paveli Danilevsky, 2013f K -	#790
	gebleri Kraatz, 1873 KS C	#242 #303
	= occidentale Breuning, 1947b	#243
	ssp. gebleri Kraatz, 1873 KS C	
	ssp. demimetrum Danilevsky, 1996 K -	
	ssp. takyr Danilevsky, 1996 K -	
	ssp. lukhtanovi Danilevsky, 1996 K -	
	cephalotes (Jakovlev, 1889) K C	#246
	alakoliense Danilevsky, 1988 K -	
	abakumovi Thomson, 1865 K C	#520
	ssp. abakumovi Thomson, 1865 K C	
	ssp. laterale Jakovlev, 1895 K -	#520

ssp. sarkandicum Danilevsky, 2004 K -		#520
= aizhanae Kadyrbekov, 2004		#555
ssp. lepsyense Danilevsky, 2004 K -		#520
tenuelineatum Jakovlev, 1895 K C		#73
Subgenus: Acutodorcadion Danilevsky, Kasat., Rub., 2005		#496 #521
#548		
songaricum Ganglbauer, 1884 K C		#425
urdzharicum Plavilstshikov, 1937 K -		
natali Abramov, 2019 K -		#882
acutispinum Motschulsky, 1860 K C		
nivosum (Suvorov, 1913) K -		
suvorovi Jakovlev, 1906 K -		#248
ssp. suvorovi Jakovlev, 1906 K -		
ssp. konyroloenum Danilevsky, 1996 K -		
ssp. karachokense Danilevsky, 1996 K -		
ssp. tekeliense Danilevsky, 1996 K -		
ssp. taldykurganum Danilevsky, 1996 K -		
nikolaevi Danilevsky, 1995 K -		
arietinum Jakovlev, 1898 K C		#247
ssp. arietinum Jakovlev, 1898 K -		
ssp. zhalanash Danilevsky, 1996 K -		
ssp. phenax Jakovlev, 1899b K C	#428	#618
= strandi Plavilstshikov, 1931		#247
ssp. charynense Danilevsky, 1996 K -		
ssp. chilikense Danilevsky, 1996 K -		
ssp. ketmeniense Danilevsky, 1996 K C		#461
irinae Danilevsky, 1997 K -		
pantherinum Jakovlev, 1899a K -		#428
ssp. pantherinum Jakovlev, 1899a K -		#598
ssp. sabulosum Danilevsky, 1995 K -		
ssp. shamaevi Danilevsky, 1995 K -		
ssp. desertum Danilevsky, 1995 K -		#598
ssp. ludmilae Abramov, 2018 K -		#864
absinthium Plavilstshikov, 1937 K -		
ssp. absinthium Plavilstshikov, 1937 K -		
ssp. ishkovi Kadyrbekov, 2004 K -		#596
ninae Danilevsky, 1995 K -		
zhaisanicum Shapovalov, 2007 K -		#607
kusnezovi Jakovlev, 1906b AK -	#251	#539
(= mystacinum auct. not Ballion, 1878)		#539
ssp. kusnezovi Jakovlev, 1906b AK -		
= ataense Pic, 1901 (unavailable name)		
= auliense Pic, 1901p: 69 (unavailable name)		
ssp. rufidens Jakovlev, 1906 K -		#251
ssp. pumilio Plavilstshikov, 1951 K -		#251
suvorovianum Plavilstshikov, 1915 K -		#249
ssp. suvorovianum Plavilstshikov, 1915 K -		
ssp. koramense Danilevsky, 1999b K -		
unidiscale Danilevsky, 1996 K -		#250
tschitscherini Jakovlev, 1899a K -		#73 #428
= tshitsherini Plavilstshikov, 1958		
kapchagaicum Danilevsky, 1996 K -		
tianshanskii Suvorov, 1910 K -		#253 #359
ssp. tianshanskii Suvorov, 1910 K -		
ssp. radkevitshi Suvorov, 1910 K -		#253 #359
= opulentum Suvorov, 1910		
= pauperum Suvorov, 1910 (not available name)		
ssp. terminum Danilevsky, 1999b K -		
ssp. heptapotamicum Plavilstshikov, 1951 K -		#253

ssp. *algaense* Danilevsky, 2012j K -
 ssp. *otariense* Danilevsky, 2012j K -
 ssp. *parapumilio* Danilevsky, 2012j K -
 ssp. *euzhaisanicum* Danilevsky, 2012j K -
 #379 *optatum* Jakovlev, 1906 AK - #252
 ssp. *optatum* Jakovlev, 1906 A -
 ssp. *matthieseni* Suvorov, 1910 A - #73 #359
 ssp. *toropyginae* Danilevsky, 1999b A -
 ssp. *kadyrbekovi* Danilevsky, 1999b A -
 ssp. *vallesum* Danilevsky, 1999b K -
 danilevskyi Dolin et Ovtshinnikov, 1999 A -
 darjae Danilevsky, 2001 A -
 kastekum Danilevsky, 1996 KA -
 alexandris Pic, 1900 A - #254
 = *luteolum* Suvorov, 1910 #359
 profanifuga Plavilstshikov, 1951 K -
 globithorax Jakovlev, 1895 K - #69 #255
 grande Jakovlev, 1906 K -
 pelidnum Jakovlev, 1906 A - #257
 toropovi Danilevsky 1999b A - #256
 tibiale (Jakovlev, 1889) A C
 Genus: *Iberodorcadion* Breuning, 1943 E #496 #521
 Subgenus: *Iberodorcadion* Breuning, 1943 E
 fuliginator (Linnaeus, 1758) E ES #258
 ssp. *fuliginator* (Linnaeus, 1758) E ES
 Genus: *Neodorcadion* Ganglbauer, 1884 E #425 #496 #521
 bilineatum (Germar, 1824) E EBT
 Genus: *Politodorcadion* Danilevsky, 1996 ?EKW #521 #522
 ribbei (Kraatz, 1878) K C
 ssp. *ribbei* (Kraatz, 1878) K C
 ssp. *bobrovi* (Danilevsky, 2001) K -
 politum (Dalman, 1823) ?EKW?S -
 ssp. *politum* (Dalman, 1823) KW?S -
 = *lydiae* Plavilstshikov, 1929 #238
 ssp. *knyazevi* Danilevsky, 2020b W -
 ssp. *akmolense* (Suvorov, 1911) WK - #359 #565
 #566 ssp. *shapovalovi* Danilevsky, 2006 ?EWK - #238
 balchashense (Suvorov, 1911) K - #359
 ssp. *balchashense* (Suvorov, 1911) K -
 ssp. *betpakdalense* (Danilevsky, 1996) K -
 archarlense (Danilevsky, 1996) K -
 eurygyne (Suvorov, 1911) KW - #303 #359
 ssp. *eurygyne* (Suvorov, 1911) KW - #303 #359
 ssp. *lailanum* Danilevsky, 2007 K - #630
 lativittis Kraatz, 1878 K MC #888
 Genus: *Eodorcadion* Breuning, 1947a EKWSU #259 #521 #564 #627
 Subgenus: *Eodorcadion* Breuning, 1947a EKWSU
 carinatum (Fabricius, 1781) EKWSU MC #260
 ssp. *carinatum* (Fabricius, 1781) EKWS - #260
 ssp. *blessigi* (Ganglbauer, 1884) KW?E - #260 #425
 #521 ssp. *bramsoni* (Pic, 1901) W - #521
 = *gassneri* Breit, 1917 #260
 ssp. *involvens* (Fischer-Waldheim, 1823) SU MC #600
 = *vestita* Jakovlev, 1901
 = *longjiangensis* Wang, 2003 #622
 ssp. *kiahtenum* Danilevsky, 2007 S - #622

#521	altaicum (Suvorov, 1909) K -	#260 #359
	maurum (Jakovlev, 1889) S MC	#264 #622 #627
	ssp. quinquevittatum (Hammarström, 1893) S -	
	ssp. sajanicum (Hammarström, 1893) S -	
	= leucogramnum Suvorov, 1909	#264 #359
	ssp. katharinae (Reitter, 1898) S M	#264
	ssp. maurum (Jakovlev, 1889) S MC	#264
	= hirtipes Jakovlev, 1901	
	= grumi Suvorov, 1909	#359
	= boldi Heyrovský, 1965	
	= fortecostatum Heyrovský, 1969	#622
	tuvense Plavilstshikov, 1958 S -	#264 #505
	ptyalopleurum (Suvorov, 1909) S -	#504 #359
	Subgenus: Ornatodorcadion Breuning, 1947a	#431 #521
	brandti (Gebler, 1841) KS ?MC	#403
	Subgenus: Humedorcadion Danilevsky, Kasatkin, Rubenian, 2004	#521
	humerale (Gebler, 1823) SU MC	#361
	ssp. humerale (Gebler, 1823) S M	#430
	ssp. impluviatum (Faldermann, 1833) S M	#89 #430
	ssp. trabeatum (Jakovlev, 1901) SU C	#430 #627
	= mogissemium Suvorov, 1909, unavailable	#627
	= melan Suvorov, 1909, unavailable	#622 #627
	= quadrilineatum Breit, 1915	#622
	= xingana Chiang et Wang in Wang, 2003	#622
	lutshniki (Plavilstshikov, 1937) S M	#89
	ssp. lutshniki (Plavilstshikov, 1937) S -	#263
	ssp. burenum Danilevsky, 2007 S -	#622
	ssp. bicoloratum Danilevsky, 2007 S -	#263 #622
	Tribus: ANCYLONOTINI	
	Genus: Palimna Pascoe, 1862 U	
	liturata (Bates, 1884) U CJ	
	ssp. continentalis (Semenov, 1914) U C	#184
	Tribus: DORCASCHEMATINI	
	Genus: Olenecamptus Chevrolat, 1835 SUI	#338
	octopustulatus (Motschulsky, 1860) SUI MCJ	#40 #185 #903
	ssp. octopustulatus (Motschulsky, 1860) SUI MCJ	
	= mordkovitshi Tsherneshev et Dubatolov, 2000	#186
	riparius Danilevsky, 2011b U CJ	#718
	Tribus: PTEROPLIINI	
	Genus: Pterolophia Newman, 1842 SUI	
	Subgenus: Pterolophia Newman, 1842	
	maacki (Blessig, 1873) U C	#187
	angusta (Bates, 1873) SUJ MC	#187
	ssp. multinotata Pic, 1931 SU MC	#187 #188
	= mandshurica Breuning, 1938	#187
	= ussuriensis Plavilstshikov, 1954	
	= burakowskii Heyrovský, 1973	#189
	= selengensis Ljamtzeva, 1979	#188
	Subgenus: Ale Pascoe, 1865	
	jugosa (Bates, 1873) I JC	#44
	ssp. jugosa (Bates, 1873) I JC	#40
	Genus: Egesina Pascoe, 1864 UI	
	Subgenus: Niijimaia Matsushita, 1933	
	= Baeckmanella Shabliovsky, 1936	#24
	bifasciana (Matsushita, 1933) UI CJ	#188
	ssp. bifasciana (Matsushita, 1933) UI CJ	#40
	= iljinskyi Shabliovsky, 1936	#24
	Tribus: APOMEYCYNINI	#191

Genus: Apomecyna Dejean, 1821 S
 Subgenus: Apomecyna Dejean, 1821
 histrion (Fabricius, 1793) S ?MC #190 #678
 Genus: Microlera Bates, 1873 UI #188
 ptinoides Bates, 1873 I J
 Genus: Asaperda Bates, 1873 KWUI
 agapanthina Bates, 1873 I J #727
 ssp. agapanthina Bates, 1873 I J #40
 = meridiana auct. not Matsushita, 1931 #672
 rufipes Bates, 1873 ?U J?C
 ssp. rufipes Bates, 1873 ?U J?C #40
 stenostola Kraatz, 1873 KWU M #465
 Tribus: PTERICOPTINI #191
 Genus: Xylariopsis Bates, 1884 U
 mimica Bates, 1884 U CJ
 Tribus: APODASYINI #191 #192
 Genus: Quasimesosella Miroshnikov 2006 #575
 =Pseudomesosella Miroshnikov, 1989 U - #188 #575
 ussuriensis (Tsherepanov, 1983) U C #814
 = florovi Tsherepanov, 1984 #193
 Genus: Deroplia Dejean, 1835 EYC #33 #96
 #196
 = Stenidea Mulsant, 1842
 genei (Aragona, 1830) EYC SEBTI #194
 ssp. genei (Aragona, 1830) EYC SEBT
 Genus: Sophronica Blanchard, 1845 U #694
 sundukovi Danilevsky, 2009 U C #195
 Genus: Anaesthetis Dejean, 1835 EYCAKWSU #33
 confossicollis Baeckmann, 1903 SUI MCJ
 flavipilis Baeckmann, 1903 W ?C #369
 lanuginosa Baeckmann, 1903 A -
 testacea (Fabricius, 1781) EYCKW EBTI #531 #899
 ssp. testacea (Fabricius, 1781) EYKW EB #899
 ssp. rufescens Baeckmann, 1903 C TI #485
 Genus: Ussurella Danilevsky, 1997 U - #195 #488
 = Ussuria Danilevsky, 1995 #195
 napolovi (Danilevsky, 1995) U C
 Genus: Cylindilla Bates, 1884 UI
 = Pseudanaesthetis Pic, 1929
 = Anaesthetomorphus Pic, 1929 #625
 = Ascoldatimura Breuning, 1960
 grisescens Bates, 1884 UI J #31
 = ascoldensis Heyden, 1884 #92
 = apicalis Pic, 1929 #625
 Genus: Terinaea Bates, 1884 U
 tiliae Murzin, 1983 U C #197
 Genus: Mimectatina Aurivillius, 1927 UI #191 #198
 #482
 = Doius Matsushita, 1933
 divaricata (Bates, 1884) UI J
 ssp. divaricata (Bates, 1884) UI J #40
 Genus: Rhopaloscelis Blessig, 1873 CKSUI
 maculata Bates, 1877 I J #796
 unifasciata Blessig, 1873 KSUI MCJ #541
 schurmanni Breuning, 1969 C I #199 #332
 = schuberti Breuning, 1975 [wrong spelling]
 Genus: Arhopaloscelis Murzin, Danilevsky et Lobanov in Lobanov et al., 1981 UI
 #604
 bifasciata (Kraatz, 1879) U?I C #346

nipponensis (Pic, 1932) I J #346 #604
 Genus: Clytosemia Bates, 1884 I
 pulchra Bates, 1884 I J #195
 Genus: Miccolamia Bates, 1884 I
 Subgenus: Miccolamia Bates, 1884
 cleroides Bates, 1884 I J
 Subgenus: Isomiccolamia K. Ohbayashi, 1963
 glabricula Bates, 1884 I J #198 #200
 ssp. glabricula Bates, 1884 I J
 = verrucosa auct. (not Bates, 1884)
 Tribus: POGONOCHEIRINI #683
 Genus: Parmenopsis Ganglbauer, 1882 C #425 #683
 caucasica (Leder, 1879) C T #432
 Genus: Pogonocherus Dejean, 1821 EYCKWSUI #265
 Subgenus: Pogonocherus Dejean, 1821 #493
 = Eupogonocherus Linsley, 1935
 hispidus (Linnaeus, 1758) EYC ASEBT
 hispidulus (Piller et Mitterpacher, 1783) EKC ASEBT #140 #687
 #862
 dimidiatus Blessig, 1873 UI CJ #266
 = seminiveus Bates, 1873 #266
 = tristiculus Kraatz, 1879 #266
 siewersi Ganglbauer, 1887 C?Y T #395
 = caucasicus Ganglbauer, 1891 #267
 = kuksha Plavilstshikov, 1924 #267
 perroudi Mulsant, 1839 CY S?EB #268
 Subgenus: Pityphilus Mulsant, 1862 #269 #493
 fasciculatus (DeGeer, 1775) EYCKWSUI SEBTMCJ
 = costatus Motschulsky, 1859 #270 #604
 ssp. fasciculatus (DeGeer, 1775) EYCKWSU SEBTMCJ #40
 decoratus Fairmaire, 1855 ECWK SEB #110 #270
 #701
 zubovi Danilevsky, 2015b Y - #110
 ovatus (Goeze, 1777) ?E?Y SEB #110 #272
 #701
 inermicollis Reitter, 1894 C T #432
 ressli Holzschuh, 1977 C I #165
 Tribus: ACANTHODERINI
 Genus: Aegomorphus Haldeman, 1847 E YCKWSU #171
 = Acanthoderes auct. (not Audinet-Serville, 1835) #171
 = Psapharochrus auct. (not Thomson, 1864)
 clavipes (Schränk, 1781) EYCKWSU ASEBMCJ #273
 = lucidus Plavilstshikov, 1927 [Caucasus-Syrie]
 obscurior (Pic, 1904) EKWSU EM?C #583 #816
 = wojtylai Hilszczanski, Bystrowski, 2005 #583
 Genus: Oplosia Mulsant, 1862 ECUI #196
 = Hoplosia Fairmaire, 1864
 cinerea (Mulsant, 1839) E SEB #274 #572 #687
 = fennica Paykull, 1800
 suvorovi (Pic, 1914) UI JC #339
 Tribus: ACANTHOCININI
 Genus: Acanthocinus Dejean, 1821 EYCKWSUI
 Subgenus: Acanthocinus Dejean, 1821 EYCKWSUI #766
 elegans Ganglbauer, 1884 C I #425 #684
 reticulatus (Razoumowsky, 1789) E SEB #744
 griseus (Fabricius, 1793) EYCKWS SEB?M?C #275 #276 #678
 orientalis Ohbayashi, 1939 I J #276 #814
 carinulatus Gebler, 1833 WSU?I MC #276 #750
 = ?sibiricus Motschulsky, 1860

	sachalinensis Matsushita, 1933 SUI ?MCJ	#276 #814
	= ?sibiricus Motschulsky, 1860	
	aedilis (Linnaeus, 1758) ECKWSU EBTMC	#30
	= validus Matsushita, 1936	#30
	Subgenus: Acanthobatesianus Wallin, Kvamme & Lin, 2012 I	#795
	guttatus (Bates, 1873) I CJ	#795
Genus: Leiopus	Audinet-Serville, 1835 EYCKWSUI	
Subgenus: Leiopus	Audinet-Serville, 1835 EYCKWSUI	#766
	stillatus (Bates, 1884) UI CJ	
	nebulosus (Linnaeus, 1758) E?YC SEBT	#682
	ssp. nebulosus (Linnaeus, 1758) E?Y SEB	#682
	ssp. caucasicus (Ganglbauer, 1887) C T	#277 #682
	linnei Wallin, Nylander & Kvamme, 2009 E?YKW SEB	#682 #687
	kharazii Holzschuh, 1974 C I	
	punctulatus (Paykull, 1800) E E	#566 #633
	femoratus Fairmaire, 1859 EYC BT	#37 #744
	= pachymerus Ganglbauer, 1884	#278 #425
	= caspius Ganglbauer, 1884	
	albivittis (Kraatz, 1879) WSUI MC	#30
	= ganglbaueri Csiki, 1901	#280
	ssp. albivittis (Kraatz, 1879) WSUI MC	#158
	ssp. malaisei Aurivillius, 1928 S -	#279
Genus: Ostedes	Pascoe, 1859 U	
	kadleci Danilevsky, 1992 U C	#799
Genus: Rondibilis	Thomson, 1857 UI	
	= Eryssamena Bates, 1884	
	saperdina (Bates, 1884) I J	#25
	schabliovskiyi (Tsherepanov, 1982) U -	#25
	= shabliovskiyi Tsherepanov, 1984: 4 [wrong spell.]	
Tribus: EXOCENTRINI		#699
Genus: Exocentrus	Dejean, 1835 EYCKAWSUI	#33 #106 #683
Subgenus: Exocentrus	Dejean, 1835	#689
	lusitanus (Linnaeus, 1767) EYCKW SEB	#560 #572
#816		
	adpersus Mulsant, 1846 EYC SEBT	
	= alemdaghensis Breuning, 1981	#281
	= ?hirsutulus Faldermann, 1837	#282
	stierlini Ganglbauer, 1883 ECWSU EBCM	#50 #427
#464		
	fasciolatus Bates, 1873 U JC	#757
	= curtipennis Pic, 1918	
	ssp. plavilstshikovi Danilevsky, 2014c U C	#757
	tsushmanus Hayashi, 1968 U JC	#757
	= conjugatofasciatus Tsherepanov, 1973	#757
	pseudopunctipennis Holzschuh, 1979 CA I	#54 #282
	punctipennis Mulsant et Guillebeau, 1856 ECY TSEB	#283
	ssp. punctipennis Mulsant et Guillebeau, 1856 ECY SEB	
	ssp. signatus Mulsant et Rey 1863 C BT	#283
	testudineus Matsushita, 1931 I CJ	#195 #814
	lineatus Bates, 1873 U CJ	#198
	guttulatus Bates, 1873	#758
	ssp. ussuricus Tsherepanov, 1973 U C	#758
	marginatus Tsherepanov, 1973 U C	#814
	?= fisheri Gressitt, 1935	
Genus: Miaenia	Pascoe, 1864 U	#604 #812
Subgenus: Miaenia	Pascoe, 1864	
	maritima Tsherepanov, 1979 U C	#774
Tribus: TETROPINI		#398 #699
Genus: Tetrops	Kirby in Kirby et Spence, 1826a EYCAKWSUI	#500

Subgenus: *Tetrops* Kirby in Kirby et Spence, 1826a #860
praeustus (Linnaeus, 1758) EYCKWS ASEBTM #34
 ssp. *praeustus* (Linnaeus, 1758) EYCKWS SEBTM
starkii Chevrolat, 1859 EC SEB #208 #744 #769
 ssp. *starkii* Chevrolat, 1859 EC SEB #744 #769
 ssp. *aquilus* Danilevsky, 2012 C - #769
gilvipes (Faldermann, 1837) EYCA ETI #34 #727
 ssp. *gilvipes* (Faldermann, 1837) EYCA ETI #34
 ssp. *efetovi* Lazarev, 2012 Y - #34
 ssp. *adlbaueri* Lazarev, 2012 E ?SE?B #34
 ssp. *murzini* Lazarev, 2012 CA T #34
rosarum Tsherepanov, 1975 U ?C #374
mongolicus Murzin, 1977 S M #374
 Subgenus: *Mimosophronica* Breuning, 1943 #369 #860
elaeagni Plavilstshikov, 1954 EAK C #367
 ssp. *elaeagni* Plavilstshikov, 1954 EK - #367 #860
 ssp. *plavilstshikovi* Kostin, 1973 K C #134 #860
 ssp. *shapovalovi* Danilevsky, 2018a KA -
formosus Baeckmann, 1903 AK C #369 #860
 ssp. *formosus* Baeckmann, 1903 KA - #367
 ssp. *songaricus* Kostin 1973 K - #367
 ssp. *bivittulatus* Jankovsky, 1934 K - #24 #367
bicoloricornis Kostin, 1973 A - #24 #367
 ssp. *bicoloricornis* Kostin, 1973 A - #860
 = *bicoloricornis* Plavilstshikov, 1954 (not available)
 = *ruficollis* Plavilstshikov, 1954 (not available)
 ssp. *ferganensis* Danilevsky, 2018a A - #860
 ssp. *nigricornis* Danilevsky, 2018a A - #860
 ssp. *oshensis* Danilevsky, 2018a A - #860
hauseri Reitter, 1897 K C #367
 ssp. *kostini* Özdikmen, Turgut, 2008 K - #367
 = *niger* Kostin 1973 #367
 Tribus: SAPERDINI #284 #604
 Genus: *Eutetrappa* Bates, 1884 ?SUI
 ocelota (Bates, 1873) I J #804
 sedecimpunctata (Motschulsky, 1860) ?SUI CJ
 = *motschulskyi* Plavilstshikov, 1915 #327
 metallescens (Motschulsky, 1860) ?SU?I C #30 #348
 chrysochloris (Bates, 1879) I J #348
 ssp. *chrysochloris* (Bates, 1879) I J #40
 Genus: *Saperda* Fabricius, 1775 EYCAKWSUI #286 #678
 Subgenus: *Saperda* Fabricius, 1775 #493 #604
 #727
 = *Anaerea* Mulsant, 1839 #286 #493
 carcharias (Linnaeus, 1758) ECKAWSUI EBMC #681b
 similis (Laicharting, 1784) EAKWSU EBM
 Subgenus: *Lopezcolonia* Alonso-Zarazaga, 1998 EYC ASEB #286 #493
 #678 #727
 = *Anaerea* Mulsant, 1839
 = *Scalaperda* Shapovalov, 2011a [nomen nudum] #841
 = *Nietzscheana* Zubov, 2014 U #804 #898
 alberti Plavilstshikov, 1915 KWSUI MCJ #509 #541
 = *plutenkoi* Zubov, 2014 #804 #898
 perforata (Pallas, 1773) ECKWSU ASEBTIMCJ #89 #479 #867
 maculosa Ménéttriés, 1832 C I
 scalaris (Linnaeus, 1758) EYCKWSUI ASEBTIMC #89
 ssp. *scalaris* (Linnaeus, 1758) EYCK SEBTC
 ssp. *hieroglyphica* (Pallas, 1773) EKWSUI MC #421 #541
 interrupta Gebler, 1825 WSUI MC

octopunctata (Scopoli, 1772) EYC SEB
 punctata (Linnaeus, 1767) EYCKW ASEBT?I #704
 subobliterata Pic, 1910 U CJ #287
 = mandschukuoensis Breuning, 1943
 = harbinensis Chiang, 1983 #287
 octomaculata Blessig, 1873 SUI MCJ
 Subgenus: Compsidia Mulsant, 1839 #493 #604
 #727
 populnea (Linnaeus, 1758) ECKAWSU ASEBTIMC #681 #786
 ssp. populnea (Linnaeus, 1758) ECKAWSU ASEBTI #771
 ssp. lapponica Wallin, Kvamme & Bergsten, 2017 E?W E #844
 ssp. balsamifera (Motschulsky, 1860) S M #631 #771
 bilineatocollis Pic, 1924 U C #288
 Genus: Eumecocera Solsky, 1871 WSU #284
 impustulata (Motschulsky, 1860) WSU MCJ #89
 callosicollis (Breuning, 1943) U C #285
 Genus: Stenostola Dejean, 1835 EYC #96 #285
 dubia (Laicharting, 1784) EYC EB #368
 ferrea (Schrank, 1776) EYC EB #368
 ssp. ferrea (Schrank, 1776) EYC EB #687
 ssp. maculipennis Holzschuh, 1982 C?Y - #289
 ivanovi Danilevsky, 2014c U C #800
 Genus: Menesia Mulsant, 1856 EKWSUI
 albifrons Heyden, 1886 WU - #400
 bipunctata (Zoubkoff, 1829) EKW SEB #400
 sulphurata (Gebler, 1825) EKWSUI MCJ #400
 flavotecta Heyden, 1886 ?SUI ?MCJ #400
 Genus: Paramenesia Breuning, 1952 I
 theaphia (Bates, 1884) I J
 Genus: Cagosima Thomson, 1864 UI
 sanguinolenta Thomson, 1864 UI J #24
 ssp. sanguinolenta Thomson, 1864 UI J
 Genus: Thyestilla Aurivillius, 1923 SU
 gebleri (Faldermann, 1835) SU CJ
 Tribus: GLENEINI
 Genus: Glenea Newman, 1842 I
 Subgenus: Glenea Newman, 1842 I
 relicta Pascoe, 1868 I CJ
 ssp. relicta Pascoe, 1868 I CJ #40
 Tribus: PHYTOECIINI #284
 = Obereini Pascoe, 1864 #683 #699
 Genus: Nupserha Chevrolat, 1858 UI #825
 marginella (Bates, 1873) U MCJ #89 #388
 sericans (Bates, 1884) I J #604
 alexandrovi (Plavilstshikov, 1915) U CJ #31 #290
 Genus: Oberea Dejean, 1835 EYCAKWSUI #33
 Subgenus: Oberea Dejean, 1835
 pupillata (Gyllenhal, 1817) E SEB?C #44 #451
 kostini Danilevsky, 1988 EKWS - #451
 heyrovskyyi Pic, 1927 U C #44
 depressa (Gebler, 1825) WSUI MC #80 #451
 = amurica Suvorov, 1913 #36
 = transbaicalica Suvorov, 1913 #36
 oculata (Linnaeus, 1758) EYCKWSU SEBNTIMC #814
 linearis (Linnaeus, 1761) EYC SEB
 morio Kraatz, 1879 SU MC #345 #291
 #903
 scutellaroides Breuning, 1947c U C #284 #291 #345 #814 #903
 = scutellaris Fairmaire, 1888

	= chinensis Tsherepanov, 1985	
	coreensis Gressitt, 1951 U C	#92 #634
	herzi Ganglbauer, 1887 U C	#291 #345
	vittata Blessig, 1873 ?SU CJM	#40 #56
	japonica (Thunberg, 1787) ?U CJ	#31
	Subgenus: Amaurostoma Müller, 1906	
	euphorbiae (Germar, 1813) ECKW EBT	#412
	donceeli Pic, 1907 SU MC	#79
	histrionis Pic, 1917 E BE	#648
	= moravica Kratochvil, 1989	#727
	erythrocephala (Schrank, 1776) EYCAKW ASEBT	#358 #556
#572		
	ssp. erythrocephala (Schrank, 1776) EYCAKW ASEBT	
	= theophilei Pic, 1914	
	ruficeps Fischer-Waldheim, 1842 AKW ?C	#69
	ssp. ruficeps Fischer-Waldheim, 1842 AKW ?C	#358
	ssp. muchei Breuning, 1981 A -	#358 #501
	Genus: Oxyilia Mulsant, 1863 YC	
	= Coptosia Fairmaire, 1865	#852
	argentata (Ménétriés, 1832) YC TI	
	ssp. argentata (Ménétriés, 1832) YC TI	#292
	Genus: Pteromallosia Pic, 1900 C	#293
	albolineata (Hampe, 1852) C IT	
	Genus: Mallosia Mulsant, 1863 C	#300
	Subgenus: Semnosia K. Daniel, 1904	
	= Eusemnesia Özdikmen & Aytar, 2012a	#768
	scovitzii (Faldermann, 1837) C TI	#294
	tristis Reitter, 1888 C T?I	#294
	= angelicae Reitter, 1890	
	galinae Danilevsky, 1990 C -	#530
	Subgenus: Eumallosia Danilevsky 1990	
	= Anatolomallosia Özdikmen & Aytar, 2012a	#768
	= Submallosia Özdikmen & Aytar, 2012a	#768
	brevipes Pic, 1897 C T	#621
	= cribratofasciata Daniel, 1904	#300
	armeniaca Pic, 1897 C ?T?I	#621
	= caucasica Pic, 1898	#621
	= haiastanica Danilevsky, 2007	#621
	gobustanica Danilevsky, 1990 C -	
	herminae Reitter, 1890 C TI	#503
	Genus: Paramallosia Fuchs, 1955b A	
	afghanica Fuchs, 1955 A I	#295
	Genus: Mallosiola Semenov, 1895 A	
	regina (Heyden, 1887) A -	
	= lopatini Heyrovský, 1969	
	Genus: Conizonia Fairmaire, 1864 CA	#546
	Subgenus: Iranocoptosia Villiers, 1967	#287
	fausti (Ganglbauer, 1885) A I	
	= balachowskyi Villiers, 1967	#287
	Subgenus: Conizonioides Özdikmen, 2015a C	#813
	kalashiani Danilevsky, 1992 C I	#612
	georgiana (Navrátil & Rozsival, 2016) C -	#824
	Subgenus: Eurycoptosia Reitter, 1913	
	bodoani Pic, 1912 C TI	#297
	Genus Pilemia Fairmaire, 1864	#863
	Subgenus: Pilemia Fairmaire, 1864	#750
	annulata Hampe, 1852 C TI	#727
	ssp. annulata Hampe, 1852 C TI	

	tigrina Mulsant, 1851 E?C EBT	#298
	Subgenus: Pseudopilemia Kasatkin, 2018	#863
	hirsutula (Frölich, 1793) EYCAKW SEBTI	#50
	ssp. hirsutula (Frölich, 1793) EYCW EBST	#370
	ssp. homoiesthes Ganglbauer, 1888 A I	#370
	Genus: Phytoecia Dejean, 1835 EYCAKWSU	
	Subgenus: Paracoptosia Danilevsky, 2017b	#483 #546 #750
#852	compacta (Ménétriés, 1832) C TI	
	?ssp. compacta (Ménétriés, 1832) C TI	#615
	Subgenus: Coptosiella Kasatkin, 2015	#819
	antoniae Reitter, 1889 CA TI	#433
	Subgenus: Pseudocoptosia Pic, 1900	#301 #484
	cinerascens Kraatz, 1882 AK -	
	= sokolowi Semenov, 1895	#302
	eylandti Semenov, 1891 AK -	#303
	= glasunowi Semenov, 1895	#302
	kubani (Holzschuh, 1991) A -	#296
	Subgenus: Cardoria Mulsant, 1863	
	scutellata (Fabricius, 1793) EYCKW SEBT	#447 #566 #678
	Subgenus: Pseudomusaria Pic, 1900	#301
	farinosa Ganglbauer, 1886 A I	
	= mucida Semenov, 1893	#304
	Subgenus: Fulgophytoecia Pic, 1900	#517
	=Pseudomallosia Breuning, 1967	#517
	circumdata Kraatz, 1882 AK I	
	=sellata Ganglbauer, 1887	
	=parterufipennis Breuning, 1967	#517
	pilosicollis Holzschuh, 1981 KA -	#517 #727
	Subgenus: Helladia Fairmaire, 1864	#110
	pretiosa Faldermann, 1837 C ?T?I	#727
	ssp. pretiosa Faldermann, 1837 C -	#305
	fatima Ganglbauer, 1884 C I	#425
	diademata Faldermann, 1837 C TI	
	adelpha Ganglbauer, 1886 C T	#306
	millefolii (Adams, 1817) EYC TI	#81
	ssp. millefolii (Adams, 1817) EYC TI	
	armeniaca J.Frivaldszky, 1878b [=1878a = 1879] C TI	#516 #700
	testaceovittata (Pic, 1934) C I	#307
	= iranica (Villiers, 1960)	#307
	= holzschuhi Özdikmen, 2008 [unavailable name]	#679
	ssp. natali Lobanov, 1994 C -	#307 #727
	praetextata (Steven, 1817) EYC BT	
	ssp. praetextata (Steven, 1817) EYC BT	
	humeralis (Waltl, 1838) C BTI	#297
	plasoni Ganglbauer, 1884 CA TI	#262
	Subgenus: Musaria Thomson, 1864	
	faldermanni Faldermann, 1837 EYCK -	#110 #308 #516
#566	argus (Frölich, 1793) EY EBS	#308 #566
#701	affinis (Harrer, 1784) ECKWS SEBT?I	#309 #570
	= nigripes Voet, 1778	#24
	= bipunctata Piller, 1783	
	ssp. affinis (Harrer, 1784) EKW SEBT	
	ssp. nigropubescens Müller, 1948 C T	#309
	ssp. m-notata Pic, 1911 C -	#886
	= melichari Pic, 1952	
	= teberdensis Pic, 1952	

	ssp. altaica (Suvorov, 1913) KWS -		
	ssp. volgensis Kraatz, 1884 EC -	#309	#409
	ssp. boeberi Ganglbauer, 1884 C TI	#309	#425
#672	wachanrui Mulsant, 1851 ?C TI		#110
	astarte Ganglbauer, 1886 C T		
	ssp. lederi Pic, 1899 C T		#310
	kurdistana Ganglbauer, 1884 C ?TI		#425
	puncticollis Faldermann, 1837 CA TI		#414
	ssp. puncticollis Faldermann, 1837 C TI		
	ssp. stygia Ganglbauer, 1884 A I		#311 #425
Subgenus:	Neomusaria Plavilstshikov, 1928	#312	#516
	dantchenkoi Danilevsky, 2008 C -		
	kazaryani Danilevsky, 2020 C -		
Subgenus:	Kalashania Danilevsky, 2010		#710
	erivanica Reitter, 1899 C TI		#390
	pici Reitter, 1892 C TI		#390
Subgenus:	Phytoecia Dejean, 1835		
	nigricornis (Fabricius, 1782) EYCKWSU SEBT	#523	#834#851
	= julii Mulsant, 1863		#24
	ferrea Ganglbauer, 1887 ?WSU MC		#89 #313
	= analis Mannerheim, 1849		#31
	= mannerheimi Breuning, 1951		
	stenostoloides Breuning, 1943 SU -		#419
	cylindrica (Linnaeus, 1758) ECKWS?U SEBTIMC		#531 #574
	pustulata (Schränk, 1776) EYCKA ASEBTI		
	ssp. pustulata (Schränk, 1776) EYCKA ASEBTI		#816
	= murina Marseul, 1870		
	ssp. pilipennis Reitter, 1895 C TI		#314
	= vexans Reitter, 1895		#27 #314
	= adnexa Pic, 1947		
	ssp. pulla Ganglbauer, 1886 ECKA -		#314
	= kryzhanovskii Kostin, 1973		
	rufiventris Gautier des Cottés, 1870 SU MCJ		
	virgula (Charpentier, 1825) EYCAKWS SEBTI		#599
	rufipes (Olivier, 1800) E?YCAKW?S ASEBTI		#44 #69
#879	= sibirica Gebler, 1833		#315
	ssp. rufipes (Olivier, 1800) E?YCAKW?S ASEBTC		#879
	bangi Pic, 1897 C TI		#315 #846
	acridula Holzschuh, 1981 A -		
	croceipes Reiche et Saulcy, 1858 C T		\$846
	asiatica Pic, 1891 C T		#613 #834
	= achilleae Holzschuh, 1971		
	ssp. sublineata Holzschuh, 1984 C T		#613
	pubescens Pic, 1895 C BTI		#51
	= glaphyra K. Daniel in K. Daniel & J. Daniel, 1906		
	icterica (Schaller, 1783) EYCKW SEBT	#44 #51 #315	#626 #862
	= ephippium Fabricius 1793		#727
	marki Danilevsky, 2008 C -		#626 #826
	caerulea (Scopoli, 1772) EYCAK ASEBTI		#531 #566
	ssp. caerulea (Scopoli, 1772) EYCAK ASEBT		
	= ?rufimana Schränk, 1789		#544
	= baccueti (Brullé, 1832)		#834
Subgenus:	Cinctophytoecia Breuning, 1947a		
	cinctipennis Mannerheim, 1849 SU MC		#44 #316
	= coreensis Breuning, 1955		
	sareptana Ganglbauer, 1888 SU C		#903
Subgenus:	Opsilia Mulsant, 1863		#33 #750

	coerulescens (Scopoli, 1763) EYCAKW ASEBTIC	
	ssp. coerulescens (Scopoli, 1763) EYCAKW ASEBTIC	
	= ?tienschanica Fuchs, 1965	#317
	transcaspica Fuchs, 1955a AK -	#856
	bucharica Breuning, 1943 A I	
	= breuningi Dahlgren, 1988	#318
	aspericollis Holzschuh, 1981 K -	#517
	varentzowi Semenov, 1896 CA I	#413
	= varentzovi Semenov, 1912 [unjustified emendation]	
	prasina Reitter, 1911 C?A TI	#319
	ssp. prasina Reitter, 1911 C?A I	
	ssp. kotaika Miroshnikov, 2009 C T	#703
	uncinata (W. Redtenbacher, 1842) EA SEB	#566 #571
	molybdaena (Dalman, 1817) E?KCAWS ASEBTI	#531 #561
	badenкои Danilevsky, 1988 K -	
	Subgenus: Parobereina Danilevsky, 2018c	#868
	vittipennis Reiche, 1877 CA BTI	
	ssp. pravei Plavilstshikov, 1926 CA TI	#320 #531
	ochraceipennis Kraatz, 1882 AK -	
	= pallidipennis Plavilstshikov, 1926	#603
	= plavilschikovi Lazarev, 2019f: 1335	
	tekensis Semenov, 1896 A I	#531
	nivea Kraatz, 1882 AK -	
	repetekensis Semenov, 1935 A -	
	Tribus: AGAPANTHIINI	#321 #604
	Genus: Theophilea Pic, 1895 ECK	#553
	cylindricollis Pic, 1895 C T	
	= erzurumensis Önalp, 1974	#553
	subcylindricollis Hladil, 1988 ECKW E	#553 #566
	Genus: Calamobius Guérin-Méneville, 1844 EYC	
	filum (Rossi, 1790) EYC ASTEBI	#531 #629
	Genus: Pseudocalamobius Kraatz, 1879 U	#604
	japonicus (Bates, 1873) ?I J	#40 #44
#873		
	tsushimae Breuning, 1961 U C	#873
	Genus: Agapanthia Audinet-Serville, 1835 EYCAKWSUI	#537
	Subgenus: Synthapsia Pesarini et Sabbadini, 2004	#537 #727
	kirbyi (Gyllenhal, 1817) EYCKA SEBTI	#531
	ssp. kirbyi (Gyllenhal, 1817) EYCA SEBTI	
	Subgenus: Eoptes Gistel, 1857	#537
	= Agapanthiella Pesarini et Sabbadini, 2004	#537
	nigriventris Waterhouse, 1889 A I	#303
	detrita Kraatz, 1882 AK I	#324 #895
	= bucharica Pic, 1901	#324
	= paki Rapuzzi, 2012	#904
	obydovi Danilevsky, 2000 K -	#406
	auliensis Pic, 1907 ?AK ?C	#323 #324 #328
	= amabilis Holzschuh, 1981	
	parauliensis Danilevsky, 2017a AK -	#839
	shovkuni Shapovalov, 2009 K -	#324
	asphodeli (Latreille, 1804) ? SEB	#883
	ssp. asphodeli (Latreille, 1804) ? SEB	
	dahli (Richter, 1821) EYCAKWS EBTI?MC	#329 #405 #570
#572		
	ssp. dahli (Richter, 1821) EYCAKWS EBTI?MC	#789
	ssp. calculensis Lazarev 2013d K -	#791
	ssp. kuleshovi Danilevsky, 2018b W -	#866
	ssp. ismailovae Lazarev 2013c C -	#479
	ssp. lenkorana Lazarev, Plewa & Jaworski, 2016 C ?I	#789

	ssp. nitidipennis Holzschuh, 1984 C -	#477 #789
	ssp. rubenyani Lazarev 2013c C -	#789
	ssp. walteri Reitter, 1898 C TI	#56 #531 #789
	ssp. transcaspica Pic, 1900 A ?I	#698 #789
	ssp. muellneri Reitter, 1898 ?KA ?T	#323 #386 #789
	ssp. alexandris Pic, 1901 KA -	#386 #789
	ssp. iliensis Danilevsky, 2018b K -	#866
	ssp. lepsyensis Danilevsky, 2018b K -	#866
	ssp. alaiensis Kratochvil, 1985 A -	
	ssp. ustinovi Danilevsky, 2013h A -	#798 #874
	alternans Fischer-Waldheim, 1842 WSK CM	#329 #405
#814		
	ssp. alternans Fischer-Waldheim, 1842 WSK CM	#405
	= ganglbaueri Semenov, 1893	#24
	= coeruleonigra Reitter, 1898	
	= transbaicalica Suvorov, 1913	
	ssp. eualternans Danilevsky, 2017a E -	#839
	ssp. paralternans Danilevsky, 2017a K -	#839
	ssp. songarica Kostin, 1973 K -	#329
	= songarica Kostin, 1978 [HN]	
	ssp. tarbagataica Kostin, 1978 K -	#329
	angelicae Reitter, 1898 A I	#328
	= latior Pic, 1898	#619
	= hauseri Reitter, 1901	
	= subnuda Reitter, 1905	#619
	= jacobsoni Plavilstshikov, 1915	#619
	altaica Plavilstshikov, 1933 S -	#329
	cynarae (Germar, 1817) EYCWS ASEB	#736
	ssp. cynarae (Germar, 1817) EYCWS ASEB	
	danilevskyi Lazarev, 2013b K -	#779
	griseocaudata Kasatkin, 2020 C -	
	lederi Ganglbauer, 1884 EC -	#425
	ssp. lederi Ganglbauer, 1884 EC -	#425
	= mesmini Pic, 1927	#628
	= helianthi Plavilstshikov, 1935	#27
	= lopatini Kaziuchitz, 1988	#56
	ssp. hodeki Danilevsky, 2018b	#866
	subchalybaea Reitter, 1898 C T	#380 #409
	subnigra Pic, 1890 C -	#380
	villosoviridescens (DeGeer, 1775) ECKWS SEBM	#330
	turanica Plavilstshikov, 1929 AK -	
	daurica Ganglbauer, 1884 SUI MCJ	#40 #425
	ssp. daurica Ganglbauer, 1884 SUI MCJ	#40 #425
	Subgenus: Homoblephara Pesarini et Sabbadini, 2004	#537 #727
	maculicornis (Gyllenhal, 1817) ECKW EB	#298 #684
	korostelevi Danilevsky, 1985 C ?T	#343 #298
	Subgenus: Agapanthia Audinet-Serville, 1835	
	cardui (Linnaeus, 1767) EYCKW SEB	#495 #606
#816		
	= pannonica Kratochvil, 1985	#478 #495
	suturalis (Fabricius, 1787) C ASTI	#495 #606
#700		
	= cardui cardui auct. (not Linnaeus, 1767)	#495
	Subgenus: Stichodera Pesarini et Sabbadini, 2004	#537 #727
	soror Kraatz, 1882 KA I	#323 #893
#895		
	Subgenus: Amurobia Pesarini et Sabbadini, 2004	#537 #727
	pilicornis (Fabricius, 1787) SU C	
	ssp. pilicornis (Fabricius, 1787) SU C	

	amurensis Kraatz, 1879 SU MC	
	Subgenus: Smaragdula Pesarini et Sabbadini, 2004	#537 #727
	violacea (Fabricius, 1775) EYC?AK SEBTI	#322 #358 #531
#851		
	= mulsanti Plavilstshikov, 1930	
	intermedia Ganglbauer, 1884 ECKW ES?B	#322 #425
#851		
	talassica Kostin, 1973 KA -	#322
	incerta Plavilstshikov, 1930 A -	#322 #340
#358		
	persicola Reitter, 1894 CA I	#322
	chalybea Faldermann, 1837 C TI	#322 #865
	= chalybaea auct.	#865
	Genus: Agapanthiola Ganglbauer, 1900	#498 #727
	leucaspis (Steven, 1817) EYCAKWS EBTIM	#175
	= euterpe Ganglbauer, 1900	#176

END

excluded names

Bellamira LeConte, 1873 I	#492 #604
Macrotoma Audinet-Serville, 1832 IC	#5
Megopis Audinet-Serville, 1832 EYCU	#9
Lemula decipiens Bates, 1884 - J	#706
Gaurotina superba Ganglbauer, 1889 - C	#25
Gaurotes LeConte, 1850	#24
Gaurotes thalassina Schrank, 1781	#45
Evodinus LeConte, 1850	#24
Pidonia grallatrix (Bates, 1884) - J	#373
P. signifera Bates, 1884 - J	#63
P. amentata (Bates, 1884) - J	#67
Cortodera cirsi Holzs Schuh, 1974 - T	#56
Cortodera transcaspica persica Plavilstshikov, 1936 - I	#745
Pedostrangalia emmipoda (Mulsant, 1863) - BT	#455
Judolidia bangi Pic, 1901 - J	#83
Brachyleptura Casey, 1913	#93
Stictoleptura rufa dimidiata Daniel, 1891 - TI	#95
Stictoleptura heydeni (Ganglbauer, 1889)	#435
Vadonia bisignata Brullé, 1832 - BT	#331 #701
Vadonia moesiaca (K.Daniel et J.Daniel, 1891)	#331
Megaleptura Casey, 1913	#93
Leptura subtilis Bates, 1884 - CJ	#739 #750
Leptura aethiops dimorpha Bates, 1873 - J	#78
Stenura Dejean, 1837	#93
Pseudalosterna misella Bates, 1884 - J	#387 #872
Pseudovadonia livida pecta (K. & J.Daniel, 1891)	#98
Anoplodera atramentaria Ganglbauer, 1889 - C	#57
Necydalis (s. str.) sirexoides Reitter, 1902	#99
Necydalis solida Bates, 1884 - J	#550
ASEMINAE	#101
DORCASOMINAE	#113
Protapatophysis Semenov et Schegoleva-Barovskaya, 1935 A	#354
Massicus Pascoe, 1867	#119
Cerambyx heinzianus Demelt, 1976 - T	#121
Plocaederus Dejean, 1837	#96
Eurybatus Thomson, 1861	#347
Eurybatus gravidus Lameer, 1887 - C	#347
Purpuricenus dalmatinus Sturm, 1843	#714

Purpuricenus temminckii Guérin-Méneville, 1844	#752
Molorchus minor ssp. fuscus Hayashi, 1955 - J	#135 #750
Cyrtophorus LeConte, 1850	#349
Chlorophorus hyrcanus Pic, 1905 - I	#554
Parmena balteus Linnaeus, 1767 - ES	#50
Parmena pubescens (Dalman, 1817)	#748
Acalolepta cervina Hope, 1831 - C	#31
Mecynippus pubicornis Bates, 1884	#44
Dorcadion leopardinum Plavilstshikov, 1937 - C	#334
D. kagyzmanicum Suvorov, 1915 - T	#215
D. arenarium Scopoli, 1763 - SB	#218
D. lucae Pic, 1898	#247
D. haemorrhoidale Hampe, 1852 - TI	#515
D. tuerki Ganglbauer, 1884 - I	#223
D. varievittatum Pic, 1942:1	#624
Eodorcadion dorcas Jakovlev, 1901 - MC	#261
E. argali Jakovlev, 1889 - M	#431 #627
Mesosa pieli Pic, 1936 - C	#24
Exocentrus curtipennis Pic, 1918 - C	#344
E. dalbergianus Gressitt, 1951 - C	#464
E. saitoi Matsushita, 1935 - C	#195
Olenecamptus subobliteratus auct. (not Pic, 1923) U CJ	#718
Olenecamptus clarus Pascoe, 1859	#718
Kuatunia subasperata Gressitt, 1951	#198
Sophronica obrioides (Bates, 1873) - J	#195
Rhopaloscelis caucasicus Danilevsky, 1982 [nomen nudum]	#332
Ostedes tuberculatus (Pic, 1925) - C	#25
Terinaea atrofusca Bates, 1884 - J	#197
Miccolamia verrucosa Bates, 1884 - J	#200
Pseudanaesthetis seticornis Gressitt, 1940	#200
Pseudocentrus Fairmaire, 1901	#689
Eutetrapha chrysargirea Bates 1884 - J	#348
Stenostola atra Gress. 1951 - C	#285
Oberea atropunctata Pic, 1916 - C	#634
Oberea coreana Pic, 1912	#291
Oberea inclusa Pascoe, 1858 - C	#40 #56 #89
Mallosia mirabilis Faldermann, 1837 - IT	#50
M. imperatrix Daniel 1885 - IT	#300
Oxyilia duponcheli Brullé 1833 - TB	#24
Semiangusta Pic, 1829	#390
Ph. (Coptosia) bithyniensis Ganglbauer, 1884 - BT	#299 #423
#425	
Phytoecia orbicollis Reiche et Saulcy, 1858 - T	#306
Ph. suvorowi Pic, 1905 - T	#312 #516
Ph. suvorowi Koenig, 1906	#312
Ph. merkli Ganglbauer, 1884 - T	#516
Ph. rubropunctata Goeze, 1777 - SEB	#308 #701
Ph. tuerki Ganglbauer, 1884 - T	#309 #425
Ph. geniculata Mulsant, 1863 - T	#24
Ph. manicata Reiche, 1858 - BT	#51
Ph. speciosa J.Frivaldszky, 1884 - T	#24
Agapanthia lais Reiche, 1858 - BT	#340
A. osmanlis Reiche, 1858 - BT	#322
A. salviae Holzschuh, 1974 - T	#56
A. lateralis Ganglbauer, 1884 - ABT	#325
A. bilateralis Pic, 1927	#324
HIPPOPSINI	#321