

Updated 24.04.2024

**A check list of the longicorn beetles (Cerambycoidea) of Russia
M.L. Danilevsky, 2024**

Regions (see the corresponding map):

R – Russia:

NT – North of European Russia: Komi, Vologda and S.-Petersburg regions.

CT – Centre of European Russia (eastwards to Urals and Ural River) including Kaliningrad, Samara, Bashkiria and Ulianovsk regions).

ST – South of European Russia (including European part of Orenburg Region – south-eastwards to Ural river, Kalmykia, Rostov, Saratov and Astrakhan regions).

CA – Russian Caucasus and Ciscaucasia including Dagestan, Stavropol and Krasnodar regions.

WS – West Siberia: Asian part of Orenburg region, Ekaterinburg, Cheliabinsk, Tiumen, Omsk, Novosibirsk, Tomsk, Kemerovo regions, as well as Khanty-Mansi and Jamalo-Nenetz regions.

AT – Altaj: Altaj Region and Altaj republic.

ES – East Siberia (from Tuva, Khakassia and Krasnoiarsk to Chukotka, Kamchatka and north Kuril Islands (but without Sakhalin and south Kuril Islands))

SE – South-East Siberia: Amur and Khabarovsk regions.

FE – Far East Siberia: Primorie region.

SI – Sakhalin Island.

KU – South Kuril Islands: mostly Kunashir.

E – Europe without
Russia:

AL – Albania

AT – Austria

BE – Belgium

BH – Bosnia &
Herzegovina

BU – Bulgaria

BY – Belorussia

CE – Czechia

CR - Croatia

DE – Germany

DK – Denmark

EO – Estonia

ES – Spain

FI – Finland

FR - France (without

Corsica)

FRC - Corsica

GB - Great Britain

GR - Greece (without
Crete)

GRC - Crete

HU – Hungary

IE – Ireland

IT-Italy (without
Sardinia & Sicilia)

ITA - Sardinia

ITI - Sicilia

KD – Macedonia

KZ - European Kazakhstan

LA – Latvia

LJ – Slovenia

LT – Lithuania

LU-Luxembourg

MD – Moldova

MN – Montenegro

MT – Malta

NL – Netherlands

NO – Norway

PL – Poland

PT – Portugal

RO – Romania

SK – Slovakia

SB – Serbia

SV – Sweden

SZ – Switzerland

TR - European Turkey

UK- Ukraine (without
Crimea)

UKC – Crimea

A – Asia without Russia

AB – Azerbaidjan (including
Nakhichevan and Karabakh)

AF - Afghanistan

AR – Armenia

CH – China

CY - Cyprus

GG – Georgia (including Abkhazia
and Adzharia)

ID - India

IN - Iran

IQ - Iraq

IS - Israel

JA – Japan

JO – Jordan

KI – Kyrgyzstan

KO - Korea

KZ – Kazakhstan (without European part of

LE - Lebanon
MG - Mongolia
SY - Syria
TD - Tadzhikistan

TM - Turkmenia
TR - Turkey
UZ - Uzbekistan

N - North Africa

The geographical data of the list are consistent with other my lists by Nikolay Anisimov (Blagoveshchensk).

Any comments are welcome to danilevsky@cerambycidae.net

Familia: DISTENIIDAE Thomson, 1861

= Cometites Blanchard, 1845

Tribus: DISTENIINI

Genus: Distenia Lepeletier & Audinet-Serville, 1828

= Apheles Blessig, 1872

Subgenus: Distenia Lepeletier & Audinet-Serville, 1828

gracilis (Blessig, 1872) **R:** SE FE SI **A:** CH KO

japonica Bates, 1873 **R:** KU **A:** JA

ssp. japonica Bates, 1873 **R:** KU **A:** JA

Familia: CERAMBYCIDAE Latreille, 1802

Subfamilia: PRIONINAE Latreille, 1802

Tribus: CALLIPOGONINI

Genus: Callipogon Audinet-Serville, 1832

Subgenus: Eoxenus Semenov, 1899

relictus Semenov, 1898 **R:** SE FE **A:** CH KO

Tribus: ERGATINI

Genus: Ergates Audinet-Serville, 1832

Subgenus: Ergates Audinet-Serville, 1832

faber (Linnaeus, 1760)

ssp. faber (Linnaeus, 1760) **R:** ?CT ST CA **E:** PT ES FR FRC IT ITI AL LJ CR BH SB MN GR
BU ?TR HU AT SZ NL BE DE GB CE SK PL SV LA LT BY UK UKC **A:** GG AR ?AB IQ SY
TR N

Tribus: REMPHANINI

Genus: Rhaesus Motschulsky, 1875

= Rhesus Thomson, 1860 (nec Rhesus Lesson, 1840)

serricollis (Motschulsky, 1838) **R:** CA **E:** AL MN KD GR BU TR **A:** CY GG AR

AB TR SY LE IS IN N

Tribus: AEGOSOMATINI

Genus: Aegosoma Audinet-Serville, 1832

Subgenus: Aegosoma Audinet-Serville, 1832

sinicum White, 1853

ssp. sinicum White, 1853 **R:** FE SI **A:** KO CN JA

ivanovi Danilevsky, 2011 **R:** FE

scabricorne (Scopoli, 1763) **R:** ST CA **E:** GB ES FR FRC IT ITA ITI LJ CR BH
SB MN KD AL GR BU TR RO HU AT SZ BE DE CE SK BY UK UKC ?MD **A:** GG AR AB
TR SY ?LE IN IQ

Tribus: MEROSCELISINI

Genus: Tragosoma Audinet-Serville, 1832

depsarium (Linnaeus, 1767) **R:** NT CT ST(Orenburg) WS AT ES SE ?FE **E:** ES
FR SZ DE IT LJ CR BH SB MN KD AL GR BU HU RO AT CE SK PL SV NO FI EO LT LA
BY UK

Tribus: PRIONINI

Genus: Dorysthenes Vigors, 1826

Subgenus: Cyrtognathus Dejean, 1835

paradoxus (Faldermann, 1833) **R:** ES SE **A:** ?MG ?KO CH

Genus: Prionus Geoffroy, 1762

insularis Motschulsky, 1858

ssp. insularis Motschulsky, 1858 **R:** AT ES SE FE SI KU **A:** KO CH JA

coriarius (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI AL LJ CR
BH SB MN GR BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL SV FI EO LA
LT BY UK UKC MD KZ **A:** ?KZ GG AR AB IN TR SY N

Genus: Mesoprionus Jakovlev, 1887

asiaticus (Faldermann, 1837) **R:** ST CA **E:** KZ **A:** GG AR AB KZ TR IN

Genus: Psilotarsus Motschulsky, 1860

= Psilopus Gebler, 1860

= Otiartes Thomson, 1866

= Brachyprionus Jakovlev, 1887

= Prionoxys Semenov, 1899

brachypterus (Gebler, 1830)

ssp. brachypterus (Gebler, 1830) **R:** ?WS **A:** KZ CH

= latidens Motschulsky, 1860

ssp. hemipterus (Motschulsky, 1845) **R:** ?ST(Orenburg) WS **E:** KZ **A:** KZ

UZ

Subfamilia: LEPTURINAE Latreille, 1802

Tribus: XYLOSTEINI

Genus: Xylosteus I.Frivaldsky, 1837

caucasicola Plavilstshikov, 1936 **R:** CA **A:** GG TR

Genus: Leptorhabdium Kraatz, 1879

= Psilorhabdium Kraatz, 1879

caucasicum (Kraatz, 1879) **R:** CA **A:** GG AR AB IN TR

Tribus: ENCYCLOPINI

Genus: Encyclops Newman, 1838

= Microrhabdium Kraatz, 1879

macilentus (Kraatz, 1879) **R:** SE FE **A:** CH KO

= parallelus Pic, 1914

= ussuricus Tsherepanov, 1975

olivaceus Bates, 1884 **R:** KU **A:** JA

Tribus: OXYMIRINI Danilevsky, 1997 in Althoff, Danilevsky, 1997

Genus: Neoxymirus Miroshnikov, 2013

mirabilis (Motschulsky, 1838) **R:** CA **A:** GG AR AB IN TR

Genus: Oxymirus Mulsant, 1862

cursor (Linnaeus, 1758) **R:** NT CT ST WS AT **E:** SP FR IT LJ CR BH SB KD
AL GR BU RO HU AT SZ CE SK DE LU BE NL DK PL SV NO FI EO LT LA BY UK MD

Tribus: ENOPLODERINI Danilevsky, 1997 in Althoff, Danilevsky, 1997

Genus: Enoploderes Faldermann, 1837

Subgenus: Enoploderes Faldermann, 1837

sanguineus Faldermann, 1837 **R:** ST CA **E:** AL UK UKC **A:** GG AR AB TR IN

Tribus: RHAMNUSIINI Danilevsky, 1997 in Althoff, Danilevsky, 1997

Genus: Rhamnusium Latreille, 1829

bicolor (Schrank, 1781)

= gracilicorne Théry, 1894
 ssp. constans Danilevsky, 2012 **R:** NT CT ST WS(Orenburg) **E:** FI EO LA
 LT BY UK ?UKC MD KZ **A:** KZ
 testaceipenne Pic, 1897 **R:** CA **E:** UKC **A:** GG AR TR
 Tribus: RHAGIINI
 Genus: Rhagium Fabricius, 1775
 Subgenus: Hagrium Villiers, 1978
 bifasciatum Fabricius, 1775 **R:** ?CT ST CA **E:** PT ES FR IT ITI AL LJ CR BH
 SB MN KD GR BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL FI EO LT
 ?BY UK ?UKC MD **A:** GG AR AB TR IN N
 Subgenus: Megarhagium Reitter, 1913
 fasciculatum Faldermann, 1837 **R:** CA **A:** GG AR AB TR IN
 mordax (DeGeer, 1775) **R:** NT CT ST WS AT ES **E:** ES FR IT AL LJ CR BH
 SB MN KD GR BU ?TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO SV FI PL EO
 LA LT BY UK ?UKC MD **A:** KZ TM
 caucasicum Reitter, 1889
 ssp. caucasicum Reitter, 1889 ?**R:** ?CA **A:** GG AR AB TR
 sycophanta (Schrank, 1781) **R:** CT ST WS AT **E:** PT ES FR GB IR IT ?ITI AL
 LJ CR BH SB MN KD GR BU TR RO HU AT SZ BE NL DK DE LU CE SK PL SV FI LA LT
 BY UK ?UKC MD
 Subgenus: Rhagium Fabricius, 1775
 inquisitor (Linnaeus, 1758)
 ssp. inquisitor (Linnaeus, 1758) **R:** NT CT ST CA WS ES **E:** PT ES FR IT
 ITI AL LJ CR BH MN SB GR BU TR RO HU AT SZ BE NL DK DE LU GB ?IE CE SK NO
 PL SV FI EO LA LT BY UK UKC MD KZ **A:** KZ MG CH TR
 ssp. rugipenne Reitter, 1898 **R:** ES SE FE SI **A:** MG CH KO
 ssp. schtschukini Semenov, 1898 **R:** CA **A:** GG AR AB IN TR
 = minimum Podaný, 1964
 japonicum Bates, 1884 **R:** SI KU **A:** JA
 heyrovskyi Podaný, 1964 **R:** SI **A:** JA
 Genus: Akimerus Audinet-Serville, 1835
 schaefferi (Laicharting, 1784) **R:** CT ST **E:** PT ES FR ?CR BH GR BU RO HU
 AT ?SZ DE CE SK PL UK MD
 ssp. schaefferi (Laicharting, 1784) **R:** CT ST **E:** PT ES FR BH GR BU HU
 AT SZ DE CE SK PL UK MD
 Genus: Japanocorus Danilevsky, 2012
 caeruleipennis (Bates, 1873) **R:** SI KU **A:** JA
 Genus: Stenocorus Geoffroy, 1762
 = Toxotus Dejean 1821
 Subgenus: Anisorus Mulsant, 1862
 quercus (Götz, 1783)
 ssp. quercus (Götz, 1783) **R:** CT ST CA ?WS ?AT ES **E:** ES FR IT CR BH
 SB LJ KD GR BU ?TR RO HU AT SZ BE NL DK DE LU CE SK PL ?BY UK MD **A:** TR MG
 Subgenus: Stenocorus Geoffroy, 1762
 amurensis (Kraatz, 1879) **R:** SE FE SI **A:** CH KO
 = sachalinensis Matsumura, 1911
 meridianus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** ES FR IT AL LJ
 KD MN CR BH SB GR BU ?TR RO HU AT SZ BE NL DK DE LU GB IR CE SK NO PL SV
 FI EO LA LT BY UK MD **A:** KZ
 insitivus (Germar, 1824)
 ssp. insitivus (Germar, 1824) **R:** CA **E:** UK **A:** GG AR AB TR IN SY
 lepturoides (Reitter, 1914) **R:** SE **A:** CH

minutus (Gebler, 1841) **R:** ?AT **A:** KZ ?MG CH
 = tataricus Gebler, 1841
 Genus: Pachyta Dejean, 1821
 lamed (Linnaeus, 1758) **R:** NT CT WS AT ES SE FE SI **A:** MG CH KO JA **E:**
 FR IT LJ BU RO HU AT SZ DE CE SK PL DK NO SV FI EO LA LT BY UK MD
 = sasakii Fujita, 2018
 bicuneata Motschulsky, 1860 **R:** ES SE FE SI **A:** CH KO
 quadrimaculata (Linnaeus, 1758) **R:** NT CT ST WS AT ES **E:** ES FR IT LJ CR
 BH SB MN KD GR BU RO HU AT SZ DE CE SK PL DK FI EO LA LT BY UK MD **A:** KZ
 MG CH
 Genus: Evodinellus Plavilstshikov, 1915
 Subgenus: Evodinellus Plavilstshikov, 1915
 borealis (Gyllenhal, 1827) **R:** NT CT WS AT ES SE FE SI **E:** SK PL NO SV FI
 EO LA LT BY UK **A:** MG CH KO JA
 = grisescens Pic, 1889
 = petrovi (Danilevsky, 2023)
 Genus: Brachyta Fairmaire, 1865
 Subgenus: Fasciobrachyta Danilevsky, 2014
 bifasciata (Olivier, 1800)
 ssp. bifasciata (Olivier, 1800) **R:** ES SE FE SI **A:** MG KO CH
 ssp. plasoni (Breit, 1915) **R:** ?ES ?SE **A:** ?MG CH
 ssp. japonica (Matsushita, 1933) **R:** SI **A:** JA
 caucasica (Rost, 1892)
 ssp. caucasica (Rost, 1892) **R:** CA **A:** GG
 = conjuncta Rost, 1893
 ssp. kubanica Miroshnikov, 1990 **R:** CA **A:** GG
 Subgenus: Variobrachyta Danilevsky, 2014
 rosti Pic, 1900 **R:** CA **A:** ?GG
 ssp. rosti Pic, 1900 **R:** CA **A:** ?GG
 = caucasicola Plavilstshikov, 1936
 ssp. baksaniense Lazarev, 2010b **R:** CA
 ssp. alexeevi Lazarev, 2010b **R:** CA
 variabilis (Gebler, 1817)
 ssp. variabilis (Gebler, 1817) **R:** NT CT WS ES **A:** KZ
 = constricta Germar, 1824
 ssp. tungusensis Danilevsky, 2014 **R:** ES
 ssp. scapularis (Mannerheim, 1849) **R:** ES FE **A:** MG CH
 = solskyi Kraatz, 1879
 = comosa Solsky, 1871
 ssp. testaceimembris Pic, 1916 **R:** FE **SE**
 = rufimembris Pic, 1926
 ssp. yakutensis Danilevsky, 2014 **R:** ES
 ssp. ivlievi Danilevsky, 2014 **R:** ES
 ssp. chukotensis Danilevsky, 2014 **R:** ES
 ssp. basarukini Danilevsky, 2014 **R:** SI
 ssp. aberrans (Villiers, 1960) **R:** FE **A:** CH KO
 ssp. striolata (Gebler, 1817) **R:** ES
 = mutabilis Motschulsky, 1859a [1859b]
 = eurinensis Tsherepanov, 1978
 ssp. sinuatolineata (Pic, 1915) **R:** ES **A:** MG
 = breiti (Tippmann, 1946)
 ssp. tuvensis Danilevsky, 2014 **R:** ES WS **A:** MG

ssp. kurayensis Danilevsky, 2014 **R:** WS
 interrogationis (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** FR
 IT SZ AT DE CE SK PL NO SV FI EO LA ?LT BY UK **A:** GG KZ MG CH KO
 ssp. interrogationis (Linnaeus, 1758) **R:** NT **E:** NO SV FI
 ssp. russica (Herbst, 1784) **R:** NT CT ST WS AT **E:** EO LA ?LT ?BY MD UK
KZ A: KZ
 = altajensis Pic, 1900
 ssp. zubovi Lazarev, 2016a **R:** NT WS
 ssp. mannerheimii Motschulsky, 1860 **R:** WS ES **A:** MG
 = marginalis Motschulsky, 1875
 = obsidiana Motschulsky, 1875
 = cruciatus Kraatz, 1879
 ssp. duodecimmaculata Fabricius, 1781 **R:** SE FE SI **A:** CH KO
 =kraatzi Ganglbauer, 1889
 ssp. shapsugorum Lazarev, 2011 **R:** CA
 ssp. miroshnikovi Lazarev, 2011 **R:** CA **A:** GG
 ssp. lederi Lazarev, 2011 **R:** CA
 punctata (Faldermann, 1833) **R:** ES FE **A:** MG CH KO
 ssp. punctata (Faldermann, 1833) **R:** ES **A:** MG CH
 = reductemaculata Pic, 1915
 = sajanensis Pic, 1916
 = subunicolor Pic, 1916
 = quadrinotatus Pic, 1916
 = turanensis Pic, 1927
 = sochondensis Tshernyshev et Dubatolov, 2005
 ssp. lazarevi Danilevsky, 2014 **R:** FE **A:** CH KO
 danilevskyi Tshernyshev, Dubatolov, 2005 **R:** SI KU **A:** JA
 ssp. danilevskyi Tshernyshev, Dubatolov, 2005 **R:** SI KU **A:** JA
 amurensis (Kraatz, 1879) **R:** SE FE **A:** CH KO
 = bisbioculata Pic, 1910
 = inapicalis Pic, 1910
 = korbi Pic, 1910
 = semilunata Pic, 1910
 sachalinensis Matsumura, 1911 **R:** SE FE SI **A:** CH KO JA
 Genus: Gaurotina Ganglbauer, 1889
 sichotensis Danilevsky, 1988 **R:** FE **A:** KO
 Genus: Pseudogaurotina Plavilstshikov, 1958
 splendens (Jakovlev, 1893) **R:** ES **A:** ?MG
 magnifica Plavilstshikov, 1958 **R:** FE
 Genus: Carilia Mulsant, 1863
 virginea (Linnaeus, 1758)
 ssp. virginea (Linnaeus, 1758) **R:** NT CT ST WS **E:** FR IT AL LJ CR BH SB
 MN KD GR BU RO HU AT SZ BE DE CE SK NO PL SV FI EO LA LT BY UK ?UKC MD
 ssp. aemula (Mannerheim, 1852) **R:** ?CT ?ST WS AT ES SE FE SI **A:** KZ
 MG CH
 ssp. kozhevnikovi (Plavilstshikov, 1915) **R:** FE **A:** CH
 = sibirica Podany, 1962
 Genus: Paragaurotetes Plavilstshikov, 1921
 ussuriensis (Blessig, 1873) **R:** SE FE **A:** KO CH
 doris (Bates, 1884)
 ssp. suvorovi (Semenov, 1914) **R:** SI KU **A:** JA
 Genus: Euracmaeops Danilevsky, 2014

= *Acmaeops* auct. nec LeConte, 1850
marginatus (Fabricius, 1781) **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT LJ
BH CR MN AT HU SZ CE GR SK BE NL DE PL NO SV FI EO LA ?LT BY UK **A:** TR KZ
MG CH ?KO
septentrionis (Thomson, 1866) **R:** NT CT ST WS AT ES SE FE SI KU **E:** FR IT
?LJ SZ AT DE BU RO CE SK PL NO SV FI EO ?LT ?BY UK **A:** KZ MG CH KO JA
smaragdulus (Fabricius, 1793) [NP] **R:** NT CT WS AT ES SE FE SI **E:** FR ?IT
?SZ NO SV FI PL ?LT **A:** KZ MG CH KO
= *smaragdinus* Naezen, 1792 [NO]
angusticollis (Gebler, 1833) **R:** NT CT WS AT ES SE FE SI **E:** PL BY **A:** MG
CH KO JA
= *viridula* Matsumura, 1911
= *sachalinensis* Tsherepanov, 1978
Genus: *Gnathacmaeops* Linsley et Chemsak, 1972
pratensis (Laicharting, 1784) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES FR
IT LJ CR BH SB KD AL BU RO HU AT SZ DE CE SK PL NO SV FI EO LA ?LT BY UK
?UKC MD KZ **A:** GG AR AB KZ UZ KI MG CH KO
Genus: *Pseudodinoptera* Pic, 1900
daghestanica (Pic, 1897) **R:** CA
Genus: *Dinoptera* Mulsant, 1863
minuta (Gebler, 1832) **R:** ES FE SE SI **A:** MG CH KO JA
ssp. *minuta* (Gebler, 1832) **R:** ES FE SE SI **A:** MG CH KO
anthracina (Mannerheim, 1849) **R:** ES SE FE **A:** MG CH KO
collaris (Linnaeus, 1758) **R:** NT CT ST CA WS ES AT **E:** PT ES FR IT ?ITI AL
LJ CR BH SB MN KD GR BU TR RO HU AT SZ BE NL DK DE LU GB ?IE CE SK NO PL
SV EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR SY KZ CH
Genus: *Cortodera* Mulsant, 1863
= *Taiwanocarilia* Hayashi, 1983
humeralis (Schaller, 1783) **R:** ST **E:** ES FR IT CR BH SB KD GR BU ?TR RO
HU AT SZ CE SK DE BE NL LU PL BY UK MD **A:** TR
femorata (Fabricius, 1787) **R:** NT CT ST ?CA WS **E:** FR IT LJ CR BH GR BU
RO HU AT SZ CE SK DE PL NO SV FI EO LA LT BY UK
pumila Ganglbauer, 1882 **R:** ST CA **A:** GG AR AB TR IN
ssp. *pumila* Ganglbauer, 1882 **R:** ST CA **A:** GG AB
ussuriensis Tsherepanov, 1978 **R:** FE
villosa Heyden, 1876
ssp. *magdeevi* Danilevsky, 2011 **R:** CT
ssp. *major* Miroshnikov, 2007 **R:** CT ?ST
ssp. *kuvandykensis* Danilevsky, 2012 **R:** ST
ssp. *mikhailovi* Danilevsky, 2001 **R:** ST WS
ssp. *krasnobaevi* Danilevsky, 2010 **R:** ?ST **E:** UK
ssp. *kazakorum* Danilevsky, 2014 **R:** ST
ssp. *mariae* Danilevsky, 2010 **R:** CA
ssp. *circassica* Reitter, 1890 **R:** CA
ssp. *zhuravlevi* Miroshnikov, 2007 **R:** ST **A:** KZ
ssp. *chuvilini* Danilevsky, 2012 **R:** ST
holosericea (Fabricius, 1801)
ssp. *holosericea* (Fabricius, 1801) **R:** ST CA **E:** IT LJ CR BH SB ?GR BU
RO HU AT CE SK ?BY UK
colchica Reitter, 1890
ssp. *aishkha* Danilevsky, 2014 **R:** CA
ssp. *murzini* Danilevsky, 2014 **R:** CA

ssp. ossetica Danilevsky, 2014 **R:** CA
 ssp. bulungensis Danilevsky, 2014 **R:** CA
 kiesenwetteri Pic, 1898
 ssp. kiesenwetteri Pic, 1898 **R:** ST
 ssp. subtruncata Pic, 1934 **R:** CT
 ciliata Danilevsky, 2001
 ssp. sakmarensis Danilevsky, 2006 **R:** ST
 ssp. milaenderi Danilevsky, 2001 **R:** CT
 reitteri Pic, 1891
 ssp. reitteri Pic, 1891 **R:** CT **ST E:** UK
 = alexandri Danilevsky, 1996
 analis (Gebler, 1830) **R:** AT **A:** KZ
 = haemorhoidalis Pic, 1898
 = ruficornis Pic, 1926
 sibirica (Plavilstshikov, 1915)
 = semenovi Plavilstshikov, 1936
 ssp. sibirica (Plavilstshikov, 1915) **R:** AT **WS**
 ssp. shavrovi Danilevsky, 2001 **R:** ES
 tibialis Marseul, 1876
 ssp. tibialis Marseul, 1876 **R:** ST
 = pallidipes Pic, 1898
 ssp. ruthena Plavilstshikov, 1936 **R:** ST **WS(Orenburg) E:** KZ **A:** KZ
 ssp. rossica Danilevsky, 2001 **R:** CT (Ulyanovsk) **ST E:** UK
 turgaica Danilevsky, 2001 **R:** WS(Orenburg) **A:** KZ
 khatchikovi Danilevsky, 2001 **R:** ST
 alpina (Ménétriés, 1832)
 ssp. alpina (Ménétriés, 1832) **R:** CA **A:** AB **GG**
 ssp. matusiaki Danilevsky, 2014 **R:** CA **A:** GG
 ssp. baksaniensis Danilevsky, 2014 **R:** CA
 ssp. rosti Pic, 1892 **R:** CA
 ssp. psebayensis Danilevsky, 2014 **R:** CA
 ssp. starki Reitter, 1888 **R:** CA **A:** GG
 ssp. fischtensis Stark, 1894 **R:** CA

Genus: Fallacia Mulsant et Rey, 1863

elegans (Faldermann, 1837) **R:** CA **E:** TR **A:** GG AR AB TR IN

Genus: Macropidonia Pic, 1901

= Sivana Strand, 1942

= Sieversia Ganglbauer, 1886

bicolor (Ganglbauer, 1886) **R:** FE **A:** CH KO

= coreana Okamoto, 1927

Genus: Pseudosieversia Pic 1902

= Macrorhabdium Plavilstshikov, 1915

rufa (Kraatz, 1879) **R:** SE FE **A:** CH KO

= ruficollis Plavilstshikov, 1915

Genus: Pidonia Mulsant, 1863

Subgenus: Pseudopidonia Pic, 1900

similis (Kraatz, 1879) **R:** FE **A:** KO CH

semiobscura Pic, 1901 R: SI A: JA

alticollis (Kraatz, 1879) **R:** FE **A:** KO CH

= tristicula Kraatz, 1879

= rubricollis Pic, 1931

amurensis (Pic, 1900) **R:** SE FE **A:** KO CH

= quelpartensis Hayashi 1983
 malthinoides (Kraatz, 1879) **R:** FE KO
 = quercus Tsherepanov, 1975
 gibbicollis (Blessig, 1873) **R:** SE FE **A:** KO CH JA
 suvorovi Baeckmann, 1903 **R:** FE **A:** KO CH
 Subgenus: Mumon Hayashi, 1968
 debilis (Kraatz, 1879) **R:** SE FE SI **A:** CH KO
 Subgenus: Cryptopidonia Kuboki, 1981
 amentata (Bates, 1884)
 ssp. kurosawai (Ohbayashi et Hayashi, 1960) **R:** KU **A:** JA
 Subgenus: Omphalodera Solsky, 1873
 puziloi (Solsky, 1873) **R:** SE FE SI **A:**?MG CH KO JA
 Tribus: SACHALINOBIINI
 Genus: Sachalinobia Jacobs. 1899
 koltzei (Heyden, 1887) **R:** ES FE SI KU **A:** CH KO JA
 Tribus: LEPTURINI
 Genus: Grammoptera Dejean, 1835
 Subgenus: Neoencyclops Matsushita et Tamanuki, 1940
 cyanea Tamanuki, 1933 **R:** SE FE SI **A:** CH KO
 = plavilstshikovi Heyrovsky, 1965
 Subgenus: Grammoptera Dejean, 1835
 abdominalis (Stephens, 1831) **R:** CT[Kalinigrad] **ST E:** PT ES FR IT LJ CR BH
 KD GR BU RO HU AT SZ BE NL DK DE LU GB IE CE SK PL LT BY UK **A:** GG AR AB TR
 IN
 = variegata Germar, 1824
 ruficornis (Fabricius, 1781)
 ssp. ruficornis (Fabricius, 1781) **R:** CT[Kalinigrad] **ST E:** PT ES FR IT ITI
 AL LJ CR BH SB KD MN GR BU RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL SV
 EO LT LA BY UK ?UKC MD TR **A:** TR ?N
 ustulata (Schaller, 1783) **R:** ?ST ?CT **E:** PT ES FR IT ITI AL LJ CR BH SB KD
 MN GR GRC BU RO HU AT SZ BE NL DK DE LU IE GB CE SK NO PL SV ?LA ?BY UK
 ?UKC MD TR **A:** AR AB IN TR
 ssp. ustulata (Schaller, 1783) **R:** ?ST ?CT **E:** PT ES FR IT ITI AL LJ CR BH
 SB KD MN GR GRC BU RO HU AT SZ BE NL DK DE LU IE GB CE SK NO PL SV ?LA
 ?BY UK ?UKC MD TR **A:** TR
 gracilis Brancsik, 1914 **R:** SE FE SI **A:** CH KO
 coerulea Jurecek, 1933 **R:** SE FE **A:** KO
 Genus: Cornumutilla Letzn. 1844
 quadrivittata (Gebler, 1830) **R:** ?CT WS AT ES SE ?FE **A:** KO
 = semenovi Plavilstshikov, 1936
 lineata (Letzner, 1844) **R:** NT WS ES **E:** FR SZ IT AT RO CE SK PL UK
 Genus: Corennys Bates, 1884
 sericata Bates, 1884 **R:** KU **A:** KO CH JA
 Genus: Nivellia Mulsant, 1863
 sanguinosa (Gyllenhal, 1827) **R:** NT CT WS AT ES SE FE SI ?KU **E:** SB AT DE
 RO SK CE PL NO SV FI EO LA BY UK **A:** ?KZ MG CH KO JA
 = rubripennis Matsumura, 1911
 extensa (Gebler, 1833)
 ssp. extensa (Gebler, 1833) **R:** NT WS ES AT SE FE **E:** SB FI **A:** MG CH
 KO
 ssp. umbratilis Shimomura & Toyoshima, 1988 **R:** SI **A:** JA
 Genus: Strangalomorpha Solsky, 1873

tenuis Solsky, 1873
 ssp. tenuis Solsky, 1873 **R:** SE FE SI **A:** CH KO JA
 Genus: Alosterna Mulsant, 1863
 tabacicolor (DeGeer, 1775)
 ssp. tabacicolor (DeGeer, 1775) **R:** NT CT ST CA WS **E:** ES FR IT ITI AL
 LJ CR BH SB KD MN GR BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK PL NO SV
 FI EO LT LA BY UK ?UKC MD TR KZ **A:** KZ
 = chrysomeloides Schrank, 1781
 ssp. subvittata Reitter, 1885 **R:** CA **A:** GG AR AB IN TR
 = caucasica Plavilstshikov, 1936
 ssp. erythropus (Gebler, 1841) **R:** WS AT ES SE FE SI KU **A:** KZ MG CH

JA

= bivittis Motschulsky, 1860
 = plavilstshikovi Podany, 1963
 ssp. tenebris Danilevsky, 2012 **R:** FE **A:** CH KO
 ssp. sachalinensis Danilevsky, 2012 **R:** SI
 ingrlica (Baeckmann, 1902) **R:** NT CT ST WS **E:** SK PL EO LT LA BY UK
 diversipes Pic, 1929 **R:** SE FE SI **A:** CH KO
 = perpera Danilevsky, 1988
 chalybeella (Bates, 1884) **R:** SI KU **A:** JA
 = japonica Pic, 1935

Genus: Vadonia Mulsant, 1863
 unipunctata (Fabricius, 1787)
 ssp. unipunctata (Fabricius, 1787) **R:** CT ST CA WS **E:** ES FR IT LJ CR BH
 SB GR BU TR RO HU AT CE SK ?PL MD UK UKC KZ **A:** KZ GG AR AB TR IN
 bipunctata (Fabricius, 1781)
 ssp. bipunctata (Fabricius, 1781) **R:** CT ST CA WS KZ **A:** KZ
 ssp. sareptana Pic, 1941 **R:** ST WS **E:** KZ **A:** KZ
 = beckeri Pic, 1941 [HN]
 ssp. urdensis Danilevsky, 2014 **R:** ?ST **E:** KZ **A:** KZ
 ssp. globicollis (Desbrochers des Loges, 1870) **R:** CT ST CA **E:** MD UK RO
 = mulsantiana (Plavilstshikov, 1936)
 ssp. steveni (Sperk, 1835) **R:** ST CA **E:** RO HU MD SK LJ UK
 ssp. teberdensis Danilevsky, 2014 **R:** CA

Genus: Pseudalosterna Plavilstshikov, 1934
 elegantula (Kraatz, 1879) **R:** SE FE ?SI **A:** CH KO JA (Tsushima Is.)
 = orientalis Plavilstshikov, 1934

Genus: Pseudovadonia Lobanov, Danilevsky et Murzin, 1981
 livida (Fabricius, 1777)
 ssp. bicarinata (Arnold, 1869) **R:** NT CT ST CA WS AT ES SE **E:** SV PL BY
 LA LT EO UK UKC KZ **A:** AR GG AB IN TR KZ KI CH

Genus: Konoa Matsushita, 1933
 granulata (Bates, 1884) **R:** SI **A:** JA

Genus: Anoplodera Mulsant, 1839
 Subgenus: Anoplodera Mulsant, 1839
 rufipes (Schaller, 1783)
 ssp. rufipes (Schaller, 1783) **R:** ?NT **E:** ES FR GB IT LJ KD MN CR BH SB
 AL GR BU RO HU AT SZ LU DE CE SK PL SV ?EO LT LA BY UK MD
 ssp. ventralis Heyden, 1886 **R:** CT ST CA WS ?AT ES **E:** ?BY UK KZ **A:**
 GG AR AB KZ TR

sexguttata (Fabricius, 1775) **R:** NT CT ST CA WS **E:** ES PT FR IT LJ CR BH
 SB KD AL GR BU TR RO HU AT SZ DE LU BE GB IE NL DK CE SK PL NO SV FI EO LT
 LA BY UK MD **A:** GG TR N
rufihumeralis (Tamanuki 1938) **R:** FE **A:** KO CH
 Genus: Anoploderomorpha Pic, 1901
cyanea (Gebler, 1832) **R:** ES SE FE SI KU **A:** MG CH KO JA
 Genus: Xestoleptura Casey, 1913
rufiventris (Gebler, 1830) **R:** WS AT ES ?SE SI **A:** ?KZ MG CH
baeckmanni (Plavilstshikov, 1936) **R:** FE **A:** KO CH
 = *changbaishanensis* (Gao, Meng & Yan, 2011)
 Genus: Stictoleptura Casey, 1924
 = *Brachyleptura* auct. (not Casey, 1913)
 Subgenus: *Aredolpona* Nakane et K. Ohbayashi, 1957
 = *Corymbia* Des Gozis, 1886
rubra (Linnaeus, 1758)
 ssp. *rubra* (Linnaeus, 1758) **R:** NT CT ST WS AT ES **E:** PT ES FR FRC IT
 LJ CR BH SB MN AL GR BU RO HU AT SZ DE LU BE GB IE NL DK CE SK PL NO SV FI
 EO LT LA BY UK MD KZ **A:** KZ
dichroa (Blanchard, 1871) **R:** ES SE FE SI KU **A:** CH KO JA
 = *succedanea* Lewis, 1879
 Subgenus: *Stictoleptura* Casey, 1924
cordigera Fuessly, 1775
 ssp. *cordigera* Fuessly, 1775 **R:** CA (Derbent) **E:** BE CR GB SB MN KD
 BU DE FR GE GR IT NL RO ES SZ RO UK **N:** LB **A:** AB AR CY GG IN IQ IS LE SY TR
erythroptera (Hagenbach, 1822) **R:** CA **E:** ES FR CR BH SB MN KD AL GR
 BU TR RO HU AT SZ DE CE SK UK **A:** AR GG AB TR IN
rufa (Brullé, 1832)
 ssp. *realis* Danilevsky, 2012 **R:** CA **A:** GG AR AB TR
 Subgenus: *Variileptura* Danilevsky, 2014
variicornis (Dalman, 1817) **R:** NT CT ST WS AT ES SE FE SI KU **E:** PL EO LT
 LA BY UK **A:** KZ MG CH KO JA
 Subgenus: *Melanoleptura* Miroshnikov 1998
scutellata (Fabricius, 1781)
 ssp. *scutellata* (Fabricius, 1781) **R:** ?CT ST CA **E:** PT ES FR FRC IT ITI ITA
 LJ CR BH SB MN KD AL GR BU RO HU AT SZ DE LU BE GB IE DK CE SK PL SV LA BY
 UK UKC MD TR
 ssp. *ochracea* (Faust, 1878) **R:** ST **A:** GG AR AB TR
 Subgenus: *Maculileptura* Danilevsky, 2014
maculicornis (DeGeer, 1775) **R:** NT CT ST ?CA WS **E:** ES FR IT KD LJ CR BH
 SB MN AL GR BU TR RO HU AT SZ DE BE LU CE SK PL NO SV FI EO LT LA BY UK
 MD **A:** ?GG
 Subgenus: *Batesiata* Miroshnikov, 1998
tesserula (Charpentier, 1825) **R:** CA **E:** CE SB MN AL GR BU RO HU ?DE SK
 PL UK **A:** GG AR AB TR IN
 Subgenus: *Paracorymbia* Miroshnikov 1998
fulva (DeGeer, 1775) **R:** CT ST **E:** PT ES FR FRC IT ITI LJ CR BH SB MN KD
 AL GR BU TR RO HU AT SZ DE LU BE GB IE NL CE SK PL UK
 = *apicalis* Motschulsky, 1875
tonsa (J.Daniel et K.Daniel, 1891) **R:** CA **E:** UKC **A:** GG AR AB TR IN
 = *ustulata* Ménériés, 1832 [HN]
pallidipennis (Tournier, 1872) **R:** CA **A:** GG ?AB TR
nadezhdae (Plavilstshikov, 1932) **R:** CA

Genus: *Anastrangalia* Casey 1924
scotodes (Bates, 1873)
 ssp. *scotodes* (Bates, 1873) **R:** SI KU **A:** JA
 ssp. *continentalis* (Plavilstshikov, 1936) **R:** SE FE **A:** CH KO
sanguinolenta (Linnaeus, 1760) **R:** NT CT ST CA **E:** ES FR IT LJ CR BH SB
 MN KD AL GR BU RO HU AT SZ DE DK NL GB IE CE SK PL NO SV FI EO LT LA BY
 UK ?MD **A:** GG AR AB TR KZ WS ?AT ?ES
dubia (Scopoli, 1763)
 ssp. *melanota* (Faldermann, 1837) **R:** CA **A:** GG AR ?AB TR IN
 = *distincta* (Tournier, 1872)
reyi (Heyden, 1885) **R:** NT CT ST WS **E:** ES FR IT LJ AT RO HU SZ DE CE
 SK PL NO SV FI EO LT LA BY UK **A:** KZ
 = *inexpectata* Jansson & Sjöberg, 1928
sequensi (Reitter, 1898) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JA
renardi (Gebler, 1848) **R:** NT WS AT ES SE FE SI ?KU **A:** KZ MG CH KO

Genus: *Lepturobosca* Reitter, 1913
virens (Linnaeus, 1758) **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT LJ BE
 MN CR BH SB BU RO HU AT SZ DE ?GB CE SK PL NO SV FI EO ?LT LA BY UK **A:** KZ
 MG CH

Genus: *Eustrangalis* Bates, 1884
distenioides Bates, 1884 **R:** KU **A:** JA

Genus: *Pedostrangalia* Sokol. 1897
 Subgenus: *Neosphenalia* Löble, 2010
 = *Sphenalia* Daniel 1904 (not *Sphenalia* Wood, 1874, in Mollusca)
femoralis (Motschulsky, 1860) **R:** SE FE SI KU **A:** CH KO JA
 = *xanthoma* Bates, 1873

Genus: *Etorofus* Matsushita 1933
 Subgenus: *Etorofus* Matsushita 1933
nemurensis Matsushita, 1933 **R:** SI KU **A:** JA
 = *variicornis* Matsushita, 1933 [HN]
 = *niger* Matsushita, 1933
 = *circaocularis* (Pic, 1934)
pubescens (Fabricius, 1787) **R:** NT CT ST CA WS **E:** ES FR IT DK LJ CR BH
 KD SB MN AL GR BU RO AT SZ DE CE SK PL NO SV FI EO LT LA BY UK KZ **A:** ?GG
 TR

Subgenus: *Nakanea* Ohb. 1963
vicaria (Bates, 1884)
 ssp. *vicaria* (Bates, 1884) **R:** SI KU **A:** JA

Genus: *Judolidia* Plavilstshikov, 1936
znojkoii Plavilstshikov, 1936: **R:** SE FE **A:** CN KO

Genus: *Judolia* Mulsant, 1863
sexmaculata (Linnaeus, 1758) **R:** NT CT ST **E:** ?ES FR IT GR SZ AT HU RO
 DE CE SK IE GB PL NO SV FI EO LT LA BY UK **A:** KZ
dentatofasciata Mannerheim, 1852 **R:** NT WS AT ES SE FE SI KU **A:** MG CH
 KO JA
 = *parallelopipeda* Motschulsky, 1860
 = *abbreviata* Motschulsky, 1875
 = *shirarakensis* Matsumura, 1911
 = *rufimembris* Pic, 1917

Genus: *Pachytodes* Pic, 1891

erraticus (Dalman, 1817) **R:** CT ST CA WS AT ES **E:** ES FR IT LJ CR BH SB
MN KD AL GR BU TR RO HU AT ?SZ DE CE SK PL MD UK KZ **A:** GG AR AB KZ ?CH
TR IN SY

cerambyciformis (Schrank, 1781) **R:** ?NT CT ST **E:** PT ES FR IT LJ ME CR BH
SB KD AL GR BU RO HU AT SZ DE LU BE DK NL GB IR CE SK PL ?EO LT LA BY UK
MD **A:** ?TR

bottcheri (Pic, 1911) **R:** WS AT ES **A:** MG CH

= orthotrichus (Plavilstshikov, 1936)

longipes (Gebler, 1832) **R:** ES SE FE SI **A:** MG CH KO

cometes (Bates, 1884) **R:** SI KU **A:** JA KO

= connecta Nishio 1950

Genus: Oedecnema Thomson, 1857

gebleri Ganglbauer, 1889 **R:** NT CT ST(Orenburg) WS AT ES SE FE SI KU **E:**
BY UK **A:** KZ MG CH KO JA

= dubia Fabricius, 1781

= decemmaculata Matsumura, 1911

Genus: Leptura Linnaeus, 1758

Subgenus: Noona Sama, 2007

= Nona Sama, 2002

regalis (Bates, 1884) **R:** SI KU **A:** JA KO

Subgenus: Macroleptura Nakane et Ohb. 1957

thoracica Creutzer, 1799 **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** LJ CR
BH SB RO SK PL FI EO ?LT LA BY UK **A:** KZ MG CH KO JA

= obscurissima Pic, 1900

Subgenus: Leptura Linnaeus, 1758

ochraceofasciata (Motschulsky, 1862)

ssp. ochraceofasciata (Motschulsky, 1862) **R:** SI KU **A:** JA KO CH

latipennis (Matsushita, 1933) **R:** SI KU **A:** JA

aurulenta Fabricius, 1793 **R:** ST CT **E:** PT ES FR FRC IT BE LJ CR BH SB MN
KD AL GR BU TR RO HU AT SZ DE LU GB IE CE SK PL MD ?BY UK **A:** TR N

quadrifasciata Linnaeus, 1758

ssp. quadrifasciata Linnaeus, 1758 **R:** NT CT ST CA WS AT ES SE FE SI
KU **E:** ES FR IT LJ CR BH SB KD MN AL BU TR RO HU AT SZ DE LU BE DK NL GB IE
CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** KZ MG KO CH JA

ssp. lederi Ganglbauer, 1882 **R:** CA **A:** GG AR AB TR IN

= caucasica Plavilstshikov, 1924

annularis Fabricius, 1801

= arcuata Panzer, 1793

ssp. annularis Fabricius, 1801 **R:** NT CT ST KZ WS AT ES FE SI **E:** ES FR
?IT CR LJ BH RO HU AT SZ DE CE SK PL EO LT LA ?MD BY UK **A:** KZ MG CH KO

ssp. mimica Bates, 1884 **R:** SI KU **A:** JA

duodecimguttata Fabricius, 1801 **R:** KZ WS AT ES SE FE SI **A:** MG CH KO JA

aethiops Poda 1761 **R:** NT CT ST CA WS AT ES SE FE ST SI KU **E:** ES FR IT
LJ CR BH SB AL GR RO HU AT SZ DE LU BE DK NL CE SK PL EO LT LA BY UK ?UKC
MD **A:** ?GG ?AR ?AB KZ MG CH KO JA

= aterrima Motschulsky, 1860

= akitai Fujita, 2018

doii (Matsushita, 1933) **R:** KU

Genus: Lepturalia Reitter, 1913

nigripes (DeGeer, 1775)

ssp. nigripes (DeGeer, 1775) **R:** NT CT ST WS AT ES **E:** AT LJ RO SK PL
NO SV FI EO ?LT LA BY UK KZ **A:** KZ

ssp. rufipennis (Blessig, 1873) **R:** WS AT ES SE FE SI **A:** KZ MG CH

Genus: *Strangalia* Dejean, 1835

= *Strangalina* Aurivillius, 1912

attenuata (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR
FRC IT LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ DE LU BE NL DK ?GB CE SK
PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB IN TR KZ MG CH KO JA

takeuchii Matsushita et Tamanuki, 1935 **R:** KU **A:** JA

Genus: *Rutpela* Nakane et Ohbayashi, 1957

maculata (Poda 1761)

ssp. maculata (Poda 1761) **R:** NT CT ST CA WS(Orenburg) **E:** FR FRC IT
ITA LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ DE LU BE DK NL GB IE CE SK
PL NO SV FI EO ?LT LA BY UK MD KZ **A:** KZ TR

ssp. manca (Schaufuss, 1863) **R:** CA **E:** PT ES FR IT ITI BU TR UKC **A:**
GG AR AB IN TR SY

= nigricornis (Stielin, 1864)

Genus: *Stenurella* Villiers 1974

Subgenus: *Stenurella* Villiers 1974

melanura (Linnaeus, 1758) **R:** NT CT ST ?CA WS AT ES SE **E:** PT ES FR IT LJ
CR BH SB MN KD AL GR BU TR RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV
FI EO LT LA BY UK ?UKC MD KZ **A:** ?GG ?AR ?AB IN TR KZ MG ?CH JA

ssp. melanura (Linnaeus, 1758) **R:** NT CT ST ?CA WS AT ES SE **E:** PT ES
FR IT LJ CR BH SB MN KD AL GR BU RO HU AT SZ DE LU BE NL DK GB CE SK PL NO
SV FI EO LT LA BY UK ?UKC MD KZ **A:** ?GG ?AR ?AB IN KZ MG ?CH JA

=sennii Sama, 2002

Subgenus: *Stenurelloides* Özdikmen, 2013

novercalis (Reitter, 1901) **R:** CA **A:** GG TR

jaegeri (Hummel, 1825) **R:** CT ST CA **E:** UKC **A:** GG AR AB IN TR SY

Subgenus: *Priscostenurella* Özdikmen, 2013

= *Eduardvivesia* Zamoroka, Trócoli, Shparyk & Semaniuk, 2022: 131 type species

Leptura vaucheri Bedel, 1900

= *Nigromacularia* Zamoroka, Trócoli, Shparyk & Semaniuk, 2022 132 type species

Leptura septempunctata Fabricius 1793

bifasciata (Müller, 1776)

ssp. bifasciata (Müller, 1776) **R:** NT CT ST CA WS AT ES **E:** PT ES FR
FRC IT ITI ITA LJ CR BH SB MN RO HU AT SZ DE LU BE NL CE SK PL EO LT LA BY
UK UKC MD KZ **A:** CH GG AR AB IN IQ TR KZ

= sedakovi Mannerheim, 1852

septempunctata (Fabricius, 1793)

ssp. latenigra Pic, 1915 **R:** CA **E:** BU TR **A:** GG AR TR

Subgenus: *Nigrostenurella* Özdikmen, 2013

nigra (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI LJ CR BH SB
MN KD AL GR BU RO HU AT SZ DE LU BE NL DK GB IR CE SK PL NO SV EO LT LA
BY UK UKC MD KZ **A:** GG AR AB ?IN TR

ssp. nigra (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI LJ CR
BH SB MN KD AL GR BU RO HU AT SZ DE LU BE NL DK GB IR CE SK PL NO SV EO
LT LA BY UK UKC MD KZ **A:** TR

ssp. maesta Danilevsky, 2013 **R:** CA **A:** GG AR AB ?IN TR

Subfamilia: *NECYDALINAE* Latreille, 1825

Tribus: *NECYDALINI*

Genus: *Necydalis* Linnaeus, 1758

Subgenus: *Necydalis* Linnaeus, 1758
ulmi (Chevrolat, 1838) **R:** CA **E:** ES FR IT CR BH SB MN KD GR BU TR RO
HU AT SZ DE CE SK PL ?LT ?LA ?BY ?MD UK **A:** AB GG AR IN TR
= *mesembrina* Plavilstshikov, 1936
major Linnaeus, 1758 **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT CR BH
SB MN AL GR BU RO HU AT SZ DE DK LU BE NL CE SK PL NO SV FI EO LT LA BY
UK UKC MD KZ **A:** AB GG TR KZ MG CH KO JA
= *xantha* Semenov, 1898
= *aino* Kusama, 1974
gigantea Kano, 1933 **R:** KU **A:** JA
ssp. *gigantea* Kano, 1933 **R:** KU **A:** JA
Subgenus: *Necydalisca* Plavilstshikov, 1936
= *Eonecydalis* Ohbayshi, 1961
pennata Lewis, 1879 **R:** SE FE SI KU **A:** KO CH JA
= *morio* Kraatz, 1879
= *ebenina* Bates, 1884
= *pacifica* Plavilstshikov, 1936
= *ussuriensis* Plavilstshikov, 1936
= *semenovi* Plavilstshikov, 1936
= *eo* Plavilstshikov, 1936
sachalinensis Matsumura et Tamanuki, 1927 **R:** SE FE SI **A:** KO CH JA
Subfamilia: SPONDYLIDINAE Audinet-Serville, 1832
= *Aseminae* Thomson, 1860
Tribus: SAPHANINI Gistel, 1848
Genus: *Drymochares* Mulsant, 1847
starcki Ganglbauer, 1888
ssp. *starcki* Ganglbauer, 1888 **R:** CA **A:** ?GG
Tribus: ATIMIINI Le Conte, 1873
Genus: *Atimia* Haldeman, 1847
= *Myctus* Semenov et Plavilstshikov, 1937
nadezhdae Tsherepanov, 1973 **R:** FE **A:** KO CH
Tribus: ASEMINE Thomson, 1860
Genus: *Nothorhina* L. Redtenbacher, 1845
punctata (Fabricius, 1798) **R:** NT CT ST WS ?AT **E:** PT ES FR IT ITI BH AL
GR BU BH DE AT CE SK PL NO SV FI EO LT LA BY UK KZ **A:** KZ TR ?SY JA
= *muricata* (Dalman, 1817)
Genus: *Megasemum* Kraatz, 1879
quadricostulatum Kraatz, 1879 **R:** SE FE SI KU **A:** KO CH JA
Genus: *Asemum* Eschscholtz, 1837
striatum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR
IT LJ CR BH SB KD MN AL GR BU RO HU AT SZ DE LU BE NL SV DK GB IE CE SK PL
NO SV FI EO LT LA BY UK ?UKC MD KZ **A:** GG AR ?AB TR KZ KI MG CH KO JA
#554
= *subsulcatum* Motschulsky, 1860
= *amurense* Kraatz, 1879
= *ishidai* Fujita, 2018
tenuicorne Kraatz, 1879 **R:** CA **E:** ES IT ITI GR RO ?AT SV PL UKC **A:** GG
TR
ssp. *tenuicorne* Kraatz, 1879 **R:** CA **E:** ES IT ITI GR RO ?AT SV UKC **A:**
GG TR
punctulatum Blessig, 1872 **R:** SE FE SI KU **A:** KO CH JA
Genus: *Arhopalus* Audinet-Serville, 1834

Subgenus: Arhopalus Audinet-Serville, 1834

= Criocephalum Dejean, 1835

= Criocephalus Mulsant, 1839

rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** PT ES FR FRC IT ITI LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ DE LU BE NL DK GB IR CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB TD TR IN KZ MG CH KO JA **N**

ssp. rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** PT ES FR FRC IT ITI LJ CR BH SB MN KD AL GR BU TU RO HU AT SZ DE LU BE NL DK GB IR CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB TD TR IN KZ MG CH KO JA **N**

= tristis Fabricius, 1787

?= coreanus Sharp, 1905

ferus (Mulsant, 1839) **R:** NT CT ST CA WS AT ES SE **E:** PT ES FR FRC IT ITI ITA MT LJ CR BH SB MN KD GR GRC AL BU RO HU ?AT SZ DE LU BE NL DK GB ?IE CE SK PL SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB CY TR SY JO IS LE KZ CH **N**

Tribus: Tetropiini Seidlitz, 1891

Genus: Tetropium Kirby 1837

= Isarthron Dejean, 1835

castaneum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR IT LJ CR BH SB MN AL BU GR RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB TR KZ MG CH KO JA

gabrieli Weise, 1905 **R:** ?CT (Kaliningrad Region) **E:** FR IT LJ HU AT SZ DE GB IR LU BE NL DK LS CE SK PL SV LT LA ?BY UK

gracilicorne Reitter, 1889 **R:** NT CT WS AT ES SE FE SI KU **A:** KZ MG CH KO JA

gracilicum Hayashi, 1983 **R:** FE KU **A:** CH JA

aquilonium Plavilstshikov, 1940 **R:** NT WS **E:** SV FI

danilevskyi Slama, 2005 **R:** ES

fuscum (Fabricius, 1787) **R:** NT CT ST CA WS **E:** GB FR IT LJ CR BH SB BU RO HU AT SZ DE BE NL DK CE SK PL NO SV FI EO LT LA BY UK MD KZ **A:** GG TR KZ CH

ssp. fuscum (Fabricius, 1787) **R:** NT CT ST CA WS **E:** GB FR IT LJ BH SB BU RO HU AT SZ DE BE NL DK CE SK PL NO SV FI EO LT LA BY UK MD KZ **A:** GG TR KZ

Tribus: SPONDYLIDINI Audinet-Serville, 1832

Genus: Spondylis Fabricius, 1775

buprestoides (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** PT ES FR FRC IT ITI LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB IN TR AF KZ MG CH KO JA **N**

Subfamilia: APATOPHYSEINAE Lacordaire, 1869

Tribus: APATOPHYSEINI

Genus: Apatophysis Chevrolat, 1860

Subgenus: Apatophysis Chevrolat, 1860

caspiica Semenov, 1901 **R:** CA **A:** AB GG TM UZ KZ TR IN AF

Subfamilia: CERAMBYCINAE Latreille, 1802

Tribus: HESPEROPHANINI

Genus: Hesperophanes Dejean, 1835

sericeus (Fabricius, 1787) **R:** CA **E:** PT ES FR FRC IT ITI ITA MT KD CR BH MN AL GR UKC **A:** GG AR AB TM IN TR CY LE SY JO IS IQ **N**

Genus: *Trichoferus* Wollaston, 1854
holosericeus (Rossi, 1790) **R:** CA **E:** ES FR FRC SZ IT ITI ITA MT LJ CR BH
MN SB AL GR BU UKC **A:** GG AR AB TR IN N
= *cinereus* Villers, 1789
fasciculatus (Faldermann, 1837) **R:** CA **E:** PT ES FR FRC IT ITI ITA SZ MT CR
MN AL GR SB BU RO UK UKC **A:** GG AR AB TR CY IN IQ IS JO LE SY N
ssp. *fasciculatus* (Faldermann, 1837) **R:** CA **E:** PT ES FR FRC IT ITI ITA
MT CR MN AL GR BU RO UK UKC **A:** GG AR AB TR IN
griseus (Fabricius, 1793) **R:** ?CA **E:** PT ES FR FRC IT ITI ITA MT CR BH SB
MN AL GR GRC BU TR RO CE UK UKC **A:** ?GG TR CY JO LE IS SY IQ N
campestris (Faldermann, 1835) **R:** CT ST CA WS ES SE FE **E:** AT BE BY CE
EO FR GB GE GR HU IT LA LJ LT MD NL SK SV SZ PL RO UK **A:** AB AR KZ KI ID UZ
TD TM IQ IN IS JO LE MG CH KO JA N
= *turkestanicus* Heyden, 1886
pallidus (Olivier, 1790) **R:** ST CA **E:** ES PT FR FRC IT CR BH SB GR BU RO
HU AT CE SK DE PL MD UKC **A:** TR
Genus: *Stromatium* Audinet-Serville, 1834
auratum (Böber, 1793) **R:** ST CA **E:** PT ES FR FRC IT ITI ITA LJ DE MT CR
BH SB MN KD AL GR GRC BU TR RO HU LA UK UKC **A:** GG AR AB TM TR CY IN IQ
JO IS LE N
= *fulvum* Villers, 1789
= *unicolor* (Olivier, 1800)
Tribus: CERAMBYCINI
Genus: *Neocerambyx* Thomson, 1860
= *Mallambyx* Bates, 1873
= *Mesocerambyx* Breuning et Hitzinger, 1943
raddei Blessig, 1872 **R:** SE FE **A:** CH KO JA
Genus: *Cerambyx* Linnaeus, 1758
Subgenus: *Cerambyx* Linnaeus, 1758
cerdo Linnaeus, 1758
ssp. *nikolaevi* Danilevsky, 2024 **R:** CT ST **E:** UK
ssp. *acuminatus* Motschulsky, 1853 **R:** ST CA **E:** UK **A:** GG AR AB IN TR
SY JO LE IS IQ
ssp. *manderstjernae* Mulsant & Godart, 1855 **R:** ST **E:** UKC
klinzigi Podaný 1964 **?R:** ?CA **?A:** ?GG **?AR** **?AB**
dux (Faldermann, 1837) **R:** CA **E:** KD BU GR TR UKC **A:** GG AR AB TR IN
IQ SY JO LE IS
nodulosus Germar, 1817 **R:** CA **E:** IT MT LJ CR BH SB MN KD AL GR BU TR
RO UKC **A:** GG AR AB CY TR SY LE
ssp. *nodulosus* Germar, 1817 **R:** CA **E:** IT MT LJ CR BH SB MN KD AL
GR BU TR RO UKC **A:** GG AR AB CY TR SY LE
miles Bonelli, 1812 **R:** CA **E:** PT ES FR IT ITI MT LJ CR BH SB MN KD AL
GR BU TR RO HU AT CE SK SZ MD UKC **A:** GG AR AB IN TR SY N
Subgenus: *Microcerambyx* Miksic et Georgijevic, 1973
= *Mesocerambyx* Zagaikevitch, 1991
scopolii Fuessly, 1775
ssp. *scopolii* Fuessly, 1775 **R:** NT CT ST CA **E:** PT ES FR FRC IT ITA MT
LJ CR BH SB MN KD AL GR GRC BU TR RO HU AT SZ DE LU BE NL DK **?GB** IR SV SK
PL NO SE **?EO** LT BY MD UK UKC **A:** GG AR AB IN TR SY
Tribus: COMPSOCERINI
= ROSALIINI
Genus: *Rosalia* Audinet-Serville, 1834

alpina (Linnaeus, 1758)
ssp. alpina (Linnaeus, 1758) **R:** CT ST CA WS **E:** ES FR FRC IT ITI LJ CR
BH SB MN KD AL GR BU TR RO HU AT SZ DE CE SK PL SV MD UK UKC **A:** GG AR AB
TR

coelestis Semenov, 1911 **R:** FE **A:** CH KO
= yanagii Fujita & Akita, 2020 [Tsushima Is.]

Tribus: PURPURICENINI

Genus: Purpuricenus Dejean, 1821

kaehlerii (Linnaeus, 1758)

ssp. rossicus Danilevsky, 2019 **R:** CT ST CA **E:** BU GR TR RO HU AT SZ
DE BE CE SK PL BY UK UKC MD KZ **A:** TR

ssp. miroshnikovii Lazarev, 2023 **R:** CA **A:** GG

ssp. menetriesii Motschulsky, 1845 **A:** AR AB IN TR

= astrabadensis Pic, 1915

= caucasicus Pic, 1902

globulicollis Dejean, 1839 **R:** CT ST WS **E:** ES FR IT ITI LJ CR BH SB MN AL
GR BU RO UK HU ?AT SZ CE SK ?DE **A:** KZ

ssp. globulicollis Mulsant, 1839 **R:** CT ST WS **E:** ES FR IT ITI LJ CR BH
SB GR BU RO UK EO HU ?AT SZ CE SK ?DE **A:** KZ

= tsherepanovae Tsherepanov, 1980

budensis (Götz, 1783) **R:** CT ST CA ?WS **E:** ES FR IT LJ CR BH SB MN AL
KD GR BU TR RO HU SK MD UK UKC **A:** GG AR AB CY IN TR SY IS

caucasicola Danilevsky, 2015d **R:** CA **A:** GG ?AR AB TR

lituratus Ganglbauer, 1886 **R:** FE **A:** KO CH JA

= petasifer Fairmaire, 1888

sideriger Fairmaire, 1888 **R:** FE **A:** KO CH

ssp. sideriger Fairmaire, 1888 **R:** FE **A:** KO CH

Genus: Anoplistes Audinet-Serville, 1834

= Asias Semenov, 1914

halodendri (Pallas, 1773)

= humeralis Olivier, 1795

= elaeagni Fischer-Waldheim, 1824

ssp. ephippium (Steven et Dalman, 1817) **R:** ST CA **E:** UK KZ **A:** KZ

ssp. kasatkini Lazarev, 2014 **R:** CA

ssp. halodendri (Pallas, 1773) **R:** WS AT **A:** KZ KI

ssp. minutus Hammarström, 1893 **R:** ES **A:** MG CH

ssp. pirus (Arakawa, 1932) **R:** ES SE FE **A:** KO CH

tuvensis (Tsherepanov, 1978) **R:** ES **A:** MG

Genus: Amarysius Fairmaire, 1888

sanguinipennis (Blessig, 1872) **R:** CT WS AT ES SE FE **A:** KZ MG KO CH JA

suturalis (Pic, 1906) **R:** FE **A:** CH

=grallator Baeckmann, 1924

altajensis (Laxmann, 1770) **R:** WS AT ES FE **A:** KZ MG KO CH

= sellatus Germar, 1824

= affinis Motschulsky, 1875

= ussuricus Tsherepanov, 1975

duplicatus Tsherepanov, 1980 **R:** WS AT ?ES SE FE **A:** KZ? MG CH ?KO

Tribus: CALLICHROMATINI

Genus: Aphrodisium Thomson, 1864

= Tomentaromia Plavilstshikov, 1934

faldermannii (Saunders, 1853)

ssp. faldermannii (Saunders, 1853) **R:**?ES ?SE **A:**?MG CH KO

Genus: *Aromia* Audinet-Serville, 1834
moschata (Linnaeus, 1758)
= *thea* Reitter, 1894
ssp. moschata (Linnaeus, 1758) **R:** NT CT ST CA **E:** ES FR FRC IT AL LJ
CR BH SB MN KD GR BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL SV FI
EO LA LT BY UK UKC MD KZ **A:** GG KZ WS AT ES ?MG
ssp. malukhini Danilevsky, 2019 **R:** ST
ssp. ambrosiaca (Steven, 1809) **R:** CA **E:** PT ES IT ITI GR TR **A:** GG AR
AB TR IN SY IS LE JO IQ N
orientalis Plavilstshikov, 1932 **R:** ES SE FE SI **A:** MG CH KO JA

Genus: *Chelidonium* Thomson, 1864 U
zaitzevi Plavilstshikov, 1933 **R:** FE **A:** CH

Genus: *Chloridolum* Thomson, 1864
Subgenus: *Chloridolum* Thomson, 1864
sieversi (Ganglbauer, 1887) **R:** FE **A:** KO CH
= *coreana* Fairmaire, 1897

Genus: *Leontium* Thomson, 1864
viride Thomson, 1864 **R:** SI KU **A:** JA CH KO

Genus: *Polyzonus* Dejean, 1835
fasciatus (Fabricius, 1781) **R:** ES SE FE **A:**MG KO CH

Tribus: CALLIDIOPINI
Genus: *Stenygrinum* Bates, 1873
quadrinotatum Bates, 1873 **R:** FE **A:** CH KO JA

Tribus: GRACILIINI
Genus: *Gracilia* Audinet-Serville, 1834
minuta (Fabricius, 1781) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT ITI ITA
MT LJ MN CR BH SB AL GR GRC BU TR RO HU AT ?SZ DE LU BE NL DK GB ?IE CE
SK PL NO SV FI EO LT UK UKC MD KZ **A:** KZ GG AR AB IN TR CH N

Genus: *Penichroa* Stephens, 1839
fasciata (Stephens, 1831) **R:** CA **E:** PT ES FR FRC IT ITI ITA MT LJ CR BH
MN SB KD AL GR GRC BU TR UKC **A:** GG AR AB CY IN TR SY N

Genus: *Axinopalpis* Dejean, 1835
gracilis (Krynicky, 1832)
ssp. gracilis Krynicky, 1832 **R:** CT ST CA **E:** IT LJ CR BH SB MN KD AL
GR BU RO HU AT CE SK DE PL UK ?UKC MD **A:** GG TR SY IS

Genus: *Hybometopia* Ganglbauer, 1889
starcki Ganglbauer, 1889
ssp. starcki Ganglbauer, 1889 **R:** CA **A:** GG TR

Tribus: OBRINI
Genus: *Obrium* Dejean, 1821
cantharinum (Linnaeus, 1767)
ssp. cantharinum (Linnaeus, 1767) **R:** NT CT ST CA WS AT ES SE FE **E:**
ES FR IT BH SB GR BU RO TR HU AT SZ DE LU BE NL ?GB CE SK PL NO SV FI EO LT
LA BY MD UK ?UKC KZ **A:** GG AR AB TR KZ MN CH JA
brunneum (Fabricius, 1793) **R:**?NT ?CT ?ST CA **E:** ES FR FRC IT LJ CR BH
SB AL GR BU RO HU AT SZ DE LU BE NL DK GB IE CE SK PL SV EO LT LA BY MD
UK UKC **A:** GG AR AB TR
obscuripenne Pic, 1904 **R:** FE SI ?KU **A:** KO CH JA
= *graciliforme* Lipp, 1939
= *gracile* Plavilstshikov, 1933
brevicorne Plavilstshikov, 1940 **R:** FE **A:** KO CH JA

Tribus: CERTALLINI

Genus: Certallum Dejean, 1821
= Cartallum Audinet-Serville, 1834
ebulinum (Linnaeus, 1767) **R:** ST CA **E:** PT ES FR IT ITI MT KD AL GR GRC
BU TR UK UKC **A:** GG AR AB IN TR CY SY LE JO IS IQ N
= ruficolle Fabricius, 1781

Tribus: DEILINI
Genus: Deilus Audinet-Serville, 1834
fugax (Olivier, 1790) **R:** CT ST CA WS **E:** PT ES FR FRC IT ITI ITA LJ CR BH
MN GR GRC AL BU RO HU AT SZ LU BE CE SK PL BY MD UK ?UKC KZ **A:** KZ GG AR
AB TR CY IN SY JO LE IS N

Tribus: STENOPTERINI
Genus: Stenopterus Illiger, 1804
rufus (Linnaeus, 1767)
ssp. rufus (Linnaeus, 1767) **R:** ST CA **E:** ES FR FRC IT ITI ITA CR MT BH
LJ RO BU HU AT SZ DE LU BE NL CE SK PL MD UK UKC **A:** GG TR **N**
ssp. geniculatus Kraatz, 1863 **R:** CA **E:** GR AL SL CR BH SB MN KD AT
RO HU BU TR **A:** GG AR AB IN TR

Genus: Callimus Mulsant, 1846
= Callimellum Strand, 1928
Subgenus: Lampropterus Mulsant, 1863
= Callimomimus Ieniştea, 1952
femoratus (Germar, 1824) **R:** CA **E:** SB KD MN AL GR BU TR RO MD UK
UKC **A:** GG AR AB IN TR CY SY JO LE IS
= adonis Perrin, 1881
= narcissus Perrin, 1881
= distinctus Ieniştea, 1952
Subgenus: Procallimus Pic, 1907
= Protocallimus Plavilstshikov 1940
egregius Mulsant et Rey, 1863 **R:** ?CA **E:** GR UKC **A:** GG TR SY LE

Genus: Callimoxys Kraatz, 1863
gracilis (Brullé, 1832) **R:** ST CA **E:** LJ CR BH SB MN KD AL GR BU RO HU
SK UKC **A:** GG AR AB TM TR IN

Tribus: PSEBIINI
Genus: Nathrius Brethes, 1916
brevipennis (Mulsant, 1839) **R:** ST CA **E:** PT ES FR FRC IT ITI ITA MT LJ CR
BH SB KD MN BU GR GRC TR RO HU AT ?SZ CE SK DE GB ?IE BE NL DK GB PL NO
SV FI MD UK UKC KZ **A:** KZ GG AR AB IN TR IS LE SY CH N

Tribus: MOLORCHINI
Genus: Leptepania Heller, 1924
= Molorchinus Shabliovsky, 1936
okunevi (Shabliovsky, 1936) **R:** FE **A:** MG
= incognita Tsherepanov, 1975
Genus: Nadezhdiana Tsherepanov, 1976
villosa Tsherepanov, 1976 **R:** FE
Genus: Molorchus Fabricius, 1793
Subgenus: Caenoptera Thomson, 1859
minor (Linnaeus, 1758)
ssp. minor (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES
FR IT LJ CR BH SB MN AL GR BU RO HU AT SZ DE LU BE NL DK GB IE CE SK PL NO
SV FI EO LT LA BY MD UK ?UKC **A:** GG KZ MG KO CH TR
= rufescens Kiesenwetter, 1879
ssp. fuscus Hayashi, 1955 **R:** KU **A:** JA

Subgenus: *Molorchus* Fabricius, 1793

= *Glaphyra* Newman, 1840

= *Linomius* Mulsant, 1862

umbellatarum (Schreber, 1759)

ssp. *umbellatarum* (Schreber, 1759) **R:** NT CT ST CA **E:** ES FR IT ITI LJ CR
BH SB MN KD AL GR BU TR RO HU AT SZ DK LU BE NL DE GB IR CE SK NO PL SV
EO LT LA BY MD UK UKC **A:** GG AR AB IN TR ?TM

plagiatus Reiche, 1877 **R:** ?CT ST CA **E:** KZ **A:** GG AR AB ?KZ IN TR

kiesenwetteri Mulsant et Rey, 1861

ssp. *kiesenwetteri* Mulsant et Rey, 1861 **R:** ST CA **E:** IT SL ?LJ CR BH ?MN
SB KD GR ?SZ ?DE AT CZ SK ?PL HU ?RO BU UKC

ssp. *hircus* Abeille de Perrin, 1881 **R:** CA **E:** TR **A:** GG AR AB IN TR SY

LE IS

= *anatolicus* Adlbauer, 1988

schmidti Ganglbauer, 1883 **R:** CT ST CA WS(Orenburg) **E:** GR HU RO CE SK
?PL UK UKC MD KZ **A:** AB GG KZ TM UZ KI

= *salicicola* Stiller, 1935

= ?*semenovi* Plavilstshikov, 1940

marmottani Brisout de Barneville, 1863

ssp. *marmottani* Brisout de Barneville, 1863 **R:** CT ST **E:** ES FR IT SZ BU
AT DE CE SK PL **A:** TR

starki Shabliovsky, 1936 **R:** FE **A:** KO CH ?JA

?= *kojimai* Matsushita, 1939

= *ussuriensis* Plavilstshikov, 1940

= *ichikawai* Niisato, 1988

ishiharai Ohbayashi, 1936 **R:** FE SI KU **A:** ?KO JA

= *kunashiricus* Tsherepanov, 1981

kobotokensis Ohbayashi, 1963 **R:** FE **A:** KO JA

Subgenus: *Nathrioglaphyra* Sama, 1995

heptapotamicus Plavilstshikov, 1940 **R:** ST **A:** KZ KI UZ

= *amygdali* Holzschuh, 1979

Tribus: STENHOMALINI

Genus: *Stenhomalus* White, 1855

japonicus (Pic, 1904) **R:** FE KU **A:** JA KO

= *lighti* Gressitt, 1935

= *vulcanus* Tsherepanov, 1976

Tribus: HYLOTRUPINI

Genus: *Hylotrupes* Audinet-Serville, 1834

bajulus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT ITI ITA
MT AL LJ CR BH SB MN KD GR GRC BU TR RO HU AT SZ BE NL DK DE LU GB IE CE
SK NO PL SV FI EO LA LT BY UK UKC MD **A:** GG AR AB CY IN IQ CH TR SY LE JO IS
N

Tribus: CALLIDIINI

Genus: *Paraxylocrius* Niisato, 2009

testaceus Niisato, 2009 **R:** SI

verigai Danilevsky, 2012 **R:** FE

Genus: *Ropalopus* Mulsant, 1839

= *Rhopalopus* L. Redtenbacher, 1845

Subgenus: *Prorrhopalopus* Plavilstshikov, 1921

signaticollis (Solsky, 1873) **R:** SE FE **A:** CH KO JA

speciosus (Plavilstshikov, 1915) **R:** FE **A:** CH KO

Subgenus: *Pronocerodes* Plavilstshikov, 1940

ruficollis (Matsumura, 1911) **R:** FE SI
 aurantiicollis (Plavilstshikov, 1940) **R:** FE SI **A:** KO
 Subgenus: Ropalopus Mulsant, 1839
 ungaricus Herbst, 1784
 ssp. insubricus (Germar, 1824) **R:** CT ST CA **E:** FR IT LJ CR BH SB AL BU
 TR RO UK MD
 = fischeri (Krynicky, 1829)
 lederi (Ganglbauer, 1882) **R:** CA **E:** UKC **A:** GG AR AB TR ?SY
 clavipes (Fabricius, 1775) **R:** NT CT ST CA WS SE **E:** ES FR IT MT LJ CR BH
 SB MN KD AL GR GRC BU TR RO HU AT SZ DE BE NL LU DK CE SK PL LT ~~LA~~ BY UK
 UKC MD KZ **A:** GG AR AB KZ IQ IN TR SY
 macropus (Germar, 1824) **R:** CT ST CA **E:** LJ CR BH SB BU RO HU AT ?SZ
 DE CE SK PL LA LT BY UK UKC MD TR **A:** GG AR AB IN TR
 ?= caucasicus Desbrochers, 1873
 femoratus (Linnaeus, 1758) **R:** CT ?ST **E:** ES FR IT LJ CR BH SB KD GR BU
 TR RO HU AT SZ DE BE LU CE SK PL SV ?LT LA BY MD UK
 Genus: Pronocera Motschulsky, 1859
 sibirica (Gebler, 1848) **R:** AT WS ES SE FE SI **A:** MG CH KO
 = brevicollis Gebler, 1833
 = daurica Motschulsky, 1859
 Genus: Turanium Baeckmann, 1923
 Subgenus: Turanium Baeckmann, 1923
 scabrum (Kraatz, 1882) **R:** ST(Orenburg) WS(Orenburg) **A:** KZ TM KI UZ TD
 CH
 Genus: Leioderes L. Redtenbacher, 1845
 kollari L. Redtenbacher, 1849 **R:** CT ST CA **E:** ES FR IT ITI LJ CR BH SB KD
 AL GR BU RO HU AT SZ DE CE SK PL NO SV LA LT BY UK ?UKC ?MD **A:** GG LE
 ssp. kollari L. Redtenbacher, 1849 **R:** CT ST CA **E:** ES FR IT LJ CR BH SB
 KD AL GR BU RO HU AT SZ DE CE SK PL NO SV LA LT BY UK ?UKC ?MD **A:** GG LE
 Genus: Callidiellum Linsley, 1940
 rufipenne (Motschulsky, 1861) **R:** CA SI **E:** ES FR BE IT BH CR SK BU **A:** GG
 CH KO JA
 Genus: Semanotus Mulsant, 1839
 undatus (Linnaeus, 1758) **R:** NT CT ?ST WS ES AT SE FE **E:** FR IT LJ CR BH
 SB BU RO HU AT SZ DE CE SK NO PL SV FI EO LA LT BY UK **A:** MG CH KO
 russicus (Fabricius, 1777)
 ssp. russicus (Fabricius, 1777) **R:** CA **E:** IT GB CR SB AL GR RO HU BU
 AT CE SK SZ UK UKC **A:** AR AB GG IN TR SY JO LE
 bifasciatus (Motschulsky, 1875) **R:** FE **A:** CH KO JA
 Genus: Callidium Fabricius, 1775
 Subgenus: Palaeocallidium Plavilstshikov, 1940
 coriaceum Paykull, 1800 **R:** NT CT ST WS AT ES SE FE **E:** FR IT DK LJ BH
 CR SB RO HU BU GR AT SZ LU CE SK DE PL NO SV FI EO LT LA BY MD UK **A:** MG
 CH KO KZ
 chlorizans (Solsky, 1871) **R:** AT ES SE FE SI **A:** MG CH KO
 Subgenus: Callidium Fabricius, 1775
 violaceum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES FR IT
 LJ CR BH SB ME AL BU RO HU AT SZ BE NL DK GB IE DE LU CE SK PL NO SV FI EO
 LA LT BY UK UKC MD **A:** GG AR AB TR KZ MG CH KO JA
 Subgenus: Callidostola Reitter, 1913
 aeneum (DeGeer, 1775)

ssp. aeneum (DeGeer, 1775) **R:** NT CT ST WS AT ES SE FE SI **E:** FR IT LJ
CR BH SB MN AL GR BU RO HU AT SZ BE NL LU CE SK DE PL NO SV FI EO LT LA BY
UK **A:** KZ MG CH JA

ssp. longipenne Plavilstshikov, 1940 **R:** CA **A:** GG AB TR

Genus: Oupyrhidium Pic, 1900

cinnabarinum (Blessig, 1872) **R:** SE FE **A:** KO CH

Genus: Pyrrhidium Fairmaire, 1864

sanguineum (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR IT ITI ITA LJ CR
BH SB MN AL GR GRC BU TR RO HU AT SZ LU BE NL DK DE GB IR CE SK PL NO SV
FI EO LT BY UK UKC MD **A:** GG AR AB IN TR SY N

Genus: Phymatodes Mulsant, 1839

Subgenus: Phymatodes Mulsant, 1839

testaceus (Linnaeus, 1758) **R:** NT CT ST CA WS AT FE KU **E:** PT ES FR FRC
IT ITI ITA LJ CR BH SB MN KD AL GR GRC BU TR RO HU AT SZ LU BE NL DK DE GB
IR CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB CY IN IQ TR SY LE
IS KZ KO JA N

Subgenus: Melasmetus Reitter, 1913

femoralis (Ménétriés, 1832)

ssp. femoralis (Ménétriés, 1832) **R:** CA **A:** GG AR AB IN TR

Subgenus: Phymatoderus Reitter, 1913

= Reitteroderus Sama, 1991

lividus (Rossi, 1794) **R:** CT ST CA **E:** ES FR FRC IT ITI ITA ?LJ CR SB BH
MN GR GRC BU RO LU NL ?BE ?DE SZ CE ?SK ?PL UK UKC **A:** GG ?AB TR LE SY IS N

puncticollis Mulsant, 1862 **R:** CT ST CA **E:** KD BU GR HU RO SK MD UK
UKC KZ **A:** KZ

pusillus (Fabricius, 1787)

ssp. rufipenne Stark, 1889 **R:** ST CA **E:** UK UKC **A:** GG AR AB IN TR

glabratus (Charpentier, 1825) **R:** CA **E:** ES FR IT ITA CR BH SB GR BU HU
AT SZ DE CE RO SK PL UK UKC **A:** GG LE

abietinus Plavilstshikov et Lurie, 1960 **R:** NT CT WS

Subgenus: Phymatodellus Reitter, 1913

rufipes (Fabricius, 1777)

ssp. rufipes (Fabricius, 1777) **R:** ST CA **E:** ES FR IT LJ CR BH SB BU RO
HU AT SZ DE CE SK PL UK UKC MD

zemlinae (Plavilstshikov et Anufriev, 1964) **R:** FE **A:** KO CH

infasciatus (Pic, 1935) **R:** FE KU **A:** KO CH JA

= vandykei Gressitt, 1935

= ussuricus Plavilstshikov, 1940

murzini Danilevsky, 1993 **R:** FE **A:** KO

Subgenus: Paraphymatodes Plavilstshikov, 1934

mediofasciatus Pic, 1933 **R:** SE FE **A:** KO CH

Subgenus: Poecilium Fairmaire, 1864

alni (Linnaeus, 1767)

ssp. alni (Linnaeus, 1767) **R:** NT CT ST CA **E:** ES AT BE BH BU BY CR
KZ CE DK EO FI FR GB IR LA LT LU LK KD MN NL NO SV SZ PL 3E LJ SB RO DE GR
HU TR MD UK **A:** KZ TR

ssp. pici Aurivillius, 1912 **R:** CA **A:** GG AR AB IN TR

= alnoides Reitter, 1913

ermolenkoi Tsherepanov, 1980 **R:** FE **A:** KO

maacki (Kraatz, 1879)

ssp. maacki (Kraatz, 1879) **R:** SE FE **A:** KO CH

ssp. viarius Danilevsky, 1988 **R:** SI KU **A:** JA

Tribus: ANAGLYPTINI

Genus: Paraclytus Bates, 1884

excultus Bates, 1884 **R:** KU **A:** JA

sexguttatus (Adams, 1817) **R:** CA **E:** BU TR **A:** GG AR AB IN TR

Genus: Anaglyptus Mulsant, 1839

simplicicornis Reitter, 1905 **R:** CA **A:** GG AR AB IN TR

arabicus (Küster, 1847) **R:** CA **A:** GG AR AB TR

Genus: Aglaophis Thomson, 1857

colobothoides Bates, 1884 **R:** FE **A:** KO CH JA

Genus: Oligoenoplus Chevrolat, 1863

rosti (Pic, 1911)

ssp. rosti (Pic, 1911) **R:** KU **A:** JA

Tribus: CLYTINI

Genus: Plagionotus Mulsant, 1842

detritus (Linnaeus, 1758)

ssp. detritus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT

CR LJ BH MN KD SB AL GR GRC BU TR RO HU AT SZ BE LU NL GB DK CE SK PL SV
EO LA LT BY UK UKC MD KZ **A:** KZ TR

ssp. caucasicola Plavilstshikov, 1940 **R:** CA **A:** GG AR AB IN TR SY

pulcher (Blessig, 1872) **R:** SE FE SI KU **A:** KO CH JA

christophi (Kraatz, 1879) **R:** SE FE **A:** KO CH JA

arcuatus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI ITA LJ CR

BH MC ME SB AL GR GRC BU TR RO HU AT SZ LU BE NL DK DE ?GB IR CE SK PL NO
SV FI ?EO LA LT BY UK UKC MD KZ **A:** KZ KI GG AR AB N

ssp. arcuatus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI

ITA LJ CR BH SB AL GR GRC BU TR RO HU AT SZ LU BE NL DK DE ?GB CE SK PL NO
SV FI ?EO LA LT BY UK UKC MD KZ **A:** KZ GG AB TR N

Genus: Neoplacionotus Kasatkin, 2005

bobelayei (Brullé, 1832) **R:** ST CA **E:** ES KD GR BU TR RO UK UKC **A:** GG

AR AB TM IN TR SY IS JO LE IQ

ssp. huseyini Lazarev, 2016b **R:** ST CA **E:** UK UKC **A:** GG AR AB TM IN

TR

Genus: Echinocerus Mulsant, 1863

= Paraplacionotus Kasatkin, 2005

floralis (Pallas, 1773)

ssp. floralis (Pallas, 1773) **R:** CT ST WS ES **E:** UK UKC KZ **A:** KZ

ssp. aulicus (Laicharting 1784) **R:** WS ES AT **E:** ES FR IT LJ MN CR BH

SB KD AL GR BU TR RO HU AT SZ DE CE SK PL LA LT UK MD **A:** KZ UZ KI TR

Genus: Teratoclytus Zaitzev, 1937

plavilstshikovi Zaitzev, 1937 **R:** FE SI **A:** KO CH JA

Genus: Epiclytus Gressitt, 1935

ussuricus (Pic, 1933) **R:** SE FE **A:** KO CH

Genus: Rhabdoclytus Ganglbauer, 1889

= Hayashiclytus Ohbayashi, 1963

acutivittis (Kraatz, 1879)

ssp. acutivittis (Kraatz, 1879) **R:** FE SI **A:** KO CH JA

Genus: Isotomus Mulsant, 1863

speciosus (Schneider, 1787) **R:** ST CA **E:** ?FR IT ?SZ ?DE LJ CR BH SB KD

AL GR BU RO HU AT CE SK PL UK MD **A:** GG AR AB TR

ssp. speciosus (Schneider, 1787) **R:** ST CA **E:** ?FR IT ?SZ ?DE LJ CR BH

SB KD AL GR BU RO HU AT CE SK PL UK MD **A:** GG AR AB TR

comptus (Mannerheim, 1825) **R:** ST CA **E:** UKC **A:** GG AR AB IN TR

ssp. *comptus* (Mannerheim, 1825) **R:** ST CA **E:** UKC **A:** GG AR AB TR IN
 Genus: *Chlorophorus* Chevrolat, 1863
 Subgenus: *Immaculatoides* Özdikmen, 2022
 varius (Müller, 1766)
 ssp. *varius* (Müller, 1766) **R:** CT ST CA WS **E:** ES FR FRC IT ITI ITA MT
 LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ DE SV CE NL SK PL LT BY UK UKC
 MD KZ **A:** GG AR AB KZ IN AF TR
 elaeagni Plavilstshikov, 1956 **R:** ST **E:** KZ **A:** AB KZ TM UZ KI TD
 faldermanni (Faldermann, 1837) **R:** ST **A:** GG AR AB IN KZ TM UZ TD KI AF
 CH
 obliteratus (Ganglbauer, 1889) **R:** ES **A:** MG CH
 = *mongolicus* Pic, 1943
 = *kaszabi* Heyrovsky, 1970
 = *ubsanurensis* Tsherepanov, 1971
 simillimus (Kraatz, 1879) **R:** ES SE FE SI KU **A:** MG KO CH JA
 = *sexmaculatus* Motschulsky, 1859
 herbstii (Brahm, 1790) **R:** NT CT ST CA WS AT ?ES **E:** ES FR CR BH SB BU
 TR RO HU AT SZ DE CE SK PL SV NO FI EO LA LT BY MD UK ?UKC **KZ A:** KZ TR
 Subgenus: *Humeromaculatus* Özdikmen, 2011
 figuratus (Scopoli, 1763) **R:** NT CT ST CA AT WS **E:** PT ES FR IT CR SL
 BH SB MN KD AL GR BU TR RO HU AU SZ LU DE CE SK PL EO LA LT ?BY UK MD KZ
A: GG AR AB KZ IN TR
 japonicus (Chevrolat, 1863) **R:** SI KU **A:** KO CH JA
 diadema (Motschulsky, 1854)
 ssp. *diadema* (Motschulsky, 1854) **R:** FE **A:** KO CH ?MG
 ssp. *inhirsutus* Matsushita, 1933 **R:** KU **A:** JA
 tohokensis Hayashi, 1968 **R:** FE **A:** KO JA
 Subgenus: *Eubrevenotatus* Özdikmen, 2022
 motschulskyi (Ganglbauer, 1886) **R:** ES SE FE SI **A:** MG CH KO
 = *latofasciatus* (Motschulsky, 1861)
 = *chasanensis* Tsherepanov, 1982

 Subgenus: *Perderomaculatus* Özdikmen, 2011
 sartor (Müller, 1766) **R:** CT ST CA ?WS ?AT ?ES ?SE ?FE **E:** PT ES FR FRC
 IT ITI ITA LJ CR BH SB MN KD AL GR GRC BU TR RO HU AT SZ LU DE CE SK PL ?BY
 UK UKC MD KZ **A:** GG AR AB TM KZ CY IN TR SY IS LE JO IQ
 Genus: *Rhaphuma* Pascoe, 1858
 gracilipes (Faldermann, 1835) **R:** NT CT ST WS ES AT SE FE SI KU **E:** PL
 ?RO ?LT BY ?UK **A:** KZ MG CH KO
 = *sachalinensis* Matsumura, 1911
 diminuta (Bates, 1873)
 ssp. *diminuta* (Bates, 1873) **R:** FE **A:** JA KO
 Genus: *Demonax* Thomson, 1861
 savioi (Pic, 1924) **FE A:** CH KO
 Genus: *Xylotrechus* Chevrolat, 1860
 Subgenus: *Xylotrechus* Chevrolat, 1860
 antilope (Schönherr, 1817)
 ssp. *antilope* (Schönherr, 1817) **R:** CT ST CA **E:** PT ES FR DK IT ITI LJ CR
 ME BH SB AL GR BU TR RO HU AT SZ NL DE CE SK PL NO SV LT BY UK UKC MD **A:**
 CY TR
 arvicola (Olivier, 1800)
 ssp. *planarius* Danilevsky, 2016 **R:** CT ST CA WS **E:** UK KZ **A:** KZ

ssp. lazarevi Danilevsky, 2016 **R:** CA **A:** GG AR AB IN TR ?SY
 rufilius Bates, 1884 **R:** FE SI KU **A:** KO CH JA
 = irinae Plavilstshikov, 1925
 = magnicollis Fairmaire, 1888
 mixtus Plavilstshikov, 1940 **R:** FE
 hircus (Gebler, 1825) **R:** WS AT ES SE FE SI **A:** KZ MG KO CH JA
 cuneipennis (Kraatz, 1879) **R:** ES SE FE SI KU **A:** MG KO CH JA
 pavlovskii Plavilstshikov, 1954 **R:** FE **A:** KO
 polyzonus (Fairmaire, 1888) **R:** FE **A:** KO CH
 capricornus (Gebler, 1830) **R:** CT ST WS AT **E:** SK AT CE PL UK KZ **A:** KZ
 = capricornis (Chevrolat, 1863)
 ibex (Gebler, 1825) **R:** NT CT ST WS AT ES SE FE **E:** DE PL FI ?BY KZ **A:**
 KZ MG KO CH
 clarinus Bates, 1884 **R:** SI KU **A:** KO CH JA
 Subgenus: Turanoclytus Sama, 1994
 ilamensis Holzschuh, 1979 **E:** ST **A:** AB AR IN TR
 ssp. zuvandiensis Lazarev, 2016d **E:** ST **A:** AB IN
 Subgenus: Rustioclytus Vives, 1977
 salicis Takakuwa et Oda, 1978 **R:** ES SE FE **A:** ?MG KO CH JA
 = nadezhdae Tsherepanov, 1982
 rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** PT ES
 FR LU BE IT ITA LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ DK DE CE SK PL SV
 NO EO LA LT FI BY UK UKC MD KZ **A:** GG AR AB IN TR KZ TM TD MG CH KO JA N
 adpersus (Gebler, 1830) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JA
 pantherinus (Savenius, 1825) **R:** NT CT ST CA WS AT ES SE FE **E:** FR IT AT
 SZ RO HU BU SB CE SK DE PL NO SV FI LT ?BY UK MD **A:** KZ MG CH
 = jakowlewi Semenov, 1899
 = jakovlevi Plavilstshikov, 1931
 Subgenus: Ootora Niisato et Wakejima, 2008
 villioni (Villard, 1892) **R:** KU **A:** JA
 Subgenus: Xyloclytus Reitter, 1913
 altaicus (Gebler, 1836) **R:** CT WS AT ES SE SI **A:** ?KZ MG CH KO
 chinensis Chevrolat, 1852
 ssp. kurosawai Fujita, 2010 **R:** ?KU **A:** JA
 Genus: Cyrtoclytus Ganglbauer, 1882
 capra (Germar, 1824) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES FR IT BH
 SB RO AT SZ DE CE SK PL EO LT LA BY UK MD KZ **A:** AB KZ MG CH KO
 caproides (Bates, 1873)
 ssp. caproides (Bates, 1873) **R:** SI KU **A:** JA CH
 Genus: Brachyclytus Kraatz, 1879
 singularis Kraatz, 1879 **R:** SE FE SI KU **A:** KO CH JA
 Genus: Pseudosphegthes Reitter, 1913
 brunnescens (Pic, 1897) **R:** CA **A:** GG AR AB ?IN TR
 = circassica Pic, 1905
 Genus: Clytus Laicharting, 1784
 Subgenus: Insolitomaculatus Özdikmen, 2023
 tropicus (Panzer, 1795) **R:** ST (Voronezh) **E:** ES FR FRC IT CR BH SB KD LJ
 GR BU TR RO HU AT SZ DE CE SK PL BY MD UK
 Subgenus: Clytoides Özdikmen, 2023
 rhamni Germar, 1817
 ssp. temesiensis Germar, 1824 **R:** CT ST CA **E:** SB KD LJ BU TR RO HU
 AT BE DE CE SK UK UKC MD KZ **A:** GG AR AB KZ TR CY IN IQ SY IS LE SY

Subgenus: Clytus Laicharting, 1784
arietis (Linnaeus, 1758)
ssp. oblitus Roubal, 1932 **R:** CA **A:** GG AR AB TR IN
ssp. arietis (Linnaeus, 1758) **R:** NT CT ST WS CA **E:** PT ES FR FRC IT LJ
CR BH SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV
FI EO LA LT BY UK UKC MD ?KZ **A:** TR N
arietoides Reitter, 1899 **R:** NT CT ?ST WS AT ES SE FE SI **A:** KZ MG CH KO
JA
venustulus Plavilstshikov, 1940 **R:** ES SE FE **A:** KO CH
Subgenus: Paulomaculatoides Özdikmen, 2023
melaenus Bates, 1884 **R:** KU **A:** KO CH JA
Subgenus: Paulomaculatus Özdikmen, 2023
nigritulus Kraatz, 1879 **R:** SE FE **A:** KO CH
= fulvohirsutus Pic, 1904
mayeti Théry, 1892 **R:** ?ES ?FE
Subgenus: Sphegoclytus Sama, 2005
stepanovi Danilevsky et Miroshnikov, 1985 **R:** CA **A:** GG
raddensis Pic, 1904 **R:** SE FE **A:** KO CH JA
= hypocrita Plavilstshikov, 1940
Subfamilia: LAMIINAE Latreille, 1825
Tribus: CEROPLESINI
Genus: Moechotypa Thomson, 1864
diphysis (Pascoe, 1871) **R:** FE **A:** KO CH JA
Tribus: PARMENINI
Genus: Parmena Dejean, 1821
pontocircassica Danilevsky et Miroshnikov, 1985 **R:** CA **E:** UKC **A:** GG AR AB
IN TR
Genus: Plectrura Mannerheim, 1852
Subgenus: Phlyctidola Bates, 1884
metallica Bates, 1884
ssp. metallica Bates, 1884 **R:** FE SI KU **A:** KO CH JA
= sachalinica Jacobson, 1899
= mandshurica Jacobson, 1899
Tribus: MESOSINI
Genus: Mesosa Latreille, 1829
Subgenus: Mesosa Latreille, 1829
myops (Dalman, 1817) **R:** NT CT ST WS AT ES SE FE SI **E:** PL FI SV LT LA
BY UK KZ **A:** KZ MG KO CH
japonica Bates, 1873 **R:** SI KU **A:** JA
curculionoides (Linnaeus, 1760) **R:** CT ST CA WS(Orenburg) **E:** PT ES FR FRC
IT ITI ITA LJ MN CR BH SB KD AL GR BU TR RO HU AT SZ DE CE SK PL NO SV LT
BY UK UKC MD KZ **A:** GG AR AB KZ IN TR
Subgenus: Aplocnemia Stephens, 1831
= Aphelocnemia Stephens, 1832
nebulosa (Fabricius, 1781)
ssp. nebulosa (Fabricius, 1781) **R:** CT ST CA **E:** PT ES FR FRC IT ITI ITA
LJ CR BH SB MN AL GR BU TR RO HU AT SZ LU BE NL DK DE IR GB CE SK PL NO SV
BY UK UKC MD **A:** GG AR AB TR
obscuricornis Pic, 1894
ssp. petrovi Danilevsky, 2022b: ST (Dagestan)
senilis Bates, 1884 **R:** SI KU **A:** JA
Subgenus: Perimesosa Breuning, 1939

hirsuta Bates, 1884
 ssp. continentalis Hayashi, 1964 **R:** FE **A:** KO CH
 Tribus: MORIMONELLINI
 Genus: Morimonella Podaný, 1979 C
 bednariki Podaný, 1979 **R:** CA **A:** GG
 Tribus: BATOCERINI
 Genus: Apriona Chevrolat, 1852
 rugicollis Chevrolat, 1852 **R:** ?ES FE **A:** KO CH JA
 ssp. rugicollis Chevrolat, 1852 **R:** ?ES FE **A:** KO CH JA
 = plicicollis Motschulsky, 1853
 Tribus: MONOCHAMINI
 Genus: Anoplophora Hope, 1839
 glabripennis (Motschulsky, 1854) **R:** ?SE FE **E:** FR GB DE NL AT CE SK MN
 IT SZ FI TR **A:** TR KO CH
 Genus: Acalolepta Pascoe, 1858
 Subgenus: Acalolepta Pascoe, 1858
 ussurica (Plavilstshikov, 1951) **R:** FE **A:** KO CH
 fraudator (Bates, 1873)
 = cervina auct., nec Hope, 1831
 ssp. fraudator (Bates, 1873) **R:** FE KU **A:** KO CH JA
 sejuncta (Bates, 1873)
 ssp. sejuncta (Bates, 1873) **R:** FE SI KU **A:** KO CH JA
 luxuriosa (Bates, 1873)
 ssp. luxuriosa (Bates, 1873) **R:** KU **A:** JA
 seunghwani Danilevsky, 2013 **R:** FE **A:** KO CH
 Genus: Astynoscelis Pic, 1904
 degener (Bates, 1873) **R:** SE FE SI **A:** KO CH JA
 = longicornis Pic, 1904
 Genus: Monochamus Dejean, 1821
 Subgenus: Monochamus Dejean, 1821
 = Monochammus Dejean, 1835 (wrong subsequent spelling)
 guttulatus Gressitt, 1951 **R:** SE FE **A:** KO CH
 = guttatus Blessig, 1873
 impluviatus (Motschulsky, 1859) **R:** NT CT WS AT ES SE FE SI **A:** MG KO CH
 saltuarius Gebler, 1830 **R:** NT CT WS AT ES SE FE SI **E:** IT LJ BH RO HU AT
 CE SK DE PL BY LA LT UK **A:** KZ MG KO CH JA
 ssp. saltuarius Gebler, 1830 **R:** ?NT ?CT WS AT ES SE FE SI **A:** KZ MG
 KO CH JA
 ssp. occidentalis Sláma, 2017b **R:** NT CT **E:** IT LJ CR BH RO HU AT CE
 SK DE PL ?BY LA LT UK
 galloprovincialis (Olivier, 1800)
 ssp. pistor (Germar, 1818) **R:** NT CT ST CA WS AT **E:** FRC IT LJ CR BH
 SB MN KD AL GR BU RO HU AT SZ NL DE DK CE SK PL SV FI EO LA LT BY UK MD
 TR **A:** KZ KI
 = lignator Krynicki, 1832
 ssp. cinerascens (Motschulsky, 1860) **R:** NT WS ES SE ?FE **A:** MG CH
 = sibiricus Pic, 1908
 ssp. transitivus Lazarev, 2017 **R:** CA **A:** GG AR AB TR
 nitens Bates, 1884 **R:** SI KU **A:** KO JA
 grandis Waterhouse, 1881 **R:** KU **A:** JA
 sartor (Fabricius, 1787)

ssp. *urussovii* (Fischer-Waldheim, 1806) **R:** NT CT ST CA WS AT ES SE FE
SI KU **E:** NO SV FI EO LT LA BY UK **A:** ?GG KZ MG CH KO JA

= *rosenmuelleri* auct., nec Cederhjelm, 1798

sutor (Linnaeus, 1758)

= *rosenmuelleri* Cederhjelm, 1798

ssp. *sutor* (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** ES FR GB IT LJ
BH SB CR MN AL GR BU RO HU AT SZ DE NL CE SK PL DK NO SV FI EO LT LA BY
MD UK ?UKC **A:** AR GG KZ MG

ssp. *longulus* Pic, 1898 **R:** ES SE FE SI KU **A:** MG CH KO JA

Tribus: LAMIINI

Genus: *Lamiomimus* Kolbe, 1886

gottschei Kolbe, 1886 **R:** FE **A:** KO CH

Genus: *Lamia* Fabricius, 1775

textor (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR IT
?ITI LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE SK
PL NO SV FI EO LA LT BY UK ?UKC MD KZ **A:** GG AR AB TR KZ MG KO CH JA

Genus: *Morimus* Brullé, 1832

= *Morinus* Brullé, 1832 (misprint)

verecundus (Faldermann, 1836) **R:** CA **E:** UKC **A:** GG AR AB TM TR IN

= *ficitor* Bogachev, 1949

ssp. *verecundus* (Faldermann, 1836) **R:** CA **E:** UKC **A:** GG AR AB TM TR

IN

= *ficitor* Bogachev, 1949

Tribus: DORCADIONINI

Genus: *Dorcadion* Dalman, 1817

Subgenus: *Carinatodorcadion* Breuning, 1943

= *Dorcadodium* Gistel, 1856

carinatum (Pallas, 1771)

ssp. *carinatum* (Pallas, 1771) **R:** CT ST CA **E:** MD UK UKC KZ **A:** KZ

ssp. *uralense* Danilevsky, 1998 **R:** WS (south of Orenburg Reg.) **A:** KZ

ssp. *sunzhenum* Danilevsky, 1998 **R:** CA

ssp. *cylindraceum* Reitter, 1886 **R:** CA **A:** AB

Subgenus: *Cribridorcadion* Pic, 1901

= *Pedestredorcadion* Breuning, 1943

= *Autodorcadion* Plavilstshikov, 1958

= *Dzhungarodorcadion* Danilevsky, 1993

= *Bergerianum* Pesarini et Sabbadini, 2004

pusillum Küster, 1847

= *otshakovi* Suvorov, 1913

ssp. *tanaiticum* Kasatkin, 2002 **R:** ST

ciscaucasicum Jakovlev, 1899 **R:** CA

ssp. *ciscaucasicum* Jakovlev, 1899 **R:** CA

ssp. *abramovi* Lazarev, 2009 **R:** CA

elegans Kraatz, 1873 **R:** CT ST CA WS **E:** UK KZ **A:** KZ

sareptanum Kraatz, 1873

ssp. *sareptanum* Kraatz, 1873 **R:** ST CA **E:** KZ **A:** KZ

ssp. *euxinum* Suvorov, 1915 **R:** ST

ssp. *kubanicum* Plavilstshikov, 1934 **R:** CA

ssp. *estriatum* Suvorov, 1913 **R:** CA

ssp. *striatiforme* Suvorov, 1913 **R:** CA

cinerarium (Fabricius, 1787)

ssp. cinerarium (Fabricius, 1787) **R:** ST CA **E:** UK
ssp. panticapaeum Plavilstshikov, 1951 **R:** CA **E:** UKC
ssp. okhrimenkoi Danilevsky, 2016b **R:** CA
ssp. sindorum Lazarev, 2011 **R:** CA
ssp. veniamini Lazarev, 2011 **R:** CA
ssp. novorossicum Lazarev, 2015 **R:** CA
ssp. papayense Lazarev, 2014 **R:** CA
ssp. adygorum Lazarev, 2011 **R:** CA
ssp. smetanai Lazarev, 2011 **R:** CA
ssp. terkense Lazarev, 2011 **R:** CA
holosericeum Krynicky, 1832
ssp. holosericeum Krynicky, 1832 **R:** CT ST CA **E:** RO ?HU ?SK PL ?BY

MD UK UKC KZ

ssp. tristriatum Suvorov, 1913 **R:** CA **A:** GG
= striatum Dalman, 1817 [HN]
ssp. avarum Danilevsky, 2023a **R:** CA
ssp. alanorum Danilevsky, 2023a **R:** CA
equestre (Laxmann, 1770)
ssp. equestre (Laxmann, 1770) **R:** CT ST CA **E:** UK MD **A:** GG KZ
apicerufum Breuning, 1943 **R:** ?CA **A:** GG AR AB TR
beckeri Kraatz, 1873 **R:** CA **A:** AB
koenigi Jakovlev, 1897 **R:** CA

Subgenus: Dorcadion Dalm. 1817

= Compsodorcadion Ganglbauer, 1884

glycyrrhizae (Pallas, 1773)
ssp. nemkovi Danilevsky, 2006 **R:** ST **E:** KZ **A:** KZ
ssp. korshikovi Danilevsky, 2006 **R:** WS **A:** KZ
ssp. ishkarganum Danilevsky, 2009 **R:** WS
ssp. striatum (Goeze, 1777) **R:** CT ST WS **E:** KZ **A:** KZ
= rufifrons Motschulsky, 1860
= ?iliense Plavilstshikov, 1937
ssp. guberlense Danilevsky, 2006 **R:** ST
ssp. dubianskii Jakovlev, 1906 **R:** WS **A:** KZ
gebleri Kraatz, 1873
= occidentale Breuning, 1947
ssp. gebleri Kraatz, 1873 **R:** AT **A:** KZ CH

Genus: Politodorcadion Danilevsky, 1996

politum (Dalman, 1823)
ssp. politum (Dalman, 1823) **R:** WS AT **A:** KZ
= lydiae Plavilstshikov, 1929
ssp. knyazevi Danilevsky, 2020b **R:** WS
ssp. akmolense (Suvorov, 1911) **R:** WS **A:** KZ
ssp. shapovalovi Danilevsky, 2006 **R:** WS **A:** KZ
ssp. eurygyne (Suvorov, 1911) **R:** AT **A:** KZ

Genus: Eodorcadion Breuning, 1946

Subgenus Eodorcadion Breuning, 1946

carinatum (Fabricius, 1781)
ssp. carinatum (Fabricius, 1781) **R:** CT ST WS AT ES **A:** KZ
ssp. blessigi (Ganglbauer, 1884) **R:** AT ?ES **A:** KZ
ssp. bramsoni (Pic, 1901) **R:** AT
= gassneri Breit, 1917
ssp. involvens (Fischer-Waldheim, 1823) **R:** ES SE FE **A:** MG CH

= vestita Jakovlev, 1901
= longjiangensis Wang, 2003
ssp. kiahthenum Danilevsky, 2007 **R:** ES
aitaicum Suvorov, 1909
ssp. violovitshi Danilevsky & Korshunov, 2022 **R:** AT
tuvense Plavilstshikov, 1958 **R:** ES
ptyalopleurum (Suvorov, 1909) **R:** ES
maurum (Jakovlev, 1889)
ssp. quinquevittatum (Hammarström, 1893) **R:** ES
ssp. sajanicum (Hammarström, 1893) **R:** ES
= leucogrammum Suvorov, 1909
ssp. katharinae (Reitter, 1898) **R:** ES **A:** MG
ssp. maurum (Jakovlev, 1889) **R:** ES **A:** MG
= hirtipes Jakovlev, 1901
= grumi Suvorov, 1909
= boldi Heyrovsky, 1965
= fortecostatum Heyrovsky, 1969

Subgenus Ornatodorcadion Breuning, 1947

brandti (Gebler, 1841) **R:** ?AT **A:** KZ CH
= dux Jakovlev, 1894
= nigrolineatum Reitter, 1897

Subgenus: Humerodorcadion Danilevsky, Kasatkin, Rubenian, 2005

humerale (Gebler, 1823)
ssp. humerale (Gebler, 1823) **R:** ES **A:** MG CH
ssp. impluviatum (Faldermann, 1833) **R:** ?ES **A:** MG
= irroratum Reitter, 1893
ssp. trabeatum (Jakovlev, 1901) **R:** SE FE **A:** CH ?KO
= mogissemium Suvorov, 1909, unavailable
= melan Suvorov, 1909, unavailable
= quadrilineatum Breit, 1915
= xingana Chiang et Wang in Wang, 2003
lutshniki (Plavilstshikov, 1937)
ssp. lutshniki (Plavilstshikov, 1937) **R:** ES
ssp. burenum Danilevsky, 2007 **R:** ES
ssp. bicoloratum Danilevsky, 2007 **R:** ES

Tribus: ANCYLONOTINI

Genus: Palimna Pascoe, 1862

liturata (Bates, 1884)

ssp. continentalis (Semenov, 1914) **R:** FE **A:** KO CH

Tribus: DORCASCHEMATINI

Genus: Olenecamptus Chevrolat, 1835

octopustulatus (Motschulsky, 1860)

ssp. octopustulatus (Motschulsky, 1860) **R:** ES SE FE SI **A:** MG KO CH JA

= mordkovitshi Tshernyshev et Dubatolov, 2000

riparius Danilevsky, 2011b **R:** FE **A:** KO CH JA

Tribus: PTEROPLIINI

Genus: Pterolophia Newman, 1842

Subgenus: Pterolophia Newman, 1842

maacki (Blessig, 1873) **R:** FE **A:** KO CH

angusta (Bates, 1873)

ssp. multinotata Pic, 1931 **R:** ES SE FE **A:** MG CH KO

= mandshurica Breuning, 1938

= ussuriensis Plavilstshikov, 1954
 = burakowskii Heyrovsky, 1973
 = selengensis Ljamtzeva, 1979
 Subgenus: Ale Pascoe, 1865
 jugosa (Bates, 1873)
 ssp. jugosa (Bates, 1873) **R: SI KU A: JA KO**
 Genus: Egesina Pascoe, 1864
 = Baeckmanella Shabliovsky, 1936
 Subgenus: Niijimaia Matsushita, 1933
 bifasciana (Matsushita, 1933)
 ssp. bifasciana (Matsushita, 1933) **R: FE SI A: KO CH JA**
 = iljinskyi Shabliovsky, 1936
 Tribus: APOMECCYNINI
 Genus: Apomeccyna Dejean, 1829
 Subgenus: Apomeccyna Dejean, 1829
 histrio (Fabricius, 1793) **R: ES A: ?MG KO CH JA ID**
 Genus: Microlera Bates, 1873
 ptinoides Bates, 1873 **R: KU A: JA KO**
 Genus: Asaperda Bates, 1873
 agapanthina Bates, 1873
 ssp. agapanthina Bates, 1873 **R: SI KU A: JA**
 krivolutzkayae Danilevsky, 2023 **R: KU A: JA**
 = “meridiana” sensu Krivolutzkaya, 1973 et auct., not Matsushita,
 1931(Taiwan)
 stenostola Kraatz, 1873 **R: AT ?WS ?ES SE FE A: KZ MG CH KO**
 Tribus: PTERICOPTINI
 Genus: Xylariopsis Bates, 1884
 mimica Bates, 1884 **R: FE A: KO CH JA**
 Tribus: APODASYINI
 Genus: Quasimesosella Miroshnikov 2006
 = Pseudomesosella Miroshnikov, 1989
 ussuriensis (Tsherepanov, 1983) **R: SE FE A: CH KO**
 = florovi Tsherepanov, 1984
 Genus: Deroplia Dejean, 1835
 = Stenidea Mulsant, 1842
 genei (Aragona, 1830)
 ssp. genei (Aragona, 1830) **R: CA E: ES FR FRC IT ITI LJ CR BH SB MN**
AL GR BU RO HU ?DE CE SK AT ?SZ UK UKC A: GG AR ?AB TR IS JO
 Genus: Sophronica Blanchard, 1845
 sundukovi Danilevsky, 2009 **R: FE A: KO**
 Genus: Anaesthetis Dejean, 1835
 confossicollis Beckmann, 1903 **R: ES SE FE SI A: MG CH KO JA**
 flavipilis Beckmann, 1903 **R: AT**
 testacea (Fabricius, 1781)
 ssp. testacea (Fabricius, 1781) **R: CT ST CA WS E: ES FR IT ITI ITA LJ CR**
MN BH SB AL GR BU TR RO HU AT SZ LU BE NL DE CE SK PL SV BY EO LA LT UK
UKC MD KZ A: KZ
 ssp. rufescens Beckmann, 1903 **R: CA A: GG AR AB IN TR CY**
 Genus: Ussurella Danilevsky, 1997
 = Ussuria Danilevsky, 1995
 napolovi (Danilevsky, 1995) **R: FE A: CH KO**
 Genus: Cylindilla Bates, 1884

= *Pseudanaesthetis* Pic, 1929
 = *Anaesthetomorphus* Pic, 1929
 = *Ascoldatimura* Breuning, 1960
 grisescens Bates, 1884 **R:** FE SI KU **A:** CH KO JA
 = *apicalis* Pic, 1929
 = *ascoldensis* Heyden, 1884
 Genus: *Terinaea* Bates, 1884
 tiliae Murzin, 1983 **R:** FE **A:** CH KO
 Genus: *Mimectatina* Aurivillius, 1927
 = *Doius* Matsushita, 1933
 divaricata (Bates, 1884)
 ssp. *divaricata* (Bates, 1884) **R:** FE SI KU **A:** CH KO JA
 Genus: *Rhopaloscelis* Blessig, 1873
 maculata Bates, 1877 **R:** KU **A:** JA
 unifasciata Blessig, 1873 **R:** WS AT ES SE FE SI KU **A:** KZ MG CH KO JA
 Genus: *Arhopaloscelis* Murzin, Danilevsky et Lobanov, 1981 in Lobanov et al., 1981
 bifasciata (Kraatz, 1879) **R:** FE SI **A:** KO CH
 nipponensis (Pic, 1932) **R:** KU **A:** JA
 Genus: *Clytosemia* Bates, 1884
 pulchra Bates, 1884 **R:** KU **A:** JA
 Genus: *Miccolamia* Bates, 1884
 Subgenus: *Miccolamia* Bates, 1884
 cleroides Bates, 1884 **R:** KU **A:** JA
 Subgenus: *Isomiccolamia* Ohbayashi, 1963
 glabricula Bates, 1884
 ssp. *glabricula* Bates, 1884 **R:** SI KU **A:** JA
 = *verrucosa* auct. (not Bates, 1884)
 Tribus: POGONOCHERINI
 Genus: *Parmenopsis* Ganglbauer, 1882
 caucasica (Leder, 1879) **R:** CA **A:** GG TR
 Genus: *Pogonocherus* Dejean, 1821
 Subgenus: *Pogonocherus* Dejean, 1821
 hispidus (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR FRC IT ITA ITI LJ
 CR BH SB MN AL GR BU RO HU AT SZ LU BE NL DK DE GB IE CE SK PL NO SV FI EO
 LA LT BY MD UK UKC **A:** GG AR AB IN TR N
 hispidulus (Piller et Mitterpacher, 1783) **R:** NT CT ST CA **E:** PT ES FR FRC IT
 ITI LJ CR BH SB MN KD AL GR BU RO HU AT SZ LU BE NL DK DE GB IE CE SK PL NO
 SV EO LA LT BY UK ?UKC MD **A:** GG AR AB IN KZ TR N
 dimidiatus Blessig, 1873 **R:** SE FE SI KU **A:** CH KO JA
 = *seminiveus* Bates, 1873
 = *tristiculus* Kraatz, 1879
 perroudi Mulsant, 1839 **R:** CA **E:** ES FR FRC IT ITI ITA LJ BH CR AL GR
 GRC BU TR UKC **A:** GG TR CY IS LE N
 Subgenus: *Pityphilus* Mulsant, 1863
 fasciculatus (DeGeer, 1775)
 = *costatus* Motschulsky, 1859
 ssp. *fasciculatus* (DeGeer, 1775) **R:** NT CT ST CA WS AT ES SE FE SI **E:**
 ES FR FRC IT ITI LJ CR BH SB MN KD AL GR GRC BU RO HU AT SZ LU BE NL DK DE
 GB IE MT CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB TR KZ MG
 CH KO JA N

decoratus Fairmaire, 1855 **R:** NT CT ST CA WS AT **E:** ES FR IT LJ MN CR BH
SB AL GR BU HU AT SZ BE NL DK DE CE SK PL NO SV FI EO LA LT BY MD TR UK **A:**
KZ TR

inermicollis Reitter, 1894 **R:** CA **A:** GG TR

Tribus: ACANTHODERINI

Genus: Aegomorphus Haldeman, 1847

= Acanthoderes auct. (not Audinet-Serville, 1835)

= Psapharochrus auct. (not Thomson, 1874)

clavipes (Schrank, 1781) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES FR FRC
IT ITI ITA LJ CR BH SB MN ?AL GR BU TR RO HU AT SZ DK DE CE SK PL NO SV FI
EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ MG CH KO JA N

= lucidus Plavilstshikov, 1927 [Caucasus-Syrie]

obscurior (Pic, 1904) **R:** CT ST WS AT ES SE FE **E:** PL LA UK **A:** KZ MG

= wojtylai Hilszczanski, Bystrowski, 2005

Genus: Oplasia Mulsant, 1862

= Hoplosia Fairmaire, 1864

cinerea (Mulsant, 1839) **R:** NT CT ST CA **E:** FR IT CR BH SB SL GR RO HU
AT SZ DE CE SK PL DK NO SV FI EO LT ?LA BY UK

= fennica Paykull, 1800

suvorovi (Pic, 1914) **R:** SE FE SI **A:** KO CH JA

Tribus: ACANTHOCININI

Genus: Acanthocinus Dejean, 1821

Subgenus: Acanthocinus Dejean, 1821

elegans Ganglbauer, 1884 **R:** ST

griseus (Fabricius, 1793) **R:** NT CT ST CA WS AT ES **E:** PT ES FR FRC IT LJ
CR BH SB KD MN AL GR BU TR RO HU AT SZ DE NL CE BE SK PL NO SV FI EO LA LT
BY UK UKC MD KZ **A:** AR ?GG ?AB KZ TR CY SY LE MG

orientalis Ohbayashi, 1939 **R:** KU **A:** JA KO

carinulatus (Gebler, 1833) **R:** WS AT ES SE **A:** MG CH

= sibiricus Motschulsky, 1860

sachalinensis Matsushita, 1933 **R:** ES SE FE SI KU **A:** CH JA KO ?MG

aedilis (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** PT ES FR IT
ITI LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB ?IE CE SK
PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG ?AR ?AB KZ TR MG CH KO

Subgenus: Acanthobatesianus Wallin, Kvamme & Lin, 2012

guttatus (Bates, 1873) **R:** KU **A:** KO CH JA

Genus: Leiopus Audinet-Serville, 1835

Subgenus: Leiopus Audinet-Serville, 1835

stillatus (Bates, 1884) **R:** FE SI KU **A:** KO CH JA

nebulosus (Linnaeus, 1758)

ssp. nebulosus (Linnaeus, 1758) **R:** CT [Kaliningrad] **E:** ?PT ?ES FR ?FRC
IT ITI ?MN ?CR ?BH ?SB ?AL ?GR ?BU ?TR ?RO ?HU AT ?SZ ?LU BE DK ?NL DE GB IE
?CE ?SK ?PL NO SV FI EO LT ?BY UK ?UKC ?MD

ssp. caucasicus Ganglbauer, 1887 **R:** CA **A:** GG AR AB TR

taeniatus (Gmelin, 1790) **R:** ?NT CT ST WS **E:** PT ?ES FR ?FRC ?IT ?ITI ?MN
CR ?BH ?SB ?KD ?AL ?GR BU ?TR RO ?HU AT SZ ?LU BE ?NL DK DE GB ?IE CE SK PL
NO SV ?FI EO LA LT BY UK ?UKC MD KZ **A:** ?KZ

= linnei Wallin, Nylander & Kvamme, 2009

kharazii Holzschuh, 1974 **R:** ST **A:** AB IN

punctulatus (Paykull, 1800) **R:** NT CT ST **E:** ?FR ?SZ AT DE HU CE SK PL SV
EO LT LA BY UK

femoratus Fairmaire, 1859 **R:** CT ST CA **E:** FR BE NL DE LU IT ITI SB MN
 HU RO BU TR UK UKC **A:** GG AR AB IN TR
 = pachymerus Ganglbauer, 1884
 albivittis (Kraatz, 1879)
 = ganglbaueri Csiki, 1901
 ssp. albivittis Kraatz, 1879 **R:** WS AT ES SE FE SI **A:** MG CH KO
 ssp. malaisei Aurivillius, 1928 **R:** ES
 Genus: *Ostedes* Pascoe, 1859
 kadleci Danilevsky, 1992 **R:** FE **A:** KO
 Genus: *Rondibilis* Thomson, 1857
 = *Eryssamena* Bates, 1884
 saperdina Bates, 1884 **R:** SI KU **A:** JA
 schabliovskiy (Tsherepanov, 1982) **R:** FE **A:** KO CH
 = shabliovskiy, Tsherepanov, 1984
 Tribus: EXOCENTRINI
 Genus: *Exocentrus* Dejean, 1835
 lusitanus (Linnaeus, 1767) **R:** NT CT ST CA WS **E:** ES FR IT LJ KD MN CR
 BH SB AL GR BU RO HU AT SZ DE CE SK PL DK NO SV FI EO LA LT BY UK UKC MD
 KZ TR **A:** GG AR AB KZ TR
 adpersus Mulsant, 1846 **R:** ST CA **E:** ES FR FRC IT ITI LJ CR BH KD MN SB
 AL GR BU TR RO HU AT SZ LU BE NL DE CE SK PL SV UK UKC MD **A:** GG AR AB TR
 CY SY
 = alemdaghensis Breuning, 1981
 = ?hirsutululus Faldermann, 1837
 punctipennis Mulsant et Guill. 1856
 ssp. punctipennis Mulsant et Guillebeau, 1856 **R:** CT ST CA **E:** ES ?FR IT
 AL BH SB MN CR GR BU SZ AT LU DE HU CE SK PL SV RO LJ EO LT LA MD BY UK
 UKC
 ssp. signatus Mulsant et Rey, 1863 **R:** CA **E:** TR **A:** GG ?AB TR
 stierlini Ganglbauer, 1884 **R:** ST CA WS AT ES SE FE **E:** CR SB RO HU ?AT
 ?SZ CE SK PL UK MD **A:** ?KZ MG CH KO
 fasciolatus Bates, 1873 **R:** FE **A:** KO CH JA
 = curtipennis Pic, 1918
 ssp. plavilstshikovi Danilevsky, 2014c **R:** FE **A:** KO CH
 tsushmanus Hayashi, 1968 **R:** FE **A:** KO CH JA
 = conjugatofasciatus Tsherepanov, 1973
 testudineus Matsushita, 1931 **R:** SI KU **A:** JA KO
 lineatus Bates, 1873 **R:** FE **A:** KO CH JA
 guttulatus Bates, 1873
 ssp. ussuricus Tsherepanov, 1973 **R:** FE **A:** KO CH
 fisheri Gressitt, 1935
 ssp. marginatus Tsherepanov, 1973 **R:** FE **A:** KO CH
 Genus: *Miaenia* Pascoe, 1864
 Subgenus: *Miaenia* Pascoe, 1864
 maritima Tsherepanov, 1979 **R:** FE **A:** KO
 Tribus: TETROPINI
 Genus: *Tetrops* Kirby in Kirby et Spence, 1826
 Subgenus: *Tetrops* Kirby in Kirby et Spence, 1826
 praeustus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** PT ES FR IT ITI
 ITA LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE SK
 PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB TR IN SY KZ MG

ssp. *praeustus* (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** PT ES FR
IT ITI ITA LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE
SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB TR IN SY KZ MG

ssp. *starkii* Chevrolat, 1859 **R:** CT ST CA **E:** ES FR IT ITI LJ CR BH SB MD GR
BU RO HU AU SZ DE GB IE CE SK PL BE NL DK NR SV EO LT LA ?BY UK ?UKC **A:**
?GG AB TR

ssp. *starkii* Chevrolat, 1859 **R:** CT ST **E:** ES FR IT ITI LJ CR BH SB MD
GR BU RO HU AU SZ DE GB IE CE SK PL BE NL DK NR SV EO LT ?LA ?BY UK ?UKC
A: ?GG AB TR

ssp. *aquilus* Danilevsky, 2012 **R:** CA
gilvipes (Faldermann, 1837) **A:** GG AR AB TM TR IN
ssp. *gilvipes* (Faldermann, 1837) **R:** ST CA **A:** GG AR AB TR
ssp. *adlbaueri* Lazarev, 2012 **R:** ?ST ?CT **E:** DE HU CE PO SK UK

[probably most part of Europe]

rosarum Tsherepanov, 1975 **R:** SE FE **A:** CH

mongolicus Murzin, 1977 **R:** ES **A:** MG

Subgenus: *Mimosophronica* Breuning, 1943

elaeagni Plavilstshikov, 1954 **R:** ST **E:** KZ **A:** KZ UZ TM CH

ssp. *elaeagni* Plavilstshikov, 1954 **R:** ST **E:** KZ

Tribus: SAPERDINI

Genus: *Eutetrappa* Bates, 1884

ocelota (Bates, 1873) **R:** KU **A:** JA KO

sedecimpunctata (Motschulsky, 1860) **R:** SE ES FE SI KU **A:** KO CH JA

= *motschulskyi* Plavilstshikov, 1915

metallescens (Motschulsky, 1860) **R:** ~~SE~~ FE ?SI **A:** KO CH

chrysochloris (Bates, 1879)

ssp. *chrysochloris* (Bates, 1879) **R:** KU SI **A:** JA

Genus: *Saperda* Fabricius, 1775

= *Anaerea* Mulsant, 1839

Subgenus: *Saperda* Fabricius, 1775

carcharias (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** ES FR IT LJ
MN CR BH SB KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE SK PL NO
SV FI EO LA LT BY UK ?UKC MD KZ **A:** GG AR AB TR KZ MG CH

similis Laicharting, 1784 **R:** CT NT ST WS AT ES SE FE **E:** ES FR IT LJ CR
BH SB KD AL BU RO HU AT SZ BE DE CE SK PL NO SV FI ?LT LA EO BY UK KZ **A:** KZ
KI TD UZ MG CH

Subgenus: *Eusaperda* Danilevsky, 2023

perforata (Pallas, 1773) **R:** NT CT ST CA WS AT ES SE FE **E:** ES FR DK IT
CR AL BH BU GR RO HU AT SZ DE CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ
TR **A:** GG AR AB IN TR KZ MG CH JA N

scalaris (Linnaeus, 1758)

ssp. *scalaris* (Linnaeus, 1758) **R:** NT CT ST CA **E:** ES FR IT ITI LJ CR BH
MN SB AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE SK PL ?NO SV ?FI EO
LA LT BY UK UKC MD KZ **A:** GG AR AB KZ TR N

ssp. *hieroglyphica* (Pallas, 1773) **R:** NT CT ST WS AT ES SE FE SI **A:** KZ
MG CH KO

Subgenus: *Nietzscheana* Zubov, 2014

alberti Plavilstshikov, 1915 **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JA

= *plutenkoi* Zubov, 2014

Subgenus: *Lopezcolonia* Alonso-Zarazaga, 1998

= *Argalia* Mulsant, 1862

= *Scalaperda* Shapovalov, 2011 [nomen nudum]

interrupta Gebler, 1825 **R:** WS AT ES SE FE SI KU **A:** MG CH KO
 subobliterata Pic, 1910 **R:** SE FE **A:** KO CH JA
 = mandschukuoensis Breuning, 1943
 = harbinensis Chiang, 1983
 octomaculata Blessig, 1873 **R:** ES SE FE SI KU **A:** MG CH KO JA
 octopunctata (Scopoli, 1772) **R:** CT ST CA **E:** ES FR IT LJ CR BH SB AL GR
 BU RO HU AT SZ BE DE CE SK PL LT ?BY UK UKC MD **A:** GG AR AB IN TR
 punctata (Linnaeus, 1767) **R:** ST WS **E:** ES FR FRC IT ITI ITA MT MN LJ CR
 BH SB KD AL GR BU TR RO HU AT SZ DE CE SK PL LA ?BY UK UKC MD KZ **A:** GG
 AR AB IN TR CY N
 Subgenus: Compsidia Mulsant 1839
 populnea (Linnaeus, 1758) **R:** NT CT ST CA WS ES FE AT **E:** PT ES FR IT
 ITA ITI LJ CR BH SB MN KD AL GR BU RO HU AT SZ LU BE NL DK DE IR GB IE CE
 SK PL NO SV FI EO LA LT BY UK UKC MD KZ TR **A:** GG AR AB TR IN KZ TD KO CH
 JA N
 ssp. populnea (Linnaeus, 1758) **R:** NT CT ST CA WS ES AT FE **E:** PT ES
 FR IT ITA ITI LJ CR BH SB MN KD AL GR BU RO HU AT SZ LU BE NL DK DE IR GB CE
 SK PL NO SV FI EO LA LT BY UK UKC MD KZ TR **A:** GG AR AB TR IN AF KZ KI TD
 UZ KO CH JA N
 ssp. lapponica Wallin, Kvamme & Bergsten, 2017 **R:** NT **E:** FI NR SV
 ssp. balsamifera (Motschulsky, 1860) **R:** ES **A:** MG
 bilineatocollis Pic, 1924 **R:** SE FE **A:** CH
 Genus: Eumecocera Solsky, 1871
 impustulata (Motschulsky, 1860) **R:** WS AT ES SE FE **A:** MG CH KO JA
 callosicollis (Breuning, 1943) **R:** SE FE **A:** CH KO
 Genus: Stenostola Dejean, 1835
 dubia (Laicharting, 1784) **R:** NT CT ST CA **E:** ES FR IT LJ CR BH SB RO HU
 AT SZ LU BE NL DK DE IR ?GB CE SK PL NO SV FI EO LA UK UKC MD **A:** GG AR AB
 ferrea (Schrank, 1776)
 ssp. ferrea (Schrank, 1776) **R:** CT ST CA **E:** ES FR IT LJ CR BH SB GR BU
 RO HU AT SZ LU BE DK DE ?GB CE SK PL NO FI EO LA LT BY UK UKC MD **A:** GG AR
 AB TR
 ssp. maculipennis Holzschuh, 1982 **R:** CA **E:** UKC
 ivanovi Danilevsky, 2014c **R:** FE **A:** KO
 Genus: Menesia Mulsant, 1856
 albifrons Heyden, 1886 **R:** AT ?ES SE FE **A:** KO CH
 bipunctata (Zoubkoff, 1829) **R:** NT CT ST WS ?AT **E:** FR IT LJ BH CR SB RO
 HU AT SZ DE CE SK PL EO LA LT BY UK KZ **A:** KZ
 sulphurata (Gebler, 1825) **R:** ST WS AT ES SE FE SI KU **A:** KZ MG CH KO JA
 flavotecta Heyden, 1886 **R:** ?ES SE FE SI KU **A:** ?MG CH KO JA
 Genus: Paramenesia Breuning, 1952
 theaphia (Bates, 1884) **R:** KU **A:** JA
 Genus: Cagosima Thomson, 1864
 sanguinolenta Thomson, 1864
 ssp. sanguinolenta Thomson, 1864 **R:** SE SI KU **A:** JA
 Genus: Thyestilla Aurivillius, 1923
 gebleri (Faldermann, 1835) **R:** SE FE **A:** CH KO JA
 Tribus: GLENEINI
 Genus: Glenea Newman, 1842
 Subgenus: Glenea Newman, 1842
 relicta Pascoe, 1858
 ssp. relicta Pascoe, 1868 **R:** SI KU **A:** JA CH KO

Tribus: PHYTOECIINI

Genus: Nupserha Chevrolat, 1858

marginella (Bates, 1873) **R:** SE FE **A:** MG CH KO JA

= alexandrovi (Plavilstshikov, 1915)

sericans (Bates, 1884) **R:** KU **A:** JA

Genus: Oberea Dejean, 1835

Subgenus: Oberea Dejean, 1835

pupillata (Gyllenhal, 1817) **R:** NT CT ST **E:** ES FR IT LJ CR BH MN KD GR
RO HU AT SZ BE DE CE SK PL EO LA LT BY UK ?UKC MD

kostini Danilevsky, 1988 **R:** CT WS AT ES **A:** KZ

heyrovskyi Pic, 1927 **R:** SE FE **A:** KO CH

depressa (Gebler, 1825) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO

= amurica Suvorov, 1913

= transbaicalica Suvorov, 1913

oculata (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** PT ES FR IT
ITI ITA LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE
SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN IQ SY TR KZ MG CH
KO N

linearis (Linnaeus, 1761) **R:** CT ST CA **E:** PT ES FR IT ?ITI ITA LJ CR BH MN
SB AL GR BU RO HU AT SZ LU BE NL DK DE CE SK PL NO SV EO LT LA ?BY UK UKC
MD TR **A:** GG AR AB TR IN

morio Kraatz, 1879 **R:** ES SE FE **A:** MG CH KO

licenti Pic, 1939 **R:** SE FE **A:** CH KO

= scutellaris Fairmaire, 1888

= scutellaroides Breuning, 1947

= chinensis Tsherepanov, 1985

coreensis Gressitt, 1951 **R:** FE **A:** KO CH

dubia Danilevsky, 2023a **R:** FE

curticornis Danilevsky, 2023a **R:** FE

herzi Ganglbauer, 1887 **R:** FE **A:** CH KO

vittata Blessig, 1873 **R:** ES SE FE **A:** MG CH KO JA

japonica (Thunberg, 1787) **R:** FE **A:** CH JA

Subgenus: Amaurostoma Müller, 1906

euphorbiae (Germar, 1813) **R:** CT ST CA WS **E:** ?IT SZ CR SB MN GR ?BU
RO HU AT CE SK PL UK ?UKC MD KZ **A:** AB AR KZ

donceeli Pic, 1907 **R:** ES SE FE **A:** MG CH

erythrocephala (Schrank, 1776)

ssp. erythrocephala (Schrank, 1776) **R:** CT ST CA WS **E:** PT ES FR IT MT
LJ CR BH SB MN KD GR GRC BU TR RO HU AT SZ DE CE SK PL LT UK UKC MD KZ
A: GG AR AB KZ TR IN LE SY N

Genus Pilemia Fairmaire, 1863

Subgenus Pilemia Fairmaire, 1863

tigrina Mulsant, 1851 **R:** ?CA(Derbent) **E:** ?FR SB BU RO HU MD UK **A:** AR

TR

Subgenus: Pseudopilemia Kasatkin, 2018

hirsutula (Frölich, 1793)

ssp. hirsutula (Frölich, 1793) **R:** ST CA WS **E:** IT CR BH MN LJ SB KD AL
GR BU TR RO HU SK MD UK UKC KZ **A:** KZ

Genus: Phytoecia Dejean, 1835

Subgenus: Cardoria Mulsant, 1863

scutellata (Fabricius, 1793) **R:** CT ST CA WS **E:** DE AT GR HU CE RO SB LJ
?MD UK UKC **A:** GG AR AB IN TR

Subgenus: *Helladia* Fairmaire, 1864
millefolii (Adams, 1817)
 ssp. *millefolii* (Adams, 1817) **R:** ST CA **E:** GR GRC BU UKC **A:** GG AR
 AB TR IN
praetextata (Steven, 1817)
 ssp. *praetextata* (Steven, 1817) **R:** ?CA **E:** BU RO TR ?UK UKC **A:** ?GG AR
 AB IN TR
pretiosa Faldermann, 1837
 ssp. *pretiosa* Faldermann, 1837 **R:** ?CA **A:** AR AB ?GG IN TR
 Subgenus: *Musaria* Thomson, 1864
faldermanni Faldermann, 1837 **R:** ST CA **E:** UK UKC **A:** GG AR AB IN TR KZ
wachanrui Mulsant, 1851 **R:** ?ST **A:** ?AB IN TR SY JO LE IS
argus (Frölich, 1793) **R:** CT ST **E:** IT CR LJ BH GR BU AT RO HU CE SK UK
 UKC MD
affinis (Harrer, 1784)
 = *nigripes* Voet, 1778
 = *bipunctata* Piller, 1783
 ssp. *affinis* (Harrer, 1784) **R:** CT ST **E:** ES FR IT LJ CR BH SB KD AL GR
 BU RO HU AT SZ DE CE SK PL UK MD KZ **A:** KZ
 ssp. *ciscaucasica* Danilevsky, 2023a **R:** CA
 ssp. *m-notata* Pic, 1911 **R:** CA
 ssp. *nigropubescens* Müller, 1948 **R:** CA **A:** GG AR TR
 ssp. *altaica* Suvorov, 1913 **R:** WS AT **A:** KZ
 ssp. *volgensis* Kraatz, 1884 **R:** ST **A:** ?KZ
 ssp. *boeberi* Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
astarte Ganglbauer, 1886
 ssp. *lederi* Pic, 1899 **R:** CA **A:** GG AR AB IN TR
puncticollis Faldermann, 1837
 ssp. *puncticollis* Faldermann, 1837 **R:** CA **A:** GG AR AB IN IQ TR
 Subgenus: *Phytoecia* Dejean, 1835
nigricornis (Fabricius, 1782) **R:** NT CT ST CA WS AT ES FE **E:** ES FR IT ITI
 LJ BH SB MN CR KD AL GR BU TR RO HU AT SZ LU BE DE CE SK PL SV FI EO LA LT
 BY UK UKC MD KZ **A:** GG AR AB IN TR KZ
 = *julii* Mulsant, 1863
ferrea Ganglbauer, 1887 **R:** ?WS ES SE FE **A:** MG CH
 = *analisis* Mannerheim, 1849
 = *mannerheimi* Breuning, 1951
stenostoloides Breuning, 1943 **R:** ES SE FE **A:** CH
cylindrica (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** PT ES FR IT
 LJ CR BH SB KD MN AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IE CE SK PL NO
 SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ CH
pustulata (Schrank, 1776)
 ssp. *pustulata* (Schrank, 1776) **R:** CT ST CA **E:** PT ES FR IT LJ LT CR BH
 SB MN KD AL GR BU TR RO HU AT SZ DE CE SK PL LA BY UK UKC MD KZ **A:** GG AR
 AB KZ KI UZ TD TR LE
 ssp. *murina* Marseul, 1870 **R:** ST KZ **E:** UK **A:** KZ KI UZ
 = *pulla* Ganglbauer, 1886
 = *kryzhanovskii* Kostin, 1973
rufiventris Gautier, 1870 **R:** ES SE FE SI KU **A:** MG CH KO JA
virgula (Charpentier, 1825)
 ssp. *russica* Danilevsky, 2023 **R:** CT ST CA WS ES **E:** BY KZ LA LT UK **A:**
 KZ ?TD UZ

ssp. grisea Pic, 1891 **ST R: ST E: KZ UK**
 ssp. punctum Ménériés, 1832 **R: CA A: AR AB GG**
 rufipes (Olivier, 1800)
 = sibirica Gebler, 1833
 ssp. rufipes (Olivier, 1800) **R: CT ST CA WS AT ?ES E: PT ES FR FRC IT**
ITI LJ BH CR ?AT ?SZ GR BU ?UK ?UKC KZ A: ?GG TR IN KZ ?TM UZ TD KI N
 pubescens Pic, 1895 **R: CA E: LJ CR BH KD GR BU TR A: GG AR AB IN TR**
IS JO SY LE
 = glaphyra K. Daniel, 1906
 icterica (Schaller, 1783) **R: CT ST CA WS AT E: PT ES FR IT LJ CR BH KD**
SB MN ?AL GR BU TR RO HU AT SZ DE ?BE LU CE SK PL UK UKC MD KZ A: ?GG ?AR
?AB KZ N
 caerulea (Scopoli, 1772)
 ssp. caerulea (Scopoli, 1772) **R: CT ST CA WS E: PT ES IT ITI CR BH SB**
LJ MN KD AL GR BU TR RO HU AT ?SZ CE SK UK UKC MD KZ A: GG AR AB IN TR KZ
TM UZ TD SY
 Subgenus: Cinctophytoecia Breuning, 1947
 cinctipennis Mannerheim, 1849
 ssp. cinctipennis Mannerheim, 1849 **R: ES SE FE A: MG CH KO**
 sareptana Ganglbauer, 1888 **R: SE FE A: CH KO**
 Subgenus: Opsilia Mulsant, 1863
 coerulescens (Scopoli, 1763)
 ssp. coerulescens (Scopoli, 1763) **R: CT ST CA WS ES E: PT ES FR FRC IT**
ITI ITA LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ LU BE NL DE CE SK PL LT
?BY UK UKC MD KZ A: GG AR AB KZ UZ KI TD IN IQ TR IS SY LE JO CH N
 = tienschanica Fuchs, 1965
 varentzowi Semenov, 1896 **R: CA A: GG AR AB IN KZ TM UZ TD KI**
 = varentzovi Semenov, 1912 [unjustified emendation]
 uncinata (W. Redtenbacher, 1842) **R: CT ST E: FR ?IT LJ BH CR SB AL BU**
RO HU AT CE SK PL DE MD UK A: TM TR
 molybdaena (Dalman, 1817) **R: ST CA WS ES E: PT ES FR IT ?ITI SB GR BU**
AT RO HU ?SZ DE CE SK ?PL UK A: AR GG AB TM TR IN ?KZ N
 Tribus: AGAPANTHIINI
 Genus: Theophilea Pic, 1895
 subcylindricollis Hladil, 1988 **R: CT ST WS CA E: AL SK HU RO BU MD UK**
A: KZ
 Genus: Calamobius Guérin-Méneville, 1844
 filum (Rossi, 1790) **R: ST CA E: PT ES FR FRC BE NL IT ITI ITA MT LJ CR**
BH SB MN KD AL GR GRC BU TR RO HU AT SZ DE PL CE SK UK UKC MD A: GG AR
AB IN TR CY IQ SY JO LE IS N
 Genus: Pseudocalamobius Kraatz, 1879
 japonicus (Bates, 1873) **R: ?KU A: JA**
 tsushimae Breuning, 1961 **R: SE FE ?SI A: CH KO JA**
 Genus: Coreocalamobius Hasegawa, Han & Oh, 2014
 parantennatus Hasegawa, Han & Oh, 2014 **R: FE A: KO**
 Genus: Agapanthia Audinet-Serville, 1835
 Subgenus: Synthapsia Pesarini et Sabbadini, 2004
 kirbyi (Gyllenhal, 1817) **R: CT ST CA ?WS E: FR IT BH SB KD AL GR BU TR**
RO HU CE SK UK UKC MD A: GG AR AB TM TR IN SY IS
 ssp. kirbyi (Gyllenhal, 1817) **R: CT ST E: FR IT RO HU CE SK UK MD**
 Subgenus: Epoptes Gistel, 1857
 = Agapanthiella Pesarini et Sabbadini, 2004

dahli (Richter, 1821)
 ssp. dahli (Richter, 1821) **R:** CT ST CA WS AT ES **E:** ES FR FRC BE LJ CR
 BH SB MN KD AL BU RO HU AT ?SZ DE CE SK PL UK UKC MD KZ **A:** KZ TD UZ KZ
 ?MG

ssp. kuleshovi Danilevsky, 2018 **R:** WS
 ssp. efimovi Danilevsky, 2021 **R:** WS
 ssp. ismailovae Lazarev 2013 **R:** CA **A:** AB

alternans Fischer-Waldheim, 1842
 ssp. alternans Fischer-Waldheim, 1842 **R:** WS AT ES **A:** KZ MG KO CH
 = ganglbaueri Semenov, 1893
 ssp. eualternans Danilevsky, 2017a **R:** ST
 altaica Plavilstshikov, 1933 **R:** AT
 asphodeli (Latreille, 1804) **R:** ST **E:** AL BH BU CR FR GR IT MA KD MD PT
 RO SP UK

boeberi (Fischer von Waldheim, 1806)
 ssp. boeberi (Fischer von Waldheim, 1806) **R:** ST CA WS **E:** UK UKC KZ
A: AR GG AB IN TR KZ

ssp. selengensis Danilevsky, 2021 **R:** ES
 lederi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
 ssp. lederi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
 = mesmini Pic, 1927
 = helianthi Plavilstshikov, 1935
 = lopatini Kaziuchitz, 1988

subchalybaea Reitter, 1898 **R:** CA **A:** GG AB ?TR
 villosoviridescens (DeGeer, 1775) **R:** NT CT ST CA WS AT ES **E:** PT ES FR
 FRC IT ITI LJ CR BH SB KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK
 PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** KZ ?MG TR

ssp. villosoviridescens villosoviridescens (DeGeer, 1775) **R:** NT CT ST CA
 WS AT ES **E:** PT ES FR FRC IT ITI LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ LU
 BE NL DK DE IR GB CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** KZ ?MG TR

daurica Ganglbauer, 1884 **R:** ES SE FE SI KU **A:** MG KO CH JA

Subgenus: Homoblephara Pesarini et Sabbadini, 2004
 maculicornis (Gyllenhal, 1817) **R:** CT ST CA WS AT **E:** CR MN BH LJ KD GR
 BU TR RO HU SK UK ?MD KZ **A:** KZ TR

Subgenus: Agapanthia Audinet-Serville, 1835
 cardui (Linnaeus, 1767) **R:** CT ST CA WS **E:** PT ES FR IT ITI LJ CR BH SB
 MN KD AL GR BU TR RO HU AT SZ DE BE NL CE SK PL UK UKC KZ **A:** KZ
 = pannonica Kratochvil, 1985

Subgenus: Amurobia Pesarini et Sabbadini, 2004
 pilicornis (Fabricius, 1787)
 ssp. pilicornis (Fabricius, 1787) **R:** ES SE FE SI **A:** MG KO CH
 amurensis Kraatz, 1879 **R:** ES SE FE **A:** MG KO CH

Subgenus: Smaragdula Pesarini et Sabbadini, 2004
 violacea (Fabricius, 1775) **R:** NT CT ST CA WS AT ?ES **E:** ES PT FR IT ITI
 ?LJ CR BH SB MN KD AL GR BU TR RO HU AT SZ LU BE DE CE SK PL UK UKC MD **A:**
 GG AR AB KZ TR
 = mulsanti Plavilstshikov, 1930

intermedia Ganglbauer, 1884 **R:** NT CT ST CA WS **E:** ES FR IT MN SB GR HU
 RO AT SZ LU DE CE DK NL SK PL EO LA BY UK UKC MD KZ **A:** GG KZ

Genus: Agapanthiola Ganglbauer, 1900
 leucaspis (Steven, 1817) **R:** CT ST CA WS AT ES **E:** CR SB MN BH KD GR
 BU TR RO HU AT CE SK UK UKC MD KZ **A:** GG AR AB KZ KI UZ TD MG TR IN

= euterpe Ganglbauer, 1900