Updated 07.05.2026

CATALOGUE OF PALAEARCTIC CHRYSOMELOIDEA (Vesperidae, Disteniidae, Cerambycidae)

M. L. Danilevsky

The current version is based on the publication of the Palaearctic Chrysomeloidea Catologue: Danilevsky M. L. 2020 (ed.). Catalogue of Palaearctic Coleoptera, vol. 6 (1), Chrysomeloidea I (Vesperidae, Disteniidae, Cerambycidae). Revised and updated edition. Leiden / Boston: Brill, i-xxii, 1-712. All editions and corrections are marked with red.

South of European Russia includes Orenburg, Saratov, Voronezh and Kursk regions.

Centr of European Russia includes Samara, Penza, Tambov, Lipetsk, Orel and Bryansk, as well as Kirov, Kostroma, Yaroslavl, Tver, Novgorod, Pskov and Kaliningrad regions.

North of European Russia includes Komi, Vologda and Leningrad regions.

I am very grateful to G. Tavakilian for many very important corrections!

The geographical data of the list are consistent with other my lists by Nikolay Anisimov (Blagoveshchensk).

Any comments are welcome to danilevsky@cerambycidae.net

superfamily **CHRYSOMELOIDEA**
family **VESPERIDAE** Mulsant, 1839
subfamily **Vesperinae** Mulsant, 1839
tribe Vesperini Mulsant, 1839

genus *Vesperus* Dejean, 1821: 111 type species *Stenocorus strepens* Fabricius, 1793

abeli Verdugo, 2022: 61 **E**: SP
aragonicus Baraud, 1964: 38 **E**: FR SP
barredai Verdugo, 2009: 22 **E:** PT SP
bolivari Oliveira, 1890: 359 **E**: PT SP **#362**
  reitteri Cameron, 1912: 49
brevicollis Graells, 1858: 89 **E**: PT SP
conicicollis conicicollis Fairmaire, 1866a: 69 **E**: SP **N**: MO
conicicollis hispalensis Fuente, 1901: 44 **E**: PT SP
  baesuriensis Zuzarte, 1985: 99
creticus Ganglbauer, 1886b: 310 **E**: GR
flaveolus Mulsant & Rey, 1863: 169 **N**: AG TU
fuentei Pic, 1905a: 5 **E**: SP
  rufescens Pic, 1921a: 4
  semiobscurus Pic, 1921a: 4
gomezi Verdugo, 2004: 67 **E**: SP
jertensis Bercedo & Bahillo de la Puebla, 1999: 150 **E**: SP
joanivivesi Vives, 1998: 186 **E**: SP
lucasi Barreda & Mejías García, 2013: 82 **E**: SP
luridus Rossi, 1794: 96 (*Stenocorus*) **E**: CR FR IT ME
  graecus Guérin-Méneville, 1833a: pl. 46
  solieri Germar, 1836: 20
macropterus Sama, 1999a: 42 **E**: IT (Sardegna)
nigellus Compte Sart, 1963: 183 **E**: SP
ocularis Mulsant & Rey, 1863: 172 **A**: TR **#463**
sanzi Reitter, 1895b: 132 **E**: PT SP
saquranus López, Baena, & Castro, 2020: 482 **E**: SP
serranoi Zuzarte, 1985: 97 **E**: PT
strepens Fabricius, 1793: 297 (*Stenocorus*) **E**: FR IT
  ligusticus Vitali, 2001: 149
  litigiosus Mulsant, 1862: 443
xatarti Dufour, 1839: 219 **E**: FR SP
  amori Mendizábal, 1939: 70

subfamily **Philinae** J. Thomson, 1861
tribe Philini J. Thomson, 1861

genus *Heterophilus* Pu, 1988: 302 type species *Heterophilus scabricollis* Pu, 1988
dentitibialis Chiang, B. Chen & Zhang, 1996: 110, 112 **A**: XIZ
punctulatus Chiang, B. Chen & Zhang, 1996: 109, 111 **A**: XIZ
scabricollis Pu, 1988: 294, 303 **A**: XIZ

genus *Mantitheus* Fairmaire, 1889c: lxxxix type species *Mantitheus pekinensis* Fairmaire, 1889
Paraphilus Gahan, 1893a: 255 type species *Paraphilus duplex* Gahan, 1893
acuminatus Pic, 1946d: 155 **A**: CH
murzini Vives, 2005a: 244 **A**: SCH
pekinensis Fairmaire, 1889c: xc **A**: BEI FUJ GUA GUX HEB HEI HEN JIA MG NMO SHA SHN SHX
duplex Gahan, 1893a: 255 (*Paraphilus*)
gracilis Pic, 1924b: 79
taiguensis Wu & Jiang, 2000: 87 **A**: SHX

genus *Philus* Saunders, 1853: 110 type species *Philus inconspicuus* Saunders, 1853 (= *Stenochorus antennatus* Gyllenhal, 1817)
antennatus Gyllenhal, 1817: 180 (*Stenochorus*) **A**: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SHA SHN TAI ZHE **ORR**
inconspicuus Saunders, 1853: 110
stuposus Gyllenhal, 1817: 180 (*Stenochorus*)
curticollis Pic, 1930a: 15 **A**: CE SE SHA SW **ORR**
pallescens pallescens Bates, 1866a: 350 **A**: FUJ GUA GUI GUX HEN HKG HUN JIX SCH SHA TAI ZHE **ORR** **#526**
cantonensis Pic, 1930a: 14
pallescens tristis Gressitt, 1940b: 25 **A**: HAI

genus *Spiniphilus* Lin & Bi, 2011: 54 type species *Spiniphilus spinicornis* Lin & Bi, 2011
spinicornis Lin & Bi, 2011: 55 **A**: YUN
xiaodongi Bi & Lin, 2015: 576 **A**: YUN

family **DISTENIIDAE** J. Thomson, 1861
subfamily **Disteniinae** J. Thomson, 1861
tribe Cyrtonopini Gressitt, 1940

genus *Cyrtonops* White, 1853a: 32 type species *Cyrtonops punctipennis* White, 1853
Cladopalpus Lansberge, 1886: 35 type species *Cladopalpus hageni* Lansberge, 1886
asahinai Mitono, 1947a: 77 **A**: TAI **#400** **#526**
caliginosus Holzschuh, 2016c: 106 **A**: SHA
niger Gahan, 1906a: 60 **A**: XIZ "North India" "Himalaya" **ORR** **#400**
punctipennis White, 1853a: 33 **A**: GUA NP YUN XIZ "Himalaya" **ORR** **#399** **#400**
hageni Lansberge, 1886: 36 (*Cladopalpus*)
simplicipes Holzschuh, 1991c: 6 **A**: UP
tonkineus Fairmaire, 1895: **A**: GUX HAI YUN **#457** **#827**
wuzhishanensis Z. Wang, 2014: 14, 1123 **A**: HAI

tribe Disteniini J. Thomson, 1861

genus *Clytomelegena* Pic, 1928: 11 type species *Clytomelegena postaurata* Pic, 1928
Noeconia Murzin, 1988: 161 type-species *Noeconia kabakovi* Murzin, 1988
kabakovi Murzin, 1988: 162 (*Noeconia*) **A**: GUX **ORR**
genus *Distenia* Lepeletier & Audinet-Serville, 1828: 485 type species *Distenia columbina* Lepeletier & Audinet-Serville, 1828
Apheles Blessig, 1872: 165 type species *Apheles gracilis* Blessig, 1872
Basisvallis Santos-Silva & Hovore, 2007: 23 type species: *Distenia agroides* Bates, 1870
Sakuntala Lameere, 1890: ccxiii type species *Sakuntala kalidasae* Lameere, 1890
Thelxiope J. Thomson, 1864: 226 [HN] type species *Thelxiope viridicyanea* J. Thomson, 1864
Thomsonistenia Santos-Silva & Hovore, 2007: 3 [RN] type species: *Thelxiope viridicyanea* J. Thomson, 1864
subgenus *Distenia* Lepeletier & Audinet-Serville, 1828: 485 type species *Distenia columbina* Lepeletier & Audinet-Serville, 1828
ampliata Pu, 1985c: 429 **A**: ANH
dissimilis Chiang & Wu, 1987: 19 **A**: SCH
formosana Mitono, 1936: 420 **A**: TAI
[*filvipennis filvipennis* Gressitt, 1935: 267 **ORR**]
fulvipennis murina Holzschuh, 2011: 249 YUN **ORR** **#827**
gracilis Blessig, 1872: 168 (*Apheles*) **A**: FE HEI JIL LIA NC SC
japonica japonica Bates, 1873: 155 **A**: FE (Kurils) JA
japonica yakushimana Yokoyama, 1966: 54 **A**: JA

jiani Wang P., Wen D., Xie G. L. & Wang W. K., 2025: 21 **A:** HUN
kalidasae Lameere, 1890: ccxiv (*Sakuntala*) **A**: SD UP **ORR**
mellina Holzschuh, 1995: 5 **A**: YUN
nigrosparsa Pic, 1914d: 17 **A**: GUI SCH YUN **#400**
notabilis Chiang & Wu, 1987: 17 **A**: XIZ
orientalis Bi & Lin, 2013: 84 **A**: FUJ GUA JIX SHA SHX ZHE **#400**
perforans Holzschuh, 1995: 6 **A**: YUN
picea Chiang & Wu, 1987: 22 **A**: SCH
pici Villiers, 1958: 264 **A**: SD **#343**
punctulatoides Hubweber, 2010: 61 **A**: SHA
    punctulata Chiang & Wu, 1987: 18 [HN]
rufobrunnea Holzschuh, 1995: 6 **A**: SCH
shennongjiaensis Pu, 1985c: 427 **A**: HUB
stenola Chiang & Wu, 1987: 21 **A**: YUN
tricostata Chiang & Wu, 1987: 20 **A**: SCH
tuberosa Pu, 1985c: 427 **A**: SCH
wolongensis Chiang & Wu, 1987: 20 **A**: SCH

genus *Melegena* Pascoe, 1869a: 656 type species *Melegena pubipennis* Pascoe, 1869
fulva Pu, 1990: 234 **A**: FUJ GUA GUX **#400**

genus *Nericonia* Pascoe, 1869a: 657 type species *Nericonia trifasciata* Pascoe, 1869
nigra Gahan, 1894a: 30 **A**: YUN **ORR**

genus *Noemia* Pascoe, 1857b: 111 type species *Noemia flavicornis* Pascoe, 1857
    Nethinius Fairmaire, 1889b: xciv type species *Nethinius sanguinicollis* Fairmaire, 1889
incompta Gressitt, 1935c: 181 **A**: TAI **ORR**
rubricollis Holzschuh, 2025a: 30 **A**: TAI
semirufa Villiers, 1958: 268 **A**: HAI HKG **ORR** **#400**
submetallica Gressitt, 1940b: 29 **A**: HAI YUN **ORR** **#400**

genus *Tengius* Matsushita, 1938: 204 type species *Tengius okuboi* Matsushita, 1938
ohkuboi kurosawai Makihara, 1986c: 275 **A**: JA **#276**
ohkuboi ohkuboi Matsushita, 1938: 105 **A**: JA **#276**

genus *Thaigena* Holzschuh, 2011: 250 type species *Thaigena obscurella* Holzschuh, 2011
obscurella Holzschuh, 2011: 251 **A**: YUN **ORR**

genus *Typodryas* J. Thomson, 1864: 227 type species *Typodryas callichromoides* J. Thomson, 1864
    Psalanta Pascoe, 1869a: 658 type species *Psalanta chalybeata* Pascoe, 1869
brunnicollis Chiang & Wu, 1987: 23 **A**: GUX
callichromoides J. Thomson, 1864: 227 **A**: HAI **ORR**

tribe Dynamostini Lacordaire, 1868

genus *Dynamostes* Pascoe, 1857b: 90 type species *Dynamostes audax* White, 1853
audax Pascoe, 1857b: 90 **A**: NP SD YUN **ORR** **#400**

family **CERAMBYCIDAE** Latreille, 1802
subfamily **Parandrinae** Blanchard, 1845
tribe Parandrini Blanchard, 1845

genus *Archandra* Lameere, 1912a: 114 type species *Parandra caspia* Ménétriés, 1832 **#519**
caspia Ménétriés, 1832: 225 (*Parandra*) **A**: AB IN **#96**
genus *Komiyandra* Santos-Silva, Heffern & Matsuda, 2010: 7 type species *Parandra janus* Bates, 1875
formosana Miwa & Mitono, 1939: 92 (*Parandra*) **A**: TAI **#401** **#526**
lanyuana Hayashi, 1981b: 27 (*Parandra*) **A**: TAI (Lanyu Is.)
shibatai hidai Fujita, 2018: 20 **A**: JA (Ryukyus: Amami Isls, Tokuno-shima Is.)
shibatai ogurai Fujita, 2018: 20 **A**: JA (Ryukyus: Okinawa Isls, Okinawa-honto Is.)
shibatai shibatai Hayashi, 1963a: 50 (*Parandra*) **A**: JA (Ryukyus: Amami-Oshima Is.)
uenoi Santos-Silva, Heffern & Matsuda, 2010: 11-12, 36 **A**: JA (Ryukyus: Iriomote-jima Is. & Ishigaki-jima Is.)
genus *Neandra* Lameere, 1912a: 114 type species *Tenebrio brunneus* Fabricius, 1798 **#519**
brunnea Fabricius, 1798: 49 (*Tenebrio*) **E**i: **?**GB GE **NAR** **#456** **#498**
    conformis J. Thomson, 1867b: 115 (*Parandra*)
    dentata J. Thomson, 1867b: 115 (*Parandra*)

minuta J. Thomson, 1867b: 116 (*Parandra*)
purpurea Herbst, 1799: 21 (*Tenebrio*)
quadricollis J. Thomson, 1867b: 114 (*Parandra*)
sayi J. Thomson, 1867b: 114 (*Parandra*)

subfamily **Prioninae** Latreille, 1802

tribe Acanthophorini J. Thomson, 1864

genus *Anthracocentrus* Quentin & Villiers, 1983: 82 type species *Tithoes arabicus* J. Thomson, 1877
arabicus J. Thomson, 1877: 266 (*Tithoes*) **N**: AG EG LB MO **A**: AE BA IS JO OM SA SI YE **AFR**
rugosiceps Pic, 1925g: 404 (*Notophysis*)
vicarius Lameere, 1912a: 173 (*Acanthophorus*)
modicus Gahan, 1894b: 222 (*Acanthophorus*) **A**: PA (Punjab)
rugiceps Gahan, 1894b: 223 (*Acanthophorus*) **A**: IN PA **ORR**
hardei Heyrovský, 1959: 2 (*Acanthophorus*)

genus *Tithoes* J. Thomson, 1864: 289 type species *Prionus maculatus* Fabricius, 1793
confinis Laporte, 1840: 395 (*Acanthophorus*) **N**: EG **A**: SA YE **AFR**
crassipes Quedenfeldt, 1882: 320 (*Tithoes*)
falcatus Kolbe, 1897: 350 (*Tithoes*)
gnatho Kolbe, 1897: 351 (*Tithoes*)
gularis Kolbe, 1897: 350 (*Tithoes*)
intermedius J. Thomson, 1877: 266 (*Tithoes*)
longicornis Kolbe, 1897: 351 (*Tithoes*)
mandibularis J. Thomson, 1877: 265 (*Tithoes*)

tribe Aegosomatini J. Thomson, 1861

genus *Aegolipton* Gressitt, 1940b: 22 type species *Cerambyx marginalis* Fabricius, 1775
marginale Fabricius, 1775: 169 (*Cerambyx*) **A**: ANH AP FUJ GUA GUI GUX HAI HKG HUN JIA JIX SCH TIA YUN **ORR** **#123** **#280**
javanicum L. Redtenbacher, 1868: 202 (*Aegosoma*)
yunnanense Feng & L. Chen, 2007: 718
meiyingae Drumont & Bi, 2015a: 207 **A:** HAI
sauteri Lameere, 1913: 175 (*Megopis*) **A**: TAI **#123**

genus *Aegosoma* Audinet-Serville, 1832: 162 type species *Cerambyx scabricornis* Scopoli, 1763
Adrumontia H. Özdikmen & G Özdikmen. 2025: 2565 type species *Megopis atsurai* Komiya, 2000
Komiyazia H. Özdikmen & G Özdikmen. 2025: 2575 type species *Megopis kusamai* Komiya, 1999
dorei Drumont, Gouverneur, Tavakilian & Collard, 2018: 42 **A:** YUN **ORR**
drumontii Ripaille, 2020: 36 **A:** XIZ
fuliginosum Drumont, Ripaille & Collard, 2019: 89 **A:** YUN **ORR** **#519**
fulvum Ripaille & Drumont, 2020: 79 **A:** FUJ GUA JIX
george Do, 2015: 233, 235 **A**: YUN **ORR** **#247**
guerryi Lameere, 1916a: 324 (*Megopis*) **A**: GUX SCH YUN **#123**
hainanense hainanense Gahan, 1900d: 347 **A**: FUJ GUA GUX HAI JIA SCH TAI YUN **ORR**
mushense Kano, 1933a: 259 (*Megopis*)
ivanovi Danilevsky, 2011g: 2 **A:** FE
katsurai Komiya, 2000: 419 (*Megopis*) **A**: AP GUX SCH XIZ YUN **ORR** **#123** **#280** **#400** **#520**
ornaticolle White, 1853a: 30 **A**: AP BT FUJ GAN GUA GUI HAI HUB NP SCH SD SHA SHN TAI XIZ YUN **ORR** **#123** **#280**
pseudornaticolle Ripaille & Drumont, 2017: 99 **A:** SCH
ripaillei Koshkin & Drumont, 2023: 593 **A**: YUN **ORR**
scabricorne Scopoli, 1763: 54 (*Cerambyx*) **E**: AL AU BH BU BY CR CZ FR GB GE GR HU IT LT MC MD ME NL RO SB SK SL SP ST SZ TR UK **A**: AB AR GG IN IQ LE SY TR **#30** **#34**
sinicum adachii Fujita, 2018: 20 **A**: JA (Ryukyus: Amami & Okinawa Isls: Honto Is.)
sinicum savoryi Kusui, 1973: 119 (*Megopis*) **A**: JA (Ogasawara Isls.)
sinicum sinicum White, 1853a: 30 **A**: ANH BEI FE FUJ GAN GUA GUI HAI HEB HEI HEN HUB HUN LIA JIA JIL JIX LIA NC NMO SC SCH SHG SHN SHX TAI TIA XIZ YUN ZHE **ORR** **#60** **#123**
amplicolle Motschulsky, 1854a: 48
corniculum Yoshida, 1931: 273 (*Megopis*)
sinicum validicorne Gressitt, 1951b: 205 (*Megopis*) **A**: JA (Ryukyus: Okinawa Isls: Iriomote & Ishigaki Isls)
ogurai Takakuwa, 1984: 9 (*Megopis*)

genus *Baralipton* J. Thomson, 1857g: 341 type species *Baralipton maculosum* J. Thomson, 1857
maculosum J. Thomson, 1857g: 342 **A**: AP GUI GUX HAI HUN SD XIZ YUN **ORR** **#123** **#280** **#520**

genus *Dinoprionus* Bates, 1875: 49 type species *Dinoprionus cephalotes* Bates, 1875
cephalotes Bates, 1875: 50 **A**: AP SD XIZ YUN **ORR** **#116** **#520**

genus *Megobaralipton* Lepesme & Breuning, 1952: 140 type species *Aegosoma bicoloripes* Ritsema, 1881d
mandibulare choui Komiya & Drumont, 2014: 196 **A**: FUJ (Xiamen & Kinmen Isls)
mandibulare mandibulare Fairmaire, 1900: 637 (*Aegosoma*) **A**: FUJ TAI **#400**

genus *Metaegosoma* Komiya & Drumont, 2012b: 182 type species *Megopis pici* Lameere, 1915
pici Lameere, 1915b: 179 (*Megopis*) **A**: GUI YUN

genus *Nepiodes* Pascoe, 1867c: 410 type species *Nepiodes cognatus* Pascoe, 1867
bowringi Gahan, 1894b: 226 (*Aegosoma*) **A**: AP NP PA SD **ORR**
costipennis costipennis White, 1853a: 28 (*Megopis*) **A**: AP SCH SD XIZ YUN "Himalaya" **ORR** **#280** **#520**
lacertosus Pascoe, 1867c: 413 (*Aegosoma*)
costipennis multicarinatus Fuchs, 1966: 19 (*Megopis*) **A**: AP FUJ GUA GUI GUX HAI SCH YUN ZHE **ORR** **#123** **#280** **#520**
sulcipennis White, 1853a: 31 (*Aegosoma*) **A**: FUJ NP TAI YUN "North India" **ORR** **#122** **#123**
lineatus Hüdepohl, 1994: 186 (*Megopis*)

genus *Palaeomegopis* Boppe, 1911a: 29 type species *Palaeomegopis lameerei* Boppe, 1911
Steinkea Hüdepohl, 1993: 321 type species *Steinkea lehmanni* Hüdepohl, 1993 (= *Palaeomegopis lameerei* Boppe, 1911)
komiyai Drumont, 2006b: 282 **A**: YUN
lameerei Boppe, 1911a: 30 **A**: GUX SD XIZ YUN **ORR**
lehmanni Hüdepohl, 1993: 322 (*Steinkea*)

genus *Rhineimegopis* Komiya & Drumont, 2001: 392 type species *Eurypoda cordieri* Lameere, 1916
cordieri Lameere, 1916b: 234 (*Eurypoda*) **A**: HAI **ORR**

genus *Spinimegopis* K. Ohbayashi, 1963: 7 type species *Megopis nipponica* Matsushita, 193**5**
buckleyi Gahan, 1894b: 227 (*Aegosoma*) **A**: AP HP NP UP
curticornis Komiya & Drumont, 2007: 374 **A**: GUA
delahayei Komiya & Drumont, 2007: 358 **A**: AP YUN **ORR**
formosana formosana Matsushita, 1933a: 163 (*Megopis*) **A**: GAN GUI GUX TAI **#123** **#400**
formosana lanhsuensis Hayashi, 1974a: 2 (*Megopis*) **A**: TAI (Lanyu Is.)
fujitai Komiya & Drumont, 2007: 357 **A**: GUI GUX HUB YUN **ORR** **#123**
guangxiensis Feng & Chen, 2009: 38 (*Megopis*) **A**: GUX
huai Komiya & Drumont, 2007: 373 **A**: FUJ HUB SCH SHA
ishigakiana Yoshinaga & Nakayama, 1972: 19 (*Megopis*) **A**: JA (Ryukyus)
lividipennis Lameere, 1920: 142 (*Megopis*) **A**: GUX SCH YUN **ORR** **#123**
nepalensis Hayashi, 1979: 83 (*Megopis*) **A**: BT NP SD XIZ YUN **#123**
nipponica hachijoana Fujita, 1980: 11 (*Megopis*) **A**: JA (Tokara Isls., Izu Isls.) **#276**
nipponica kawazoei Hayashi, 1961b: 36 (*Megopis*) **A**: JA (Ryukyus) **#276**
nipponica nipponica Matsushita, 193**5**: 538 (*Megopis*) **A**: JA
nipponica okinawana Fujita, 1980: 5 (*Megopis*) **A**: JA (Ryukyus) **#276**
nipponica yakushimana Fujita, 1980: 4 (*Megopis*) **A**: JA
perroti Fuchs, 1966: 17 (*Megopis*) **A**: YUN **ORR**
piliventris antennalis Fuchs, 1966: 18 (*Megopis*) **A**: XIZ YUN **ORR**
piliventris piliventris Gressitt, 1950: 135 (*Megopis*) **A**: YUN **ORR** **#173**
tibialis White, 1853a: 32 (*Aegosoma*) **A**: AP BT HP NP SCH SD XIZ YUN ?ZHE **ORR** **#123** **#280** **#400**

tribe Anacolini J. Thomson, 1857

genus *Casiphia* Fairmaire, 1894a: 223 type species *Casiphia thibeticola* Fairmaire, 1894
subgenus *Casiphia* Fairmaire, 1894a: 223 type species *Casiphia thibeticola* Fairmaire, 1894
Casiphioprionus Pic, 1916c: 2 type species *Casiphioprionus limbatus* Pic, 1916 (= *Casiphia thibeticola* Fairmaire, 1894)
himalayaensis J.-K. Li & Zhang, 2013: 53 **A**: NP
inopinata Hüdepohl, 1998: 210 **A**: GUX YUN **ORR** **#123**
thibeticola Fairmaire, 1894a: 223 **A**: SCH XIZ YUN **ORR**
limbatus Pic, 1916c: 2 (*Casiphioprionus*)
subgenus *Flabelloprionus* Heyrovský, 1933: 133 type species *Flabelloprionus szechuanus* Heyrovský, 1933
szechuana Heyrovský, 1933: 134 (*Flabelloprionus*) **A**: SCH YUN **#123**
yunnana Drumont & Komiya, 2002: 31 **A**: SCH YUN

genus *Drumontiana* Danilevsky, 2001d: 228 type species *Casiphia lacordairei* Semenov, 1927
amplipennis Gressitt, 1939b: 82 (*Psephactus*) **A**: ZHE
francottei Komiya & Niisato, 2007: 562 **A**: YUN
lacordairei Semenov, 1927: 237 (*Casiphia*) **A**: XIZ YUN **ORR** **#400**
zhilini Wang Y.-Q., Wang. P., Xie G.-L. & Wang W.-K. 2024: 726 **A**: GUX

genus *Hystatoderes* Lameere, 1917: 146 type species *Hystatoderes vitalisi* Lameere, 1917 (= *Emphiesmenus weissi* Lameere, 1915)

weissi Lameere, 1915a: 56 (*Emphiesmenus*) **A**: HUN **ORR** **#400**
vitalisi Lameere, 1917: 147 (*Hystatoderes*)

genus *Pedoprionus* Komiya, 2021: 1 type species *Pedoprionus uenoi* Komiya, 2021 **#604**
uenoi Komiya, 2021: 1 **A**: AP

genus *Psephactus* Harold, 1879a: 367 type species *Psephactus remiger* Harold, 1879
remiger insularis Hayashi, 1961b: 37 **A**: JA (Ryukyus)
remiger remiger Harold, 1879a: 368 **A**: JA SC **#400** **#526**
scabripennis chichijimensis Kusama, 1973: 119 **A:** JA (Ogasawara Isls.)
scabripennis scabripennis Kusama, 1973: 118 **A**: JA (Ogasawara Isls.)
taiwanus Kano, 1933a: 260 **A**: TAI

genus *Sarmydus* Pascoe, 1867c: 410 type species *Sarmydus antennatus* Pascoe, 1867
antennatus Pascoe, 1867c: 410 **A**: ?FUJ ?GUA ?GUX ?HAI ?HUN ?JIA ?SHA ?YUN **ORR** **#519**
bagh Majumder, Drumont, Bouyer & Chandra, 2020: 544 A: AP BT NP SD UP XIZ **ORR**
cheni Drumont & Bi, 2014: 268 **A**: XIZ
dulongensis Bi & Drumont, 2017: 125 **A**: YUN
fujishiroi Drumont, 2006a: 220 **A**: GUX SCH YUN **ORR**
trichodes Feng & L. Chen, 2006: 610
lii Drumont & Ripaille, 2019: 159 **A**: TAI **#520**
loebli Drumont & Weigel, 2010: 67 **A**: YUN **ORR** **#381**
panda Drumont & Bi, 2017: 128 **A**: YUN
subcoriaceus Hope, 1831: 27 (*Prionus*) **A**: HP NP UP XIZ YUN **#123** **#248**

genus *Vietetropis* Komiya, 1997: 39 type species *Vietetropis viridis* Komiya, 1997
cheni Drumont, Bi & Ripaille, 2019: 4 **A:** GUX
viridis Komiya, 1997: 40 **A**: XIZ YUN **ORR**

tribe Callipogonini J. Thomson, 1861

genus *Callipogon* Audinet-Serville, 1832: 140 type species *Prionus barbatus* Fabricius, 1781
subgenus *Eoxenus* Semenov, 1899c: 570 type species *Callipogon relictus* Semenov, 1899
relictus Semenov, 1899c: 563 **A**: FE GAN HEB HEI JIL LIA NC NMO SC SHA SHX TIA **#123**

tribe Cantharocnemini J. Thomson, 1861

genus *Cantharocnemis* Audinet-Serville, 1832: 132 type species *Cantharocnemis spondyloides* Audinet-Serville, 1832
subgenus *Cantharocnemis* Audinet-Serville, 1832: 132 type species *Cantharocnemis spondyloides* Audinet-Serville, 1832
Acmene Gistel, 1848a: 129 [unnecessary substitute name]
Cantharofoedus Gilmour, 1956a: 219 type species *Cantharocnemis migsi* Gilmour, 1956 (= *Cantharocnemis spondyloides* Audinet-Serville, 1832)
Hoploscelis Audinet-Serville, 1832: 169 type species *Hoploscelis lucanoides* Audinet-Serville, 1832 (= *Cantharocnemis spondyloides* Audinet-Serville, 1832)
spondyloides Audinet-Serville, 1832: 132 **N**: EG MO (Western Sahara) **A**: OM SA YE **AFR**
arabicus Fuchs, 1969: 381
gahani Lameere, 1902: 312
grandidieri Lameere, 1912a: 124
latibula Fairmaire, 1882b: 94
lucanoides Audinet-Serville, 1832: 170 (*Hoploscelis*)
migsi Gilmour, 1956a: 219
modestus Fairmaire, 1897b: 150
obockianus Fairmaire, 1890: 549
variolosus Fairmaire, 1882a: liv
subgenus *Cantharoprion* Lameere, 1902: 314 type species *Cantharocnemis livingstonii* Westwood, 1866
downesii Pascoe, 1858: 236 **A**: HP NP **ORR** **#366**
subgenus *Paracantharocnemis* Plavilstshikov, 1933e: 114 type species *Cantharocnemis strandi* Plavilstshikov, 1933
strandi Plavilstshikov, 1933e: 113 **A**: SA YE

genus *Cantharoctenus* Westwood, 1866: 134 type species *Cantharocnemis burchellii* Westwood, 1866
filippovi Plavilstshikov, 1933h: 263 (*Cantharocnemis*) **A**: SA YE **#774**

tribe Ergatini Fairmaire, 1864

genus *Callergates* Lameere, 1904: 47 type species *Ergates gaillardoti* Chevrolat, 1854
gaillardoti Chevrolat, 1854: 481 (*Ergates*) **E**: GR (Rodos, Samos, Lesbos) **N**: EGi **A**: CY LE SY TR **#383**
akbesianus Pic, 1900n: 81 (*Ergates*)

genus *Ergates* Audinet-Serville, 1832: 143 type species *Prionus serrarius* Panzer, 1793 (= *Cerambyx faber* Linnaeus, 1760)
Caratambyx Gistel, 1856: 375 type species *Cerambyx faber* Linnaeus, 1760

faber faber Linnaeus, 1760: 187 (*Cerambyx*) **E**: AL AN AU BE BH BU BY CR CT CZ FR GBi GE GR HU IT LA LT ME NL PL PT SB SK SL SP ST SV SZ TR UK **N**: MO **A**: AR ?AB GG IQ SY TR
alkani Demelt, 1968a: 28
bulzanensis Laicharting, 1784: 1 (*Prionus*)
crenatus Fabricius, 1802: 264 (*Prionus*)
grandiceps Tournier, 1872: 257
obscurus Olivier, 1795: 26 (*Prionus*)
portitor Schrank, 1781b: 312 (*Cerambyx*)
serrarius Panzer, 1793b: 6 (*Prionus*)
faber opifex Mulsant, 1851a: 122 **E**: IT (Sicilia, Calabria) **N**: AG

tribe Eurypodini Gahan, 1906

genus *Eurypoda* Saunders, 1853: 109 type species *Eurypoda antennata* Saunders, 1853
subgenus *Eurypoda* Saunders, 1853: 109 type species *Eurypoda antennata* Saunders, 1853
Zarax Pascoe, 1867c: 410 type species *Zarax eurypodoides* Pascoe, 1867 (= *Eurypoda nigrita* J. Thomson, 1865)
antennata Saunders, 1853: 110 **A**: ANH GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX QIN SC () SCH SHG TAI TIA YUN ZHE **#123**
davidis Fairmaire, 1886b: 355
boninensis Hayashi & Kusama, 1973: 117 **A**: JA (Ogasawara Isls)
nigrita J. Thomson, 1865: 577 **A**: GUI GUX YUN **ORR** **#123**
eurypodoides Pascoe, 1867c: 410 (*Zarax*)
unicolor ebiharai Fujita, 2018: 20 **A**: JA (Ryukyus: Yaeyama Isls)
unicolor kamakarii Fujita, 2018: 20 **A**: JA (Ryukyus: Amami Isls)
unicolor unicolor Hayashi, 1956d: 11 **A**: JA SC (Geogesi) **#442**
tsushimana K. Ohbayashi, 1963: 7
subgenus *Neoprion* Lacordaire, 1868: 131 type species *Neoprion parandraeformis* Lacordaire, 1868
batesi Gahan, 1894b: 225 **A**: FUJ GUA GUI GUX HAI HUB HUN JA JIX SC (Jejudo Is.) SCH QIN YUN ZHE **ORR**
parandraeformis Lacordaire, 1868: 132 (*Neoprion*) **A**: QIN YUN **ORR**

tribe Macrotomini J. Thomson, 1861
subtribe Macrotomina J. Thomson, 1861 **#520**

genus *Anomophysis* Quentin & Villiers, 1981: 374 type species *Prionus spinosus* Fabricius, 1787
elliotti C. O. Waterhouse, 1884b: 379 (*Macrotoma*) **A**: NP SD YUN **ORR** **#400**
difformis Nonfried, 1892c: 377 (*Macrotoma*)
elongata Quentin &Villiers, 1981: 380 **A**: XIZ **ORR** **#123**
hainana Gressitt, 1940b: 18 (*Macrotoma*) **A**: GUA GUI GUX HAI HUN YUN **ORR** **#123**
inscripta C. O. Waterhouse, 1884b: 380 (*Macrotoma*) **A**: AF AP KA NP PA UP **ORR** **#75 #280 #376 #390**
katoi Gressitt, 1938b: 149 (*Macrotoma*) **A**: TAI
plagiata C. O. Waterhouse, 1884b: 381 (*Macrotoma*) **A**: AF AP HP KA NP PA SD UP **ORR** **#280**
vidua Lameere, 1903: 167 (*Macrotoma*)
spinosa Fabricus, 1787: 130 (*Prionus*) A: ?NP UP **ORR** **#85** **#520**

genus *Bandar* Lameere, 1912a: 144 type species *Prinobius pascoei* Lansberge, 1884
maedai Komiya 2016: 27 A: AP
pascoei formosae Gressitt, 1938b: 147 (*Macrotoma*) **A**: JA (Ryukyus) TAI
obscuribrunnea Hayashi, 1962c: 2 (*Macrotoma*)
pascoei gressitti Quentin & Villiers, 1981: 364 **A**: GUX SCH XIZ YUN
pascoei pascoei Lansberge, 1884: 144 [RN] (*Prinobius*) **A**: ANH AP BT FUJ GUA GUI GUX HAI HEB HP HUB HUN JIX LIA NMO NP SCH SD SHA UP XIZ YUN ZHE **ORR** **#123**
fisheri C. O. Waterhouse, 1884b: 382 (*Macrotoma*)

genus *Macrotoma* Audinet-Serville, 1832: 137 [NP] type species *Prionus serripes* Fabricius, 1781
Dapsilus Gistel, 1848a: ix [NO] type species *Prionus serripes* Fabricius, 1781
palmata Fabricius, 1793: 249 (*Prionus*) **N**: AG EG LB MO **A**: SA YE **AFR**
boehmi Reitter, 1903a: 46
brevipes Kolbe, 1894a: 49
~~*coelaspis* White, 1853a: 38~~ **#567**
humeralis White, 1853a: 37
rugulosa Kolbe, 1894a: 49
senegalensis Olivier, 1795: 22 (*Prionus*)
spinipes Illiger, 1805: 107 (*Prionus*)
valida J. Thomson, 1877: 271

genus *Mallodon* Lacordaire, 1830: 171 type species *Cerambyx spinibarbis* Linné, 1758 **#387** **#520**
arabicum Buquet, 1843: 330 **A**: YE (Suqutra)

genus *Prinobius* Mulsant, 1842a: 207 type species *Prinobius myardi* Mulsant, 1842
Prionobius Chevrolat, 1854: 482 [unnecessary emendation]
myardi atropos Chevrolat, 1854: 482 **A**: CY IS JO LE SY TR
cedri Marseul, 1856: 48
myardi gaubilii Chevrolat, 1859b: cxxxv **N**: AG ?EG LB ?MO TU
goudotii Chevrolat, 1859c: ccxxx
lethifer Fairmaire, 1859b: cxxxviii
myardi myardi Mulsant, 1842a: 207 [Corse] **E**: FR PT SP
abscisus Gilmour, 1954: 27 (*Macrotoma*)
germari Mulsant, 1846: 291
myardi proksi Sláma, 1982: 203 **E**: GR (Crete, Samos)
myardi slamorum Danilevsky, 2012l: 698 [RN] **E**: AL BH BU CR GR IT ME TR UK **A**: GG IN TR
scutellaris Germar, 1817: 219 [HN] (*Prionus*)
samai Drumont & Rejzek, 2008: 4 **A**: IN TR **#775**

subtribe Remphanina Lacordaire, 1868 **#520**

genus *Remphan* G. R. Waterhouse, 1836: 67 type species *Remphan hopei* G. R. Waterhouse, 1836
hopei G. R. Waterhouse, 1836: 67 **A**: YUN **ORR**
alteni Nonfried, 1892c: 376 (*Macrotoma*)
guineensis Lameere, 1893b: 39

genus *Rhaesus* Motschulsky, 1875: 153 [RN] type species *Rhaesus persicus* Motschulsky, 1875 (= *Prionus serricollis* Motschulsky, 1838)
Rhesus J. Thomson, 1861: 291 [HN] type species *Prionus serricollis* Motschulsky, 1838
serricollis Motschulsky, 1838: 187 (*Prionus*) **E**: AL BU GR MC ME ST TR **N**: EGi **A**: AB AR CY GG IN IS LE SY TR
persicus Motschulsky, 1875: 154
robustus C.H.G. Heyden, 1844: 15 (*Aulacopus*)

genus *Rhaphipodus* Audinet-Serville, 1832: 168 type species *Rhaphipodus suturalis* Audinet-Serville, 1832 **#520**
fatalis Lameere, 1912a: 137 **A**: GUI GUX YUN **ORR**
fruehstorferi Lameere, 1903: 74 **A**: FUJ GUX HAI YUN **ORR** **#123**
gahani Lameere, 1903: 72 **A**: AP BT GUI GUX NP SD UP YUN **#280** **#400**
manillae Newman, 1842a: 247 (*Mallodon*) **A**: TAI **ORR**

tribe Meroscelisini J. Thomson, 1861

genus *Tragosoma* Audinet-Serville, 1832: 159 type species *Cerambyx depsarius* Linnaeus, 1767
depsarium Linnaeus, 1767: 624 (*Cerambyx*) **E**: AL AN AU BH **BE** BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT MC ME NR NT PL RO SB SK SL SP ST SV SZ UK **A**: ES FE WS

tribe Prionini Latreille, 1802

genus *Dorysthenes* Vigors, 1826: 514 type species *Prionus rostratus* Fabricius, 1793
subgenus *Baladeva* G. R. Waterhouse, 1840: 225 type species *Dorysthenes walkeri* G. R. Waterhouse, 1840
drumonti Hergovits, 2024: 5 - **A**: YUN
jendeki Hergovits, 2024: 7 - **A**: YUN
sternalis Fairmaire, 1902a: 244 (*Cyrtognathus*) **A**: GAN HEB HUB HUN JIX ?LIA NP SCH YUN ZHE **ORR** **#123** **#390**
walkeri G. R. Waterhouse, 1840: 226 **A**: FUJ GUA GUX HAI HUB JIX IN SCH YUN **ORR** **#123**
siamensis Nonfried, 1892c: 375 (*Cyrtognathus*)
subgenus *Cyrtognathus* Dejean, 1835: 316 type species *Prionus paradoxus* Faldermann, 1833
Cyrthognathus J. Thomson, 1861: 328 [unjustified emendation]
hydropicus Pascoe, 1857b: 91 (*Prionus*) **A**: ANH BEI GAN GUI GUX HAI HEB HEN HKG HUB HUN JIA JIL JIX LIA NMO SHA SHG SHN TAI TIA ZHE "China Borealis" **#123** **#526**
breviceps Fairmaire, 1900: 637 (*Cyrtognathus*)
chinensis J. Thomson, 1861: 328 (*Cyrthognathus*)
paradoxus Faldermann, 1833: 63 (*Prionus*) **A**: ANH FE GAN GUA GUI HAI HEB HEI HEN HKG HUB JIA JIL JIX KO LIA MG NIN NMO QIN SCH SHA SHN SHX TIA ZHE **#123** **#489**
aquilinus J. Thomson, 1865: 577 (*Cyrthognathus*)
tippmanni Heyrovský, 1950: 127
subgenus *Dorysthenes* Vigors, 1826: 514 type species *Prionus rostratus* Fabricius, 1793
davidis Fairmaire, 1886b: 353 **A**: GUI SCH YUN
rostratus Fabricius, 1793: 243 (*Prionus*) **A**: PA **ORR**
subgenus *Lophosternus* Guérin-Méneville, 1844: 209 type species *Lophosternus buquetii* Guérin-Méneville, 1844
Cyrtosternus Guérin-Méneville, 1844: 210 type species *Lophosternus hopei* Guérin-Méneville, 1844
angulicollis Fairmaire, 1886b: 354 (*Cyrtognathus*) **A**: GUX ?TAI YUN **#123**
dentipes Fairmaire, 1902a: 243 (*Cyrtognathus*) **A**: GUX YUN **ORR**
florentinii Fairmaire, 1895: 175 (*Cyrtognathus*) **A**: GUX **ORR**
gracilipes Lameere, 1915a: 58 **A**: XIZ YUN

huegelii L. Redtenbacher, 1844: 550 (*Cyrtognathus*) **A**: AF AP HEN HP KA NP PA SD UP YUN ZHE **ORR** **#280** **#400**
falco J. Thomson, 1877: 262 (*Cyrthognathus*)
palpalis Gahan, 1906a: 12 (*Lophosternus*)
incognitus Hergovits, 2019: 3 ?**A:** GUX JIX KA NP YUN **ORR** **#457**
indicus Hope, 1831: 27 (*Prionus*) **A**: AP BT HP NP SD XIZ **ORR** **#280** **#366**
hopei Guérin-Méneville, 1844: 210 (*Lophosternus*)
socius Gahan, 1906a: 11 (*Lophosternus*)
zivetta zivetta J. Thomson, 1877: 263 (*Cyrthognathus*) **A**: NP SD XIZ YUN "Himalaya" "North India" **ORR** **#123**
subgenus *Paraphrus* J. Thomson, 1861: 330 type species *Cyrthognathus granulosus* J. Thomson, 1861
granulosus J. Thomson, 1861: 329 (*Cyrthognathus*) **A**: FUJ GAN GUA GUI GUX HAI HKG HUB JIX QIN SCH SD SHN TIA YUN ZHE "India" **ORR** **#123**
subgenus *Prionomimus* Lameere, 1912a: 176 type species *Prionus fossatus* Pascoe, 1857
elegans elegans N. Ohbayashi, 1981: 45 **A**: TAI
elegans ishigakiensis N. Ohbayashi, 1981: 46 **A**: JA (Ryukyus)
fossatus Pascoe, 1857b: 90 (*Prionus*) **A**: ANH FUJ GAN GUA GUI HAI HEN HUB HUN JIX QIN SCH SHA YUN ZHE **#123**
igai Matsushita, 1941: 151 (*Prionus*) **A**: TAI
pici Lameere, 1912a: 176 **A**: TAI

genus *Lobarthron* Semenov, 1900: 333 type species *Prionus balassogloi* Jakovlev, 1885
balassogloi balassogloi Jakovlev, 1885a: 91 (*Prionus*) **A**: UZ (Tashkent env., Chimgan Mt., West of Chatkal Range)
breve Semenov, 1888: 157 (*Prionus*)
nadari Fairmaire, 1892b: cxxiv (*Prionus*)
balassogloi brevispinum Jakovlev, 1885a: 92 (*Prionus*) **A**: KI KZ UZ (Khumsan env., Sidzhak)

genus *Macroprionus* Semenov, 1900: 324 type species *Prionus heros* Semenov, 1900
heros Semenov, 1900: 320 (*Prionus*) **A**: GAN XIN **#123**

genus *Mesoprionus* Jakovlev, 1887c: 323 type species *Prionus asiaticus* Faldermann, 1837
Trispinicollis Özdikmen, 2025s: 3001 type species *Prionus besikanus* Fairmaire, 1855 **#858**
abaii Holzschuh, 2007: 177 **A**: IN
angustatus Jakovlev, 1887c: 327 (*Prionus*) **A**: AF IN KI KZ TD TM UZ
angheri Brancsik, 1899: 102 (*Prionus*)
bucharicus Semenov, 1900: 328 (*Prionus*) - [Darvaz]
asiaticus Faldermann, 1837: 263 (*Prionus*) **E**: KZ ST **A**: AB AR GG IN KZ TR **#400**
areschanus Fairmaire, 1905: 79 (*Prionus*)
henkei Schaufuss, 1879: 475 (*Prionus*)
besikanus Fairmaire, 1855: 318 (*Prionus*) **E**: AL BU GR MC SB TR **A**: CY TR **#778**
batelkai Sláma, 1996: 75 (*Prionus*)
consimilis Holzschuh, 1981: 92 (*Prionus*) **A**: IN
lefebvrei Marseul, 1856: 47 (*Prionus*) **A**: IS JO LE SI SY TR **#182** **#778**
persicus L. Redtenbacher, 1850: 49 (*Prionus*) **A**: IN IQ TR
compressicornis Semenov, 1933: 293 (*Prionus*)
jakowlewi Semenov, 1899a: 105 (*Prionus*)
petrovitzi Holzschuh, 1981: 91 (*Prionus*) **A**: IN
tangerianus Sláma, 1996: 76 (*Prionus*) **N:** MO **#78** #778
zarudnii Semenov, 1933: 292 (*Prionus*) **A**: TD

genus *Microarthron* Pic, 1900b: 2 type species *Polyarthron komarowi* Dohrn, 1885
komaroffi Dohrn, 1885: 64 (*Polyarthron*) **A**: KZ TD TM UZ

genus *Miniprionus* Danilevsky, 2000d: 189 type species *Prionus pavlovskii* Semenov, 1935
pavlovskii Semenov, 1935b: 239 (*Prionus*) **A**: AF TD (Kulyab env.) **#233** **#345**

genus *Monocladum* Pic, 1898e: 28 type species *Polyarthron aegyptiacum* Guérin-Méneville, 1844
aegyptiacum aegyptiacum Guérin-Méneville, 1844: 214 (*Polyarthron*) **N**: EG LB **A**: IS JO SI **AFR**
afrum Baudi di Selve, 1889b: 197 (*Polyarthron*)
baudii Pic, 1898f: 30 (*Polyarthron*)
unipectinatum White, 1853a: 21 (*Polyarthron*)
aegyptiacum arabicum Villiers, 1961b: 449 **A**: SA YE
aegyptiacum granulipenne Holzschuh, 1993b: 112 [RN] **A**: SA YE
arabicum Fuchs, 1969: 381[HN] (*Prionus*)
iranicum Villiers, 1961b: 449 **A**: IN

genus *Opisognathus* J. Thomson, 1861: 330 type species *Prionus forficatus* Fabricius, 1798
forficatus Fabricius, 1798: 141 (*Prionus*) **N**: MO
favieri Blanchard, 1842: 129 (*Prionus*)

genus *Parapsilotarsus* Danilevsky, 2018c: 484 type species *Prionus potaninei* Lameere, 1912
potaninei Lameere, 1912b: 195 (*Prionus*) **A**: SCH

genus *Plumiprionus* Lin & Danilevsky, 2017: 50 type species *Prionus boppei* Lameere, 1912
boppei Lameere, 1912b: 195 (*Prionus*) **A**: XIZ YUN **#123**
plumicornis Pu, 1987: 90 (*Prionus*) **A**: XIZ

genus *Pogonarthron* Semenov, 1899e: 257 type species *Polyarthron bedeli* Semenov, 1899
subgenus *Multicladum* Danilevsky, 2014j: 268 type species *Prionus semenovianus* Plavilstshikov, 1936
semenovianum Plavilstshikov, 1936: 92 (*Prionus*) **A**: AF TD (Kulyab env.)
subgenus *Pogonarthron* Semenov, 1899e: 257 type species *Polyarthron bedeli* Semenov, 1899
bedeli Semenov, 1899e: 249 (*Polyarthron*) **A**: TD
petrovi ivanovae Pak & Skrylnik, 2014: 7 **A**: TD
petrovi petrovi Danilevsky, 2004c: 11 **A**: TD
tschitscherini brunnescens Danilevsky & Shapovalov, 2017: 854 **A**: KI ?UZ
tschitscherini pallidus Danilevsky & Shapovalov, 2017: 855 **A**: KI UZ
tschitscherini tschitscherini Semenov, 1889b: 225 (*Polyarthron*) **A**: KI
tshitsherini Semenov, 1935b: 240 (*Prionus*) [unjustified emendation]
subgenus *Pseudomonocladum* Villiers, 1961b: 445 type species *Polyarthron minutum* Pic, 1905
minutum loeffleri Fuchs, 1956: 75 [= 1957: 289] (*Prionus*) **A**: IN
minutum minutum Pic, 1905d: 300 (*Polyarthron*) **A**: IN
minutum obenbergeri Heyrovský, 1939a: 27 (*Prionus*) **A**: IN
semenowi Lameere, 1912b: 224 (*Prionus*) **A**: IQ

genus *Polyarthron* Audinet-Serville, 1832: 189 type species *Prionus pectinicornis* Fabricius, 1793 **#809**
Neynis Gistel, 1848a: xi [unnecessary substitute name]
pectinicorne chatanayi Lameere, 1915a: 59 (*Prionus*) **N**: LB
pectinicorne desvauxii Fairmaire, 1868b: 499 **N**: AG (north)
moissoni Pic, 1893f: cclx [= 1893b: 107]
pici Lameere, 1912b: 229 (*Prionus*)
separatum Pic, 1901: 15
pectinicorne fairmairei Pic, 1893b: 110 [RN] **N**: LB
barbarum Fairmaire & Coquerel, 1866: 67 [HN]
pectinicorne jolyi Pic, 1895g: ccclxxxv **N**: AG
filali Kocher, 1956: 124
pectinicorne lothei Villiers, 1946: 35 (*Prionus*) - **N**: AG
saharense Pic, 1898e: 27
pectinicorne reymondi Kocher, 1956: 124 - **N**: MO
philbyi Villiers, 1968: 846 **A**: SA

genus *Polylobarthron* Semenov, 1899e: 258 type species *Polyarthron margelanicum* Théry, 1896
margelanicum Théry, 1896: 108 (*Polyarthron*) **A**: **KI** KZ UZ
semirufum Pic, 1900b: 3 (*Polyarthron*)
unionis Pic, 1898e: 34 (*Polyarthron*)

genus *Prionoblemma* Jakovlev, 1887b: 318 type species *Prionoblemma przewalskyi* Jakovlev, 1887
Usprion Plavilstshikov, 1915e: 133 type species *Usprion semenovianum* Plavilstshikov, 1915
przewalskyi Jakovlev, 1887b: 319 **A**: XIN
semenovianum Plavilstshikov, 1915e: 134 (*Usprion*)

genus *Prionomma* White, 1853a: 19 type species *Prionus orientalis* Olivier, 1795 (= *Prionus atratus* Gmelin, 1790) **#520**
subgenus *Ancyloprotus* White, 1853a: 19 type species *Ancyloprotus bigibbosus* White, 1853
bigibbosum White, 1853a: 19 **A**: AP GUX HAI NP SD YUN **ORR** **#626**

genus *Prionus* Geoffroy, 1762: 198 type species *Cerambyx coriarius* Linnaeus, 1758
Prionellus Casey, 1924: 209 type species *Prionus pocularis* Dalman, 1817
antonkozlovi Drumont & Komiya, 2021: 127 **A**: FUJ
coriarius Linnaeus, 1758: 389 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N**: AG ?MO TU **A**: AB AR GG IN KZ SY TR WS **#428** **#655**
burdajewiczi Bodemeyer, 1927b: 74
prionus DeGeer, 1775: 59 (*Cerambyx*)
schaufussi Jakovlev, 1887c: 326
tridentatus Linnaeus, 1758: 354 (*Scarabaeus*)
vicinus Jakovlev, 1887c: 325
corpulentus Bates, 1878b: 720 **A**: AF KA NP PA
delavayi delavayi Fairmaire, 1887a: 130 **A**: SCH YUN
delavayi lorenci Drumont & Komiya, 2006: 11 **A**: FUJ HUB GUA GUI JIX SCH SHA XIZ YUN ZHE **#123**

elegans Demelt, 1972b: 89 **A**: PA
elliotti Gahan, 1906a: 16 **A**: AF PA
evae Demelt, 1972b: 89 **A**: PA
dacatrai Pesarini & Sabbadini, 1997: 98
gahani Lameere, 1912b: 189 **A**: CHQ GAN SCH YUN **#123**
galantorum Drumont & Komiya, 2006: 27 **A**: SCH YUN
insularis insularis Motschulsky, 1858a: 36 **A**: ANH BEI ES FE FUJ GAN HEB HEI HEN HKG ?HUB HUN JA JIA JIL JIX LIA NC NMO SC ?SCH SHA SHN SHX TIA ?XIN ?YUN ZHE **#123** **#526**
ichikii Nishiguchi, 1941: 31
tetanicus Pascoe, 1867c: 412
insularis yakushimanus K. Ohbayashi, 1964: 19 **A**: JA
komiyai Lorenc, 1999: 13 **A**: LE SY TR
kucerai Drumont & Komiya, 2006: 22 **A**: GAN HEN NIN SHA SHX
lameerei Semenov, 1927: 235 **A**: SCH YUN
laminicornis Fairmaire, 1897e: 254 **A**: HEB SCH SHA TIA "North China" **#123** **#225**
heterotarsus Lameere, 1915a: 58
mali Drumont, Xi & Rapuzzi, 2015: 104 **A**: YUN
murzini Drumont & Komiya, 2006: 23 **A**: YUN
nakamurai N. Ohbayashi & Makihara, 1985: 11 **A**: TAI
puae Drumont & Komiya, 2006: 20 **A**: GUX YUN
scabripunctatus Hayashi, 1971: 1 **A**: TAI
sejunctus Hayashi, 1959a: 4 **A**: JA
sifanicus Plavilstshikov, 1934f: 220 **A**: CHQ SCH **#123**
siskai Drumont & Komiya, 2006: 15 **A**: SCH XIZ YUN **ORR**
sontinh Do, Drumont & Komiya, 2019: 63 **A**: YUN **ORR** **#908**
vartianorum Fuchs, 1967: 431 **A**: AF PA **#274**
zhumingyui Lin & Drumont, 2026: 2 **A**: GUA
genus *Prionus*, species incertae sedis
sterbai Heyrovský, 1950: 128 **A**: IN

genus *Priotyrannus* J. Thomson, 1857b: 120 type species *Prionus mordax* White, 1853
subgenus *Chollides* J. Thomson, 1877: 264 type species *Chollides closteroides* J. Thomson, 1877
Cnethocerus Bates, 1878a: 273 type species *Cnethocerus messi* Bates, 1878 (= *Priotyrannus closteroides* J. Thomson, 1877)
Derechinus Fairmaire, 1902c: 317 type species *Derechinus delatouchii* Fairmaire, 1902 (= *Priotyrannus closteroides* J. Thomson, 1877)
Prionacus Fairmaire, 1896a: 127 type species *Prionacus strigicornis* Fairmaire, 1896 (= *Priotyrannus closteroides* J. Thomson, 1877)
closteroides closteroides J. Thomson, 1877: 265 (*Chollides*) **A**: ANH FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX LIA NMO SCH SHA TAI TIA YUN ZHE **ORR** **#123**
delatouchii Fairmaire, 1902c: 317 (*Derechinus*)
messi Bates, 1878a: 273 (*Cnethocerus*)
rabieri Lameere, 1912a: 174
strigicornis Fairmaire, 1896a: 127 (*Prionacus*)
testaceus Kano, 1933b: 130
closteroides lutauensis N. Ohbayashi & Makihara, 1985: 13 **A**: TAI (Ludau Is.)
hueti Drumont, 2008: 4 **A**: YUN **ORR**

genus *Pseudoprionus* Pic, 1898e: 33 type species *Polyarthron bienerti* Heyden, 1885
altimontanus Kabakow & Dolin, 1996: 45 (*Prionus*) **A**: AF
bienerti bienerti Heyden, 1885c: 311 (*Polyarthron*) **A**: IN TM
banghaasi Pic, 1901i: 32 (*Polyarthron*)
pluschewskyi Jakovlev, 1887a: 157 (*Polyarthron*)
bienerti waitzbaueri Adlbauer & Drumont, 2021: 73 **A:** JO

genus *Psilotarsus* Motschulsky, 1860e: 537 [1861c: 443] type species *Prionus brachypterus* Gebler, 1830
Brachyprionus Jakovlev, 1887c: 324 type species *Prionus brachypterus* Gebler, 1830
Otiartes J. Thomson, 1864: 283 type species *Prionus asiaticus* Faldermann, 1837 *sensu* J. Thomson, 1864 (= *Prionus brachypterus* Gebler, 1830)
Prionoxys Semenov, 1899a: 104 [RN] type species *Prionus brachypterus* Gebler, 1830
Psilopus Gebler, 1860: 504 [HN] type species *Prionus brachypterus* Gebler, 1830
Psilopus Motschulsky, 1875: 152 [HN] type species *Prionus brachypterus,* Faldermann, 1836 (= *Prionus brachypterus* Gebler, 1830)
brachypterus alakolensis Danilevsky, 2025 **A**: KZ
brachypterus alpherakii Semenov, 1900: 324 (*Prionus*) **A**: XIN
brachypterus aralensis Danilevsky, 2000a: 8 **A**: KZ UZ
brachypterus brachypterus Gebler, 1830: 179 (*Prionus*) **A**: KZ XIN **#123** **#400**
latidens Motschulsky, 1860e: 537 [1861c: 443]
brachypterus hemipterus Motschulsky, 1845a: 90 (*Prionus*) **E**: KZ ?ST (Orenburg) **A**: KZ UZ WS (Orenburg) **#265**
longipennis Motschulsky, 1860e: 537 [1861c: 443]
brachypterus pubiventris Semenov, 1900: 332 (*Prionus*) **A**: KZ **#278**
hypogymna Semenov, 1900: 331 (*Prionus*)

heydeni alatauensis Danilevsky, 2014i: 54 **A:** KZ
heydeni arkitensis Danilevsky, 2000a: 27 **A**: KI
heydeni heydeni Ganglbauer, 1888b: 265 (*Prionus*) **A**: KI UZ
minusculus Semenov, 1935b: 249 (*Prionus*)
heydeni talassicus Danilevsky, 2000a: 29 **A**: KI
hirticollis auliensis Danilevsky, 2000a: 19 **A**: KI KZ UZ **#278**
hirticollis hirticollis Motschulsky, 1860e: 537 [1861c: 443] **A**: KZ TD UZ **#400**
hirticollis nudicollis Danilevsky, 2000a: 19 **A**: KZ
lesnei Semenov, 1933: 293 (*Prionus*) **A**: IN
turkestanicus Semenov, 1888: 157 (*Prionus*) **A**: TD TM UZ
curticornis Ganglbauer, 1888**b**: 266 (*Prionus*)
ruficornis Fairmaire, 1892b: cxxiii (*Prionus*)

genus *Unilaprionus* Lin & Danilevsky, 2017: 46 type species *Prionus unilamellatus* Pu, 1987
unilamellatus Pu, 1987: 90 (*Prionus*) **A**: XIZ

subfamily **Lepturinae** Latreille, 1802

tribe Acmaeopsini Della Beffa, 1915

Acmaeopsini Della Beffa, 1915: 29, 42, 52. **#704**
Carilini Zamoroka, 2022b: 308. **#704**

genus *Carilia* Mulsant, 1863: 489 type species *Leptura virginea* Linnaeus, 1758
Neogaurotes Podaný, 1962: 225 type species *Leptura virginea* Linnaeus, 1758
adelpha Ganglbauer, 1889a: 47 (*Gaurotes*) **A**: NMO QIN SCH
aeneovirens Holzschuh, 1993a: 6 (*Gaurotes*) **A**: SCH
atricornis Pu, 1992b: 591, 617 (*Gaurotes*) **A**: YUN XIZ
atripennis Matsushita, 1933: 76 (*Gaurotes*) **A**: JA
aureopurpurea Hayashi, 1955: 24 (*Gaurotes*)
hayashii Podaný, 1962: 225 (*Gaurotes*)
kurosawai Hayashi, 1951b: 75 (*Gaurotes*)
tamanukii K. Ohbayashi, 1949: pl. 3 (*Gaurotes*)
cuprifera Holzschuh, 1993a: 10 (*Gaurotes*) **A**: GAN
filiola Holzschuh, 1998: 5 (*Gaurotes*) **A**: SHA
glabratula Holzschuh, 1998: 6 [RN] (*Gaurotes*) **A**: SCH
glabricollis Holzschuh, 1993a: 8 [HN] (*Gaurotes*)
oligothrix Chiang, 2001: 77 [RN] (*Gaurotes*)
glabricollis Pu, 1992b: 592, 618 (*Gaurotes*) **A**: YUN
latiuscula Holzschuh, 1993a: 8 (*Gaurotes*) **A**: SCH
lucidivirens Holzschuh, 1998: 6 (*Gaurotes*) **A**: SHA
otome K. Ohbayashi, 1959: 1 (*Gaurotes*) **A**: JA
flaviventris Hayashi, 1960a: 6 (*Gaurotes*)
kinugasai Hayashi, 1960a: 6 (*Gaurotes*)
wakejimai Fujita, 2018: 21 **#526** **#736**
perforata Holzschuh, 1993a: 11 (*Gaurotes*) **A**: GAN
pictiventris Pesarini & Sabbadini, 1997: 100 (*Gaurotes*) **A**: YUN
pilipennis Holzschuh, 2016a: 73 (*Gaurotes*) **A**: SCH
spinipennis Pu, 1992b: 590, 617 (*Gaurotes*) **A**: SCH
tibetana Podaný, 1962: 227 (*Gaurotes*) **A**: XIZ
tuberculicollis Blanchard, 1871: 812 (*Pachyta*) **A**: FUJ HEI HEN HUB NMO SCH SHA XIZ
davidis H. C. Deyrolle, 1878: 133 (*Gaurotes*)
obscuripes Pic, 1939b: 1 (*Gaurotes*)
virginea aemula Mannerheim, 1852b: 306 (*Pachyta*) **E**: CT ST **A**: ES FE HEI HUB JIL KZ MG NMO SHX WS
ruficollis Solsky, 1871a: 403 (*Pachyta*)
virginea komensis Tamanuki, 1938b: 167 (*Gaurotes*) **A**: HEI JIL NC SC **#317**
coreana Tamanuki, 1939b: 101 (*Gaurotes*)
nigriventris Tamanuki, 1938b: 167 [HN] (*Gaurotes*)
virginea kozhevnikovi Plavilstshikov, 1915c: 105 (*Gaurotes*) **A**: FE HEI JIL
nigriventris Jureček, 1921: 25 (*Gaurotes*)
sibirica Podaný, 1962: 236 (*Gaurotes*)
virginea thalassina Schrank, 1781a: **160** (*Leptura*) **E**: AU BE FR LU IT SL
nupta Mulsant, 1839: 241 (*Pachyta*)
virginea virginea Linnaeus, 1758: 398 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT MC MD ME NR NT PL RO SB SK SL SV SZ ST UK **A**: WS
brunnescens Schmidt, 1951: 11 (*Gaurotes*)
notaticollis Pic, 1916a: 10 (*Gaurotes*)
sanguinaria Pic, 1917g: 4 (*Gaurotes*)

vidua Mulsant, 1839: 242 (*Pachyta*).
violacea DeGeer, 1775: 144 [HN] (*Leptura*)
violacea Pallas, 1773: 724 (*Leptura*)

genus *Cortodera* Mulsant, 1863: 572 type species *Grammoptera spinosula* Mulsant, 1839: 290 (= *Leptura humeralis* Schaller, 1783)
Acmaeopsilla Casey, 1913: 240 type species *Acmaeops falsus* LeConte, 1860
Leptacmaeops Casey, 1913: 219 type species *Leptura longicornis* Kirby, 1837
Taiwanocarilia Hayashi, 1983: 30 type species *Gaurotes ater* Tamanuki, 1943 **#18**
alpina alpina Ménétriés, 1832: 230 (*Pachyta*) ["Alpes du Caucase"] **E**: ST (Dagestan) **A**: AB GG
beckeri Desbrochers des Loges, 1875: 51 (*Pachyta*) ["Daghestan"]
confusa Reitter, 1891b: 34 (*Cartodera*) ["Von Schalbus-Dagh"]
alpina armeniaca Pic, 1898k: 114 ["Caucase"] **A**: AR TR (Artvin, Ardahan, Kars, Erzerum, Igdir)
alpina baksaniensis Danilevsky, 2014i: 199 **E:** ST (Kabardino-Balkaria, above Tyrnyauz)
alpina fischtensis Starck, 1894: 11 **E**: ST (NW Caucasus: Mt. Fisht)
alpina gudissensis Danilevsky, 2013h: 28 **A:** GG (S Ossetia)
alpina matusiaki Danilevsky, 2014i: 200 [Mt. Kazbek] **E:** ST (N Ossetia) **A:** GG
alpina prosvirovi Danilevsky, 2022b: 509 **A:** GG (Abkhazia)
alpina psebayensis Danilevsky, 2014i: 180 **E**: ST (NW Caucasus: Psebay) **#423**
alpina rosinae Pic, 1902c: 8 ["Anatolie: Ak-Chehir"] **A**: TR **#17**
alpina rosti Pic, 1892p: lxxxiii ["Elbrouz (Caucase)"] **E**: ST (Mt. Elbrus, Mt. Beshtau, Teberda) **A:** GG (above Sukhumi) **#777**
parallela Pic, 1898k: 111 ["Caucase"]
alpina starcki Reitter, 1888b: 280 **E**: ST (NW Caucasus) **A**: GG (Avadkhara)
alpina svanorum Danilevsky, 2014i: 203 **A:** GG (Svanetia: Latpari Pass)
alpina tatvanensis Danilevsky, 2015d: 1065 **A**: TR
alpina umbripennis Reitter, 1890d: 245 ["Araxesthal bei Ordubad"] ~~**E: ST**~~ **A**: AB AR GG IN
alpina xanthoptera Pic, 1898k: 114 [RN] **A**: TR (Ankara)
alpina zekarensis Danilevsky, 2014i: 203 **A:** GG (Zekari Pass above Abastimani)
amanusensis Danilevsky, 2016d: 268 **A**: TR
analis Gebler, 1830: 189 (*Pachyta*) ["Riddersk"] **A**: KZ (Ridder) WS (Altai) ?XIN
haemorhoidalis Pic, 1898k: 114 ["Sibèria"] **#5**
hirta Gebler, 1830: 190 (*Pachyta*) ["Semel in montibus altaicis"]
ruficornis Pic, 1926d: 6 ["Altai"]
atra Tamanuki, 1943: 214 (*Gaurotes*) **A**: TAI **#18**
baltea Holzschuh, 2003a: 154 **A**: NMO QIN **#273**
bamiyana Danilevsky, 2014d: 256 **A:** AF
cartinii Rapuzzi & Sama, 2018: 6 **A:** TR
ciliata ciliata Danilevsky, 2001a: 13 **A**: KZ (NE Kazakhstan: Ust-Kamenogorsk env.)
ciliata milaenderi Danilevsky, 2001a: 15 **E**: CT (Ufa env.: Alkino)
ciliata sakmarensis Danilevsky, 2006b: 3 **E**: ST (Orenburg env.: Kuvandyk)
cirsii Holzschuh, 1975a: 82 **A**: TR
colchica aestiva Sama & Rapuzzi, 1999: 466 **A**: TR (Kars)
colchica aishkha Danilevsky, 2014i: 180 **E**: ST (NW Caucasus, Aishkha Mt.)
colchica aksarayensis Özdikmen & Özbek, 2012: 931 **A:** TR
colchica bulungensis Danilevsky, 2014i: 181 **E**: ST (Kabardino-Balkaria: Bulungu)
colchica colchica Reitter, 1890d: 246 ["Araxesthal"] ~~**E: ST**~~ **A**: AB AR ~~TR~~
atropyga Pic, 1929c: 119 [DA]
distincta Pic, 1933d: 6
lederi Pic, 1933d: 6
ordubadensis Reitter, 1890d: 246
pygidialis Reitter, 1890d: 246
rutilipes Reitter, 1890d: 246
truncatipennis Pic, 1929c: 119 [DA]
colchica danczenkoi Danilevsky, 1985: 139 [1987: 615] **A**: AB (Talysh) IN
colchica deyrollei Pic, 1894a: 66 ["Persath" - Персати] **A**: GG **#1**
colchica dilizhanica Danilevsky, 2014i: 178 **A**: AR (Dilizhan env.)
colchica erevanica Danilevsky, 2014i: 177 [Arailer Mt.] **A**: AR TR
colchica erzurumensis Danilevsky, 2015d: 1058 **A**: TR
colchica libanensis Danilevsky, 2017e: 838 **A:** LE **#177**
colchica kalashiani Danilevsky, 2000b: 39 **A**: AR (Megri Pass)
colchica murzini Danilevsky, 2014i: 181 **E**: ST (N Caucasus: Teberda)
colchica ossetica Danilevsky, 2014i: 181 **E**: ST (N Ossetia)
colchica ponomarenkoi Danilevsky, 2014i: 179 **A**: AB (Aşağı Ağcakənd)
colchica porsukensis Danilevsky, 2015d: 1060 **A**: TR
colchica pseudalpina Plavilstshikov, 1936: 278 **A:** GG (Svanetia) **#1**
colchica serowensis Danilevsky & Hodek, 2021: 16 **A:** IN
kukinae Danilevsky & Skrylnik, 2021: 11 **A:** IN
differens differens Pic, 1898g: 50 **E**: GR RO

prescutellaris Pic, 1933d: 5
steineri Sama, 1997b: 112
differens magdae Danilevsky, 2012m: 916 **E**: BU RO TR
discolor ankarensis Danilevsky, 2015d: 1063 **A**: TR
discolor bitlisiensis Danilevsky, 2015d: 1065 **A**: TR
discolor discolor Fairmaire, 1866b: 277 **A**: TR **#634**
testaceipes Pic, 1898k: 112
discolor gumushanensis Danilevsky, 2015d: 1064 **A**: TR
farsensis Danilevsky, 2014d: 255 **A:** IN
femorata Fabricius, 1787: 159 (*Leptura*) **E**: AU BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT NR NT PL RO SK SL ST SV SZ UK **A**: ?KZ WS
affinis Schilsky, 1892: 204
fusca Gmelin, 1790: 1868 (*Leptura*)
flavipennis Reitter, 1890d: 243
griseipes Pic, 1889b: 55 (*Grammoptera*)
monticola Abeille de Perrin, 1870: 88
suturifera Reitter, 1890d: 243
flavimana angorensis Danilevsky, 2015d: 1051 **A**: TR
neslihanae Özdikmen, 2016a: 5 **#517**
flavimana corallipes Pesarini & Sabbadini, 2009: 17 [Ascale in Erserum] **A:** ?GG TR **#6 #147**
flavimana flavimana Waltl, 1838: 471 (*Leptura*) [Istambul env.] **E**: AL AU BU GR HU MC RO SB SK TR **A**: TR **#11 #648**
flavimana inonuensis Danilevsky, 2015d: 1045 **A**: TR
flavimana karsensis Danilevsky, 2015d: 1052 **A**: TR
flavimana oezdikmeni Danilevsky, 2015d: 1053 **A**: TR
flavimana rufipes Kraatz, 1876b: 344 (*Grammoptera*) [Izmir env.] **A**: TR **#4 #94 #147**
flavimana schurmanni Sama, 1997b: 107 [Peloponnese] **E**: GR **#94**
flavimana sergeyi Danilevsky, 2015d: 1053 **A**: TR
flavimana sultanensis Danilevsky, 2015d: 1055 **A**: TR
flavimana torosensis Danilevsky, 2015d: 1055 **A**: TR
flavimana zoiai Pesarini & Sabbadini, 2009: 16 [north of Izmir vil., Kozak, about 39°15'N, 27°06'E] **A:** TR **#94**
goriensis Danilevsky & Hodek, 2016: 55 **A**: GG
hodeki Danilevsky, 2018b: 584 **A:** IN
holosericea holosericea Fabricius, 1802: 366 [HN] (*Leptura*) **E**: AU BH BU ?BY CR CZ GR HU IT RO SB SK SL ST UK **#752**
pilosa Pic, 1898g: 50
rubripes Pic, 1898k: 114
semitestacea Pic, 1898g: 50
holosericea pseudoholosericea Rapuzzi & Sama, 2018: 7 **E:** AL GR **#517**
holosericea velutina Heyden, 1876a: 318 **E**: AL AU BH CR GR IT SL **#11**
birnbacheri Pic, 1898k: 114
hroni Danilevsky, 2012f: 1 **E:** BU
humeralis aspromontana G. Müller, 1948: 61 **E**: IT
humeralis humeralis Schaller, 1783: 297 (*Leptura*) **E**: AU BE BH BU BY CR ~~CT~~ CZ FR GE GR HU IT LU MC MD NL PL RO SB SK SP ST SZ TR UK **A**: TR
apicenotata Schmidt, 1951: 12
discoidalis Pic, 1931c: 6
inhumeralis Pic, 1892i: 140
quadriguttata Herbst, 1786: 171 (*Leptura*)
quadrinotata Gmelin, 1790: 1873 (*Leptura*)
schalleri Gmelin, 1790: 1874 (*Leptura*)
spinosula Mulsant, 1839: 290 (*Grammoptera*)
suturalis Fabricius, 1787: 159 (*Leptura*)
humeralis moreensis Danilevsky, 2015d: 1035 **E**: GR
imrasanica Sama & Rapuzzi, 1999: 464 **A**: TR
ivanovi Danilevsky, 2013b: 218 **A:** KZ (Emba River)
kadleci Danilevsky, 2015d: 1061 **A:** TR
kaphanica Danilevsky, 1985: 137 **A**: AR IN
kareli Danilevsky, 2018b: 588 **A:** IN **#517**
kazaryani Danilevsky, 2014i: 163 **A**: AR
khatchikovi Danilevsky, 2001b: 13 **E**: ST (Rostov Region: Kalitva River)
kiesenwetteri gusakovi Danilevsky, 2013d: 425 **A:** KZ (Kazakhstan: Mugodzhary Mts)
kiesenwetteri kiesenwetteri Pic, 1898g: 49 ["d'Astrakan"] **E**: ST
kiesenwetteri subtruncata Pic, 1934e: 19 ["Samara"] **E**: CT (Zhiguli; Syzran env.; Ulyanovsk Region)
subtruncata Danilevsky, 2001a: 13 [HN]
kochi Pic, 1935d: 4 **A**: IS
kokpektensis Danilevsky, 2007d: 47 **A**: KZ
komarovi komarovi Danilevsky, 1996c: 63 ["NW Kazakhstan, Uralsk Area, Furmanovo"] **A**: KZ
komarovi romantzovi Danilevsky, 2013b: 213 ["Aktobe (Aktyubinsk) Region, Temir river Valley near Pokrovskiy"] **A:** KZ

komarovi sarysuensis Danilevsky, 2013b: 215 [“Karaganda Region, valley of Taldy-Manak river”] **A:** KZ
komarovi solodovnikovi Danilevsky, 2013b: 213 [“West Kazakhstan, Aktolagay Ridge”] **A:** KZ
longipilis Pic, 1898g: 50 **A**: TR
  rubrofemorata Pic, 1898k: 113
  tauricola Pic, 1908b: 3
lowlakanensis Danilevsky, 2018b: 586 **A:** IN
metallica Holzschuh, 2003a: 152 **A**: SCH
moldovana Danilevsky, 1996c: 64 **E**: MD (Dubossary env.) **#648**
napolovi Danilevsky, 2015d: 1061 **A:** TR
neali Danilevsky, 2004a: 2 **A**: IN IQ **#94**
obscurans Pic, 1894h: 116 [“Syrie. Akbès”] **A**: ?SY TR
omophloides Holzschuh, 1975a: 77 [Namrun, Içel] **A**: TR
pseudomophlus Reitter, 1889a: 40 **A**: AR AB IN TM TR
pumila crataegi Holzschuh, 1986a: 121 **A**: IN
pumila meltemae Özdikmen, Mercan & Cihan, 2012d: 746 **A:** TR **#94**
pumila pumila Ganglbauer, 1882: 710 **E**: ST **A**: AB ~~AR~~ GG
  caucasica Pic, 1898k: 79
  nigripennis Pic, 1898g: 49
pumila sarigolensis Danilevsky, 2016d: 266 **A**: TR
pumila tournieri Pic, 1895c: 75 **A**: AR GG TR
ranunculi Holzschuh, 1975a: 80 **A**: TR [Muş]
reitteri reitteri Pic, 1891d: 43 [“Sarepta”] **E**: CT ST UK
  alexandri Danilevsky, 1996c: 63 [“Volgograd env., Olkhovka”]
  obscuripennis Pic, 1898g: 49 [“Sarepta”]
  separata Pic, 1898k: 111 [“Sarepta”]
reitteri taurica Plavilstshikov, 1936: 280 [Simferopol] **E**: UK (Crymea)
  beckeriana Plavilstshikov, 1936: 285 [from Simferopol to Volga]
rubenyani Danilevsky, 2018b: 587 **A:** IN
rubripennis Pic, 1891h: 102 **A**: TR
  obscura Pic, 1898g: 49
semilivida nigriptera Kasatkin, 2019: 131 **A:** LE **#517**
semilivida semilivida Pic, 1892m: cxciii [“Syria”] **A**: ?SY TR **#94**
  orientalis Adlbauer, 1988: 264 **#94**
sibirica shavrovi Danilevsky, 2001b: 3 [“Minusinsk reg., N Askyz, Abakan”] **A**: ES
sibirica sibirica Plavilstshikov, 1915f: 347 (*Leptura*) [“Kuznetzkij Alatau: fl. Kondoma”] **A**: WS
  semenovi Plavilstshikov, 1936: 284 [Kondoma River]
simulatrix Holzschuh, 1975a: 83 **A**: TR
syriaca didemae Özdikmen, 2016a: 8 **A**: TR **#517**
syriaca nigroapicalis Holzschuh, 1981: 95 **A**: IN TR
syriaca syriaca Pic, 1901r: 90 **A**: AB AR IN LE SY TR
  aureopubens Pic, 1913b: 178
  korbi Pic, 1914b: 4 [DA]
takabensis Danilevsky, 2018b: 585 **A:** IN
tatianae Miroshnikov, 2011a: 53 **A:** AB (Ordubad env.)
tibialis tibialis Marseul, 1876: cii (*Judolia*) [“Sarepta”] **E**: ST (Volgograd env.
  pallidipes Pic, 1898g: 49 [“Russie M^les^”]
tibialis rossica Danilevsky, 2001b: 7 [“Kalach-Khoper”] **E**: UK CT ST **#648**
tibialis ruthena Plavilstshikov, 1936: 286 [Uralsk] **E**: ST KZ **A**: KZ
transcaspica lobanovi Kaziutshitz, 1988: 583 [Nakhichevan: Buzgov] **A**: AB AR IN TU
transcaspica persica Plavilstshikov, 1936: 291 **A**: IN ?AF **#316**
transcaspica transcaspica Plavilstshikov, 1936: 290 **A**: AB AR IN TM
turgaica Danilevsky, 2001b: 9 [Zharkol Lake near Arkalyk] **E:** WS(Orenburg) **A**: KZ **#140**
uniformis Holzschuh, 1975a: 79 **A**: TR
ussuriensis Tsherepanov, 1978a: 101 **A**: FE
vicina Pic, 1914b: 4 **A**: LE
villosa aktolagaica Miroshnikov, 2007: 214 **A**: KZ (Aktolagay Mts.) **#318**
villosa circassica Reitter, 1890d: 245 **E**: ST (NW Caucasus)
  obscuripes Reitter, 1890d: 245
villosa chuvilini Danilevsky, 2012b: 140 [Volgograd Region: Golubinskoe] **E:** ST
villosa kazakorum Danilevsky, 2014i: 167 [Rostov Region: Novocherkassk env.] **E:** ST
villosa krasnobaevi Danilevsky, 2010d: 58 [Lugansk Region] **E:** ST UK
villosa kuvandykensis Danilevsky, 2012b: 139 **E:** ST (Orenburg Region, Kuvandyk env.)
villosa magdeevi Danilevsky, 2011a: 42 [Zhiguli] **E:** CT
villosa major Miroshnikov, 2007: 211: **E**: CT (Bashkiria: Shulgan-Tash)
villosa mariae Danilevsky, 2010d: 59 **E:** ST (Black Sea Coast: Sukko)
villosa mikhailovi Danilevsky, 2001a: 8 **A**: WS (Chelyabinsk Region: Arkaim)
villosa miroshnikovi Danilevsky, 2010a: 43 **A**: GG (Bakuriani)

villosa nakhichevanica Miroshnikov, 2007: 213: **A**: AB (Ordubad env.)
villosa parfentjevi Miroshnikov, 2007: 215 [Simferopol] **E**: UK (Crimea: Simferopol; Kerch env.: Chokrak Lake) **#318**
villosa villosa Heyden, 1876a: 318 **E**: AU BH BU CR CZ HU MC MD RO SB SK UK
frivaldszkyi Kraatz, 1876b: 344 (*Grammoptera*)
nigrita Heyden, 1876a: 318 [DA]
umbriventris Roubal, 1931b: 131
villosa zhuravlevi Miroshnikov, 2007: 214 **E**: ST (Orenburg env.) **A**: KZ (NW Kazakhstan: Rozhkovo, Uralsk) **#318**
wewalkai Holzschuh, 1995: 9 **A**: TR
wittmeri akshehirensis Danilevsky, 2015d: 1043 A: TR
wittmeri gevashensis Danilevsky, 2015d: 1046 A: TR
wittmeri malatyaensis Danilevsky, 2015d: 1045 A: TR
wittmeri sivasensis Danilevsky, 2015d: 1044 A: TR
wittmeri wittmeri Holzschuh, 1995: 9 **A**: TR [Niğde] **#94**

genus *Dinoptera* Mulsant, 1863: 494 type species *Leptura collaris* Linnaeus, 1758
anthracina Mannerheim, 1849: 246 (*Pachyta*) **A**: FE ES MG NC NE NMO ~~SE~~
chrysomelina Holzschuh, 2003a: 151 **A**: SHA
collaris Linnaeus, 1758: 398 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT KZ LA LT LU MC MD ME ~~NE~~ NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **A**: AB AR GG ES GAN IN KZ NE NMO SY TR WS
carneola Schrank, 1798: 696 (*Leptura*)
morio Fabricius, 1793: 349 (*Leptura*)
nigricollis Mulsant, 1839: 247 (*Pachyta*) **#792**
ruficollis DeGeer, 1775: 143 (*Leptura*)
sylvestris Geoffroy, 1785: 88 (*Stenocorus*)
concolor Heyden & Faust, 1888: 45 (*Acmaeops*) **A**: GG (Sukhumi) TR **#792**
lota Holzschuh, 1998: 8 **A**: GAN SHA **#225**
minuta criocerina Bates, 1873: 194 (*Acmaeops*) **A**: JA
japonica Pic, 1907c: 20 (*Acmaeops*)
minuta minuta Gebler, 1832: 69 (*Pachyta*) **A**: BEI ES FE GUX HEB HEI HEN JIL JIX LIA MG NC NIN NMO SC SHA SHN SHX ZHE

genus *Euracmaeops* Danilevsky, 2014i: 147 type species: *Leptura marginata* Fabricius, 1781 **#704**
subgenus *Euracmaeops* Danilevsky, 2014i: 147 type species: *Leptura marginata* Fabricius, 1781 **#704**
marginatus Fabricius, 1781: 247 (*Leptura*) **E**: AU BE BH BY CR CT CZ EN FI FR GE GR HU IT LA **?**LT ME NL NR NT PL ?SB SK SL SP ST SV SZ UK **A**: ES FE GAN KZ MG NMO TR WS **#535**
annulicornis Pic, 1933f: 4
bicoloripes Pic, 1933f: 4
spadiceus Schilsky, 1888: 189
septentrionis C. G. Thomson, 1866: 61 (*Pachyta*) **E**: AU BU ?BY CT CZ EN FI FR GE IT ?LA LS **?**LT NR NT PL RO SK SL ST SV SZ UK **A**: ES FE HEI JA JIL KZ LIA MG NC NMO SC SHA WS XIN **#104 #400 #526 #535 #752**
alpestris Pic, 1901f: 25
simplonicus Stierlin, 1880: 550 (*Leptura*)
subgenus *Pilosoacmaeops* Özdikmen, 2025h: 1985, 1986 type species *Pachyta angusticollis* Fabricius, 1781
angusticollis Gebler, 1833: 304 (*Pachyta*) **E**: BY CT NT PL **A**: ES FE JIL MG NC NMO WS XIN **#526**
amurensis Suvorov, 1915: 346
sachalinensis Tsherepanov, 1978a: 99
subbrachypterus Plavilstshikov, 1915c: 105
viridulus Matsumura, 1911: 134
smaragdulus Fabricius, 1793: 342 (*Leptura*) [NP] **E**: ~~BY~~ CT FI FR **?**LT NR NT PL SV ?SZ **A**: ES FE HEI JIL KZ LIA MG NC NMO SHA WS XIN **#63 #115 #525 #535 #752**
smaragdinus Naezen, 1792: 173 **[NO]** (*Leptura*)

genus *Gaurotina* Ganglbauer, 1889a: 49 type species *Gaurotina superba* Ganglbauer, 1889
drumonti Miroshnikov, 2024: 215 **A:** SC
flavimarginata Pu, 1992b: 591, 617 (*Gaurotes*) **A**: NIN SCH **#400**
labrangica Danilevsky & Rapuzzi, 1996: 10 **A**: GAN
nigroantenata L. Chen & Chiang, 2000: 31, 35 **A**: JIL TIA
nitida Gressitt, 1951a: 62 **A**: GAN NIN SHA **#400**
piligera Pu, 1992b: 591, 617 (*Gaurotes*) **A**: SCH
pulchra Holzschuh, 1991c: 8 **A**: SCH
sichotensis Danilevsky, 1988c: 372 **A**: FE KO **#517**
superba Ganglbauer, 1889a: 50 **A**: GAN JIL QIN SCH SHA YUN **#400**
syamatara J.-H. Chen 2025: 496 **A:** SCH

genus *Gnathacmaeops* Linsley & Chemsak, 1972: 135 type species *Leptura pratensis* Laicharting, 1784
brachypterus K. Daniel & J. Daniel, 1898a: 73 (*Acmaeops*) **A**: KI KZ XIN
pratensis Laicharting, 1784: 172 (*Leptura*) **E**: AL AN AU BH BU BY CR CT CZ EN FI FR GE HU IT KZ LA **?**LT MC MD ?ME NR

NT PL RO SB SK SL SP ST SV SZ UK **A**: AB AR ES FE GG KI KZ MG NC (Bujeongowon) NMO UZ WS XIN **NAR** **#63** **#535**

lateralis Estlund, 1796: 127 (*Leptura*)
obscuripennis Pic, 1901: 24 (*Acmaeops*)
spretus Lentz, 1857: 147 (*Pachyta*)
suturalis Mulsant, 1839: 246 (*Pachyta*)
strigilatus Fabricius, 1793: 341 (*Leptura*)
ustulatus Motschulsky, 1860**b**: 148 (*Pachyta*)

genus *Lemula* Bates, 1884a: 211 type species *Lemula decipiens* Bates, 1884a
subgenus *Lemula* Bates, 1884a: 211 type species *Lemula decipiens* Bates, 1884a
aequipilosa N. Ohbayashi & Chou, 2019: 459 **A**: TAI
brunneipennis Shimomura, 1979: 271 **A**: TAI
coerulea Gressitt, 1939b: 84 **A**: FUJ SHA ZHE **#225** **#526**
confusa Holzschuh, 2009a: 268 **A**: ANH FUJ HEN HUB ZHE **#436**
crucifera Shimomura, 1979: 274 **A**: TAI
cyanipennis Hayashi, 1974a: 3 **A**: TAI **#436**
longipennis Shimomura, 1979: 278 **#436**
decipiens Bates, 1884a: 212 **A**: JA **#517**
formosana aenea N. Ohbayashi & Chou, 2019: 474 **A**: TAI
formosana formosana N. Ohbayashi & Chou, 2019: 474 **A**: TAI
fracta Holzschuh, 1998: 7 **A**: CHQ SCH SHA **#436**
gorodinskii gorodinskii Holzschuh, 1999: 8 **A**: GAN SHA **#436**
gorodinskii henanica Holzschuh, 2009a: 269 **A**: HEN
holzschuhi N. Ohbayashi & Chou, 2019: 478 **A**: HEN HUB
japonica Tamanuki, 1938b: 166 (*Lemura*) **A**: JA **#436**
jinfoshana N. Ohbayashi & Chou, 2019: 467 **A**: CHQ
lata lata Holzschuh, 2009a: 270 **A**: HEN
lata zhejianga N. Ohbayashi & Chou, 2019: 485 **A**: ZHE
nishimurai Seki, 1944a: 25 **A**: JA
hiratai Hayashi, 1944: 23
nitidiuscula N. Ohbayashi & Chou, 2019: 460 **A**: TAI
par Holzschuh, 1998: 6 **A**: YUN
pilifera Holzschuh, 1991c: 8 **A**: SCH
rufithorax Pic, 1901m: 57 **A**: JA
setigera Mitono & Tamanuki, 1939: 207 **A**: TAI **#499**
shaanxiensis N. Ohbayashi & Chou, 2019: 482 **A**: GAN SHA
simillima N. Ohbayashi & Chou, 2019: 477 **A**: GUA GUI
testaceipennis Gressitt, 1939b: 85 **A**: FUJ GUA GUX ZHE TAI **#436**
densepunctata Hayashi, 1974a: 4 **#436**
inaequalicollis Pic, 1957: 75 **#436**
obscuripennis Shimomura, 1979: 276 **#436**
zhani N. Ohbayashi & Chou, 2019: 466 **A**: GUA
subgenus *Pseudolemula* N. Ohbayashi & Chou, 2019: 490 type species *Lemula viridipennis* Holzschuh, 1993
tichyi N. Ohbayashi & Chou, 2019: 466 **A**: HEN SCH
viridipennis Holzschuh, 1993a: 7 **A**: GAN

genus *Paragaurotes* Plavilstshikov, 1921b: 116 type species *Gaurotes ussuriensis* Blessig, 1873
doris doris Bates, 1884a: 212 (*Gaurotes*) **A**: JA ?NIN ?SHA **#400**
amagisana K. Ohbayashi, 1956a: 7
doris suvorovi Semenov, 1914: 17 (*Gaurotes*) **A**: FE (Sakhalin, Kurils) JA
fairmairei Aurivillius, 1912: 193 [RN] (*Gaurotes*) **A**: NIN SCH SHA **#400**
diversicollis Pic, 1939b: 1 (*Gaurotes*)
donacioides Fairmaire, 1889a: 59 [HN] (*Gaurotes*)
ussuriensis Blessig, 1873: 247 **A**: ES FE HEB HEI JIL LIA NC SC

genus *Pseudodinoptera* Pic, 1900n: 82 type species *Acmaeops daghestanicus* Pic, 1897
daghestanica Pic, 1897g: 262 (*Acmaeops*) **E**: ST (Dagestan)

genus *Pseudogaurotina* Plavilstshikov, 1958b: 722 type species *Gaurotes splendens* Jakovlev, 1893 **#704**
excellens Brancsik, 1874: 230 (*Pachyta*) **E**: PL RO SK UK
magnifica Plavilstshikov, 1958b: 720 (*Gaurotes*) **A**: FE
robertae Pesarini & Sabbadini, 1997: 99 **A**: SCH
splendens Jakovlev, 1893a: 444 (*Gaurotes*) **A**: ES **?**MG

tribe Caraphiini N. Ohbayashi, Lin & Yamasako, 2016

genus *Caraphia* Gahan, 1906a: 75 type species *Caraphia cribrata* Gahan, 1906
Neosalpinia Matsushita, 1933b: 303 type species *Neosalpinia lepturoides* Matsushita, 1933
Noctileptura Chemsak & Linsley, 1984: 281 type species *Noctileptura squamosa* Chemsak & Linsley, 1984 **#163**
ebenina Holzschuh, 1989: 361 **A**: GUX **ORR** **#163**
granulifera Holzschuh, 1984a: 141 **A**: NP
huai N. Ohbayashi & Lin, 2016: 195 **A**: GUA HAI
laticeps Pic, 1922c: 10 (*Microrhabdium*) **A**: YUN
lepturoides babai Makihara, 1982b: 127 **A**: JA (Ryukyus)
lepturoides lepturoides Matsushita, 1933b: 304 (*Neosalpinia*) **A**: JA
paulastoni N. Ohbayashi & Lin, 2016: 199 **A**: HKG
taiwana Chou & N. Ohbayashi, 2008: 136 **A**: HAI TAI **#163**
thailandica Hayashi & Villiers, 1987: 2 **A**: HAI YUN **ORR** **#163**

tribe Encyclopini LeConte, 1873

genus *Encyclops* Newman, 1838a: 392 type species *Encyclops pallipes* Newman, 1838 (= *Leptura caerulea* Say, 1827)
Microrhabdium Kraatz, 1879c: 99 type species *Microrhabdium macilentum* Kraatz, 1879
concinnus Holzschuh, 1991c: 7 **A**: SCH
gongshanus Viktora, 2022a: 476 **A**: YUN
hubeiensis N. Ohbayashi & W.-K. Wang, 2004: 454 **A**: HUB
luteoscelis Chou & N. Ohbayshi, 2010: 360 **A**: TAI
macilentus Kraatz, 1879c: 99 (*Microrhabdium*) **A**: CH FE ?NC SC **#63**
parallelus Pic, 1914e: 17 (*Microrhabdium*)
ussuricus Tsherepanov, 1975b: 42
obscurellus Holzschuh, 2015a: 42 **A**: YUN
olivaceus Bates, 1884a: 211 **A**: FE (Kunashir) JA
jozanensis Matsushita, 1933b: 169 (*Microrhabdium*)
viridipennis Makihara, 1978: 49 **A**: TAI

tribe Enoploderini Danilevsky, 1997 **#704**

genus *Enoploderes* Faldermann, 1837: 309 type species *Enoploderes sanguineus* Faldermann, 1837
subgenus *Enoploderes* Faldermann, 1837: 309 type species *Enoploderes sanguineus* Faldermann, 1837
Pyrotrichus LeConte, 1862: 41 type species *Pyrotrichus vitticollis* LeConte, 1862
Xylostylon Reitter, 1879b: 82 [1880: 484] type species *Xylostylon lederi* Reitter, 1879 (= *Enoploderes sanguineus* Faldermann, 1837)
breviantennatus Seunghyun Lee, 2023: 341 **A**: SC
sanguineus Faldermann, 1837: 310 **E**: AL ST UK **A**: AB AR GG IN TR **#767**
lederi Reitter, 1879b: 82 [1880: 484] (*Xylostylon*)
subgenus *Pyrenoploderes* Hayashi, 1960: 12 type species *Enoploderes bicolor* K. Ohbayashi, 1941
bicolor K. Ohbayashi, 1941a: 1 **A**: JA ?SC **#63** **#522**

tribe Evodinini Zamoroka, 2022

Evodinini Zamoroka, 2022b: 297, 301 (= Evodiniini Zamoroka, 2022b: 302, 303) **#704**

genus *Brachyta* Fairmaire, 1865: 185 type species *Leptura interrogationis* Linnaeus, 1758
subgenus *Brachyta* Fairmaire, **1865**: 185 type species *Leptura interrogationis* Linnaeus, 1758
amurensis Kraatz, 1879b: 69 (*Pachyta*) **A**: FE NC NE SC
bisbioculata Pic, 1910a: 18
inapicalis Pic, 1910a: 18
korbi Pic, 1910a: 18
semilunata Pic, 1910a: 18
danilevskyi danilevskyi Tshernyshev & Dubatolov, 2005: 49 **A**: FE (Sakhalin, Kunashir) JA
danilevskyi hanabusa Hirayama, 2018b: 28 [RN] **A**: JA
japonica Fujimura, 1956: 2 [HN] (*Evodinus*)
interrogationis duodecimmaculata Fabricius, 1781: 248 (*Leptura*) ["Sibiria"] **A**: KZ WS **#128** **#837**
interrogationis ebenina Mulsant, 1839: 240 (*Pachyta*) **E**: FR **#95**
bimaculata Mulsant, 1839: 240 (*Pachyta*)
curvilineata Mulsant, 1839: 239 (*Pachyta*)
dorensis Pic, 1933d: 2 (*Evodinus*) ["France: Monte-Dore"]
flavonotata Mulsant, 1839: 239 (*Pachyta*)
interrogationis eitschbergeri Danilevsky & Peks, 2015: 1085 **E**: GE CZ
interrogationis gabzdili Danilevsky & Peks, 2016: 178 **E**: PL SK ?UK
interrogationis interrogationis Linnaeus, 1758: 398 (*Leptura*) **E**: FI NR NT SV **#128**
interrogationis kraatzi Ganglbauer, 1889c: 468 **A:** FE HEI JIL NC NMO XIN **#1**
interrogationis lederi Lazarev, 2011: 861 **E:** ST (Dagestan)
interrogationis mannerheimii Motschulsky, 1860b: 148 (*Evodinus*) ["parties septentrionales de la Siberie"] **A**: ES MG **#1**
bioculata Kraatz, 1879b: 68 (*Pachyta*) ["Irkutsk"]

cruciata Kraatz, 1879b: 69 (*Pachyta*) ["Irkutsk"]
crucifera Kraatz, 1879b: 68 (*Pachyta*) ["Irkutsk"]
externereducta Pic, 1926d: 10 ["Sibérie"]
marginalis Motschulsky, 1875: 139 (*Pachyta*) ["Sibérie"]
mulsanti Pic, 1934f: 31 *(Evodinus)* [no locality] **#95**
multiguttata Pic, 1934f: 31 *(Evodinus)* [no locality] **#95**
obsidiana Motschulsky, 1875: 140 (*Pachyta*) ["les Alpes de la Mongolie"]
plavilstshikovi Pic, 1934f: 31 *(Evodinus)* [no locality] **#95**
prescutellaris Pic, 1934f: 31 *(Evodinus)* [no locality] **#95**
reducta Pic, 1926d: 10 ["Sibérie"]
suturalis Pic, 1926d: 10 ["Sibérie"]
interrogationis marginella Fabricius, 1793: 346 (*Leptura*) ["Italia"] **E**: AU GE FR IT LS LU SZ **#95**
immaculata Pic, 1934f: 28 (*Evodinus*) ["Suisse: Lac Chambex"]
mesmini Pic, 1933d: 2 (*Evodinus*) ["Sarna"]
milliati Pic, 1934f: 24 (*Evodinus*) ["Hautes Alpes: Monétier"]
modanensis Pic, 1933d: 2 (*Evodinus*) ["France: Modane"]
perroudi Pic, 1933d: 2 (*Evodinus*) ["Chamonix"]
subinterrupta Pic, 1934f: 24 (*Evodinus*) ["Briançon", "Monétier"]
interrogationis miroshnikovi Lazarev, 2011: 860 **E:** ST **A:** GG **#884**
interrogationis russica Herbst, 1784: 102 (*Leptura*) ["Ruβland"] **E**: ?BY CT EN KZ LA **?**LT MD NT ST UK **A**: KZ WS **#128** **#535** **#752**
altaiensis Pic, 1900n: 82
interrogationis shapsugorum Lazarev, 2011: 860 **E:** ST
interrogationis zubovi Lazarev, 2016a: 196 **E:** NT **A:** WS
punctata lazarevi Danilevsky, 2014i: 137 **A:** FE NC
punctata punctata Faldermann, 1833: 67 (*Pachyta*) **A**: ES MG NMO
quadrinotatus Pic, 1916b: 3 *Evodinus*)
reductemaculata Pic, 1915a: 41 (*Evodinus*)
sajanensis Pic, 1916b: 3 *Evodinus*)
sochondensis Tshernyshev & Dubatolov, 2005: 45
subunicolor Pic, 1916b: 3 *Evodinus*)
turanensis Pic, 1927e: 13
sachalinensis Matsumura, 1911: 135 **A**: FE JA JIL NC SC
subgenus *Fasciobrachyta* Danilevsky, 2014i: 113 type species: *Leptura bifasciata* Olivier, 1800
balcanica Hampe, 1871: 336 **E**: AL BU CR GR RO SB ?TR **A**: TR **#534**
alpina Vartanis, 2025a: 1679 **E**: GR (Thessaloniki) [unavailable name] **#849**
bifasciata bifasciata Olivier, 1795: 23 [HN] (*Leptura*) **A**: ES FE GAN HEB HEI JIL LIA MG NC NMO QIN SC SCH XIZ **#373** **#770**
daurica Gebler, 1817: 329 (*Leptura*)
quadripunctata Schoenherr, 1817a: 491 (*Leptura*)
reducta Pic, 1907a: 6 (*Evodinus*)
ussurica Pic, 1913b: 98
bifasciata japonica Matsushita, 1933a: 178 (*Evodinus*) **A**: JA **#890**
bifasciata plasoni Breit, 1915: 353 (*Evodinus*) **A**: ?ES ?FE HEB MG NMO **#1** **#400**
bifasciata thibetana Pic, 1907a: 5 (*Evodinus*); 1907d: 104 (*Evodinus*) ["Kuku-Nor"] **A**: QIN **#1**
bifasciata wanga Z. Wang, 2014: 122, 1123 **A**: NMO **#1**
bureschi Kantardjiewa-Minkowa, 1957: 542 (*Evodinus*) **A**: BU RO **#534**
caucasica caucasica Rost, 1892a: 309 [1892b: 81] **A**: GG ST
conjuncta Rost, 1893: 344
caucasica kubanica Miroshnikov, 1990a: 26 **E**: GG ST
delagrangei Pic, 1891h: 102 **A**: TR
petriccionei Rapuzzi, Bologna & Poloni, 2019: 96 **E**: IT
subgenus *Variobrachyta* Danilevsky, 2014i: 117 type species: *Leptura variabilis* Gebler, 1817
borni Ganglbauer, 1903: 151 (*Evodinus*) **E**: FR (Alpes de Haute-Provence)
guerryi Pic, 1906h: 86 (*Evodinus*)
notatipennis Pic, 1906h: 86 (*Evodinus*)
rosti alexeevi Lazarev, 2010b: 193 **E:** ST
rosti baksaniense Lazarev, 2010b: 193 **E:** ST
rosti rosti Pic, 1900n: 82 **E**: ST **A:** GG
brevinotata Pic, 1901e: 16
caucasicola Plavilstshikov, 1936: 197 (*Evodinus*)
variabilis aberrans Villiers, 1960a: 6 *(Evodinus)* **A**: FE NC NE **#316**
variabilis basarukini Danilevsky, 2014i: 124 **A**: FE (Sakhalin)
variabilis chukotensis Danilevsky, 2014i: 123 **A**: FE
variabilis dongbeiensis Z. Wang, 2003: 127, 398 (*Evodinus*) **A**: HEI **#131**
variabilis ivlievi Danilevsky, 2014i: 123 **A**: FE
variabilis kurayensis Danilevsky, 2014i: 128 **A**: WS
variabilis phlaesa Z. Wang, 2003: 127, 398 (*Evodinus*) **A**: HEI

variabilis scapularis Mannerheim, 1849: 245 (*Pachyta*) **A**: ES FE MG NE NMO
cincta Villiers, 1960a: 6 (*Evodinus*)
comosa Solsky, 1871a: 400 (*Pachyta*)
heyrovskyi Pic, 1926d: 10
instriolata Pic, 1912c: 2 (*Evodinus*)
intermedia Pic, 1916b: 3 (*Evodinus*)
multisignata Pic, 1915a: 41 (*Evodinus*)
mutabilis Motschulsky, 1859a: 571 (*Pachyta*) [1859a: 233 (*Pachyta*)]
obscuripennis Pic, 1900c: 6 (*Evodinus*)
pici Villiers, 1960a: 6 (*Evodinus*)
preapicalis Pic, 1902c: 8
prescutellaris Pic, 1902c: 8
reductesignatus Pic, 1915a: 41 (*Evodinus*)
semifulva Pic, 1900n: 82
sinuatosignata Pic, 1915e: 4 (*Evodinus*)
solskyi Kraatz, 1879b: 71 (*Pachyta*)
subfasciata Pic, 1926d: 10
subjuncta Pic, 1926d: 10
sublineata Pic, 1916b: 3 (*Evodinus*)
variabilis shapovalovi Lazarev, 2014a: 273 **A**: KZ
variabilis sinuatolineata Pic, 1915a: 41 (*Evodinus*) **A**: ES MG **#1**
breiti Tippmann, 1946: 126 [= 1951: 304] (*Evodinus*)
discobilineata Pic, 1928c: 2
variabilis striatiformis Plavilstshikov, 1936: 196 (*Evodinus*) **A**: MG **#1**
variabilis striolata Gebler, 1817: 330 (*Leptura*) **A**: ES **#1**
brevelineata Pic, 1926d: 10
eurinensis Tsherepanov, 1978a: 97 (*Evodinus*)
variabilis testaceimembris Pic, 1916b: 2 (*Evodinus*) **A**: FE **#316**
rufimembris Pic, 1926d: 13
variabilis tungusensis Danilevsky, 2014i: 121 **A**: ES
variabilis tuvensis Danilevsky, 2014i: 127 **A**: ES ?MG ?NMO WS
variabilis variabilis Gebler, 1817: 320 (*Leptura*) **E**: CT NT **A**: ES KZ WS ?XIN **#400**
constricta Germar, 1824: 520 (*Leptura*) **#506**
variabilis yakutensis Danilevsky, 2014i: 122 **A**: ES

genus *Evodinellus* Plavilstshikov, 1915g: 355 type species *Leptura borealis* Gyllenhal, 1827
subgenus *Brachytodes* Planet, 1924: 96 type species *Rhagium clathratum* Fabricius, 1793 **#758**
clathratus Fabricius, 1793: 306 (*Rhagium*) **E**: AU BH BU CR CZ FR GE HU IT LS MC MD PL RO SK SL SZ UK
atromultiplicatus Pic, 1945b: 5
atroreductus Pic, 1915a: 41
brunnipes Mulsant, 1839: 238
diversesignatus Pic, 1945b: 5
flecki Schmidt, 1958: 77
gallicus Pic, 1945b: 5
holobrunneus Schmidt, 1958: 77
leprieuri Pic, 1945b: 5
morginsius Pic, 1945b: 5
nigerrimus Schmidt, 1958: 74
nigrescens Gredler, 1873: 74 (*Pachyta*)
nigritus Pic, 1891b: 6 (*Brachyta*)
obscuratus Schmidt, 1958: 73
pedemontanus K. Daniel & J. Daniel, 1898b: 87 (*Brachyta*)
reticulatus Fabricius, 1794: 453 (*Leptura*)
semicinctus Drapiez, 1819a: 52 (*Leptura*)
signatus Panzer, 1793a: 13 (*Leptura*)
tricoloratus Schmidt, 1958: 77
vesubiensis Pic, 1945b: 5
subgenus *Evodinellus* Plavilstshikov, 1915g: 355 type species *Leptura borealis* Gyllenhal, 1827 **#758**
borealis Gyllenhal, 1827: 36 (*Leptura*) **E**: BY CT EN FI LA LT NR NT PL SK SV UK **A**: ES FE JA MG NC NE NMO SC WS **#861**
brunneonotatus Pic, 1901b: 11 (*Brachyta*)
grisescens Pic, 1889b: 78 (*Pidonia*)
interruptelunatus Schmidt, 1951: 11
lateobscurus Pic, 1901b: 11 (*Brachyta*)
obscurissimus Pic, 1904a: 3
pallescens Fujimura, 1956: 2
petrovi Danilevsky, 2023b: 465 (*Pidonia*) #723
pictus Mäklin, 1845: 549 (*Pachyta*)
schrammi Pic, 1945b: 6
separatus Pic, 1945b: 6

tribe Lepturini Latreille, 1802 #704

genus *Acanthoptura* Fairmaire, 1894a: 224 type species *Acanthoptura spinipennis* Fairmaire, 1894
denticollis Holzschuh, 1993a: 17 **A**: SCH
impressicollis Pic, 1920f: 117 (*Leptura*) **A**: SCH YUN
sericeicollis Holzschuh, 1993a: 18 **A**: SCH
simplicicollis Holzschuh, 1993a: 16 **A**: SCH
spinipennis Fairmaire, 1894a: 224 **A**: SCH XIZ
truncatipennis Holzschuh, 1993a: 16 **A**: YUN

genus *Alosterna* Mulsant, 1863: 576 type species *Leptura tabacicolor* DeGeer, 1775
Allosterna Stierlin, 1898: 479 [unjustified emendation]
anatolica Adlbauer, 1992: 490 **A**: TR
barimanii Danilevsky, 2010f: 3 **A:** IN
chalybeella Bates, 1884a: 216 (*Grammoptera*) **A**: FE (Sakhalin, Kunashir) JA
japonica Pic, 1935d: 11 (*Grammoptera*)
diversipes Pic, 1929b: 9 (*Grammoptera*) **A**: FE HEI JIL NC SC
perpera Danilevsky, 1988c: 367
ingrica Baeckmann, 1902: 280 (*Grammoptera*) **E**: BY CT EN LA LT NT PL SK ST UK WS #517
libani Márkus & Németh, 2016: 24 **A**: LE
pauli Pesarini, Rapuzzi & Sabbadini, 2004: 158 **E**: GR
scapularis Heyden, 1879a: 325 [1879b: 69] (*Strangalia*) **A**: AB IN TM TR
talyschensis Reitter, 1885: 391
tabacicolor azerbaijanica Danilevsky, 2014i: 386 **A:** AB
tabacicolor erythropus Gebler, 1841b: 612 (*Leptura*) **A**: ES FE ~~JA~~ KZ MG NE WS #276
bivittis Motschulsky, 1860b: 146 (*Grammoptera*)
plavilstshikovi Podaný, 1963b: 49
testacea Motschulsky, 1860b: 146 (*Grammoptera*)
tabacicolor hirayamai Fujita, 2018: 21 **A**: JA (Central Honshu)
tabacicolor kompantsevi Danilevsky, 2025b: 239 **A**: FE(Kunashir) JA(Hokkaido, Rishiri Is., Honshu (Aomori Pref.)
tabacicolor sakhalinensis Danilevsky, 2012m: 904 **A**: FE(North and Central Sakhalin)
sachalinensis, Danilevsky, 2014i [wrong spelling]: 13, 237, 441, 494
tabacicolor subvittata Reitter, 1885: 391 **E**: ST **A**: AB AR GG IN TR
caucasica Plavilstshikov, 1936: 305
tabacicolor tabacicolor DeGeer, 1775: 139 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MC MD ME ~~NE~~ NL NR NT PL RO SB SK SL SP ST SV SZ TR UK **A**: KZ TR WS
bicoloripes Pic, 1914e: 65 (*Allosterna*)
chrysomeloides Schrank, 1781a: 158 (*Leptura*)
dispar Pic, 1892i: 140
genii Gmelin, 1790: 1877 (*Leptura*)
laevis Fabricius, 1793: 340 (*Leptura*)
solstitialis Herbst, 1784: 103 (*Leptura*)
tabacicolor tenebris Danilevsky, 2012m: 904 **A**: FE ?NC NE SC
tabacicolor toyohara Danilevsky, 2025b: 240 **A**: FE (south Sakhalin)
tabacicolor tokatensis Pic, 1901n: 59 **A:** TR

genus *Anastrangalia* Casey, 1924: 280 type species *Leptura sanguinea* LeConte, 1859
Marthaleptura K. Ohbayashi, 1963: 9 type species *Leptura scotodes* Bates, 1873
dissimilis dissimilis Fairmaire, 1900: 639 (*Leptura*) **A**: FUJ HUN QIN SCH SHA YUN #400
dissimilis niitakana Kano, 1933a: 264 (*Leptura*) **A**: TAI #526
hirayamai Matsushita & Tamanuki, 1943: 80 (*Leptura*) ("Inokashira bei Tokyo" - wrong locality) #526
dubia dubia Scopoli, 1763: 47 (*Leptura*) **E**: AL AN AU BH BU ~~?BY~~ CR CZ FR GE GR HU IT LS ~~LT~~ LU MC ME PL RO SB SK SL SP SZ UK **N**: AG **A**: TR #752
basinotata Pic, 1932d: 31 (*Leptura*)
birubronotata Pic, 1941b: 1 (*Leptura*)
chamomillae Fabricius, 1802: 359 (*Leptura*)
cincta Fabricius, 1802: 356 (*Leptura*)
curierensis Pic, 1945b: 6 (*Leptura*)
graeca Pic, 1932d: 31 (*Leptura*)
limbata Laicharting, 1784: 166 (*Leptura*)
luctuosa Mulsant, 1839: 278 (*Leptura*)
notata Olivier, 1800: 11 (*Leptura*) #373
planeti Pic, 1945b: 5 (*Leptura*)
dubia moreana Pic, 1906h: 96 (*Leptura*) **E**: GR (Peloponnese)
atrovittata Pic, 1941b: 1 (*Leptura*)
~~*birubrosignata* Pic, 1941b: 1 (*Leptura*)~~
inbasalis Pic, 1917g: 4 (*Leptura*)
dubia melanota Faldermann, 1837: 315 (*Leptura*) **E**: ST **A**: AB AR GG IN TR
dereensis Pic, 1932d: 31 (*Leptura*)

distincta Tournier, 1872: 347 (*Leptura*)
circascutellaris Pic, 1945b: 6 (*Leptura*)
~~*curierensis* Pic, 1945b: 6 (*Leptura*)~~
curtelineata Pic, 1941e: 5 (*Leptura*)
ratchaensis Pic, 1911: 4 (*Leptura*)
starcki Schilsky, 1892: 205 (*Leptura*)
triangulifera Reitter, 1898d: 195 (*Leptura*)
kasaharai Makihara, 2002: 339 **A**: JA (Ryukyus)
montana montana Mulsant & Rey, 1863: 179 (*Leptura*) **E**: GR (Samos) **A**: CY LE SY TR **#591**
bogasana Pic, 1932d: 31 (*Leptura*)
claudiusi Pic, 1941b: 1 (*Leptura*)
juliae Pic, 1941b: 1 (*Leptura*)
leuthneri Ganglbauer, 1886c: 516 (*Leptura*)
mulsanti Pic, 1941b: 1 (*Leptura*)
nigerrima Pic, 1892v: 415 (*Leptura*)
pernigra Reitter, 1898d: 193 (*Leptura*)
semisanguinea Reitter, 1898d: 193 (*Leptura*)
victoris Pic, 1941b: 1 (*Leptura*)
montana steineri Sama, 1994a: 10 **E**: GR (Crete)
renardi Gebler, 1848: 420 (*Leptura*) **E**: NT **A**: ES FE KZ MG NC (Deoknip) NMO WS XIN **#63**
mongolica Pic, 1922d: 18 (*Leptura*)
reyi Heyden, 1889a: 203 [RN] (*Leptura*) **E**: AU BY CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SK SL SP ST SV SZ UK **A**: KZ WS **#752**
inexspectata Jansson & Sjöberg, 1928: 212 (*Leptura*)
ochracea Rey, 1885b: 277 [HN] (*Leptura*)
rubriola Bates, 1878b: 720 (*Leptura*) **A**: AF FUJ KA NP PA **ORR**
kashmirica Plavilstshikov, 1927b: 105
sanguinolenta Linnaeus, 1760: 196 (*Leptura*) **E**: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK **A**: AB AR GG KZ TR WS i**NTR** **#400**
bonaeriensis Burmeister, 1865: 177 (*Leptura*) [Argentina]
ignita Geoffroy, 1785: 89 (*Stenocorus*)
~~*melanura* Ström, 1765: 394 [HN] (*Leptura*)~~ **#568**
sandoeensis Palm, 1953: 124 (*Leptura*)
variabilis DeGeer, 1775: 137 (*Leptura*)
scotodes continentalis Plavilstshikov, 1936: 371 (*Leptura*) **A**: FE NC NE SC SCH SHA **#400**
scotodes scotodes Bates, 1873: 194 (*Leptura*) **A**: FE JA
kongoensis Matsushita, 1933b: 201 (*Leptura*)
rufonotata Pic, 1953a: 14 (*Leptura*)
sequensi Reitter, 1898d: 194 (*Leptura*) **A**: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN
baikalensis Pic, 1907a: 6 (*Leptura*)
baicalica Pic, 1911a: 4 (*Leptura*)
diversenotata Pic, 1907a: 6 (*Leptura*)
pulchrina Reitter, 1898d: 194 (*Leptura*)
rufopaca Reitter, 1898d: 194 (*Leptura*)
sachalinensis Matsushita, 1933a: 104 (*Leptura*)
tristina Reitter, 1898d: 194 (*Leptura*)

genus *Anoplodera* Mulsant, 1839: 285 type species *Leptura sexguttata* Fabricius, 1775
subgenus *Anoplodera* Mulsant, 1839: 285 type species *Leptura sexguttata* Fabricius, 1775
atramentaria Ganglbauer, 1889a: 59 (*Leptura*) **A**: GAN NMO
corvina Holzschuh, 1993a: 11 **A**: GAN
fokienensis Pic, 1922a: 7 (*Leptura*) **A**: FUJ
kingana Pic, 1903e: 105 (*Leptura*) **A**: SCH
septemnotata Pic, 1928e: 143 (*Leptura*)
sexnotatipennis Pic, 1928e: 143 (*Leptura*)
peregrina Holzschuh, 1993a: 12 **A**: GAN
porphyrophora Fairmaire, 1889a: 64 (*Leptura*) **A**: SCH
przewalskii Miroshnikov, 2000c: 186 **A**: NMO
rufihumeralis Tamanuki, 1938b: 167 (*Leptura*) **A**: CH FE NC **#400**
rufipes astrabadensis Pic, 1900n: 82 **A**: AB IN **#142**
rufipes izzilloi Sama, 1999a: 45 **E**: IT (Basilicata)
rufipes krueperi Ganglbauer, 1882: 707 (*Leptura*) **E**: GR **#142**
rufipes lucidipes Sama, 1999a: 46 **A**: TR
rufipes rufipes Schaller, 1783: 296 [HN] (*Leptura*) **E**: AL AU BH BU ?BY CR CZ ?EN FR GE GB GR HU IT LA LT LU MC MD ME ?NT PL RO SB SK SL SP SV SZ UK **#11** **#64** **#142** **#752**
atra Fabricius, 1775: 197 (*Leptura*) [NO] **#142**
bursensis Jureček, 1931: 124 (*Leptura*)
fuscipes Mulsant, 1839: 287
villosa Schoenherr, 1817a: 486 (*Leptura*)

rufipes ventralis Heyden, 1886a: 85 [RN] **E**: BY CT KZ ST UK **A**: AB AR GG ES KZ TR WS **#142**
medea Pic, 1909: 99 (*Leptura*)
rufiventris Tournier, 1872: 348 [HN] (*Leptura*)
sergeii Miroshnikov, 2000c: 188 **A**: SCH
shamaevi Miroshnikov, 2000c: 188 **A**: QIN
sexguttata Fabricius, 1775: 198 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC MD NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N**: AG **A**: GG TR WS **#11** **#133**
atrata Schilsky, 1889: 339
biguttata Mulsant, 1839: 285
exclamationis Fabricius, 1793: 343 (*Leptura*)
guttata Pic, 1898a: 4
punctomaculata Marsham, 1802: 357 (*Leptura*)
pyrenaica Pic, 1917a: 5 (*Leptura*)
semicolon Schrank, 1798: 694 (*Leptura*)
vastatorum Pic, 1917a: 5 (*Leptura*)
uddmanniana Harrer, 1784: 225 (*Leptura*)
subgenus *Falsojudolia* Pic, 1935c: 11 type species *Judolia lunatipennis* Pic, 1935
lunatipennis Pic, 1935c: 11 (*Judolia*) **A**: GAN

genus *Anoploderomorpha* Pic, 1901m: 59 type species *Leptura excavata* Bates, 1884a **#526** **#302**
carbonaria Holzschuh, 1993a: 13 **A**: SHA
cyanea Gebler, 1832: 70 (*Leptura*) **A**: ES FE HEB HEI HUB JA JIL MG NC NMO SC
densepunctata Hayashi & Villiers, 1994: 60 **A**: TAI
diplosa Holzschuh, 2003a: 161 **A**: YUN
excavata Bates, 1884a: 217 (*Leptura*) **A**: ?ZHE JA **#400**
formosana Matsushita, 1933b: 198 (*Leptura*) **A**: HAI TAI
izumii Mitono & Tamanuki, 1939: 209 (*Leptura*) **A**: FUJ GUA TAI YUN ZHE **#400** **#499**
monticola Nakane, 1955: 11 **A**: JA
kishii Nakane, 1955: 12
rubripennis Pic, 1927f: 8 (*Leptura*) **A:** FUJ GUA **ORR** **#400**
granata Holzschuh, 1989b: 366 **#404**
sepulchralis Fairmaire, 1889a: 63 (*Leptura*) **A**: FUJ SCH **ORR**
tenebraria Holzschuh, 1995: 10 **A**: YUN
villigera Holzschuh, 1991c: 17 **A**: YUN **ORR**

genus *Carlandrea* Sama & Rapuzzi, 1999: 467 type species *Strangalia syriaca* Pic, 1891
syriaca Pic, 1891a: 1 (*Strangalia*) **A**: TR

genus *Corennys* Bates, 1884a: 224 type species *Corennys sericata* Bates, 1884a
Pseudocorennys Pic, 1953d: 41 type species *Pyrocalymma diversicornis* Pic, 1946 (= *Pyrocalymma conspicua* Gahan, 1906
caduca Holzschuh, 1998: 28 **A**: HUB
cardinalis Fairmaire, 1887a: 131 (*Ephies*) **A**: YUN
circellaris Holzschuh, 1992b: 12 **A**: SCH
conspicua Gahan, 1906a: 89 (*Pyrocalymma*) **A**: BT HAI HEB SCH SHA XIZ YUN **ORR**
diversicornis Pic, 1946c: 17 (*Pyrocalymma*)
sanguinea Kano, 1933a: 271 **A**: HAI TAI
sensitiva Holzschuh, 1998: 29 **A**: YUN
sericata Bates, 1884a: 225 **A**: HEB FE (Kunashir) JA NE SC (Mt. Myeongjisan) **#212**
taiwana Hayashi, 1963d: 130 **A**: TAI

genus *Cornumutila* Letzner, 1844: 173 type species *Leptura lineata* Letzner, 1844
Letzneria Kraatz, 1879a: 63 type species *Leptura lineata* Letzner, 1844
lineata Letzner, 1844: 173 (*Leptura*) **E**: AU CZ FR IT NT PL RO SK SZ UK **A**: ES WS
weisi Heyden, 1892c: 389 (*Letzneria*)
quadrivittata Gebler, 1830: 193 (*Leptura*) **E**: ?CT **A**: ES FE NC (Mt. Duryusan) WS **#63** **#648**
semenovi Plavilstshikov, 1936: 313

genus *Dokhtouroffia* Ganglbauer, 1886a: 129 type species *Dokhtouroffia turkestanica* Ganglbauer, 1886 (= *Stenura nebulosa* Gebler, 1845)
Dochturovia Jakobson, 1924c: 238 [unjustified emendation]
Dokhturovia Semenov, 1926: 48 [unjustified emendation]
baeckmanni Jankowski, 1934: 109 [= 1935b: 181] (*Dochturovia*) **A**: KI UZ
nebulosa Gebler, 1845: 105 (*Stenura*) **A**: KI KZ ?MG ?SCH XIN ?XIZ
turkestanica Ganglbauer, 1886a: 129
vittata Pic, 1941b: 1 (*Doktouroffia*)

genus *Elacomia* Heller, 1916: 298 type species: *Elacomia collaris* Heller, 1916
Acantholeptura Gressitt, 1935h: 274 type species: *Acantholeptura glabropleura* Gressitt, 1935 (= *Leptura femorata* Pascoe, 1869)

michioi Tippmann, 1955: 95 (*Strangalia*) **A**: FUJ **#405**
semiannulata Pic, 1916d: 5 (*Leptura*) **A**: GUX SCH YUN **ORR** **#403** **#526**
clytoides Pesarini & Sabbadini, 2015: 34 **#526**

genus *Emeileptura* Holzschuh, 1991c: 22 type species *Emeileptura conspecta* Holzschuh, 1991
bicuspis N.Ohbayashi, Tichý & Bi, 2018: 32 **A**: YUN
conspecta conspecta Holzschuh, 1991c: 22 **A**: SCH
conspecta fanjingshana N. Ohbayashi, Tichý et Bi, 2018: 32 **A**: GUI
conspecta leishanica N. Ohbayashi, Tichý et Bi, 2018: 32 **A**: GUI
conspecta nagahatai N. Ohbayashi, Tichý et Bi, 2018: 30 **A**: SCH

genus *Ephies* Pascoe, 1866d: 506 type species *Ephies cruentus* Pascoe, 1866
apicalis Kano, 1933a: 270 **A**: TAI
coccineus Gahan, 1906a: 87 **A**: BT FUJ GUX HAI YUN **ORR** **#400** **#526**
gahani Gressitt, 1940b: 31 **A**: HAI
japonicus japonicus Nakane & K. Ohbayashi, 1961: 6 **A**: JA
japonicus okinawanus Hayashi, 1968a: 21 **A**: JA (Ryukyus)
schwarzeri Hayashi, 1968a: 22 **A**: TAI
sulcipennis Bates, 1891a: 22 **A**: HP (Kulu)
thailandensis Hayashi, 1989: 24 **A**: YUN **ORR**

genus *Etorofus* Matsushita, 1933a: 204 type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)
subgenus *Etorofus* Matsushita, 1933b: 204 type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)
nemurensis Matsushita, 1933a: 205 **A**: FE JA
circaocularis Pic, 1934c: 18 (*Strangalia*)
niger Matsushita, 1933a: 205
variicornis Matsushita, 1933a: 205 [HN]
pubescens minetti Vartanis, 2025b: 289 **E**: FR
pubescens pubescens Fabricius, 1787: 158 (*Leptura*) **E**: AL AU BH BU BY CR CT CZ DE EN FI ~~FR~~ GE GR IT KZ LA LT MC ME NR NT PL RO SB SK SL SP ST SV SZ UK **A**: ?GG TR **#481**
anticemaculata Pic, 1933h: 5 (*Strangalia*)
carinthiaca Pic, 1933h: 16
holosericea Fabricius, 1802: 358 (*Leptura*)
obscura Thunberg, 1787: 56 (*Leptura*)
ottoi Pic, 1907a: 6 (*Leptura*)
perobscura Reitter, 1901a: 77 (*Strangalia*)
subgenus *Nakanea* K. Ohbayashi, 1963: 9 type species *Leptura vicaria* Bates, 1884a
vicarius Bates, 1884a: 218 (*Leptura*) **A**: FE JA
adumbratus Bates, 1884: 220 (*Leptura*)
biluteomaculatus Pic, 1943c: 1 (*Strangalia*)
lajoyei Pic, 1943c: 1 (*Strangalia*)

genus *Eustrangalis* Bates, 1884a: 221 type species *Eustrangalis distenioides* Bates, 1884a
subgenus *Eustrangalis* Bates, 1884a: 221 type species *Eustrangalis distenioides* Bates, 1884a
anticereducta Hayashi, 1958b: 46 **A**: JA
distenioides Bates, 1884a: 222 **A**: FE (Kunashir) JA
fuscisuturalis Wang Y., Xie G. [Xie G.-L.] & Wang W.-K. [Wenkai], 2024: 561 **A**: HUB SHA
latericollis W.-K. Wang & Jiang, 1994: 193 **A**: ?HUB SHA **#114**
subgenus *Metalleustrangalis* Ohbayashi & Lin, 2023: 112 type species *Stenura aeneipennis* Fairmaire, 1889
aeneipennis aeneipennis Fairmaire, 1889a: 63 (*Stenura*) **A**: HUB SCH SHA **#776**
aeneipennis notaticollis Pic, 1927f: 8 **A**: YUN **ORR**
viridipennis choui Ohbayashi & Lin, 2023: 116 **A**: GUX
viridipennis viridipennis Gressitt, 1935f: 380 **A**: TAI **#526**

genus *Formosopyrrhona* Hayashi, 1957a: 37 type species *Corennys cinnabarina* Gressitt, 1951 (= *Pyrocalymma hozanensis* Matsushita, 1933)
hozanensis Matsushita, 1933a: 231 (*Pyrocalymma*) **A**: ?HAI TAI **#400**
cinnabarina Gressitt, 1951a: 122 (*Corennys*)
longula Holzschuh, 1999: 20 **A**: HUB
satoi Hayashi, 1957b: 45 (*Pyrocalymma*) **A**: JA (Ryukyus)
semilaeticolor Hayashi, 1974a: 13 **A**: TAI

genus *Gahanaspia* N. Ohbayashi, 2014: 17 type species *Leptura miniacea* Gahan, 1906
miniacea Gahan, 1906a: 82 (*Leptura*) **A**: GUX NP **ORR** **#27**

genus *Gnathostrangalia* Hayashi & Villiers, 1985: 13 type species *Strangalia aurivillei* Pic, 1903

Pygostrangalia Pic, 1957: 76 [HN] type species *Strangalina invittaticollis* Pic, 1957 (= *Strangalia kwangtungensis* Gressitt, 1939b) **#526**
aurivillei Pic, 1903c: 29 (*Strangalia*) **A**: GUX HAI **ORR** **#169**
testaceipes Pic, 1943c: 1 (*Strangalia*)
valeria Pic, 1930b: 14 (*Parastrangalia*)
bilineatithorax Pic, 1922b: 22 (*Leptura*) **A**: FUJ GUX HUN **ORR** **#169** **#526**
nigriventralis Chiang & W.-K. Wang, 1993: 55
tonkinea Murzin, 1988: 162 (*Strangalia*)
brevioripennis Pic, 1955a: 10 (*Strangalia*) **A: ?** **#526**
castaneonigra Gressitt, 1935g: 567 (*Leptura*) **A**: FUJ GUA HUN ZHE **#526**
elliptica L. Chen & Chiang, 1996: 188, 191 **A**: GUX
kurodai Hayashi, 1976: 5 (*Pygostrangalia*) **A**: TAI **#526**
kwangtungensis Gressitt, 1939b: 9 (*Strangalia*) **A**: FUJ GUA GUI HAI HUN JIX **#400** **#526**
invittaticollis Pic, 1957: 76 (*Strangalina*)
rufovittata Pic, 1922c: 10 (*Strangalia*) **A**: GUX **ORR** **#169**
silvestrii Tippmann, 1955: 99 (*Strangalia*) **A**: FUJ HUB ZHE **#114** **#526**
simianshana Chiang & L. Chen, 1993: 54 **A**: CHQ ?SCH **#169**
tienmushana Gressitt, 1939b: 93 (*Strangalia*) **A**: GUI ZHE **#400** **#526**

genus *Gramera* Holzschuh, 2017d: 64 type species *Gramera amoena* Holzschuh, 2017d
amoena Holzschuh, 2017d: 66 **A:** AP

genus *Grammoptera* Dejean, 1835: 356 type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)
subgenus *Grammoptera* Dejean, 1835: 356 type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)
Fallaciomorpha Pic, 1900f: 37 type species *Grammoptera angustata* Pic, 1892
abdominalis Stephens, 1831: 262 (*Leptura*) **E**: AL AU BE BH BU BY CR CT(Kaliningrad) CZ DE FR GB GE GR HU IR IT LT LU MC NL PL PT RO SK SL SP ST SV SZ TR UK **A**: AB AR GG IN TR **#461**
analis Herrich-Schäffer, 1833: Heft 118 (6) (*Leptura*)
nigrescens Weise, 1884: 424
variegata Germar, 1824: 522 [HN] (*Leptura*) **#506**
andrei Holzschuh, 1999: 10 **A**: QIN
angustata Pic, 1892j: 289 **N**: AG
bicoloricornis Pic, 1935d: 12
auricollis auricollis Mulsant & Rey, 1863: 183 **N**: AG
auricollis basicornis Pic, 1924c: 26 **E**: GR (Crete)
auricollis bipustulata Steiner, 1975: 22 **E**: GR
auricollis samai Sláma, 1997: 512 **N**: AG TU
baudii baudii Sama, 1985c: 97 **A**: CY
baudii pistacivora Sama, 1996b: 94 **A**: IS JO LE SY TR
coerulea Jureček, 1933: 128 **A**: FE ?NC SC **#63**
fulgidipennis Holzschuh, 1991c: 16 **A**: GAN
geniculata Kraatz, 1886: 234 ("Sierra Jaen in Andalusien") **E:** ?FR PT SP **#517**
gracilis Brancsik, 1914: 58 **A**: FE NC NE SC
semenovi Baeckmann, 1924: 231
grammopteroides Pic, 1892d: 44 [= 1892l: clxxxv] (*Leptura*) **A**: LE SY
matsudai Hayashi, 1974a: 8 **A**: TAI
merkli Frivaldszky, 1884: 4 **A**: TR
ruficornis flavipes Pic, 1892h: 139 **E**: IT (Sicilia) **#20**
ruficornis holomelina Donisthorpe, 1905: 182 **E:** GB
ruficornis obscuricornis Kraatz, 1886: 234 **A**: AB (Talysh) IN
ruficornis ruficornis Fabricius, 1781: 247 (*Leptura*) [NP] **E**: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MC MD ME NL NR PL PT RO SB SK SL SP ST SV SZ TR UK **A**: TR
clavipes Geoffroy, 1785: 87 (*Stenocorus*)
laevis Herbst, 1784: 103 (*Leptura*)
pallipes Stephens, 1831: 263 (*Leptura*) **#20**
parisina Thunberg, 1784: 16 (*Leptura*)
pumila Schaller, 1783: 299 (*Leptura*)
rufipes Goeze, 1777: 501 [NO] (*Leptura*)
semimetallica Pic, 1939b: 2 **A**: GAN
solai Rapuzzi & Sama, 2014a: 2 **A:** TR
ustulata tibialis Kraatz, 1886: 234 **A**: AB AR IN TR
ustulata ustulata Schaller, 1783: 298 (*Leptura*) **E**: AL AU BE BH BU ?BY CR CT CZ DE FR GB GE GR HU IR IT LA LU MC MD ME NL NR PL RO SB SK SL ?SP ST SV SZ TR UK **A**: TR **#752**
adusta Gmelin, 1790: 1872 (*Leptura*)
barrosi Pic, 1900c: 6
praeusta Fabricius, 1787: 159 (*Leptura*)
semirufescens Pic, 1947a: 4
splendida Herbst, 1784: 103 (*Leptura*)

viridipennis Pic, 1893c: 111 **E**: IT (Sicilia)
subgenus *Neoencyclops* Matsushita & Tamanuki, 1940: 3 type species *Grammoptera cyanea* Tamanuki, 1933
brezinai Holzschuh, 1998: 18 (*Neoencyclops*) **A**: GAN
cyanea Tamanuki, 1933: 73 **A**: FE NE NC (Ompo) **#400** **#526**
plavilstshikovi Heyrovský, 1965a: 101
debilipes Holzschuh, 1991c: 15 (*Neoencyclops*) **A**: SCH
elongata Pic, 1941b: 1 **A**: CH
lenis Holzschuh, 1999: 10 (*Neoencyclops*) **A**: SHA
paucula Holzschuh, 1999: 10 (*Neoencyclops*) **A**: SHA
querula Danilevsky, 1993e: 476 **A**: NC (Mt. Baekdusan)

genus *Gerdianus* Holzschuh, 2011: 270 [RN] type species *Gerdius gracilus* Holzschuh, 2009
Gerdius Holzschuh, 2009: 276 [HN] type species *Gerdius gracilus* Holzschuh, 2009
zhujianqingi Bi & N. Ohbayashi, 2019: 87 **A:** FUJ ZHE

genus *Houzhenzia* N. Ohbayashi & Lin, 2012: 17 type species *Houzhenzia cheni* N. Ohbayashi & Lin, 2012
cheni N. Ohbayashi & Lin, 2012: 18 **A:** FUJ SHA

genus *Huanshengia* Wang Ch.-B. & Liu, 2021: 5 type species *Huanshengia hainana* Wang Ch.-B. & Liu, 2021
hainana Wang Ch.-B. & Liu, 2021: 6 **A:** HAI

genus *Idiostrangalia* Nakane & K. Ohbayashi, 1957: 49 (A243) type species *Strangalia contracta* Bates, 1884a
akiyamai Hayashi, 1978a: 86 **A**: TAI
albopreterminalis Hayashi & Villiers, 1989: 2 **A**: TAI
angustissima Gressitt, 1935d: 261 (*Strangalina*) **A**: TAI
atrocincta Pic, 1928b: 17 (*Strangalina*) **A**: SE SW **ORR**
auricoma Holzschuh, 2007: 197 **A**: YUN **ORR**
bilineaticollis Pic, 1915c: 12 (*Strangalina*) **A**: NP XIZ **#390** **#526**
quadrisignata Hayashi & Makihara, 1981: 187
contracta Bates, 1884a: 223 (*Strangalia*) **A**: JA JIX
lineatocollis Gressitt, 1937b: 319 (*Strangalina*)
mediolineata Pic, 1954: 13 (*Strangalia*)
ohbayashii Matsushita, 1933b: 220 (*Strangalia*)
tamanukii Hayashi, 1959b: 61 (*Pygostrangalia*)
fukienensis Pic, 1957: 77 (*Strangalina*) **A**: FUJ
fukiensis Tippmann, 1955: 98 (*Strangalia*) **A:** ANH FUJ
hakonensis Matsushita, 1933b: 218 (*Strangalia*) **A**: JA
maruokai Hayashi, 1963a: 52 (*Pygostrangalia*) **A**: JA (Ryukyus)
nigrobaltea Holzschuh, 2016a: 76 **A**: YUN
rarasanensis Mitono, 1938: 19 (*Strangalia*) **A**: TAI
shimomurai N. Ohbayashi & Takahashi, 1985: 89 **A**: JA
sozanensis Mitono, 1938: 17 (*Strangalia*) **A**: FUJ GUA GUX HUN JIX TAI ZHE
~~*lineatocollis* Gressitt, 1937b: 319 (*Strangalina*)~~
simillima Hayashi & Villiers, 1989: 1 **#135**
vittatipennis Pic, 1914d: 16 (*Strangalia*) **A**: TAI
marginalis Kano, 1933a: 269 (*Strangalia*)
suturalis Gressitt, 1935d: 262 (*Strangalina*)

genus *Ischnostrangalis* Ganglbauer, 1889a: 53 type species *Leptura semenowi* Ganglbauer, 1889 (= *Stenura stricticollis* Fairmaire, 1889)
antennalis Holzschuh, 1991c: 21 **A**: SCH
apicata Holzschuh, 1992b: 8 **A**: SCH
davidi Pic, 1934g: 83 (*Leptura*) **A**: SCH
fasciolata Holzschuh, 2011: 273 **A:** XIZ
frugalis annulicornis Holzschuh, 2011: 274 **A:** SCH
frugalis frugalis Holzschuh, 1991a: 7 **A**: SCH
manipurensis Gahan, 1906: 86 (*Leptura*) **A**: YUN **ORR**
ohbayashii Tichý & Lin, 2021: 3 **A**: YUN
rhododendri Holzschuh, 2011: 271 **A:** YUN
semenowi Ganglbauer, 1889a: 53 (*Leptura*) **A**: SCH YUN **#400**
stricticollis Fairmaire, 1889a: 62 (*Stenura*) **A**: SCH **#523**
tibetensis N. Ohbayashi & Lin, 2013: 48 **A:** XIZ
wenhsini N. Ohbayashi & Lin, 2013: 45 **A:** XIZ

genus *Japanostrangalia* Nakane & K. Ohbayashi, 1957: 50 (A244) type species *Leptura dentatipennis* Pic, 1901
argodi Théry, 1896: 109 (*Strangalia*) **A**: SHX ANH ZHE **#789**

basiplicata Fairmaire, 1889a: 60 (*Stenura*) **A**: HEN SHX GAN HUB JIX HUN FUJ GUA HAI GUX CHQ SCH GUI YUN **#789**
apicicornis Pic, 1916h: 313 (*Strangalia*) **#789**
elegans Tippmann, 1955: 94 (*Strangalia*)
plavilstshikoviana Heyrovský, 1934c: 171 (*Strangalia*) **#789**
savioi Pic, 1936d: 16 (*Leptura*) **#789**
clermonti Pic, 1927b: 26 (*Parastrangalis*) **A:** GUX **ORR** **#789**
dentatipennis Pic, 1901m: 60 (*Leptura*) **A**: JA
nigricornis Ohbayashi, Bi & Lin M.-Y., 2024: 68 A: ZHE
thibetana Blanchard, 1871: 812 (*Stenura*) **A**: SCH **#789**
yamasakii Mitono, 1936: 421 (*Strangalia*) **A:** TAI **#789**
miwai Mitono, 1943: 587 (*Strangalia*)

genus *Judolia* Mulsant, 1863: 496 type species *Leptura sexmaculata* Linnaeus, 1758
dentatofasciata Mannerheim, 1852b: 308 (*Grammoptera*) **E**: NT **A**: ES FE HEI JA JIL MG NC NMO SC WS XIN **#316** **#400**
abbreviata Motschulsky, 1875: 143 (*Grammoptera*)
dentatofasciata Motschulsky, 1859a: 571 [HN] [1859b: 232]
multidisjuncta Pic, 1914b: 5
parallelopipeda Motschulsky, 1860b: 146 (*Grammoptera*)
rostiana Pic, 1902f: 19 (*Julodia*)
rufimembris Pic, 1917g: 3 (*Leptura*)
shirarakensis Matsumura, 1911: 137 (*Leptura*)
japonica Tamanuki, 1943: 179 (*Strangalia*) **A**: JA
miyatakei N. Ohbayashi & Bi, 2020: 96 **A:** ZHE
sexmaculata Linnaeus, 1758: 398 (*Leptura*) **E**: AN AU BY CT CZ EN FI FR GB GE GR HU IR IT LA LT NR NT PL RO SK SP ST SV SZ UK **A**: KZ
alpestris Pic, 1914b: 5
helvetica Pic, 1914b: 5
milliati Pic, 1945b: 6
x-flava Roubal, 1937: 81
testaceofasciata DeGeer, 1775: 133 (*Leptura*)
trifasciata Fabricius, 1793: 349 (*Leptura*)
tyrolensis Reineck, 1913: 300

genus *Judolidia* Plavilstshikov, 1936: 399 type species *Judolidia znojkoi* Plavilstshikov, 1936
bangi bangi Pic, 1901k: 340 (*Leptura*) **A**: JA **#276**
akitensis Matsushita, 1931a: 42 (*Leptura*)
stygica Gressitt, 1935b: 168 (*Leptura*)
bangi kyushuensis Kusakabe & N. Ohbayashi, 1992: 28 **A**: JA **#276**
znojkoi Plavilstshikov, 1936: 400 **A**: FE HEI JIL NC SC

genus *Kanekoa* Matsushita & Tamanuki, 1943: 79 type species *Leptura azumensis* Matsushita & Tamanuki, 1943
Acmaeopidonia Tippmann, 1955: 91 type species *Acmaeopidonia aerifera* Tippmann, 1955
aerifera Tippmann, 1955: 92 (*Acmaeopidonia*) **A**: FUJ **#526**
azumensis Matsushita & Tamanuki, 1943: 79 (*Leptura*) **A**: JA SC (Jejudo Is.)
lalashana Shimomura, 1980: 115 (*Anoplodera*) **A:** TAI **#406** **#526**
lirata Holzschuh, 1991c: 17 **A**: SCH
lucidula Holzschuh, 1999: 12 **A**: XIZ
piligera Holzschuh, 2003a: 162 **A**: SCH SHA

genus *Katarinia* Holzschuh, 1991c: 18 type species *Katarinia cephalota* Holzschuh, 1991
belousovi Mirosnikov, 2015b: 289 **A**: YUN
cephalota Holzschuh, 1991c: 18 **A**: SCH
consanguinea Holzschuh, 2006a: 211 **A**: YUN
murzini Mirosnikov, 2015b: 287 **A**: SHA
teledapoides Holzschuh, 1998: 21 **A**: SCH

genus *Kirgizobia* Danilevsky, 1992c: 203 type species *Kirgizobia bohnei* Danilevsky, 1992
bohnei Danilevsky, 1992c: 204 **A**: KI

genus *Konoa* Matsushita, 1933b: 196 type species *Nivellia valida* Matsushita, 1933 (= *Leptura granulata* Bates, 1884a)
granulata Bates, 1884a: 217 (*Leptura*) **A**: FE JA
valida Matsushita, 1933b: 196 (*Nivellia*)

genus *Laoleptura* N. Ohbayashi, 2008: 427, 434 type species *Laoleptura phupanensis* N. Ohbayashi, 2008 **#176**
phupanensis N. Ohbayashi, 2008: 428, 434 **A**: GUX YUN **ORR**

genus *Leptostrangalia* Nakane & K. Ohbayashi, 1959: 64 type species *Strangalia hosohana* K. Ohbayashi, 1952

hosohana K. Ohbayashi, 1952: 414 (*Strangalia*) **A**: JA
jinfoshanensis Yang Chaokun, Wang P., Xie G. & Wang W. 2025: 2 **A**: CHQ
nakamurai Hayashi, 1960a: 17 **A**: TAI
marginipennis Hayashi & Villiers, 1989: 3 [HN] (*Strangalomorpha*) **#135**
rufithorax J.-H. Huang & Vives, 2019: 433 **A**: GUX
shaanxiana Holzschuh, 1992b: 10 **A**: SHA
shirakii Mitono & Tamanuki, 1939: 213 (*Strangalina*) **A**: TAI **#499 #526**

genus *Leptura* Linnaeus, 1758: 397 type species *Leptura quadrifasciata* Linnaeus, 1758
subgenus *Brevileptura* Vives, 2024: **3** type species *Leptura minuta* Vives, 2024:
minuta Vives, 2024: 3 **A:** YUN **ORR**
subgenus *Leptura* Linnaeus, 1758: 397 type species *Leptura quadrifasciata* Linnaeus, 1758
Bothrioleptura Pesarini & Sabbadini, 2015: 27 type species *Leptura alticola* Gressitt, 1948a **#526 #541**
Rhytidoleptura Pesarini & Sabbadini, 2015: 29 type species *Leptura christinae* Pesarini, Rapuzzi & Sabbadini, 2015 **#526**
adami Hergovits, 2020a: 17 **A:** SCH
aethiops Poda von Neuhaus, 1761: 38 **E**: AL AU BE BH BY CH CR CT CZ DE EN FR GE GR HU IT LA LS LT LU MD NL NT PL RO SB SK SL SP ST SZ UK **A**: ?AR ?AB ES FE FUJ ?GG GUX HEB HEI JA JIL JIX KZ MG NC QIN SC SHA WS YUN **#225 #372**
adustipennis Solsky, 1871a: 404 (*Strangalia*)
akitai Fujita, 2018: 23 **#517 #526 #736**
aterrima Motschulsky, 1860b: 147 (*Stenura*)
atra Scopoli, 1772: 100 (*Prionus*)
beckeri Pic, 1911a: 4
chihiroae Fujita, 2018: 24 **#518 #526 #736**
coreana Matsushita, 1933a: 104 [HN] (*Strangalia*)
doii Matsushita, 1933a: 105 (*Strangalia*) (Iturup) **#371**
letzneri Gabriel, 1895: 437
melanaria Herbst, 1784: 101
semibicolor Pic, 1912i: 90
unicolor Olivier, 1797: 518
alticola Gressitt, 1948a: 43 **A**: SCH XIZ YUN **#400**
amamiana amamiana Hayashi, 1960d: 22 **A**: JA (Ryukyus) **#276**
amamiana watanabei Hayashi, 1962c: 2 **A**: JA (Ryukyus) **#276**
ambulatrix Gressitt, 1951a: 96 **A**: ANH FUJ GUA GUX HUN JIX SCH YUN ZHE **#176 #400 #489**
annularis annularis Fabricius, 1802: 363 **E**: AN AU BH BY CR CT CZ ~~CZ~~ EN FR GE HU IT LA LT MD NT PL RO ?SB SK SL ST SZ UK **A**: BEI ES FE GAN HEB HEI JIL JIX KZ LIA MG NC NMO SC SCH SHN SHX WS ZHE **#214**
arcuata Panzer, 1793a: 12 [HN]
mediodisjuncta Pic, 1902d: 10 (*Strangalia*)
annularis mimica Bates, 1884a: 219 **A**: FE JA **#214 #276**
harmandi Pic, 1901m: 61
annularis modicenotata Pic, 1901m: 61 (*Strangalia*) **A**: JA **#276 #425**
infernalis Pic, 1901m: 61 (*Strangalia*)
kinhokuana Matsushita, 1932: 191 (*Strangalia*)
naganoensis Pic, 1956: 650 (*Strangalia*)
onsenensis Pic, 1956: 650 (*Strangalia*)
quadriluteonotata Pic, 1953a: 14 (*Strangalia*) **#425**
semisuturalis Pic, 1953a: 14 (*Strangalia*) **#425**
tokioensis Pic, 1915f: 11 (*Strangalia*)
tsumagurohana K. Ohbayashi, 1955: 61
annularis nagahatai Fujita, 2018: 24 **A**: SC [Ulleung-do Is. = Ulleungdo Is.]
arcifera Blanchard, 1871: 812 (*Strangalia*) **A**: GUI SCH YUN
auratopilosa Matsushita, 1931a: 42 (*Strangalia*) **A**: TAI
piyanan Kano, 1933a: 267 (*Strangalia*)
quadranglithoracica Tamanuki, 1943: 145 (*Strangalia*)
segregata Tamanuki, 1943: 146 (*Strangalia*)
aureopubescens Hayashi, 1974b: 12 **A**: JA **#611**
aurosericans Fairmaire, 1895: 177 **A**: FUJ GUA GUI GUX HEN HUB HUN JIX SCH SHA ZHE **ORR** **#225 #526**
mausonensis Pic, 1903c: 29
meridiosinica Gressitt, 1951a: 99
rufimembris Pic, 1923a: 11 (*Parastrangalis*)
sericea Pic, 1903c: 29
aurulenta Fabricius, 1793: 348 **E**: AL AN AU BE BH ?BY BU CR CT CZ FR GE GB GR IR HU IT LU MC MD ME PL PT RO SB SK SL SP ST SZ TR UK **N**: AG TU **A**: TR **#104 #482 #630 #752**
algerica Pic, 1898a: 6 (*Strangalia*)
kitanensis Dayrem, 1922a: 17 (*Strangalia*)
lugdunensis Pic, 1916a: 2: (*Strangalia*)
mesmini Pic, 1916b: 5 (*Strangalia*)
subreducta Pic, 1915a: 5 (*Strangalia*)
viturati Pic, 1914e: 18 (*Strangalia*)

barkamica Holzschuh, 1998: 22 **A**: SCH
bocakorum Holzschuh, 1998: 23 **A**: YUN
christinae Pesarini, Rapuzzi & Sabbadini, 2015: 29 **A:** SCH
daliensis Holzschuh, 1998: 23 **A**: YUN
dellabrunai Pesarini & Sabbadini, 2015: 30 A: SCH
dembickyi Hergovits, 2020a: 18 **A:** SCH
diaphora Holzschuh, 2024: 142 **A**: YUN
dimorpha Bates, 1873: 195 **A**: JA
duodecimguttata Fabricius, 1802: 363 **A**: BEI ES FE FUJ HEB HEI HEN JA JIL KZ MG NC NMO QIN SC SCH SHX WS ZHE **#60**
bisbijuncta Pic, 1904d: 14
kupfereri Pic, 1912i: 89
mediojuncta Pic, 1902d: 10 (*Strangalia*)
mediosemijuncta Pic, 1927e: 13 (*Strangalia*)
subobliterata Pic, 1927e: 10 (*Strangalia*)
formosomontana Kano, 1933a: 268 (*Strangalia*) **A**: TAI
gorodinskii Hergovits, 2020a: 20 **A:** GUN
gradatula Holzschuh, 2006a: 216 **A**: GAN GUX SCH SHA YUN **#225**
grahamiana Gressitt, 1938a: 46 **A**: SCH XIZ YUN
guerryi Pic, 1902i: 28 (*Strangalia*) **A**: SCH XIZ YUN **#176** **#400**
jendeki Hergovits, 2020: 22a **A:** SHA
kabateki Hergovits, 2020: 23a **A:** GUN
kubani Holzschuh, 2006a: 214 **A**: YUN XIZ **#176**
kusamai keiichii N. Ohbayashi, 1999: 51 **A**: JA
kusamai kusamai K. Ohbayashi & Nakane, 1955: 17 **A**: JA
latipennis Matsushita, 1933b: 214 (*Strangalia*) **A**: FE JA
trigonata Hayashi, 1955: 33
lavinia Gahan, 1906a: 83 **A**: NP SCH SD XIZ YUN **ORR** **#526**
gibbosa Pesarini & Sabbadini, 2015: 27 **#541**
linwenhsini N. Ohbayashi & Chou, 2013: 30 **A:** TAI
longeattenuata Pic, 1939b: 1 **A**: GUI GUX YUN **#176**
masegakii Kano, 1933a: 269 (*Strangalia*) **A**: TAI
naxi Holzschuh, 1998: 21 **A**: XIZ YUN **#60**
nigroguttata Pic, 1927b: 27 (*Parastrangalis*) **A:** GUX XIZ YUN **ORR** **#176** **#385**
fruhstorferi Hayashi & Villiers, 1985: 19
pubevirens Gressitt, 1935g: 568
ochraceofasciata chujoi Hayashi, 1961a: 21 **A**: JA
ochraceofasciata iijimai Fujita, 2018: 25 **A**: JA
ochraceofasciata ochraceofasciata Motschulsky, 1862: 21 (*Stenura*) **A**: FE FUJ GAN HEI JA JIL NC (Mt. Gwanmobong) NMO XIN ZHE
inintegra Pic, 1901g: 28 (*Strangalia*) [= 1943d: 6]
isolata Fujimura, 1956: 3
ochraceofasciata ochrotela Bates, 1873: 196 **A**: JA **#120** **#526**
quadrifasciata lederi Ganglbauer, 1882: 697 **E**: ST **A**: AB AR GG IN TR
caucasica Plavilstshikov, 1924: 226 (*Strangalia*)
notatipennis Pic, 1897b: 5 (*Strangalia*) **#569**
suramensis Pic, 1915e: 5 (*Strangalia*)
quadrifasciata quadrifasciata Linnaeus, 1758: 398 **E**: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE ?GR HU IR IT KZ LA LS LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK **A**: ES FE JA (Hokkaido) KO KZ MG NE QIN SCH SHA WS XIN **#526**
apicalis Curtis, 1831: 362
apicata Stephens, 1839: 278
bidivisa Schmidt, 1951: 13 (*Strangalia*)
guillemoti Desbrochers des Loges, 1895: 130 (*Stenura*)
interrupta Heyden, 1877a: 397 (*Strangalia*)
martialis Pic, 1941c: 1 (*Strangalia*)
melgunowi Jakobson, 1895: 523 (*Strangalia*)
mosquensis Pic, 1915e: 5 (*Strangalia*)
~~*notatipennis* Pic, 1897b: 5 (*Strangalia*)~~ **#569**
octomaculata DeGeer, 1775: 132
quadripustulata Fabricius, 1793: 345
suramensis Pic, 1915e: 5 (*Strangalia*)
rufoannulata Pic, 1933b: 26 (*Strangalia*) **A**: FUJ HUB SCH
fisheriana Gressitt, 1938a: 45
semicornis Holzschuh, 2003a: 166 **A**: SCH
spinosula Pesarini & Sabbadini, 2015: 32 **A**: SCH
subtilis Bates, 1884a: 219 **A**: JA **#120** **#526**
ohishii Matsushita & Tamanuki, 1940: 5

taranan Kano, 1933a: 267 (*Strangalia*) **A**: TAI #526
tatsienlua Gressitt, 1948a: 45 **A**: XIZ SCH #60
tattakana Kano, 1933a: 266 (*Strangalia*) **A**: TAI
horishana Matsushita, 1933b: 214
mushana Tamanuki, 1939a: 144 (*Strangalia*)
viktorai Hergovits, 2020a: 24 **A:** XIZ
yakushimana Tamanuki, 1943: 153 (*Strangalia*) **A**: JA
yokoyamai Hayashi, 1961a: 21 **A**: JA #526
yulongshana Holzschuh, 1991c: 20 **A**: YUN
zonifera Blanchard, 1871: 812 (*Stenura*) **A**: FUJ GUI HUB NE SCH YUN ZHE
subgenus *Macroleptura* Nakane & K. Ohbayashi, 1957: 47 (241) type species *Leptura thoracica* Creutzer, 1799 #526
thoracica Creutzer, 1799: 125 **E**: BH BY CR CT EN FI LA **?**LT NT PL RO SB SK SL ST UK **A**: ES FE FUJ GUI HEB HEI HUB JIL JA KZ LIA MG NC NMO SC WS XIN ZHE #63 #276 #535
altaica Gebler, 1817: 331 (*Leptura*)
maculiceps Schmidt, 1951: 13 (*Strangalia*)
mixtepilosa Schmidt, 1951: 12 (*Strangalia*)
obscurissima Pic, 1900i: 17 (*Strangalia*) #276 #736
pliginskii Schmidt, 1951: 13 (*Strangalia*)
ussurica Pic, 1902c: 8 (*Strangalia*)
subgenus *Noona* Sama, 2007c: 102 [RN] type species *Strangalia regalis* Bates, 1884a
Nona Sama, 2003a: 25 [HN] type species *Strangalia regalis* Bates, 1884
quadrizona Fairmaire, 1902a: 244 (*Strangalia*) **A**: SCH YUN **ORR** #400
anticejuncta Pic, 1943c: 1 (*Strangalia*)
magdelainei Pic, 1937b: 6 (*Strangalia*)
regalis Bates, 1884a: 223 (*Strangalia*) **A**: FE JA KO
coreana Pic, 1907c: 20
maindroni Pic, 1901m: 61

genus *Lepturalia* Reitter, 1913a: 20 type species *Leptura nigripes* DeGeer, 1775
nigripes nigripes DeGeer, 1775: 136 (*Leptura*) **E**: AU BY CT EN FI ~~GI~~ KZ LA **?**LT NR NT PL RO SK SL ST SV UK **A**: ES KZ WS #535
intermedia Chevrolat, 1882: 59 (*Vadonia*)
nigripes rufipennis Blessig, 1873: 251 (*Strangalia*) **A**: ES FE KZ MG NE WS XIN

genus *Lepturobosca* Reitter, 1913a: 17 type species *Leptura virens* Linnaeus, 1758
virens Linnaeus, 1758: 397 (*Leptura*) **E**: AU BE BH BU BY CR CT CZ EN FI FR GB GE HU IT LA **?**LT ME NR NT PL RO SB SK SL SP ST SV SZ UK **A**: ES FE KZ MG NE NMO WS XIN #535
fuscopubens Reitter, 1890a: 164 (*Leptura*)
kenteiensis Pic, 1900a: 4 (*Leptura*)

genus *Metalloleptura* Gressitt & Rondon, 1970: 36 type species *Strangalia virescens* Aurivillius, 1911
gahani Plavilstshikov, 1921b: 110 [RN] (*Leptura*) **A**: GUX YUN **ORR** #400
aureoviridis Gressitt, 1941b: 332 (*Ocalemia*)
cribripennis Gahan, 1906a: 85 [HN] (*Leptura*)
laosensis Gressitt & Rondon, 1970: 36
viridescens Pic, 1923a: 12 (*Ocalemia*)
rahoarei Kano, 1933a: 264 (*Strangalia*) **A**: TAI

genus *Metastrangalis* Hayashi, 1960a: 16 type species *Eustrangalis albicornis* Tamanuki, 1943
albicornis Tamanuki, 1943: 119 (*Eustrangalis*) **A**: TAI
ochraceoventra Gressitt, 1935d: 256 (*Leptura*) **A**: TAI
uenoi Chou & N. Ohbayashi, 2007: 231 **A**: TAI

genus *Mimostrangalia* Nakane & K. Ohbayashi, 1957: 49 type species *Strangalia kurosonensis* K. Ohbayashi, 1936
kurosonensis K. Ohbayashi, 1936a: 11 (*Strangalia*) **A**: JA
lateripicta Fairmaire, 1895: 178 (*Leptura*) **A**: FUJ **ORR**

genus *Munamizoa* Matsushita & Tamanuki, 1940: 4 type species *Nivellia maculata* Matsushita & Tamanuki, 1935
maculata Matsushita & Tamanuki, 1935: 1 (*Nivellia*) **A**: JA

genus *Nanostrangalia* Nakane & K. Ohbayashi, 1959: 65 type species *Strangalia chujoi* Mitono, 1938
abdominalis Pic, 1927b: 28 (*Strangalina*) **A**: FUJ **ORR**
atayal Chou & N. Ohbayashi, 2014: 347 **A:** TAI
binhana Pic, 1928a: 26 (*Leptura*) **A**: SCH **ORR**
binodula Holzschuh, 2016a: 78 **A**: HAI
chujoi Mitono, 1938: 20 (*Strangalia*) **A**: TAI
comis Holzschuh, 1998: 27 **A**: NIN SCH #400

emeishana Holzschuh, 1991c: 25 **A**: SCH
modicata Holzschuh, 2008: 153 **A**: YUN
semichujoi Hayashi, 1974a: 11 **A**: TAI
sternalis Holzschuh, 1992b: 11 **A**: YUN
tenuecornis Holzschuh, 2016a: 77 **A**: FUJ
torui Holzschuh, 1989a: 155 **A**: NP **#224**
trinotata Pic, 1928: 26 (*Leptura*) **A**: YUN **ORR**

genus *Neopiciella* Sama, 1988: 32 type species *Leptura sicula* Ganglbauer, 1886
kabyliana Pic, 1896a: 103 (*Leptura*) **N**: AG TU
chobauti Dayrem, 1924a: 28 (*Leptura*)
suberis Chobaut, 1900: 265 (*Leptura*)
sicula Ganglbauer, 1886c: 515 (*Leptura*) **E**: IT (Sicilia)
stefaniae Bellavista, Rapuzzi & Sparacio, 2020: 1002 **E:** IT (Sicilia)

genus *Nivellia* Mulsant, 1863: 564 type species *Leptura sanguinosa* Gyllenhal, 1827
extensa extensa Gebler, 1833: 305 (*Leptura*) **E**: FI NT SB **A**: ES FE ~~JA~~ MG NC NE SC WS **#705**
extensa umbratilis Shimomura & Toyoshima, 1988: 130 **A**: JA **#705**
extensa yuzawai Shimomura & Toyoshima, 1988: 128 **A**: JA
sanguinosa Gyllenhal, 1827: 21 (*Leptura*) **E**: AU BY CT CZ ?EN FI GE LA NR NT PL RO SB SK SV UK **A**: ES FE GAN HEB HEI HEN JA JIL KZ LIA MG NC NMO SC WS **#705**
kratteri Hampe, 1852a: 67 (*Leptura*)
rubripennis Matsumura, 1911: 139 (*Leptura*)
sacheri Wolfner, 1852: 93 (*Grammoptera*)

genus *Nivelliomorpha* Boppe, 1921: 86 type species *Leptura inequalithorax* Pic, 1902
inequalithorax Pic, 1902i: 28 (*Leptura*) **A**: BEI HEB LIA NIN NMO SHA SHX
rufobasalis Pic, 1939b: 2 (*Leptura*)

genus *Nustera* Villiers, 1974b: 214 type species *Leptura distigma* Charpentier, 1825
distigma Charpentier, 1825: 227 (*Leptura*) **E**: FR PT SP **N**: AG MO TU
bimaculata Pic, 1891b: 15 (*Strangalia*)
diversesignata Pic, 1917g: 4 (*Strangalia*)
indistigma Pic, 1917g: 4 (*Strangalia*)
lopezbayoi Lauffer, 1904: 374 (*Leptura*)
medioconexa Pic, 1945b: 6 (*Strangalia*)
microstigma Rungs, 1947: 98 (*Strangalia*)
neglecta Chobaut, 1895a: cccx (*Strangalia*)
notata Pic, 1891b: 15 (*Strangalia*)
peyerimhoffi Dayrem, 1922a: 18 (*Strangalia*)
sedilloti Pic, 1937c: 6 (*Strangalia*)
subscutellaris Pic, 1901o: 67 (*Strangalia*)
talarahnensis Dayrem, 1922a: 17 (*Strangalia*)
tenietensis Pic, 1890c: 157 (*Strangalia*)
lindbergi Villiers, 1943: 233 (*Strangalia*) **N**: MO
baudoni Villiers, 1960a: 7 (*Strangalia*)

genus *Oedecnema* Dejean, 1835: 355 type species *Leptura dubia* Fabricius, 1781 (= *Oedecnema gebleri* Ganglbauer, 1889)
gebleri Ganglbauer, 1889c: 470 [RN] **E**: BY CT NT ST UK **A**: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN
decemmaculata Matsumura, 1911: 136 (*Leptura*) [Hokkaido] **#276** **#665**
dubia Fabricius, 1781: 249 [HN] (*Leptura*)

genus *Ohbayashia* Hayashi, 1958a: 4 type species *Strangalomorpha nigromarginata* Hayashi, 1953
fuscoaenea Hayashi, 1974a: 7 **A**: TAI
nigromarginata nigromarginata Hayashi, 1953: 40 (*Strangalomorpha*) **A**: JA
nigromarginata rufoflava Hayashi, 1968c: 12 **A**: JA

genus *Pachypidonia* Gressitt, 1935b: 166 type species *Pachypidonia crassicornis* Gressitt, 1935 (= *Leptura bodemeyeri* Pic, 1934)
bodemeyeri Pic, 1934c: 17 (*Leptura*) **A**: JA
crassicornis Gressitt, 1935b: 168
kochiana Matsushita, 1935: 308 (*Leptura*)
rubrida rubrida Hayashi, 1971: 4 **A**: TAI
tavakiliani Miroshnikov, 2015b: 285 **A**: YUN

genus *Pachytodes* Pic, 1891g: 65 type species *Leptura cerambyciformis* Schrank, 1781
bottcheri Pic, 1911a: 5 (*Leptura*) **A**: WS ES MG NMO
orthotrichus Plavilstshikov, 1936: 393 (*Judolia*)
cerambyciformis Schrank, 1781a: 154 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE ?EN FR GB GE GR HU IR IT LA LS LT LU

MC MD ME NL NT PL PT RO SB SK SL SP ST SZ ?TR UK **A**: ?TR **#583**

anticeundulatus Pic, 1915a: 29 (*Leptura*)
beskidicus Pic, 1915g: 18 (*Leptura*)
bisbistigma Pic, 1906g: 67 (*Leptura*)
bisquadristigma Pic, 1915a: 29 (*Leptura*)
breveseparatus Pic, 1953a: 9
decempunctatus Olivier, 1800: 26 (*Leptura*) **#373**
digoniensis Pic, 1915a: 29 (*Leptura*)
efasciatus Pic, 1916: 9 (*Leptura*) ["Hongrie"]
externeonotata Pic, 1923g: 13
hoverlanus Roubal, 1937: 81 (*Judolia*)
humerifer Pic, 1915g: 18 (*Leptura*)
lateseparatus Pic, 1953a: 9
multiinterruptus Pic, 1915a: 30 (*Leptura*)
octomaculatus Schaller, 1783: 297 [wrongly numbered as 299] [HN] (*Leptura*)
parvonotatus Pic, 1916: 10 (*Leptura*) ["Europe"]
quadrimaculatus Scopoli, 1763: 47 [HN] (*Leptura*)
salbachi Reitter, 1908: 216 (*Pachyta*)
sexpunctatus Mulsant, 1839: 244 (*Pachyta*)
transylvanicus Pic, 1916: 9 (*Leptura*)
urbisensis Pic, 1915a: 29 (*Leptura*)
valesiacus Pic, 1915a: 29 (*Leptura*)

cometes Bates, 1884a: 218 (*Leptura*) **A**: FE JA SC

connectus Nishio, 1950: 20 (*Strangalia*)

erraticus erraticus Dalman, 1817a: 490 (*Leptura*) **E**: AL BH ~~BY~~ CT CZ GE KZ MC ME PL RO SB SK SL SP ST ?SZ UK **A**: ES KZ WS XIN **#115** **#752** **#833**

~~*atrosuturalis* Pic, 1915a: 38 (*Leptura*)~~
heyrovskyi Pic, 1924c: 26 (*Leptura*) ["Bohême"]
russicus Pic, 1898h: 54 ["Russie"]

erraticus erythrurus Küster, 1848b: 90 ["Türkei"] (*Pachyta*) **E**: AL BH BU CR FR GE GR HU IT KZ MC MD ME RO SB SL SP ST ?SZ TR UK **A**: AB AR GG IN KZ SY TR **#833**

~~*akbesianus* Pic, 1898a: 6 ["Syrie, à Akbès"]~~ - not available name **#884**
anticedivisus Pic, 1914c: 14 (*Leptura*) ["Caucase: Arax; Brousse"]
~~*anticenotatus* Pic, 1914c: 13 (*Leptura*) ["Veluchi, Sarepta, Eibes"]~~ - not available name **#884**
~~*atroapicalis* Pic, 1913b: 186 ["monts Amanus, en Syrie"]~~ - not available name **#884**
~~*eibesanus* Pic, 1914c: 13 (*Leptura*) ["Syrie: Eibes"]~~ - not available name **#884**
hungaricus Pic, 1913b: 186 (*Leptura*) - ["Hongrie"]
italicus Pic, 1916b: 4 ["Lombardie"]
kalavritanus Pic, 1913b: 186 (*Leptura*) ["Morée"]
~~*ragusai* Pic, 1923d: 3 ["Sicile"]~~ - not available name **#884**
rosinae Pic, 1901b: 11 (*Leptura*) ["Anatolie: Ak-Chehir"]
~~*rufoapicalis* Pic, 1913b: 186 (*Leptura*) ["monts Amanus, en Syrie"]~~ - not available name **#884**
~~*rufonotatus* Pic, 1913b: 186 (*Leptura*) ["monts Amanus, en Syrie"]~~ - not available name **#884**
quinquepunctatus Pic, 1915g: 18 (*Leptura*)["Südosteuropa u. Kleinasien" by Reitter, 1912]
septemsignatus Küster, 1848b: 89 (*Pachyta*) ["südlichen Türkei"]
~~*siculus* Pic, 1916b: 4 ["Sicile"]~~ - not available name **#884**
~~*subapicalis* Pic, 1914c: 15 (*Leptura*) ["Akbès"]~~ - not available name **#884**
~~*testaceofasciatus* Pic, 1913b: 186 (*Leptura*) ["Turquie et Syrie"]~~ - not available name **#884**
~~*unijunctus* Pic, 1914c: 14 (*Leptura*) ["Syrie: Eibes"]~~ - not available name **#884**

longipes Gebler, 1832: 67 (*Pachyta*) **A**: ES FE MG NC NE NO SC

amurianus Pic, 1902f: 19
bodoi Pic, 1914b: 5 (*Leptura*)
guttulatus Motschulsky, 1875: 141 (*Pachyta*)
nigrosuturalis Pic, 1917g: 3 (*Leptura*)
octoguttatus Pic, 1914b: 5 (*Leptura*)

genus *Paranaspia* Matsushita & Tamanuki, 1940: 5 type species *Leptura anaspidoides* Bates, 1873

anaspidoides Bates, 1873: 196 (*Leptura*) **A**: JA NE **#400** **#525**

mikadoi Pic, 1906d: 16 (*Leptura*)

coccinea Mitono, 1936: 423 (*Strangalia*) **A**: TAI
erythromelas Holzschuh, 2003a: 165 **A**: SHA
frainii Fairmaire, 1897d: 239 (*Strangalia*) **A**: BT NP SD **#390**
inadai N. Ohbayashi, 2001a: 95 **A**: JA (Ryukyus)
muneaka Mitono & Tamanuki, 1939: 212 (*Strangalia*) **A**: TAI **#526**
reductipennis Pic, 1928f: 158 (*Leptura*) **A**: YUN **ORR**
ruficollis Pesarini & Sabbadini, 2015: 41 **A**: YUN
yayeyamensis Hayashi & Yokoyama, 1974: 12 **A**: JA (Ryukyus)

genus *Parastrangalis* Ganglbauer, 1889a: 57 type species *Leptura potanini* Ganglbauer, 1889

Strangaliella Hayashi, 1976: 3 type species *Strangalia shikokensis* Matsushita, 1935 (= *Strangalia tenuicornis* Motschulsky, 1862)
addenda Holzschuh, 2011: 274 **A:** FUJ HAI
andrei Holzschuh, 2007: 192 **A**: SCH
aurigena Holzschuh, 2007: 185 **A**: YUN **ORR** **#176**
bisbidentata Holzschuh, 2007: 190 **A**: SHA
chekianga Gressitt, 1939b: 90 (*Strangalia*) **A**: FUJ SHA ZHE **#526**
communis Holzschuh, 1993a: 19 **A**: SCH **ORR**
congesta Holzschuh, 1995: 11 **A**: YUN
congruens Holzschuh, 2016a: 73 **A**: YUN
crebrepunctata Gressitt, 1939b: 91 (*Strangalia*) **A**: FUJ GUX HUB HUN SCH YUN ZHE
dalihodi Holzschuh, 1999: 13 **A**: TAI
denticulata Tamanuki, 1939a: 145 (*Strangalomorpha*) **A**: TAI
diffluata Holzschuh, 1999: 15 **A**: SCH
emotoi Hayashi & Makihara, 1981: 186 (*Strangaliella*) **A**: NP
eucera Holzschuh, 1995: 12 **A**: YUN
holzschuhi Chou & N. Ohbayashi, 2014: 349 **A:** HUB TAI **#717**
houhensis N. Ohbayashi & W.-K. Wang, 2004: 456 A: HUB
impressa Holzschuh, 1991a: 8 **A**: YUN
inarmata Holzschuh, 1991c: 27 **A**: SCH **ORR** **#400**
insignis Holzschuh, 1998: 25 **A**: HUB NIN **#400**
ishigakiensis Hayashi, 1971: 5 **A**: JA (Ryukyus)
jaroslavi Holzschuh, 2008: 158 **A**: TAI
lateristriata Tamanuki & Mitono, 1939: 209 (*Strangalomorpha*) **A**: TAI **ORR**
lesnei Pic, 1901m: 60 (*Leptura*) **A**: JA
batesi Tamanuki, 1943: 134 (*Strangalomorpha*)
lineigera Fairmaire, 1889a: 61 (*Stenura*) **A**: SCH XIZ **ORR**
maridae Tichý & Viktora, 2017: 506 **A**: HUB
meridionalis Gressitt, 1942e: 205 (*Strangalia*) **A**: FUJ GUA HUB
mitonoi Hayashi & Iga, 1951: 75 (*Strangalomorpha*) **A**: TAI
munda Holzschuh, 1992b: 9 **A**: YUN
negligens Holzschuh, 1991c: 30 **A**: SCH
nymphula Bates, 1884a: 220 (*Leptura*) **A**: JA
palleago Holzschuh, 1998: 25 **A**: HUB
pallescens Holzschuh, 1993a: 20 **A**: GAN SHA
palpalis Holzschuh, 1991c: 29 **A**: HUB SCH **#717**
phantoma Holzschuh, 1999: 15 **A**: TAI
potanini Ganglbauer, 1889a: 57 (*Leptura*) **A**: GAN
protensa Holzschuh, 1991c: 28 **A**: SCH
puliensis Hayashi, 1976: 4 (*Strangaliella*) **A**: TAI
sculptilis Holzschuh, 1991c: 30 **A**: SCH SHA **ORR** **#469**
shaowuensis Gressitt, 1951a: 112 (*Strangalia*) **A**: FUJ GUA HUB SCH
shennongjiaensis Gu, Wang P., Xie & Wang W. 2023: 282 **A**: HUB
subapicalis Gressitt, 1935d: 263 (*Strangalina*) **A**: TAI
taiwanensis Chou & N. Ohbayshi, 2010: 364 **A:** TAI
tenuicornis Motschulsky, 1862: 20 (*Strangalia*) **A**: JA **#178**
shikokensis Matsushita, 1935: 309 (*Strangalia*) **#178**
tomentosa Tamanuki, 1943: 129 (*Strangalomorpha*) **A**: TAI **#526**
yanoi Tamanuki, 1939a: 146 (*Strangalina*) **A:** TAI **#135**

genus *Pedostrangalia* Sokolov, 1897: 461 type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménétriés, 1832)
subgenus *Neosphenalia* Löbl, 2010: 60 type species *Leptura verticalis* Germar, 1822
Sphenalia K. Daniel, 1904b: 355 [HN] type species *Leptura verticalis* Germar, 1822
adaliae Reitter, 1885: 390 **A**: CY TR
ariadne K. Daniel, 1904b: 355 (*Leptura*) **E**: GR (Crete)
emmipoda Mulsant, 1863: 531 (*Strangalia*) **E**: GR (Rodos) **A**: ?IN LE SY TR **#634**
adanensis Pic, 1917a: 6 (*Strangalia*)
chehirensis Pic, 1933d: 6 (*Strangalia*)
insuturata Pic, 1891b: 15 (*Strangalia*)
perroudi Pic, 1933d: 6 (*Strangalia*)
subsignata Pic, 1901j: 235 (*Strangalia*)
tambei Pic, 1917a: 6 (*Strangalia*)
femoralis Motschulsky, 1861b: 40 (*Stenura*) **A**: ES FE JA JIL NC SC
diversipes Heyden, 1884: 298 (*Leptura*)
murayamai Matsushita, 1937: 102 (*Strangalia*)
xanthoma Bates, 1873: 195 (*Leptura*)
gongshana Viktora, 2022a: 479 **A**: YUN

kurda Sama, 1996c: 104 **A**: AR GG IN IQ TR **#181**
raggii Sama, 1992b: 300 **A**: CY
riccardoi carmelita Sama, 1996b: 94 **A**: IS LE **#177**
riccardoi riccardoi Holzschuh, 1984c: 344 **A**: JO SY
verticalis Germar, 1822: 9 (*Leptura*) **E**: AL BH BU CR GR IT MC ?MD ME RO SB SL **A**: TR
graeca Pic, 1901l: 52 (*Strangalia*)
taygetana K. Daniel, 1904b: 366 (*Leptura*)
verticenigra Pic, 1892v: 416 (*Leptura*) **E**: GR (Samos) **A**: GG TR
erinnys K. Daniel, 1904b: 356 (*Leptura*)
subgenus *Pedostrangalia* Sokolov, 1897: 461 type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménétriés, 1832)
afghanistana Satô & N. Ohbayashi, 1976: 485 **A**: AF
bicolorata Holzschuh, 2019c: 80 **A**: GUA
imberbis Ménétriés, 1832: 231 (*Leptura*) **A**: AB AF IN TM **#345**
angulicollis Heyden, 1879a: 323 [1879b: 67] (*Strangalia*)
kassjanowi Sokolov, 1897: 461
quadriceps Holzschuh, 2019c: 80 **A**: UP
quadrimaculata L. Chen & Chiang, 1996: 189, 191 **A**: SCH
revestita corsica Vartanis, 2024b: 73 **E**: FR **#750**
revestita revestita Linnaeus, 1767: 638 (*Leptura*) **E**: AL AU BE BH BU CR CZ DE FR GB GE GR HU IT LU MD NL PL PT RO SB SK SL SP SV SZ TR UK
barbanti Pic, 1933f: 5 [Saint-Barbant dans la Haute-Vienne] (*Strangalia*)
bicoloraticeps Pic, 1911c: 17 [Provance] (*Leptura*)
brevenotaticollis Pic, 1933d: 14 [France : Digoin] (*Strangalia*)
discicollis W. G. H. Scriba, 1867: 32 [Frankfurt] (*Strangalia*)
diversipennis Pic, 1911c: 16 (*Leptura*)
ferruginea Mulsant, 1839: 254 (*Strangalia*)
fulvilabris Mulsant, 1839: 254 (*Strangalia*)
fuscicornis Marsham, 1802: 357 [Brittania] (*Leptura*)
gabilloti Pic, 1911c: 18 (*Leptura*)
lectorica Dayrem, 1916: 17 [Miremonde, Lectoure (Gers)] (*Leptura*)
labiata Mulsant, 1839: 254 (*Strangalia*)
marsolanensis Dayrem, 1916: 17 [Rieste, Marsolan (Gers)] (*Leptura*)
rubra Geoffroy, 1785: 89 [Paris] (*Stenocorus*)
rufomarginata Mulsant, 1839: 254 (*Strangalia*)
rufonotata Pic, 1914e: 18 [Fontainebleau] (*Strangalia*)
schleicheri Pic, 1934g: 38 [Allemagne] (*Leptura*)
villica Fabricius, 1775: 196 [toute la France] (*Leptura*)
vitticollis Mulsant, 1839: 254 (*Strangalia*)
signifera Holzschuh, 1999: 13 **A**: HUB **#629**
tokatensis Sama, 1996c: 103 **A**: GG TR
tricolorata Holzschuh, 1991c: 19 **A**: SCH **ORR** **#400**
ulmi Holzschuh, 1982b: 147 **A**: PA

genus *Pseudalosterna* Plavilstshikov, 1934e: 131 type species *Pseudalosterna orientalis* Plavilstshikov, 1934 (= *Grammoptera elegantula* Kraatz, 1879)
aritai K. Ohbayashi & N. Ohbayashi, 1965: 1 (*Pseudallosterna*) **A**: JA (Ryukyus)
aureola Holzschuh, 2006a: 208 **A**: YUN
binotata ~~*binotata*~~ Gressitt, 1935d: 259 (*Anoplodermorpha*) **A**: TAI **#526** **#835**
breva Gressitt, 1935d: 260 (*Anoplodermorpha*) **A**: TAI
cyanea Tamanuki, 1943: 27 (*Pidonia*)
cuneata Holzschuh, 1999: 11 **A**: HUB SHA **#225**
discalis Gressitt, 1935g: 569 (*Anoploderomorpha*) **A**: HAI SCH **#400**
elegantula Kraatz, 1879c: 105 (*Grammoptera*) **A**: FE JA (Tsushima Is.) NC NE SC **#276**
orientalis Plavilstshikov, 1934e: 132
rufomaculata Pic, 1915e: 5 (*Leptura*)
fuscopurpurea N. Ohbayashi & Shimomura, 1986: 48 **A**: TAI
gorodinskii Holzschuh, 2003a: 160 **A**: GAN
imitata Holzschuh, 2003a: 157 **A**: GUI
jitkae Tichý & Viktora, 2017: 501 **A**: HUB
longigena Holzschuh, 2003a: 159 **A**: SHA
misella Bates, 1884a: 216 (*Leptura*) **A**: JA **#276** **#400**
mupinensis Gressitt, 1935g: 570 (*Anoploderomorpha*) **A**: FUJ SCH **#400**
obliquata Holzschuh, 1989b: 364 **A**: GUX **ORR** **#315**
pullata Matsushita, 1933b: 198 (*Leptura*) **A**: FUJ TAI **#835**
orientalis Tippmann, 1955: 93[HN] (*Anoplodera*) **#835**
tippmanni Hayashi, 1984: 17 [RN] **#400** **#835**
submetallica Hayashi, 1974a: 9 (*Anoplodera*) **A**: TAI

takagii Hayashi, 1961b: 38 (*Pseudallosterna*) **A**: JA (Ryukyus)
tryznai Holzschuh, 1999: 11 **A**: SHA
wolongana Holzschuh, 2003a: 157 **A**: SCH

genus *Pseudovadonia* Lobanov, Danilevsky & Murzin, 1981: 787 type species *Leptura livida* Fabricius, 1777
livida bicarinata N. Arnold, 1869: 137 (*Grammoptera*) **E**: BY CT EN ?FI KZ LA LT NT PL ST SV UK **A**: AB AR GG ES FE IN KI KZ TR WS XIN **#477** **#517**
livida desbrochersi Pic, 1891k: xvi (*Vadonia*) **A**: AB AR GG TR
corallipes Reitter, 1894e: 247 (*Leptura*)
livida hatayensis Özdikmen, 2015d: 319 **A**: TR
livida irakensis Özdikmen & Ali, 2017: 376 **A**: IQ ?SY **#553**
livida livida Fabricius, 1777: 233 (*Leptura*) **E**: AL AU BE BU BH ?BY CR CZ DE FR GB GE HU IR IT LU MC ME NL ?PL PT SB SK SL ?SP SV SZ TR UK **#752**
pastinacae Panzer, 1795: 275 (*Leptura*)
livida pecta K. Daniel & **J.** Daniel, 1891: 38 (*Leptura*) **E**: IT
livida setosa Danilevsky, 2013h: 29 **E:** BU ?BY GR MD RO TR UK **A:** ?IS ?LE TR ~~?SY~~ **#553** **#752**

genus *Pygostrangalia* Pic, 1954: 13 type species *Strangalia vittaticollis* Pic, 1926a
Insularestrangalia Hayashi, 1961b: 40 type species *Strangalia longicornis* Gressitt, 1935
cornix Holzschuh, 2007: 196 (*Mimostrangalia*) **A**: FUJ **#526**
dulcis Bates, 1884a: 222 (*Strangalia*) **A**: JA **#400** **#526**
kinoshitai Kano, 1933a: 265 (*Strangalia*)
kappanzanensis Kano, 1933a: 265 (*Strangalia*) **A**: SCH TAI **ORR** **#526** **#804**
mitonoana Gressitt, 1953a: 28 [RN] (*Strangalia*)
mitonoi Gressitt, 1951a: 117 [HN] (*Strangalia*)
kiangsiensis Hayashi & Villiers, 1985: 51 (*Mimostrangalia*) **A**: GUA JIX **#526**
kurosawai Hayashi, 1966a: 4 **A**: TAI
loimailia Gressitt, 1940b: 33 (*Strangalia*) **A**: FUJ HAI JIL **#526**
longicornis longicornis Gressitt, 1935f: 382 (*Strangalia*) **A**: JA (Ryukyus) **#526**
longicornis obscuricolor Gressitt, 1951a: 117 [RN] (*Strangalia*) **A**: GUI HAI HUB ZHE **#526**
obscura Gressitt, 1940b: 34 [HN] (*Strangalia*)
vittaticollis Pic, 1926a: 22 (*Strangalia*) **A**: FUJ **ORR**
phungi Pic, 1930a: 15 (*Strangalina*)
subbrevelineata Pic, 1928a: 27 (*Strangalia*)

genus *Pyrocalymma* J. Thomson, 1864: 159 type species *Pyrocalymma pyrochroides* J. Thomson, 1864
pyrochroides J. Thomson, 1864: 160 **A**: NP SCH SD XIZ YUN **ORR** **#400**

genus *Pyrocorennys* N. Ohbayashi & Niisato, 2009: 160 type species *Pyrocalymna latipennis* Pic, 1927
latipennis latipennis Pic, 1927b: 26 (*Pyrocalymna*) **A**: GUX YUN **ORR**
brevipennis Pic, 1947c: 17 (*Pyrocalymna*)
latipennis taiwanensis Hayashi, 1969a: 61 (*Formosopyrrhona*) **A**: TAI

genus *Pyrrhona* Bates, 1884a: 224 type species *Pyrrhona laeticolor* Bates, 1884
laeticolor laeticolor Bates, 1884a: 224 **A**: JA **#400**
laeticolor takakuwai Kusama, 1971: 24 **A**: JA

genus *Rapuzziana* Danilevsky, 2006b: 2 type species *Rapuzziana hangaiensis* Danilevsky, 2006
hangaiensis Danilevsky, 2006b: 2 **A**: MG

genus *Robustanoplodera* Pic, 1954: 13 type species *Anoplodera bicolorimembris* Pic, 1954 **#403** **#526**
Koichius Hayashi, 1966a: 2 [RN] type species *Anoplodera tricolor* Gressitt, 1935
Tamanukia Hayashi, 1960a: 9 [HN] type species *Anoplodera tricolor* Gressitt, 1935
bicolorimembris Pic, 1954: 13 (*Anoplodera*) **A**: FUJ YUN **ORR**
albopubescens Hayashi & Villiers, 1985: 41, 44 **#470**
lepesmei Pic, 1956b: 649 (*Leptura*) **#400** **#526**
inauraticollis Pic, 1933b: 26 (*Leptura*) **A**: SCH
taiyal Shimomura, 1993: 228 **A**: TAI
tricolor Gressitt, 1935d: 258 (*Anoplodera*) **A**: TAI

genus *Rutpela* Nakane & K. Ohbayashi, 1957: 48 (A242) type species *Leptura maculata* Poda von Neuhaus, 1761 **#703**
inermis K. Daniel & J. Daniel, 1898a: 74 (*Strangalia*) **A**: AB AF IN TM **#334** **#345**
elboursensis Pic, 1905e: 390 (*Strangalia*)
maculata irmasanica Sama, 1996c: 105 **A**: TR **#881**
maculata maculata Poda von Neuhaus, 1761: 37 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT KZ LA ?LT LU MC MD ME NL NR NT PL RO SB SK SL ST SV SZ TR UK **A**: KZ TR **#535** **#881**
alsatica Pic, 1906g: 67 (*Leptura*)

armata Herbst, 1784: 101 (*Leptura*)
bifenestrata Pic, 1933d: 2 (*Strangalia*)
binotata Mulsant, 1839: 258 (*Strangalia*)
calcarata Olivier, 1800: 14 (*Leptura*) **#373**
dayremi Pic, 1903a: 4 (*Strangalia*)
discoininterrupta Pic, 1945a: 13 (*Strangalia*)
disconotata Pic, 1908b: 3 (*Leptura*)
dromensis Pic, 1945a: 13 (*Strangalia*)
elongata DeGeer, 1775: 134 (*Leptura*)
externepunctata Mulsant, 1839: 258 (*Strangalia*)
fasciata Scopoli, 1763: 54 (*Cerambyx*)
impunctata Mulsant, 1839: 258 (*Strangalia*)
nicodi Pic, 1933d: 6 (*Strangalia*)
pacifica Pic, 1945a: 13 (*Strangalia*)
punctatofasciata Mulsant, 1839: 258 (*Strangalia*)
quinquemaculata Gmelin, 1790: 1868 (*Leptura*)
rubea Geoffroy, 1785: 86 (*Stenocorus*)
scopoliana Laicharting, 1784: 145 (*Leptura*)
sinuata Fabricius, 1793: 347 (*Leptura*)
subspinosa Fabricius, 1793: 347 (*Leptura*)
undulata Mulsant, 1839: 259 (*Strangalia*)
wuenschi Roubal, 1937: 81 (*Strangalia*)
maculata manca Schaufuss, 1863: 121 (*Strangalia*) **E**: FR GB IR IT PT SP **#133** **#134** **#881**
kricheldorffi Wagner, 1928: 12**1** (*Leptura*)
nigricornis Stierlin, 1864: 153 (*Strangalia*) **#20**
nigrofasciata V. Petagna, 1792: 247 [HN] (*Leptura*)
maculata orientalis Zamoroka, Zinednko, 2025: *54* **E**: UK ST **A**: AB AR GG IN IQ TR SY **#881**

genus *Saligranta* Chou & N. Ohbayashi, 2011: 9 [RN] type species *Pseudostrangalia puyuma* Chou & N. Ohbayashi, 2010
Pseudostrangalia Chou & N. Ohbayashi, 2010: 368 [HN] type species *Pseudostrangalia puyuma* Chou & N. Ohbayashi, 2010
puyuma Chou & N. Ohbayshi, 2010: 368 (*Pseudostrangalia*) **A:** TAI
svihlai Holzschuh, 1989b: 368 (*Strangalia*) **A**: GUX **ORR**

genus *Sinostrangalis* Hayashi, 1960a: 13 type species *Strangalia ikedai* Mitono & Tamanuki, 1939 **#499**
ikedai Mitono & Tamanuki, 1939: 211 (*Strangalia*) **A**: CHQ FUJ GUI GUX NE SCH TAI ZHE **ORR** **#489** **#499**
collaris Holzschuh, 1991c: 31 [HN] (*Elacomia*)
simianshana L. Chen & Chiang, 2000: 33, 36

genus *Solaia* Sama, 2003b: 69 type species *Solaia antonellae* Sama, 2003
antonellae Sama, 2003b 71 **A**: TR

genus *Stenoleptura* Gressitt, 1935h: 269 type species *Stenoleptura sandakana* Gressitt, 1935
flavovittata Aurivillius , 1911a: 149 (*Leptura*) **A:** CH **ORR** **#407**

genus *Stenurella* Villiers, 1974b: 214 type species *Leptura melanura* Linnaeus, 1758 **#703** **#778**
subgenus *Crassostenurella* Özdikmen, 2013c: 526 type species *Strangalia approximans* Rosenhauer, 1856 **#703** **#778**
approximans Rosenhauer, 1856: 305 (*Strangalia*) **E**: PT SP **N**: MO
purpuripennis Mulsant, 1863: 515 (*Strangalia*)
edmundi Pic, 1901j: 237 (*Strangalia*)
subgenus *Iberostenurella* Özdikmen, 2013c: 527 type species *Strangalia hybridula* Reitter, 1902c **#703** **#778**
hybridula Reitter, 1902c: 188 (*Strangalia*) **E**: PT SP
atriventris Pic, 1905a: 8 (*Leptura*) [DA]
atronotata Pic, 1918d: 5
subgenus *Nigrostenurella* Özdikmen, 2013c: 525 type species *Leptura nigra* Linnaeus, 1758 **#778**
nigra maesta Danilevsky, 2013a: 172 **E**: ST **A:** AB AR GG ?IN TR
nigra nigra Linnaeus, 1758: 398 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK **A**: TR **#7**
giraudi Pic, 1946a: 14 (*Strangalia*)
picea Geoffroy, 1785: 87 (*Stenocorus*)
varicollis Schaefer, 1932: 31 (*Stenura*)
subgenus *Priscostenurella* Özdikmen, 2013c: 516 type species *Leptura bifasciata* O.F.Müller
Eduardvivesia Zamoroka, Trócoli, Shparyk & Semaniuk, 2022: 131 type species *Leptura vaucheri* Bedel, 1900 **#703**
Nigromacularia Zamoroka, Trócoli, Shparyk & Semaniuk, 2022 132 type species *Leptura septempunctata* Fabricius 1793 **#703**
bifasciata bifasciata O. F. Müller, 1776: 93 (*Leptura*) **E**: AU BE BH BY CR CT CZ EN FR GE HU IT KZ LA LS LT LU MD ME NL NT PL PT RO SB SK SL SP ST SZ ?TR UK **A**: AB AR ES GG IN IQ KZ ?TR WS XIN **#400**
albarracina Wagner, 1927a: 45 (*Leptura*)
cruciata Olivier, 1800: 7 (*Leptura*) **#373**
immaculata Pic, 1889b: 55 (*Strangalia*)
nigriventris Pic, 1891b: 15 (*Strangalia*)

sedakovii Mannerheim, 1852b: 307 (*Stenura*)
ustulata Laicharting, 1784: 157 [HN] (*Leptura*)
bifasciata ferruginipes Pic, 1895c: 76 (*Strangalia*) ["Bitlis"] **A**: TR
solaris Rapuzzi & Sama, 2012a: 665 ["Bitlis: 35km E Tatvan"]
bifasciata intermedia Holzschuh, 2006a: 219 **E**: AL BU GR MC
bifasciata lanceolata Mulsant & Rey, 1863: 177 (*Strangalia*) **E**: FR SP
bifasciata limbiventris Reitter, 1898a: 21 (*Strangalia*) **A**: GG TR
bifasciata nigrosuturalis Reitter, 1895a: 88 (*Strangalia*) **A**: LE SY TR
bifasciata sabineae Rapuzzi & Sama, 2012a: 664 ["Hakkari"] **A:** IN TR **#1**
bifasciata safronovi Danilevsky, 2011b: 2 **A:** TR
septempunctata latenigra Pic, 1915e: 5 (*Strangalia*) ["Asie Mineure"] **E**: BU ST TR **A**: AR GG TR
afyoncayensis Şabanoğlu Şimşek, Özdemir Türkmen & Sert, 2024: 170 **#816**
anatolica Heyrovský, 1961a: 45 (*Strangalia*)
roberti Pic, 1915a: 38 (*Leptura*) ["Transsylvanie et Turquie"]
septempunctata septempunctata Fabricius, 1793: 346 (*Leptura*) **E**: AL AU BH BU CR CZ GE GR HU IT MC MD ME PL RO SB SK SL ~~ST~~ ?SZ UK **#115**
atrosuturalis Pic, 1915a: 38 (*Leptura*)
corcyrica Pic, 1915e: 5 (*Strangalia*)
dobiachi Pic, 1916b: 4 (*Strangalia*)
gasturica Pic, 1915a: 38 (*Leptura*)
holtzi Pic, 1916b: 5 (*Strangalia*)
montandoni Pic, 1915e: 5 (*Strangalia*)
notaticollis Pic, 1915e: 5 (*Strangalia*)
pallidicolor Pic, 1915e: 5 (*Strangalia*)
rubronotata Pic, 1916b: 5 (*Strangalia*)
semireducta Pic, 1915e: 5 (*Strangalia*)
suturata Reiche & Saulcy, 1858: 22 (*Strangalia*) ["Péloponése"]
velebitica Pic, 1916b: 4 (*Strangalia*)
vaucheri Bedel, 1900: 336 (*Leptura*) **E**: SP **N**: MO
subgenus *Stenurella* Villiers, 1974c: 214 type species *Leptura melanura* Linnaeus, 1758 **#778**
melanura melanura Linnaeus, 1758: 397 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU ~~IR~~ IT LA LS LT LU MC MD ME NL NT NR PL PT RO SB SK SL SP ST SV SZ UK KZ **A**: ?GG ?AR ?AB ES FE JA KZ MG TR WS XIN **#885**
diversiventris Dufour, 1843: 103 (*Leptura*)
georgiana Pic, 1891g: 63 (*Strangalia*)
latesuturata Pic, 1891g: 63 (*Strangalia*)
melanurella Reitter, 1901a: 78 (*Strangalia*)
rubellata Reitter, 1901a: 77 (*Strangalia*)
semicrassa Pic, 1901n: 58 (*Leptura*)
sennii Sama, 2003a: 40 **#1** **#20**
similis Herbst, 1784: 101 (*Leptura*)
suturanigra DeGeer, 1775: 138 (*Leptura*)
melanura pamphyliae Rapuzzi & Sama, 2010: 182 **A**: IN TR **#3**
melanura samai Rapuzzi, 1995: 617 **E**: BU GR TR **A**: TR **#3**
melanura zehrae Özdikmen, Mercan & Cihan, 2012a: 18 **A:** TR **#1**
subgenus *Stenurelloides* Özdikmen, 2013c: 523 type species *Leptura jaegeri* Hummel, 1825 **#703** **#778**
jaegeri Hummel, 1825: 68 (*Leptura*) **E**: CT ST UK **A**: AB AR GG IN SY TR
fenestrata Reitter, 1901a: 79 (*Strangalia*)
jekeli Pic, 1901j: 236 (*Strangalia*)
mingrelica Tournier, 1872: 344 (*Strangalia*)
oxyptera Faldermann, 1837: 318 (*Stenura*)
novercalis Reitter, 1901a: 78 **E**: ST **A**: GG TR

genus *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859
subgenus *Aredolpona* Nakane & K. Ohbayashi, 1957: 50 (A244) type species *Leptura rubra* Linnaeus, 1758
Corymbia Gozis, 1886: 33 [HN] type species *Leptura rubra* Linnaeus, 1758
dichroa Blanchard, 1871: 812 (*Leptura*) **A**: ANH ES FE FUJ GUI HEB HEI HEN HUB HUN JA JIL JIX NC SC SCH SHA SHN SHX ZHE **#400**
muliebris Heyden, 1886c: 276 (*Leptura*)
succedanea Lewis, 1879b: 464 (*Leptura*) **#400**
rufonotaticollis Pic, 1915f: 12 (*Leptura*)
theryi Pic, 1915f: 12 (*Leptura*)
trisignaticollis Pic, 1915f: 12 (*Leptura*)
rubra numidica Peyerimhoff, 1918a: 331 (*Leptura*) **N**: AG
rubra rubra Linnaeus, 1758: 397 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK **A**: ES KZ WS **#655**
dufouri Lecomte, 1926: 168 (*Leptura*)
maculiceps Gabriel, 1910: 556 (*Leptura*)
occipitalis Mulsant, 1839: 268 (*Leptura*)
planata Swaine & Hopping, 1928: 62 (*Anoplodera*)

rubrotestacea Illiger, 1805: 122 (*Leptura*)
salzmanni Hubenthal, 1902: 291 (*Leptura*)
sattleri Bickhardt, 1902: 362 (*Leptura*)
semimarginata Pic, 1916a: 22 (*Leptura*)
testacea Linnaeus, 1760: 196 (*Leptura*)
umbellatarum Laicharting, 1784: 161 (*Leptura*)
subgenus *Batesiata* Miroshnikov, 1998: 594 type species *Leptura tesserula* Charpentier, 1825 **#1** **#635**
tesserula tesserula Charpentier, 1825: 227 (*Leptura*) **E**: AL BU CZ GR HU ME PL RO SB SK ST UK **A**: AB AR GG IN TR
abchasica Rost, 1893: 344 (*Leptura*)
bisignata Ménétriés, 1832: 232 (*Leptura*)
bisignata Faldermann, 1837: 313 (*Leptura*) [HNh
dejeani Ganglbauer, 1889**c**: 469 (*Leptura*) [RN]
impunctata Heyden, 1877b: 420 (*Leptura*)
tesserula orientalis Vartanis, 2019a: 14 **A:** TR **#517**
subgenus *Cribroleptura* Vives, 2000: 266 type species *Leptura stragulata* Germar, 1824
otini Peyerimhoff, 1949: 293 (*Leptura*) **E**: SP **N**: MO
tizifrensis Cobos, 1961: 94 (*Leptura*)
stragulata Germar, 1824: 523 (*Leptura*) **E**: FR PT SP **#506**
hispanica Pic, 1910a: 27 (*Leptura*)
iberica Pic, 1950a: 15
nadari Pic, 1950a: 15
nigrina Schaufuss, 1863: 121 (*Leptura*)
variventris Schaufuss, 1863: 121 (*Leptura*)
subgenus *Hesperoleptura* Vives, 2021: 1 type species *Leptura palmi* Demelt, 1972a
palmi Demelt, 1972a: 74 (*Leptura*) **N**: CI
subgenus *Maculileptura* Danilevsky, 2014i: 274 type species: *Leptura maculicornis* DeGeer, 1775 **#622**
maculicornis DeGeer, 1775: 139 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT LU MC MD ME NR NT PL RO SB SK SL SP ST SV SZ TR UK **A**: ?GG WS **#83**
maculosa Gmelin, 1790: 1874 (*Leptura*)
ondreji Sláma, 1993: 59 (*Brachyleptura*) **E**: GR
pallens Brullé, 1832: 264 (*Leptura*) **E**: AL BU BH CR GR MC ME RO SB TR **A**: TR
picticornis Reitter, 1885: 390 (*Leptura*) **E**: GR
simplonica Fairmaire, 1885: 317 (*Leptura*) **E**: FR IT SZ
subgenus *Melanoleptura* Miroshnikov, 1998: 594 type species *Leptura scutellata* Fabricius, 1781 **#1** **#778**
arabica Vartanis, 2024d: 102 **A**: SY
scutellata inscutellata Pic, 1892b: 415 (*Leptura*) **A**: TR
scutellata maritima Sláma, 2015b: 1118 **E**: FR **#79** **#778**
scutellata melas P. H. Lucas, 1847: pl. 43 (*Leptura*) **E**: IT (Sicilia) **N**: AG TU
scutellata miroshnikovi Danilevsky, 2012m: 915 **A**: AB IN
scutellata ochracea Faust, 1878: 135 (*Leptura*) **E**: ST **A**: AB AR GG TR **#78** **#635**
scutellata scutellata Fabricius, 1781: 247 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT LA LU MC MD ME PL PT RO SB SK SL SP ST SV SZ TR UK
?*carbonaria* Scopoli, 1763: 56 [NO] (*Cerambyx*) **#174**
chrysothyreos Schrank, 1798: 697 (*Leptura*)
funerea Geoffroy, 1785: 89 (*Stenocorus*)
nigra V. Petagna, 1787: 17 (*Rhagium*)
ochraceipennis Pic, 1897c: 31 (*Leptura*)
subgenus *Miroshnikovia* Danilevsky, 2014i: 275 type species *Leptura deyrollei* Pic, 1895b
deyrollei Pic, 1895b: 40 (*Leptura*) **A**: GG TR
subgenus *Paracorymbia* Miroshnikov, 1998: 587 type species *Leptura fulva* DeGeer, 1775 **#1**
benjamini benjamini Sama, 1993e: 470 (*Corymbia*) **A**: IS
benjamini ehdenensis Sama & Rapuzzi, 2000: 10 (*Paracorymbia*) **A**: LE SY
excisipes K. Daniel & J. Daniel, 1891: 6 (*Leptura*) **A**: SY TR
fulva DeGeer, 1775: 137 (*Leptura*) **E**: AL AU BE BH BU ~~BY~~ CR CT CZ FR GB GE GR HU IR IT LS LU MC ME NL PL PT RO SB SK SL SP ST SZ TR UK **A**: TR **#133** **#482** **#517** **#752**
affinis Marsham, 1802: 353 (*Leptura*)
apicalis Motschulsky, 1875: 142 (*Leptura*)
corsica Pic, 1894c: 206 (*Leptura*)
fulvoapicalis Plavilstshikov, 1932f: 174 (*Leptura*)
lutescens Geoffroy, 1785: 87 (*Stenocorus*)
tomentosa Fabricius, 1793: 340 (*Leptura*)
hybrida Rey, 1885b: 277 (*Leptura*) **E**: FR IT SP SZ
nadezhdae Plavilstshikov, 1932c: 182 (*Leptura*) **E**: ST
pallidipennis Tournier, 1872: 346 (*Leptura*) **E**: ST **A**: AB GG TR
circassica K. Daniel & J. Daniel, 1891: 31 (*Leptura*)
sambucicola Holzschuh, 1982a: 65 (*Brachyleptura*) **A**: SY TR
tonsa K. Daniel & J. Daniel, 1891: 31 (*Leptura*) **E**: ST ?UK **A**: AB AR GG IN TR
menetriesi Ganglbauer, 1889**c**: 469 [RN] [NO]

ustulata Ménétriés, 1832: 231 [HN] (*Leptura*)
subgenus *Pyrrholeptura* Lazarev, 2016d: 15 type species: *Leptura pyrrha* Bates, 1884 #635
pyrrha Bates, 1884a: 216 (*Leptura*) **A**: JA
bouvieri Pic, 1901m: 59 (*Leptura*)
subgenus *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859
cardinalis K. Daniel & J. Daniel, 1898a: 76 (*Leptura*) **A**: KI TD UZ
rubidiventris Jankowski, 1934: 104 (*Leptura*)
cordigera anojiaensis Sláma, 1982: 207 (*Brachyleptura*) **E**: GR (Crete) **A**: TR
cordigera cordigera Fuessly, 1775: 14 (*Leptura*) **E**: BE BH BU CR CZ DE FR GB GE GR (north-east) IT MC NL RO SB SP SZ RO ST TR UK **N**: LB **A**: AB AR CY GG IN IQ IS LE SY TR **#121**
auricollis Chobaut, 1895a: cccx (*Leptura*)
epipleuralis Schaefer, 1932: 31 (*Leptura*)
hastata Sulzer, 1776: 46 (*Leptura*)
immaculata Ragusa, 1889: 236 (*Leptura*)
inhastata Pic, 1902c: 8 (*Leptura*)
lamed Geoffroy, 1785: 86 [HN] (*Stenocorus*)
cordigera illyrica G. Müller, 1948: 63 (*Leptura*) **E**: AL BH CR GR IT (north-east) MC SL
cretica Vartanis, 2025: 1677 E: GR
eckweileri Holzschuh, 1989a: 154 (*Vadonia*) **A**: PA
erythroptera Hagenbach, 1822: 7 (*Leptura*) **E**: AL AU BH BU CR CZ FR GE GR HU IT MC ME RO SB SK SP ST SZ UK **A**: AB AR GG IN TR
rufipennis Mulsant, 1839: 272 (*Leptura*)
fontenayi Mulsant, 1839: 271 (*Leptura*) **E**: AZ FR PT SP **N**: AG CI MO TU
erythrodera Chobaut, 1896: 201 (*Leptura*)
nigrovittata Chobaut, 1896: 201 (*Leptura*)
pici Chobaut, 1896: 201 (*Leptura*)
gladiatrix Sama, 2008: 220 **N**: MO
heydeni Ganglbauer, 1889c: 469 (*Leptura*) **A**: IS LE SY TR
silbermanni Lefebvre, 1835: 303 [NO] (*Leptura*) ["Syrie Mont Liban"]
incisipennis Reitter, 1895a: 85 (*Leptura*)
maceki Holzschuh, 1991c: 19
igai Tamanuki, 1943: 93 (*Leptura*) **A**: JA
ivoroberti Sama, 2010: 920 **E:** GR
oblongomaculata Buquet, 1840: 396 (*Leptura*) **E**: IT (Sardegna, Sicilia) **N**: AG ?MO TU
biparadoxa Dayrem, 1922a: 17 (*Leptura*)
extrema Dayrem, 1930: 70 (*Leptura*)
latedecorata Pic, 1898i: 64 (*Leptura*)
obliterata Pic, 1898i: 64 (*Leptura*)
obscurithorax Pic, 1898a: 4 (*Leptura*)
trinotaticollis Pic, 1934e: 20 (*Leptura*)
uxoria Dayrem, 1927: 67 (*Leptura*)
olympicola Vartanis, 2023c: 1720 **E:** GR **#849**
rufa attaliensis K. Daniel & J. Daniel, 1891: 11 (*Leptura*) **A**: TR
gevneensis Özdikmen & Turgut, 2008b: 549
rufa dimidiata K. Daniel & J. Daniel, 1891: 11 (*Leptura*) **A**: IQ TR
rufa excelsa Costa, 1863: 24 (*Leptura*) **E**: IT
rufa nigropicta Fairmaire, 1866b: 278 (*Leptura*) **A**: TR
rufa realis Danilevsky, 2012m: 912-913 **E**: ST **A**: AB AR GG TR
rufa rubromarginata Plavilstshikov, 1932f: 174 (*Leptura*) **A**: IN
rufa rufa Brullé, 1832: 263 (*Leptura*) **E**: AL BH BU CR GR IT MC ME RO ?SB **A**: TR
slamai Sama, 2010: 49 **E**: GR (Crete)
martini Sláma, 1985: 17 [HN] (*Brachyleptura*)
tangeriana Tournier, 1875: 475 (*Leptura*) **N**: MO
atlasica Escalera, 1914a: 496
birufonotata Pic, 1919a: 22 (*Leptura*)
maroccana Heyden, 1886a: 85 [RN] (*Leptura*)
nigromaculata Pic, 1913b: 138 (*Leptura*)
olcesei Pic, 1894f: 108
rufonotata Pic, 1913b: 138 (*Leptura*)
tangeriana Heyden, 1881b: 251[HN] (*Leptura*)
tripartita Heyden, 1889b: 329 (*Leptura*) **A**: IN IQ TR
morgani Pic, 1905d: 300 (*Leptura*)
trisignata Fairmaire, 1852a: 92 (*Leptura*) **E**: FR PT SP
martini Pic, 1945b: 6 (*Leptura*)
semirufula Kraatz, 1880: 376 (*Leptura*)
subgenus *Variileptura* Danilevsky, 2014i: 267 type species: *Leptura variicornis* Dalman, 1817
variicornis Dalman, 1817a: 482 (*Leptura*) **E**: BY CT EN LA LT NT PL ST UK **A**: ES FE GUX HEB HEI JA JIL KZ MG NC NE NMO SC SHA WS XIN **#400** **#517**
tsuyukii Fujita, 2018: 22 **#526** **#736**

genus *Strangalia* Dejean, 1835: 355 type species *Leptura luteicornis* Fabricius, 1775
Ophistomis J. Thomson, 1861: 154 type species *Ophistomis flavocinctus* J. Thomson, 1861
Ophiostomis Gemminger, 1872: 2875 [unnecessary emendation]
Strangalina Aurivillius, 1912: 228 type species *Leptura attenuata* Linnaeus, 1758
Sulcatostrangalia K. Ohbayashi, 1961a: 17 type species *Strangalia gracilis* Gressitt, 1935
attenuata Linnaeus, 1758: 398 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR ?GB GE GR HU ~~IR~~ IT LA LS LT LU MC MD ME NL NR NT ~~NE~~ PL RO SB SK SL SP ST SV SZ TR UK KZ **A**: AB AR ES FE HEB GG JA(Hokkaido) JIX KZ MG NC NE SC SW TR WS XIN
balcanica Pic, 1915e: 6 (*Typocerus*)
brunnescens Balbi,. 1892: 49 (*Leptura*)
grenieri Pic, 1912c: 3 (*Leptura*)
imperfecta Gerhardt, 1910: 556 (*Leptura*)
obscuriventris Pic, 1901n: 59 (*Typocerus*)
ucranica Laxman, 1770: 596
varcanica, Ohabayashi, 2023: 67 (misspelling)
fortunei Pascoe, 1858: 265 **A**: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SCH SHA ZHE **#225**
obscuricornis Pic, 1925f: 188
fujitai Shimomura, 1994: 345 **A**: TAI
gracilis Gressitt, 1935f: 381 **A**: JA (Ryukyus)
matsumurai Fujita, 2018: 25 **#526** **#736**
klapperichi Pic, 1957: 76 **A**: FUJ
koyaensis Matsushita, 1933b: 219 **A**: JA
haraguro K. Ohbayashi, 1958b: 18
linsleyi Gressitt, 1951a: 116 **A**: FUJ GUX HAY HUN JIX ZHE **#489**
nigrocaudata Fairmaire, 1887a: 135 **A**: GUX JIX
takeuchii Matsushita & Tamanuki, 1935: 2 **A**: FE (Kunashir) JA

genus *Strangalomorpha* Solsky, 1873: 253 type species *Strangalomorpha tenuis* Solsky, 1873
austera Holzschuh, 2003a: 164 **A**: YUN
cavernosa Holzschuh, 1998: 27 **A**: HUB
multiguttata Pic, 1914d: 16 (*Strangalia*) **A**: YUN
?*senensis* Pic, 1938: 134 (*Leptura*) **#266**
platyfasciata Chiang, 1963: 64 (*Strangalia*) **A**: YUN
signaticornis Ganglbauer, 1889a: 52 (*Leptura*) **A**: GAN SHA
tenuis aenescens Bates, 1884a: 221 **A**: JA
atricolor Kano, 1933b: 130
tenuis tenuis Solsky, 1873: 254 **A**: FE GAN HEI JA (Tsushima Is.) JIL NC NMO SC
viridiorsalis Chou & N. Ohbayshi, 2010: 362 **A:** GUX TAI

genus *Teratoleptura* N. Ohbayashi, 2008: 419 type species *Strangalia mirabilis* Aurivillius, 1902
mirabilis mirabilis Aurivillius, 1902: 207 (*Strangalia*) **A**: FUJ GUA GUX HAI **ORR**
carpo Pic, 1903c: 28 (*Ocalemia*)
gigantia Chiang, 1981: 78 (*Strangalia*)

genus *Thrangalia* Holzschuh, 1995: 10 type species *Thrangalia diaboliella* Holzschuh, 1995
diaboliella Holzschuh, 1995: 11 **A**: YUN

genus *Turnaia* Holzschuh, 1993a: 14 type species *Turnaia opaca* Holzschuh, 1993
furva Holzschuh, 2006a: 209 **A**: SCH
opaca Holzschuh, 1993a: 15 **A**: GAN

genus *Unicornileptura* Bi, Chen & N. Ohbayashi, 2022: 146 type species *Unicornileptura emeiensis* Bi, Chen & N. Ohbayashi, 2022
emeiensis Bi, Chen & N. Ohbayashi, 2022: 146 **A:** SCH
laticollis Bi, Chen & N. Ohbayashi, 2022: 148 **A:** HUB

genus *Vadonia* Mulsant, 1863: 559 type species *Leptura unipunctata* Fabricius, 1787
subgenus *Sinemaculipenna* Özdikmen, 2025r: 2989 type species *Vadonia instigmata* Pic, 1889 **#528**
bicolor L. Redtenbacher, 1850: 50 (*Leptura*) **A**: AB IN TR
tuerki Heyden, 1879a: 326 [1879b: 70] (*Leptura*)
bitlisiensis Chevrolat, 1882: 59 **A**: AB AR IN TR
armeniaca Pic, 1903a: 4 (*Leptura*)
bistigmata Pic, 1890e: clxxvi
cribricollis Pic, 1889a: 20 [mispaginated: 5] (*Leptura*)
ispirensis Holzschuh, 1993a: 14 **A**: TR
instigmata Pic, 1890e: clxxvi **A**: IN TR **#152**
subgenus *Vadonia* Mulsant, 1863: 559 type species *Leptura unipunctata* Fabricius, 1787

Neovadonia Kaszab, 1938: 151 type species *Leptura unipunctata* Fabricius, 1787
bipunctata adusta Kraatz, 1859: 97 (*Leptura*) **E**: HU MK RO SK SL
litigiosa Mulsant, 1863: 564
rufonotata Pic, 1926d: 10 (*Leptura*)
bipunctata aralensis Danilevsky, 2019: 83 **A:** KZ
bipunctata bipunctata Fabricius, 1781: 245 (*Leptura*) **E**: CT ST KZ **A**: KZ WS
beckeri Pic, 1941d: 14 [HN] (*Leptura*)
fischeri Zubkov, 1829: 16**8** (*Leptura*)
bipunctata globicollis Desbrochers des Loges, 1870: 127 (*Leptura*) **E**: MD RO ST UK
mulsantiana Plavilstshikov, 1936: 341 (*Leptura*)
bilitigiosa Pic, 1941d: 15
bipunctata kalmykia Danilevsky, 2024: 689 **E**: ST
bipunctata laterimaculata Motschulsky, 1875: 14**1** (*Leptura*) **E**: UK (Crimea)
puchneri Holzschuh, 2007: 183
bipunctata sareptana Pic, 1941d: 15 **E:** KZ ST **A:** KZ **#1**
bipunctata steveni Sperk, 1835: 158 (*Leptura*) **E**: HU MD RO SK SL ST UK
bipunctata teberdensis Danilevsky, 2014i: 247 **E:** ST
bipunctata urdensis Danilevsky, 2014i: 244 **E:** KZ **A:** KZ
bolognai Sama, 1982: 207 **A**: TR
ciliciensis K. Daniel & J. Daniel, 1891: 13 **A**: TR
danielorum Holzschuh, 1984a: 142 **A**: TR
dojranensis dojranensis Holzschuh, 1984c: 343 [Macedonia] **E**: AL GR MC SB
dojranensis mahri Holzschuh, 1986a: 121 [Philippi bei Kavala] **E**: BU GR **#504**
frater Holzschuh, 1981: 96 **A**: TR
grandicollis grandicollis Mulsant & Rey, 1863: 182 [Smirne] **E**: AL BU GR MC TR **A:** TR **#11**
bisignata Brullé, 1832: 264 [HN] (*Leptura*)
inapicalis Pic, 1897c: 31 (*Leptura*) [DA]
grandicollis laurae Pesarini & Sabbadini, 2007a: 25 **E**: GR
gusmii Pesarini & Sabbadini, 2009: 16 **E:** GR
hirsuta K. Daniel & J. Daniel, 1891: 6, 18 (*Leptura*) **E**: BU ?MD RO ?UK **#272 #363**
imitatrix K. Daniel & J. Daniel, 1891: 6 (*Leptura*) **E**: CR IT SB
insidiosa Holzschuh, 1984a: 143 **E**: GR
klichai Vartanis, 2017: 341 **E:** GR
lazarevi Vartanis, 2026: 32 **A**: CY
mainoldii Pesarini & Sabbadini, 2004d: 162 **E**: GR
moesiaca K. Daniel & J. Daniel, 1891: 6 (*Leptura*) **E**: AL BU GR MC RO SB TR UK **A**: TR **#648**
beali Pic, 1926d: 13 [1927j: 157] [DA]
bipunctata Kraatz, 1859: 97 [HN]
monostigma Ganglbauer, 1882: 29 (*Leptura*) **A**: TR
parnassensis Pic, 1925d: 6 (*Leptura*) **E**: GR
aspoeckorum Holzschuh, 1975a: 84
persica Vartanis, 2017: 343 **A:** IN
resli Vartanis, 2023: 1840 **E:** CR
samosensis Vartanis, 2016: 678 **E**: GR
saucia Mulsant & Godart, 1855b: 282 [= 1855a: 182] (*Leptura*) **E**: BU RO UK (Crimea) **#272 #351**
soror soror Holzschuh, 1981: 95 **A**: TR
soror tauricola Holzschuh, 1993a: 14 **A**: TR
unipunctata albanica Vartanis, 2019b: 104 **E:** AL
unipunctata dalmatina J. Müller, 1907: 662 (*Leptura*) **E**: CR
unipunctata gallica Podaný, 1963a: 9 **E**: FR **#78**
unipunctata ikariaensis Danilevsky & Vartanis, 2015: 225 **E**: GR **#83**
unipunctata makedonica Holzschuh, 1989a: 154 ["Lekanis-Gebirge"] **E**: BU GR **#768**
unipunctata occidentalis K. Daniel & J. Daniel, 1891: 17 (*Leptura*) **E**: FR IT SP **?N:** MO AG
xambeui Pic, 1931c: 6 (*Leptura*)
unipunctata ohridensis Holzschuh, 1989a: 154 **E**: AL GR MC **#11**
unipunctata syricola Holzschuh, 1993a: 13 **A**: LE SY TR **#584**
unipunctata unipunctata Fabricius, 1787: 157 (*Leptura*) [NP] **E**: AU BH BU CR CT CZ FR GR HU IT KZ MD **?**PL RO SB SK SL SP ST TR UK **A**: AB AR GG IN KZ TR WS
obscurepilosa Pic, 1892p: lxxxiv (*Leptura*)
pilosa Forster, 1771: 44 (*Leptura*) [NO]
uninstigmata Pic, 1891b: 9 (*Leptura*)
vartanisi Danilevsky, 2014e: 259 **A**: TR

genus *Xenoleptura* Danilevsky, Lobanov & Murzin, 1981: 787 type species *Leptura hecate* Reitter, 1896
hecate Reitter, 1896: 48 (*Leptura*) **A**: KI KZ TD UZ XIN
auliensis Pic, 1901d: 19 (*Strangalia*)

genus *Xenophyrama* Bates, 1884a: 210 type species *Xenophyrama purpureum* Bates, 1884
purpureum Bates, 1884a: 210 **A**: JA

genus *Xestoleptura* Casey, 1913: 248 type species *Xestoleptura corusca* Casey, 1913
baeckmanni Plavilstshikov, 1936: 333 (*Leptura*) **A**: CH FE JIL NC (Mt. Maisan) **#63**
changbaishanensis Gao, Meng & Yan, 2011: 400 (*Munamizoa*) **#517**
nigroflava Fuss, 1852a: 75 (*Grammoptera*) **E**: RO
rufiventris Gebler, 1830: 193 [HN] (*Leptura*) **A**: ES FE KZ MG NMO WS XIN **#400**
jenseni Gressitt, 1951a: 83 (*Anoplodera*)
maculata Gebler, 1841b: 614 [HN] (*Leptura*)
theresae Pic, 1912c: 2 (*Leptura*)

tribe Lepturini, incertae sedis
Leptura miaoi Z. Wang & L.-Y. Zheng, 2003: 95, 398 **A**: JIL

tribe Oxymirini Danilevsky, 1997

genus *Neoxymirus* Miroshnikov, 2013b: 455 type species *Toxotus mirabilis* Motschulsky, 1838 **#1**
mirabilis Motschulsky, 1838: 183 (*Toxotus*) **E**: ST **A**: AR AB GG IN TR
atripes Pic, 1935d: 7

genus *Oxymirus* Mulsant, 1862: 464 type species *Cerambyx cursor* Linnaeus, 1758
cursor Linnaeus, 1758: 393 (*Cerambyx*) **E**: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT LU MC MD NL NR NT PL RO SB SK SL SP ST SV SZ UK **A**: WS **#359** **#517**
luctuosus Latreille, 1804: 310 (*Leptura*)
niger Olivier, 1800: 19 (*Stenocorus*) **#373**
noctis Linnaeus, 1767: 630 (*Cerambyx*)
semiobscurus Pic, 1900m: 62
spaceki Roubal, 1934b: 140
verneulii Mulsant, 1839: 233 (*Toxotus*)
vittatus Gmelin, 1790: 1865 (*Cerambyx*)

genus *Paktoxotus* Holzschuh, 1974a: 84 type species *Paktoxotus pallidus* Holzschuh, 1974
pallidus Holzschuh, 1974a: 86 **A**: ?AF PA **#454**

Pidoniini Zamoroka, 2022

Pidoniini Zamoroka, 2022b: 308 **#704**

genus *Fallacia* Mulsant & Rey, 1863: 180 type species *Fallacia longicollis* Mulsant & Rey, 1863 (= *Grammoptera elegans* Faldermann, 1837)
elegans Faldermann, 1837: 319 (*Grammoptera*) **E**: ~~CT~~ ST TR **A**: AB AR GG IN TR
inapicalis Pic, 1901e: 16
lederi Kraatz, 1879f: 280
longicollis Mulsant & Rey, 1863: 180
mingrelica Kraatz, 1879i: 279
subnotata Pic, 1901e: 16
genus *Macropidonia* Pic, 1901k: 339 type species *Macropidonia ruficollis* Pic, 1901
Sieversia Ganglbauer, 1887a: 134 [HN] type species *Sieversia bicolor* Ganglbauer, 1887
Sivana Strand, 1942: 391 [RN] type species *Sieversia bicolor* Ganglbauer, 1887
bicolor Ganglbauer, 1887a: 134 (*Sieversia*) **A**: FE HEB LIA NC SC
ruficollis Pic, 1901k: 340 **A**: JA JIL

genus *Pidonia* Mulsant, 1863: 570 type species *Leptura lurida* Fabricius, 1793
subgenus *Cryptopidonia* Kuboki, 1981: 530 type species *Pidonia lyra* Kuboki & Suzuki, 1978
aenipennis aenipennis Gressitt, 1935e: 253 (*Pseudopidonia*) **A**: TAI
aenipennis continentalis Tippmann, 1955: 90 (*Pseudopidonia*) **A**: FUJ
albomaculata Matsushita, 1931c: 401 (*Pseudopidonia*) **A**: TAI
amentata amentata Bates, 1884a: 215 (*Grammoptera*) **A**: JA
breuningi Pic, 1955: 12 (*Pseudopidonia*)
oculata Matsushita, 1933b: 191 (*Pseudopidonia*) **#526**
staudingeri Pic, 1901c: 12 (*Pseudopidonia*)
amentata awashimana Kuboki, 1993c: 235 **A**: JA (Awashima Is.)
amentata kurosawai K. Ohbayashi & Hayashi, 1960: 13 **A**: FE (Kurils) JA
amentata sadoensis Kuboki, 1993d: 261 **A**: JA (Sado Is.) **#276**
anmashana Kuboki, 1993a: 33 **A**: TAI
approximata Kuboki, 1977b: 65 **A**: JA
chiaomui Kuboki, 1995b: 747 **A**: TAI
chui Chou, 1998: 434 **A**: TAI

dealbata Kuboki, 1981: 535 **A**: JA
fushani Kuboki, 1993a: 37 **A**: TAI
hamadryas Kuboki, 1977c: 268 **A**: JA
hayashii Koike, 1971: 25 **A**: JA
hohuanshana Chou, 1998: 438 **A**: TAI
hylophila affinis Kuboki, 1982b: 118 **A**: JA
hylophila hylophila Kuboki, 1977b: 67 **A**: JA
ohdaisana Mizuno, 1978: 39
insuturata Pic, 1901m: 59 **A**: JA
brevinotata Pic, 1902g: 24 (*Pseudopidonia*)
kaguyahime Kuboki, 2020: 252 **A:** JA
luna Chou & Wu, 2005: 407 **A**: TAI
lyra Kuboki & Suzuki, 1978: 297 **A**: JA
masakii Hayashi, 1955: 28 **A**: JA
hiurai K. Ohbayashi & Hayashi, 1960: 15
lepesmei Pic, 1956: 647 (*Pseudopidonia*)
simillima K. Ohbayashi & Hayashi, 1960: 14 **#600**
miwai Matsushita, 1933b: 190 (*Pseudopidonia*) **A**: JA
pilushana S. Saito, 1979: 211 **A**: TAI
subaenea Gressitt, 1935e: 254 (*Pseudopidonia*) **A**: JIL TAI
taipingshana Kuboki, 1995b: 753 **A**: TAI
takahashii Kuboki, 1983: 25 **A**: TAI
yushana Chou & Wu, 2005: 403 **A**: TAI
subgenus *Mumon* Hayashi, 1968b: 15 type species *Grammoptera debilis* Kraatz, 1789
aegrota aegrota Bates, 1884a: 214 (*Grammoptera*) **A**: JA **#400** **#526**
aegrota kubokii Hayashi, 1984: 22 [RN] **A**: JA (Tsushima Is.)
spectabilis Kuboki, 1982b: 120 [HN]
aegrota telephia Kuboki, 1996b: 805 **A**: JA (Sado Is.) **#276**
aestivalis Kuboki, 1994a: 37 **A**: TAI
alsophila Kuboki, 1997a: 19 **A**: TAI
amabilis Kuboki, 1980: 58 **A**: TAI
binigrosignata Hayashi, 1974a: 5 **A**: TAI
chienhsingi Kuboki, 1995a: 5 **A**: TAI
confusa S. Saito, 1980: 294 **A**: TAI
debilis Kraatz, 1879c: 104 (*Grammoptera*) **A**: FE HEI NC SC
formosana Tamanuki & Mitono, 1939: 208 **A**: TAI **#526**
formosissima Kuboki, 1980: 55 **A**: TAI **#400**
pudica Kuboki, 1994a: 33 **A**: TAI
sacrosancta Kuboki, 1995a: 9 **A**: TAI
subgenus *Omphalodera* Solsky, 1873: 244 type species *Omphalodera puziloi* Solsky, 1873
changi Hayashi, 1971: 3 **A**: SHA
heudei Gressitt, 1939b: 86 (*Pseudopidonia*) **A**: SHA ZHE **#225**
nakabayashii Kuboki, 2014: 181 **A**: JA
ogasawarai Kuboki, 2015: 469 **A**: JA
puziloi Solsky, 1873: 245 (*Omphalodera*) **A**: FE HEI JA MG NC SC
flaviventris Bates, 1884a: 212 (*Omphalodera*)
sakimori Kuboki, 2015: 466 **A**: JA (Tsushima Is)
testacea Matsushita, 1933b: 184 (*Omphalodera*) **A**: JA
warusawadakensis K. Ohbayashi, 1959: 1 **A**: JA
subgenus *Paleopidonia* Kuboki, 2003: 1 type species *Pidonia fujisana* Obika & Kusama, 1971
chujoi K. Ohbayashi & Hayashi, 1960: 13 **A**: JA
fujisana Obika & Kusama, 1971: 233 **A**: JA
oyamae Oyama, 1908: 19 (*Grammoptera*) **A**: JA
quadrimaculata Matsushita, 1933b: 192 (*Pseudopidonia*)
subgenus *Pidonia* Mulsant, 1863: 570 type species *Leptura lurida* Fabricius, 1793
lurida Fabricius, 1793: 343 (*Leptura*) **E**: AU BE BH BU BY CR CZ FR GE GR HU IT LA LS LT MD PL RO SB SK SL SZ UK **#472**
ganglbaueri Ormay, 1888: 168
notaticollis Pic, 1941d: 15
rufithorax Pic, 1902g: 23
subgenus *Pseudopidonia* Pic, 1900n: 81 type species *Pseudopidonia amurensis* Pic, 1900 **#400**
alpina An & Kwon, 1991: 43 **A**: SC
alticollis Kraatz, 1879c: 103 (*Grammoptera*) **A**: CH FE NC SC
rubricollis Pic, 1931b: 257 (*Pseudopidonia*)
rufiventris Plavilstshikov, 1932f: 87 (*Pseudopidonia*)
tristicula Kraatz, 1879**c**: 104 (*Grammoptera*)
amurensis Pic, 1900n: 81 (*Pseudopidonia*) **A**: FE HEI JIL NC SC SHA **#400**

quelpartensis Hayashi, 1983: 32
unifasciata Plavilstshikov, 1915c: 106 (*Pseudopidonia*)
angustata Kuboki, 1994c: 185 **A**: TAI
armata Holzschuh, 1991c: 9 **A**: SCH
atripennis Hayashi, 1978a: 85 **A**: TAI
atritarsis Holzschuh, 2013b: 92 **A**: SCH
balteata Holzschuh, 2013b: 88 **A**: SCH
benesi Holzschuh, 1998: 15 **A**: SCH
bispina Holzschuh, 1998: 12 **A**: HUB
bivittata S. Saito, 1980: 291 **A**: TAI
bouvieri Pic, 1901k: 339 **A**: JA
businskyorum Holzschuh, 1998: 13 **A**: HUB
chairo Tamanuki, 1943: 38 **A**: JA
chinensis Hayashi & Villiers, 1985: 17 **A**: BEI **#400**
compta Holzschuh, 1998: 16 **A**: GAN
cuprescens Holzschuh, 1991c: 10 **A**: SCH
dentipes Holzschuh, 1998: 8 **A**: SHA
deodara Kuboki, 1986: 63 **A**: TAI
determinata Holzschuh, 1998: 14 **A**: SCH
discoidalis Pic, 1901m: 58 **A**: JA
amagisanus Hayashi, 1953: 39
japonica Pic, 1953a: 14 [HN] (*Pseudopidonia*)
muneaka Hayashi, 1955: 26
tamanukii Hayashi, 1969b: 71
effracta Holzschuh, 1998: 17 **A**: SCH
elegans An & Kwon, 1991: 47 **A**: SC
erlangshana Holzschuh, 2013b: 91 **A**: SCH
exilis Holzschuh, 1991c: 13 **A**: SCH
falcata Kuboki, 1997b: 25 **A**: JA
flaccidissima Kuboki, 1994c: 181 **A**: TAI
foveolata Holzschuh, 1998: 17 **A**: YUN
frivola Holzschuh, 1998: 14 **A**: SCH
fumaria Holzschuh, 2003a: 155 **A**: SCH
gibbicollis Blessig, 1873: 258 (*Leptura*) **A**: FE HEI JA (Tsushima Is.) JIL LIA NC SC **#60**
marginata Pic, 1931b: 258 (*Pseudopidonia*)
gloriosa Kuboki, 1993b: 155 **A**: TAI
gorodinskii Holzschuh, 1998: 13 **A**: GAN
grallatrix Bates, 1884a: 214 (*Grammoptera*) **A**: JA
harmandi Pic, 1901m: 58
hamifera Holzschuh, 1998: 10 **A**: SHA
hayakawai Kuboki, 2001: 23 **A**: JA
himehana S. Saito, 1992: 12 **A**: JA
ignobilis Holzschuh, 1991c: 14 **A**: SCH
indigna Holzschuh, 1991c: 12 **A**: SCH
infuscata Gressitt, 1939b: 88 (*Pseudopidonia*) **A**: FUJ ZHE
jasha S. Saito & A. Saito, 1989: 194 **A**: JA
kanwonensis Danilevsky, 1993d: 111 **A**: NC (Mt. Geumgangsan)
koreana An & Kwon, 1991: 49 A: SC (Jejudo Is.)
kyushuensis Yamawaki, 1959: 85 **A**: JA
leucanthophila Kuboki, 1978a: 33 **A**: JA
limbaticollis limbaticollis Pic, 1902g: 27 (*Pseudopidonia*) **A**: JA
naganoensis Pic, 1956: 648 (*Pseudopidonia*)
nikkokensis K. Ohbayashi & Hayashi, 1957: 7
limbaticollis ohbayashii Matsushita, 1933b: 191 (*Pseudopidonia*) **A**: JA
tokugoana Matsushita, 1933b: 194 (*Pseudopidonia*)
limbaticollis stephani Hayashi, 1982b: 152 [RN] **A**: JA
breuningi K. Ohbayashi & Hayashi, 1957: 5 [HN]
longipalpis Kuboki, 1985: 115 **A**: TAI
longipennis An & Kwon, 1991: 50 **A**: SC
lucida Holzschuh, 1991c: 15 **A**: SCH
ludmilae Holzschuh, 1998: 12 **A**: HUB
luridaria Holzschuh, 1998: 16 **A**: SCH
maai Gressitt, 1951a: 73 **A**: FUJ
maculithorax Pic, 1901k: 338 **A**: JA
lineatocollis Pic, 1902g: 24
rufithorax Pic, 1956: 647 [HN] (*Pseudopidonia*) **#625**
major S. Saito, 1979: 214 **A**: TAI

malthinoides Kraatz, 1879c: 104 (*Grammoptera*) **A**: FE NC SC
quercus Tsherepanov, 1975b: 38 (*Pseudopidonia*)
maoxiana Holzschuh, 2013b: 89 **A**: SCH
matsushitai K. Ohbayashi, 1958d: 62 [RN] **A**: JA
ruficollis Matsushita, 1933b: 193 [HN] (*Pseudopidonia*)
maura Danilevsky, 1996b: 19 **A**: SC (Samjeongri)
meridionalis Kuboki, 1978b: 85 **A**: TAI
michinokuensis Hayashi, 1981b: 28 [RN] **A**: JA
japonica K. Ohbayashi & Hayashi, 1960: 15 [HN]
satoi K. Ohbayashi & Hayashi, 1960: 16
mimica Holzschuh, 2017b: 3 **A**: SCH **#400**
misenina S. Saito & A. Saito, 1992: 19 **A**: JA
mitis Holzschuh, 1992b: 8 **A**: SCH
moderata Holzschuh, 2017b: 4 **A**: SCH **#400**
modesta Kuboki, 1997c: 421 **A**: JA
murzini Holzschuh, 2013b: 86 **A**: SCH
mutata Bates, 1884a: 215 (*Grammoptera*) **A**: JA
shikokensis K. Ohbayashi & Hayashi, 1957: 6 [HN]
shikokuana Hayashi, 1968b: 53 [RN]
neglecta hizena Imasaka & Amano, 2001: 337 **A**: JA
neglecta neglecta Kuboki, 1982a: 7 **A**: JA
nobuoi Chou, 2009: 110 **A:** GUX
obfuscata Holzschuh, 1991c: 14 **A**: SCH
obscurior hakusana K. Ohbayashi & Hayashi, 1960: 14 **A**: JA
yokoyamai Hayashi, 1968b: 34
obscurior obscurior Pic, 1901k: 338 **A**: JA
bisignata Pic, 1935d: 12 (*Pseudopidonia*)
nagayamai Hayashi, 1968b: 37
occipitalis Gressitt, 1935e: 255 (*Pseudopidonia*) **A**: TAI
ohminesana Mizuno, 1987: 111 **A**: JA
orientalis Matsushita, 1933a: 103 **A**: JA
orophila Holzschuh, 1991a: 6 **A**: GUI YUN **#400**
palleola Holzschuh, 1991c: 11 **A**: SCH SHA **#225**
pallida K. Ohbayashi & Hayashi, 1960: 14 **A**: JA
pallidicolor Hayashi, 1983: 31 **A**: JA
palligera Holzschuh, 1995: 8 **A**: YUN
palposa Holzschuh, 2017b: 2 **A**: SCH **#400**
paradisiacola Kuboki, 1977a: 31 **A**: TAI
pauperula Holzschuh, 1999: 8 **A**: SCH
picta Ganglbauer, 1889a: 51 **A**: GAN NMO
propinqua Danilevsky, 1993e: 477 **A**: NC SC
pullata Holzschuh, 1998: 11 **A**: HUB NIN **#400**
qinlingana Holzschuh, 1998: 11 **A**: SHA
rutila Holzschuh, 1998: 9 **A**: HUB
semiobscura Pic, 1901k: 338 **A**: ?FE (Sakhalin Is.) JA **#526**
diversenotata Pic, 1956: 648 (*Pseudopidonia*) **#625**
nipponensis Matsushita, 1933b: 190
rufoscutellata Matsushita, 1933b: 192 (*Pseudopidonia*)
seorsa Holzschuh, 1991c: 11 **A**: NIN SCH **#400**
sertata Holzschuh, 1998: 18 **A**: SCH
seungmoi An & Kwon, 1991: 51 **A**: SC
shikokensis amanoi Hayashi, 1969b: 71 **A**: JA
shikokensis shikokensis Chûjô & Hayashi, 1951: 4 **A**: JA
sichuanica Holzschuh, 1992b: 7 **A**: SCH
signata Matsushita, 1933b: 185 **A**: JA
signifera Bates, 1884a: 215 (*Grammoptera*) **A**: JA **#400**
similis Kraatz, 1879c: 102 (*Grammoptera*) **A**: FE HEI JIL NC SC
rosti Pic, 1954: 3 (*Pseudopidonia*)
subobliterata Pic, 1954: 3 (*Pseudopidonia*)
sororia Holzschuh, 1992b: 6 **A**: SCH
straminea Holzschuh, 1992b: 6 **A**: SCH
striolata Holzschuh, 2013b: 84 **A**: SCH
submetallica Hayashi, 1974a: 6 **A**: TAI
subsuturalis Plavilstshikov, 1915c: 107 (*Pseudopidonia*) **A**: JIL
suvorovi Baeckmann, 1903a: 115 **A**: FE NC SC
suzukii Kuboki, 1983: 113 **A**: JA

sylvicola Kuboki, 1977c: 264 **A**: JA
takakuwai Chou, 2009: 113 **A:** GUX
trilineata Pic, 1954: 3 (*Pseudopidonia*) **A**: JA **#625**
takechii Kuboki, 1986: 297 **#625**
tsukamotoi Mizuno, 1978: 39 **A**: JA
tsushimana S. Saito & A. Saito, 1988: 120 **A**: JA (Tsushima Is.)
tsutsuii Kuboki, 1996a: 368 **A**: JA
tsuyukii Kuboki, 1994b: 132 **A**: JA
weolseonae An & Kwon, 1991: 55 **A**: SC
yamato Hayashi & Mizuno, 1953: 38 **A**: JA **#526**
higeshiro Yamawaki, 1977: 61

genus *Pseudosieversia* Pic, 1902f: 19 type species *Pidonia rufa* Kraatz, 1879
Macrorhabdium Plavilstshikov, 1915c: 103 type species *Macrorhabdium ruficolle* Plavilstshikov, 1915 (= *Pidonia rufa* Kraatz, 1879)
japonica amanoi Hayashi, 1971: 2 **A**: JA
japonica japonica K. Ohbayashi, 1937: 5 (*Microrhabdium*) **A**: JA
japonica shikokensis Hayashi, 1959b: 55 **A**: JA
rufa Kraatz, 1879c: 101 (*Pidonia*) **A**: FE JIL NC SC **#400**
bicolor Heyden, 1886c: 276 (*Pidonia*)
coreana Matsushita, 1935: 539 [HN]
coreana Okamoto, 1927: 67 (*Sieversia*)
ruficollis Plavilstshikov, 1915c: 104 (*Macrorhabdium*)
spectabilis Kraatz, 1879e: 228 (*Pidonia*)

genus *Rhondia* Gahan, 1906a: 79 type species *Leptura pugnax* Dohrn, 1878
Fairmairia Podaný, 1964b: 43 type species *Pachyta oxyoma* Fairmaire, 1889
Rhondiomorpha Matsushita, 1933b: 180 type species *Rhondia formosa* Matsushita, 1931
attelaboides Pesarini & Sabbadini, 1997: 101 **A**: YUN
bicoloripes Pic, 1957: 75 **A**: FUJ
bispinosa Holzschuh, 1998: 7 **A**: SCH
formosa Matsushita, 1931c: 400 **A**: TAI
cyanea Tamanuki & Mitono, 1939: 207
fragosa Holzschuh, 1998: 8 **A**: HUB
kabateki Viktora & Liu, 2018d: 222 **A**: YUN
maculithorax Pu, 1992b: 592, 618 **A**: HUB NIN SCH SHA **#225** **#400**
hubeiensis W.-K. Wang & Jiang, 1994: 192
oxyoma Fairmaire, 1889a: 58 (*Pachyta*) **A**: SCH
petrae Viktora & Liu, 2018d: 224 **A**: YUN
placida Heller, 1923b: 72 **A**: HUB ~~MG~~ NMO SCH SHA **#490**
pugnax Dohrn, 1878: 459 (*Leptura*) **A**: GUA GUX SCH "North India" XIZ **ORR** **#60** **#400**

genus *Sinopidonia* Holzschuh, 1999: 9 type species *Sinopidonia splendida* Holzschuh, 1999
splendida Holzschuh, 1999: 9 **A**: SCH

tribe Rhagiini Kirby, 1837 **#704**

genus *Acapnolymma* Gressitt & Rondon, 1970: 34 type species *Capnolymma sulcaticeps* Pic, 1923
sulcaticeps Pic, 1923a: 12 (*Capnolymma*) **A**: YUN **ORR** **#400**

genus *Akimerus* Audinet-Serville, 1835b: 212 type species *Rhagium cinctum* Fabricius, 1787 (= *Leptura schaefferi* Laicharting, 1784)
Acimerus Fairmaire, 1865: 184 [unjustified emendation]
subgenus *Akimeroides* Özdikmen, 2025g: 1995 type species *Akimerus berchmansi* Breit, 1915
berchmansi Breit, 1915: 353 **A**: TR [Turkey: "bei Akbés in Nordsyrien"]
subgenus *Akimerus* Audinet-Serville, 1835b: 212 type species *Rhagium cinctum* Fabricius, 1787 (= *Leptura schaefferi* Laicharting, 1784)
schaefferi ariannae Pesarini & Sabbadini, 2007a: 19 **E**: GR [Greece: Trikala, Ioannina, Larisa; type locality "1 km SE Vlahava (nom. Trikala), m 900"] **#209** **#782**
schaefferi dentipes Mulsant, 1842a: 209 [1842b: (3)] (*Toxotus*) **E**: FR ["Forêt de Loches (Indre-et-Loire)"] **#852**
renatae Rivalier & Barthe, 1956: 27 [France: "Indre-et-Loire, forêt de Loches"]
schaefferi schaefferi Laicharting, 1784: 130 (*Leptura*) [Austrian: "Tyrolien"] **E**: AU BH BU CR CT CZ FR GE GR HU MD PL PT RO SK SP ST ?SZ UK **#115**
cinctus Fabricius, 1787: 146 (*Rhagium*) ["Austria"]

genus *Apiocephalus* Gahan, 1898: 42 type species *Apiocephalus punctipennis* Gahan, 1898
licheneus Gahan, 1906a: 74 **A**: UP

genus *Capnolymma* Pascoe, 1858: 265 type species *Capnolymma stygia* Pascoe, 1858
brunnea Gressitt & Rondon, 1970: 33 **A**: YUN **ORR**

laotica Gressitt & Rondon, 1970: 33 **A**: YUN **ORR**

genus *Hagrium* Villiers, 1978: 85 type species *Rhagium bifasciatum* Fabricius, 1775 **#757**
bifasciatum Fabricius, 1775: 183 (*Rhagium*) **E**: AL AU BE BH BU **?**BY CR CT CZ DE EN FI FR GB GE GR HU IR IT ?LA LS ?LT LU MC MD ME NL NR PL PT RO SB SK SL SP ST SZ TR UK **A**: AB AR GG IN TR **#104 #752**
anglicum Gmelin, 1790: 1844 (*Cerambyx*)
bicolor Olivier, 1800**:** 16 (*Stenocorus*) **#373**
bimaculatum Marsham, 1802: 343 (*Leptura*)
bistrinotatum Pic, 1914b: 3 (*Rhagium*)
deyrollei Pic, 1909: 123 (*Rhagium*)
ecoffeti Mulsant, 1839: 222 (*Rhagium*)
fasciatum Pic, 1910d: 19 (*Rhagium*)
gravei Hubenthal, 1902: 291 (*Rhagium*)
infasciatum Pic, 1898a: 3 (*Rhagium*)
latefasciatum Pic, 1891b: 2 (*Rhagium*)
lituratum Fügner, 1891: 201 (*Stenocorus*)
maculatum Goeze, 1777: 462 (*Cerambyx*)
medionotatum Pic, 1910d: 20 (*Rhagium*)
nigrolineatum Donovan, 1801: 73 (*Leptura*)
ornatum Fabricius, 1775: 183 (*Rhagium*)
parisinum Geoffroy, 1785: 85 (*Stenocorus*)
rufum Pic, 1910d: 19 (*Rhagium*)
unifasciatum Mulsant, 1839: 222 (*Rhagium*)

genus *Japanocorus* Danilevsky, 2012m: 919 type species *Toxotus caeruleipennis* Bates, 1873
caeruleipennis Bates, 1873: 193 (*Toxotus*) **A**: FE (Sakhalin, Kunashir) JA
galloisi K. Ohbayashi, 1961a: 16 (*Toxotus*)

genus *Megarhagium* Reitter, 1913a: 6 type species *Cerambyx sycophanta* Schrank, 1781 **#757**
caucasicum caucasicum Reitter, 1889c: 287 (*Rhagium*) ?**E**: ?ST **A:** AB AR GG TR
caucasicum semicorne Holzschuh, 1974b: 118 (*Rhagium*) **A**: AB IN
elmaliense Schmid, 1999: 157 (*Rhagium*) **A**: TR
fasciculatum Faldermann, 1837: 304 (*Rhagium*) **E**: ST **A**: AB AR GG IN TR
rufipes Motschulsky, 1838: 184 (*Rhagium*)
iranum Heller, 1940: 842 (*Rhagium*) **A**: IN
mordax DeGeer, 1775: 124 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU LS MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK **A**: ES KZ TM WS **#517**
altajense Podaný, 1964a: 15 (*Rhagium*)
bifasciatum Schrank, 1781a: 137 [HN] (*Leptura*)
klenkai Pic, 1915e: 4 (*Rhagium*)
linnei Laicharting, 1784: 122 (*Rhagium*)
morvandicum Pic, 1927e: 10 (*Rhagium*)
subdilatatum Pic, 1917g: 3 (*Rhagium*)
vulgare Samouelle, 1819: 210 (*Rhagium*)
pruinosum Pesarini & Sabbadini, 2011: 42 (*Rhagium*) **E:** GR
pygmaeum Ganglbauer, 1882: 718 (*Rhagium*) **A**: AB (Talysh) IN
pygmaeum Ganglbauer, 1886d: 234 (*Stenocorus*)
rosti Pic, 1898b: 18
sycophanta Schrank, 1781a: 137 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IR IT LA LT LU MC MD ME NL PL PT RO SB SK SL SP ST SV SZ TR UK **A**: WS
cephalotes Mulsant, 1839: 224 (*Rhagium*)
grandiceps C. G. Thomson, 1866: 50 (*Rhagium*)
scrutator Olivier, 1800: 10 (*Stenocorus*) **#373**
syriacum phrygium K. Daniel, 1906b: 176 (*Rhagium*) **A**: TR
syriacum syriacum Pic, 1892r: cxi (*Rhagium*) [= 1893d: 414 (*Rhagium*)] **A**: SY TR

genus *Pachyta* Dejean, 1821: 112 type species *Leptura quadrimaculata* Linnaeus, 1758 #866
Argaleus LeConte, 1850b: 319 type species *Argaleus nitens* LeConte, 1850 (= *Pachyta liturata* Kirby, 1837)
Linsleyana Podaný, 1964b: 43 type species *Pachyta armata* LeConte, 1873a
Neopachyta Bedel, 1906: 93 [RN]
Prorhagium Krajčík 2025: 2 type species *Cerambyx lamed* Linnaeus 1758 #866
bicuneata Motschulsky, 1860b: 147 **A**: ES FE GAN HEI JIL NC SC SHA
bisbimaculata Pic, 1900f: 17
bisbinotata Pic, 1907a: 5 (*Neopachyta*)
incolumis Heyden, 1886c: 273
degener Semenov & Plavilstshikov, 1936: 393 **A**: NMO
erebia Bates, 1884a: 212 **A**: JA
kusamai Hayashi, 1955: 22
uenoi Makihara, 1995: 451

felix Holzschuh, 2007: 182 **A**: XIZ YUN **#60**
gorodinskii Rapuzzi, 2013: 466 **A**: QIN
lamed Linnaeus, 1758: 391 (*Cerambyx*) **E**: AU BU BY CT CZ DE EN FI FR GE HU IT LA LT MD NR NT PL RO SK SL SV SZ UK **A**: ES FE GAN JA JIL MG NC NMO QIN SHA WS XIN
pedella DeGeer, 1775: 129 (*Leptura*)
sasakii Fujita, 2018: 21 **#526** **#736**
spadicea Paykull, 1800: 103 (*Leptura*)
mediofasciata Pic, 1936d: 15 **A**: HEB JIL NMO QIN SHA
nigromarginalis Pic, 1939b: 2
subapicalis Pic, 1939b: 1
perlata Holzschuh, 1991a: 6 **A**: KA NP
quadrimaculata Linnaeus, 1758: 397 (*Leptura*) **E**: AU BH BU BY CR CT CZ DEi EN FI FR GE GR HU IT LA LS LT MC MD ME NT PL RO SB SK SL SP ST SZ UK **A**: ES GAN HEB HEI JIL KZ MG NIN QIN SHA WS XIN
basinotata Roubal, 1937: 81
bimaculata Schoenherr, 1817a: 489 (*Leptura*)
mulsanti Pic, 1945b: 5
timida Scopoli, 1763: 53 (*Cerambyx*)

genus *Pachytella* Heyrovský, 1969b: 226 type species *Pachytella mongolica* Heyrovský, 1969
churkini Danilevsky, 2011: 253 **A**: MG
mongolica Heyrovský, 1969b: 227 **A**: MG

genus *Rhagium* Fabricius, 1775: 182 type species *Cerambyx inquisitor* Linnaeus, 1758 **#757**
Allorhagium Kolbe, 1884: 270 type species *Cerambyx inquisitor* Linnaeus, 1758
Hargium Leach, 1819: 210 type species *Cerambyx inquisitor* Linnaeus, 1758
femorale N. Ohbayashi, 1994: 175 **A**: JA
fortecostatum Jureček, 1933: 129 **A**: SCH YUN
heyrovskyi hayakawai Takakuwa, 1984: 9 **A**: JA
heyrovskyi heyrovskyi Podaný, 1964a: 28 **A**: FE JA
inquisitor cedri Reymond, 1953: 201 **E**: ?SP **N**: ?AG MO **#778**
inquisitor fortipes Reitter, 1898e: 357 **A**: TR
inquisitor inquisitor Linnaeus, 1758: 393 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR KZ IT LA LS LT LU MD ME ~~NE~~ NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **A**: ES KZ MG NE TR WS **N**: AG **#778**
exile Gmelin, 1790: 1844 (*Cerambyx*)
indagator Fabricius, 1787: 145
iberonis Ericson, 1916: 240 (Sweden)
investigator Mulsant, 1839: 227
minutum Fabricius, 1787: 146
nubecula Bergsträsser, 1778: 26 (*Cerambyx*) (Germany)
inquisitor rugipenne Reitter, 1898e: 357 **A**: ES FE GAN HEI JIL JIX LIA MG NC NMO SC SHA XIN YUN ZHE
sibiricum Pic, 1905a: 5
inquisitor schtschukini Semenov, 1898: 601 **E**: ST **A**: AB AR GG IN TR
minimum Podaný, 1964a: 19
stshukini Plavilstshikov, 1915a: 35 [unjustified emendation]
inquisitor sudeticum Plavilstshikov, 1936: 143 E: BU CR GE IT **#840**
japonicum Bates, 1884a: 209 **A**: FE (Sakhalin, Kunashir) JA **#400**
morrisonense Kano, 1933a: 262 **A**: TAI
pseudojaponicum Podaný, 1964a: 25 **A**: JA (Tsushima) SC
qinghaiense L. Chen & Chiang, 2000: 32, 36 **A**: QIN
sinense Fairmaire, 1900: 638 (*Hargium*) **A**: HEB FUJ SCH **#400**

genus *Stenocorus* Geoffroy, 1762: 221 type species *Leptura meridiana* Linnaeus, 1758
subgenus *Anisorus* Mulsant, 1862: 467 type species *Cerambyx quercus* Götz, 1783
brunnescens Holzschuh, 1991a: 5 (*Anisorus*) [Hakkari] **A:** TR
heterocerus Ganglbauer, 1882: 139 (*Toxotus*) **A**: SY TR
nigripennis Pic, 1896c: 141 (*Anisorus*)
homocerus K. Daniel, 1900: 139 (*Toxotus*) **A**: TR
latus Pic, 1892r: cxi [= 1893d: 414] (*Toxotus*) ["Haute Syrie"] A: TR **#57** **#517**
guveni Özdikmen, 2014: 702 ["Osmaniye prov., Boğaz plateau"] **#517**
quercus aureopubens Pic, 1908b: 2 (*Stenochorus*) **A**: AB AR GG IN TR
aureopubescens Pic, 1912a: 26 [unnecessary RN]
quercus quercus Götz, 1783: 74 (*Cerambyx*) **E**: AU BE BH BU ?BY CR CT CZ DE FR GE GR HU IT LU MC MD NL PL RO SB SK SL SP ST SZ UK **A**: ES MG TR WS **#752**
bajus Schrank, 1798: 692 (*Leptura*)
discolor Fleischer, 1887a: 237 (*Toxotus*)
dispar Panzer, 1794: 2
humeralis Fabricius, 1787: 158 [HN] (*Leptura*)
magdalenae Pic, 1891b: 4 (*Toxotus*)

punctipennis Reitter, 1914: 178 (*Stenochorus*)
unicolor Fleischer, 1887b: 272 [unnecessary RN] (*Toxotus*)
subgenus *Stenocorus* Geoffroy, 1762: 221 type species *Leptura meridiana* Linnaeus, 1758
Endemus Gistel, 1848a: xi [unnecessary RN]
Minaderus Mulsant, 1862: 467 type species *Leptura meridiana* Linnaeus, 1758
Toxotus Dejean, 1821: 112 type species *Leptura meridiana* Linnaeus, 1758
amurensis Kraatz, 1879c: 100 (*Toxotus*) **A**: BEI FE HEI JIL LIA NC SC **#60**
diversipennis Pic, 1915e: 4 (*Stenochorus*)
lateobscurus Pic, 1904d: 13
obscurissimus Pic, 1900f: 15 (*Toxotus*) ["sous variété"]
sachalinensis Matsumura, 1911: 133 (*Toxotus*)
auricomus Reitter, 1890e: 250 (*Toxotus*) ["Külek (Silicischer Taurus)"] **A**: TR **#634**
biformis Tournier, 1872: 342 (*Toxotus*) **A**: GG
fuscodorsalis L. Chen & Chiang, 1996: 189, 191 **A**: JIL
gorodinskii Holzschuh, 1999: 7 **A**: GAN
insitivus insitivus Germar, 1824: 520 (*Leptura*) **E**: ST UK **A**: AB AR GG IN SY TR **#506**
brevevittatus Pic, 1945b: 5 (*Stenochorus*)
lividipennis Pic, 1945b: 5 (*Stenochorus*)
nigriventris Pic, 1908b: 2 (*Toxotus*)
obscuripennis Pic, 1900f: 15 (*Toxotus*)
rubriventris Pic, 1915e: 4 (*Stenochorus*)
insitivus persicus Faldermann, 1837: 307 (*Toxotus*) **A**: AB (Talysh) IN
bicoloratus Pic, 1915e: 4
lepturoides Reitter, 1914: 181 (*Stenochorus*) ["Amur"] **A**: FE ?NE
longevittatus Fairmaire, 1887c: 329 **A**: BEI HEB QIN SHA SHX **#400**
meridianus Linnaeus, 1758: 398 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK **A**: ES KZ WS **#466**
bilineatus Pic, 1908d: 58 (*Stenochorus*)
brevelineatus Pic, 1941e: 5
brevesignatus Pic, 1941e: 5
cantharinus Herbst, 1784: 93 (*Rhagium*)
chrysogaster Schrank, 1781a: 132 (*Cerambyx*)
geniculatus Geoffroy, 1785: 86
glabratus Latreille, 1804: 311 (*Leptura*)
grandis Poda von Neuhaus, 1761: 38 (*Leptura*)
lacordairii Pascoe, 1867d: lxxxiv (*Toxotus*)
laevis Olivier, 1800: 21 **#373**
luteolus L. Petagna, 1819: 37
postsignatus Pic, 1941a: 13
ruficrus Scopoli, 1763: 48 (*Leptura*)
rufiventris Marsham, 1802: 341 (*Leptura*)
sericeus Olivier, 1800: 20 **#373**
splendens Laicharting, 1784: 137 (*Leptura*)
minutus Gebler, 1841a: 375 (*Toxotus*) **A**: KZ MG WS XIN **#400**
obscuripes Pic, 1901e: 15 (*Toxotus*)
tataricus Gebler, 1841a: 375 (*Toxotus*)
schizotarsus L. Chen & Chiang, 2002: 125, 127 **A**: GAN
serratus Holzschuh, 1974a: 86 **A**: TR
vittatus Fischer von Waldheim, 1842: 19 [HN] (*Toxotus*) **A**: KZ XIN **#87**
obliquus Motschulsky, 1845a: 86 (*Toxotus*)
suvorovi Semenov, 1910: 27 (*Toxotus*) [unjustified emendation]
suworowi Reitter, 1907a: 208 (*Toxotus*)
turkestanicus Ganglbauer, 1889b: 280 (*Toxotus*)
vittidorsum Reitter, 1890e: 250 (*Toxotus*) **A**: AB AR GG TR
subgenus *Toxotochorus* Reitter, 1907a: 208 type species *Toxotus tataricus* sensu Reitter, 1907 (= *Toxotus validicornis* Pic, 1900)
validicornis alaiensis Pic, 1906b: 6 (*Toxotus*) **A**: KI **#278**
validicornis karatauensis Danilevsky, 2012m: 920 **A**: KZ
validicornis mediocris Danilevsky, 2012m: 920 **A**: KZ UZ KI
validicornis milkoi Danilevsky, 2014i: 106 **A:** KI
validicornis shapovalovi Danilevsky, 2019: 82 **A:** KI
validicornis tarbinskyi Danilevsky, 2014i: 106 **A:** KI
validicornis univittatus Reitter, 1914: 183 **A**: KZ KI
validicornis validicornis Pic, 1900f: 16 (*Toxotus*) **A**: KI UZ **#278**

genus *Toxotinus* Bates, 1884a: 213 type species *Toxotinus longicornis* Bates, 1884 (= *Toxotus reinii* Heyden, 1879)
reinii Heyden, 1879c: 359 (*Toxotus*) **A**: JA
longicornis Bates, 1884a: 213
nikkoensis Matsushita, 1933b: 175

tribe Rhamnusiini Danilevsky, 1997 **#704** **#778**

Rhamnusiini, Sama, 2009

genus *Neorhamnusium* Hayashi, 1976: 1 type species *Neorhamnusium taiwanum* Hayashi & Ando, 1976
melanocephalum Miroshnikov & Lin, 2015: 294 **A**: YUN
rugosipenne Pic, 1939b: 2 (*Rhamnusium*) **A**: SHA SHX **#225**
shaanxiense Miroshnikov & Lin, 2015: 298 **A**: SHA
taiwanum Hayashi & Ando, 1976: 2 **A**: TAI
wuchaoi Miroshnikov & Lin, 2015: 300 **A**: BEI

genus *Rhamnusium* Latreille, 1829: 130 type species *Callidium salicis* Fabricius, 1787 (= *Cerambyx bicolor* Schrank, 1781)
algericum Pic, 1896a: 102 **N**: AG TU
  nigrum Pic, 1906e: 27
  testaceum Pic, 1896a: 30
bicolor bicolor Schrank, 1781a: 132 (*Cerambyx*) **E**: AL AU BE BH BU CR CZ ~~EN~~ FI FR GE GR HU IT LU MC ~~MD~~ NL ~~NT~~ PL RO SB SK SL SP SZ UK
  atripenne Bedel, 1897: 43
  aubei Pic, 1929b: 9
  capitale Pic, 1898a: 2
  etruscum Rossi, 1790: 149 (*Rhagium*)
  glaucopterum Schaller, 1783: 284 (*Cerambyx*)
  gracilicorne Théry, 1895: cclxv
  humerale Bedel, 1897: 43
  inapicale Pic, 1901h: 31
  rubroviolaceum Geoffroy, 1785: 86 (*Cerambyx*)
  ruficolle Herbst, 1784: 92 (*Stenocorus*)
  rufotestaceum Pic, 1913b: 138
  salicis Fabricius, 1787: 154 (*Callidium*)
  schrankii Laicharting, 1784: 118 (*Rhagium*)
bicolor constans Danilevsky, 2012e: 48 **E:** BY CT EN FI KZ LA LT NT ST UK **A:** KZ WS
bicolor demaggii Tippmann, 1956: 484 **E**: IT
bicolor graecum Schaufuss, 1862: 311 **E**: GR TR
  limbatum Pic, 1897c 30
bicolor italicum G. Müller, 1966: 4 **E**: IT
bicolor juglandis Fairmaire, 1866b: 276 **A**: TR
  anatolicum Pic, 1901**a: 10**
  delagrangei Pic, 1901**a: 10**
  geniculatum Pic, 1901**a: 10**
  obscuripes Pic, 1903j: 163
  rufotibiale Pic, 1917g: 3
bicolor lenkoranum Danilevsky, 2012e: 53 **A:** AB AR (Megri) ?GG IN
bicolor pesarinii Rapuzzi, Sama & Sabbadini, 2018: 4 **A**: TR
bicolor praeustum Reitter, 1895a: 85 **A**: SY TR **#209**
bicolor testaceipenne Pic, 1897h: 299 **E**: ST UK **A**: AR GG TR
  mesmini Pic, 1931c: 6

tribe Sachalinobiini Danilevsky, 2010a

genus *Sachalinobia* Jakobson, 1899: 39 type species *Sachalinobia relata* Jakobson, 1899 (= *Brachyta koltzei* Heyden, 1887)
  Pseudopachyta Swaine & Hopping, 1928: 16 type species *Pachyta rugipennis,* Newman, 1844 (= *Toxotus rugipennis* Newman, 1844)
koltzei Heyden, 1887a: 304 (*Brachyta*) **A**: ES FE GUA HEI JA LIA NC NMO SC **#400**
  relata Jakobson, 1899: 40

tribe Teledapini Pascoe, 1871

genus *Teledapalpus* Miroshnikov, 2000a: 38 type species: *Teledapalpus murzini* Miroshnikov, 2000
cremiarius Holzschuh, 1999: 6 (*Teledapus*) **A**: SHA
daliensis Miroshnikov, 2021a: 242 **A**: YUN
hospes Holzschuh, 1999: 6 (*Teledapus*) **A**: GAN
linyejiei Huang, Li & Zhang, 2021: 441 (*Teledapus*) **A**: YUN
lobanovi Miroshnikov, 2021a: 242 **A**: SCH
murzini Miroshnikov, 2000a: 41 **A**: SCH
picatus Holzschuh, 2003a: 149 (*Teledapus*) **A**: SCH **#593**
pilosellus Holzschuh, 2007: 181 **A**: SCH
transitivus Miroshnikov, 2021a: 242 **A**: YUN
uenoi Ohbayashi & Chu, 2021: 200 A: YUN
zamotajlovi Miroshnikov, 2000a: 41 **A**: SCH
zolotichini Miroshnikov, 2000a: 41 **A**: SHA

genus *Teledapus* Pascoe, 1871: 268 type species *Teledapus dorcadioides* Pascoe, 1871
celsicola Holzschuh, 1999: 5 **A**: XIZ
dorcadioides Pascoe, 1871: 269 **A**: HP UP
incongruens Holzschuh, 2025d: 109 **A**:? SCH or ?YUN
ocularis Holzschuh, 1981: 94 **A**: PA
querceti Holzschuh, 2007: 180 **A**: UP
reuteri Holzschuh, 2025e: 25 **A**: SCH

tribe Xylosteini Reitter, 1913

genus *Chiangshunania* Bi & N. Ohbayashi, 2014: 6 type species *Encyclops x-signata* Chiang, 1981
comata Bi & Ohayashi, 2020: 258 **A**: GUA GUX HUN
polita Bi & Ohayashi, 2020: 261 **A**: YUN
x-signata Chiang, 1981: 78 (*Encyclops*) **A**: **?**HUN SCH

genus *Leptorhabdium* Kraatz, 1879d: 118 type species *Xylosteus gracilis* Kraatz, 1873 (= *Xylosteus illyricum* Kraatz, 1871)
Psilorhabdium Kraatz, 1879d: 118 type species *Psilorhabdium caucasicum* Kraatz, 1879
caucasicum Kraatz, 1879d: 118 (*Psilorhabdium*) **E**: ST **A**: AB AR GG IN TR
illyricum Kraatz, 1871d: 415 (*Xylosteus*) **E**: AL BH CR ME GR IT MC SL
gracile Kraatz, 1873b: 202 (*Xylosteus*)
lividipenne Pic, 1906b: 4
nitidum Holzschuh, 1974a: 83 **E**: GR MC

genus *Notorhabdium* N. Ohbayashi & Shimomura, 1986: 283 type species *Notorhabdium immaculatum* N. Ohbayashi & Shimomura, 1986
bangzhui N. Ohbayashi & W.-K. Wang, 2004: 452 **A**: ~~HEN~~ HUB **ORR** **#335** **#646**
fengae Ch.-B.Wang, 2024: 2 **A:** YUN - ("Dehong Prefecture, Yingjiang County, Pingyuan Town")
holzschuhi Bi et N. Ohbayashi, 2020: 265 **A**: HEN
rufiscapum Bi et N. Ohbayashi, 2020: 263 **A**: SCH
wenhsini Bi et N. Ohbayashi, 2014: 14 **A**: HAI

genus *Palaeoxylosteus* N. Ohbayashi & Shimomura, 1986: 288 type species *Palaeoxylosteus kurosawai* N. Ohbayashi & Shimomura, 1986
kucerai Holzschuh, 2015c: 471 **A**: NP
kurosawai N. Ohbayashi & Shimomura, 1986: 288 **A**: SD
motuoensis Bi et N. Ohbayashi, 2014: 11 **A**: XIZ
yadongensis Bi et N. Ohbayashi, 2014: 10 **A**: XIZ

genus *Peithona* Gahan, 1906a: 71 type species *Peithona prionoides* Gahan, 1906
prionoides Gahan, 1906a: 72 **A**: FUJ GUA SD TAI **ORR**

genus *Xylosteus* Frivaldszky von Frivald, 1837: 180 type species *Xylosteus spinolae* Frivaldszky von Frivald, 1837
bartoni Obenberger & Mařan, 1933: 131 [RN] **E**: BU GR MC
merkli Pic, 1913b: 178 [HN] [Rhilo Dagh]
migliaccioi Rapuzzi & Sama, 2018: 2
caucasicola Plavilstshikov, 1936: 496 **E**: ST **A**: GG TR (Artvin)
kadleci Miroshnikov, 2000a: 38 **A**: TR
spinolae Frivaldszky von Frivald, 1837: 180 **E**: AU BH BU CR IT MC RO SB SL TR
merkli Pic, 1910h: 66
rufiventris Germar, 1844: 16 (*Rhagium*)

subfamily **Necydalinae** Latreille, 1825

tribe Necydalini Latreille, 1825

genus *Necydalis* Linnaeus, 1758: 421 type species *Necydalis major* Linnaeus, 1758
subgenus *Eonecydalis* Ohbayshi, 1961: 17 type species *Necydalis formosana* Kano, 1933
bicolor Pu, 1992a: 219, 221 **A**: GUX **ORR**
formosana Kano, 1933a: 270 **A**: TAI
maculipennis Pu, 1992a: 219, 221 **A**: XIZ
niimurai Hayashi, 1949b: 14 **A**: JA **#276**
matsudai Hayashi, 1949b: 16
subgenus *Necydalis* Linnaeus, 1758: 421 type species *Necydalis major* Linnaeus, 1758
Gymnopterion Schrank, 1798: 373 type species *Necydalis major* Linnaeus, 1758
chariessa Niisato & Liu, 2020: 270 **A:** YUN
choui Niisato, 2004: 430 **A**: GUX
christinae Rapuzzi & Sama, 2014a: 2 **A:** TR
esakii Miwa & Mitono, 1937: 161 **A**: TAI

fujianensis Niisato & Pu, 1998: 446 **A**: FUJ
gigantea akiyamai Hayashi, 1978a: 87 **A**: JA
gigantea gigantea Kano, 1933a: 271 **A**: FE (Kunashir) JA
marginalis K. Ohbayashi, 1948: 14
hirayamai flava Niisato, 2008a: 261 **A**: YUN
hirayamai flemonea Takakuwa & Niisato, 1996: 78 **A**: HAI **ORR** **#570**
hirayamai hirayamai K. Ohbayashi, 1948: 13 **A**: TAI
inermis Pu, 1992a: 218, 221 **A**: GAN QIN
lateralis Pic, 1939b: 2 **A**: BEI HEB NIN NMO SHA **#400**
major Linnaeus, 1758: 421 **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT KZ LA LT LU MD ME NL NR NT PL RO SB SK SP ST SV SZ UK **A**: AB GG ES FE ?IN JA KZ MG NC SHA TR WS XIN **#400**
abbreviata Fabricius, 1775: 199 (*Leptura*)
aino Kusama, 1974: 54
altaica Pic, 1941b: 2
duponti Mulsant, 1839: 299 (*Molorchus*)
ichneumonea DeGeer, 1775: 148
majus Schrank, 1798: 688 (*Gymnopterion*)
populi Büttner, 1818: 245 (*Molorchus*)
rufiventris Pic, 1941b: 2
salicis Mulsant, 1839: 112
subnotata Pic, 1941b: 1
xantha Semenov, 1899b: 132
marginipennis Gressitt, 1948a: 47 **A**: SCH
mizunumai Kusama, 1974: 51 **A**: TAI
moriyai moriyai Kusama, 1970: 73 **A**: JA (Ryukyus)
moriyai tamakii Ikeda & Matsumura, 2014: 32 **A**: JA (Ryukyus) **#276**
nanshanensis Kusama, 1974: 52 **A**: TAI
nigra Pu, 1992a: 217, 220 **A**: HAI **#400** **#524**
niisatoi Holzschuh, 2003a: 167 **A**: SCH YUN
rufiabdominis S.-C. Chen, 1991: 345 **A**: HUB
sabatinellii Sama, 1994a: 10 **A**: TR
sericella Ganglbauer, 1889a: 46 **A**: SCH XIZ
shinborii hainana Niisato & Yagi, 2005: 143 **A**: HAI
[*shinborii shinborii* Takakuwa & Niisato, 1996: 81 **ORR** (N. Vietnam)]
sirexoides Reitter, 1902a: 82 **A**: IN
siricoides Semenov, 1902: 287 [unjustified emendation]
strnadi similis Pu, 1992a: 220 **A**: HAI **#524**
[*strnadi strnadi* Holzschuh, 1989a: 156 **ORR** (N. Vietnam)]
uenoi Niisato, 2004: 425 **A**: SCH
ulmi Chevrolat, 1838: **76** (*Molorchus*) [NP] **E**: AU BH BU ?BY CR CZ FR GE GR HU IT ~~LA LT~~ MC MD ME PL RO SB SK SP ST SZ TR UK **A**: AB AR GG ?IN TR **#752** **#901**
annulata L. Petagna, 1819: 19 (*Melorchus*) [NO]
mesembrina Plavilstshikov, 1936: 467
hadullai Szallies, 1994: 260
panzeri Harold, 1876: 174
xizangia Bi & Niisato, 2017: 477 **A:** XIZ
yakushimensis Kusama, 1975: 22 [RN] **A**: JA
brevicornis Yokoyama, 1971: 93 [HN]
subgenus *Necydalisca* Plavilstshikov, 1936: 462 type species *Necydalis ebenina* Bates, 1884a (= *Necydalis pennata* Lewis, 1879)
harmandi Pic, 1901k: 340 **A**: JA
ogasawarai Fujita, 2018: 25 **#524**
indica Pic, 1912d: 19 **A**: PA
indicola Gardner, 1941: 57 [RN] **A**: UP
indica Gardner, 1936: 128 [HN]
kucerai Niisato, 2007a: 20, 23 **A**: UP
nepalensis Niisato & Weigel, 2006: 491 **A**: NP
oblonga Niisato, 2008a: 257 **A**: YUN
odai Hayashi, 1951b: 76 **A**: JA
pennata Lewis, 1879b: 464 **A**: FE HUB JA ?NC NE SC **#400**
ebenina Bates, 1884a: 225
eoa Plavilstshikov, 1936: 470
morio Kraatz, 1879c: 106
pacifica Plavilstshikov, 1936: 472
semenovi Plavilstshikov, 1936: 475
ussuriensis Plavilstshikov, 1936: 473
sachalinensis Matsumura & Tamanuki, 1927: 176 **A**: CH FE JA SC (Seoul)
akitai Fujita, 2018: 25 **#524** **#736**
solida Bates, 1884a: 225 **A**: JA

galloisi Matsumura & Tamanuki, 1927: 176
nikkoensis Matsumura & Tamanuki, 1927: 175
towadensis Matsumura & Tamanuki, 1927: 176

genus *Ulochaetes* LeConte, 1854: 82 type species *Ulochaetes leoninus* LeConte, 1854
vacca Holzschuh, 1982a: 65 **A**: BT SCH SHA YUN XIZ **#293**
fulvus Pu, 1988: 295, 303

subfamily **Spondylidinae** Audinet-Serville, 1832
tribe Anisarthrini Mamaev & Danilevsky, 1973

genus *Anisarthron* Dejean, 1835: 331 type species *Cerambyx barbipes* Schrank, 1781
Falsanoeme Villiers, 1971: 154 type species *Falsanoeme cyrus* Villiers, 1971
barbipes Schrank, 1781a: 148 (*Cerambyx*) **E**: AL AU BH BU CR CZ FR GE HU IT MC ME PL RO SB SK SZ UK **A**: TR
cyrus Villiers, 1971: 154 (*Falsanoeme*) **A**: AB (Talysh) IN

genus *Alocerus* Mulsant, 1862: 127 type species *Alocerus fulvus* Mulsant, 1862 (= *Callidium moesiacum* Frivaldszky von Frivald, 1837)
Cyamophthalmus Kraatz, 1863: 99 type species *Cyamophthalmus ferrugineus* Kraatz, 1863 = *Callidium moesiacus* Frivaldszky von Frivald, 1837)
marcoi Sama, 1987: 46 **N**: MO
moesiacus Frivaldszky von Frivald, 1837: 177 (*Callidium*) **E**: BH BU CR GR ITi MC PT SP TR **N:** AG MO TU **A**: CY IN IQ IS JO LE SY TR
ferrugineus Kraatz, 1863: 100 (*Cyamophthalmus*)
fulvus Mulsant, 1862: 128
nitidus Fairmaire, 1864b: 340 (*Cyamophthalmus*)
syriacus Chevrolat, 1882: 59 (*Smodicum*)

genus *Schurmannia* Sama, 1979a: 369 type species *Schurmannia sicula* Sama, 1979
sicula Sama, 1979a: 369 **E**: IT (Sicilia)

tribe Asemini J. Thomson, 1861

genus *Arhopalus* Audinet-Serville, 1834b: 77 type species *Cerambyx rusticus* Linnaeus, 1758 **#778**
Criocephalus Mulsant, 1839: 63 type species *Cerambyx rusticus* Linnaeus, 1758
Criocephalum Dejean, 1835: 328 type species *Cerambyx rusticus* Linnaeus, 1758
Hylescopus Gistel, 1856: 376 [unnecessary substitute name]
angustus Gressitt, 1951a: 36 **A**: JIA SHA SHG **#400**
biarcuatus Pu, 1981: 418, 427 **A**: XIZ
brunneus Gardner, 1942: 67 (*Criocephalus*) **A**: UP
cavatus Pu, 1981: 419, 428 **A**: XIZ
coreanus Sharp, 1905a: 153 (*Criocephalus*) **A**: JA KO NE
deceptor Sharp, 1905a: 151 (*Criocephalus*) **A**: NP XIZ **#390**
exoticus Sharp, 1905a: 159 (*Criocephalus*) **A**: NP SHA TAI YUN **ORR**
ferus Mulsant, 1839: 64 (*Criocephalus*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MA MC MD ME NL NT PL PT RO SB SK SL SP ST SV SZ TR UK **N**: AG MO MR TU **A**: AB AR ES CY FE GG IS JO KZ LE NO NE SY TR WS **AURi** **#11** **#182**
dichrous Mandl, 1972: 159
epibatus Schiödte, 1864: 521 (*Criocephalum*)
polonicus Motschulsky, 1845a: 88 (*Criocephalum*)
foveatus Chiang, 1963: 64 **A**: FUJ XIZ YUN
pinetorum Wollaston, 1863: 103 **N**: CI
rusticus rusticus Linnaeus, 1758: 395 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **A**: AB AR ES FE FUJ GAN GG GUI HAI HEB HEI HUB IN JA JIL JIX KZ LIA MG NMO NC SC SCH SHA SHN TD TR WS YUN ZHE **N**: MO **AURi** **NTRi** **#160**
coriaceus Motschulsky, 1845a: 89 (*Criocephalum*)
lugubris Gmelin, 1790: 1847 (*Cerambyx*)
hispanicus Sharp, 1905a: 157 (*Criocephalus*)
pachymerus Mulsant, 1839: 64 (*Criocephalus*)
tristis Fabricius, 1787: 154 (*Callidium*)
tibetanus Sharp, 1905a: 159 (*Criocephalus*) **A**: BT HP KA NP PA UP XIZ **#281** **#344** **#366** **#375**
tobirensis Hayashi, 1968a: 20 **A**: JA

genus *Asemum* Eschscholtz, 1830: 66 type species *Cerambyx striatus* Linnaeus, 1758
Liasemum Casey, 1912: 262 type species *Asemum nitidum* LeConte, 1873a
Onychoplectes Gistel, 1856: 376 type species *Cerambyx striatum* Linnaeus, 1758
arisanum Kano, 1930: 42 **A**: TAI
lucidulum Pesarini & Sabbadini, 1997: 99 **A**: SCH
punctulatum Blessig, 1872: 182 **A**: FE HEI JA LIA ?NC SC XIN **#400**
striatum Linnaeus, 1758: 396 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK **A**: AB AR BEI ES FE GAN GG HEB HEI HUB JA JIL KI KZ LIA MG NC NIN NMO QIN SC SCH SHA SHN SHX WS TIA TR XIN YUN ZHE **NAR** **NTR** **#60** **#400**

#706

agreste Fabricius, 1787: 152 (*Callidium*)
amputatum Casey, 1912: 259
amurense Kraatz, 1879**c**: 97
atrum Eschscholtz, 1830: 66
brevicorne Casey, 1912: 261
brunneum Haldeman, 1847: 35
buprestoides Savenius, 1825: 64 (*Callidium*)
carolinum Casey, 1924: 227
costulatum Casey, 1912: 260
curtipenne Casey, 1912: 258
dichroum Gmelin, 1790: 1846 (*Cerambyx*)
ebenum Casey, 1912: 258
fulvipenne Casey, 1912: 260
fuscum Haldeman, 1847: 36
gracilicorne Casey, 1912: 258
ishidai Fujita, 2018: 21 [Hokkaido]
japonicum Matsushita, 1933b: 235 [Honshu] **#276**
juvencum Haldeman, 1847: 36
limbatipenne Pic, 1916a: 10
moestum Haldeman, 1847: 35
obsoletum Haldeman, 1847: 35
parvicorne Casey, 1912: 260
pugetanum Casey, 1912: 261
stocktonense Casey, 1924: 227
substriatum Haldeman, 1847: 36
subsulcatum Motschulsky, 1860b: 152 [Nord de la Siberie]
tomentosum Plavilstshikov, 1915c: 108
theresae Pic, 1945b: 6

tenuicorne tenuicorne Kraatz, 1879c: 97 **E**: GR IT PL RO SP ST SV (Gotska Sandön) UK **A**: ?GG ?TR **#393**
tenuicorne claricostulatum Özdikmen & Aytar, 2012c: 1253 **A:** TR

genus *Cephalallus* Sharp, 1905a: 148 type species *Cephalallus oberthueri* Sharp, 1905
oberthueri Sharp, 1905a: 148 **A**: AP FUJ GUX HUB JIX TAI XIZ YUN **#280**
unicolor ryukyuensis Makihara, 2003: 353 **A**: JA (Ryukyus) **#276**
unicolor unicolor Gahan, 1906a: 97 (*Criocephalus*) **A**: FUJ GUA GUI HAI HEN HKG HUB HUN JA JIA JIL JIX NC SC SCH TAI YUN ZHE **ORR**
projectus Okamoto, 1927: 63 (*Megasemum*)
sharpi Reitter, 1913a: 43 (*Megasemum*)

genus *Cephalocrius* Sharp, 1905a: 148 type species *Criocephalus syriacus* Reitter, 1895 **#778**
syriacus Reitter, 1895a: 86 (*Criocephalus*) **E**: AL AZ BH CR FR GR IT ME PT SP SZ **N:** AG CI MO MR TU **A**: CY IS JO LE SY TR **AUR**i **NTR**i

genus *Megasemum* Kraatz, 1879c: 97 type species *Megasemum quadricostulatum* Kraatz, 1879
quadricostulatum Kraatz, 1879c: 98 **A**: FE FUJ HEI HUB JA JIL JIX LIA NC SC SHA ?TAI XIZ **#400**
brevior Pic, 1901c: 11

tribe Atimiini LeConte, 1873

genus *Atimia* Haldeman, 1847: 56 type species *Atimia tristis* Haldeman, 1847 (= *Clytus confusus* Say, 1827)
Myctus Semenov & Plavilstshikov, 1937: 252 type species *Myctus maculipunctus* Semenov & Plavilstshikov, 1937
chinensis Linsley, 1939: 76 **A**: BEI NMO SHG ZHE **#400**
esakii Hayashi, 1974a: 15 **A**: TAI
juniperi Holzschuh, 1984c: 340 **A**: NP
maculipuncta Semenov & Plavilstshikov, 1937: 253 (*Myctus*) **A**: MG NMO (Alashan Mts.) **#400**
nadezhdae Tsherepanov, 1973: 80 **A**: FE HEI ?NC SC **#63 #389 #400**
okayamensis Hayashi, 1972: 26 **A**: JA
fujimurai Hayashi, 1972: 26
truncatella Holzschuh, 2007: 179 **A**: SHA YUN

genus *Proatimia* Gressitt, 1951a: 41 type species *Proatimia pinivora* Gressitt, 1951 **#573**
pinivora Gressitt, 1951a: 42 **A**: YUN

tribe Nothorhinini Zagaikevich, 1991

genus *Nothorhina* L. Redtenbacher, 1845: 109 type species *Callidium muricatum* Dalman, 1817
gardneri Plavilstshikov, 1934b: 1 **A**: UP
punctata Fabricius, 1798: 149 (*Callidium*) **E**: AL AU BH BY BU CR CT CZ EN FI FR GE GR IT LA LT NR NT PL PT SK SP ST SV UK **A**: JA KZ SC TR WS **#616**

muricata Dalman, 1817b: 193 (*Callidium*)
scabricollis W. Redtenbacher, 1842: 24 (*Callidium*)

tribe Saphanini Gistel, 1848

genus *Drymochares* Mulsant, 1847a: 518 type species *Drymochares truquii* Mulsant, 1847
cavazzutii cavazzutii Sama & Rapuzzi, 1993: 288 **A**: AR GG TR
? *pubescens* Pic, 1907e: 111 (*Drymochares*) [Trébizonde] (see Danilevsky, 2014i: 360)
cavazzutii ivani Sama & Rapuzzi, 1993: 287 **E**: TR
cylindraceus Fairmaire, 1849: 475 (*Saphanus*) **E**: PT SP
starcki Ganglbauer, 1888c: 398 **E**: ST **A**: GG
truquii Mulsant, 1847a: 519 **E**: FR IT
rufipes Pic, 1930c: 6

genus *Oxypleurus* Mulsant, 1839: 57 type species *Oxypleurus nodieri* Mulsant, 1839 **#573** **#648**
nodieri Mulsant, 1839: 57 **E**: CR BH FR GR IT PT SP UK **N:** AG CI MO MR TU **A**: GG IS LE TR **#554**
bewickii Wollaston, 1857: 126 (*Blabinotus*)
pinicola Wollaston, 1863: 102
scutellaris Costa, 1855: 38

genus *Saphanus* Audinet-Serville, 1834b: 81 type species *Callidium spinosum* Fabricius, 1793 (= *Callidium piceum* Laicharting, 1784)
kadleci Rapuzzi & Sama, 2014a: 4 **A:** TR [Sakarya]
piceus bartolonii Sama & Rapuzzi, 1993: 283 **E**: GR
piceus ganglbaueri Brancsik, 1886: 71 **E**: AL BH BU GR MC ME TR
piceus perovici Rapuzzi & Koren, 2020: 589 **E**: CR (Pag Is.)
piceus piceus Laicharting, 1784: 56 (*Callidium*) **E**: AU BH BU CR CZ FR GE GR HU IT PL RO SB SK SL SZ UK
rufipes Pic, 1908i: 72
spinosus Fabricius, 1793: 320 (*Callidium*)
sudeticus C. F. W. Richter, 1820: pl. 10 (*Prionus*)

tribe Spondylidini Audinet-Serville, 1832

genus *Spondylis* Fabricius, 1775: 159 type species *Attelabus buprestoides* Linnaeus, 1758
Sphondyla Illiger, 1804: 115 [unjustified emendation]
Sphondylis Gistel, 1848a: 129 [unnecessary substitute name]
buprestoides buprestoides Linnaeus, 1758: 388 (*Attelabus*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LT LU MC MD ME NL NR NT PL PT RO SB SK ST SL SP SV SZ TR UK **N**: MO **A**: AB AF ANH AR ES FE FUJ GG GUI HAI HEB HEI HEN HKG HUB JA JIA JIX KZ MG NMO NC SC SCH SHA ~~TAI~~ TR WS YUN ZHE
elongatum Latreille, 1829: 107
maxillosus DeGeer, 1775: 84 (*Cerambyx*)
buprestoides sinensis Nonfried, 1892a: 92 **A**: GUA **#400** **#845**
?*buprestoides zwergi* Bodemeyer, 1927b: 43 **A**: IN **#845**

tribe Tetropiini Seidlitz, 1891

genus *Tetropium* Kirby, 1837: 174 type species *Tetropium cinnamopterum* Kirby, 1837
Criomorphus Mulsant, 1839: 58 [HN] type species *Callidium aulicum* Fabricius, 1775 (= *Cerambyx castaneus* Linnaeus, 1758)
aquilonium Plavilstshikov, 1940a: 37 **E**: FI NT SV **A**: WS **#400**
castaneum Linnaeus, 1758: 396 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK **A**: AB AR ES FE FUJ GAN GG HEB HEI JA JIL KZ MG NC NIN NMO QIN SC SHA SHX TR WS XIN YUN ZHE
atricorne Pic, 1931b: 258
aulicum Fabricius, 1775: 190 (*Callidium*)
curiale Panzer, 1789: 29 (*Callidium*)
fulcratum Fabricius, 1793: 320 (*Callidium*)
impressum Paykull, 1800: 84 (*Callidium*)
luridum Linnaeus, 1767: 634 (*Cerambyx*)
parcum Sharp, 1905b: 272 **#164**
ruficrum Schrank, 1789: 77 (*Callidium*)
rufomarginatum Roubal, 1917: 64 [Bosnien]
confragosum Holzschuh, 1981: 93 **A**: BT
danilevskyi Sláma, 2005: 1 **A**: ES
fuscum fuscum Fabricius, 1787: 154 (*Callidium*) **E**: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IT KZ LA LS LT MD NL NR NT PL RO SB SK SL ST SV SZ UK **A**: GG KZ TR WS XIN **NAR** **#28**
arvense Panzer, 1789: 30 (*Callidium*)
fuscum lapponicum Sláma M. 2015c: 1126 **E**: FI
gabrieli Weise, 1905: 136 **E**: AU BE ?BY ?CT(Kaliningrad Reg.) CZ DE FR GB GE HU IT IR LA LT LS LU NL PL SL SV SK SZ UK **NAR**i **#599** **#752**
crawshayi Sharp, 1905b: 271
gracilicorne ~~*gracilicorne*~~ Reitter, 1889c: 287 **E**: CT NT **A**: ES FE JA KZ MG NC NE NMO WS XIN **#63** **#730**

altajense Pic, 1902c: 9
rubripes Pic, 1902c: 9
gracilicum Hayashi, 1983: 29 **A**: FE HEI JA
laticolle Podaný, 1967: 38 **A**: SCH **#2**
morishimaorum Kusama & Takakuwa, 1984: 149 **A**: JA NC
oreinum Gahan, 1906a: 95 **A**: HP KA NP PA SCH UP XIN XIZ **ORR** **#127** **#400**
lobbichleri Harde, 1959: 1
scabriculum Holzschuh, 1993a: 7 **A**: SCH
staudingeri Pic, 1901b: 11 **A**: BT KI KZ TIA UZ XIN **#400**
tjanshanicum Semenov, 1907c: 263
takakuwai Hirayama, 2018a: 21 **A:** JA **#524** **#730**
tauricum Shapovalov, 2007: 71 **E**: UK (Crimea) **#648**

subfamily **Apatophyseinae** Lacordaire, 1869 **#778**

tribe Apatophyseini Lacordaire, 1869

genus *Agastophysis* Miroshnikov, 2014a: 25 type species *Toxotus griseopubens* Pic, 1957
griseopubens Pic, 1957: 75 (*Toxotus*) **A**: YUN **#400**
meiyingae Miroshnikov, 2014d: 196 **A**: XIZ
genus *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)
subgenus *Angustephysis* Pic, 1956a: 2 type species *Apatophysis richteri* Pic, 1956
danczenkoi Danilevsky, 2006c: 5 **A**: IN
farsicola Sama, Fallahzadeh & Rapuzzi, 2005: 124 **A**: IN
margiana Semenov & Shchegoleva-Barovskaya, 1936: 77 **A**: AF KZ TM UZ **#234** **#345**
plavilstshikovi Miroshnikov, 1992: 392
modica Gahan, 1906a: 71 **A**: AF IN PA
richteri Pic, 1956a: 2 **A**: IN
subgenus *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)
afghanica Miroshnikov, 2014a: 14 **A**: AF PA **#517**
anatolica Heyrovský, 1938: 93 **A**: TR
mucurense Özdikmen & Tezcan, 2020b: 321 (*Stenocorus*) **#517**
baeckmanniana Semenov, 1907a: 223 **A**: KI KZ UZ
barbara P. H. Lucas, 1858: clxxix (*Polyarthron*) **N**: AG TU
ocularis Pic, 1901b: 9
toxotoides Chevrolat, 1860a: 96
caspica Semenov, 1901: 31 **E**: ST **A**: AB AF GG IN KZ TM UZ
centralis Semenov, 1901: 32 **A**: XIN
hotanica Danilevsky, 2008b: 35 **A**: XIN
insolita Miroshnikov et Lin, 2017: 208 **A:** HEN HUN JIA SCH ZHE
kadleci Danilevsky, 2008b: 29 **A**: TR
karsica Danilevsky, 2008b: 28 **A**: TR
kashgarica Semenov, 1901: 29 **A**: XIN
katbehi Rapuzzi & Sama, 2013: 682 **A:** JO SY
komarowi Semenov, 1889a: 401 **A**: AB TD TM
niisatoi Miroshnikov et Lin, 2017: 202 **A:** SCH
pavlovskii Plavilstshikov, 1954: 470 **A**: TD UZ
roborowskii Semenov, 1901: 29 **A**: XIN
serricornis Gebler, 1843: 39 (*Pachyta*) **A**: GUA KI KZ MG NMO XIN **#196**
kadyrbekovi Kadlec, 2006a: 1
mongolica Semenov, 1901: 28
obtusicollis Motschulsky, 1860e: 538 [1861c: 444] (*Psilotarsus*)
tomentosa Gebler, 184**5**: 105 (*Toxotus*)
sieversi Ganglbauer, 1887c: 21 **A**: BEI HEB HEN LIA SCH SHN **#196**
sinica Semenov, 1901: 30 **A**: SCH
vedica Danilevsky, 2008b: 26 **A**: AR TR
xizangensis Miroshnikov et Lin, 2017: 188 **A:** XIZ

genus *Formosotoxotus* Hayashi, 1960a: 1 type species *Artelida asiatica* Matsushita, 1933 (=*Toxotinus auripilosus* Kano, 1933)
auripilosus Kano, 1933a: 263 (*Toxotinus*) **A**: TAI
asiaticus Matsushita, 1933b: 172 (*Artelida*)
gressitti Miroshnikov & Lin, 2014: 117 **A**: XIZ
kucerai Rapuzzi & Sama, 2014a: 3 **A:** SHA
masatakai N. Ohbayashi, 2007a: 200 **A**: SD
nobuoi Vives & Niisato, 2006: 273 **A**: NP

genus *Protapatophysis* Semenov & Stshegoleva-Barovskaia, 1936: 26 type species *Apatophysis kashmiriana* Semenov, 1901
hindukushensis Miroshnikov, 2020b: 178 **A**: PA
kabakovi Danilevsky, 2011e: 102 **A**: AF
kashmiriana Semenov, 1901: 29 **A**: KA XIZ **#400**
montana Gahan, 1906a: 71 **A**: KA
vartianae Heyrovský, 1971: 81 **A**: ?HP KA PA **#232** **#375**

genus *Trypogeus* Lacordaire, 1869: 236 type species *Trypogeus albicornis* Lacordaire, 1869
Paranthophylax Gressitt, 1951a: 50 type species *Paranthophylax sericeus* Gressitt, 1951
aureopubens Pic, 1903g: 121 (*Toxotus*) **A**: YUN **ORR**
guangxiensis Miroshnikov & Liu, 2016a: 255 **A**: GUX
sericeus Gressitt, 1951a: 50 (*Paranthophylax*) **A**: FUJ SCH **#319**
superbus Pic, 1922: 22 (*Toxotus*) **A**: YUN **ORR** **#410**

subfamily **Cerambycinae** Latreille, 1802

(Anaulacnemitae J. Thomson, 1864: 13, part.; Ganglbauer, 1881: 681, part.; Paulino d'Oliveira M. de, 1893: 329, part.)

tribe Achrysonini Lacordaire, 1868

genus *Crotchiella* Israelson, 1985: 475 type species *Crotchiella brachyptera* Israelson, 1985
brachyptera Israelson, 1985: 476 **E**: AZ

genus *Icosium* P. H. Lucas, 1854: viii type species *Icosium tomentosum* P. H. Lucas, 1854 **#7178**
Cluvia Stål, 1857b: 63 type species *Cluvia chevrolati* Stål, 1857 (= *Icosium tomentosum* P. H. Lucas, 1854)
tomentosum atticum Ganglbauer, 1882: 743 **E**: BH BU CR ~~CY~~ FRi GR IT MA ME SB **A**: AB CY JO IS **LE** SY TR **#74** **#554**
tomentosum tomentosum P. H. Lucas, 1854: ix **E**: MA PT SP FR IT **N**: AG LB MO TU
chevrolati Stål, 1857b: 63 (*Cluvia*)

genus *Neachryson* Fisher, 1940: 201 type species *Neachryson orientalis* Fisher, 1940
orientalis Fisher, 1940: 201 **A**: UP **ORR**

tribe Anaglyptini Lacordaire, 1868 **#778**

genus *Anaglyptus* Mulsant, 1839: 91 type species *Leptura mystica* Linnaeus, 1758
subgenus *Aglaophis* J. Thomson, 1857f: 315 type species *Aglaophis fasciata* J. Thomson, 1857
Epodus Chevrolat, 1863: 335 species *Epodus humerosus* Chevrolat, 1863 **#842**
Metaglaophis K. Ohbayashi, 1960b: 10 type species *Aglaophis colobotheoides* Bates, 1884a **#842**
colobotheoides Bates, 1884a: 235 (*Aglaophis*) **A**: FE JA NC NE QIN SC **#400** **#842**
angustefasciatus Heyden, 1884: 297 (*Aglaophis*)
~~*arakawai* Kano, 1933a: 276~~ **#545**
decemmaculatus Gressitt, 1935c: 185 (*Aglaophis*) **A**: FUJ TAI
fasciatus J. Thomson, 1857f: 316 (*Aglaophis*) **A**: NP SD
humerosus Chevrolat, 1863: 336 (*Epodus*) **A**: "India"
nokosanus Kano, 1930: 46 (*Aglaophis*) **A**: TAI **#60**
producticollis Gressitt, 1951a: 307 **A**: FUJ GUX ?TAI **#400**
rufobasalis Tippmann, 1955: 115 (*Anaglyptus*) **A**: FUJ
zhangjunqii Wang, Zhao & Xie, 2021: 589 **A**: SCH
subgenus *Akajimatora* Kusama & Takakuwa, 1984: 10 type species *Anaglyptus bellus* Matsumura & Matsushita, 1933 **#730** **#842**
bellus Matsumura & Matsushita, 1933a: 105 **A**: JA **#239**
dentatipennis Pic, 1935b: 14 (*Oligoenoplus*)
isolatus Gressitt, 1951a: 304 **A**: HUB SCH **#239**
lizhigangi Bi & Niisato, 2018: 75 **A**: ZHE
meridionalis Matsushita, 1933b: 291 **A**: TAI
ikadaii Seki, 1939: 309
subgenus *Anaglyptus* Mulsant, 1839: 91 type species *Leptura mystica* Linnaeus, 1758
Aglaophisoides Özdikmen, 2025l: 2699 type species *Anaglyptus graphellus* Holzschuh, 2011 **#858**
Maculiglyptus Özdikmen, 2025l: 2700 type species *Oligoenoplus annulicornis* Pic, 1933 **#858**
Variiglyptus Özdikmen, 2025l: 2701 type species *Anaglyptus niponensis* Bates, 1884 **#858**
abieticola Holzschuh, 2003b: 307 **A**: BT NP XIZ **#400**
ambiguus Holzschuh, 1992b: 44 **A**: YUN
annulicornis Pic, 1933f: 6 (*Oligoenoplus*) **A**: GUI SCH ?YUN **#25**
arabicus Küster, 1847b: 95 (*Clytus*) **E**: ST TR **A**: AB AR GG TR **#870**
deyrollei Tournier, 1872: 277
arakawae amamiensis Fujita, 1980: 14 **A**: JA (Ryukyus)
arakawae arakawae Kano, 1933a: 276 (*Aglaophis*) **A**: JA
arakawae kumagensis Fujita, 1980: 14 **A**: JA
arcanus Miroshnikov, Bi et Lin, 2014: 256 **A**: XIZ
baeticus Verdugo, Lencina & Baena, 2019: 95 **E**: SP

bicallosus Kraatz, 1882c: 335 (*Clytus*) **A**: KI TD UZ
cheni Holzschuh, 2025b: 93 - A: YUN
confusus Holzschuh, 1999: 42 **A**: XIZ
croesus Pesarini & Sabbadini, 1997: 47 **A**: TR
danilevskii Miroshnikov, 2000b: 77 **A**: AB AR GG IN TR
dolosulus Holzschuh, 2006c: 484 **A**: UP
elegantulus Miroshnikov, Bi et Lin, 2014: 256 **A**: YUN
flavus Viktora, Tichý & Rapuzzi, 2013: 81 **A**: XIZ
ganglbaueri Reitter, 1886: 67 **A**: AB (Talysh) IN
natae Lobanov, 1994b: 868
persicus Pic, 1906b: 10
persicus Reitter, 1906b: 298 [HN]
gibbosus Fabricius, 1787: 156 (*Callidium*) **E**: BH CR FR GR HU IT SB SL SP SZ **N**: AG MO TU
immaturus Pic, 1898a: 12
mysticoides Wagner, 1927b: 96 [HN]
obscuricornis Pic, 1898a: 12
rufotinctus Pic, 1945b: 7
wagneri Pic, 1928c: 6 [RN]
graphellus Holzschuh, 2011: 318 **A:** YUN **ORR** **#400**
gressitti Holzschuh, 1999: 42 **A**: FUJ GUA GUX HUB JIX SHX ZHE **#60** **#320**
higashiyamai Makihara & Hayashi, 1987: 62 [RN] **A**: TAI **#400**
hirsutus Makihara & Hayashi, 1987: 5 [HN]
kanssuensis Ganglbauer, 1889a: 71 **A**: GAN HEN SCH **#320**
longispinis Gardner, 1939: 9 (*Aglaophis*) **A**: SD
luteofasciatus Pic, 1905i: 153 **E**: GR **#867**
moreanus Demelt, 1970: 30
malickyi Holzschuh, 1991b: 59 - **A:** YUN **ORR** **#900**
marmoratus Holzschuh, 1982b: 153 (*Aglaophis*) **A**: NP UP
matsushitai Hayashi, 1955: 52 **A**: JA
miroshnikovi Tichý & Lin, 2021: 6 **A:** YUN
mucheni Wang, Zhao & Xie 2021: 588 **A**: FUJ
mysticoides mysticoides Reitter, 1894c: 128 [“Centralen Kaukasus”] **A**: AB AR GG IN TR
mysticoides obscurissimus Pic, 1901n: 59 [“Tokat”] **A**: TR **#155** **#635**
amasinus Pic, 1910a: 10 [“Amasya”]
anatolicus Demelt, 1970: 32 [“Samsun: Kavak”]
subimpressus Pic, 1901a: 9 [“Trébizonde”]
mysticus Linnaeus, 1758: 398 (*Leptura*) **E**: AL AU BE BH BU ~~BY~~ CR CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD ME NL NR PL RO SB SK SL SP SV SZ TR UK **A**: LE TR **#554** **#752**
albofasciatus DeGeer, 1775: 82 (*Cerambyx*)
bequarti Pic, 1910b: 3
hieroglyphicus Herbst, 1784: 99 (*Callidium*)
litteratus Gmelin, 1790: 1857 (*Cerambyx*)
quadricolor Scopoli, 1763: 56 (*Cerambyx*)
ruficornis Pic, 1908d: 35
niponensis Bates, 1884a: 234 **A**: JA **#525**
kamiyai Kano, 1933a: 276
petrae Viktora & Liu, 2018a: 152 **A:** YUN
praecellens Holzschuh, 1981: 101 **E**: GR (Crete)
qijuni Viktora & Liu, 2018a: 154 **A:** YUN
residuus Holzschuh, 2010: 191 A: XIZ **ORR** **#900**
rubrucollis Vartanis, 2025a: 1681 E: GR (Zakynthos Isl.) [not available name] **#849**
sericellus Holzschuh & Y.-L. Lin, 2015e: 105 **A**: TAI
simplicicornis Reitter, 1906b: 298 **E**: ST **A**: AB AR GG IN TR
abchasicus Pic, 1911b: 12
prolongatus Pic, 1911b: 12
subapicalis Pic, 1910a: 10
subfasciatus Pic, 1906d: 17 **A**: HEN JA
anticenigris Matsushita, 1933b: 292 **#746**
rufescens Hayashi, 1955: 49
tersus Viktora & Tichý, 2015a: 10 **A**: SCH
tichyi Miroshnikov, Bi et Lin, 2014: 257 **A**: YUN
ulmiphilus Holzschuh, 1982b: 153 (*Aglaophis*) **A**: KA PA
vicinulus Holzschuh, 1999: 41 **A**: BEI GAN HEN HUB NIN SCH SHA SHX **#60** **#320**
yakushimanus kazukii Fujita, 2023: 25 **A**: JA (S. Kyushu)
yakushimanus yakushimanus Hayashi, 1968c: 14 **A**: JA
zappii Rapuzzi & Sama, 2014a: 7 **E:** IT

genus *Hirticlytus* K. Ohbayashi, 1960b: 9 type species *Anaglyptus comosus* Matsushita, 1941

comosus Matsushita, 1941: 155 (*Anaglyptus*) **A**: JA

genus *Oligoenoplus* Chevrolat, 1863: 337 type species *Oligoenoplus ventralis* Chevrolat, 1863
Borneoclytus Dauber, 2006: 443 type species *Borneoclytus borneanus* Dauber, 2006
gonggashanus Miroshnikov, 2013a: 239 **A:** SCH
modicus Holzschuh, 2011: 320 **A:** HEN
rosti iwatai Ikeda, 1987: 12 **A**: JA
rosti rosti Pic, 1911b: 15 (*Anaglyptus*) **A**: FE (Kunashir) JA
sapporensis Matsushita, 1933: 100 (*Anaglyptus*)

genus *Paraclytus* Bates, 1884a: 234 type species *Paraclytus excultus* Bates, 1884a
albiventris Gressitt, 1937c: 455 (*Aglaophis*) **A**: GUX HUN JIX YUN **#93** **#400**
apicicornis Gressitt, 1937a: 92 (*Aglaophis*) **A**: FUJ GAN GUI GUX HUN JIX SCH SHA **#60**
assamensis Viktora & Tichý, 2015b: 104 **A**: AP
emili Holzschuh, 2003a: 229 **A**: ?SCH YUN
excellens Miroshnikov et Lin, 2012: 248 **A:** YUN **ORR** **#93**
excultus Bates, 1884a: 234 **A**: FE (Kurils) JA
interruptus Pic, 1915f: 13
gongshanus Viktora & Liu, 2018a: 156 **A:** YUN
helenae Holzschuh, 1993a: 43 (*Anaglyptus*) **A**: ?SCH YUN
intermedius Viktora & Tichý, 2015a: 14 **A**: SCH
irenae Holzschuh, 1993a: 43 (*Anaglyptus*) **A**: YUN
jii Holzschuh, 1992b: 43 (*Anaglyptus*) **A**: SCH
mengi Viktora & Weigel, 2021: 166 **A**: YUN
murzini Miroshnikov, 2014b: 82 **A**: SCH
ochrocaudus Gressitt, 1951a: 305 (*Anaglyptus*) **A**: FUJ
primus Holzschuh, 1992b: 42 **A**: ?GAN SCH SHA
raddei Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) **A**: AB IN
bieberi Pic, 1920e: 21 (*Clytus*)
reitteri Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) **A**: AB IN
scolopax Holzschuh, 1999: 40 (*Anaglyptus*) **A**: GAN SCH
sexguttatus Adams, 1817: 308 (*Clytus*) **E**: BU ST TR UK **A**: AB AR GG TR IN
bruckii Kraatz, 1864: 389 (*Clytus*)
caucasicus Motschulsky, 1839: 54 (*Clytus*)
disjunctus Pic, 1909: 123 (*Anaglyptus*)
shaanxiensis Holzschuh, 2003a: 228 **A**: HUB SCH SHA
thibetanus Pic, 1914f: 38 (*Anaglyptus*) **A**: XIZ YUN
wangi Miroshnikov et Lin, 2012: 250 **A:** SCH
xiongi Huang G.-Q., Yan & Zhang 2020: 406 **A**: YUN
yao Viktora & Tichý, 2015b: 106 **A**: GUX

genus *Yoshiakioclytus* Niisato, 2007c: 577 type species *Epiclytus taiwanus* Chang, 1960
breuningi Tippmann, 1955: 110 (*Epiclytus*) **A**: CHQ FUJ HEN HUB #**148** **#898**
jiangi Wang P., Xie & Wang W.-K., 2026: 149 **A:** SCH
qiaoi G.-Q. Huang & L. Chen, 2016: 484 **A**: HEN SHA HUB **#400** **#898**
ruficaudus Gressitt, 1951a: 257 (*Epiclytus*) **A**: FUJ GUA **#148**
stigmosus Holzschuh, 2003a: 210 (*Epiclytus*) **A**: GAN SHA #**148**
taiwanus Chang, 1960: 1 (*Epiclytus*) **A**: TAI

tribe Brachypteromini Sama, 2008
Dolocerini Özdikmen, 2024: 2764

genus *Dolocerus* Mulsant, 1862: 230 type species *Dolocerus reichii* Mulsant, 1862
Brachypteroma Heyden, 1863: 128 type species *Brachypteroma ottomanum* Heyden, 1863
holtzi Pic, 1905g: 114 (*Brachypteroma*) **A**: LE SY TR
magnanii Sama, 1987: 51 (*Brachypteroma*) **N**: AG
reichii Mulsant, 1862: 231 **E**: AL BH BU CR FR GR IT ME SZ TR **A**: AB AR GG TR **#133** **#670**
mulsanti Stierlin, 1866: 30 (*Molorchus*)
ottomanus Heyden, 1863: 128 (*Brachypteroma*)

tribe Callichromatini Swainson & Shuckard, 1840

genus *Anubis* J. Thomson, 1864: 177 type species *Cerambyx sexnotatus* Thunberg, 1787 (= *Saperda clavicornis* Fabricius, 1775)
Divinus Özdikmen, 2025m: 2721 type species *Anubis rostratus* Bates, 1879 **#858**
Kedkinsis Özdikmen 2026g: 1505 [RN] **#897**
Osiris Özdikmen 2025m: 2721, 2723 [HN] type species *Anubis vittatus* Schmidt, 1922
bipustulatus bipustulatus J. Thomson, 1865: 569 **A**:-YUN **ORR** **#100** **#321**

viridis Pic, 1923b: 9
bipustulatus fimbriatus Bates, 1879a: 412 **A**: ?SD **ORR** **#321** **#610**
thoracicus Podaný, 1980: 232 (*Polyzonus*) **#610**
cyaneus Pic, 1924a: 15 **A**: YUN **ORR**
rugenotatus Pic, 1924: 15
inermis White, 1853a: 171 (*Polyzonus*) **A**: GUA GUX NP PA SD SE SW "North India" **ORR** **#100**
rostratus Bates, 1879a: 412 **A**: YUN **ORR**
annamitus Pic, 1946a: 9 **#327**
subobtusus Pic, 1932c: 22 (*Chelidonium*) **A**: YUN

genus *Aphrodisium* J. Thomson, 1864: 173 type species *Callichroma cantori* Hope, 1840 (= *Callichroma cantori* Hope, 1839)
subgenus *Aphrodisium* J. Thomson, 1864: 173 type species *Callichroma cantori* Hope, 1840
Trichochelidonium Vives, 2017a 217 type species *T. niisatoi* Vives, 2017 (= *Aphrodisium schoenmanni* Skale & Weigel, 2017 [RN]) **#204**
attenuatum Gressitt, 1951a: 625 **A**: FUJ GUA HUB **#100**
basifemorale Pic, 1902i: 29 (*Aromia*) **A**: HUB SCH YUN **#100**
cantori Hope, 1839: 43 (*Callichroma*) **A**: GUX NP SD UP YUN **ORR** **#100**
cribricolle Neervoort van de Poll, 1890: 157 **A**: NP SD
distinctipes Pic, 1904c: 11 (*Aromia*) **A**: SCH YUN
gibbicolle White, 1853a: 160 (*Callichroma*) **A**: ANH FUJ GUA GUI GUX HAI HUN JIA JIX SCH SHA SHN TAI YUN ZHE **ORR** **#100**
hardwickianum White, 1853a: 162 (*Callichroma*) **A**: NP SD
holzschuhi Skale & Vitali, 2021: 103 **A**: YUN **ORR**
inexspectatum Podaný, 1971: 293 **A**: NO GUX **#100**
major Gressitt & Rondon, 1970: 148 **A**: GUX YUN **ORR** **#513**
neoxenum White, 1853a: 154 (*Callichroma*) **A**: GUX HAI HUB SCH SD TAI XIZ ZHE **ORR** **#100**
planicolle Neervoort van de Poll, 1890: 155 **A**: SD
robustum Bates, 1879a: 408 (*Leontium*) **A**: SD YUN **ORR**
sauteri Matsushita, 1933b: 256 (*Chelidonium*) **A**: ANH FUJ GUX HEN HUN JIX SHN SCH TAI ZHE **#100**
saxosicolle Fairmaire, 1902a: 245 **A**: YUN **ORR**
bicoloripes Pic, 1925b: 18
notatipes Pic, 1925b: 18
schwarzeri Podaný, 1971: 292 **A**: SCH YUN **#610**
semipurpureum Pic, 1925b: 18 **A**: YUN **ORR** **#400**
sinicum White, 1853a: 159 (*Callichroma*) **A**: FUJ GAN GUA GUX HUB QIN SCH SHA YUN ZHE **ORR** **#60** **#100**
implicatum Pic, 1920a: 2 (*Chloridolum*) **#204**
impressicolle Plavilstshikov, 1934f: 223 (*Chelidonium*) **#100** **#513**
subgibbicolle Pic, 1925b: 17 (*Chelidonium*) **#92**
thibetanum Pic, 1925b: 18 **A**: XIZ **ORR**
tricoloripes Pic, 1925: 18 **A**: GUI YUN **ORR** **#400**
vermiculosum Gressitt, 1942d: 1 **A**: SD XIZ **#610**
viridescens Hayashi, 1974a: 26 **A**: TAI
subgenus *Opacaphrodisium* Pic, 1932c: 24 type species *Callichroma griffithii* Hope, 1839
griffithii Hope, 1839: 43 (*Callichroma*) **A**: GUA GUX SD YUN **ORR** **#100**
zonopteroides Fleutiaux, 1887: 66 (*Pachyteria*)

genus *Aromia* Audinet-Serville, 1834a: 559 type species *Cerambyx moschatus* Linnaeus, 1758
Terambus Gistel, 1848b: [2] [unnecessary substitute name]
subgenus *Aromia* Audinet-Serville, 1834a: 559 type species *Cerambyx moschatus* Linnaeus, 1758
moschata ambrosiaca Steven, 1809: 40 (*Cerambyx*) **E**: IT PT SP ST TR **N**: AG MO TU **A**: AB AR GG IN IQ IS JO LE SY TR **#133** **#400**
melancholica Reitter, 1895d: 210
notaticollis Pic, 1928c: 9
rosarum A. Costa, 1855: 26 [HN] (Sicilia, region di Napoli)
thoracica Fischer von Waldheim, 1823: tab. 48, figs 3, 4. [1824: 236] (*Cerambyx*)
moschata cruenta Bogatchev, 1962: 96 **A**: KI TD **#521**
moschata jankovskyi Danilevsky, 2007d: 48 **A**: KI
moschata malukhini Danilevsky, 2019: 84 E: ST (Astrakhan Reg.)
moschata moschata Linnaeus, 1758: 391 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK **A**: ES GG KZ ~~MG~~ TR WS
alata Costa, 1855: 25
auctumnalis Westhoff, 1882: 241
chlorophana Fischer von Waldheim, 1823: pl. xlviii [= 1824: 237] (*Cerambyx*)
cupricollis Pic, 1941e: 5 - "Kirghis"
odorata DeGeer, 1775: 63 (*Cerambyx*)
perroudi Pic, 1941e: 5
thea Reitter, 1894f: 306
moschata rosarum P. H. Lucas, 1847: pl. 41 [1849: 488] **N**: AG MO TU **#517** **#893**

moschata sumbarensis Danilevsky, 2007d: 48 **A**: TM (Kopetdag)
moschata vetusta Jankowski, 1934: 107 **A**: KZ **#787**
orientalis Plavilstshikov, 1932g: 114 **A**: BEI CHQ ES FE FUJ GAN HEB HEI HEN HUB JA JIL JIX LIA MG NC NIN NMO SC SCH SHA SHN ZHE **#100** **#400**
subgenus *Aromiaoides* Özdikmen, 2026c: 592 type species *Cerambyx bungii* Faldermann, 1835
bungii Faldermann, 1835: 433 (*Cerambyx*) **Ei**: GE IT **A**: ANH BEI CHQ FUJ GAN GUA GUI GUX HAI HEB HEI HEN HKG HUB HUN JAi JIA JIL JIX LIA NC NIN NMO QIN SC SCH SHA SHG SHN SHX TIA XIN YUN ZHE **#523** **#524**
bungei Plavilstshikov, 1940: 203 [unjusfied emendation]
cyanicornis Guérin-Méneville, **1844**: 222 (*Callichroma*) **#893**
ruficollis L. Redtenbacher, 1868: 149

genus *Aromiella* Podaný, 1971: 303 type species *Aromiella fruhstorferi* Podaný, 1971
fruhstorferi Podaný, 1971: 303 **A**: CH **ORR**

genus *Cataphrodisium* Aurivillius, 1907: 8 type species *Purpuricenus rubripennis* Hope, 1842
Asiodiphrum Plavilstshikov, 1934f: 221 type species *Asiodiphrum nigrofasciatum* Plavilstshikov, 1934 (= *Purpuricenus rubripennis* Hope, 1842)
castaneae Gressitt, 1951a: 192 **A**: YUN **ORR**
rubripenne Hope, 1842b: 128 (*Purpuricenus*) **A**: FUJ GAN GUA GUI HUB JIA SCH SHA SHN TAI YUN ZHE **ORR** **#100** **#176**
fujianensis Hua & She, 1987: 54 (*Embrikstrandia*) **#176**
latemaculatum Pic, 1902i: 29 (*Pachyteria*) **#176**
magnificum Pic, 1902i: 29 (*Pachyteria*)
nigrofasciatum Plavilstshikov, 1934f: 224 (*Asiodiphrum*)
simile Podaný, 1971: 256 **#356**

genus *Chelidonium* J. Thomson, 1864: 175 type species *Cerambyx argentatus* Dalman, 1817
Gracilichroma Vives, Bentanachs & Chew, 2008: 5 type species *Chelidonium bryanti* Podany, 1974 **#252**
Malayanochroma Bentanachs & Drouin, 2013: 97 type species *Malayanochroma cheongae* Bentanachs & Drouin, 2013 **#252**
argentatum Dalman, 1817b: 151 (*Cerambyx*) **A**: ANH CHQ FUJ GAN GUA GUX HAI HEN HKG HUB HUN JIA JIX NIN SCH SD SHA YUN ZHE **ORR**
binotaticolle Pic, 1937d: 108 **A**: GUA GUI GUX YUN **ORR**
buddleiae Gressitt & Rondon, 1970: 154 **A**: GUX YUN **ORR**
~~*cinctum* Guérin-Méneville, 1844: 220 (*Callichroma*)~~ **A**: ~~SCH YUN~~ **ORR** **#92** **#100** **#607**
citri Gressitt, 1942b: 2 **A**: CHQ GUI HAI HUB HUN JIX SCH **ORR** **#100**
nepalense Hayashi, 1976: 9 **A**: NP
zaitzevi Plavilstshikov, 1933b: 107 **A**: FE HEB LIA **#100**
flavofasciatum Blanchard, 1849: pl.12, fig.4 (*Callichroma*) **A:** YUN **#400** **#607**
binotatum Brongniart, 1892: 245 (*Leontium*)
uninotatum Pic, 1928b: 17
venereum J. Thomson, 1865: 568 **#400**

genus *Chloridolum* J. Thomson, 1864: 174 type species *Callichroma bivittatum* White, 1853
subgenus *Chloridolum* J. Thomson, 1864: 174 type species *Callichroma bivittatum* White, 1853
[*accensum accensum* Newman, 1842a: 246 (*Callichroma*) **A**: **ORR]**
accensum kazuoi Hayashi, 1984: 22 **A**: TAI
addictum Newman, 1842a: 245 (*Callichroma*) **A**: ?YUN **ORR** **#100** **#610**
~~*sibuyanum* Schwarzer, 1929: 359~~ **#610**
violacipes Schwarzer, 1926b: 97
alcmene J. Thomson, 1865: 568 **A**: SD **#523**
bivittatum White, 1853a: 162 (*Callichroma*) **A**: BT SD **ORR** **#610**
violaceicolle Pic, 1925: 19 **#263**
cinnyris Pascoe, 1866d: 518 **A**: **?**YUN **ORR** **#101** **#610**
grossepunctatum Gressit & Rondon, 1970: 170 **A**: YUN **ORR** **#400**
hainanicum Gressitt, 1940b: 60 **A**: HAI
kurosawae kurosawae Hayashi, 1956: 13 **A**: JA
kurosawae ohsumiense N. Ohbayashi, 1992: 7 **A**: JA
kwangtungum kwangtungum Gressitt, 1939a: 21 **A**: GUA GUX ZHE **#100**
kwangtungum szechuanum Gressitt, 1951a: 205 **A**: CHQ GUX SCH
lanyuanum Hayashi, 1984: 20 **A**: TAI
laotium Gressitt & Rondon, 1970: 169 **A**: GUA HAI SD YUN **ORR** **#100** **#610**
loochooanum chujoi Makihara, 2005: 121 **A**: JA (Ryukyus) **#734**
loochooanum loochooanum Gressitt, 1934: 163 **A**: JA (Ryukyus) **#100**
nadleri Skale, 2018a: 234 **A**: CH **ORR**
jeanvoinei Pic, 1937d: 108 [HN] (*Chelidonium*) **#252**
nympha White, 1853a: 161 (*Callichroma*) **A**: AP NP SD **#280** **#610**
ohbayashii Hayashi, 1971: 8 **A**: TAI

perlaetum White, 1853a: 161 (*Callichroma*) **A**: GUX SD **ORR**
plicaticolle Pic, 1932c: 24 **A**: CHQ GUX SCH YUN **#100**
bicoloratum Pic, 1932c: 24
plicovelutinum Gressitt & Rondon, 1970: 171 **A**: YUN **ORR** **#102**
scutellatum Gressitt, 1939a: 22 **A**: GUA
semipunctatum Gressit & Rondon, 1970: 171 **A**: GUX YUN **ORR** **#610**
shibatai Hayashi, 1971: 7 **A**: TAI
sieversi Ganglbauer, 1887a: 135 (*Aromia*) **A**: FE HEI HEN HUB JIL NC SC SHA **#100** **#225**
bangi Reitter, 1895d: 209 (*Aromia*)
coreanum Fairmaire, 1897c: 232 (*Aromia*)
splendidulum Gressitt, 1940c: 176 **A**: ANH HAI **#100**
taiwanum Gressitt, 1936: 91 **A**: HAI TAI **#100**
thaliodes Bates, 1884a: 226 **A**: GUX HEI HUB JA JIL LIA NE SC (near Daegu) **#100** **#400**
japonicum Podaný, 1971: 302 (*Aromia*) **#332**
thomsoni Pascoe, 1859: 24 (*Callichroma*) **A**: ?TAI **ORR**
thoracicum Gressitt, 1942b: 1 **A**: SCH
tonguanum Chiang, 1981: 80 **A**: JIX
variabile Schwarzer, 1926b: 100 **A**: **?**CH **ORR** **#610**
subgenus *Leontium* J. Thomson, 1864: 175 type species *Leontium viride* J. Thomson, 1864
cupreoviride Gressitt, 1942d: 2 (*Leontium*) **A**: FUJ YUN **#100**
cyaneonotatum Pic, 1925b: 18 **A**: GUA GUI GUX SCH YUN **ORR** **#100** **#268**
jeanvoinei Pic, 1932e: 24 (*Leontium*) **A**: GUA GUX HAI HKG **ORR** **#348**
lameeri Pic, 1900i: 18 (*Leontium*) **A**: ANH FUJ GAN GUX HEN HUB HUN JIX SC SHA SHG SHN TAI YUN ZHE **#60** **#322**
bicolor Kano, 1930: 44 (*Leontium*)
laosense Pic, 1932c: 23 (*Leontium*) **A**: HAI YUN **ORR** **#100**
nigroscutellatum Gressitt, 1940b: 62 (*Leontium*) **A**: GUX HAI **#100**
punctulatum Pic, 1920f: 119 (*Leontium*) **A**: YUN **ORR**
robusticolle Pic, 1946a: 10 (*Leontium*) **A**: CH **ORR** **#92**
herteli Podaný, 1974: 24 (*Chelidonium*) **#252** **#400**
tenuipes Fairmaire, 1889a: 64 (*Leontium*) **A**: GUI SCH YUN **#496**
implicatum Pic, 1925b: 17 (*Leontium*)
touzalini Pic, 1920f: 118 (*Leontium*) **A**: YUN
viride J. Thomson, 1864: 175 **A**: CHQ FE (Sakhalin, Kurils) HUB JA JIL LIA NC SC SCH YUN **#100**
cyaneum Fujimura, 1956: 4 (*Leontium*)
multiplicatum Pic, 1946a: 14 (*Leontium*) **#332**
tenuatum Bates, 1873: 197 (*Callichroma*)
subgenus *Parachloridolum* Plavilstshikov, 1934a: 67 type species *Callichroma japonicum* Harold, 1879
japonicum Harold, 1879b: 335 (*Callichroma*) **A**: GUI HEI HUB HUN JA JIL LIA NC NE SC SCH SHN **#100**
achardi Pic, 1911d: 19 (*Callichroma*)
coreanum Okamoto, 1924: 190 [HN]

genus *Embrikstrandia* Plavilstshikov, 1931c: 278 type species *Callichroma bimaculatum* White, 1853
bimaculata White, 1853a: 165 (*Callichroma*) **A**: CHQ FUJ GAN GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX SCH SHA SHN TAI YUN ZHE **#100**
angustefasciata Pic, 1933a: 12 (*Callichroma*)
davidis H. C. Deyrolle, 1878: 132 (*Callichroma*)
diversicornis Pic, 1925b: 19 (*Callichroma*)
reducta Pic, 1950b: 3
unifasciata Ritsema, 1896: 376 (*Zonopterus*) **A**: ANH FUJ GAN GUA GUX HAI HEN HKG HUB HUN JIX SCH SHX TAI ZHE **ORR** **#100**
vivesi Bentanachs, 2005: 2-3 **A**: YUN **ORR**

genus *Gestriana* Podaný, 1971: 306 [RN] type species *Pachyteria superba* Gestro, 1888
Tarsalia Podaný, 1968: 50 [HN] type species *Pachyteria superba* Gestro, 1888
pubemaculata J.-H. Huang, Zhou & B. Chen, 2006: 62 (*Embrikstrandia*) **A:** GUX **#694**
superba Gestro, 1888: 128 (*Pachyteria*) **A**: GUX **ORR**

genus *Helymaeus* J. Thomson, 1866: 179 type species *Helymaeus cyanipennis* J. Thomson, 1866
pedestris Pascoe, 1878: 370 **A**: SA YE **#774**
signaticollis Pascoe, 1878: 370 **A**: SA YE **#774**

genus *Ipothalia* Pascoe, 1867a: 314 type species *Ipothalia femorata* Pascoe, 1867 **#100**
~~*esmeralda* Bates, 1879a: 418 **A: YUN ORR**~~ **#610**
micaria Holzschuh, 1990: 188 **A**: SD
plicicollis Pu, 1981: 420, 428 **A**: XIZ
pyrrha Pascoe, 1867a: 314 **A**: FUJ GUX JIX SCH YUN **ORR** **#576**
bicoloripes Pic, 1920f: 118

cambodgensis Gressitt & Rondon, 1970: 175
semipurpurea Pic, 1927b: 29

genus *Laosaphrodisium* Bentanachs, 2012a: 71 type species *Leontium optimum* Bates, 1879 **#523**
amadori Bentanachs, 2012a: 75 **A**: GUX YUN XIZ **ORR**
crassum Gressitt, 1939a: 24 (*Aphrodisium*) **A**: FUJ HUB GUA YUN **#100**
subplicatum Pic, 1937a: 11 (*Chelidonium*) **A**: GUI ?YUN **ORR**

genus *Leptochroma* Vives, 2013b: 86 type species *Leptochroma lini* Vives, 2013b
lini Vives, 2013b: 88 **A:** YUN
paralleloelongatum Hayashi, 1974: 27 (*Chloridolum*) **A:** TAI **#411**
shanxianum Vives, 2013b: 90 **A:** SHX

genus *Mimochelidonium* Bentanachs & Drouin, 2013: 94 type species *Mimochelidonium sinense* Bentanachs, 2013
sinense Bentanachs & Drouin, 2013: 95 **A:** GUI **ORR**
vietnamicum Vives & Pham, 2017: 197 **#808**

genus *Odontochroma* Vives 2015b: 115 type species *Odontochroma martinsi* Vives, 2015
niisatoi Vives & Bentanachs, 2007: 635 (*Aphrodisium*) **A**: YUN **ORR** **#426**

genus *Osphranteria* L. Redtenbacher, 1850: 50 type species *Osphranteria suaveolens* L. Redtenbacher, 1850
Quettania Schwarzer, 1931a: 62 type species *Quettania coeruleipennis* Schwarzer, 1931
coerulescens L. Redtenbacher, 1850: 50 **A**: AF IN IQ PA TR **#30 #345**
inaurata Holzschuh, 1981: 98
coeruleipennis Schwarzer, 1931a: 63 (*Quettania*)
mirabilis Podany, 1980: 231 (*Polyzonus*)
lata Pic, 1956a: 3 **A**: AF IN PA **#274**
richteri Heyrovský, 1959: 4
suaveolens L. Redtenbacher, 1850: 50 **A**: AF IN

genus *Pachyteria* Audinet-Serville, 1834a: 553 type species *Cerambyx fasciatus* Fabricius, 1775
subgenus *Pachyteria* Audinet-Serville, 1834a: 553 type species *Cerambyx fasciatus* Fabricius, 1775
dimidiata Westwood, 1848: 60 **A**: GUX **ORR**
luteofasciata Pic, 1946a: 7
obertheri Ritsema, 1888a: 190
scheepmakeri Ritsema, 1881b: 38
timorensis Hayashi, 1994: 65
fasciata Fabricius, 1775: 168 (*Cerambyx*) **A**: CH NP "Himalaya" **ORR**
populnea Schröter, 1776: 349 (*Cerambyx*)
voluptosa J. Thomson, 1865: 568
subgenus *Tripartocorna* Özdikmen, 2025p: 2745 type species *Pachyteria ruficollis* Waterhouse, 1878
equestris Newman, 1841: 79 (*Niraeus*) **A**: YUN **ORR**
semiplicata Pic, 1927: 4 **A**: YUN **ORR** **#282**

genus *Paraphrodisium* Bentanachs & Drouin, 2013: 91 type species *Paraphrodisium sinense* Bentanachs, 2013
sinense Bentanachs & Drouin, 2013: 92 **A:** YUN

genus *Polyzonus* Dejean, 1835: 324 type species *Saperda fasciata* Fabricius, 1781
subgenus *Parapolyzonus* Bentanachs, 2012a: 11 type species *Promeces prasinus* White 1853 **#269**
drumonti Bentanachs, 2010: 306 **A:** YUN **ORR**
haraldi Scale, 2020b: 324 **A**: SD
~~*prasinus* White, 1853a: 170 (*Promeces*)~~ **#610**
polyzonoides J. Thomson, 1865: 568 (*Chelidonium*) **A**: FUJ GUA GUX HAI HUB HUN JIX SCH YUN ZHE **ORR** **#100 #610**
trocolii Bentanachs, 2012a: 21 **A:** YUN **ORR**
subgenus *Polyzonides* Podaný, 1980: 230 type species *Polyzonus obtusus* Bates, 1879 **#269**
obtusus Bates, 1879a: 413 **A**: ?TAI YUN **ORR** **#100**
interruptus Pic, 1946a: 14
opacus Pic, 1946: 9
reductus Pic, 1946a: 14
subgenus *Polyzonus* Dejean, 1835: 324 type species *Saperda fasciata* Fabricius, 1781 **#269**
Calliblepharus Gistel, 1848a: x [unnecessary substitute name]
Pseudopolyzonus Bentanachs, 2012a: 67 type species *Polyzonus latefasciatus* Hüdepohl, 1998 **#269**
auroviridis Gressitt, 1942b: 3 **A**: GUA GUX SCH YUN **ORR**
balachowskii Gressitt & Rondon, 1970: 157 **A**: YUN XIZ **ORR**
barclayi Skale, 2018b: 335 **A**: XIZ **ORR**
?bizonatus White, 1853a: 171 **A**: GUX SD YUN ZHE **ORR** **#60** **#610**
brevipes Gahan, 1906a: 217 **A**: SD **ORR**

cuprarius Fairmaire, 1887a: 132 **A**: SCH XIZ YUN **ORR** **#269**
democraticus Lameere, 1890: ccxi **A:** UP
fasciatus Fabricius, 1781: 232 (*Saperda*) **A**: ANH BEI CHQ ES FE FUJ GAN GUA GUI GUX HAI HEB HEI HEN HKG HUB HUN JIA JIL JIX LIA MG NC NIN NMO QIN SC SHA SHN SHX YUN ZHE **#100**
bicinctus Olivier, 1795: no. 67: 46 (*Cerambyx*)
fupingensis Xie & W.-K. Wang, 2009: 58
meridionalis Bates, 1879a: 413
sibiricus Gmelin, 1790: 1840 (*Cerambyx*)
geiseri Skale, 2018b: 342 **A**: SD **ORR**
latefasciatus Hüdepohl, 1998: 225 (*Polyzonus*) **A**: FUJ YUN **ORR** **#100** **#269**
laurae Fairmaire, 1887a: 132 **A**: YUN **ORR**
pakxensis Gressitt & Rondon, 1970: 159 **A**: YUN **ORR**
russoi Tippmann, 1955: 106 (*Chelidonium*) **A**: FUJ GUA **#269** **#283**
saigonensis Bates, 1879a: 413 **A**: YUN **ORR**
laosensis Pic, 1923b: 9
siamensis Podany, 1974: 6, 40 (*Chelidonium*) **A:** YUN **ORR** **#269**
sinensis Hope, 1842a: 63 (*Promeces*) **A**: CHQ FUJ GUA GUX HEI HKG JIL LIA NO SCH SD YUN **ORR** **#100** **#280**
subtruncatus Bates, 1879a: 408 (*Leontium*) **A**: GUA HAI HKG SCH SHG YUN **ORR** **#100** **#269**
tichyi Skale, 2018b: 352 **A**: SCH
violaceus Plavilstshikov, 1933c: 111 **A**: YUN **ORR**
yunnanum Podaný, 1974: 39 (*Chelidonium*) **#575**
subgenus *Striatopolyzonus* Bentanachs, 2012a: 58 type species *Cerambyx tetraspilotus* Hope, 1835
flavocinctus Gahan, 1894a: 17 **A**: FUJ YUN **ORR** **#100** **#400** **#269**
nitidicollis Pic, 1932: 22 **A**: YUN **ORR**
tetraspilotus Hope, 1835a: 71 (*Cerambyx*) **A**: BT SD YUN **ORR** **#283** **#344**
latemaculatus Gressitt & Rondon, 1970: 161,
macrospilus Gahan, 1906: 216;
megaspilus Gahan, 1906a: 215
microspilus Gahan, 1906a: 215
quadrimaculatus White, 1853a: 170

genus *Rugosochroma* Vives & Lin, 2013: 68 type species *Schwarzerium yunnanum* Vives & Lin, 2013 **#612**
yunnanum Vives & Lin, 2013: 68 (*Schwarzerium*) **A:** YUN

genus *Scalenus* Gistel, 1848a: 130 [RN] type species *Cerambyx hemipterus* Olivier, 1800
subgenus *Coloborhomboides* Hüdepohl, 1983: 117 type species *Coloborhomboides schereri* Hüdepohl, 1983
drescheri Fisher, 1936: 176 (*Coloborhombus*) **A:** GUX **ORR** **#284**
ater Fisher, 1936: 176 (*Coloborhombus*)
flavipes Fisher, 1936: 176 (*Coloborhombus*)
schereri Hüdepohl, 1983: 117 .(*Coloborhomboides*)
tibialis Ritsema, 1895: 159 (*Aphrodisium*) A: SD **ORR** **#283**
subgenus *Scalenus* Gistel, 1848a: 130 [RN] type species *Cerambyx hemipterus* Olivier, 1800
Coloborhombus J. Thomson, 1865: 486 [RN] type species *Cerambyx hemipterus* Olivier, 1800
Colobus Audinet-Serville, 1834a: 554 [HN] type species *Cerambyx hemipterus* Olivier, 1800
Nothopeus Pascoe, 1864c: 287 [RN] type species *Cerambyx hemipterus* Olivier, 1800
fulvus Bates, 1879a: 395 (*Coloborhombus*) **A**: GUA SD **ORR**
hemipterus Olivier, 1800: 127 (*Cerambyx*) **A**: FUJ GUA HAI **ORR** **#373**
~~*ater* Fisher, 1936: 176 (*Coloborhombus*)~~
sericeus Saunders, 1853: 111 (*Colobus*) **A**: FUJ GUA SHG YUN **#100**

genus *Schmidtiana* Podaný, 1971: 306 [RN] type species *Pachyteria ilocana* Schultze, 1920
Luzonia Podaný, 1968: 53 [HN] type species *Pachyteria ilocana* Schultze, 1920
testaceicornis Pic, 1926m: 16 (*Pachyteria*) **A**: SCH YUN **ORR** **#460**
violaceothoracica Gressitt & Rondon, 1970: 139 (*Pachyteria*) **#100**

genus *Schwarzerium* Matsushita, 1933a: 251 type species *Aphrodisium semivelutinum* Schwarzer, 1925
Schwarzeriella Plavilstshikov, 1934a: 32 type species *Aphrodisium semivelutinum* Schwarzer, 1925
andrea Skale, 2021b: 299 **A**: YUN
cyaneipes Pic, 1946a: 9 **A**: KO **#92**
holzschuhi Skale, 2021b: 308 **A**: SHA
provostii Fairmaire, 1887d: liv (*Callichroma*) **A**: BEI HEB HEI HEN HUB JIL LIA NE NMO SC SHA SHN YUN **ORR** **#100**
rubrofemorale Pic, 1932c: 24 (*Chelidonium*) **#92**
manchuricum Matsushita, 1943: 574
quadricolle quadricolle Bates, 1884a: 226 (*Chelidonium*) **A**: HEN HUN JA JIL SC **#100** **#732**
quadricolle viridicyaneum Hayashi, 1956d: 14 (*Chelidonium*) **A**: JA **#732**
purpureoviolaceum Hayashi, 1956: 14 (*Chelidonium*)
semivelutinum Schwarzer, 1925a: 24 (*Aphrodisium*) **A**: TAI

sifanicum Plavilstshikov, 1934f: 224 (*Chelidonium*) **A**: SCH **#612**

genus *Sinochroma* Bentanachs & Drouin, 2013: 93 type species *Sinochroma sinensise* Bentanachs & Drouin, 2013
martini Skale, 2019: 295 **A:** YUN **ORR**
purpureipes Gressitt, 1939a: 27 (*Chelidonium*) **A**: GUA GUX HAI HUB YUN **ORR** **#100** **#252** **#517**
violaceimembris Gressitt & Rondon, 1970: 151 **#252**
sinense Bentanachs & Drouin, 2013: 94 **A:** YUN

genus *Tomentaromia* Plavilstshikov, 1934a: 52 type species *Callichroma faldermannii* Saunders, 1853 **#799**
basalis Pic, 1925b: 19 [Chine] (*Aromia*) **A**: ?ES JIA JIX SHA **ORR** **#799**
delatouchii Fairmaire, 1886c: clxii (*Aphrodisium*) **A**: FUJ GUI GUX HAI HUB SCH YUN XIZ ZHE **ORR** **#610** **#799**
latouchei Fairmaire, 1899: 642 (*Aphrodisium*)
delatouchei, Aurivillius, 1912: 301 (*Aphrodisium*)
rufiventris Gressitt, 1940c: 174 (*Aromia*) **#400** **#799**
faldermannii faldermannii Saunders, 1853: 111 (*Callichroma*) **A**: ANH ?ES FUJ GUA GUI HAI HEN HUB HUN JIA JIL JIX KO ?MG-NMO SCH SHA SHG YUN ZHE **#799** **#821**
?*insolita* Skale, 2023: 86 **#874**
faldermannii horishanense Kano, 1933a: 272 (*Aphrodisium*) **A:** TAI **#283**
insularis Gressitt, 1936: 90 (*Aromia*)
yugaii Kano, 1933a: 272 (*Aphrodisium*)
faldermannii rufiventre Gressitt, 1940c: 174 (*Aromia*) **A**: FUJ GUX SCH YUN XIZ **ORR** **#400**
gregoryi Podaný, 1971: 265 **A**: YUN **ORR** **#799** **#875**
metallicollis Gressitt, 1939b: 97 (*Aromia*) **A**: ~~FUJ HEB HUB HUN JIX YUN~~ GUI SCH ZHE ~~**ORR**~~ **#100** **#799**
muelleri Tippmann, 1955: 105 **A**: FUJ ~~GUA~~ **#799**
obscurithorax Pic, 1925b: 19 (*Aromia*) **A**: JIX **#799**
subnigripenne Gressitt, 1937c: 452 (*Aromia*) **A**: ~~FUJ~~ JIX **#799**

genus *Turkaromia* Danilevsky, 1993a: 38 type species *Aromia pruinosa* Reitter, 1903
gromenkoi Danilevsky, 2000c: 289 **A**: UZ TD
pruinosa Reitter, 1903b: 233 (*Aromia*) **A**: KZ XIN

genus *Zonopterus* Hope, **1842b: 110** type species *Zonopterus flavitarsis* Hope, 1842 **#523**
flavitarsis Hope, 1842b: 128 **A**: AP SD YUN **ORR** **#280**

tribe Callidiini Kirby, 1837

genus *Callidiellum* Linsley, 1940: 254 type species *Semanotus cupressi* Van Dyke, 1923
rufipenne Motschulsky, 1861a: 19 (*Callidium*) **E**i: BE BH BU CR DE FR IT NL PT SB SK SL SP ST SV **A**: GG FE GAN HEB HEN JA JIX NC SC SHA TAI **NAR**i **NTR**i **#40**
japonicum Plavilstshikov, 1933f: 126 [HN] (*Callidium*)
nigromaculatum Kano, 1933a: 274 (*Callidium*)
plavilstshikovi Matsushita, 1933b: 439 [RN] (*Semanotus*)
villosulum arisanum Kano, 1930: 44 **A**: TAI
villosulum villosulum Fairmaire, 1900: 639 **E**i: MA **A**: ANH CHQ FUJ GUA GUI GUX HEN HUB HUN JIA JIX SCH YUN ZHE **NAR**i **#35** **#400**

genus *Callidium* Fabricius, 1775: 187 type species *Cerambyx violaceus* Linnaeus, 1758
subgenus *Callidium* Fabricius, 1775: 187 type species *Cerambyx violaceus* Linnaeus, 1758
Meridion Gozis, 1886: 32 type species *Cerambyx violaceus* Linnaeus, 1758
cedri Peyerimhoff, 1918a: 332 **N**: AG MO
flavosignatum Pu, 1991d: 343 **A**: QIN
hengduanum Holzschuh, 1999: 39 **A**: SCH YUN XIZ **#400**
libani Sama & Rapuzzi, 2002: 111 **A**: LE
piceonotatum Pic, 1933f: 5 **A**: HUB
przevalskii Semenov & Plavilstshikov, 1936: 389 **A**: NMO SCH **#400**
syriacum Pic, 1892r: cxi **A**: SY TR
orientale Pic, 1893d: 417
violaceum Linnaeus, 1758: 395 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IR IT LA LS LT LU MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK **A**: AB AR ES FE GG HEI JA JIL LIA KZ MG NC NMO TR WS XIN **NAR** **NTR** **#63**
janthinum LeConte, 1851: 34
salessei Pic, 1933d: 1
viridicolle Pic, 1926a: 23 **A**: SD
subgenus *Callidostola* Reitter, 1913a: 37 type species *Cerambyx aeneum* DeGeer, 1775
Calliopedia Binder, 1915: 186 type species *Rhopalopus reitteri* Binder, 1915 (= *Cerambyx aeneus* DeGeer, 1775) **#856**
aeneum aeneum DeGeer, 1775: 89 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT LU ME NL NR NT PL RO SB SK SL ST SV SZ UK **A**: ES FE HEI JA KZ MG WS

aurichalceum Gmelin, 1790: 1857 (*Cerambyx*)
dilatatum Paykull, 1800: 91
semitestaceum Pic, 1945b: 6
variabile Fabricius, 1775: 188
venosum Eschscholtz, 1818: 483
viride Schoenherr, 1817a: 459
viridans Gmelin, 1790: 1846 (*Cerambyx*)
aeneum longipenne Plavilstshikov, 1940: 300 **E**: ST **A**: AB GG TR
aeneum pilosicollis Özdikmen & Aytar, 2014: 599 **A**: TR
subgenus *Palaeocallidium* Plavilstshikov, 1940a: 291 type species *Callidium coriaceum* Paykull, 1800
chlorizans Solsky, 1871a: 384 (*Semanotus*) **A**: ES FE HEI JIL LIA MG NC **#400**
viridescens Motschulsky, 1875: 148
coriaceum Paykull, 1800: 91 **E**: AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT LU MD NR NT PL RO SB SK SL ST SV SZ UK **A**: ES FE ?HEI ?HEN ?KZ ~~JA~~ MG NC ?NMO WS **#81 #481 #631**
aeneipenne Kriechbaumer, 1862: 107
cupripenne Kriechbaumer, 1862: 208
lucidum Scopoli, 1772: 98 [NO] (*Stenocorus*)
kuratai Yokoyama, 1972: 11 (*Palaeocallidium*) **A**: JA

genus *Dundaia* Holzschuh, 1993a: 33 type species *Dundaia nitens* Holzschuh, 1993
subtuberculata Pu, 1992b: 597, 619 (*Callidium*) **A**: SCH SHA **#293**
nitens Holzschuh, 1993a: 33

genus *Gerdberndia* Holzschuh, 1982a: 71 type species *Gerdberndia atricolor* Holzschuh, 1982
atricolor Holzschuh, 1982a: 71 **A**: NP
ferrocyanea Hayashi, 1979: 87 (*Prosemanotus*) **A**: BT NP
nubigena Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) **A**: NP ?QIN (Gorin-tshu River)

genus *Leioderus* L. Redtenbacher, 1845: 110 type species *Leioderus testaceus* Redtenbacher, 1845 **#878**
Leioderes L. Redtenbacher, 1849: type species *Leioderes kollari* L. Redtenbacher, 1849
testaceus jacopoi Rapuzzi & Sama, 2010a: 129 **E**: IT (Sicilia) **#878**
testaceus testaceus L. Redtenbacher, 1845: 153 **E**: AL AU BH BU BY CR CT CZ FR GE GR HU IT LA LT MC MD NR RO PL SB SK SL SP ST SV SZ UK **A**: GG LE **#554 #665 #878**
kollari L. Redtenbacher, 1849: 482 (*Leioderes*)
tuerki tokatense Özdikmen, 2023: 321 (+var. *amasina* Pic, 1903 - unavailable) **A**: TR **#673**
tuerki tuerki Ganglbauer, 1886c: 517 (*Callidium*) **A**: LE SY TR
bodemeyeri Reitter, 1903a: 46 (*Callidium*) - Bulghar-Dagh (Bulghar-Maaden), Kleinasien **#673**
karsantianus Pic, 1910b: 2 (*Lioderes*) - M. Taurus : Karsanti **#673**
lateniger Pic, 1917g: 5 (*Lioderes*) - Karsanti dans le Taurus **#673**
nigripes Pic, 1891h: 102 (*Lioderes*) - “Syrie”, Hatay **#673**
samai Özdikmen, 2023: 321 - Lebanon **#673**

genus *Lioderina* Ganglbauer, 1886c: 517 type species *Callidium lineare* Hampe, 1871
linearis Hampe, 1871: 335 (*Callidium*) **E**: AU BH BU CR GR HU MC SK **A**: TR
henschi Puton, 1888: 23 (*Callidium*)

genus *Oupyrrhidium* Pic, 1900f: 50 type species *Callidium cinnabarinum* Blessig, 1872
Upyrrhidium Plavilstshikov, 1940a: 285 [unjustified emendation]
cinnabarinum Blessig, 1872: 179 (*Callidium*) **A**: FE HEI HEN JIL LIA NC SC SHA **#225**
chinense Li, 1992: 178 **#225**
flavum Z. Wang, 2003: 203

genus *Paraxylocrius* Niisato, 2009: 205 type species *Paraxylocrius testaceus* Niisato, 2009
testaceus Niisato, 2009: 208 **A**: FE (Sakhalin)
verigai Danilevsky, 2012h: 4 **A**: FE

genus *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)
subgenus *Helotaodes* Bi & Chen, 2025a: 599 type species *Phymatodes (Helotaodes) xiaobini* Bi & Chen, 2024
xiaobini Bi & Chen, 2025a: 600 A: YUN
subgenus *Melasmetus* Reitter, 1913a: 39 type species *Callidium femorale* Ménétriés, 1832
femoralis demelti Heyrovský, 1962a: 41 **E**: TR **A**: TR **#133**
femoralis femoralis Ménétriés, 1832: 228 (*Callidium*) **E**: ST **A**: AB AR GG IN TR
utschderensis Starck, 1889: 312 (*Callidium*)
subgenus *Paraphymatodes* Plavilstshikov, 1934a: 215 type species *Callidium fasciatum* Villers, 1789 **#778**
albicinctus Bates, 1873: 198 **A**: JA
albofasciatus Motschulsky, 1866: 174 [HN] (*Callidium*)
fasciatus Villers, 1789: 257 (*Cerambyx*) **E**: AU BH BU CR CZ FR GR HU IT ?LA MD PL RO SB SK SP SZ UK **A**: CY IS SY TR **#74**

#104

unifasciatus Olivier, 1790: 269 (*Callidium*)
unifasciatus Rossi, 1790: 343 (*Callidium*)
hauseri Pic, 1907b: 9 (*Callidium*) **A**: KZ XIN
mediofasciatus Pic, 1933b: 29 **A**: FE GUI JIA JIX NC SC SHA **#63**
subgenus *Phymatodellus* Reitter, 1913a: 40 type species *Callidium rufipes* Fabricius, 1777 **#778**
Microcallidium Casey, 1912: 283 type species *Callidium amoenus* Say, 1824: 413
Phymatodina Casey, 1912: 281 type species *Phymatodes nitidus* Casey, 1874
Pseudopoecilium Planet, 1924: 226 type species *Callidium rufipes* Fabricius, 1777
infasciatus Pic, 1935b: 36 (*Poecilium*) **A**: FE FUJ JA JIA JIX ?NC SC SHA SHN SHG **#400** **#736**
ussuricus Plavilstshikov, 1940a: 318
vandykei Gressitt, 1935b: 172 **#736**
jiangi Z. Wang & L.-Y. Zheng, 2003: 207, 395 **A**: JIL SC **#333**
kozlovi Semenov & Plavilstshikov, 1936: 390 **A**: NMO
magnanii Sama & Rapuzzi, 1999: 468 (*Poecilium*) **A**: TR
murzini Danilevsky, 1993d: 113 **A**: FE NC SC **#210** **#333**
rufipes rufipes Fabricius, 1777: 232 (*Callidium*) **E**: AU BE BH BU CR CZ FR GE GR HU IT LU MC MD PL RO SB SK SL SP ST SZ UK **A**: TR
amethystinus Fabricius, 1793: 321 (*Callidium*)
coeruleus Goeze, 1777: 507 (*Leptura*)
cyaneus Geoffroy, 1785: 82 (*Leptura*)
cyanochrysos Gmelin, 1790: 1846 (*Cerambyx*)
erythropus Gmelin, 1790: 1846 (*Cerambyx*)
gallicus Gmelin, 1790: 1877 (*Leptura*)
rufipes syriacus Pic, 1891i: 118 (*Callidium*) **A**: IS LE SY TR **#244** **#464**
semenovi Plavilstshikov, 1935a: 18 **A**: GUI
sinensis Pic, 1900i: 17 (*Callidium*) **A**: JIA SHG
zemlinae Plavilstshikov & Anufriev, 1964: 1565 **A**: FE HEI ?NC SC SHA **#225** **#333**
subgenus *Phymatoderus* Reitter, 1913a: 39 type species *Callidium pusillum* Fabricius, 1787 **#778**
Reitteroderus Sama, 1991: 124 [unnecessary substitute name]
abietinus Plavilstshikov & Lurie, 1960: 124 **E**: CT **A**: WS **#869**
ahenus Holzschuh, 2007: 242 (*Poecilium*) **A**: SCH
glabratus Charpentier, 1825: 225 (*Callidium*) **E**: AU BH BU CR CZ FR GE GR HU IT PL RO SB SK SP ST SZ UK **A**: GG LE **#115** **#464**
castaneus L. Redtenbacher, 1849: 483 (*Callidium*)
deltili Chevrolat, 1856b: 435 (*Callidium*)
gudenzii Sama, 1987: 57 (*Poecilium*) **N**: AG MO
lividus Rossi, 1794: 98 (*Callidium*) **E**: BH BU CR CT CZ FR GR IT LU ME NL RO SB SL SP ST SZ UK **N**: AG ?MO ?TU **A**: AB GG IS LE SY TR **NAR**i **#115**
asperipennis Fairmaire, 1879: 217 (*Callidium*)
brevicollis Dalman, 1817b: 191 (*Callidium*)
melancholicus Fabricius, 1798: 151 (*Callidium*)
thoracicus Comolli, 1837: 44 (*Callidium*)
tristis Pic, 1891b: 20
puncticollis Mulsant, 1862: 99 **E**: BU CT GR HU KZ MC MD RO ?SB SK ST UK **#180**
macedonicus Pic, 1909: 130
pusillus barbipes Küster, 1847a: 78 (*Callidium*) **E**: CZ FR GR HU IT SK
pusillus inopinatus Sláma, 2010: 82 (*Poecilium*) **E**: GR
pusillus pusillus Fabricius, 1787: 155 (*Callidium*) **E**: AU BE BH BU CR CZ SL FR GE GR HU IT LU MD NR PL RO SL SP SV SZ TR UK **A:** TR
abdominalis Bonelli, 1812: 180 (*Callidium*)
humeralis Comolli, 1837: 44 (*Callidium*)
luridus Olivier, 1800: 23 (*Callidium*) **#373**
pusillus rufipennis Starck, 1889: 312 (*Callidium*) **E**: ST UK **A**: AB AR GG IN TR
vandae Danilevsky, 2010g: 67 **E**: GR (Kefalonia Is.)
wrzecionkoi Rapuzzi & Sama, 2010b: 183 (*Poecilium*) **A:** SY TR **#565**
subgenus *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)
Merium Kirby, 1837: 172 type species *Merium testaceus* Linnaues, 1758 [suppresed]
testaceus Linnaeus, 1758: 396 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N**: AG MO MR TU **A**: AB AR CY FE GG IN IQ IS JA KZ LE ?NC TR SC SY WS **NAR** **#64** **#177** **#322** **#788**
analis L. Redtenbacher, 1849: 481
barbarorus Pic, 1917g: 5
carniolicus Gmelin, 1790: 1858 (*Cerambyx*)
crassipes Goeze, 1777: 507 (*Leptura*)
deustus Gmelin, 1790: 1850 (*Cerambyx*)
dimidiatipennis Chevrolat, 1882: 58
elongatus Iablokoff-Khnzorian, 1953: 60
fallax Villers, 1789: 276 (*Leptura*)

femoratus Geoffroy, 1785: 83 (*Leptura*)
fennicus Linnaeus, 1758: 396 (*Cerambyx*)
fulvipennis Reitter, 1901c: 101 (*Phymatodes*)
fuscum Haldeman, 1847: 37
italicus Gmelin, 1790: 1851 (*Cerambyx*)
luridus Paykull, 1800: 87 [HN] (*Callidium*)
melanocephalus Ponza, 1805: 71 (*Cerambyx*)
nigricollis Mulsant, 1839: 49
nigrinus Mulsant, 1839: 47
praeustus Fabricius, 1782: 500 (*Callidium*)
rufipes Costa, 1855: 34
sellae Kraatz, 1868: 338 (*Callidium*)
similaris Küster, 1844: 54 (*Callidium*)
variabilis Linnaeus, 1760: 192 (*Cerambyx*)
ventralis Haldeman, 1847: 375 (*Tessaropa*)
violaceus Rossi, 1790: 154 (*Callidium*)

subgenus *Poecilium* Fairmaire, 1864a: 134 type species *Leptura alni* Linnaeus, 1767

alni alni Linnaeus, 1767: 639 (*Leptura*) **E**: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **A**: KZ TR
apicalis Pic, 1915a: 1 (*Poecilium*)
biarcuatus Piller & Mitterpacher, 1783: 112 (*Leptura*)
fauconneti Pic, 1915a: 1 (*Poecilium*)
infuscatus Chevrolat, 1866: 107 (*Poecilium*)
nitidus Chevrolat, 1882: 58 (*Callidium*)
notaticollis Pic, 1945b: 6 (*Poecilium*)
turcicus Geoffroy, 1785: 83 (*Leptura*)

alni lateniger Pic, 1945b: 6 (*Poecilium*) **A**: AB (Talysh) IN
elburzense Holzschuh, 1977a: 128 (*Poecilium*)

alni pici Aurivillius, 1912: 349 **E**: ST **A**: AB AR GG IN TR **#565**
alnoides Reitter, 1913a: 40

antonini Rapuzzi, Sama & Tichy, 2011: 673 (*Poecilium*) **A**: SY TR **#565**

ermolenkoi Tsherepanov, 1980: 88 **A**: FE ?NC SC **#97**

eximius Holzschuh, 1995: 35 (*Poecilium*) **A**: YUN

kasnaki Sama, 2011: 826 (*Poecilium*) **A**: TR

latefasciatus Sh. Yang, 2013: 12 **A**: GUI

maaki maaki Kraatz, 1879c: 106 (*Callidium*) **A**: FE HEI JIX NC SC

maaki sylvaticus Z. Wang, 2003: 206, 394 **A**: NMO **#400**

maaki viarius Danilevsky, 1988c: 371 **A**: FE JA

mizunumai Hayashi, 1974a: 28 **A**: TAI

quadrimaculatus Gressitt, 1935b: 171 **A**: JA TAI **#400**

savioi Pic, 1935b: 35 **A**: JIA SHA SHG **#225**

genus *Pronocera* Motschulsky, 1859b: 494 type species *Pronocera daurica* Motschulsky, 1859 (= *Callidium sibiricum* Gebler, 1848)
Gonocallus LeConte, 1873a, 171 type species:*Callidium collare* Kirby, 1837
Protocallidium Csiki, 1904: 99 type species *Callidium angustum* Kriechbaumer, 1844
Pseudophymatodes Pic, 1901c: 12 type species *Phymatodes altaiensis* Pic, 1901 (= *Callidium sibiricum* Gebler, 1848)

angusta Kriechbaumer, 1844: 8 (*Callidium*) **E**: AU BH CZ GE HU IT PL RO BU SK UK

sibirica Gebler, 1848: 391 (*Callidium*) **A**: ES FE KZ (Ustkamenogorsk) MG NC NE NMO SC WS XIN
altaiensis Pic, 1901c: 12 (*Phymatodes*)
brevicollis Gebler, 1833: 302 [HN] (*Callidium*)
daurica Motschulsky, 1859b: 494

genus *Prosemanotus* Pic, 1933f: 5 type species *Prosemanotus elongatus* Pic, 1933

elongatus Pic, 1933f: 5 **A**: CH
subnotatus Pic, 1933f: 5

genus *Pyrrhidium* Fairmaire, 1864a: 133 type species *Cerambyx sanguineus* Linnaeus, 1758

sanguineum Linnaeus, 1758: 396 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE ?EN FI FR GB GE GR HU IR IT ?LA LS LT LU MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N**: AG TU **A**: AB AR GG IN SY TR **#104**

genus *Rejzekius* Adlbauer, 2008: 17 type species *Rejzekius bicolor* Adlbauer, 2008

bicolor Adlbauer, 2008: 17 **A**: YE

genus *Ropalopus* Mulsant, 1839: 40 type species *Callidium clavipes* Fabricius, 1775

subgenus *Pronocerodes* Plavilstshikov, 1940a: 248 type species *Rhopalopus ruficollis* Matsumura, 1911

aurantiicollis Plavilstshikov, 1940a: 250 (*Rhopalopus*) **A**: FE ?NC SC **#517** **#638**

ruficollis Matsumura, 1911: 138 (*Rhopalopus*) **A**: FE

subgenus *Prorrhopalopus* Plavilstshikov, 1921b: 121 type species *Rhopalopus signaticollis* Solsky, 1873

signaticollis ohmomoi Fujita, 2023: 21 **A:** JA (Japan: Hokkaido, Honshu, Kyushu) ?FE
signaticollis signaticollis Solsky, 1872: 177 (*Rhopalopus*) **A**: FE HEI ~~JA~~ JIL LIA NC SC **#63** **#400**
speciosus Plavilstshikov, 1915c: 108 (*Rhopalopus*) **A**: FE JIL LIA ?NC SC SHA **#97** **#225** **#400**
subgenus *Ropalopus* Mulsant, 1839: 40 type species *Callidium clavipes* Fabricius, 1775
Euryoptera Horn, 1860: 571 type species *Euryoptera sanguinicollis* Horn, 1860
Rhopalopus Agassiz, 1846: 325 [unjustified emendation]
carolini Vartanis & Borek, 2019: 610 **E:** GR
clavipes Fabricius, 1775: 188 (*Callidium*) **E**: AL AU BE BH BU BY CR CT CZ DE FR GE GR HU IT KZ ~~LA~~ LT LU MA MC MD ME NL NT PL RO SB SK SL SP ST SZ TR UK **A**: AB AR GG FE IN KZ IQ SY TR WS **#186** **#265** **#517** **#557**
nigricans Gmelin, 1790: 1857 (*Cerambyx*)
nigroplanus DeGeer, 1775: 88 (*Cerambyx*)
viduus Geoffroy, 1785: 82 (*Leptura*)
eleonorae Sama & Rapuzzi, 2002: 114 **A**: LE SY
femoratus Linnaeus, 1758: 395 (*Cerambyx*) **E**: AU BE BH BU BY CR CT CZ FR GE GR HU IT LA ?LT LU MD PL RO SB SK SL SP ?ST SV SZ TR UK **#503** **#901**
castaneipennis Roubal, 1934a: 43
punctuosus Geoffroy, 1785: 83 (*Leptura*)
heteromorphus Jankowski, 1934: 95 (*Rhopalopus*) **A**: KI KZ UZ **#877**
mali Holzschuh, 1993a: 34
ledereri ledereri Fairmaire, 1866b: 269 (*Rhopalopus*) **A**: IS JO TR
ledereri wittmeri Demelt, 1970: 31 **A**: LE SY TR **#464** **#678**
lederi Ganglbauer, 1882: 747 (*Rhopalopus*) **E**: ST UK **A**: AB AR GG TR
nigripes Pic, 1926d: 6 (*Rhopalopus*)
macropus Germar, 1824: 514 (*Callidium*) **E**: AU BH BU BY CR CT CZ GE HU LA LT MD PL RO SB SK SL ST ?SZ TR UK **A**: AB AR GG IN TR **#115** **#506**
caucasicus Desbrochers des Loges, 1873: cxxxvi (*Callidium*)
pilicollis C. G. Thomson, 1866: 29 (*Callidium*)
nadari Pic, 1894c: 207 (*Rhopalopus*) **A**: TD ?UZ **#877**
nataliyae Danilevsky & Skrylnik, 2014: 690 **A**: IN
~~*nubigena* Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) A: XIZ~~
ruber Gressitt, 1939c: 212 (*Rhopalopus*) **A**: ANH JIA ZHE **#400**
sculpturatus Pic, 1931c: 9 (*Rhopalopus*) **A**: TR IN
ungaricus boreki Rapuzzi, 2017: 865 **E:** GR **#493**
ungaricus creticus Vartanis, 2024c: 88 **E:** GR (Crete) **#751** **#849**
ungaricus fischeri Krynicki, 1829: 197 (*Callidium*) E: CT MD ST UK **#493**
ungaricus gallicus Vartanis, 2018b: 55 **E:** FR **#493**
ungaricus hanae Sama & Rejzek, 2002: 105 **A:** TR **#891**
ungaricus insubricus Germar, 1824: 154 (*Callidium*) **E**: AL BH BU CR FR HU IT RO SB SL TR **#493** **#506**
viridipennis Pic, 1926d: 6 (*Rhopalopus*)
ungaricus occidentalis López & Baena, 2022: 558 **E:** SP
ungaricus olympicus Vartanis, 2024c: 93 **E**: GR **#751** **#849**
ungaricus septentrionalis Özdikmen, 2026a: 342 **A**: TR **#891**
ungaricus ossae Karpiński, Szczepański & Kruszelnicki, 2020: 27 **E**: GR (Thessaly) **#493**
ungaricus siculus Stierlin, 1864: 152 (*Callidium*) **E**: IT (Sicilia) **#202** **#493**
ungaricus ungaricus Herbst, 1784: 96 (*Callidium*) **E**: AL AU BH BU CR CZ FR GE HU IT MC PL RO SB SK SL SZ **#493** **#778**
annulus Costa, 1855: 30
cognatus Laicharting, 1784: 58 (*Callidium*)
pannonicus Gmelin, 1790: 1856 (*Cerambyx*)
reitteri Binder, 1915: 186 (*Rhopalopus*)
vogti Guerry, 1911: 99
ungaricus ssp. n **N**: AG **#493**
varini Bedel, 1870: 94 (*Callidium*) **E**: AU BH BU CR CZ FR GE GR HU IT MC MD PL RO SB SK SL SP SZ UK
spinicornis Abeille de Perrin, 1869: 42 [HN] (*Callidium*)

genus *Rutjana* 11a: 14 type species *Rutjana kashmirensis* Danilevsky, 2020
kashmirensis Danilevsky, 2020a: 17 **A**: KA

genus *Semanotus* Mulsant, 1839: 54 type species *Cerambyx undatus* Linnaeus, 1758
Anocomis Casey, 1912: 271 type species *Callidium ligneum* Fabricius, 1787
Hemicallidium Casey, 1912: 273 type species *Physocnemum amethystinum* LeConte, 1853
Sympiezocera P. H. Lucas, 1852: cvi type species *Sympiezocera laurasii* P. H. Lucas, 1852
Xenodorum Marseul, 1856: 48 type species *Xenodorum bonvouloiri* Marseul, 1856 (= *Sympiezocera laurasii* LeConte, 1851)
algiricus Pic, 1905e: 99 **N**: AG MO
magnificus Bedel, 1921: 60
bifasciatus Motschulsky, 1875: 148 (*Hylotrupes*) **E**: UK **A**: ANH FE FUJ GAN GUA GUI GUX HEB HEN HUB JA JIA JIX NC NMO QIN SC SCH SHA SHN SHX YUN ZHE #864
latifasciatus Matsushita, 1933b: 262
sinensis Gahan, 1888b: 61 (*Sympiezocera*)

watanabei Kano, 1933a: 273
japonicus japonicus Lacordaire, 1869: 47 (*Sympiezocera*) **A**: JA ZHE **#732**
japonicus yakushimensis Makihara, 2004a: 15 **A**: JA **#732**
laurasii corsicus Croissandeau, 1890: 38 (*Sympiezocera*) **E**: FR (Corse) IT (Sardegna)
laurasii laurasii P. H. Lucas, 1852: cvii (*Sympiezocera*) **E**: FR SP **N**: AG MO
bonvouloiri Marseul, 1856: 48 (*Xenodorum*)
verneti Pellet, 1871: 164 (*Callidium*)
nigroalbus Holzschuh, 1984c: 355 **A**: NP
russicus anatolicus Özdikmen, 2023e: 691 **A**: TR **#679**
russicus russicus Fabricius, 1777: 232 (*Callidium*) **E**: AL AU BU CR CZ GB GR HU IT RO SB SK ST SZ UK **A**: AB AR GG IN JO LE SY TR **#352**
russicus persicus Solsky, 1876: 296 (*Sympiezocera*) **A**: IN TM (Kopetdag)
semenovi Okunev, 1933: 135 **A**: KI KZ QIN TD UZ XIN **#400**
sinoauster Gressitt, 1951a: 222 **A**: ANH FUJ GUA GUI GUX HEB HUB HUN JIA JIX SHA TAI YUN ZHE **ORR**
undatus Linnaeus, 1758: 396 (*Cerambyx*) **E**: AU BH BU BY CR CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SB SK SL ST SV SZ UK **A**: ES FE KO MG NE NMO WS XIN

genus *Turanium* Baeckmann, 1922: 32 type species *Callidium scabrum* Kraatz, 1882
subgenus *Chalcoturanium* Jankowski, 1934 **[1933?]:** 100 [= 1935a: 60] type species *Turanium johannis* Baeckmann, 1922 **#778 #857**
badenkoi Danilevsky, 2001e: 587 **A**: KZ
johannis johannis Baeckmann, 1922: 24 **A**: KI
johannis juglandis Jankowski, 1934: 100 [= 1935a: 59] **A**: KI
subgenus *Turanium* Baeckmann, 1922: 32 type species *Callidium scabrum* Kraatz, 1882
hladili Kratochvíl, 1985b: 65 **A**: UZ
pilosum Reitter, 1891a: 33 (*Pronocera*) **A**: KI KZ TD UZ XIN
rauschorum Holzschuh, 1998: 44 **A**: KI KZ
scabrum Kraatz, 1882a: 115 (*Callidium*) **E**: ST **A**: KI KZ TD TM UZ WS XIN **#800**
losi Karpiński, Plewa & Hilszczański, 2021: 247 ["4 km N of Arkit"] **#595**
simplarium Heyden, 1885a: 296 (*Callidium*)
tekeorum Danilevsky, 2001e: 584 **A**: IN TM (Kopetdag)

tribe Callidiopini Lacordaire, 1868

genus *Becvarium* Holzschuh, 2011: 287 type species *Becvarium bioculatum* Holzschuh, 2011
bioculatum Holzschuh, 2011: 288 **A:** YUN

genus *Ceresium* Newman, 1842d: 322 type species *Ceresium raripilum* Newman, 1842 **#409**
Diatomocephala Blanchard, 1853: 266 type species *Diatomocephala maculicollis* Blanchard, 1853
Paraceresium Matsushita, 1932: 71 type species *Paraceresium saipanicum* Matsushita, 1932
Raphidera Perroud, 1855: 336 type species *Raphidera gracilis* Perroud, 1855
Rhaphidodera Gemminger, 1872: 2831 [unjustified emendation]
albomaculatum Pic, 1926a: 23 **A**: HAI **ORR**
declaratum Holzschuh, 1990: 186 **A**: SD
elongatum elongatum Matsushita, 1933b: 301 **A**: HKG JA (Ryukyus) TAI **#400**
elongatum tsuchiyai Fujita, 2018: 26 **A**: JA (Ryukyus)
fallaciosum Holzschuh, 1995: 19 **A**: YUN **ORR**
flavipes Fabricius, 1793: 327 (*Callidium*) **A**: GUA HKG SC ?TAI **AFR AUR NTR ORR** **#63**
ambiguum Newman, 1842a: 246 (*Arhopalus*)
simplex Gyllenhal, 1817: 178 (*Stenocorus*)
flavisticticum Gressitt & Rondon, 1970: 96 **A:** YUN **ORR** **#508** **#523**
fuscum fuscum Matsumura & Matsushita, 1932: 67 **A**: JA (Ryukyus)
fuscum hachijoense Matsumura & Matsushita, 1932: 68 **A**: JA **#276**
fuscum shirakii Hayashi, 1963a: 53 **A**: JA (Ryukyus)
geniculatum White, 1855: 245 **A**: GUA HAI HUB YUN **ORR** **#400**
rufipes Pascoe, 1869a: 537
holophaeum Bates, 1873: 153 **A**: JA
yuasai Matsushita, 1937: 312
inaequalicolle Pic, 1933b: 28 **A**: SHG YUN **#400**
joannisi Pic, 1935f: 171
lepidulum Holzschuh, 1982b: 150 **A**: SD YUN
leucosticticum White, 1855: 245 **A**: AP GUA GUI HAI NP PA SD UP YUN **ORR** **#280** **#400**
longicorne Pic, 1926a: 24 **A**: HKG HUB JA JIX SC TAI **ORR**
japonicum Matsushita, 1932: 68
tsushimanum K. Ohbayashi, 1961a: 17
lucifugum Holzschuh, 1982b: 150 **A**: NP UP
manchuricum Hayashi, 1957a: 39 **A**: HEI
nilgiriense Gahan, 1906a: 161 **A**: YUN **ORR**

particulare Pic, 1926a: 24 **A**: CH
propinquum Holzschuh, 1982b: 149 **A**: NP SD
quadrimaculatum Gahan, 1900b: 121 **A**: FUJ GUA GUX HEB HUB HUN JIA JIX SCH YUN ZHE **ORR** **#400**
rufum Lameere, 1890: ccxi A: UP
sculpticolle Gressitt, 1942b: 1 **A**: SCH
senile Holzschuh, 1998: 32 **A**: YUN
signaticolle Matsumura & Matsushita, 1932: 69 **A**: JA
simile flavopubescens Kusama & Takakuwa, 1984: 9 **A**: JA
simile miyamotoi Fujita, 2018: 26 **A**: JA (Ryukyus)
simile simile Gahan, 1890b: 169 **A**: JA (Ogasawara Isls.)
sinicum innotaticolle Pic, 1926a: 24 **A**: CH
sinicum ornaticolle Pic, 1907c: 20 **A**: FUJ GUA GUI GUX HUB HUN JIA JIX SCH SHA XIZ YUN **ORR**
sinicum sinicum White, 1855: 245 **A**: BEI FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX **SC** SCH SHA SHG TAI XIZ YUN ZHE **ORR** **#63**
sakaiense Matsushita, 1933b: 302
subuniforme Schwarzer, 1925a: 22 **A**: TAI
swatense Holzschuh, 1974a: 82 **A**: PA
unicolor pseudounicolor Kusama & Komiya, 1972: 42 **A**: JA (Ryukyus)
unicolor unicolor Fabricius, 1787: 147 (*Saperda*) **A**: JA (Ogasawara & Volcano Isls.) UP "North India" **AUR** **#127**
~~*ambiguum* Newman, 1842a: 246 (*Arhopalus*)~~
palauense Matsushita, 1932: 169
simplex Gyllenhal, 1817: 178 (*Stenochorus*)
zeylanicum White, 1855: 246 **A**: HKG **ORR** **#400**
basilanum Pic, 1943d: 6

genus *Cristaphanes* Vives, 2009: 3 type species *Lasiophanes cristulatus* Aurivillius, 1916 **#349**
tysoni Vives, 2017b: 22 **A**: YUN **ORR** **#349**

genus *Curtomerus* Stephens, 1839: 275 [NP] type species *Callidium luteum* Stephens, 1831 (= *Callidium flavum* Fabricius, 1775)
Cylindera Newman, 1833: 509 [HN] type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)
Cylindrodera Gemminger, 1872: 2922 type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)
Lampromerus J. Thomson, 1860: 202 type species *Callidium pilicorne* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)
Onchomerus Dejean, 1835: 332 [NO] type species *Callidium pilicorne* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)
Sotenus Sharp, 1878: 205 type species *Sotenus setiger* Sharp, 1878 (= *Callidium flavum* Fabricius, 1775)
flavus Fabricius, 1775: 191 (*Callidium*) **A**: JA (Ogasawara Isls.) **NAR NTR ORR**
barbatus Matsushita & K. Ohbayashi, 1938: 197 (*Trinophylum*)
boninensis Matsumura & Matsushita, 1932: 72 (*Trinophylum*)
impuncticollis Fairmaire, 1881: 473 (*Ceresium*)
luteus Stephens, 1831: 249 (*Callidium*)
pallidus Newman, 1833: 510 (*Cylindera*)
pilicornis Fabricius, 1793: 327 (*Callidium*)
setiger Sharp, 1878: 203 (*Sotenus*)
subflavus Chemsak, 1966: 213

genus *Falsoibidion* Pic, 1922: 24 type species *Falsoibidion fasciatum* Pic, 1922
bipunctatum Lee Seunghyun & Lee Seunghwan, 2016: 64 **A:** SC
shennongjiaensis P. Wang, Xie & W.-K. Wang, 2020a: 395 **A:** HUB
venustulum Holzschuh, 2019b: 90 **A:** GUX

genus *Gelonaetha* J. Thomson, 1878a: 12 type species *Gelonaetha curtipes* J. Thomson, 1878 (= *Stromatidium hirtum* Fairmaire, 1850)
hirta Fairmaire, 1850: 60 (*Stromatidium*) **A**: TAI YUN ZHE **ORR** **#452** **#525**
curtipes J. Thomson, 1878a: 13
obscura Sharp, 1878: 204 (*Astrimus*)

genus *Parasalpinia* Hayashi, 1962c: 4 type species *Parasalpinia kojimai* Hayashi, 1962
kojimai Hayashi, 1962c: 4 **A**: JA (Ryukyus) TAI
laosensis Gressitt & Rondon, 1970: 102 (*Salpinia*) **A**: HAI YUN **ORR**

genus *Stenodryas* Bates, 1873: 153 type species *Stenodryas clavigera* Bates, 1873
Ibidiomimus Pic, 1922e: 28 type species *Ibidiomimus bicoloripes* Pic, 1922
apicalis Gahan, 1906a: 161 (*Ceresium*) **A**: NP
bicoloripes Pic, 1922e: 28 (*Ibidiomimus*) **A:** YUN **ORR** **#400**
clavigera clavigera Bates, 1873: 154 **A**: JA JIX SC (Mt. Soyosan)
clavigera impuncticollis Hayashi, 1974a: 17 **A**: TAI
clavigera insularis Yokoyama, 1966: 55 **A**: JA (Ryukyus)
cylindricollis Gressitt, 1951a: 159 **A**: HEB SHA YUN **#400**
fascipennis Holzschuh, 1984c: 347 **A**: BT SD

nigromaculata Gardner, 1942: 69 (*Ceresium*) **A**: BT YUN NP **ORR** **#42**
tripunctata Gressitt & Rondon, 1970: 104
punctatella Holzschuh, 1999: 25 **A**: HUB SHA **#225**
suavis Holzschuh, 1998: 33 **A**: SCH
ventralis Gahan, 1906: 160 **A**: YUN **ORR** **#190**

genus *Stenygrinum* Bates, 1873: 154 type species *Stenygrinum quadrinotatum* Bates, 1873
quadrinotatum Bates, 1873: 154 **A**: ANH FE FUJ GAN GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC NMO SC SCH SHA SHN TAI YUN ZHE **ORR**

genus *Teladum* Holzschuh, 2011: 289 type species *Lasiophanes comosus* Holzschuh, 1989
angustior Holzschuh, 2011: 292 **A:** YUN

genus *Trinophylum* Bates, 1878b: 720 type species *Trinophylum cribratum* Bates, 1878
cribratum Bates, 1878b: 720 **E**i: GB **A**: HP KA PA UP **#366** **#375**
impressipenne Pic, 1948: 6 (*Callidium*)

tribe Cerambycini Latreille, 1802

genus *Anarchambyx* Sama, 2007b: 101 type species *Anarchambyx pipposamai* Sama, 2007
pipposamai Sama, 2007b: 103 **A**: SA YE **#774**

genus *Bulbocerambyx* Lazarev, 2019e: 1194 type species *Neocerambyx grandis* Gahan 1891 **#458** **#536** **#635**
grandis Gahan, 1891a: 20 (*Neocerambyx*) **A**: AP FUJ GUA HAI UP YUN **ORR** **#280** **#166**
gui Lin, Miroshnikov & He, 2025: 54 (*Neocerambyx*) **A:** HAI **#859**
katarinae Holzschuh, 2009: 285 (*Neocerambyx*) **A**: AP GUA GUX HAI **ORR** **#227** **#400**
liyuani Lin, Miroshnikov & He, 2025: 47 (*Neocerambyx*) **A:** HUB SCH **#859**
miaobenfui Lin, Miroshnikov & He, 2025: 51 (*Neocerambyx*) **A:** HAI **#859**
vitalisi Pic, 1923e: 12 (*Neocerambyx*) **A**: FUJ **ORR**

genus *Carinolesthes* Vitali, Gouverneur & Chemin, 2017: 53 type species: *Aeolesthes* (*Pseudaeolesthes*) *pericalles* Gressitt & Rondon, 1970
aurosignata Pic, 1916i: 325 (*Aeolesthes*) **A**: FUJ XIZ YUN
dembickyi Miroshnikov, 2019c: 261 **A**: AP
ningshanensis Chiang, 1981: 79 (*Aeolesthes*) **A**: SHA
pericalles Gressitt & Rondon, 1970: 61 (*Aeolesthes*) **A**: YUN **ORR**

genus *Cerambyx* Linnaeus, 1758: 388 type species *Cerambyx cerdo* Linnaeus, 1758 **#778**
subgenus *Cerambyx* Linnaeus, 1758: 388 type species *Cerambyx cerdo* Linnaeus, 1758
Hamaticherus Dejean, 1821: 105 type species *Cerambyx heros* Scopoli, 1763 (= *Cerambyx cerdo* Linnaeus, 1758)
Hammatocerus Gistel, 1848a: 130 [HN] [unjustified emendation]
apiceplicatus Pic, 1941b: 2 **A**: IN IQ
carinatus Küster, 1845: 46 (*Hammaticherus*) **E**: AL BH ME BU CR GR IT MA MC SB **A**: TR **#117**
landrieui Pic, 1927j: 158
minor Pic, 1926d: 13
cerdo acuminatus Motschulsky, 1853: 79 [“De la Georgie et des pays limitrophes de la mer Caspienne”] **E**: ST ~~UK~~ **A:** AB AR GG IN IQ IS JO LE SY TR **#279** **#635**
cerdo cerdo Linnaeus, 1758: 392 [“Italya”] **E**: AL AU BE BH BU BY CR ~~CT~~ CZ DE FR GBi GE GR HU IR IT LA LT LU MA MC MD ME NL PL RO SB SK SL ~~ST~~ SV SZ TR UK ~~N: MO~~ **A**: TR
heros Scopoli, 1763: 51
laevicollis Heyrovsky, 1955: 156 (as morpha - unavailable name)
laevicollis Vartanis, 2024e: 1144 (“the area of Třeboňsk, in the Czech Republic”) - unavailable name.
cerdo cyprius Vartanis, 2023a: 760 **A:** CY [unavailable name] **#849**
cerdo hispanicus Vartanis, 2024e: 1146 **E**: SP
cerdo iranicus Heyrovský, 1951a: 156 **A:** IN **#279**
cerdo manderstjernae Mulsant & Godart, 1855b: 280 [= 1855a: 180] [“la Crimée”] **E:** ST UK **#517** **#635**
cerdo masaryki Vartanis, 2018c: 76 **E:** BU
cerdo mirbeckii P. H. Lucas, 1842: 184 (*Hamaticherus*) **E:** PT SP **N**: AG MO TU
tunisicus Pic, 1891b: 18
cerdo nikolaevi Danilevsky, 2024: 211 **E:** CT ST UK
cerdo pfisteri Stierlin, 1864: 152 (*Hammaticherus*) **E**: IT GR **#279**
dux Faldermann, 1837: 264 (*Hammaticherus*) **E**: BU MC GR ST TR UK **A**: AB AR GG IN IQ IS JO LE SY TR **#582** **#584**
intricatus Fairmaire, 1848: 167 (*Hammaticherus*)
nodosus Mulsant & Rey, 1863: 144
orientalis Küster, 1845: 45 (*Hammaticherus*)
thirkii Küster, 1845: 47 (*Hammaticherus*)

heinzianus Demelt, 1976: 65 **A:** TR
klinzigi Podaný, 1964c: 88 ?**E:** ?ST ?**A:** ?AR ?AB ?GG **#279** **#756**
kodymi Sláma, 2015c: 1122 **A:** SY TR
miles Bonelli, 1812: 178 **E**: AL AU BH BU CR CZ FR GR HU IT MA MC MD ME PT RO SB SK SL SP ST SZ TR UK **A**: AB AR GG TR IN LE SY **N:** MO #**205**
militaris Latreille, 1829: 116 (*Hamaticherus*)
nodulosus hermoniacus Sláma, 2015c: 1121 **A:** SY
nodulosus nodulosus Germar, 1817: 220 **E**: AL BH BU CR GR IT MA MC ME RO SB SL ST TR UK **A**: AB AR CY GG LE SY TR
nodicornis Küster, 1845: 43 (*Hammaticherus*)
welensii centurio Czwalina, 1891: 99 **A**: IS JO LE SY TR **#795**
welensii welensii Küster, 1845: 44 (*Hammaticherus*) **E**: AL BH BU CR FR GR HU IT MA MC ME PT RO SB SK SL SP TR UK **A**: AB CY GG IN IQ TR **#30** **#699**
velutinus Brullé, 1832: 252 [HN]
subgenus *Microcerambyx* Mikšić & Georgijevic, 1973: 22 type species *Cerambyx scopolii* Fuessly, 1775
Mesocerambyx Zagaikevich, 1991: 64 type species *Cerambyx scopolii* Fuessly, 1775
elbursi Jureček, 1924a: 47 **A:** IN
elegans Dohrn, 1873: 74 [HN] **#517**
multiplicatus Motschulsky, 1860a: 142 **A**: AB (Talysh) IN
paludivagus P. H. Lucas, 1842: 185 (*Hammaticherus*) **N**: AG TU
scopolii scopolii Fuessly, 1775: 12 **E**: AL AU BE BH BU BY CR CT CZ DE ?EN FR GB GE GR HU IR IT ?LA LS LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **A**: AB AR GG SY TR IN **#104** **#824**
helveticus Stierlin, 1878b: 442
nitidus Pic, 1892r: cxi [= 1893d: 417]
piceus Geoffroy, 1785: 74
scopolii siculus Rapuzzi & Sama, 2010a: 129 **E**: IT (Sicilia)

genus *Derolus* Gahan, 1891a: 26 type species *Hammaticherus mauritanicus* Buquet, 1840
Capnocerambyx Reitter, 1894g: 356 type species *Hammaticherus mauritanicus* Buquet, 1840
~~*Mimoderolus* Pic, 1933a: 11 type species *Aeolesthes* (*Mimoderolus*) *uniformis* Pic, 1933~~ **#207**
abaii Holzschuh, 2009a:288 **A**: IN
argentifer Pic, 1904c: 11 **A**: YUN
diversithorax Pic, 1946b: 109 **#400**
asiricus Holzschuh, 1993b: 117 **A**: SA
brevicornis Holzschuh, 1981: 97 **A**: IN
bulbicornis Gressitt, 1951a: 142 **A**: XIZ
discicollis Gahan, 1906a: 136 **A**: IN PA **ORR**
[*incultus incultus* Gerstaecker, 1855: 265 (*Cerambyx*) **AFR**]
incultus yemenensis Villiers, 1977: 167 **A**: OM YE **#774**
iranensis arabicus Sama, 2007d: 301 **A**: AE OM
iranensis iranensis Pic, 1956a: 3 **A**: AF IN PA
iranensis Lepesme & Breuning, 1958: 179 [HN]
janae Holzschuh, 2009:286 **A**: IN
[*martini martini* Lepesme & Breuning, 1958: 178 **-** Djibouti]
martini hajekae Villiers, 1968: 847 **A**: AE SA YE
mauritanicus Buquet, 1840: 395 ["295"] (*Hammaticherus*) **N**: AG LB MO TU
nerii Erichson, 1841: 188 (*Hammaticherus*)
pakistanus Holzschuh, 1974a: 81 **A**: PA
thesigeri Villiers, 1968: 848 **A**: SA
vastus Holzschuh, 1993b: 118 **A**: SA YE
volvulus Fabricius, 1802: 271 (*Cerambyx*) **A**: FUJ GUA HAI HP NP ZHE "India" **ORR** **#366**
demissus Pascoe, 1859: 21 (*Cerambyx*)
strigicollis Dalman, 1817b: 158 (*Cerambyx*)

genus *Dialeges* Pascoe, 1856: 46 type species *Dialeges pauper* Pascoe, 1856
pauper Pascoe, 1856: 47 **A**: AP NP PA SD UP YUN **AFR ORR** **#280** **#369**
tenuicornis Pascoe, 1869a: 522
undulatus Gahan, 1891a: 23 **A**: GUA HAI TAI YUN **ORR** **#400**

genus *Diorthus* Gahan, 1891a: **27** type species *Hammaticherus simplex* White, 1853 (= *Cerambyx cinereus* Fabricius, 1793)
cinereus Fabricius, 1793: 265 (*Cerambyx*) [NP] **A**: AE AF IN NP PA UP YE **AFR ORR** **#127**
holosericeus Olivier, 1795: 14 (*Cerambyx*)
inclemens J. Thomson, 1865: 576 (*Pachydissus*)
simplex White, 1853a: 130 (*Hammaticherus*) [W. Africa]
sordidus Pascoe, 1888: 491 (*Neocerambyx*)
vernicosus Pascoe, 1859: 19 (*Cerambyx*)
intricarius Holzschuh, 1984a: 145 **A**: KA PA **#274**

pellitulus Holzschuh, 1984a: 144 **A**: NP

genus *Dissopachys* Reitter, 1886: 68 type species *Dissopachys pulvinatus* Reitter, 1886
pulvinatus Reitter, 1886: 68 **A**: AB IN TM

genus *Dymasius* J. Thomson, 1864: 234 type species *Dymasius strigosus* J. Thomson, 1864 ~~(= *Cerambyx macilentus* Pascoe, 1859)~~ **#400** **#617**
angustatus Pic, 1925b: 16 (*Derolus*) **A:** HAI **ORR** **#349**
aureofulvescens Gressitt & Rondon, 1970: 80 **A**: JIX YUN **ORR** **#400**
duplus Holzschuh, 2017b: 9 **A**: YUN
gracilicornis Gressitt, 1951a: 147 (*Zegriades*) **A**: FUJ YUN **ORR**
hirayamai Matsushita, 1941: 153 **A**: JA (Ryukyus) TAI **#618** **#684**
kisanus Matsushita, 1935: 540 A: TAI **#618** **#684**
minutus Gressitt, 1935f: 379 (*Cerambyx*)
miser Holzschuh, 2005: 14 **A**: SHA
paiwan Niisato & Chou, 2022: 162 **A:** TAI
querceus Holzschuh, 2015a: 44 **A**: SCH
simplex Gressitt & Rondon, 1970: 81 **A**: YUN **ORR** **#623**
subvestitus Holzschuh, 1984a: 146 **A**: NP UP

genus *Gibbocerambyx* Pic, 1923e: 12 type species *Gibbocerambyx aureovittatus* Pic, 1923
aureovittatus Pic, 1923e: 12 **A**: XIZ YUN **ORR** **#176**
aurovirgatus Gressitt, 1939b: 96 (*Zegriades*) **A**: ANH GUX HEN HUB HUN SCH ZHE
dulcis Holzschuh, 2019b: 89 **A:** GUX
fulvescens Gahan, 1894a: 11 (*Dymasius*) **A**: YUN **ORR** **#623**
maculicollis Matsushita, 1933b: 248 (*Zegriades*) **A**: TAI
unitarius Holzschuh, 2003a: 173 **A**: SHA

genus *Hemadius* Fairmaire, 1889a: 57 type species *Hemadius oenochrous* Fairmaire, 1889
oenochrous Fairmaire, 1889a: 57 **A**: ANH FUJ GUX HUB HUN JIX SCH TAI XIZ YUN ZHE **ORR**
mushaensis Kano, 1928: 224 (*Neocerambyx*)
stoetzneri Heller, 1923b: 72 (*Neocerambyx*)

genus *Hoplocerambyx* J. Thomson, 1864: 229 type species *Hammaticherus spinicornis* Newman, 1842
spinicornis Newman, 1842a: 245 (*Hammaticherus*) **A**: AF AP BT HP NP PA SD UP **ORR** **#280** **#280** **#366** **#400**
minor Pic, 1923e: 8 (*Haplocerambyx*)
morosus Pascoe, 1857b: 92 (*Cerambyx*)
relictus Pascoe, 1866d: 528

genus *Lachnopterus* J. Thomson, 1864: 231 type species *Hammaticherus auripennis* Newman, 1842
auripennis Newman, 1842a: 245 (*Hammaticherus*) **A**: TAI(Lanyu Is.) **ORR**
socius Gahan, 1891a: 24 (*Hammaticherus*) **A**: TAI (Lanyu Is.) **ORR**

genus *Lamellocerambyx* Pic, 1923e: 8 type species *Lamellocerambyx laosensis* Pic, 1923e **#277**
laosensis Pic, 1923e: 8 **A**: YUN **ORR**

genus *Margites* Gahan, 1891a: 26 type species *Cerambyx egenus* Pascoe, 1858
subgenus *Margites* Gahan, 1891a: 26 type species *Cerambyx egenus* Pascoe, 1858 **#619**
auratonotatus Pic, 1923e: 7 **A**: FUJ GUA GUI HEN HUB HUN JIA JIX SCH
~~*decipiens* Holzschuh, 1989c: 393 A: BT~~
egenus Pascoe, 1858: 236 (*Cerambyx*) **A**: GUA NO SCH
fulvidus Pascoe, 1858: 236 (*Pachydissus*) **A**: FUJ GUA GUI HEN HUB HUN JA JIX NC SC SCH SHA TAI YUN
coreanus K. Saito, 1932: 440 (*Ceresium*)
fuscatus Holzschuh, 2020: 59 **A:** SHA
lajoyei Pic, 1926f: 76 A: YUN **ORR**
luteopubens Pic, 1926a: 23 **A**: SHA YUN **ORR** **#400**
modicus Gahan, 1906a: 138 **A**: NP UP **ORR**

genus *Massicus* Pascoe, 1867a: 319 [RN] type species *Cerambyx pascoei* J. Thomson, 1857b **#458** **#536**
Conothorax J. Thomson, 1864: 230 [HN] type species *Cerambyx pascoei* J. Thomson, 1857b
Falsomassicus Pic, 1946a: 7 type species *Falsomassicus theresae* Pic, 1946
pascoei J. Thomson, 1857b: 122 (*Cerambyx*) **A:** YUN **ORR** **#437**
taiwanus Makihara & Niisato, 2014: 24 **A**: TAI
trilineatus Pic, 1933a: 12 (*Dymasius*) **A**: AP FUJ GUI GUX HAI JIX TAI YUN **ORR** **#400**
fasciatus Matsushita, 1933b: 243 (*Mallambyx*) **#285**
venustus Pascoe, 1859: 19 (*Cerambyx*) **A:** GUI HAI **ORR**

cicatricosus Gardner, 1926: 198 (*Hoplocerambyx*) **#286**

genus *Nadezhdiella* Plavilstshikov, 1931a: 71 type species *Hammaticherus cantori,* Hope, 1845 (=*Hammaticherus cantori,* Hope, 1842)
cantori Hope, 1842a: 61 (*Hammaticherus*) **A**: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX SCH SHA TAI XIZ YUN ZHE **ORR**
lucasi Brongniart, 1892: 238 (*Cerambyx*)
scabricollis Chevrolat, 1852: 416 (*Hammaticherus*)
fulvopubens Pic, 1933b: 27 (*Plocaederus*) **A**: CHQ FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX LIA SCH SHA YUN ZHE **ORR** **#400**
aurea Gressitt, 1937a: 91
conica Chiang, 1942: 254
heferni Vitali, 2020: 45 **A:** YUN
hekaijii Lin, He & Li, 2026: 548 **A**: XIZ
japonica Hayashi, 1972: 27 **A**: JA (Ryukyus)

genus *Neocerambyx* J. Thomson, 1861: 194 type species *Cerambyx paris* Wiedemann, 1821 **#458** **#536** **#635**
Mallambyx Bates, 1873: 152 type species *Mallambyx japonicus* Bates, 1873 (= *Neocerambyx raddei* Blessig, 1872)
Mesocerambyx Hitzinger, 1943:
atratulus Holzschuh, 2018a: 87 (*Massicus*) **A**: SD
dierli Heyrovský, 1976: 181 (*Massicus*) **A**: NP
elenae Lazarev, 2019e: 1195 **A:** HAI
gracilipes Jacquot, 2020: 22 **A**: XIZ
huai Lin & Zhang, 2026: 565 **A**: GUA
katarinae guangxiensis Zhu L., Yafei L. & Li Ch. 2020: 582 **A:** GUX **#623** **#765**
katarinae katarinae Holzschuh, 2009a: 285 **A:** GUX **ORR** **#623** **#765**
paris Wiedemann, 1821: 167 (*Cerambyx*) **A**: NP "North India" YUN **ORR**
raddei Blessig, 1872: 170 **A**: ANH FE FUJ GUI HEB HEI HUB HUN JA JIA JIX JIL LIA NC SC SCH SHA SHN SHX YUN ZHE **ORR**
japonicus Bates, 1873: 152 (*Mallambyx*)
rugicollis Gressitt, 1948a: 48 **A**: FUJ GUA GUI HAI HKG HUB HUN JIX SCH YUN **#400** **#525** **#594**
theresae Pic, 1946a: 7 (*Falsomassicus*) **A**: CH

genus *Neoplocaederus* Sama, 1991: 123 [RN] type species *Plocaederus cyanipennis* J. Thomson, 1861
Plocaederus J. Thomson, 1861: 197 [HN] type species *Plocaederus cyanipennis* J. Thomson, 1861
Plocederus Gemminger, 1872: 2799 [HN]
bicolor Gressitt, 1942a: 1 (*Plocaederus*) **A**: GUI HAI HEB HUB HUN JIX SHA TAI XIZ YUN **#225**
caroli Leprieur, 1876: viii (*Plocaederus*) **N**: AG LB MO TU AFR
jaffeuxi Vuillet, 1911b: 217 (*Plocaederus*)
danilevskyi Lazarev, 2009a: 73: **A:** UZ (Termez)
denticornis Fabricius, 1802: 271 (*Cerambyx*) **A**: OM SA YE
atlanticus Rungs, 1952: 146 (*Plocaederus*)
cribrithorax Kolbe, 1897: 297 (*Plocaederus*)
~~*serraticornis* Bertoloni, 1855: 440 (*Hamaticherus*)~~
elongatulus Holzschuh, 1993: 113 (*Plocaederus*) **A**: SA
laszlokotani Kotán & Sama, 2011 **A:** SY
luristanicus Holzschuh, 1977a: 127 (*Plocaederus*) **A**: IN
lymphaticus Lameere, 1890: ccx (*Plocederus*) **A:** UP
obesus Gahan, 1890a: 51 (*Plocaederus*) **A**: AP BT GUA GUI GUX HAI HKG HP JIX PA SD UP YUN **ORR** **#60** **#366**
pedestris Cotes, 1889: 91 [HN] (*Plocederus*)
pedestris White, 1853a: 127 (*Hammaticherus*) **A**: HP KA "Northern India" **ORR** **#274** **#366**
humeralis White, 1853a: 127
ruficornis Newman, 1842a: 245 (*Hammaticherus*) **A**: NP YUN **ORR**
scapularis Fischer von Waldheim, 1821: 15 (*Cerambyx*) **A**: AF IN KI KZ TD TM UZ XIN
tataricus Gebler, 1841a: 375 (*Hammaticherus*)
spinicornis Fabricius, 1781: 224 (*Lamia*) **A**: OM SA YE **AFR**
denticornis Olivier, 1795: 60 (*Cerambix*)
pubipennis White, 1853a: 126 (*Hammatocherus*)

genus *Pachydissus* Newman, 1838b: 494 type species *Pachydissus sericus* Newman, 1838
argentatus Pic, 1923b: 8 **A**: XIZ
murzini Miroshnikov, 2018c: 212 **A**: YUN
parvicollis Gahan, 1891a: 29 **A**: HP NP "North India" **#366**
schmutzenhoferi Holzschuh, 1990: 185 **A**: BT SD
thibetanus Pic, 1946d 108 **A**: XIZ

genus *Plavichydissus* Pic, 1946b: 107 type species: *Pachydissus semiplicatus* Pic, 1926 **#277**
decipiens Holzschuh, 1989c: 393 (*Margites*) **A**: BT

genus *Pseudaeolesthes* Plavilstshikov, 1931a: 73 type species *Neocerambyx chrysothrix* Bates, 1873 **#207**
Niphocerambyx Matsushita, 1933b: 244 type species *Neocerambyx chrysothrix* Bates, 1873
aureopilosa Gressitt & Rondon, 1970: 63 (*Aeolesthes*) **A**: YUN **ORR** **#827**
chrysothrix chrysothrix Bates, 1873: 152 (*Neocerambyx*) **A**: GUI HEB HEN HUB JA SC SHA SHG SHN YUN ZHE **#400**
batesi Harold, 1875: 295 (*Neocerambyx*)
chrysothrix fukidai Fujita, 2018: 26 **A**: JA (Ryukyus)
chrysothrix kurosawai Gressitt, 1965: 62 **A**: JA (Ryukyus)
chrysothrix nakamurai Kusama & Takakuwa, 1984: 9 (*Aeolesthes*) **A**: JA (Ryukyus)
chrysothrix taiwanensis Hayashi, 1974a: 16 **A**: TAI **#276**
chrysothrix tibetana Gressitt, 1942a: 2 **A**: GUI GUX HAI XIZ YUN
chrysothrix yonaguniensis K. Ohbayashi & N. Ohbayashi, 1965: 1 **A**: JA (Ryukyus)
mutabiliaurea Chiang, 1951: 21 **A**: GUI GUX

genus *Pseudopachydissus* Pic, 1933: 11 type species *Pseudopachydissus rufofemoralis* Pic, 1933 [Tonkin] **#68**
rufofemoralis Pic, 1933a: 11 **A**: GUX **ORR** **#68**
taiwanensis Hayashi, 1992: 138 (*Neocerambyx*) **A**: TAI **#68**

genus *Rhytidodera* White, 1853a: 132 type species *Rhytidodera bowringii* White, 1853
bowringii White, 1853a: 133 **A**: ANH AP FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP SCH SD YUN ZHE **ORR** **#280**
consona Holzschuh, 1995: 18 **A**: AP NP SD **#280**
griseofasciata Pic, 1912j: 16 **A**: AP HEN HUB SHA YUN **ORR** **#166** **#400**
integra Kolbe, 1886: 237 **A**: FUJ GUA GUI GUX HAI HEN HKG HUB HUN SC (Seoul) SCH TAI (Jinmen Is.) YUN **ORR** **#400**
nebulosa Brongniart, 1892: 240 (*Zatrephus*) [DA]
simulans White, 1853a: 132 (*Hammaticherus*) **A**: NP **ORR**

genus *Sinopachys* Sama, 1999b: 48 type species *Neocerambyx mandarinus* Gressitt, 1939
mandarinus Gressitt, 1939c: 209 (*Neocerambyx*) **A**: HEN HUB HUN SCH SHA SHX

genus *Taurotagus* Lacordaire, 1868: 249 type species *Taurotagus klugi* Lacordaire, 1868
Lacordairesius Travassos Santos-Dias, 1960: 237 type species *Taurotragus klugi* Lacordaire, 1969
griseus Guérin-Méneville, 1844: 227 (*Cerambyx*) **N**: EG **A**: YE
auberti Fairmaire, 1892a: 118 [DA]
greenfieldi Gahan, 1894c: 408

genus *Trachylophus* Gahan, 1888b: 59 type species *Trachylophus sinensis* Gahan, 1888
acutulus Holzschuh, 2009: 290 **A**: GUX **ORR** **#818**
chiangi Lu Y., Li Zh. & Chen L. 2019: 584 **A**: GUX HUN
sinensis Gahan, 1888b: 60 **A**: FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH TAI ZHE **ORR**
piyananensis Kano, 1933a: 261
tianmuensis Lu Y., Li Zh. & Chen L. 2019: 584 **A**: ZHE

genus *Aeolesthes* Gahan, 1890: 250, 251-252 type species *Hammaticherus aurifaber* White, 1853 **#207** **#858**
sarta Solsky, 1871b: 150 (*Pachydissus*) **A**: AF AP HP IN KA KI KZ PA TD TM UZ XIZ **#366** **#370**

genus *Trirachys* Hope, 1842: 61 type species *Trirachys orientalis* Hope, 1843 **#207**
subgenus *Trirachys* Hope, 1842: 61 type species *Trirachys orientalis* Hope, 1843 **#207**
Trirhachis Agassiz, 1846: 378 [unjustified emendation]
Trirrhachys Gemminger, 1872: 2801 [unjustified emendation]
holosericeus Fabricius, 1787: 135 (*Cerambyx*) **A**: AP FUJ GUA GUX HAI HEN HKG HP KA PA SCH SD SHA TAI UP YUN **ORR** **#127** **#280**
similis Gahan, 1890a: 52 (*Pachydissus*)
velutina J. Thomson, 1865: 576 (*Pachydissus*)
indicolus Bates, 1891a: 21 (*Neocerambyx*) **A**: AF HP NP SD
indutus Newman, 1842a: 245 (*Hammaticherus*) **A**: ANH FUJ GUA GUI GUX HAI HKG JIX TAI ZHE **ORR**
inexpectatus Holzschuh, 1982b: 148 **A**: UP
orientalis Hope, 1843: 64 **A**: ANH FUJ HEB HEN HUB JA JIA JIX SCH SHA SHN SHX TAI ZHE **ORR**
formosanus Schwarzer, 1925a: 21
sinensis Gahan, 1890c: 255 **A**: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX KZ PA SCH SHA TAI YUN "West Himalaya" **ORR**
subgenus *Parolesthes* Vitali, Gouverneur & Chemin, 2017: 58 type species: *Aeolesthes laosensis* Gressitt & Rondon, 1970 **#765**
laosensis Gressitt & Rondon, 1970: 64 (*Aeolesthes*) **A**: YUN **ORR**

genus *Xenoderolus* Sama, 2007b: 98 type species *Microderolus arabicus* Villiers, 1968
arabicus Villiers, 1968: 848 (*Microderolus*) **A**: OM SA YE **#291**

genus *Xenopachys* Sama, 1999b: 46 type species *Dissopachys matthiesseni* Reitter, 1907
matthiesseni Reitter, 1907b: 218 (*Dissopachys*) **A**: AF IN TD TM **#345**
?*schurmanni* Sama, 1999b: 46 **A**: AF

genus *Xoanodera* Pascoe, 1857b: 92 type species *Xoanodera trigona* Pascoe, 1857
Falsoxeanodera Pic, 1923e: 8 type species *Falsoxeanodera maculata* Pic, 1923e **#58**
alia Holzschuh, 2003: 174 **A:** YUN **ORR** **#508** **#523**
maculata Pic, 1923e: 8 (*Falsoxeanodera*) **A**: FUJ GUX HAI HUN SCH TAI YUN **ORR** **#58** **#60**
maculata Schwarzer, 1925a: 21 [HN]
regularis Gahan, 1890a: 52 **A**: NP YUN "North India" **ORR** **#400**

genus *Zatrephus* Pascoe, 1857b: 94 type species *Zatrephus pannosus* Pascoe, 1857
longicornis Pic, 1930a: 15 **A**: GUA **ORR**

tribe Certallini Fairmaire, 1864

genus *Certallum* Dejean, 1821: 111 type species *Saperda ruficollis* Fabricius, 1781 (= *Cerambyx ebulinus* Linnaeus, 1767)
Cartallum Audinet-Serville, 1834b: 94 [unjustified emendation]
ebulinum Linnaeus, 1767: 637 (*Cerambyx*) **E**: AL BU FR GR IT MA MC PT SP ST TR UK **N**: AG EG LB MO TU **A**: AB AR CY GG IN IQ IS JO LE SY TR **#11** **#64**
monspeliense Gmelin, 1790: 1842 (*Cerambyx*)
nigricolle Pic, 1891b: 17 (*Cartallum*)
ruficolle Fabricius, 1781: 236 (*Callidium*)
tricolor Chevrolat, 1882: 57 (*Obrium*)
martini Sama, 1990: 287 **N**: AG MO TU **#483**
nigricorne Holzschuh, 1991a: 10 (*Cartallum*)
thoracicum thoracicum Sharp, 1880: 247 (*Cartallum*) **A**: ~~IN IQ~~ IS JO LE SY TR **#774** **#791**
diversipes Pic, 1928c: 9 (*Cartallum*) [Aleppo]
thoracicum laevicolle Pic, 1895c: 76 (*Cartallum*) **A**: ?IN ?IQ TR **#791**

tribe Cleomenini Lacordaire, 1868

genus *Artimpaza* J. Thomson, 1864: 160 type species *Artimpaza odontoceroides* J. Thomson, 1864
Cleomenida Schwarzer, 1925a: 29 type species *Cleomenida setigera* Schwarzer, 1925
Falsodebilia Pic, 1918a: 9 type species *Falsodebilia metallica* Pic, 1918
Mimistena Pascoe, 1866d: 513 type species *Mimistena femorata* Pascoe, 1866
argenteonotata Pic, 1922c: 10 **A**: GUA GUX YUN **ORR**
brevilineata Tian & L. Chen, 2012: 43 **A:** YUN
curtelineata Pic, 1922b: 23 (*Falsodebilia*) **A**: GUX YUN **ORR**
dehra Gardner, 1939: 13 **A**: NP UP
lineata Pic, 1927a: 24 (*Falsodebilia*) **A**: GUX YUN **ORR**
metallica Pic, 1918a: 10 (*Falsodebilia*) **A**: YUN **ORR**
mimetica Holzschuh, 1989b: 385: **A**: YUN **ORR**
obscura Gardner, 1926: 207 **A**: NP SD "India"
patruelis Holzschuh, 1989b: 383 **A**: YUN **ORR**
pulchella Gressitt, 1935c: 187 (*Cleomenida*) **A**: TAI
pulchra Gressitt & Rondon, 1970: 292 **A**: HAI **ORR**
punctigera Holzschuh, 1982a: 72 **A**: NP **ORR**
sausai Holzschuh, 1995: 31 **A**: YUN
setigera japonica Pic, 1928a: 27 (*Falsodebilia*) **A**: JA
nipponica Hayashi, 1956d: 40
setigera setigera Schwarzer, 1925a: 29 (*Cleomenida*) **A**: TAI
ruficollis Matsushita, 1933a: 107 (*Mimistena*)

genus *Camelocerambyx* Pic, 1922: 32 type species *Camelocerambyx singularis* Pic, 1922
singularis Pic, 1922e: 32 **A**: YUN **ORR** **#310**

genus *Cleomenes* J. Thomson, 1864: 161 type species *Cleomenes diammaphoroides* J. Thomson, 1864
apicalis Holzschuh, 1977b: 340 **A**: BT NP ?XIZ **#60**
atricornis Holzschuh, 1995: 33 **A**: BT
auricollis Kano, 1933a: 277 **A**: TAI
diversevittatus Fuchs, 1961: 21 **A**: YUN
giganteus Holzschuh, 1995: 34 **A**: SCH YUN **#496**
hainanensis Viktora, 2019a: 112 **A**: HAI
longipennis longipennis Gressitt, 1951a: 313 **A**: GAN HUB SCH SHA TAI YUN **#60** **#496**
longipennis trilineatus Holzschuh, 2006a: 264 **A**: YUN **#60**
modicatus bukejsi Barsevska & Barsevskis, 2020: 66 **A:** GUA

modicatus modicatus Holzschuh, 1995: 33 **A**: YUN
multiplagatus Pu, 1992b: 599 **A**: YUN
nigricollis Fairmaire, 1895: 148 **A**: GUX YUN **ORR**
ornatus Holzschuh, 1981: 102 **A**: NP SD YUN
rufofemoratus Pic, 1914d: 17 **A**: FUJ YUN
semiargentens Gressitt, 1945a: 127 **A**: SCH SHA **#496**
semilineatus Pic, 1957: 77 **A**: FUJ
takiguchii K. Ohbayashi, 1936a: 14 **A**: JA SC (Jeobdo Is.)
tenuipes constans Holzschuh, 2019c: 85 **A**: GUX
tenuipes tenuipes Gressitt, 1939b: 106 **A**: ?GUX HUB TAI YUN ZHE **ORR**
trinotatithorax Mitono, 1944: 249 **A**: HAI

genus *Dere* White, 1855: 248 type species *Dere thoracica* White, 1855
[*affinis affinis* Gahan, 1906a: 316 - Northern India]
affinis macilenta Gressitt, 1940b: 87 **A**: GUA HAI HKG SCH **ORR**
femoralis Holzschuh, 1998: 41 **A**: YUN
grahami Gardner, 1942: 70 **A**: NP UP
holonigra Holzschuh, 2021a: 102 **A**: YUN
khatrii Holzschuh, 1984c: 367 **A**: NP SD
kirai Mitono, 1943: 588 **A**: TAI
nigripennis Holzschuh, 2015d: 59 **A**: SHA
opacula Holzschuh, 1984a: 151 **A**: NP
punctifrons Holzschuh, 1991b: 63 **A**: YUN **ORR**
reticulata Gressitt, 1942a: 4 **A**: BEI HEN HUB SCH SHA XIZ YUN ZHE **ORR** **#60**
rufeola Holzschuh, 1998: 40 **A**: HUN
subtilis Holzschuh, 1991b: 63 **A**: YUN
thoracica White, 1855: 249 **A**: FUJ GUA GUI HEB HEN HUN JA JIA JIX HUB NC SC SCH SHN YUN ZHE **NAR ORR** **#700**

genus *Diplothorax* Gressitt & Rondon, 1970: 312 type species *Diplothorax paradoxus* Gressitt & Rondon, 1970
brevis Niisato, 2008b: 283 **A**: HUB
fasciatus Holzschuh, 1982a: 74 **A**: NP UP
ishihamai Niisato, 1998a: 208 **A**: YUN
kaiyuni Niisato & Chou, 2014: 159 **A**: TAI
lucens Holzschuh, 1995: 28 **A**: SCH
punctator Holzschuh, 2003a: 189 **A**: SHA
sangayi Holzschuh, 1989c: 394 **A**: BT CH **ORR**

genus *Dymorphocosmisoma* Pic, 1918e: 6 type species *Dymorphocosmisoma diversicorne* Pic, 1918 **#400**
diversicorne Pic, 1918e: 6 **A**: YUN

genus *Kurarua* Gressitt, 1936: 92 type species *Kurarua constrictipennis* Gressitt, 1936
Cleomenella Fisher, 1940: 203 type species *Cleomenella singhi* Fisher, 1940
Sikimpaza Heyrovský, 1961b: 140 type species *Sikimpaza pedongensis* Heyrovský, 1961
angustissima Pic, 1903e: 105 (*Debilia*) **A**: SCH YUN
bicolorata Gressitt & Rondon, 1970: 303 **A**: YUN **ORR**
brevipes Holzschuh, 1984: 152 **A**: NP SD
constrictipennis Gressitt, 1936: 93 **A**: GUX TAI
nacerdoides Pesarini & Sabbadini, 1997: 113 **A**: YUN
nigrescens Holzschuh, 1999: 31 **A**: YUN **ORR**
pedongensis Heyrovský, 1961b: 140 (*Sikimpaza*) **A**: SD
rhopalophoroides chujoi Makihara, 1982b: 129 **A**: JA (Ryukyus) TAI **#732**
rhopalophoroides rhopalophoroides Hayashi, 1951b: 78 **A**: JA **#732**
ruficeps Holzschuh, 1991a: 25 **A**: YUN **ORR** **#400**

genus *Nida* Pascoe, 1867a: 312 type species *Nida flavovittata* Pascoe, 1867
championi Gardner, 1926: 208 **A**: NP SD UP
flavovittata Pascoe, 1867a: 312 **A**: GUX YUN **ORR**
vittidorsa Pic, 1904c: 10 (*Ceresium*)
kala Gardner, 1936: 136 **A**: UP

genus *Paramimistena* Fisher, 1940: 204 type species *Paramimistena polyalthiae* Fisher, 1940
assimilata Holzschuh, 1999: 38 **A**: SD
enterolobii Gressitt & Rondon, 1970: 308 **A**: ?SHA **ORR**
gracilicornis Holzschuh, 1999: 38 **A**: NP
polyalthiae Fisher, 1940: 205 **A**: SD

subglabra Gressitt & Rondon, 1970: 306 **A**: SD YUN **ORR**

genus *Procleomenes* Gressitt & Rondon, 1970: 309 type species *Procleomenes elongatithorax* Gressitt & Rondon, 1970
humeralis Niisato, 2008c: 171 **A**: YUN **ORR** **#827**
jianfenglingensis Hua, 1986b: 204 **A**: ?FUJ HAI ?HKG **#400**
medinai Barševskis, 2022: 396 **A**: GUX
mioleucus Holzschuh, 1998: 39 **A**: YUN
robustior Niisato, 1981b: 71 **A**: TAI **#835**

tribe Clytellini Miroshnikov, 2014c **#640**

genus *Clytellus* Westwood, 1854: 240 type species *Clytellus methocoides* Westwood, 1854
akiyamai Niisato, 2015b: 495 **A**: TAI
methocoides Westwood, 1854: 240 **A**: GUA GUX HKG JIX **ORR** **#60** **#99** **#400**

tribe Clytini Mulsant, 1839 **#778**

= *Chlorophorini* Zamoroka, 2021 **#760**

genus *Abacoclytus* Pesarini & Sabbadini, 1997: 110 type species *Abacoclytus felicisrosettae* Pesarini & Sabbadini, 1997
felicisrosettae Pesarini & Sabbadini, 1997: 111 **A**: SCH
ventripennis Pic, 1908h: 61 (*Clytus*) **A**: SCH YUN

genus *Amamiclytus* K. Ohbayashi, 1964: 21 type species *Amamiclytus nobuoi* K. Ohbayashi, 1964 **#230**
hirtipes Matsushita, 1940: 52 (*Rhaphuma*) **A**: TAI
juni Niisato & Han, 2011: 40 **A**: TAI
limaticollis Gressitt, 1939b: 101 (*Rhaphuma*) **A**: ZHE **#37**
nobuoi akusekianus Niisato, 2005: 383 **A**: JA (Tokara Isls.)
nobuoi nobuoi K. Ohbayashi, 1964: 21 **A**: JA (Ryukyus)
nubilus Niisato & Han, 2011: 37 **A**: TAI
setiger Niisato & Han, 2011: 35 **A**: TAI
subnitidus Holzschuh, 1984c: 357 **A**: TAI
wenshuani Niisato & Han, 2013: 165 **A**: YUN
wuxingensis Sh. Yang & Wang, 2019: 58 **A:** GUI
yulongi Nii sato & Han, 2011: 43 **A**: TAI

genus *Brachyclytus* Kraatz, 1879c: 107 type species *Brachyclytus singularis* Kraatz, 1879
monticallisus jezoensis Fujita, 2023: 22 **A**: JA (Hokkaido)
monticallisus monticallisus Komiya, 1980: 33 (*Cyrtoclytus*) **A**: GUX JA ~~SC~~ **#731**
monticallisus sangkyuni Fujita, 2023: 22 **A**: SC
singularis Kraatz, 1879c: 107 **A**: FE HEN JA NC SC SHG
fukukii Seki, 1935: 224

genus *Calloides* LeConte, 1873b: 319 type species *Clytus nobilis* Harris, 1837
bicolor Pu, 1991b: 248, 252 **A**: GUI GUX SCH
magnificus Pic, 1916g: 181 (*Clytus*) **A**: GAN HEB SCH SHA SHN SHX **#400** **#496**
yunnanensis J.-X. Zhang & Chen, 2006: 47 **A**: YUN

genus *Chaetopsilomerus* Niisato et Han, 2017: 202 type species *Chaetopsilomerus hainanensis* Niisato et Han, 2017
hainanensis Niisato et Han, 2017: 202 **A**: HAI

genus *Chlorophorus* Chevrolat, 1863: 290 type species *Callidium annulare* Fabricius, 1787 **#517** **#653**
subgenus *Basispilus* Özdikmen, 2022: 632 type species *Clytanthus semiformosus* Pic, 1908
semiformosus Pic, 1908f: 14 (*Clytanthus*) **A**: YUN
subgenus *Bicoloroimmaculatus* Özdikmen, 2022: 633 type species *Chlorophorus aurivillianus* Plavilstshikov, 1921b
touzalini Pic, 1920b: 198 **A**: YUN
subgenus *Chlorophoroides* Özdikmen, 2022: 637 type species *Leptura varia* O. F. Müller, 1766 ()
aritai K. Ohbayashi, 1964: 22 (*Rhaphuma*) **A**: JA (Ryukyus)
boninensis boninensis Kano, 1933b: 135 **A**: JA (Ogasawara Isls.) **#732**
boninensis karubei Fujita, 2023: 22 **A**: JA (Ogasawara Isls.: Chichi-jima Is., Ani-ima Is., Otôto-jima Is., Minami-jima Is.)
boninensis kusamai Satô, 1999: 47 **A**: JA (Ogasawara Isls.) **#732**
caragana Xie & W.-K. Wang, 2012: 55 **A**: MN NIN NMO **#60** **#614**
douei Chevrolat, 1863: 294 (*Anthoboscus*) **A**: FUJ GUA GUI GUX HAI HUN NP SCH SHA XIZ YUN **ORR** **#225**
aei Hayashi, 1979: 90
brevejunctus Pic, 1943a: 1
laharae Gardner, 1942: 72
reductus Pic, 1922c: 13
vageapicatus Pesarini & Sabbadini, 2015: 48

flavopubescens Hayashi, 1968c: 14 **A**: JA (Ryukyus)
graphus Holzschuh, 1998: 47 **A**: TAI
?*hauseri* Pic, 1931r: 258 **A**: YUN
henriettae Holzschuh, 1984c: 358 **A**: NP SD
japonicus Chevrolat, 1863: 298 (*Anthoboscus*) **A**: FE (Sakhalin, Kunashir) GUA GUI GUX HEB HUB JA JIA JIX SC SCH SHN SHX ZHE **ORR**
griseobimaculatus Pic, 1924a: 16 (*Clytanthus*)
latepubens Pic, 1924a: 15 (*Clytanthus*)
multipunctus Pic, 1943a: 1 (*Clorophorus* - misprint, not available name)
quelpaerti Pic, 1943a: 1 (*Clorophorus* - misprint, not available name)
rufotinctus Pic, 1924a: 16 (*Clytanthus*)
kanekoi Matsushita, 1941: 134 **A**: TAI
kobayashii kagaorum Fujita, 2023: 23 **A**: JA (Ogasawara Isls.: Chichi-jima Is., Anijima Is., Otôto-jima Is., Higashi-jima Is.)
kobayashii kobayashii Komiya, 1976: 31 **A**: JA (Ogasawara Isls.) **#732**
kobayashii masatakai Niisato & Karube, 2006: 222 **A**: JA (Ogasawara Isls.) **#732**
miwai Gressitt, 1936: 100 **A**: ANH FUJ GUA GUI GUX HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE **#400** **#525**
shirozui Hayashi, 1965: 110
takakuwai Niisato & Chou, 2017: 316 **#364**
quinquefasciatus hanatanii Fujita, 2023: 23 **A**: JA (Miyako Isls., Yaeyama Isls.)
quinquefasciatus matsumurai Fujita, 2023: 23 **A**: JA (Amami Isls., Okinawa Isls., Daito Isls.)
quinquefasciatus quinquefasciatus Laporte & Gory, 1841: 101 (*Clytus*) **A**: GUA GUX HAI JA SC TAI **#400**
rufimembris Gressitt & Rondon, 1970: 221, 223 **A:** YUN **ORR** **#39**
yayeyamensis boninonautes Fujita, 2023: 22 **A**: JA (Ogasawara Isls.: Chichi-jima Is.)
yayeyamensis yakitai Niisato, 2005: 384 **A**: JA (Senkaku Isls.) **#732**
yayeyamensis yayeyamensis Kano, 1933b: 137 **A**: JA **#732**
dubius Matsushita, 1933b: 281
subgenus *Chlorophorus* Chevrolat, 1863: 290 type species *Callidium annulare* Fabricius, 1787
?*acrocarpi* Gardner, 1942: 71 **A**: NP SD
amami Hayashi, 1968a: 24 **A**: JA (Ryukyus) **#400**
annularis Fabricius, 1787: 156 (*Callidium*) **E**i: BE GE SP **A**: ANH AP FUJ GUA GUI GUX HAI HEB HEN HKG HP HUB HUN JA JIA JIL JIX LIA NP SC SCH SD SHA TAI UP XIZ YUN ZHE **NAR**i **NTR**i **ORR** **#127** **#280** **#366** **#390** **#558**
bidens Weber, 1801: 90 (*Callidium*)
bisbiinterruptus Pic, 1953c: 11
breveinterruptus Pic, 1953c: 10 (Tonkin)
griseopubens Pic, 1943b: 3
reducticollis Pic, 1953c: 11
subnebulosus Pic, 1953c: 11
annularoides Holzschuh, 1983: 372 **A**: NP SD YUN **ORR**
annulatus Hope, 1831: 28 (*Clytus*) **A**: FUJ GUA GUI GUX HAI HEN HUB JA JIX NP SCH SD SHA TAI YUN ZHE **ORR**
nigroannularis Hayashi, 1981a: 9
nigroannulatus Pic, 1943a: 1 **#508**
nigroannulatus Villiers & Chûjô, 1966: 552 [HN]
? oppositus Chevrolat, 1863: 303 (*Anthoboscus*) **#508**
rufonotatus Pic, 1943a: 1 **#508**
separatus Gressitt, 1940b: 78 **#508**
signaticollis Laporte & Gory, 1841: 103 (*Clytus*) **#508** **#524**
viticis Gressitt & Rondon, 1970: 225 **#508**
insidiosus Holzschuh, 1986a: 124 **A**: NP SD YUN
nepalensis Hayashi, 1979: 89 **A**: NP
orbatus Holzschuh, 1991d: 12 **A**: YUN **ORR**
subgenus *Circularus* Özdikmen, 2022: 635 type species *Clytus sexguttatus* P. H. Lucas, 1847
?*amoenus* Castelnau & Gory, 1841: 88 (*Clytus*) **A:** YE **AFR** **#654**
sexguttatus P. H. Lucas, 1847: pl. 42 (*Clytus*) **A**: AG LB MO TU
subgenus *Crassofasciatoides* Özdikmen, 2022: 643 type species *Chlorophorus inhumeralis* Pic, 1918
inhumeralis Pic, 1918b: 4 **A**: FUJ YUN **ORR**
karausi Viktora, 2021c: 121 **A**: HAI **ORR**
lingnanensis Gressitt, 1951a: 626 **A**: FUJ GUA GUI HUB HUN **#400**
subgenus *Crassofasciatus* Özdikmen, 2011a: 538 type species *Callidium trifasciatum* Fabricius, 1781 **#778**
aegyptiacus Fabricius, 1775: 194 (*Callidium*) **E**: BU GR MC **A**: TR
macedonicus Pic, 1935d: 15
magdalenae Théry, 1895: cclxvi (*Clytus*)
nigripes Brullé, 1832: 255 (*Clytus*)
rufifrons Pic, 1917g: 5
convexifrons Holzschuh, 1981: 100 **E**: GR (Samos) **A**: TR
cursor Rapuzzi & Sama, 1999: 331 **A**: TR
hubenyi Viktora, 2019: 143 **A:** KI (Chauvay)
hungaricus Seidlitz, 1891b: 828 **E**: AL AU BH BU CR CZ GR HU MC MD ME RO SB SK **A**: TR

niehuisi Adlbauer, 1992: 497 **A**: TR
oezdikmeni Sama & Rapuzzi, 2011a: 87 **A**: TR
robustior Pic, 1900e: 11 (*Clytanthus*) **A**: TR
trifasciatus Fabricius, 1781: 244 (*Callidium*) **E**: AL BH BU CR FR GR HU IT PT RO SB SL SP SZ **N**: AG MO TU **A**: IS SY TR **#11**
balearicus Pic, 1908d: 91 (*Clytanthus*)
ferrugineus Mulsant, 1839: 87 (*Clytus*) [France]
~~*nigrofasciatus* Goeze, 1777: 507 (*Leptura*)~~
~~*ornatus* Herbst, 1784: 98 (*Callidium*)~~
perfidus Breit, 1915: 355 [DA]
paradoxus Dayrem, 1924b: 78 (*Clytanthus*)
portugallus Gmelin, 1790: 1854 (*Cerambyx*)
subgenus *Eucrassofasciatus* Özdikmen, 2022: 646 type species *Chlorophorus furcillatus* Holzschuh, 1989
furcillatus Holzschuh, 1989a: 166 **A**: NP SD
ziczac Holzschuh, 2017c **A**: UP **ORR**
subgenus *Eubrevenotatus* Özdikmen, 2022: 645 type species *Clytus latofasciatus* Motschulsky, 1861 (= *Clytus motschulskyi* Ganglbauer, 1887)
brevenotatus Pic, 1922c: 13 **A**: GUA **ORR**
proannulatus Gressitt & Rondon, 1970: 220, 225 **A**: JAi YUN **ORR** **#42** **#374**
sulcaticeps Pic, 1924a: 16 (*Clytanthus*) **A**: ANH FUJ HUB JIA YUN ZHE
subgenus *Humeromaculatoides* Özdikmen, 2022: 650 type species *Chlorophorus navratili* Holzschuh, 1981
navratili Holzschuh, 1981: 99 **A**: UZ (Babatag Mt) TD (Dushanbe env.)
subgenus *Humeromaculatus* Özdikmen, 2011a: 536 type species *Cerambyx figuratus* Scopoli, 1763 **#778**
Sparganophorus Zamoroka, 2021: 208 type species *Clytus diadema* Motschulsky, 1854 **#636**
albopunctatus Pic, 1916e: 13 (*Clytanthus*) **A**: YUN
anticemaculatus Schwarzer, 1925a: 27 **A**: TAI
coniperda Holzschuh, 1992b: 27 **A:** YUN **ORR** **#802**
diadema diadema Motschulsky, 1854a: 48 (*Clytus*) **A**: ANH BEI FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX MG NC NMO SC SCH SHA SHN SHX YUN ZHE
artemisiae Fairmaire, 1888b: 143 (*Clytus*)
breuningi Heyrovský, 1938: 93
herzianus Ganglbauer, 1887a: 134 (*Clytus*)
itoi Matsushita, 1934a: 240
trijunctus Pic, 1943a: 1 (*Clorophorus* – misprint, not available name)
diadema inhirsutus Matsushita, 1934a: 240 **A**: FE (Kunashir) JA
kurotora Hayashi, 1961a: 26
minomensis Seki & Suematsu, 1935: 203
dinae Rapuzzi & Sama, 1999: 329 **A**: **?**SY TR **#896**
diversicolor Holzschuh, 2016b **A:** YUN **ORR** **#802**
dominici Sama, 1996c: 110 **A**: TR
duo Fairmaire, 1888a: 33 (*Clytus*) **A**: JIA JIX SHA **#400**
?*dureli* Pic, 1950e: 507 **A**: BT NP "India"
ahtatodae Chatterjee & Misra, 1971: 91
pseudofiguratus Heyrovský, 1976: 182
?*fainanensis* Pic, 1918b: 4 **A:** TAI **#508**
figuratus Scopoli, 1763: 55 (*Cerambyx*) **E**: AL AU BH BU BY ~~CD~~ CR CT CZ ?EN FR GE GR HU IT KZ LA LS ~~LT~~LU MC MD ME NT PL PT RO SB SK SL SP ST SZ TR UK **A**: AB AR ?ES GG IN KZ TR ?WS **#752** **#803** **#901**
conglobatus Fügner, 1891: 201 (*Clytus*)
cordiger Aragona, 1830: 26 (*Clytus*)
funebris Laicharting, 1784: 111 (*Clytus*)
lamda Schrank, 1776: 67 (*Leptura*)
latifasciatus Fischer von Waldheim, 1832: 439 (*Clytus*)
leucozonias Gmelin, 1790: 1846 (*Cerambyx*)
plebejus Fabricius, 1781: 243 (*Callidium*)
rusticus O. F. Müller, 1776: 93 [HN] (*Leptura*)
tapaensis Pic, 1924c: 22 (*Clytanthus*)
hircanus Pic, 1905g: 114 (*Clytanthus*) **A**: IN TM **#838**
hyrcanus, Villiers, 1967: 361 [wrong spelling]
persicus Breit, 1915: 355 [DA]
macaumensis macaumensis Chevrolat, 1845a [1845b]: 98 (*Clytus*) **A**: GUA GUX HAI HKG HUB HUN SCH SHA YUN **#400**
motschulskyi Ganglbauer, 1887a: 135 (*Clytus*) **A**: ES FE FUJ GAN HEB HEI HEN JIL LIA MG NC NMO SC SHA SHN SHX ZHE
chasanensis Tsherepanov, 1982a: 175
latofasciatus Motschulsky, 1861b: 41 [HN] (*Clytus*)
nivipictus Kraatz, 1879c: 91 (*Clytus*) **E**: GR (Samos) **A**: IN SY TR
cinctiventris Chevrolat, 1882: 58 (*Clytus*)
pseudoswatensis Holzschuh, 1983: 373 **A**: PA
rubricollis Laporte & Gory, 1841: 88 (*Clytus*) **A**: YUN **ORR**
andamanicus Gahan, 1906: 265
strobilicola Champion, 1919: 223 **A:** UP

tohokensis Hayashi, 1968a: 23 **A**: FE JA ?NC SC
tsitoensis Fairmaire, 1888b: 144 (*Clytus*) **A**: FUJ JIX SCH ZHE **#364** **#400**
yachovi Sama, 1996b: 97 **A**: IS LE TR **#896**
subgenus *Humeromagnomaculatus* Özdikmen, 2022: 654 type species *Chlorophorus alni* Holzschuh, 1982
alni Holzschuh, 1982b: 152 **A**: UP
arciferus Chevrolat, 1863: 330 (*Amauresthes*) **A**: ANH BT HAI JIX NP SCH SD SHG YUN ZHE **ORR**
pieli Pic, 1924a: 15 (*Clytanthus*)
rectefasciatus Pic, 1937a: 14 (*Clytanthus*)
semisinuatus Pic, 1949b: 54 (*Clorophorus* - misprint, not available name) **#802**
pluridisjunctus Pic, 1949b: 54 (*Clorophorus*) (Inde)
dahanshanus Niisato & Chou, 2017: 312 **A:** TAI **#400** **#446**
emili Viktora, 2021c: 117 **A**: YUN
hainanicus Gressitt, 1940b: 75 **A**: HAI
pinguis Holzschuh, 1992b: 21 **A**: GUX **ORR** **#802**
taihorensis Schwarzer, 1925a: 27 **A**: TAI
verus Holzschuh, 1998: 46 **A**: TAI
subgenus *Immaculatoides* Özdikmen, 2022: 656 type species *Leptura glabromaculata* Goeze, 1777
apertulus Holzschuh, 1992b: 25 **A**: SCH SHA
fraternus Holzschuh, 1992b: 23 **A**: YUN **ORR** **#400**
glabromaculatus glabromaculatus Goeze, 1777: 507 (*Leptura*) **E**: BEi BH CR FR GEi GR IT LUi MA SL SP SZ **#20**
naevius Gmelin, 1790: 1877 (*Leptura*)
quadripunctatus Fabricius, 1793: 337 (*Callidium*)
rugulosus Broun, 1880: 588 (*Clytus*)
sexpunctatus Olivier, 1790: 264 (*Callidium*)
uniformis Pic, 1945b: 7 [HN]
villosus Geoffroy, 1785: 80 (*Leptura*)
glabromaculatus glaucus Fabricius, 1781: 236 (*Callidium*) **E**: AZ FRi ITi (Sardegna) SP PT **N**: AG CI MO TU **#20** **#778**
consobrinus P. H. Lucas, 1851a: xxxi (*Clytus*)
griseus Laporte & Gory, **1841**: 80 (*Clytus*)
indus Gmelin, 1790: 1854 (*Cerambyx*)
lugens Küster, 1848b: 76 (*Clytus*)
nigrosignatus Fairmaire, 1856b: 531 (*Clytus*)
pilosus, auct.(not Forster, 1771)
quinquepunctatus P. H. Lucas, 1848: xlviii (*Clytus*)
thoracicus Rungs, 1947: 100
unifasciatus Pic, 1898a: 11 (*Clytanthus*)
vittatus Rungs, 1947: 99
webbii Brulle, 1839: 63 (*Clytus*) **#20**
webbei Laporte & Gory, **1841**: 80 [HN] (*Clytus*)
ignobilis Bates, 1878b: 721 (*Clytanthus*) **A**: KA PA
impressithorax Pic, 1950c: 6 **A**: "Kashmir"
?*kinganus* Pic, 1903e: 105 (*Clytanthus*) **A**: CH
innotatus Pic, 1920a: 2
uniformis Pic, 1920d: 16
montanus Nonfried, 1894: 337 (*Clytus*) **A**: "Himalaya"
mushanus Matsushita, 1931a: 44 **A**: TAI
probsti Holzschuh, 1989b: 380 **A**: TAI
trivialis Holzschuh, 2010: 189 **A**: CHQ SCH YUN XIZ
ursus Viktora, 2020: 111 **A:** SCH
zelus Holzschuh, 1989a: 166 **A**: TAI
subgenus *Immaculatus* Özdikmen, 2011a: 536 type species *Chlorophorus kanoi* Hayashi, 1963 **#778**
gaudens Holzschuh, 1992b: 26 **A**: SCH
intactus Holzschuh, 1992b: 25 **A**: YUN
kanoi Hayashi, 1963d: 134 **A**: JA **#412**
praecanus Holzschuh, 2006b: 289 **A**: YUN
semikanoi Hayashi, 1974a: 29 **A**: TAI
viridulus Kano, 1933b: 136 **A**: TAI
parvus Matsushita, 1933b: 284
subgenus *Interruptus* Özdikmen, 2022: 660 type species *Clytus capensis* Laporte & Gory, 1841
capensis Laporte & Gory, 1841 90 (*Clytus*) **A**: SA YE **AFR**
caffer Fåhraeus, 1872a: 66 (*Xylotrechus*)
subgenus *Octomaculatus* Özdikmen, 2022: 635 type species *Anthoboscus quatuordecimmaculatus* Chevrolat, 1863
quatuordecimmaculatus Chevrolat, 1863: 295 (*Anthoboscus*) **A**: AF FUJ GUA GUI GUX HAI HP HUN NP PA SCH YUN **ORR**
anticeconfluens Plavilstshikov, 1927b:107
guerryi Pic, 1902i: 30 (*Clytanthus*)
taiwanus Matsushita, 1933b: 285 **A**: FUJ GUA HUB SCH TAI YUN
subgenus *Perderomaculatoides*, 2022:666 type species *Chlorophorus maculatus* Holzschuh, 2006
capillatus Holzschuh, 2006b: 288 **A:** YUN **ORR** **#349**

subgenus *Perderomaculatus* Özdikmen, 2011a: 537 type species *Cerambyx sartor* Müller, 1766 **#636** **#778**
adelii Holzschuh, 1974a: 93 **A**: IN
curvatofasciatus Aurivillius, 1922a: 410 **A:** JA TAI **ORR** **#654**
favieri Fairmaire, 1873: 351 (*Clytus*) **N**: MO
golestanicus Vořišek, 2012: 2 **A**: IN
gratiosus gratiosus Marseul, 1868: 203 (*Clytus*) **A**: IS LE TR **#161**
?*gratiosus sparsus* Reitter, 1886: 67 (*Clytus*) **E**: GR **A**: SY TR **#161**
grosseri Sama & Rapuzzi, 2011a: 85 **A**: TR
pelletieri Laporte & Gory, 1841: 93 (*Clytus*) **N**: AG LB MO TU
pelleteri Laporte & Gory, 1841: 93 (*Clytus*) [wrong original spelling]
lepeletieri Pic, 1891j: 145 [unjustified emendtion]
solutus Dayrem, 1922a: 18 (*Clytanthus*)
ringenbachi Sama, 2004: 148 **N**: LB
ruficornis Olivier, 1790: 267 (*Callidium*) **E**: FR PT SP
feneoni Chobaut, 1895b: cccxlvi (*Clytanthus*)
obscuriceps Pic, 1917g: 5
sartor O. F. Müller, 1766: 188 (*Cerambyx*) **E**: AL AU BH BU ?BY CR CT CZ FR GE GR HU IT KZ ?LA LU MC MD ME PL PT RO SB SK SL SP ST SZ TR UK **A**: AB AR CY ES FE GG IN IS JO KZ LE IQ SY TM TR WS **#30** **#64** **#104** **#752**
achilleae Brahm, 1790: 141 (*Leptura*)
angusticollis Mulsant, 1851a: 123 (*Clytus*) **#907**
fulvicollis Mulsant, 1862: 181 (*Clytus*)
griseus Gabriel, 1910: 556 (*Clytanthus*)
lineola Scopoli, 1786: 44 (*Stenocorus*)
massiliensis Linnaeus, 1767: 1067 (*Leptura*)
mequignoni Pic, 1945a: 13
ruficeps Pic, 1917g: 5
rusticus Geoffroy, 1785: 81 (*Leptura*)
spinosulus Mulsant, 1862: 182 (*Clytus*)
swatensis Holzschuh, 1974a: 92 **A**: PA
wewalkai Holzschuh, 1969: 77 **A**: TR
subgenus *Piopennus* Özdikmen, 2022: 670 type species *Clythantus angustulus* MacLeay, 1886 (Papua-New Guinea
? *oppositus* Chevrolat, 1863: 304 (*Anthoboscus*) **A**: ?TAI **#654**
subgenus *Sexnigromaculatus* Özdikmen, 2022: 673 type species *Chlorophorus annulifer* Heller, 1926
anulifer Heller, 1926a: 26 **A**: NP UP
eckweileri Holzschuh, 1992b: 24 **A**: GAN SCH
shoreae Gardner. 1941: 55 **A**: NP UP **#26** **#390**
tredecimmaculatus Chevrolat, 1863: 305 (*Anthoboscus*) **A**: FUJ GUA NO
subgenus *Trivittatopennus* Özdikmen, 2022: 675 type species *Chlorophorus muscosus* Bates, 1973
muscosus adachii Fujita, 2023: 24 **A**: JA (Danjo Isls.: O-shima Is., Me-shima Is.)
muscosus fukidai Fujita, 2023: 24 **A**: JA (Amami Isls.: Amami-oshima Is., Kikaijima Is.)
muscosus kogii Fujita, 2023: 24 **A**: JA (Izu Isls. (Mikura-jima Is.)
muscosus ikedai Fujita, 2023: 25 **A**: JA (Okinawa Isls.: Okinawa-honto Is., Kume-jima Is.)
muscosus muscosus Bates, 1873: 198 (*Clytanthus*) **A**: JA SC YUN **#413**
bifasciatus Kano, 1933b: 135
muscosus ohnoi Fujita, 2023: 25 **A**: JA (Amami Isls.: Okinoerabu-jima Is.)
muscosus ohtsuboi Fujita, 2023: 24 **A**: JA (Amami Isls.: Toku-no-shima Is.)
subgenus *Viridiphorus* Zamoroka, 2021: 207 type species *Callidium herbstii* Brahm, 1790 **#636**
Brevenotatus Özdikmen, 2022: 635 type species *Clytus distinguendus* Perroud, 1855 (India)
Pseudoimmaculatus Özdikmen, 2022: 671 type species *Chlorophorus elaeagni* Plavilstshikov, 1956
ahmadi Rapuzzi, Fekrat & Mamarabadi, 2024: 137 **A:** IN TM **#773**
assimilis Hope, 1831: 28 (*Clytus*) **A**: BT NP
copiosus Holzschuh, 1991b: 46 **A**: GUI YUN **ORR**
elaeagni Plavilstshikov, 1956: 818 **E**: KZ ST **A**: AB KI KZ TD TM UZ
eleodes Fairmaire, 1889a: 65 (*Clytus*) **A**: GUI GUX HUB SCH SHA XIN XIZ YUN
insignifer Pic, 1902i: 31 (*Clytanthus*)
robustus Pic, 1920d: 16
faldermanni Faldermann, 1837: 269 (*Clytus*) **E**: ST **A**: AB AF AR GG IN KI KZ TD TM ?TR UZ XIN **ORR** **#525**
caucasicus Pic, 1897g: 262 (*Clytanthus*)
? *clermonti* Pic, 1921a: 13 (*Clytanthus*) - "Anatolie"
mesmini Pic, 1908b: 3 (*Clytanthus*)
punctomaculatus Pic, 1893a: 26 (*Clytus*)
quinquemaculatus Gebler, 1845: 104 (*Clytus*)
furtivus Gressitt & Rondon, 1970: 218, 231 **A:** XIZ **ORR**
crassipes Pesarini & Sabbadini, 2015: 49
hederatus Heller, 1926: 25 **A**: GUX YUN **ORR**
herbstii Brahm, 1790: 148 (*Leptura*) **E**: AU BH BU BY CR CT CZ GR EN FI FR GE HU KZ LA LS LT MD NR NT PL RO SK SB SP ST SV SZ TR UK **A**: ES KZ TR WS **#748**
sulphureus Schaum, 1862: 103 [RN] (*Clytus*)

verbasci Fabricius, 1775: 194 [HN] (*Callidium*)
hrabovskyi Kratochvíl, 1985b: 66 **A**: AF TM IN **#903**
ictericus Holzschuh, 1991b: 45 **A**: YUN **ORR**
kabateki Holzschuh, 1998: 46 **A**: SCH
minamiiwo kitaiwo Niisato & Karube, 2002b: 250 **A**: JA (Volcano Isls.)
minamiiwo minamiiwo Satô & N. Ohbayashi, 1982: 50 **A**: JA (Volcano Isls.) **#413**
moupinensis Fairmaire, 1888a: 33 (*Clytus*) **A**: GUI GUX HUB SCH YUN ZHE
immaculatithorax Pic, 1933a: 12
obliteratus Ganglbauer, 1889a: 70 (*Clytanthus*) **A**: ES MG NMO
kaszabi Heyrovský, 1970b: 140
mongolicus Pic, 1943a: 1 (*Clorophorus* - misprint, not available name)
ubsanurensis Tsherepanov, 1971: 14 [Tuva]
ostentator Viktora, 2023c: 88 **A**: XIZ YUN
salicicola Holzschuh, 1993a: 36 **A**: YUN
simillimus Kraatz, 1879c: 91 (*Clytus*) **A**: ES FE FUJ GAN GUX HEB HEI HEN HUB HUN JA JIL JIX MG NC NMO QIN SC SCH SHA SHN XIN YUN ZHE
duodecimmaculatus Kraatz, 1879c: 91) [RN] (*Clytus*
griseopubens Pic, 1904d: 17 (*Clytanthus*)
joannisi Théry, 1896: 108 (*Clytanthus*)
sexmaculatus Motschulsky, 1859b: 494 [HN] (*Clytus*)
verbasci, Blessig, 1873: 190 (*Clytus*) - [Dauria]
socius Gahan, 1906a: 264 (*Caloclytus*) **A**: SD
tixieri Pic, 1902i: 31 (*Clytanthus*) **A**: YUN **ORR** **#743**
varius damascenus Chevrolat, 1854: 483 (*Clytus*) **E**: GR (Rodos, Samos) TR **N**: EG **A**: CY ?IN IS IQ JO LE SY TR **#161** **#471**
varius macedonicus Vartanis, 2023f: 1735 **E**: GR [unavailable name] **#849**
varius varius O. F. Müller, 1766: 188 (*Leptura*) **E**: ~~AF~~ AL AU BH BU BY CR CT CZ FR GBi GE GR HU IT KZ LS LT MA MC MD ME NL PL RO SB SK SL SP ST SV SZ TR UK **A**: AB AR GG KZ IN TR WS **#345** **#400**
c-duplex Scopoli, 1786: 46 (*Stenocorus*)
fontanae Hubenthal, 1923: 141 (*Clytanthus*)
gammoides Geoffroy, 1785: 81 (*Leptura*)
incanus Plavilstshikov, 1924: 229
mixtornatus Fleischer, 1908: 211 (*Clytanthus*)
mouinieri Pic, 1950c: 6 - ["Annam"]
nigrofasciatus Goeze, 1777: 507 (*Leptura*)
ornatus Herbst, 1784: 98 (*Callidium*)
strigosus Gmelin, 1790: 1877 (*Leptura*)
venustus Gmelin, 1790: 1856 (*Cerambyx*)
verbasci Linné, 1767 (*Leptura*) [Gallia, Germania]
viridicollis Kraatz, 1871b: 410 *Clytus*) [Griechenland]
vartianae Holzschuh, 1974a: 91 **A**: PA
subgenus *Wnotatus* Özdikmen, 2022: 676 type species *Clytanthus chiuae* Nakamura, 1974
chiuae Nakamura, 1974a: 14 **A**: TAI
seniculus Holzschuh, 2006b: 287 **A**: YUN
siegriedae Holzschuh, 1993a: 36 **A**: YUN **ORR**
yedoensis Kano, 1933b: 133 (*Clytus*) **A**: JA
Undeterminated species **#653**
biinterruptus Pic, 1943a: 1 (*Clorophorus* - misprint, not available name) **A**: CH
butleri Pic, 1920a: 2 (*Clorophorus* - misprint, not available name) **A**: SD **ORR**
fuscoapicalis Pic, 1949b: 54 (*Clorophorus* - misprint, not available name) ("British Bootang" - Darjeeling)
curtipennis Pic, 1943a: 1 **A**: CH
externesignatus Pic, 1936b: 13 **A**: YUN
micheli Pic, 1950c: 11 **A**: CH **ORR**
nodai Makihara, 1986c: 279 **A**: JA

genus *Clytobius* Gressitt, 1951a: 261 type species *Clytus davidis* Fairmaire, 1878
davidis Fairmaire, 1878: 132 (*Clytus*) **A**: BEI HEB JIX LIA SHN TIA **#400**

genus *Clytocera* Gahan, 1906a: 279 type species *Clytocera chionospila* Gahan, 1906
montensis Gressitt & Rondon, 1970: 253 **A**: YUN **ORR** **#400**
taiwanensis Hayashi, 1974a: 30 **A**: TAI

genus *Clytosaurus* J. Thomson, 1864: 190 type species *Clytosaurus priapus* J. Thomson, 1864
siamensis Jordan, 1894b: 497 **A**: HAI YUN **ORR**
signaticollis Pic, 1922a: 8 (*Xylotrechus*)

genus *Clytus* Laicharting, 1784: 88 type species *Leptura arietis* Linnaeus, 1758 **#680**
subgenus *Clytoides* Özdikmen, 2023: 16 type species *Clytus rhamni* Germar, 1817

gulekanus Pic, 1904h: 65 **A**: TR
insignitus Fairmaire, 1866b: 269 [DA] **A**: TR
signifer Marseul, 1875: 396
lama Mulsant, 1847c: 421 **E**: AU BH BU ?BY CR CZ FR GE GR HU IT LS MD PL RO SB SK SL SZ UK **#752**
bifasciatus Nicolas, 1901: 29
maritimus Pic, 1945b: 6
vesubiensis Pic, 1900o: 110
mayeti Théry, 1892: xcvi **A**: "Siberia"
rhamni rhamni Germar, 1817: 223 (Croatia, "bei Fiume") **E**: AL BH CR FR GE GR IT MC PT SB SL SP SZ **#863**
bellieri Gautier des Cottes, 1862: 77 ("Corsica")
corsicus Chevrolat, 1882: 58 (*Clytus*) ("Ins. Corsica")
innormalis Pic, 1927e: 11 ("Morée et Almissa ")
paliuri Depoli, 1940: 304 (" Fiume")
~~*ferruginipes* Pic, 1891b: 26~~
siculus Wagner, 1927b: 93 [HN] ("Sicilien: Syracus")
rhamni temesiensis Germar, 1824: 519 (*Callidium*) ("Trans-sylvania") **E**: AU BE BU CT CZ GE HU KZ MC MD RO SB SK SL ST TR UK **A**: AB AR CY GG IN IQ IS ?KZ LE SY TR **#104 #186 #482 #506 #752 #863**
ferruginipes Pic, 1891b: 26 ("Turquie")
longicollis Reitter, 1904: 82 (Romagna, "Dobrutscha")
subgenus *Clytus* Laicharting, 1784: 88 type species *Leptura arietis* Linnaeus, 1758 **#262**
Clytumnus J. Thomson, 1861: 404 [RN] type species *Leptura arietis* Linnaeus, 1758
Europa J. Thomson, 1861: 221 type species *Leptura arietis* Linnaeus, 1758
Sphegesthes Chevrolat, 1863: 333 type species *Leptura arietis* Linnaeus, 1758
ambigenus Chevrolat, 1882: 58 **N**: AG MO TU
biinterruptus Pic, 1895f: cclxxiv
externeinterruptus Pic, 1934c: 22
lebouli Pic, 1932d: 25
leprieuri Pic, 1934e: 20
arietis arcadicus Vartanis, 2023h: 1823 **E**: GR
arietis arietis Linnaeus, 1758: 399 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CY CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N**: MR TU **A**: TR WS **#887**
arcuatus Sulzer, 1761: 12 (*Leptura*)
bickhardti Pic, 1913b: 98
bourdilloni Mulsant, 1839: 81
chapmani Pic, 1937c: 13
cloueti Théry, 1893: ccxiii
gazella Fabricius, 1793: 333 (*Callidium*)
heyrowskyi Pic, 1931c: 14
quadrifasciatus DeGeer, 1775: 81 (*Cerambyx*)
arietis lederi Ganglbauer, 1882: 730 [= 1886: 232] **A**: AB (Talysh) IN TM (Kopetdag)
arietis oblitus Roubal, 1932: 17 **E**: ST **A**: AB AR GG IN TR
arietoides Reitter, 1900d: 281 **E**: CT NT ST **A**: ES FE HEI JA JIL KZ LIA MG NC NE NMO WS XIN **#63 #400 #588**
sachalinensis Matsushita, 1933a: 274
sibiricus Pic, 1900d: 11
buglanicus Kadlec, 2005: 106 **A:** TR
clavicornis Reiche, 1860: 734 **E**: IT (Sicilia)
crassicornis Mulsant, 1862: 159
kabateki Sama, 1998: 49 **A**: LE SY
kumalariensis Johanides, 2001: 219 **A**: TR
triangulimacula Costa, 1847: 110 **E**: IT
venustulus Plavilstshikov 1940: 412 - **A**: ES FE KO CH **#588**
subgenus *Crassomaculatoides* Özdikmen, 2023: 19 type species *Clytus fibularis* Holzschuh, 2003
fibularis Holzschuh, 2003a: 207 **A**: HEB NMO
larvatus Gressitt, 1939b: 99 **A**: ANH JIX SHA ZHE **#225**
unicolor Kano, 1933b: 132 (*Xylotrechus*) **A**: TAI
subgenus *Crassomaculatus* Özdikmen, 2023: 17 type species *Clytus auripilis* Bates, 1884
auripilis Bates, 1884a: 230 **A**: HUB JA
depilis Holzschuh, 2019b: 96 **A:** SHA
orientalis Kano, 1933b: 133 **A**: TAI
subgenus *Eusinoclytoides* Özdikmen, 2023: 22 type species *Clytus qingmaiensis* Viktora, 2020
qingmaiensis Viktora, 2020: 106 **A**: SCH
quadraticollis Ganglbauer, 1889a: 66 **A**: GAN
subgenus *Eusinoclytus* Özdikmen, 2023: 21 type species *Clytus auripilis* Bates, 1884
dongziensis Viktora, 2020: 104 **A:** SCH
rufobasalis Pic, 1917f: 353 **A**: YUN
subgenus *Insolitomaculatus* Özdikmen, 2023: 26 type species *Callidium tropicus* Panzer, 1795
paradisiacus Rapuzzi & Jeniš, 2015b: 767 **E**: GR
tropicus Panzer, 1795: 265 (*Callidium*) **E**: AU BH BU BY CR CZ FR GE GR HU IT MC MD PL RO SB SK SL SP ST SZ TR UK

interruptus Pic, 1931c: 14
mucronatus Laporte & Gory, **1841**: 52
prescutellaris Pic, 1931c: 14
subgenus *Paulomaculatoides* Özdikmen, 2023: 31 type species *Clytus melaenus* Bates, 1884
melaenus Bates, 1884a: 220 **A**: FE (Kunashir) JA JIX LIA NC SC **#400**
subgenus *Paulomaculatus* Özdikmen, 2023: 29 type species *Clytus ciliciensis* Chevrolat, 1863
ciliciensis Chevrolat, 1863: 334 (*Sphegesthes*) **A**: SY TR
bifarius Heyden, 1889b: 329
delagrangei Pic, 1945b: 6
griseofasciatus Pic, 1908b: 3
reitteri Théry, 1892: xcvi
madoni Pic, 1891n: ccxi **A**: IS LE SY TR
preapicalis Pic, 1939c: 17
nigritulus Kraatz, 1879c: 109 **A**: ES FE HEI JIL NC SC **#588**
fulvohirsutus Pic, 1904e: 18 **#588**
parvigranulatus Holzschuh, 2006b: 285 **A**: SHA
taurusiensis Pic, 1903h: 139 (*Chlorophorus*) **A**: IS TR
bytinskii Heyrovský, 1954: 395
viridescens Matsushita, 1933b: 274 **A**: TAI
subgenus *Picoclytus* Özdikmen, 2023: 32 type species *Clytus peyroni* Pic, 1899
peyroni Pic, 1899b: 209 **A**: LE
subgenus *Pseudoclytus* Özdikmen, 2023: 33 type species *Clytus schneideri* Kiesenwetter, 1879
relictus Jacquot, 2022: 32 **E**: FR (Drôme)
robertae Mineau & Teocchi, 1986: 12 (Alpes de Haute-Provence: Saint-Laurent) [unavailable name - conditional proposal]
schneideri inapicalis Pic, 1895a: 38 **A**: TR
schneideri schneideri Kiesenwetter, 1879a: 313 [1879b: 57] **A**: AR AB GG IN TR
schurmanni Sama, 1996c: 108 **A**: TR
subgenus *Rubrocollus* Özdikmen, 2023: 32 type species *Clytus famosus* Viktora & Liu, 2018
bellus Holzschuh 1998: 45 **A**: HAI **ORR** **#672**
famosus Viktora & Liu, 2018c: 82 **A**: HAI
subgenus *Rufoapicalus* Özdikmen, 2023: 32 type species *Clytus rufoapicalis* Pic, 1917
rufoapicalis Pic, 1917d: 7 **A**: XIZ YUN
subinterruptus Pic, 1920b: 197
subgenus *Sphegoclytus* Sama, 2005c: 69 type species *Clytus stepanovi* Danilevsky & Miroshnikov, 1985
raddensis Pic, 1904e: 18 **A**: FE GUI HUB JA NC NE SC SHN
hypocrita Plavilstshikov, 1940a: 416
stepanovi Danilevsky & Miroshnikov, 1985: 272 **E**: ST **A**: GG
vesparum Reitter, 1889d: 375 **A**: AB(Talysh) IN
validus Fairmaire, 1896a: 128 **A**: HEN SCH SHX XIZ YUN
genus *Cyrtoclytus* Ganglbauer, 1882: 736 type species *Callidium capra* Germar, 1824
agathus Holzschuh, 1999: 40 **A**: GAN SHA
capra Germar, 1824: 518 (*Callidium*) **E**: AU BH BY CT CZ EN FR GE IT KZ LA LT MD NT PL RO SB SK SP ST SZ UK **A**: AB ES FE HEI ~~IN~~ JIL KZ LIA MG NC NMO SC SCH WS **#506** **#696**
obliteratus Pic, 1943b: 1
sachalinensis Kano, 1933b: 134
zenobia Z. Wang, 2003: 191, 399
caproides ~~*caproides*~~ Bates, 1873: 200 (*Clytus*) **A**: FE (Sakhalin, Kunashir) HEI JA JIL LIA **#525** **#730**
elegantissimus Niisato & Chou, 2009: 222 **A**: GUI
formosanus Gressitt, 1934: 167 **A**: TAI
kamakarii Yokoyama, 1971: 94 **A**: JA **#730**
kusamai Niisato, 1988b: 138 **A**: TAI
luteomarginatus Pic, 1914d: 18 (*Clytus*) **A**: YUN
marketae Viktora, 2015a: 30 **A**: SD
multizonus Gressitt, 1951a: 260 **A**: FUJ
ohbayashii Niisato & Chou, 2009: 226 **A**: GUX YUN **#347**
elegans Pesarini & Sabbadini, 2015: 44 **#347**
petrae Viktora, 2015a: 31 **A**: SCH
yunamensis Pic, 1906d: 18 (*Clytus*) **A**: YUN **ORR**
keiichii Niisato, 1999: 43

genus *Demonax* J. Thomson, 1861: 226 type species *Demonax nigrofasciatus* J. Thomson, 1861
Elezira Pascoe, 1869a: 637 type species *Clytus balyi* Pascoe, 1859
abietarius Viktora, 2022b: 203 **A**: YUN
acanthocerus Ganglbauer, 1889a: 68 (*Clytanthus*) **A**: GAN
albicinctus Hope, 1831: 28 (*Clytus*) **A**: BT NP SD **ORR**
filiformis Laporte & Gory, **1841**: 95 (*Clytus*)

alcanor Gressitt & Rondon, 1970: 270 **A**: GUX HAI YUN **ORR** **#73**
angulifascia Aurivillius, 1922a: 11 **A**: TAI (Lanyu Is.) **ORR**
kotoensis Kano, 1938: 117
annamensis Pic, 1943a: 2 [RN] **A**: YUN **ORR** **#73**
diversefasciatus Pic, 1937b: 8 [HN]
antireductus Pic, 1935a: 15 **A**: YUN
aprilis Viktora, 2023b: 97 **A**: GUX
ascendens Pascoe, 1859: 27 (*Clytus*) **A**: NP UP **ORR**
geniculatus Chevrolat, 1863: 280 (*Rhaphuma*)
balyi Pascoe, 1859: 27 (*Clytus*) **A**: NP UP **ORR** **#814**
bicinctus Hope, 1831: 28 (*Clytus*) **A**: NP
bidenticornis Hayashi, 1974a: 34 **A**: TAI
bimaculicollis Schwarzer, 1925a: 28 (*Chlorophorus*) **A**: HAI TAI **#473**
kotahirai Mitono, 1942: 103
blairi Gardner, 1940: 215 **A**: SD [Kalimpong] **ORR**
bowringii Pascoe, 1859: 28 (*Clytus*) **A**: ANH FUJ GUA HAI HKG HUB HUN JIX ZHE **ORR** **#400** **#455**
gracilipes Pic, 1935a: 15
breveluteobasalis Pic, 1943a: 2 **A**: NP
brutus Viktora, 2022b: 194 **A:** HAI
buteae Gardner, 1940: 217 **A**: NP PA UP
christinae Holzschuh, 1983: 387 **A**: NP
captiosus Holzschuh, 2019c: 93 **A**: HUB HEN SHA
comparabilis Viktora, 2020: 115 **A:** HAI
confidens Holzschuh, 1993a: 39 **A**: YUN
consimilis Viktora, 2020: 118 **A:** YUN
contrarius Holzschuh, 1991: 52 **A**: YUN **ORR** **#42**
corallipes Pic, 1920a: 1 **A**: YUN
bisbinotatus Pic, 1920a: 1
implicatus Pic, 1920a: 1
curvofasciatus Gressitt, 1939a: 39 (*Rhaphuma*) **A**: FUJ JIA GUA GUI HEN HUN SCH SHA SHX TAI ZHE **#489**
triarticulodilatatus Hayashi, 1974a: 35 (Taiwan) **#105**
damingshanensis Viktora, 2023b: 130 **A**: GUX
dapsilis Viktora, 2021b: 117 **A**: XIZ
declamator Viktora, 2022b: 114 **A**: AP
desolatus Viktora, 2022b: 92, 218 **A**: YUN
determinatus Holzschuh, 2013a: 11 **A**: GUI SCH SHA
devexus Viktora, 2022b: 221 **A**: YUN
dignus Gahan, 1894a: 26 **A**: YUN **ORR**
rubricollis Pic, 1923b: 10
dilectus Viktora, 2021c: 131 **A**: YUN
dirangensis Viktora, 2021c: 134 **A**: AP
diversefasciatus Pic, 1920a: 1 **A**: YUN **ORR**
donaubaueri Holzschuh, 1996: 8 **A**: YUN
dorotheae Holzschuh, 1983: 385 **A**: NP
effrenus Viktora, 2022b: 196 **A**: HAI
elongatus Gressitt & Rondon, 1970: 263 **A**: YUN **ORR** **#73**
fatidicus Viktora, 2022b: 186 **A**: GUX HAI
fausus Viktora, 2021b: 130 **A**: YUN **ORR**
ferrugatus Holzschuh, 2013a: 12 **A**: SCH
ferus Viktora, 2023b: 115 **A**: HAI
fimbriatulus Holzschuh, 2006b: 296 **A**: YUN
flavicomus Holzschuh, 2016a: 98 **A**: XIZ
formosomontanus Ikeda & Niisato, 1984: 9 **A**: TAI
fugongensis Guo & L. Chen, 2005: 408 **A**: YUN
funebris Lameere, 1890: ccxii (*Clytus*) **A**: "Hindostan"
galaboensis Viktora, 2023b: 136 **A**: YUN
gemellus Holzschuh, 2017: 100 **A**: SCH
gertrudae Holzschuh, 1983: 395 **A**: BT NP YUN
grandiusculus Viktora, 2022b: 189 **A**: HAI
gunjii Holzschuh, 1983: 387 **A**: NP
hengduanus Holzschuh, 2006b: 298 **A**: YUN
himalayanus Pic, 1912j: 94 (*Chlorophorus*) **A**: HP NP
hongheensis Viktora, 2023b: 122 **A**: YUN **ORR**
illex Viktora, 2020c: 111 **A**: YUN **ORR**
impius Viktora, 2022b: 199 **A**: HAI
ingridae Holzschuh, 1983: 386 **A**: NP SD

inhumeralis basigriseus Holzschuh, 2019c: 92 **A**: ZHE
inhumeralis inhumeralis Pic, 1916g: 181 **A**: SCH
iniquus Holzschuh, 1993a: 38 **A**: YUN
inops Holzschuh, 1991b: 58 **A**: YUN **ORR**
invalidus Viktora, 2023c: 92 **A**: YUN
invisus Holzschuh, 2018a: 91 **A**: YUN
izumii Mitono, 1942: 102 **A**: TAI
jamesi Holzschuh, 1986a: 125 **A**: SD
jendeki Holzschuh, 1995: 41 **A**: YUN
katarinae Holzschuh, 1983: 384 **A**: NP YUN
kezukai Holzschuh, 1984c: 365 **A**: TAI
kheoae Gressitt & Rondon, 1970: 272 **A**: YUN **ORR**
kucerai Holzschuh, 2006b: 295 **A**: SCH SHA
langsonius Fairmaire, 1895: 181 (*Clytus*) **A**: YUN **ORR**
languidus Holzschuh, 1992b: 37 **A**: YUN **ORR** **#73**
leucophaeus Holzschuh, 1993a: 40 **A**: SCH
leucoscutellatus Hope, 1831: 28 (*Clytus*) **A**: AP GUX NP SD **ORR** **#280** **#400** **#659**
    castaneorufus Fairmaire, 1896 (*Chlorophorus*)
levipes Holzschuh, 1991c: 51 **A**: YUN **ORR** **#73**
lii Viktora, 2023c: 94 **A**: YUN
literatus hainanensis Mitono, 1944: 248 **A**: HAI
literatus literatus Gahan, 1894a: 27 **A**: YUN **ORR**
maestus Viktora, 2021c: 150 **A**: HAI
mengi Viktora, 2023b: 127 **A**: YUN
mitis Viktora, 2023b: 110 **A**: HAI
longissimus Pic, 1914d: 18 **A**: XIZ YUN
    longissimus Gressitt, 1935g: 572
longithorax Pic, 1950e: 508 **A**: NP SD
    josefinae Holzschuh, 1983: 383
luridicornis Chevrolat, 1863: 270 **A**: HKG
mali Gressitt, 1951a: 297 **A**: GUX YUN
mariae Holzschuh, 1983: 382 **A**: BT NP
marnei Pic, 1918c: 7 **A**: GUI YUN
manifestus Viktora, 2020c: 118 **A**: SHA
martialis Gressitt et Rondon, 1970: 273 **A:** GUI **ORR** **#400**
masaoi Niisato, 1984a: 13 **A**: TAI
masatakai K. Ohbayashi, 1964: 25 **A**: JA (Ryukyus)
matyasi Viktora, 2016b: 67 **A:** YUN
maximus Pic, 1922b: 25 **A**: GUX **ORR**
montivagus Viktora, 2020c: 125 **A**: YUN
morosus Viktora, 2023b: 92 **A**: HAI
multireductus Pic, 1935a: 16 **A**: YUN
narayani Holzschuh, 1984c: 366 **A**: NP SD
nativus Viktora, 2023b: 103 **A**: HAI
nebulosus Gressitt & Rondon, 1970: 262 **A**: YUN **ORR** **#253**
nigromaculatus Gahan, 1906a: 284 **A**: BT NP SD
nishiyamai Niisato, 1984a: 11 **A**: FUJ TAI
occultus Gressitt & Rondon, 1970: 268 **A**: YUN **ORR**
ohbayashii Samuelson, 1965a: 79 **A**: JA (Ryukyus)
okunii Mitono, 1942: 104 **A**: TAI
olivaceus Gressitt, 1951a: 299 **A**: FUJ GUA **#400**
opulentus Viktora, 2021b: 116 **A**: AP
orbus Viktora, 2023b: 85 **A:** HAI
palleolus Holzschuh, 2006b: 291 **A**: SCH SHA
parilis Holzschuh, 1995: 39 **A**: GUI YUN **#400**
paululus Viktora, 2023c: 97 **A:** HAI
petrae Viktora, 2016b: 69 **A:** YUN
pilipes Holzschuh, 2016a: 101 **A**: XIZ
praesignis Viktora, 2020c: 129 **A**: SCH
probus Holzschuh, 1991b: 52 **A**: YUN **ORR**
proculscuti Li, Tian & Chen, 2013a: 455 **A**: YUN
pseudonotabilis Gressitt & Rondon, 1970: 262 **A**: HAI SCH **ORR** **#400**
pseudopsilomerus Gressitt & Rondon, 1970: 272 **A**: YUN **ORR** **#38**
pseudotristiculus Gressitt & Rondon, 1970: 266 **A**: GUA GUX HAI **ORR** **#400**
puerilis Holzschuh, 1991b: 57 **A**: YUN **ORR** **#400**

pumilio Holzschuh, 1991c: 48 **A**: YUN **ORR** **#73**
ravus Holzschuh, 1992b: 37 **A**: SCH
reductispinosus Gressitt, 1942c: 30 [RN] **A**: FUJ HAI
brevespinosus Gressitt, 1940b: 81 [HN]
hainanensis Gressitt & Rondon, 1970: 263 [RN]
reticollis Gahan, 1894a: 28 **A**: GUX HAI YUN **ORR** **#149** **#73**
alboantennatus Gressitt & Rondon, 1970: 271 **#149**
mongtsenensis Pic, 1904c: 12 **#149**
reticulicollis Gressitt, 1940b: 82 **A**: GUA GUX HAI
ridiculus Viktora, 2023b: 107 **A**: YUN
rosae Holzschuh, 1983: 393 **A**: NP SD YUN
rosicola Holzschuh, 2006b: 294 **A**: YUN
rufus Guo & L. Chen, 2005: 407 **A**: YUN
sabinae Holzschuh, 1983: 390 **A**: NP UP
salvazai Pic, 1923b: 10 **A**: YUN **ORR**
nousophi Gressitt & Rondon, 1970: 270
sausai Holzschuh, 1995: 40 **A**: YUN
sauteri Matsushita, 1933b: 290 [RN] **A**: TAI
matsushitai Gressitt, 1936: 97
savioi Pic, 1924a: 16 (*Clytanthus*) **A**: FE GUI HEB NC SC SHA SHG SHX
sawaii Ikeda, 1990: 7 **A**: JA (Ryukyus)
scutulatus Holzschuh, 2019c: 88 **A:** SHA ZHE
semiluctuosus White, 1855: 283 (*Clytus*) **A**: GUI NP YUN **ORR** **#400**
albobifasciatus Pic, 1920a: 1
mouhoti Pascoe, 1869a: 604 (*Clytanthus*)
praecanus Chevrolat, 1863: 277 (*Rhaphuma*)
semixeniscus Hayashi, 1962a: 12 **A**: JA (Ryukyus)
senex Holzschuh, 2019c: 92 **A**: TAI
seoulensis Mitono & Cho, 1942: 3 **A**: SC SHA **#225**
siccus Holzschuh, 1991b: 57 **A**: GUI **ORR** **#523**
sikangensis Gressitt, 1945a: 126 **A**: SCH
simillimus Gressitt, 1939b: 103 **A**: FUJ JIA SCH ZHE **#400**
sincerus Viktora, 2023b: 100 **A**: HAI
spinifer Pic, 1920b: 197 **A**: YUN
stabilis Holzschuh, 2003a: 222 **A**: SHA
subai Holzschuh, 1989c: 399 **A**: BT
subobscuricolor Pic, 1918b: 5 **A**: YUN
substitutus Gressitt, 1951a: 300 **A**: TAI
sulinensis Niisato, 1984a: 12 **A**: TAI
tenuiculus Holzschuh, 1991b: 52 **A**: YUN **ORR** **#73**
testaceoannulatus Pic, 1935a: 15 **A**: YUN **ORR** **#73**
testaceus Hope, 1831: 28 (*Clytus*) **A**: NP SD
transilis Bates, 1884a: 229 **A**: JA
traudae Holzschuh, 1983: 391 **A**: NP SD YUN **#390**
trudae Holzschuh, 1983: 392 **A**: BT NP SD YUN
unidenticornis Hayashi, 1974a: 33 **A**: TAI
uniformis Pic, 1925b: 21 **A**: "India"
vendibilis Viktora & Liu, 2018c: 86 **A**: HAI
venosulus Holzschuh, 2006b: 292 **A**: SCH
viduatus Holzschuh, 2009: 343 **A**: GUX YUN **ORR** **#606**
xiaozhaizigouensis Viktora, Liu & Zhang, 2017: 158 **A**: SCH SHA
yinghuii Viktora, 2023b: 124 **A**: YUN

genus *Echinocerus* Mulsant, 1862: 143 type species *Cerambyx floralis* Pallas, 1773 [nec *Echinocerus* White, 1848 - unavailabl name, misspelling of *Echinoderus* White, 1842 (Crustacea)] **#778**
Paraplagionotus Kasatkin, 2005: 51 [unnecessary RN]
floralis armeniacus Reitter, 1890b: 213 (*Plagionotus*) **A:** AB AR GG JO IN IQ IS LE TR **#656**
anatolicus Vartanis, 2019: 344 (*Neoplagionotus*) **#517**
araratensis Pic, 1901b: 11 (*Clytus*)
clermonti Pic, 1913b: 121 (*Plagionotus*)
floralis aulicus Laicharting 1784: 103 (*Clytus*) **E**: AL AU BH BU CR ~~CT~~ CZ FR GE GR HU IT LA LT MC MD ME ~~NT~~ PL RO SB SK SL SP SZ TR UK **A**: ES KI KZ ?MG TR UZ WS **#656**
basicornis Reitter, 1890b: 213 (*Plagionotus*)
controversus Schrank, 1798: 679 (*Clytus*)
massiliensis Pic, 1951: 1 (*Plagionotus*)
floralis centaureus Lazarev, 2022a: 207 **E**: GR #656

floralis floralis Pallas, 1773: 724 (*Cerambyx*) **E**: CT KZ ST UK **A**: ES KZ WS **#30** **#182**
abruptus Kraatz, 1871b: 408 (*Clytus*)
annulus Fabricius, 1802: 352 (*Clytus*) **#627**
~~*arcuatus* Scopoli, 1772: 97 (*Stenocorus*)~~ **#628**
fasciatus Herbst, 1784: 98 (*Callidium*)
indicus Gmelin, 1790: 1856 (*Cerambyx*)
pruinosus Kraatz, 1871b: 409 (*Clytus*)
variabilis Motschulsky, 1860a: 144 (*Clytus*)
zebra Dalman, 1817b: 194 (*Clytus*)
floralis pilifer Reitter, 1890b: 213 (*Plagionotus*) **A:** TR **#656**
floralis ?ssp. n. **E:** GR (Crete) **#781**

genus *Epiclytus* Gressitt, 1935b: 173 type species *Clytus yokoyamai* Kano, 1933
Eoclytus Plavilstshikov, 1940a: 425 type species *Clytus ussuricus* Pic, 1933
insolitus Holzschuh, 1991: 45 **A:** YUN **ORR** **#36**
itoi Niisato, 1981a: 33 **A**: FUJ GUX TAI **#747**
itohi, Yu & Nara, 1988: 28, pl. 11, fig. 14
ussuricus Pic, 1933d: 10 (*Clytus*) **A**: FE HEI ?NC SC **#889**
veceri Viktora et Tichý, 2016: 66 **A:** HEN
velaris Holzschuh, 1998: 46 **A**: SCH
yokoyamai Kano, 1933a: 275 (*Clytus*) **A**: JA

genus *Grammographus* Chevrolat, 1863: 285 type species *Grammographus lineatus* Chevrolat, 1863
Elezira Pascoe, 1869a: 637 type species *Clytus balyi* Pascoe, 1859
arcuatus Matsushita, 1939: 57 (*Demonax*) **A**: TAI
flavicollis Matsushita, 1931c: 403 (*Demonax*) **A**: TAI
granulicollis Hayashi, 1974a: 31 **A**: TAI
jezoensis Matsushita & Tamanuki, 1935: 3 (*Demonax*) **A**: JA **#524** **#718**
kanoi Hayashi, 1963d: 133 [RN] **A**: TAI
monticola Kano, 1933b: 136 [HN] (*Chlorophorus*)
lineatus Chevrolat, 1863: 286 **A**: BT "India"
nansenensis Pic, 1903b: 21 (*Demonax*) **A**: YUN **ORR** **#517**
lineaticollis Schwarzer, 1931: 64 (*Demonax*)
notabilis cuneatus Fairmaire, 1888a: 35 (*Clytus*) **A**: GAN GUA HEN HUB SCH SHA YUN ZHE **#489**
semiobliteratus Pic, 1902i: 31 (*Clytanthus*)
notabilis notabilis Pascoe, 1862a: 360 (*Clytus*) **A**: FUJ GUA GUX HUB JA SC SHA TAI
alphabeticus Chevrolat, 1863: 308 (*Anthoboscus*)
spadiceus Matsushita, 1933b: 285 (*Chlorophorus*)
submaculatus Hayashi, 1974a: 32 **A**: TAI
taiwanensis Hayashi, 1966a: 6 **A**: TAI

genus *Hesperoclytus* Holzschuh, 1986a: 123 type species *Hesperoclytus katarinae* Holzschuh, 1986
bozanoi Pesarini & Sabbadini, 1997: 107 **A**: SCH SHA **#225**
katarinae Holzschuh, 1986a: 123 **A**: BT NP

genus *Ischnodora* Chevrolat, 1863: 332 type species *Ischnodora macra* Chevrolat, 1863
decolorata Holzschuh, 1995: 38 **A**: YUN
macra Chevrolat, 1863: 332 **A**: SD
angustula Holzschuh, 1983: 371
munda Holzschuh, 1990: 191 **A**: SD
sanci Viktora & Tichý, 2017a: 66 **A:** XIZ
sejugata Holzschuh, 1991a: 11 **A**: YUN **ORR**
separanda Holzschuh, 1983: 370 **A**: NP
ugyeni Holzschuh, 1989c: 397 **A**: BT

genus *Isotomus* Mulsant, 1862: 183 type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* Schneider, 1787)
Caloclytus Fairmaire, 1864a: 145 [RN] type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* D. H. Schneider, 1787)
comptus comptus Mannerheim, 1825: 36 (*Clytus*) **E**: ST UK **A**: AB AR GG IN TR **#209**
insularis Laporte & Gory, **1841**: 74 (*Clytus*)
perspicillus Fischer von Waldheim, 1832: 438 (*Clytus*)
pubicollis Laporte & Gory, 1841: 73 (*Clytus*)
comptus gilanus Pic, 1911a: 6 (*Caloclytus*) **A**: IN **#209**
maculicollis Holzschuh, 1989a: 169
comptus syriacus Pic, 1902h: 25 ["Syrie"] (*Caloclytus*) **A**: TR **#209**
meridionalis Özdikmen & Aytar, 2012b: 691 [Osmaniye prov.: Karatepe, Gündoğan] **#209**
jarmilae Sláma, 1982: 209 **E**: GR (Crete) **#209**
speciosus barbarae Sama, 1977: 66 **E:** IT **#209**

speciosus eggeri Rapuzzi & Sama, 2018: 19 **E**: GR
speciosus ganglbaueri Pic, 1900f: 64 (*Caloclytus*) **E**: BH CR ME ?SB ?SL **#14 #209**
speciosus speciosus Schneider, 1787: 125 (*Callidium*) **E**: AL AU BH BU CR CZ GE GR HU IT MC MD PL RO SB SK SL ST UK **A**: **?**AB ?AR ?GG TR **#209 #482 #583**
semipunctatus Fabricius, 1798: 151 (*Callidium*)
stierlinii Tournier, 1872: 276 (*Clytus*)
theresae Pic, 1897e: 221 (*Clytus*) **N**: AG TU **#209**

genus *Kazuoclytus* Hayashi, 1968a: 23 type species *Xylotrechus lautoides* Hayashi, 1950
fukienensis fukienensis Gressitt, 1951a: 254 (*Clytus*) **A**: FUJ JA (Ryukyus) TAI
fukienensis yukawai Makihara, 2004b: 222 (*Xylotrechus*) **A**: JA (Okinawa Is.) **#736**
lautoides Hayashi, 1950b: 25 (*Xylotrechus*) **A**: JA
planiantennatus Lim & Han, 2012: 193 (*Clytus*) **A**: SC **#525**

genus *Libanoclytus* Sama, Rapuzzi & Kairouz, 2010: 164 type species *Libanoclytus tommasoi* Sama, Rapuzzi & Kairouz, 2010
tommasoi Sama, Rapuzzi & Kairouz, 2010: 166 **A:** LE

genus *Neoclytus* J. Thomson, 1860: 67 [RN] type species *Clytus erythrocephalus* Fabricius, 1787 (= *Callidium acuminatum* Fabricius, 1775)
Rhopalopachys Chevrolat, 1860d: 457 type species *Clytus morosus* Chevrolat, 1860
Rhopalomerus Chevrolat, 1860d: 457 [HN] type species *Clytus cacicus* Chevrolat, 1860
acuminatus acuminatus Fabricius, 1775: 194 (*Callidium*) **E**i: AU BU CR FR GB GE HU IT RO SB SK SL SZ UK **NAR NTR**i **#502 #767 #952**
americanus Gmelin, 1790: 1854 (*Cerambyx*)
aspericollis Germar, 1824: 517 (*Callidium*) **#506**
erythrocephalus Fabricius, 1787: 156 (*Callidium*)

genus *Neoplagionotus* Kasatkin, 2005: 51 type species *Clytus bobelayei* Brullé, 1832 **#778**
andreui Fuente, 1908: 21 (*Plagionotus*) **E**: PT SP **#165**
marcae López-Colón, 1997: 221 (*Plagionotus*) [wrong original spelliong, unavailable name]
marcaorum López-Colón, 1997: 221 (*Plagionotus*)
marcorum López-Colón, 1998: 311 (*Plagionotus*) [unjustified emendation]
bednariki Lazarev, 2022b: 447 **A**: TR
bobelayei bobelayei Brullé, 1832: 253 (*Clytus*) **E**: AL BU GR MC RO TR **#30**
bobelayei huseyini Lazarev, 2016d: 13 **A:** AB AR GG IN ST TM TR UK
speciosus Adams, 1817: 309 [HN] (*Callidium*)
bobelayei mouzafferi Pic, 1905g: 114 (*Plagionotus*) **A**: IN IQ IS JO SY TR **#132**
luristanicus Pic, 1911a: 6 (*Plagionotus*)
persicus Pic, 1951: 1 (*Plagionotus*)
karmelicola Lazarev, 2022c: 519 **A:** IS SY
scalaris Brullé, 1832: 254 (*Clytus*) **E**: AL BU GR IT MC **N**: AG MO TU **A**: ?TR **#64 #287**
interruptus Dayrem, 1928**b**: 77 (*Plagionotus*)
siculus Laporte & Gory, **1841**: 46 (*Clytus*)
vivesi López-Colón, 1997: 221 (*Plagionotus*)

genus *Perissus* Chevrolat, 1863: 262 type species *Perissus x-littera* Chevrolat, 1863
aemulus Pascoe, 1869a: 618 **A**: YUN **ORR**
angusticinctus Gressitt, 1942g: 81 **A**: HUB ZHE
asperatus Gressitt, 1951a: 266 **A**: GUA HAI TAI
atronotatus Pic, 1937a: 12 **A**: YUN **ORR** **#400**
bauhiniae Gardner, 1936: 135 **A**: UP
biluteofasciatus Pic, 1918b: 5 **A**: YUN **ORR** **#400**
cinericius Holzschuh, 2009a: 337 **A:** YUN **ORR** **#36**
[*clavicornis clavicornis* Pic, 1927b: 34 (*Xylotrechus*) - Vietnam]
clavicornis luteopubescens Pic, 1943b: 1 **A**: CH
copei Viktora & Tichý, 2017a: 68 **A:** XIZ
crassicollis Pesarini & Sabbadini, 1997: 112 **A**: FUJ
dalbergiae Gardner, 1930: 155 **A**: PA UP
declaratus Holzschuh, 2003a: 204 **A**: GUI HUN
delectus Gressitt, 1951a: 267 **A**: SHA **#400**
delerei Tippmann, 1958a: 49 **A**: AF
dembickyi Viktora, 2021c: 157 **A:** AP
demonacoides Gressitt, 1936: 98 (*Chlorophorus*) **A**: TAI
divinus Viktora & Liu, 2018c: 91 **A**: GUX
expletus Viktora & Liu, 2018c: 92 **A**: YUN
fairmairei Gressitt, 1940c: 180 [RN] **A**: BEI HEB HEN NC NMO SC SE SHA **#400**
fuliginosus Fairmaire, 1888b: 145 [HN]

semifulvus Pic, 1916e: 13 [HN]
sinho Danilevsky, 1993d: 114
fuliginosus Chevrolat, 1863: 328 (*Amauresthes*) **A**: BT JIL NP UP XIZ **ORR** **#400**
basalis Plavilstshikov, 1927b: 106
fulvopictus Matsushita, 1933b: 276 **A**: TAI
griseus Gressitt, 1936: 95 **A**: TAI
hooraianus Matsushita, 1943: 573 (*Rhaphuma*) **A**: TAI
indistinctus Gressitt, 1940b: 72 **A**: HAI HKG **#400**
intersectus Holzschuh, 2003a: 203 **A**: SCH SHA XIZ
jiuzhaigouensis Viktora, 2016b: 72 **A:** SCH
kankauensis Schwarzer, 1925a: 26 **A**: TAI
kiangsuensis Gressitt, 1940c: 180 **A**: JIA
kimi Niisato & Koh, 2003: 292 **A**: SC
kiusiuensis hisamatsui K. Ohbayashi, 1958a: 12 **A**: JA
kiusiuensis kiusiuensis K. Ohbayashi, 1944: 4 **A**: JA **#734**
kiusiuensis nishinoi Fujita, 2023: 22 **A:** JA (Japan: Tokara Isls.)
kiusiuensis yamadai Hayashi, 1962a: 11 **A**: JA (Ryukyus)
laetus Lameere, 1893a: 283 **A**: GUA HAI YUN **ORR** **#400**
chungkonensis Gressitt, 1940b: 73
proprius Gahan, 1894a: 21
latepubens Pic, 1950b: 4 **A**: CH
lubosi Viktora, 2020c: 137 **A**: AP
luteonotatus Pic, 1943b: 2 **A**: CH
magdalenae Holzschuh, 1990: 189 **A**: NP
mimicus Gressitt & Rondon, 1970: 215 **A**: FUJ HAI HUB YUN **ORR**
multifenestratus Pic, 1926b: 1 (*Amauresthes*) **A**: SCH SHA **#151 #225**
mutabilis mutabilis Gahan, 1894a: 23 **A**: NP SD YUN **ORR**
ogasawarensis Endo, 2000: 193 **A**: JA (Ogasawara Isls.) **#734**
paulonotatus Pic, 1902i: 30 (*Clytus*) **A**: SCH YUN
persimilis Gahan, 1894: 23 **A:** YUN **ORR**
plachetkai Viktora, 2021c: 160 **A:** YUN
quercus Gardner, 1940: 218 **A**: NP UP
rayus Gressitt & Rondon, 1970: 212 **A**: GUA HAI **ORR**
rhaphumoides Gressitt, 1940c: 181 **A**: HEN JIA SHA **#225 #400**
rubricollis Gressitt, 1937c: 453 **A**: FUJ
thibetanus Pic, 1918b: 5 **A**: XIZ
trabealis Holzschuh, 2003: 205 **A**: SCH
tristiculus Fairmaire, 1895: 183 (*Clytus*) **A**: GAN GUI **ORR** **#288**
tsutsumii Makihara, 1979: 161 **A**: JA (Ryukyus)
tunicatus Viktora & Liu, 2018c: 94 **A:** YUN
wenroncheni Niisato, 1986a: 4 **A**: TAI
yangmingae Xie, Chen & Cui 2025: 390 **A:** SHX

genus *Petraphuma* Viktora, 2018b: 144 type species *Rhaphuma sulphurea* Gressitt, 1941
boreolaosica Viktora & Tichý, 2017b: 221 (*Rhaphuma*) **A**: YUN **ORR** **#827**
huangjianbini Viktora & Liu, 2018c: 97 **A**: YUN
meridiosinica Viktora & Tichý, 2017b: 226b (*Rhaphuma*) **A:** GUX HAI **#254**
pompa Viktora & Liu, 2018c: 99 **A**: HAI
sulphurea Gressitt, 1941b: 336 (*Rhaphuma*) **A**: YUN **ORR** **#254**

genus *Plagionotus* Mulsant, 1842b: 1 type species *Leptura detrita* Linnaeus, 1758 **#778**
Platynotus Mulsant, 1839: 71 [HN] type species *Leptura detrita* Linnaeus, 1758
arcuatus arcuatus Linnaeus, 1758: 399 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE ?EN FI FR GE GR HU IR IT KZ LA LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N**: AG MO TU **A**: AB GG ~~IN~~ KZ ~~SY~~ TR **#64**
apicalis Hampe, 1863: 289 (*Clytus*)
buyssoni Dauphin, 1924: 42
interrupteconnatus Schmidt, 1951: 16
lunatus Fabricius, 1782: 500 (*Callidium*)
martialis Pic, 1918d: 15
milliati Pic, 1934e: 20
~~*multiinterruptus* Pic, 1933d: 6~~
pagnioni Pic, 1925d: 10
plavilstshikovi Schmidt, 1951: 15
reichei J. Thomson, 1861: 220 (*Plagyonotus*)
salicis Schrank, 1798: 677 (*Clytus*)
stauropolibus Pic, 1915e: 7
tastani Özdikmen, Atak & Uçkan, 2017b: 89 **#559**

arcuatus ghidottii Pesarini & Sabbadini, 2011: 47 **E**: GR (Crete)
arcuatus kirgizicus Lazarev, 2010c: 161 **A:** KI
arcuatus lugubris Ménétriés, 1832: 229 (*Clytus*) **A**: AB IN TM
flavicornis Pic, 1898b: 19
henoni Pic, 1933d: 6
lenkoranus Pic, 1933d: 6
arcuatus multiinterruptus Pic, 1933d: 6 **A**: AB AR TR
arcuatus shirazensis Królik, Kruszelnicki, Lasoń & Walczak, 2021: 560 **A**: IN
bartholomei Motschulsky, 1860a: 142 (*Clytus*) **A**: AB (Talysh) IN
admirabilis Heyden, 1879a: 314 [1879b: 58] (*Clytus*)
bieberi Bodemeyer, 1927b: 93 (*Clythantus*) **A**: IN **#23**
bisbifasciatus Pic, 1915f: 13 **A**: YUN
christophi Kraatz, 1879c: 108 (*Clytus*) **A**: ANH FE HEB HEI HEN HUB JA JIL LIA NC SC SHA
detritus caucasicola Plavilstshikov, 1940: 435 **E:** ST **A**: AB AR GG GR IN SY TR **#5** **#209**
africaeseptentrionalis Tippmann, 1952a: 143 **#5** **#143** **#209**
cebecii Rapuzzi & Sama, 2018: 17 **#872**
graecus Vartanis, 2023: 172 **#759**
detritus detritus Linnaeus, 1758: 399 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IT KZ LA LT LU MC MD ME NL NT PL PT RO SB SK SL SP ST SV SZ TR UK **A**: KZ TR **#357** **#548**
anticereductus Schmidt, 1951: 14
apicebimaculatus Schmidt, 1951: 14
convertini L. Petagna, 1819: 38 (*Callidium*)
obscurebasalis Pic, 1942b: 2
rufescens Pic, 1891b: 24
uralensis Tippmann, 1952a: 144
pulcher Blessig, 1872: 184 (*Clytus*) **A**: FE HEB HEI JA JIL NC NIN SC SHA SHX
lignatorum Thieme, 1881: 100 (*Clytus*)
maculithorax Pic, 1904d: 15

genus *Pseudosphegesthes* Reitter, 1913a: 50 type species *Clytus cinereus* Laporte & Gory, 1841
bergeri Sláma, 1982: 207 **E**: GR (Crete)
brunnescens Pic, 1897g: 262 (*Clytus*) **E**: ST **A**: AB AR GG ?IN TR
circassica Pic, 1905a: 10 (*Clytus*)
bubeniki Rapuzzi & Jeniš, 2015a: 749 **E:** GR
cinerea Laporte & Gory, 1841: 68 (*Clytus*) [NP] **E**: FR GE IT SP UK
aubouerі Desbrochers des Loges, 1873a: 429 (*Clytus*)
duponti Mulsant, 1839: 84 [NO] (*Clytus*)
sternii Kraatz, 1870b: 219 (*Clytus*)
giglii Rapuzzi & Jeniš, 2015a: 751 **A:** TR
longitarsus Holzschuh, 1974a: 90 **A**: TR
samai Danilevsky, 2000b: 44 **A**: TR

genus *Psilomerus* Chevrolat, 1863: 257 type species *Psilomerus angustus* Chevrolat, 1863
laosensis Gressitt & Rondon, 1970: 277 **A**: YUN **ORR** **#400**
suturalis Gressitt & Rondon, 1970: 278 **A**: YUN **ORR** **#400**

genus *Rhabdoclytus* Ganglbauer, 1887b: 479 type species *Clytus acutivittis* Kraatz, 1879
Hayashiclytus K. Ohbayashi, 1963: 11 type species *Clytus acutivittis* Kraatz, 1879
acutivittis acutivittis Kraatz, 1879c: 111 (*Clytus*) **A**: FE HEI JA JIL LIA NC SC
acutivittis inscriptus Bates, 1884a: 229 (*Clytanthus*) **A**: JA
alternans Holzschuh, 2003: 219 (*Hayashiclytus*) **A**: SHA
elongatus Gressitt, 1940c: 184 (*Rhaphuma*) **A**: HAI HEN HUB HUN SCH SHA SHX YUN ZHE **#414**

genus *Rhaphuma* Pascoe, 1858: 240 [RN] type species *Clytus quadricolor* Laporte & Gory, 1841 **#501**
Arcyophorus Gemminger, 1872: 2938 [unjustified emendation]
Arcyphorus Chevrolat, 1863: 287 type species *Arcyphorus histrio* Chevrolat, 1863
Rhaphium A.White, 1855: 289 [HN] type species *Clytus quadricolor* Laporte & Gory, 1841
acrocarpi Gardner, 1940: 224 **A**: SD [Kalimpong]
aequalis Holzschuh, 1991b: 49 **A:** YUN **ORR**
afflata Holzschuh, 1983: 374 **A**: NP
albicolon Holzschuh, 2006b: 300 **A**: SHA
albonotata Pic, 1915f: 12 **A**: YUN
amamiensis Hayashi, 1983: 38 **A**: JA (Ryukyus)
angustata Pic, 1920a: 1 (*Chlorophorus*) **A**: YUN **#33**
anongi Gressitt & Rondon, 1970: 247 **A**: HAI YUN **ORR**
anopla Holzschuh, 1983: 377 **A**: NP SD
aokii Niisato & Chou, 2023: 134 **A**: TAI

aperta Gressitt, 1951a: 287 **A**: FUJ SCH
aranea Holzschuh, 1984c: 359 **A**: NP SD
arisana Seki & Suematsu, 1935: 203 (*Perissus*) **A**: TAI
mushana Matsushita, 1936: 147 **#524**
asellaria Holzschuh, 2017c: 116 **A**: YUN **ORR**
baibarae Matsushita, 1931c: 401 **A**: TAI
bhaktai Holzschuh, 1983: 376 **A**: NP SD
bicolorifemoralis Gressitt & Rondon, 1970: 249 **A**: GUA HAI YUN XIZ **ORR** **#176** **#400**
bii Holzschuh, 2016a: 94 **A**: XIZ
bimaculata Schwarzer, 1931a: 63 **A**: UP
binhensis Pic, 1922c: 13 (*Chlorophorus*) **A**: HAI **ORR**
~~*binotata* Hua, 1989a: 113 [RN] **A:** ?YUN **ORR**~~ **#501**
~~*elongata* Gressitt & Rondon, 1970: 240 [HN]~~
brigittae Holzschuh, 1991b: 47 **A**: NP YUN **#400**
brodskyi Holzschuh, 1992b: 28 **A:** YUN **ORR** **#176**
caraganicola Viktora & Liu, 2018c: 102 **A**: XIZ
chatterjeei Gardner, 1940: 219 **A**: NP UP
circumscripta Schwarzer, 1925a: 28 (*Chlorophorus*) **A**: TAI
clarina Gressitt & Rondon, 1970: 250 **A**: YUN **ORR**
comosella Holzschuh, 2006b: 301 **A**: XIZ
constricta Gressitt & Rondon, 1970: 243 **A**: GUX YUN **ORR** **#400**
decora Holzschuh, 1995: 39 **A**: YUN
delicata Kano, 1933b: 138 **A**: TAI **#524** **#527**
ruficollis Mitono, 1942: 92
desaii Gardner, 1940: 220 **A:** YUN **ORR**
diana Gahan, 1906a: 271 **A**: GUX YUN **ORR**
diminuta diminuta Bates, 1873: 199 (*Clytanthus*) **A**: FE JA NC SC
misella Bates, 1884a: 228 (*Clytanthus*)
diminuta nitens Hayashi, 1962a: 12 **A**: JA (Ryukyus)
diminuta ogasawarai Fujita, 2023: 25 **A**: JA (Okinawa lsls.: Okinawa-honto Is.)
disconotata Pic, 1908f: 15 (*Clytanthus*) **A**: YUN
diversevittata Pic, 1943b: 1 **A**: CH
diversipennis Pic, 1920d: 18 **A**: CH
eleodina Gressitt & Rondon, 1970: 244 **A**: YUN **ORR**
encausta Holzschuh, 1991a: 12 **A**: YUN **ORR**
falx Holzschuh, 1991b: 51 **A**: YUN **ORR**
familiaris Holzschuh, 2017c: 116 **A**: SHA
fautrix Viktora, 2021b: 140 **A**: YUN
filipedes Holzschuh, 2016a: 97 **A**: NP XIZ
frustrata Holzschuh, 1993a: 37 **A**: YUN
fulgurata bhutanica Holzschuh, 2003b: 306 **A**: BT
fulgurata fulgurata Gahan, 1906a: 274 **A**: NP SD
gracilipes Faldermann, 1835: 436 (*Clytus*) **E**: BY CT ~~?LT~~ NT PL ?RO ST ?UK **A**: BEI ES FE HEI JIL KZ MG NC NMO SC WS **#583** **#901**
~~*angusticollis* Mulsant, 1851a: 123 (*Clytus*)~~ **#907**
rosinae Pic, 1935d: 15 (*Chlorophorus*)
sachalinensis Matsumura, 1911: 139 (*Clytanthus*)
tenuicornis Fairmaire, 1888b: 142 (*Clytus*)
herminae Holzschuh, 1984c: 363 **A**: LIA NP **#400**
horsfieldi White, 1855: 284 (*Clytus*) **A**: AP GUX NP SCH SD SHA YUN **ORR** **#280**
laosensis Pic, 1923b: 9
illicata Holzschuh, 1991: 50 **A**: YUN **ORR**
ilsae Holzschuh, 1983: 379 **A**: NP SD
impressiceps Pic, 1943b: 1 **A**: CH
improba Holzschuh, 1992b: 32 **A**: GUX **ORR** **#400**
improvisa Holzschuh, 1991a: 48 **A**: YUN **ORR**
indifferens Holzschuh, 1992b: 33 **A**: YUN **ORR**
intaminata Holzschuh, 2017c: 121 **A**: UP
jianfenglingensis Viktora & Liu, 2018c: 105 **A**: HAI
joshii Holzschuh, 1984c: 361 **A**: NP SD
klapperichi Tippmann, 1955: 113 **A**: FUJ
lacrima Viktora, 2019c: 192 **A:** YUN
lanzhui Holzschuh, 1991: 48 **A**: YUN **ORR**
laojunensis Tavakilian, 2018: 40 **A**: YUN **#243**
interrupta Pesarini & Sabbadini, 2015: 52 **#176** **#243**
laosica Gressitt & Rondon, 1970: 241 **A**: GUI SCH SD YUN **ORR** **#400**

lepesmei Pic, 1950e: 507 (*Chlorophorus*) **A**: SD **#221**
liyinghuii Viktora & Liu, 2018c: 108 **A**: YUN
lubricula Holzschuh, 2003b: 306 **A**: SD
luteopubens Pic, 1937a: 13 **A:** YUN **ORR**
maceki Holzschuh, 1992b: 29 **A:** YUN **ORR** **#176**
maculicollis Gressitt & Rondon, 1970: 237 **A**: GUX HAI YUN **ORR**
manipurensis kantiae Holzschuh, 1989c: 398 **A**: BT
[*manipurensis manipurensis* Gahan, 1906: 274 - India: Manipur]
minima Gressitt & Rondon, 1970: 242 **A**: GUX HAI **ORR**
moerens Holzschuh, 1983: 378 **A**: KA NP
nigrocincta Matsushita, 1931c: 401 **A**: TAI
nigrolineata Pic, 1915b: 11 **A**: XIZ **ORR**
reducta Pic, 1927b: 31
niisatoi Han, 2017: 221 **A**: TAI
nishidai Hayashi & Makihara, 1981: 196 **A**: NP SD
obscurata Pesarini & Sabbadini, 2015: 50 **A**: YUN
ogatai Mitono, 1942: 91 **A**: TAI
parvipilosa Holzschuh, 2018a: 88 **A:** XIZ
patkaina Gahan, 1906a: 272 **A**: GUX HAI YUN **ORR**
multiinterrupta Pic, 1923b: 10
paucis Holzschuh, 1992b: 34 **A**: YUN **ORR**
petrkabateki Viktora, 2024a: 240 **A:** SCH
phiale Gahan, 1906a: 273 **A**: HAI **ORR**
pieli Gressitt, 1940b: 79 **A**: HAI HKG **#400**
pingana Pic, 1926b: 1 **A**: CH
placida Pascoe, 1858: 240 **A**: GUA HAI SCH SD YUN **ORR**
pictiventris Gressitt, 1939a: 40
praeusta Lameere, 1890: ccxii **A**: NP
pseudobinhensis Gressitt & Rondon, 1970: 249 **A**: YUN **ORR**
puella Viktora, 2019c: 195 **A:** SCH
puncticollis Holzschuh, 1992b: 34 **A**: YUN **ORR** **#400**
quadrimaculata quadrimaculata Pic, 1923b: 10 **A**: NP YUN **ORR**
quadrimaculata subobliterata Pic, 1930b: 17 **A**: YUN
querciphaga Holzschuh, 1984c: 364 **A**: NP SD YUN **#400**
quercus Gardner, 1940: 222 **A:** YUN **ORR**
rybniceki Holzschuh, 1992b: 30 **A:** YUN **ORR** **#176**
seminuda Viktora, 2016a: 140 **A**: SCH
sharmai Holzschuh, 1990: 192 **A**: NP
squamulifera Holzschuh, 2016a: 93 **A**: SCH SHA
steinkae Holzschuh, 1991a: 16 **A:** YUN **ORR**
subvarimaculata Gressitt & Rondon, 1970: 236, 245 **A:** YUN **ORR** **#400**
tenerrima Holzschuh, 1991a: 13 **A:** YUN **ORR**
testaceiceps Pic, 1915b: 11 **A**: TAI
araneipes Schwarzer, 1925a: 28
pallida Schwarzer, 1925a: 29
testaceicolor Pic, 1920d: 16 **A**: TAI
theryi Pic, 1900i: 18 (*Clytus*) **A**: HEB NMO SHG
unigena Holzschuh, 1993: 37 **A**: YUN **ORR** **#42**
ustulatula Holzschuh, 2006b: 299 **A**: SHA
virens Matsushita, 1931c: 402 **A**: TAI **#400**
formosana Mitono, 1936: 424
notabiloides Gressitt, 1936: 96
virgo Viktora et Tichý, 2016: 66 **A:** YUN
weigeli Holzschuh, 2003b: 306 **A**: NP
xenisca Bates, 1884a: 229 (*Clytanthus*) **A**: JA
zonalis Holzschuh, 2016a: 96 **A**: XIZ

genus *Sclethrus* Newman, 1842a: 247 type species *Ibidion amoenum* Gory, 1833 **#427** **#523**
Neocollyroides Schultze, 1920:196 type species *Neocollyroides macregory* Schultze, 1920
stenocylindrus Fairmaire, 1895: 184 **A**: CHQ GUA GUX HAI HUN SHA YUN **ORR** **#60** **#225**

genus *Sinoclytus* Holzschuh, 1995: 37 type species *Sinoclytus emarginatus* Holzschuh, 1995
emarginatus Holzschuh, 1995: 37 **A**: YUN

genus *Teratoclytus* D.W. Zaitsev, 1937: 213 type species *Teratoclytus plavilstshikovi* D.W. Zaitsev, 1937 **#764**
changi Hayashi, 1983: 38 **A**: TAI

plavilstshikovi D.W. Zaitsev, 1937: 213 **A**: FE JA NC NE SC SHX **#636 #764 #805**
hasegawai K. Ohbayashi, 1941b: 221 (*Epiclytus*)
simplicior Holzschuh, 1992b: 20 **A**: SHA

genus *Xylotrechus* Chevrolat, 1860d: 456 type species *Clytus sartorii* Chevrolat, 1860
subgenus *Kostiniclytus* Danilevsky, 2009a: 211 type species: *Xylotrechus zaisanicus* Plavilstshikov, 1940
alakolensis Karpiński & Szczepański, 2018: 256 **A**: KZ
arnoldii arnoldii Kostin, 1974: 647 **A**: KZ
arnoldii tenebrosus Shapovalov, 2014: 246 **A**: KZ
katerinae Shapovalov, 2014: 249 **A**: KZ
medvedevi Danilevsky, 2009a: 216 **A**: MG
volkovitshi Shapovalov, 2014: 251 **A**: TR
zaisanicus Plavilstshikov, 1940a: 354 **A**: KZ
subgenus *Ootora* Niisato & Wakejima, 2008: 442 type species *Clytus villioni* Villard, 1892 **#636**
[*khampaseuthi khampaseuthi* Holzschuh, 2007: 244 – Laos]
khampaseuthi shibatai Niisato & Wakejima, 2008: 457 **A**: GUX
magnificus Pic, 1922c: 12 **A**: GUX HAI YUN **ORR** **#400**
multiimpressus Pic, 1911d: 19 **A**: YUN
villioni Villard, 1892: li (*Clytus*) **A**: FE (Kunashir) JA
nipponicus Seki, 1935a: 92
subgenus *Rusticoclytus* Vives, 1977: 130 type species *Leptura rustica* Linnaeus, 1758 **#636**
adspersus Gebler, 1830: 181 (*Clytus*) **A**: ES FE HEI JA KZ MG NC NMO WS XIN **#63**
decemmaculatus Pic, 1917g: 5
pantherinus Savenius, 1825: 65 (*Clytus*) **E**: AU BU ?BY CT CZ FI FR GE HU IT LA LT NT PL RO SB SK ST SV SZ **A**: ES FE KZ MG WS XIN **#505 #752**
apicenotatus Pic, 1902e: 16
jakowlewi Semenov, 1899b: 134 (*Clytus*)
moei C. G. Thomson, 1874: 552 (*Platynotus*)
rusticus Linnaeus, 1758: 398 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT KZ LA LT LU MC MD ME NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N**: AG MO **A**: AB AR ES FE GG HEI JA JIA JIL IN KZ LIA MG NC NMO SC TD TM TR WS XIN
apiceocellatus Schmidt, 1951: 13
atomarius Fabricius, 1793: 332 (*Callidium*)
basinotatus Pic, 1934e: 20
brevetestaceus Pic, 1934e: 20
confusus Herbst, 1784: 98 (*Callidium*)
fauconneti Pic, 1934e: 20
hafniensis Fabricius, 1775: 190 (*Callidium*)
heros Ganglbauer, 1882: 138 (*Clytus*)
liciatus Linnaeus, 1767: 636 (*Cerambyx*)
longipes Villers, 1789: 256 (*Cerambyx*)
maculatus Gmelin, 1790: 1877 (*Leptura*)
octonotatus Gmelin, 1790: 1846 (*Cerambyx*)
omega Rossi, 1790: 154 (*Calllidium*)
oo Schrank, 1781a: 162 (*Leptura*)
signatus Geoffroy, 1785: 81 (*Leptura*)
subuniformis Pic, 1902e: 15
variegatus Geoffroy, 1785: 79 (*Leptura*)
villosoflavomaculatus Goeze, 1777: 507 (*Leptura*)
viturati Pic, 1934e: 20
salicis Takakuwa & Oda, 1978: 49 **A**: ES FE JA ?MG NC NE SC **#400**
nadezhdae Tsherepanov, 1982a: 63
subgenus *Turanoclytus* Sama, 1994e: 325 type species *Clytus namanganensis* Heyden, 1885 **#400**
asellus Thieme, 1881: 99 (*Clytus*) **E**: ST **A**: KI KZ TD TM UZ XIN **#800**
grumi Semenov, 1889a: 402 (*Clytus*)
ilamensis campadellii Sama & Rapuzzi, 2003: 92 **A**: IN
ilamensis hadullai Danilevsky, 2010f: 4 **A:** AR IN **#517**
ilamensis ilamensis Holzschuh, 1979a: 115 **A**: IN
ilamensis magnanii Rapuzzi & Sama, 2018: 14 (*Turanoclytus*) **A**: TR
ilamensis ozdikmeni Rapuzzi & Sama, 2018: 16 (*Turanoclytus*) **A**: TR
ilamensis zuvandiensis Lazarev, 2016d: 13 **A**: AB IN ST **#578**
namanganensis Heyden, 1885a: 297 (*Clytus*) **A**: AF KI KZ TD TM UZ XIN
bucharensis Semenov, 1893: 501 (*Clytus*)
namaganensis Heyden, 1885a: 297 (*Clytus*) [wrong original spelling]
subcrucifer Pic, 1903a: 4
raghidae Sama & Rapuzzi, 2000: 14 **A**: IS LE
sieversi baiocchii Rapuzzi & Sama, 2018: 11 (*Turanoclytus*) [Şirnak] **A:** TR
sieversi deyrollei Pic, 1897d: 219 (*Clytus*) [Trebizonde] **A:** TR **#209**

akbesianus Pic, 1902e: 17 [Akbés] **#209**
sieversi sieversi Ganglbauer, 1890: 429 (*Clytus*) [Kasikoporan] **A**: AB AR GG IN TR
subgenus *Xyloclytus* Reitter, 1913a: 46 type species *Clytus chinensis* Chevrolat, 1852 **#636**
altaicus Gebler, 1836: 342 (*Clytus*) **E**: CT **A**: ES FE KZ MG NE NC NMO WS **#63**
popovii Mannerheim, 1849: 241 (*Clytus*)
chinensis chinensis Chevrolat, 1852: 416 (*Clytus*) **Ei:** FRi GRi SPi **A**: ANH BEI ?FE FUJ GAN GUA GUX HEB HEN HKG HUB JA JIA JIX LIA NC SC SCH SHA SHN SHX XIZ ZHE **#60 #267**
griseofasciatus Pic, 1943b: 1
kurosawai Fujita, 2010: 34 **#524 #736**
laterufescens Pic, 1913a: 19 (*Xyloclytus*)
chinensis kobayashii Fujita, 2010: 34 **A:** JA
sauteri Schwarzer, 1925a: 26 **A**: TAI
sekii Matsushita, 1936: 146 **#524 #598**
subgenus *Xylotrechus* Chevrolat, 1860d: 456 type species *Clytus sartorii* Chevrolat, 1860 **#429 #523**
Fulvotrechus Zamoroka, 2021: 205 type species *Xylotrechus stebbingi* Gahan, 1906 **#636**
Hieroglyphotrechus Zamoroka, 2021: 205 type species *Clytus antilope* Schönherr, 1817 **#636**
Igneotrechus Zamoroka, 2021: 205 type species *Xylotrechus pyrrhoderus* Bates, 1873 **#636**
Spinotrechus Zamoroka, 2021: 204 type species *Clytus grayii* White, 1855 **#636**
albolatifasciatus Makihara, 1979: 152 **A**: JA (Ryukyus) **#734**
antilope antilope Schoenherr, 1817a: 465 (*Clytus*) **E**: AL AU BH BU BY CR CT CZ DE FR GE GR HU IT KZ LT MD ME NL NR PL PT RO SB SK SL SP ST SV SZ TR UK **A**: CY TR **#481**
~~*lentoi* Paulian, 1986: 96 (Corse)~~
hieroglyphicus Drapiez, 1819b: 294 [HN] (*Callidium*)
sekerai Paulian, 1986: 95 (Corse)
antilope bitlisiensis S.Marklund & D.Marklund, 2013: 7 **A**: AB AR GG TR **#316**
antilope obliquefasciatus Pic, 1890a: 3 (*Clytus*) **N**: AG MO TU
apiceinnotatus Pic, 1937b: 8 **A:** YUN XIZ **ORR**
vomeroi Pesarini & Sabbadini, 2015: 47
arunensis Holzschuh, 1982b: 151 **A**: NP
arvicola arvicola Olivier, 1800: 64 (*Callidium*) **E**: AL AU BE BH BU BY CR ~~CT~~ CZ EN FR GE GR HU IT KZ LA LT LU MC MD ME NL PL PT RO SB SK SL SP ~~ST~~SZ TR UK **N**: AG MO **#373 #752 #803**
abbreviatus Schmidt, 1951: 14
herzegovinus Pic, 1913b: 98
heydeni Stierlin, 1864: 152 (*Clytus*) [Sicilia]
inbasalis Pic, 1911a: 6 (Saratov)
kraatzii Lederer, 1864: 485 (*Clytus*)
subangulosus Pic, 1934e: 21§
tridentatus Bleuse, 1905: 21 (*Clytus*)
arvicola inbasalis Pic, 1911a: 6 (Saratov) **E:** CT KZ ST UK **A**: KZ WS
planarius Danilevsky, 2016b: 169 (Russia, Bashkiria)
arvicola iranicus Rapuzzi & Sama, 2014a: 7 **A:** AB IN **#106**
arvicola lazarevi Danilevsky, 2016b: 171 **E:** ST **A**: AB AR GG IN ?SY TR
atronotatus angulithorax Gressitt, 1934: 165 **A**: HUB JA (Ryukyus)
atronotatus atronotatus Pic, 1917h: 11 **A**: FUJ HAI JIL LIA TAI **#400 #525**
aureobrunneus Gressitt, 1934: 166 **#347**
cinerascens Matsushita, 1933b: 268
formosanus Schwarzer, 1925a: 26 **#347**
atronotatus draconiceps Gressitt, 1951a: 240 **A**: GUA JIX
atronotatus generosus Matsushita, 1933b: 270 **A**: JA (Ryukyus)
badachschanicus Tippmann, 1958a: 48 **A**: AF
bandaishanus Mitono, 1941a: 92 **A**: TAI **#347**
basifuliginosus Heller, 1926: 23 **A**: HP NP
bilyi Holzschuh, 2003a: 199 **A:** YUN **ORR**
binotaticollis Gressitt, 1939a: 36 **A**: GUA
boreosinicus Gressitt, 1951a: 241 **A**: HUB SHA
brevicillus Chevrolat, 1863: 323 **A**: CH
buqueti Laporte & Gory, 1841: 86 (*Clytus*) **A**: FUJ GUA GUX HAI HUN JIX NP SHA XIZ YUN **ORR** **#75**
brevicornis Pascoe, 1869a: 608
phidias Newman, 1842a: 246 (*Clytus*)
siamensis Chevrolat, 1863: 318
capricornus Gebler, 1830: 182 (*Clytus*) **E**: AU CT CZ KZ PL SK ST(Saratov) UK **A**: KZ WS
chatterjeei Gardner, 1940: 219 (*Perissus*) **A**: HAI **ORR** **#415**
chhetrii Holzschuh, 1989c: 396 **A:** BT **#344**
chujoi chujoi Hayashi, 1960d: 24 **A**: JA (Ryukyus)
chujoi ishigakianus K. Ohbayashi, 1964: 22 (*Perissus*) **A**: JA (Ryukyus)
tinsunshi K. Ohbayashi & N. Ohbayashi, 1965: 3 (*Clytus*)
clarinus Bates, 1884a: 231 **A**: FE JA

cuneipennis Kraatz, 1879c: 110 (*Clytus*) **A**: ES FE HEB HEI HEN HUB JA JIL LIA MG NC SC XIN
albifilis Bates, 1884a: 232
decolor Thieme, 1881: 101 (*Clytus*)
jilinensis Z. Wang, 2003: 237, 395
pallidipennis Matsumura, 1906: 154
daoi Gressitt & Rondon, 1970: 206 **A**: GUX YUN **ORR**
deletus Lameere, 1893a: 282 **A**: HKG **ORR** **#400**
dembai Viktora, 2020c: 142 **A**: AP
diversesignatus Pic, 1908f: 15 **A**: SCH XIZ YUN **#400**
djoukoulanus Pic, 1920d: 18 **A**: YUN
dominula White, 1855: 261 (*Clytus*) **A**: BEI FUJ GUA HEN NO ZHE **#598**
emaciatus Bates, 1884a: 231 **A**: JA **#400**
niijimai Matsushita, 1933b: 277 (*Perissus*)
[*gestroi gestroi* Gahan, 1894: 19 – Burma]
gestroi laosensis Gessitt & Rondon, 1970: 201 **A**: NP **ORR**
goetzi Heyrovský, 1970a: 131 **A**: GAN
grayii grayii White, 1855: 261 **A**: BEI FUJ GAN GUA GUI HKG HEB HEN HUB HUN JA JIA LIA NE SC SCH SHA SHG SHN ~~TAI~~ XIZ YUN **#598** **#636**
grayii hachijoensis Takakuwa, 1984: 10, 317 **A**: JA (Izu Isls.) **#636**
grayi nakamurai Fujita, 2017: 48 **A:** JA (Ryukyus) **#636**
grayii tsuyukii Fujita, 2023: 22 **A:** TAI
grayii yaeyamanus Takakuwa, 1984: 10 **A**: JA (Ryukyus) ~~TAI~~
bisiniapicalis Takakuwa,1984: 317
hampsoni Gahan, 1890a: 54 **A**: BT UP **ORR** **#336** **#344**
unicarinatus Pic, 1917b: 20
hircus Gebler, 1825: 54 (*Clytus*) **A**: BEI ES FE HEB HEI JA JIL KZ LIA MG ?NC NMO SC WS XIN **#598**
decolor Thieme, 1881: 101 (*Clytus*)
ibex ibex Gebler, 1825: 53 [Altai] (*Clytus*) - **E**: ?BY CT FI GE NT PL ST KZ **A**: BEI KZ LIA MG NC NE NIN NMO SC SHA WS XIN **#598** **#752** **#786**
angulosus Motschulsky, 1875: 150 [environs du Lac Inderskoe près de l'Oural] (*Clytus*)
ibex rectangulus Motschulsky, 1875: 149 [Daourie méridionale] (*Clytus*) **A**: BEI ES FE FUJ GAN HEI HUN JIL LIA MG NC NE NIN NMO SC SHA WS XIN **#786**
fugitivus Thieme, 1881: 100 [Amur] (*Clytus*)
interruptus Pic, 1902e: 17, 19 [Sibérie, ?Japon]
incurvatus contortus Gahan, 1906a: 249 **A**: BT FUJ GUA GUX HUB HUN NP SCH SD SHA **ORR** **#336** **#344** **#390**
unicarinatus Pic, 1917b: 20
biarcuatus Pic, 1917d: 6
incurvatus incurvatus Chevrolat, 1863: 331 (*Amauresthes*) **A**: ?BT FUJ GAN GUA HEB HKG HUN ?NP SC (Mt. Soyosan) SCH ?SD TAI XIZ YUN **ORR** **#60** **#63**
inflexus Viktora & Liu, 2018c: 110 **A**: GUX
janbar Niisato & N. Ohbayashi, 2002: 34 **A**: JA (Ryukyus) **#734**
javanicus Laporte & Gory, 1841: 87 (*Clytus*) **A**: AP GUA GUX HAI HEN HUB HUN JIA NP SCH YUN ZHE **ORR** **#280** **#390**
coffeophagus G. Richter, 1876: 250 (*Cucujus*)
lyratus Pascoe, 1869a: 610
quadripes Chevrolat, 1863: 315
sappho Pascoe, 1858: 239 (*Clytus*)
kayoensis Mitono & Kira, 1934: 589 **A**: TAI
klapperichi Gressitt, 1951a: 245 **A**: FUJ
kosempoensis Heyrovský, 1955b: 259 **A**: TAI
kuatunensis Gressitt, 1951a: 246 **A**: FUJ GUI YUN
kucerai Viktora, 2021a: 173 **A**: SHA
latefasciatus latefasciatus Pic, 1936c: 4 **A**: FUJ HUN JIX TAI ZHE
serraticornis Mitono, 1941a: 101
latefasciatus ochroceps Gressitt, 1951a: 247 **A**: CHQ SCH SHA XIN XIZ **#400**
lateralis Gahan, 1906: 244 **A**: XIZ YUN **ORR**
fracturis Guo & L. Chen, 2002c: 256
junctus Pic, 1927b: 34
multisignatus Pic, 1916h: 314
quadrisignatus Pic, 1927b: 34
triangulifer Pesarini & Sabbadini, 2015: 46
lautus fujitai Takakuwa, 1984: 10 **A**: JA (Ryukyus)
lautus lautus Matsushita, 1933b: 273 (*Clytus*) **A**: JA
lepesmei Pic, 1950e: 508 **A**: NP SD
difformis Holzschuh, 1983: 369
liciatulus Holzschuh, 2006c: 483 **A**: SD
longithorax Pic, 1922c: 13 **A**: HAI NP YUN **ORR** **#400**
marketae Viktora & Liu, 2018c: 112 **A**: YUN

mixtus Plavilstshikov, 1940a: 360 **A**: FE
monticola Gahan, 1906a: 251 (*Clytus*) **A**: KA PA XIZ YUN
mucidulus Holzschuh, 2009a: 330 **A**: SHA **ORR** **#225**
multinotatus Pic, 1904c: 11 **A**: YUN
nigrosulphureus Gressitt, 1940b: 69 **A**: HAI
ogasawarensis Matsushita, 1933: 43 **A**: JA (Ogasawara Isls.)
pavlovskii Plavilstshikov, 1954: 471 **A**: FE ?NC SC
pekingensis Pic, 1939b: 3 **A**: BEI HEB NC SC SHA **#598**
sangkyuni Fujita, 2023: 21 (South Korea) **#719**
petrae Viktora, 2020c: 150 **A**: SCH
pici Heyrovský, 1935b: 115 **A**: SCH
polyzonus Fairmaire, 1888b: 143 (*Clytus*) **A**: BEI FE ~~GUA~~ HEB HUB LIA NC SC SHA ~~YUN~~ **#400**
bifenestratus Pic, 1916g: 180 **#400** **#598**
jeholensis Kano, 1935: 5
pyrrhoderus nigrosternus Gressitt, 1939a: 38 **A**: GUA HEN
pyrrhoderus pyrrhoderus Bates, 1873: 200 **A**: ANH BEI CHQ FUJ GAN GUA GUI HUB JA JIA JIL JIX LIA NC SC SCH SHA SHG SHN SHX ZHE **#598** **#779**
quattuordecimmaculatus Guo & L. Chen, 2002c: 256 **A**: YUN
reductemaculatus ohtsuboi Fujita, 2010: 35 **A:** JA (Ryukyus)
reductemaculatus reductemaculatus Hayashi, 1968c: 14 **A**: JA (Ryukyus)
retractus Holzschuh, 1998: 44 **A**: SHA
robusticollis Pic, 1936c: 4 (*Clytus*) **A**: BEI GUI HEB HUB HUN JIX LIA SCH SHA **#400** **#598**
rufilius kadowakii Nakane, 1981: 39 **A**: JA (Oki Is.)
rufilius rufilius Bates, 1884a: 233 **A**: BEI CHQ FE FUJ GUA GUI GUX HAI HEB HEI HEN HKG HUB HUN JA JIL JIX LIA NC SC SCH SHA SHN SHX TAI YUN ZHE **ORR** **#598**
atrithorax Pic, 1910g: 30
decoloratipes Pic, 1910g: 30
gahani Stebbing, 1914: 352
irinae Plavilstshikov, 1925: 360
magnicollis Fairmaire, 1888a: 34 (*Clytus*) **#732**
renominatus Beeson, 1919: 151
rufoapicalis Pic, 1926b: 1 **A**: YUN
rufobasalis Pic, 1937b: 7 **A**: HUB YUN **ORR** **#400**
rufonotatus Gressitt, 1936: 94 **A**: TAI
savioi Pic, 1935g: 177 **A**: GUI HEN HKG HUN YUN ZHE **#400**
securus Holzschuh, 2009a: 323 **A:** GUI **ORR** **#623**
tristisfacies Sh. Yang & W. Yang, 2017: 82
shimomurai Ikeda, 1994: 353 **A**: TAI
sikangensis Gressitt, 1942b: 3 **A**: GUI SCH SHA
smei Laporte & Gory, 1841: 37 (*Clytus*) **A**: AF BT IS NP PA SD **ORR** **#274** **#280** **#390** **#439**
stebbingi Gahan, 1906a: 244 **E**i: ALi BUi CRi FRi GEi GRi ITi PTi SLi SPi SZi **N**: TUi **A**: AF BT ISi LEi NP PA SD SYi TAI TD TRi UP XIN XIZ **ORR** **#74** **#117** **#127** **#189** **#400** **#464** **#505**
subcarinatus Gardner, 1939: 8 **A**: NP UP
subdepressus Chevrolat, 1863: 329 (*Amauresthes*) **A**: NP SD
subditus Chevrolat, 1863: 314 **A**: KA
subscalaris basalis Schwarzer, 1925a: 25 **A**: HAI TAI **#347**
subscalaris subscalaris Pic, 1917h: 11 **A**: SC (Jejudo Is.) **#347** **#525**
subscutellatus Chevrolat, 1863: 317 **A**: HP UP **ORR** **#127**
insipiens Chevrolat, 1863: 321
putzeysi Chevrolat, 1863: 320 **#127**
sangkyuni Fujita, 2023: 21 **A**: SC
suzukii Holzschuh, 1984c: 356 **A**: TAI
takakuwai Kusama, 1977: 17 **A**: JA (Ogasawara Isls.)
tanoni Gressitt & Rondon, 1970: 208 **A**: YUN **ORR**
vinnulus Holzschuh, 1993a: 35 **A:** YUN **ORR**
wenii Han & Niisato, 2010: 249 **A:** TAI
yanoi Gressitt, 1934: 164 **A**: ~~BEI GUI ?HEB~~ JA ~~NMO SC ?SHA ORR~~ **#598** **#719**
zebratus Matsushita, 1938a: 93 **A**: JA
zhouchaoi Viktora & Liu, 2018c: 114 **A**: YUN
subgenus ???
gratus Viktora, 2020c: 146 **A**: SCH

tribe Compsocerini J. Thomson, 1864: 260

genus *Acrocyrtidus* Jordan, 1894b: 499 type species *Acrocyrtidus fasciatus* Jordan, 1894
subgenus *Acrocyrtidus* Jordan, 1894b: 499 type species *Acrocyrtidus fasciatus* Jordan, 1894
Lautitia Matsushita, 1933b: 226 type species *Lautitia elegantula* Matsushita, 1933
Mausaridaeus Pic, 1903c: 29 type species *Mausaridaeus diversinotatus* Pic, 1903
argenteofasciatus Pic, 1903c: 30 (*Mausaridaeus*) **A**: HAI **ORR**
diversinotatus Pic, 1903c: 30 (*Mausaridaeus*) **#444**
argenteus Gressitt & Rondon, 1970: 189 **A**: HAI HUN YUN **ORR** **#400**
attenuatus Pic, 1927b: 29 (*Mausaridaeus*) **A**: HAI **ORR** **#443**
aurescens Gressitt & Rondon, 1970: 186 **A**: YUN **ORR** **#400**
auricomus Holzschuh, 1982a: 70 **A**: NP
avarus Holzschuh, 1989a: 165 **A**: HUN YUN **ORR** **#400**
aurescens Gressitt & Rondon, 1970: 186 **A**: YUN **ORR** **#289**
elegantulus elegantulus Matsushita, 1933b: 226 (*Lautitia*) **A**: TAI
longipes Matsushita, 1941: 152 (*Mausaridaeus*) **#450**
elegantulus longicornis Hayashi, 1962a: 10 **A**: JA
fulvus Gressitt & Rondon, 1970: 186, 188 **A:** HAI **ORR** **#261**
jianfeng Viktora & Liu, 2018: 122 **A:** HAI
simianshanensis Chiang & L. Chen, 1994: 107 **A**: CHQ SCH **#400**
wenxinae Holzschuh, 2021a: 98 **A**: GUX

genus *Eduardiella* Holzschuh, 1993a: 32 type species *Eduardiella pretiosa* Holzschuh, 1993
dayaoshana Niisato & Liu, 2018: 275 **A:** GUX
pretiosa Holzschuh, 1993a: 32 **A**: YUN

genus *Eurybatus* J. Thomson, 1861: 233 type species *Eurybatus hariolus* J. Thomson, 1861 **#400**
subgenus *Eurybatodes* Semenov, 1911: 121 type species *Rosalia bouvieri* Boppe, 1910
bouvieri Boppe, 1910: 235 (*Rosalia*) **A**: SCH XIZ YUN
subgenus *Eurybatus* J. Thomson, 1861: 233 type species *Eurybatus hariolus* J. Thomson, 1861
Eurybatorosalia Plavilstshikov, 1934a: 142 type species *Rosalia lesnei* Boppe, 1911
decempunctatus Westwood, 1848: 59 (*Purpuricenus*) **A**: AP GUA GUI GUX HAI HUB SD XIZ YUN "North India" **ORR** **#280**
insulanus Kriesche, 1920b: 112 (*Rosalia*)
dejeani Vuillet, 1911b: 247 (*Rosalia*) **A**: SCH
ferriei Vuillet, 1911a: 79 (*Rosalia*) **A**: JA (Ryukyus)
formosus convivus Csiki, 1911: 612 (*Rosalia*) **A**: TAI
formosus formosus Saunders, 1839: 178 (*Cerambyx*) **A**: AP NP SD XIZ **ORR** **#280**
formosusnigroapicalis Pic, 1910g: 36 **A**: YUN **#400**
formosus pallens Gressitt, 1945a: 124 (*Rosalia*) **A**: GUI GUX HUB HUN SCH **ORR** **#400**
gravidus Lameere, 1887: 166 (*Rosalia*) **A**: XIZ SD "Himalaya" **ORR**
hariolus J. Thomson, 1861: 250 **A**: BT NP SD
nakanishii Hayashi & Makihara, 1981: 189 (*Rosalia*)
kubotai Takakuwa, 1994: 2 (*Rosalia*) **A**: GUX HAI **ORR**
lateritius Hope, 1831: 27 (*Lamia*) **A**: AP NP SD XIZ **ORR** **#280**
lesnei Boppe, 1911b: 103 (*Rosalia*) **A**: JA TAI
asahinai Mitono, 1943: 587
pachycornis Takakuwa & Karube, 1997: 8 (*Rosalia*) **A**: YUN **ORR**

genus *Luteicenus* Pic, 1922: 25 type species *Purpuricenus atromaculatus* Pic, 1922
Latecyrtidus Vives & Niisato, 2011: 359 type species *Latecyrtidus yamasakoi* Vives & Niisato, 2011
atromaculatus Pic, 1922: 25 (*Purpuricenus*) **A:** YUN **ORR**
yamasakoi Vives & Niisato, 2011: 105 (*Latercyrtidus*)
cheni Holzschuh, 2019b: 92 **A:** GUX
congruus Holzschuh, 2019b: 93 **A:** GUX
magnificus Rapuzzi & Sama, 2014a: 6 **A:** GUX

genus *Platycyrtidus* Vives & Niisato, 2011: 364 type species *Acrocyrtidus delicatulus* Holzschuh, 2009
yinghuii Viktora & Liu, 2018: 139 **A:** HAI

genus *Pseudocallidium* Plavilstshikov, 1934f: 226 type species *Pseudocallidium violaceum* Plavilstshikov, 1934
obscuriaeneum Hayashi, 1969a: 62 **A**: TAI
violaceum Plavilstshikov, 1934f: 226 **A**: SCH SHA **#225**

genus *Rosalia* Audinet-Serville, 1834a: 561 type species *Cerambyx alpinus* Linnaeus, 1758
Charmides Gistel, 1848b: [2] [unnecessary substitute name]
Rosaliaoides Özdikmen, 2025u: 3308 type species *Rosalia batesi* Harold, 1877 **#858**
alpina Linnaeus, 1758: 392 (*Cerambyx*) **E**: AL AU BH BU ~~BY~~ CR CT CZ FR GE GR HU IT LS MA MC MD ME NL PL RO SB SK SL SP ST SV SZ TR UK **A**: AB AR GG TR WS **#701** **#752** **#796**

bifasciata Reitter, 1900b: 131
brancsiki Pic, 1911a: 5
bystricensis Roubal, 1937: 82
cepelaki Pic, 1933d: 6
connexa Reitter, 1900b: 131
croissandeaui Pic, 1891b: 22
gelineki Zoufal, 1906: 264
geminata Reitter, 1900b: 131
interrupta Reitter, 1900b: 131
korbeli Roubal, 1937: 82
kyselyi Zoufal, 1906: 264
latemaculata T. Pic, 1908h: 33
multimaculata T. Pic, 1900a: 12
obliterata T. Pic, 1900a: 12
parvonotata Reitter, 1900b: 132
prolongata Reitter, 1900b: 131
pilosa Poda von Neuhaus, 1761: 32 (*Cerambyx*)
quadrimaculata Ragusa, 1905: 8
quadripunctata Reitter, 1901d: 202
transsylvanica Pic, 1908g: 20
triformis Roubal, 1937: 81
v-notata T. Pic, 1908: 33
uzunkumensis Podaný, 1963a: 10
batesi Harold, 1877: 360 **A**: JA **#525**
coelestis Semenov, 1911: 118 **A**: BEI FE GUA GUX HEB HEI HEN JIL NC SC SCH SHA SHN XIZ **#400** **#525**
houlberti Vuillet, 1911b: 215 **#400**
yanagii Fujita & Akita, 2020: 43 [Tsushima Is.] **#517** **#736**
lameerei Brongniart, 1890: cxxi **A**: GUX SCH YUN **ORR**
bireducta Dayrem, 1935: 25
quadrinotata Dayrem, 1935: 25
semireducta Pic, 1910g: 30
unireducta Pic, 1937a: 11
syriaca Pic, 1895e: cclxxxv **A**: TR **#796**

tribe Deilini Fairmaire, 1864

genus *Deilus* Audinet-Serville, 1834b: 73 type species *Callidium fugax* Olivier, 1790
Deilosoma Fairmaire, 1864a: 804 (type species *Callidium fugax* Olivier, 1790) [nomen nudum] **#858**
Dilus Agassiz, 1846: 124 [unjustified emendation]
fugax Olivier, 1790: 253 (*Callidium*) **E**: AL AU BE BH BU BY CR CT CZ FR GR HU IT KZ LU MD ME PL PT RO SK SL SP ST SZ UK **N**: AG MO LB TU **A**: AB AR CY GG IN IS JO ~~KZ~~ LE SY TR WS **#11**
ceramboides Rossi, 1794: 99 (*Necydalis*)
rugosicollis kadleci Rapuzzi & Sama, 2012a: 669 **A:** CY
rugosicollis rugosicollis Rapuzzi & Sama, 2012a: 669 **A:** LE TR SY IS **#182**

genus *Delagrangeus* Pic, 1892q: xciii type species *Delagrangeus angustissimus* Pic, 1892
subgenus *Delagrangeus* Pic, 1892q: xciii type species *Delagrangeus angustissimus* Pic, 1892
Edithia Reitter, 1899: 160 type species *Edithia carbonaria* Reitter, 1899 (= *Delagrangeus angustissimus* Pic, 1892)
Mimophymatodes Pic, 1920e: 21 type species *Mimophymatodes asiaticus* Pic, 1920 (= *Delagrangeus angustissimus* Pic, 1892)
angustissimus angustissimus Pic, 1892q: xciii **A**: TR
asiaticus Pic, 1920e: 21 (*Mimophymatodes*)
carbonarius Reitter, 1899: 160 (*Edithia*)
angustissimus liviae Pesarini & Sabbadini, 2004a: 93 **E**: GR (Rodos)
angustissimus troodi Sama, 1994f: 556 **A**: CY LE
subgenus *Gertius* Sama, 1994f: 557 type species *Delagrangeus schurmanni* Sama, 1985
schurmanni Sama, 1985c: 97 **N**: CI

genus *Prosype* J. Thomson, 1864: 248 type species *Oeme filiformis* Buquet, 1859
juniperi Holzschuh, 1993b: 120 **A**: SA YE

tribe Graciliini Mulsant, 1839

genus *Arabogracilia* Rapuzzi & al Dhafer, 2024: 332 type species *Arabogracilia saudita* Rapuzzi1 & al Dhafer, 2024
saudita Rapuzzi & al Dhafer, 2024: 188 **A:** SA

genus *Axinopalpis* Dejean, 1835: 332 type species *Obrium gracile* Krynicki, 1832
Axinuchus Gemminger, 1872: 2840 [unnecessary RN]
alberti Sama, Rapuzzi & Kairouz, 2010: 148 **A:** LE
barbarae barbarae Sama, 1992b: 303 **A**: CY
barbarae consobrinus Sama, 1992b: 303 **A**: CY

gracilis christinae Rapuzzi, 1995: 618 **E**: GR
gracilis diversicornis Özdikmen & Koçak, 2023a: **A**: TR
?*latior* Pic, 1896b: 35 [Akbès]
gracilis gracilis Krynicki, 1832: 162 (*Obrium*) **E**: AL AU BH BU CR CT ~~GR~~ CZ GE GR HU IT ~~LA LT~~ MC MD ME PL RO SB SK SL ST UK **A**: GG IS SY TR **#7 #557 #901**

genus *Gracilia* Audinet-Serville, 1834b: 81 type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)
Aphelocera Gistel, 1848b: [2] type species *Callidium vini* Panzer, 1799 (= *Saperda minuta* Fabricius, 1781)
Nothrus Haldeman, 1847: 43 type species *Nothrus fuscus* Haldeman, 1847 (= *Saperda minuta* Fabricius, 1781)
Oesyophila Bedel, 1894: 156 [RN] type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)
minuta Fabricius, 1781: 235 (*Saperda*) **E**: AL AU AZ BE BH BU CR CT CZ DE ?EN FI FR GB GE GR HU IR IT KZ LA ?LT LU MA MD ME NL NT NR PL PT RO SB SK SL SP ST SV ?SZ TR UK **N**: AG CI EG MO MR TU **A**: AB AR GG GUI HEN IN KZ NE NO NW SHA TR WS **AURi NARi NTRi ORR** **#115 #104 #901**
albanica Csiki, 1931: 278
approximata Fairmaire, 1883b: clix
fusca Haldeman, 1847: 43 (*Nothrus*)
obliquata Horn, 1885: 174
picea Fabricius, 1793: 317 (*Saperda*)
pygmaea Fabricius, 1793: 323 (*Callidium*)
vini Panzer, 1799: 10 (*Callidium*)

genus *Hybometopia* Ganglbauer, 1889b: 282 type species *Hybometopia starcki* Ganglbauer, 1889
starcki ivani Sama, 1996c: 106 **A**: TR
starcki starcki Ganglbauer, 1889b: 285 **E**: ST **A**: GG TR

genus *Ischnorrhabda* Ganglbauer, 1889a: 61 type species *Ischnorrhabda macilenta* Ganglbauer, 1889 **#818**
Cylindroeme **Vives, 2019**: 1 type species *Cylindroeme vietnamica* Vives, 2019
macilenta Ganglbauer, 1889a: 64 **A**: GAN SCH **#400 #525**
shii Wang Y., Xie & Wang W. 2022: 127 (*Cylindroeme*) **A**: QIN
vietnamica Vives, 2019: 1 (*Cylindroeme*) **A**: GUI **ORR** **#663**
yunnanensis Lin & Li K.- (*Cylindroeme*) Q. 2022: 295 **A**: YUN

genus *Lucasianus* Pic, 1891b: 42 type species *Cerambyx levaillantii* P. H. Lucas, 1847 **#778**
levaillantii P. H. Lucas, 1847: pl. 41 (*Cerambyx*) **E**: FR PT SP **N**: AG MO

genus *Nisibistum* J. Thomson, 1878a: 29 type species *Nisibistum kaisanum* J. Thomson, 1878
kaisanum J. Thomson, 1878a: 30 **A**: CH

genus *Penichroa* Stephens, 1839: 270 type species *Callidium fasciatum* Stephens, 1831
Exilia Mulsant, 1862: 195 type species *Callidium timidum* Ménétriés, 1832 (= *Callidium fasciatum* Stephens, 1831)
Graecoeme Adlbauer, 2006: 379 type species *Graecoeme eggeri* Adlbauer, 2006
Liagrica Costa, 1855: 59 type species *Callidium timidum* Ménétriés, 1832 (= *Callidium fasciatum* Stephens, 1831)
fasciata Stephens, 1831: 250 (*Callidium*) **E**: AL BH BU CR FR GR IT MA MC ME PT SB SL SP ST TR UK **N**: AG EG LB MO TU **A**: AB AR CY GG IN IS SY TM TR
bipunctata Zubkov, 1833: 336 (*Callidium*) [Turcmenie]
brunnea Tournier, 1872: 280 (*Exilia*)
champlaini Knull, 1941: 695 (*Tylonotus*)
eggeri Adlbauer, 2006: 381 (*Graecoeme*)
fagnezi Pic, 1945b: 6
fasciolata Krynicki, 1834: 170 (*Callidium*)
lugubris Ragusa, 1884: 333 (*Exilia*)
timida Ménétriés, 1832: 228 (*Callidium*)

genus *Tritomacrus* Newman, 1833: 510 type species *Tritomacrus testaceus* Newman, 1833
testaceus Newman, 1833: 510 **E:** IR **#815**

tribe Hesperophanini Mulsant, 1839
subtribe Daramina Sama, 2008

genus *Daramus* Fairmaire, 1892a: 121 type species *Daramus serricornis* Fairmaire, 1892
major macrops Peyerimhoff, 1943: 27 (*Tetropiopsis*) **N**: AG LB MO TU
mehennii Sama, 1994d: 176
sahrawi Sama & Rapuzzi, 2008: 224
major major Pic, 1924c: 30 (*Tetropiopsis*) **A**: SI
serricornis Fairmaire, 1892a: 121 **N**: EG **A**: YE OM **AFR** **#774**

subtribe Hesperophanina Mulsant, 1839

genus *Blabinotus* Wollaston, 1854: 425 type species *Blabinotus spinicollis* Wollaston, 1854
spinicollis Wollaston, 1854: 426 **N**: CI MR

genus *Gnatholea* J. Thomson, 1861: 375 type species *Gnatholea eburifera* J. Thosmon, 1861
biseburata Mitono, 1939: 148 **A**: GUI JA (Ryukyus) TAI **#400**
loochooana K. Ohbayashi & N. Ohbayashi, 1965: 1
eburifera J. Thomson, 1861: 375 **A**: GUI GUX HAI HKG YUN **ORR** **#400**
simplex Gahan, 1890a: 53 **A**: AP SD **ORR** **#280**
subnuda Lacordaire, 1868: 284 **A**: YUN **ORR** **#400**

genus *Hesperoferus* Demelt, 1971: 6 type species *Hesperoferus canariensis* Demelt, 1971 (= *Callidium roridum* Brullé, 1839)
machadoi Sama & Schurmann, 1983: 61 (*Trichoferus*) **N**: CI
artemisiphagus Leiler, 1984: 155 (*Hesperophanes*)
roridus Brullé, 1839: 62 (*Callidium*) **N**: CI
canariensis Demelt, 1971: 5

genus *Hesperophanes* Dejean, 1835: 328 type species *Callidium sericeum* Fabricius, 1787
andresi Sama & Rapuzzi, 2006: 183 **N**: EG TU **#778** **#909**
heydeni Baeckmann, 1923: 66 **A**: KZ MG NMO UZ XIN
melonii Fancello & Cillo, 2012: 255 **E:** IT (Sardegna)
pilosus Bodungen, 1908: 179 **A**: AB IN **#766**
sericeus Fabricius, 1787: 152 (*Callidium*) **E**: AL BH CR FR GR IT MA MC ME PT ?SB SP ST ?SZ UK **N**: AG EG LB MO TU **A**: AB AR CY GG IN IQ IS JO LE SY TM TR **#74** **#115** **#464** **#909**
latreillei Brullé, 1832: 256 (*Callidium*)
rotundicollis P. H. Lucas, 1842: 185

genus *Jebusaea* Reiche, 1878b: cliii type species *Jebusaea hammerschmidti* Reiche, 1878
Bagdatocerambyx Pic, 1901c: 11 type species *Bagdatocerambyx drurei* Pic, 1901
Pseudophilus Gahan, 1893a: 256 type species *Pseudophilus testaceus* Gahan, 1893
hammerschmidti Reiche, 1878b: cliv **A**: AE IN IQ OM QA SA
drurei Pic, 1901c: 11 (*Bagdatocerambyx*)
persica Reitter, 1907b: 217
testacea Gahan, 1893a: 256 (*Pseudophilus*)

genus *Stromatium* Audinet-Serville, 1834b: 80 type species *Callidium barbatum* Fabricius, 1775
Solenophorus Mulsant, 1839: 65 type species *Callidium strepens* Fabricius, 1798 (= *Callidium unicolor* Olivier, 1800)
auratum Böber, 1793: 135 (*Saperda*) **E**: AL BH BU CR FR GE GR HU IT LA MA MC ME PT RO SB SL SP ST TR UK **N**: AG EG MO MR TU LB **A**: AB AR CY GG IN IQ IS JO LE SY TM TR **#290**
fulvum Villers, 1789: 256 (*Cerambyx*) [HN]
inerme Tournier, 1872: 260
pallidum Zubkov, 1833: 336 (*Callidium*)
platifemur Chevrolat, 1882: 57 (*Hesperophanes*)
strepens Fabricius, 1798: 150 (*Callidium*)
unicolor Olivier, 1800: no. 70: 58 (*Callidium*) **#373**
barbatum Fabricius, 1775: 189 (*Callidium*) **A**: AP BT HP NP OM PA YE **AFR AURi ORR** **#280** **#291** **#366**
funestum Boisduval, 1835: 481 (*Callidium*)
tranquebaricum Gmelin, 1790: 1848 (*Cerambyx*)
variolosum Fabricius, 1798: 149 (*Callidium*)
longicorne Newman, 1842a: 246 (*Arhopalus*) **A**: FUJ GUA GUI GUX HAI HKG JA JIX LIA NMO NP SHN TAI YUN ZHE "North India" **NARi ORR** **#390**
abeillei Pic, 1891b: 44 (*Hesperophanes*)
asperulum White, 1855: 300
granulatum Matsumura, 1927: 21 (*Criocephalus*)

genus *Tetropiopsis* Chobaut, 1899: 356 type species *Tetropiopsis numidica* Chobaut, 1899
numidica Chobaut, 1899: 357 **N**: AG MO TU
guldei Chobaut, 1905: 157

genus *Trichoferus* Wollaston, 1854: 427 type species *Trichoferus senex* Wollaston, 1854 (= *Trichoferus fasciculatus senex* Wollaston, 1854)
Hesperandrius Reitter, 1913a: 45 type species *Callidium griseum* Fabricius, 1793
Trichoformafascius Özdikmen, 2025x: 4149 type species *Callidium pallidum* Olivier, 1790 **#862**
antonioui Sama, 1994c: 40 **A**: CY TR **#844**
arenbergeri Holzschuh, 1995: 14 **E**: IT (Sardegna)
berberidis Sama, 1994c: 40 **E**: GR (Crete)
bergeri Holzschuh, 1982a: 66 **E**: GR (Crete)
campestris Faldermann, 1835: 435 (*Callidium*) **E**i: AUi BEi BYi CTi CZi ENi FRi GBi GEi GRi HUi ITi LAi LTi MDi NLi PLi ROi SKi STi SVi SZi UKi **N**: EG **A**: ABi ARi ANH ES FE GAN GUI HEB HEI HEN HP HUB HUN IN IQ IS JA JIA JIL JIX JO KI

KZ LE LIA MG NC NMO QIN SC SCH SHA SHN SHX SLi SVi SY TD TM UZ WSi XIN XIZ YUN ZHE **NARi ORR #31 #353 #540**

flavopubescens Kolbe, 1886: 219 (*Hesperophanes*)
rusticus Ganglbauer, 1887a: 133 (*Hesperophanes*)
turkestanicus Heyden, 1886b: 193 (*Stromatium*)

cisti Sama, 1987: 50 **N**: MO

cribricollis Bates, 1878b: 720 (*Hesperophanes*) **A**: KA PA SD

fasciculatus fasciculatus Faldermann, 1837: 266 (*Hesperophanes*) **E**: AL BU CR FR GR IT MA ME PT RO SB SP SZ UK **N**: AG EG LB MO TU **A**: AB AR CY GG IN IQ IS JO LE SY TR **#182**

affinis P. H. Lucas, 1842: 186 (*Hesperophanes*)
elongatulus Pic, 1896b: 35 (*Hesperophanes*)
pubescens Pic, 1898a: 9 (*Hesperophanes*) - ["Tougourt" - Algérie]
pulverulentus Erichson, 1841: 188 (*Callidium*)
subnudus Dayrem, 1928a: 67 (*Hesperophanes*)

fasciculatus senex Wollaston, 1854: 428 **N**: CI MR

fissitarsis Sama, Fallahzadeh & Rapuzzi, 2005: 125 **A**: IN IQ TR

georgioui Sama & Makris, 2001: 166 **A**: CY

griseus Fabricius, 1793: 325 (*Callidium*) **E**: AL BH BU CR CZ FR GR IT MA ME PT RO SB SP ?ST TR UK **N**: AG EG LB MO TU **A**: CY ?GG IQ IS JO LE SY TR **#133**

bimaculatus Billberg, 1817: 194 (*Clytus*)
decolor Pic, 1937c: 14 (*Hesperophanes*)
tomentosus P. H. Lucas, 1842: 186 (*Hesperophanes*) **#577**

guerryi Pic, 1916h: 314 (*Hesperophanes*) **A**: HEB HUB SCH SHA SHN YUN

holosericeus Rossi, 1790: 153 (*Callidium*) **E**: AL BH BU CR FR GR IT MA ME SB SL SP ST SZ UK **N**: AG EG LB MO TU **A:** AB AR GG TM TR IN **#115**

cinereus Villers, 1789: 256 [HN] (*Cerambyx*)
gayi, Winkler, 1929: 1143 ~~[RN]~~ [not RN by Plavilstshiov, 1921a] **#739**
nebulosus Olivier, 1790: 257 (*Callidium*)

ilicis Sama, 1987: 50 **N**: MO

ivoi Kadlec, 2005: 103 **A**: IN TR **#583**

kotschyi Ganglbauer, 1883b: 300 (*Hesperophanes*) **E**: GR (Samos) **A**: LE SY TR

lunatus Szallies, 1994: 261 (*Hesperophanes*) **A**: IN TR

maculatus Pu, 1991b: 249, 252 **A**: SCH

magnanii Sama, 1992c: 398 **E**: PT SP

pallidus Olivier, 1790: 256 (*Callidium*) **E**: AU BH BU CR CZ FR GE GR HU IT MD PL PT RO SB SK SP ST UK **A**: TR **#583**

mixtus Fabricius, 1798: 150 (*Callidium*)
sexpustulatus Companyo, 1858: 571 (*Vesperus*)
sexpustulatum Companyo, 1863: 792 (*Stromatium*)

pistacivorus Özdikmen, Açıkgöz & Aslan, 2025: 2284 **A:** TR

preissi Heyden, 1894: 85 (*Hesperophanes*) **A**: TR

robustipes Holzschuh, 2003: 169 **A**: SHA

samai Kadlec & Rejzek, 2001: 296 **A**: TR

sbordonii Sama, 1982: 217 **A**: TR

semipunctatus Holzschuh, 2003: 170 **A**: BEI GAN HEN SC SHA **#225 #355 #400**

spartii G. Müller, 1948: 67 (*Hesperophanes*) **E**: AL CR GR IT **A**: TR **#583**

genus *Turcmenigena* Melgunov, 1893: 155 [= 1894: 35] type species *Turcmenigena warenzowi* Melgunov, 1894

warenzowi Melgunov, 1893: 155 [= 1894: 35] **A**: KZ TM UZ XIN

varentzovi Plavilstshikov, 1940a: 54 [unjustified emendation]

genus *Zoodes* Pascoe, 1867a: 319 type species *Stromatium maculatum* White, 1855

Cornutaemospila Pic, 1927b: 30 type species *Cornutaemospila piceosignata* Pic, 1927

basalis White, 1855: 304 (*Hesperophanes*) **A**: NP "Himalaya"

compressus Fabricius, 1787: 153 (*Callidium*) **A**: AE AF IN PA **ORR** **#274**

soraya Villiers, 1974a: 131 (*Gnatholea*)

formosanus Niisato, 1982: 41 **A**: TAI **ORR**

fulguratus Gahan, 1906a: 117 **A**: YUN **ORR**

piceosignatus Pic, 1927b: 20 (*Cornutaemospila*)

japonicus Hayashi, 1963b: 56 **A**: JA **ORR**

liturifer Walker, 1871: 18 (*Hesperophanes*) **N**: EG **A**: SA YE **AFR**

denticollis Fairmaire, 1891: 269 (*Gnatholea*)
picicornis Fairmaire, 1888c: 200 (*Gnatholea*)

maculatus White, 1855: 301 (*Stromatium*) **A**: HAI **ORR**

genus *Zygoferus* Sama, 2008: 223 type species *Trichoferus pubescens* Sama, 1987

pubescens Sama, 1987: 49 (*Trichoferus*) **N**: AG TU

tribe Hylotrupini Rose, 1983 #778

genus *Hylotrupes* Audinet-Serville, 1834b: 77 type species *Cerambyx bajulus* Linnaeus, 1758
Hylotrypes Gistel, 1856: 376 [unnecessary substitute name]
bajulus Linnaeus, 1758: 396 (*Cerambyx*) **E**: AL AU AZ BE BU BH BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N**: AG CI EG LB MO MR SG TU **A**: AB AR CY GG IQ IS JO JIA LE SHG SY TR ?WS **AFR AUR NAR NTR ORR** **#186**
affinis Savenius, 1825: 63 (*Callidium*)
bullatus Haldeman, 1847: 36
caudatus DeGeer, 1775: 86 (*Cerambyx*)
inaequalis Casey, 1924: 233
incertus Casey, 1924: 234
koziorowiczi Desbrochers des Loges, 1873a: 429
latus Casey, 1924: 233
linneianus Laicharting, 1784: 69 (*Callidium*)
lividus Mulsant, 1839: 56
minutus Casey, 1924: 235
nematocerus Casey, 1924: 234
pedicellatus Casey, 1924: 235
puellus A. Villa & G. B. Villa, 1833: 36 (*Callidium*)
puncticollis Casey, 1924: 234
quadripunctatus Geoffroy, 1785: 82 (*Leptura*)
similis Marsham, 1802: 335 (*Cerambyx*)
syriacus Théry, 1896: 110
theresae Pic, 1924c: 26

tribe Molorchini Gistel, 1848

genus *Berndgerdia* Holzschuh, 1982a: 68 type species *Berndgerdia balteata* Holzschuh, 1982
balteata Holzschuh, 1982a: 68 **A**: NP UP

genus *Epania* Pascoe, 1858: 237 type species *Odontocera singaporensis* J. Thomson, 1857b **#447**
abdominalis Holzschuh, 1984c: 350 **A**: NP
amoorae Gardner, 1926: 200 **A**: UP
atra Hayashi, 1978a: 88 **A**: TAI
atramentaria Holzschuh, 2010: 164 **A**: SCH
calophylli Gardner, 1926: 201 **A**: UP
dilaticornis dilaticornis Hayashi, 1950a: 5 **A**: JA
dilaticornis kumatai Hayashi, 1961b: 45 **A**: JA (Ryukyus)
morimotoi Makihara, 2004b: 219
shibatai Hayashi, 1976: 8
discisa Holzschuh, 2006b: 277 **A**: GUI
gemellata Holzschuh, 1991c: 41 **A:** GUX **ORR** **#623**
ignota Holzschuh, 2015d: 46 **A**: YUN
immaculata Kano, 1933b: 131 **A:** TAI **#416**
iriei Takakuwa, 1981: 6 **A**: JA (Ryukyus)
mira Holzschuh, 1991c: 43 **A:** GUX **ORR** **#623**
mundali Gardner, 1936: 132 **A**: NP UP
picipes Holzschuh, 1984a: 148 **A**: NP
pudens Holzschuh, 1993a: 28 **A**: YUN
septemtrionalis Hayashi, 1950a: 3 **A**: JA SC
shikokensis densepunctata Hayashi, 1968c: 13 **A**: JA **#736**
shikokensis maruokai Hayashi, 1968c: 13 **A**: JA (Ryukyus)
shikokensis shikokensis K. Ohbayashi, 1936a: 13 **A**: JA
okinawana Hayashi, 1976: 7
subchalybeata Miwa, 1931: 227 **A**: TAI
vietnamica Niisato & Saito, 1996: 152 **A:** GUX **ORR** **#623**

genus *Leptepania* Heller, 1924a: 30 type species *Epania longicollis* Heller, 1915
Heliomanes Newman, 1840a: 17 [HN] type species *Heliomanes sidus* Newman, 1840
Molorchinus Shabliovsky, 1936: 185 type species *Molorchinus okunevi* Shabliovsky, 1936
insularis insularis White, 1855: 179 (*Heliomanes*) ["China (Hong Kong)"] **A**: FUJ GUA HKG HUB TAI **#400** **#525**
lantauensis Hayashi, 1982a: 71 ["Lan Tau Is., Hong Kong, South China"]
longicollis, Gressitt, 1951: 169, part. - "China: Botel-Tobago I., SE. of Formosa", Luzon [Philip.].
minuta Gressitt, 1935d: 265 ["Formosa, Hassenzan"] **#732**
kukuanana Chang, 1978: 61 [Taiwan: "Ku-kuan, Taichung Hsien".
sakaii Hayashi, 1974a: 23 ["Lan Hsu or Lanyu Island, off South East Coast of Taiwan".]
insularis okunevi Shabliovsky, 1936: 186 (*Molorchinus*) [Far East Russis, "Iman river"] **A**: FE JA MG (Sukhebator Aimak) **#819**
incognita Tsherepanov, 1975d: 83 (*Molorchus*) [Russia: "Ussuri Region"]
japonica Hayashi, 1948: 5 (*Molorchus*) [Kyuulji. Kiyotakimurai, Mishimagun, Osaka] **#732**

ryukyuana Hayashi, 1963a: 54 [Japan: "Hatsuno, Is. Amami-Ôshima, N. Ryukyu"] **#732**

genus *Molorchoepania* Pic, 1949a: 9 type species *Epania barbieri* Pic, 1949
Kobaneus Hayashi, 1958b: 46 type species *Molorchus mizoguchii* Hayashi, 1955
kopetzi Holzschuh, 2018b: 503 **A:** NP
mizoguchii Hayashi, 1955: 51 (*Molorchus*) **A**: JA
simplexa Matsushita, 1933b: 228 (*Molorchus*) **A**: TAI
viticola Holzschuh, 1998: 35 **A**: SHA

genus *Molorchus* Fabricius, 1793: 356 type species *Necydalis umbellatarum* Schreber, 1759 **#422**
subgenus *Caenoptera* C. G. Thomson, 1859: 150 type species *Necydalis minor* Linnaeus, 1758 **#730**
abieticola Holzschuh, 2007: 218 **A:** TR
akbesianus Rapuzzi & Sama, 2018: 9 **A:** TR
changi Gressitt, 1951a: 171 **A**: SCH SHA
foveolus Holzschuh, 1998: 34 **A**: YUN
fraudator Pesarini & Sabbadini, 1997: 104 **A**: SCH SHA **#225**
juglandis Sama, 1982: 219 **A**: IS LE SY TR **#74**
minor fuscus Hayashi, 1955: 164 **A**: FE(Kunashir) JA **#832**
minor ikedai Takakuwa, 1984: 10 **A**: JA **#732**
minor minor Linnaeus, 1758: 421 (*Necydalis*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK **A**: BEI ES FE GAN GG HEI LIA KZ MG NC QIN SC SHA TR WS XIN NTRi **#60** **#62** **#549**
ceramboides DeGeer, 1775: 151 (*Necydalis*)
dimidiatus Fabricius, 1775: 199 (*Leptura*)
medius Schrank, 1798: 688 (*Gymnopterion*)
~~*monticola* Plavilstshikov, 1931a: 38~~ [misprint]
rufescens Kiesenwetter, 1879a: 316 [1879b: 60]
monticola Plavilstshikov, 1931: 38 **A**: AB AR GG IN TM
pallidipennis Heyden, 1887**b**: 321 (*Gymnopterion*) **A**: KI KZ UZ XIN
pinivorus Takakuwa & Ikeda, 1980: 35 **A**: JA
relictus Niisato, 1996: 376 **A**: SCH **#225**
tjans~~c~~hanicus Plavilstshikov, 1959: 1678 **A**: KZ KI UZ **#834**
subgenus *Molorchus* Fabricius, 1793: 356 type species *Necydalis umbellatarum* Schreber, 1759 **#422**
Conchopterus Fairmaire, 1864a: 153 type species *Necydalis umbellatarum* Schreber, 1759
Epanioglaphyra Niisato, 1986b: 304 type species *Glaphyra kurosawai* Niisato, 1986 **#524**
Glaphyra Newman, 1840c: 19 type species *Glaphyra semiusta* Newman, 1840
Laphyra Newman, 1842g: 418 [RN] type species *Glaphyra semiusta* Newman, 1840
Linomius Mulsant, 1862: 226 type species *Necydalis umbellatarum* Schreber, 1759
Sinolus Mulsant, 1862: 228 type species *Molorchus kiesenwetteri* Mulsant & Rey, 1861
aceris Holzschuh, 2009a: 300 (*Glaphyra*) **A**: SCH
aerifer Holzschuh, 2008: 208 (*Glaphyra*) **A**: GUX **ORR** **#623**
aureomaculatus Gressitt & Rondon, 1970: 109 **A**: NP YUN **ORR** **#390**
shimai Hayashi & Makihara, 1981: 191 (*Glaphyra*)
baiocchii Rapuzzi & Sama, 2012a: 667 (*Glaphyra*) **A:** IN PA TR **#274**
bassettii Sama, 1992b: 302 (*Glaphyra*) **A**: CY
cobaltinus cobaltinus Hayashi, 1963a: 53 (*Glaphyra*) **A**: JA (Ryukyus) **#732**
cobaltinus morii Makihara, 1984: 13 (*Glaphyra*) **A**: JA **#732**
concolor Niisato, 1995: 444 (*Glaphyra*) **A**: TAI
congruus Holzschuh, 1998: 39 (*Glaphyra*) **A**: GUI
contristatus Holzschuh, 1991c: 44 (*Glaphyra*) **A**: SCH
cordiger Holzschuh, 1992b: 14 (*Glaphyra*) **A**: SCH
cupreoviridis Hayashi, 1966a: 5 **A**: TAI
cyanescens Gressitt, 1951a: 173 **A**: FUJ TAI
cyanescens Plavilstshikov, 1952: 287 [HN]
darjeelingensis Gardner, 1936: 129 **A**: NP SD
densepunctatus Holzschuh, 1977b: 338 **A**: BT
frivolus Holzschuh, 1998: 38 (*Glaphyra*) **A**: SCH
gilvitarsis Holzschuh, 2006a: 239 (*Glaphyra*) **A**: SHA
gracilis Hayashi, 1949c: 29 **A**: JA
fuscipennis Hayashi, 1963d: 132
grandinotatus Holzschuh, 1992b: 15 (*Glaphyra*) **A**: SCH
grosseri Vořišek, 2012: 1 **A**: IN
hederae Gardner, 1936: 130 **A**: HP KA PA **#274**
ishiharai K. Ohbayashi, 1936a: 12 **A**: FE JA ?NC SC
kunashiricus Tsherepanov, 1981: 72
tsutsuii Hayashi, 1958b: 47
jiuyuehtanus Hayashi, 1984: 89 **A**: TAI

kiesenwetteri hircus Abeille de Perrin, 1881: 133 **E**: ST TR **A**: AB AR GG IN TR SY LE IS
anatolica Adlbauer, 1988: 275
angorensis Pic, 1912b: 3 (*Caenoptera*)
kiesenwetteri kiesenwetteri Mulsant & Rey, 1861a: 189 **E**: AU BH BU CR CZ GE GR HU IT MC ?ME ?PL RO SB SK SL ST ?SZ UK **#115**
kiyoyamai Hayashi, 1974a: 21 **A**: TAI
kobotokensis K. Ohbayashi, 1963: 10 **A**: FE JA ?NC SC
kojimai Matsushita, 1939: 56 (*Epania*) **A**: JA SC
kurosawai Niisato, 1986b: 305 (*Glaphyra*) **A**: TAI
lampros Holzschuh, 2006b: 280 (*Glaphyra*) **A**: GUX **ORR** **#623**
lectus Holzschuh, 2006b: 281 (*Glaphyra*) **A**: SHA
lishanensis Hayashi, 1974a: 22 **A**: TAI
liukueiensis Hayashi, 1984: 90 (*Glaphyra*) **A**: TAI
macellus Holzschuh, 2015d: 53 (*Glaphyra*) **A**: YUN
malmusii Sama, 1995a: 370 (*Glaphyra*) **A**: TR
marmottani andalusica Sláma, 2015b: 1118 (*Glaphyra*) **E**: SP **#79**
marmottani crovatoi Sama, 1995a: 373 (*Glaphyra*) **E**: IT
marmottani frischi Sama, 1995a: 373 (*Glaphyra*) **A**: TR
marmottani marmottani Brisout de Barneville, 1863: 118 **E**: AU BU CT CZ FR GE IT PL SK SP ST SZ **A**: TR
discicollis Heyden, 1876b: 383
modestus Holzschuh, 2006b: 283 (*Glaphyra*) **A**: GUI
molorchoides Holzschuh, 1984c: 351 (*Epania*) **A**: NP
moraveci Holzschuh, 2006b: 238 (*Glaphyra*) **A**: TAI
nitidus adachii Takakuwa & Fujita, 1981: 29 **A**: JA
nitidus nitidus Obika, 1973: 205 **A**: JA SC **#525**
perfuga Holzschuh, 1998: 37 (*Glaphyra*) **A**: YUN
plagiatus Reiche, 1877a: cxxii **E**: ST **A**: AB AR GG IN KZ TR
planicollis Niisato & N. Ohbayashi, 2004: 467 (*Glaphyra*) **A**: HUB
plavilstshikovi Gressitt, 1951a: 174 **A**: FUJ TAI
fukiensis Plavilstshikov, 1952: 288
prolixus Holzschuh, 1999: 29 (*Glaphyra*) **A**: GAN
rufosternalis Hayashi, 1984: 87 **A**: TAI
rugatus Holzschuh, 2015d: 50 (*Glaphyra*) **A**: YUN
sabatinellii Rapuzzi & Sama, 2018: 10 **A:** PA
saltinii Pesarini & Sabbadini, 2015: 42 **A**: YUN
satoi Niisato, 2003: 376 (*Glaphyra*) **A**: TAI
schmidti Ganglbauer, 1883b: 300 **E**: CT CZ GR HU KZ MD ?PL RO SK ST UK **A**: AB GG KI KZ TM UZ
salicicola Stiller, 1935: 37 (*Caenoptera*)
semenovi Plavilstshikov, 1940a: 167
semitaiwanus Hayashi, 1984: 88 **A**: TAI
serra Holzschuh, 2006b: 279 (*Glaphyra*) **A**: SCH SHA
shibatai okinawanus Hayashi & Matsuda, 1976: 34 **A**: JA (Ryukyus)
shibatai shibatai Hayashi, 1961b: 44 **A**: JA
sikkimanus Holzschuh, 2003b: 306 (*Glaphyra*) **A**: SD
starki Shabliovsky, 1936: 184 **A**: CH FE ?NC SC
ichikawai Niisato, 1988a: 89 (*Glaphyra*)
ussuriensis Plavilstshikov, 1940a: 160
sterbai Adlbauer, 1988: 277 **A**: LE
azri Sama, Rapuzzi & Kairouz, 2010: 151 (*Glaphyra*)
subglaber Gressitt, 1938b: 150 (*Epania*) **A**: TAI
sungkangensis Hayashi, 1992: 140 (*Glaphyra*) **A**: TAI
taiwanus Hayashi & Matsuda, 1976: 32 **A**: TAI
takeuchii ebeninus Hayashi, 1961b: 45 **A**: JA (Ryukyus)
takeuchii takeuchii K. Ohbayashi, 1937: 6 **A**: JA
tenuitarsis Holzschuh, 1981: 97 **A**: TR
terminatus Holzschuh, 2015d: 52 (*Glaphyra*) **A**: FUJ
uenoi Niisato, 1995: 441 **A**: TAI (*Glaphyra*)
umbellatarum umbellatarum Schreber, 1759: 9 (*Necydalis*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK **A**: AB AR GG IN TM TR
depressus Motschulsky, 1845a: 85
diversipes Pic, 1897c: 31
minimus Scopoli, 1763: 57 (*Necydalis*)
umbellatarum obscuripes G. Müller, 1948: 66 (*Caenoptera*) **E**: IT
unanimis Holzschuh, 1995: 26 (*Glaphyra*) **A**: SCH
verus Holzschuh, 2007: 228 (*Glaphyra*) **A**: GUX **ORR** **#623**
viridescens Hayashi & Matsuda, 1976: 36 **A**: TAI

watani Kano, 1933b: 131 (*Epania*) **A**: TAI **#416**
subplana Gressitt, 1951a: 175
yui yui Hayashi, 1984: 88 **A**: TAI
subgenus *Nathrioglaphyra* Sama, 1995a: 383 type species *Molorchus heptapotamicus* Plavilstshikov, 1940
alashanicus Semenov & Plavilstshikov, 1936: 392 **A**: NMO
heptapotamicus Plavilstshikov, 1940a: 163 **E**: ST **A**: KI KZ NIN UZ XIN **#400**
amygdali Holzschuh, 1979a: 114
kucerai Holzschuh, 1998: 36 (*Glaphyra*) **A**: GAN
liui Gressitt, 1948a: 51 [Yunnan] **A**: GAN HUB HUN SCH SHA YUN ZHE **#45**
smetanai Danilevsky, 2011f: 105 [Zhejiang] **#45**
subgenus *Pakmolorchus* Holzschuh, 1989a: 161 type species *Pakmolorchus asperanus* Holzschuh, 1989
asperanus Holzschuh, 1989a: 161 **A**: PA
subgenus *Tsujius* Ikeda, 2001: 3 type species *Tsujius itoi* Ikeda, 2001 **#524** **#730**
carus Holzschuh, 1999: 28 **A**: GAN **#524**
itoi Ikeda, 2001: 3 **A**: JA
subgenus *Yamatoglaphyra* Niisato, 2006b: 223 type species *Molorchus hattorii* K. Ohbayashi, 1954
aemulatus Holzschuh, 1998: 38 **A**: GAN SCH SHA **#225**
chalybeellus Holzschuh, 2007: 225 **A**: HEN
hattorii K. Ohbayashi, 1954: 13 (*Molorchus*) **A**: JA

genus *Nadezhdiana* Tsherepanov, 1976a: 66 type species *Nadezhdiana villosa* Tsherepanov, 1976 **#524**
villosa Tsherepanov, 1976a: 67 **A**: FE

tribe Mythodini Lacordaire, 1868

genus *Phyodexia* Pascoe, 1871: 273 type species *Phyodexia concinna* Pascoe, 1871
concinna Pascoe, 1871: 273 **A**: BT GUA GUX HAI SD UP YUN **ORR** **#127** **#400**

tribe Obriini Mulsant, 1839

genus *Anatolobrium* Adlbauer, 2004b: 419 type species *Anatolobrium eggeri* Adlbauer, 2004
eggeri Adlbauer, 2004b: 421 **A**: TR

genus *Anisogaster* A. Deyrolle, 1862: 18 type species *Anisogaster flavicans* A. Deyrolle, 1862
kabateki Adlbauer, 2005: 1009 **A**: YE (Suqutra)

genus *Bolivarita* Escalera, 1914a: 498 type species *Bolivarita oculata* Escalera, 1914
oculata Escalera, 1914a: 499 **N**: MO **#521** **#778**

genus *Chinobrium* Gressitt, 1937c: 449 type species *Chinobrium mediofasciatum* Gressitt, 1937
mediofasciatum Gressitt, 1937c: 449 **A**: JIX **ORR**
opacum Holzschuh, 1984c: 348 (*Stenhomalus*) **A**: BT **ORR**

genus *Comusia* J. Thomson, 1864: 239 type species *Comusia obriumoides* J. Thomson, 1864
Chapaon Pic, 1922b: 24 type species *Chapaon rufum* Pic, 1922
Ciopera Pascoe, 1866d: 510 type species *Ciopera decolorata* Pascoe, 1866
Oemospiloides Fisher, 1940: 197 type species *Oemospiloides bengalensis* Fisher, 1940
Ogasawara Gressitt, 1937b: 320 type species *Ogasawara testacea* Gressitt, 1937
bengalensis Fisher, 1940: 198 (*Oemospiloides*) **A**: SD
bicoloricornis Pic, 1927: 455 (*Chapaon*) **A**: YUN **ORR**
testacea Gressitt, 1937b: 321 (*Ogasawara*) **A**: JA (Ogasawara Isls. & Ryukyus) TAI
thailandica Hayashi, 1986: 267 **A**: NP **ORR**
tokii Niisato & Chou, 2016: 255, 256 **A**: TAI (Lanyu Is.)
wui Niisato & Chou, 2016: 250, 256 **A**: TAI (Lanyu Is.)

genus *Kuegleria* Holzschuh, 2017: 13 type species *Obrium atricolor* Pic, 1953
annulicornis Pic, 1935b: 13 **A**: HKG **#572**

genus *Ibidionidum* Gahan, 1894a: 14 type species *Ibidionidum corbetti* Gahan, 1894
subgenus *Ibidionidum* Gahan, 1894a: 14 type species *Ibidionidum corbetti* Gahan, 1894
corbetti corbetti Gahan, 1894a: 15 **A**: GUA GUI HAI YUN **ORR** **#400**
jelineki Holzschuh, 1991: 41 **A**: HAI **ORR** **#400**
longithoracicum Chiang, 1963: 65 (*Obrium*) **A**: YUN

genus *Iranobrium* Villiers, 1967: 338 type species *Iranobrium davatchii* Villiers, 1967
abbreviatum Adlbauer, 2004c: 431 **A**: YE (Suqutra)
brancuccii Holzschuh, 1993b: 122 **A**: OM SA YE

buettikeri Holzschuh, 1993b: 123 **A**: AE SA YE
darwini Lo Cascio & Grita, 2009: 123 **A**: YE (Suqutra)
davatchii Villiers, 1967: 338 **A**: AE IN QA YE
grande Holzschuh, 2015d: 36 **A**: OM

genus *Longipalpus* Montrouzier, 1861: 275 type species *Longipalpus palazyanus* Montrouzier, 1861
Iphrobrium Gressitt, 1935a: 150 type species *Iphrobrium dilatipenne* Gressitt, 1935
Nerida McKeown, 1940: 293 type species *Nerida carabiformis* McKeown, 1940
dilatipennis Gressitt, 1935a: 151 (*Iphrobrium*) **A**: JA (Ryukyus)
shigarorogi Kano, 1939: 29 (*Pseudiphra*) **A**: TAI (Lanyu Is.)
tahuensis Chang, 1978: 59 **A**: TAI
wenhsini Niisato, 2013: 63 **A:** TAI

genus *Obrium* Dejean, 1821: 110 type species *Cerambyx cantharinus* Linnaeus, 1767
Diozodes Haldeman, 1847: 42 type species *Callidium pallidum* Say, 1824 (= *Cerambyx maculatus* Olivier, 1800) **#373**
Phyton Newman, 1840c: 19 type species *Phyton limum* Newman, 1840 (= *Cerambyx maculatus* Olivier, 1800) **#373**
aegrotum Holzschuh, 1982a: 67 **A**: NP
angustum Lazarev, 2020b: 319 **A:** SCH
anmashanum Niisato & Chou, 2018: 78 **A**: TAI
atricorne Niicato & Lin, 2023: 126 **A**: GUX
brevicorne Plavilstshikov, 1940a: 138 **A**: FE JA NC SC SHA **#683**
brunneum Fabricius, 1793: 316 (*Saperda*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MD NL NT PL RO SB SK SL SP ST SV SZ UK **A**: AB AR GG TR
caucasicum Tournier, 1872: 279
cantharinum cantharinum Linnaeus, 1767: 637 (*Cerambyx*) **E**: AU BE BH BU BY CR CT CZ EN FI FR GB GE GR HU IR IT LA LT LU MD ~~NE~~ NL NT PL ~~PL~~RO SB SK SP ST SV SZ TR UK **A**: AB AR ES FE GG KZ MG NE TR WS XIN **NTRi #133 #886**
ferrugineum Fabricius, 1781: 235 (*Saperda*)
fuscicorne Gmelin, 1790: 1837 (*Cerambyx*)
cantharinum shimomurai Takakuwa, 1984: 9 **A**: ?FE JA **#886**
cephalotes Pic, 1923e: 7 **A**: FUJ SHG
complanatum Gressitt, 1942e: 208 **A**: GUA GUI GUX JIX
coreanum Niisato & Oh, 2016: 34 **A**: NC SC **#525**
dayaoshanum Niicato & Lin, 2023: 127 **A**: GUX
formosanum Schwarzer, 1925a: 22 **A**: TAI
fractum Holzschuh, 2003: 178 **A**: SHA
fumigatum Holzschuh, 1995: 23 **A**: YUN
fuscoapicale Hayashi, 1974a: 17 **A**: JA TAI
kusamai Takakuwa, 1984: 10 **#448**
hainanum Niisato & Hua, 1998: 452 **A**: HAI
hattai K. Ohbayashi & N. Ohbayashi, 1965: 2 **A**: JA (Ryukyus)
[*huae huae* Niisato, 1998b: 273 **ORR**]
huae jianbini Niisato & Chou, 2018: 80 **A**: FUJ
mendosum Holzschuh, 2010: 156 **A**: HEN
nakanei K. Ohbayashi, 1959: 2 **A**: JA
nanlingum Niicato & Lin, 2023: 124 **A**: GUA
nitidum Niisato & Chou, 2018: 73 **A**: TAI
obscuripenne obscuripenne Pic, 1904e: 17 **A**: FE HEI JA(Tsushima) JIL NC SC **#400**
gracile Plavilstshikov, 1933g: 167 [HN]
graciliforme Lipp, 1939: 225 [RN]
tsushimanum Hayashi, 1974b: 14
obscuripenne takakuwai Niisato, 2006c: 383 **A**: JA
oculatum Niisato & Hua, 1998: 454 **A**: YUN
posticum Gahan, 1894a: 14 **A**: BT NP
prosperum Holzschuh, 2008: 182 **A**: YUN
purcharti Lazarev, Ambrus, 2026: 123 **A:** MG
randiae Gardner, 1926: 199 **A**: UP
rufograndum Gressitt, 1937c: 448 **A**: JIX TAI
schwarzeri Hayashi, 1974a: 19 **A**: TAI
semiformosanum abirui Niisato & Takakuwa, 1996: 142 **A**: JA
semiformosanum semiformosanum Hayashi, 1974a: 18 **A**: TAI
takahashii fukidai Fujita, 2023: 20 **A**: JA (Amami Isls.)
takahashii takahashii Kusama & Takakuwa, 1984: 278 **A**: JA (Ryukyus)
yamasakoi Niisato & Chou, 2018: 74 **A**: TAI
yueyunae Niisato & Chou, 2018: 79 **A**: TAI

genus *Ossibia* Pascoe, 1867a: 311 type species *Obrium fuscatum* Chevrolat, 1856 **#778**

Obriaccum J. Thomson, 1878: 24 type species *Obrium fuscatum* Chevrolat, 1856
fuscata Chevrolat, 1856c: 570 (*Obrium*) **N**: EG MO **A**: YE **AFR**
crinita Fåhraeus, 1872a: 55 (*Adiaphorus*)
senegalense J. Thomson, 1878a: 24 (*Obriaccum*)
rubra Quentin, 1956: 41
picata Holzschuh, 1993b: 124 **A**: SA

genus *Oxilus* Buquet, 1859: 619 type species *Oxilus terminatus* Buquet, 1859 **#778**
Metobrium Gahan, 1890d: 303 type species *Obriaccum elegans* Fairmaire, 1887
?*elegans* Fairmaire, 1887b: 334 (*Obriaccum*) **N**: EG **AFR** **#778**
manzonii Gestro, 1889: 68 (*Ossibia*) **A**: YE

genus *Pseudiphra* Gressitt, 1935a: 152 [RN] type species *Iphra apicalis* Schwarzer, 1925
Iriomoteus Villiers & Chûjô, 1970: 54 type species *Iriomoteus elegans* Villiers & Chûjô, 1970
Obriomorpha Matsushita, 1933b: 309 [HN] type species *Iphra apicalis* Schwarzer, 1925
apicalis apicalis Schwarzer, 1925a: 23 (*Iphra*) **A**: JA TAI **ORR** **#732**
apicalis obscura Gressitt, 1951b: 210 **A**: JA (Ryukyus) **#732**
bicolor bicolor Nara & Kusui, 1974: 123 **A**: JA (Ogasawara Isls.)
bicolor nigripennis Takakuwa, 1984: 9 **A**: JA (Ogasawara Isls.)
elegans Villiers & Chûjô, 1970: 55 (*Iriomoteus*) **A**: JA (Ryukyus)

genus *Pseudobolivarita* Sama & Orbach, 2003: 64 type species *Pseudobolivarita negevensis* Sama & Orbach, 2003
negevensis Sama & Orbach, 2003: 66 **A**: IS

genus *Uenobrium* Niisato, 2006a: 207 type species *Obrium laosicum* Gressitt & Rondon, 1970
laosicum Gressitt & Rondon, 1970: 107 (*Obrium*) **A**: HAI YUN **ORR**
piceorubrum piceorubrum Hayashi, 1971: 5 (*Obrium*) **A**: TAI **#732**
piceorubrum takeshitai Niisato & Ohmoto, 1994: 350 (*Obrium*) **A**: JA (Ryukyus) **#732**

genus *Yemenobrium* Adlbauer, 2005: 1008 type species *Yemenobrium velutinum* Adlbauer, 2005
velutinum Adlbauer, 2005: 1008 **A**: SA YE **#774**

tribe Oemini Lacordaire, 1868

genus *Afroeme* Adlbauer, 2004a: 3 type species *Afroeme kenyensis* Adlbauer, 2004
fusca Gahan, 1900a: 12 (*Oeme*) **A**: YE (Suqutra) **AFR**

genus *Dorjia* Holzschuh, 1989c: 391 type species *Dorjia tenzingi* Holzschuh, 1989
tenzingi Holzschuh, 1989c: 392 **A**: BT

genus *Entetraommatus* Fischer, 1940: 199 type species *Entetraommatus quercicola* Fischer, 1940
christinae Holzschuh, 2016a: 81 **A**: XIZ **ORR** **#400**
quercicola Fischer, 1940: 199 **A**: UP
trifasciatus Niisato & Lin, 2016: 262 **A**: YUN

genus *Fragiliella* Holzschuh, 2013a: 8 type species: *Oemospila callidioides* Gressitt & Rondon, 1970
callidioides Gressitt & Rondon, 1970: 46 (*Oemospila*) **A**: YUN **ORR**

genus *Hyphus* Lacordaire, 1868: 226 type species: *Hyphus aurantiacus* Lacordaire, 1868
apicalis Pascoe, 1869a: 505 **A:** GUX HAI **ORR** **#400**

genus *Hypoeschrus* J. Thomson, 1864: 249 type species *Stenochorus strigosus* Gyllenhal, 1817
subgenus *Tibestia* Peyerimhoff, 1935: 78 type species *Tibestia dallonii* Peyerimhoff, 1935
dallonii Peyerimhoff, 1935: 78 (*Tibestia*) **N**: AG LB MO **AFR**
gyllenhali Lepesme & Breuning, 1955a: 43
mirei Lepesme & Breuning, 1955a: 43
pallidipes Quentin, 1956: 40
peyerimhoffi Lepesme & Breuning, 1955a: 42
rungsi Lepesme & Breuning, 1955a: 42
wittei Lepesme & Breuning, 1955a: 44

genus *Kabatekiella* Holzschuh, 2008: 174 type species *Kabatekiella dalihodi* Holzschuh, 2008
dalihodi Holzschuh, 2008: 175 **A**: OM YE (Suqutra)

genus *Meiyingia* Holzschuh, 2010: 144 type species *Meiyingia paradoxa* Holzschuh, 2010
holzschuhi Liu & Ch.-B. Wang, 2016: 293 **A:** GUX
jinyunensis Zh. Li & Chen, 2015: 596 **A**: CHQ

paradoxa Holzschuh, 2010: 145 **A**: HEN SCH

genus *Neocarolus* Sama, 2008: 222 type species: *Neomarius thomasi* Holzschuh, 1993
thomasi Holzschuh, 1993a: 24 (*Neomarius*) **A**: NP PA

genus *Neomarius* Fairmaire, 1872: 60 type species *Neomarius gandolphii* Fairmaire, 1872
gandolphii Fairmaire, 1872: 60 **N**: AG TUi

genus *Nortia* J. Thomson, 1864: 252 type species *Nortia cavicollis* J. Thomson, 1864 **#524**
afghanica Heyrovský, 1967b: 158 **A**: AF
carinicollis carinicollis Schwarzer, 1925a: 20 **A**: FUJ GUX JA (Ryukyus) TAI
carinicollis hanatanii Fujita, 2018: 26 **A**: JA (Ryukyus)
carinicollis kobayashii Fujita, 2018: 26 **A**: JA (Ryukyus)
carinicollis pruinicollis Gressitt, 1965: 61 **A**: JA (Ryukyus) **#276**
fuscata Holzschuh, 2005: 1 **A**: NP UP
geniculata geniculata Pic, 1932e: 32 (*Falsostromatium*) **A**: HAI **ORR**
geniculata satsumana Niisato & N. Ohbayashi, 2005: 293 **A**: JA
kusuii Kusama & Nara, 1974: 121 **A**: JA (Ogasawara Isls.)
planicollis Gressitt, 1942e: 206 **A**: HKG

genus *Noserius* Pascoe, 1857b: 95 type species *Noserius tibialis* Pascoe, 1857
gardneri Martins, 1980: 116 [RN] **A**: NP
indicus Gardner, 1939: 1 [HN]
indicus Gahan, 1906a: 104 (*Hypoeschrus*) **A**: AE AF GUA HAI IN NP PA **#75** **#400**

genus *Oemospila* Gahan, 1906a: 104 type species *Oemospila maculipennis* Gahan, 1906
Falsostromatium Pic, 1926l: 455 type species *Falsostromatium elongatum* Pic, 1926
maculipennis Gahan, 1906a: 105 **A**: BT GUX NP YUN **ORR** **#523**
elongata Pic, 1926l: 455 (*Falsostromatium*)

genus *Oplatocera* White, 1853a: 121 type species *Oplatocera callidioides* White, 1853
Hoplitocera Gemminger, 1872: 2795 [unjustified emendation]
subgenus *Epioplatocera* Gressitt, 1951a: 131 type species *Oplatocera oberthuri* Gahan, 1906
mandibulata Miwa & Mitono, 1935: 404 **A**: CHQ TAI **#60**
mitonoi Hayashi, 1981b: 30 **A**: TAI ZHE **#60**
oberthuri Gahan, 1906a: 108 **A**: AP BT GUA GUX HUN NP SCH SD SHA YUN **ORR** **#280**
subgenus *Oplatocera* **White, 1853a: 121** type species *Oplatocera callidioides* White, 1853
callidioides White, 1853a: 121 **A**: SCH "North India" **ORR**
grandis Gressitt, 1951a: 131 **A**: SCH **ORR**

genus *Pufujia* Holzschuh, 1995: 16 type species *Nortia luteosignata* Pu, 1991 **#524**
luteosignata Pu, 1991c: 281 (*Nortia*) **A**: GAN

genus *Sichuanortia* Niisato & Liu, 2019: 406 type species *Sichuanortia zhouchaoi* Niisato & Liu, 2019
zhouchaoi Niisato & Liu, 2019: 407 **A**: SCH

genus *Tetraommatus* Perroud, 1855: 390 [= 1855a: 70] type species *Tetraommatus filifornis* Perroud, 1855
Deuteromma Pascoe, 1857b: 98 type species *Deuteromma callidioides* Pascoe, 1857
fragilis Holzschuh, 1984a: 144 **A**: NP
kuantaoshanensis Chang, 1978: 62 (*Tetrops*) **A**: TAIl
ocularis continentalis Heller, 1926: 22 **A**: UP
[*ocularis ocularis* Pascoe, 1869a: 504 – Moluques]
taiwanus Hayashi, 1978a: 87 **A**: TAI

genus *Tibetoeme* Bi & Holzschuh, 2023: 6 type species *Tibetoeme cheni* Bi & Holzschuh, 2023
cheni Bi & Holzschuh, 2023: 8 **A**: XIZ [China (Xizang): Motuo County]

genus *Yementallyrama* Adlbauer, 2007: 7 type species *Yementallyrama nasheri* Adlbauer, 2007
nasheri Adlbauer, 2007: 7 **A**: OM YE

tribe Opsimini LeConte, 1873

genus *Japonopsimus* Matsushita, 1935: 310 [RN] type species *Paraopsimus orientalis* Matsushita, 1933
Paraopsimus Matsushita, 1933b: 238 [HN] type species *Paraopsimus orientalis* Matsushita, 1933
exocentroides Holzschuh, 1984c: 342 **A**: BT
orientalis Matsushita, 1933b: 238 (*Paraopsimus*) **A**: TAI

simplex Gressitt & Rondon, 1970: 44 (*Hypoeschrus*) **A**: HAI **ORR** **#223**

tribe Lygrini Sama, 2008 **#778**

= Pelossini Tavakilian, 2013

genus *Pelossus* J. Thomson, 1864: 222 type species *Corethrogaster ruber* J. Thomson, 1858
Alloeme Lameere, 1893b: 40 type species *Alloeme murrayi* Lameere, 1893 (= *Corethrogaster ruber* J. Thomson, 1858)
Ceresida Kolbe, 1894b: 55 type species *Ceresida suturalis* Jordan, 1894 (= *Corethrogaster ruber* J. Thomson, 1858)
Digonium Pic, 1895c: 76 type species *Digonium longicorne* Pic, 1895
Leptosalpinia Gressitt, 1951a: 624 type species *Leptosalpinia unicolor* Gressitt, 1951
Lygrus Fåhraeus, 1872a: 55 type species *Lygrus apicalis* Fåhraeus, 1872
Nosoeme Kolbe, 1894b: 55 type species *Nosoeme clavipes* Kolbe, 1894
Zoolygrus Fåhraeus, 1872c: 194 [RN] type species *Lygrus apicalis* Fåhraeus, 1872
becvari Sama, 1999c: 178 (*Lygrus*) **A**: IS JO SI
longicornis Pic, 1895c: 77 (*Digonium*) **A**: OM SA YE
unicolor Gressitt, 1951a: 625 (*Leptosalpinia*) **A**: HUB

tribe Phoracanthini Newman, 1840

genus *Allotraeus* Bates, 1877: 36 type species *Allotraeus sphaerioninus* Bates, 1877
pallidipennis K. Ohbayashi, 1958c: 36 **A**: JA
sphaerioninus Bates, 1877: 37 **A**: JA SC

genus *Cordylomera* Audinet-Serville, 1834b: 23 type species *Cordylomera nitipennis* Audinet-Serville, 1834 = *Cerambyx spinicornis* Fabricius, 1775 **#189**
Acanthinomomus Hope, 1835b: 107 type species *Cerambyx spinicornis* Fabricius, 1775
spinicornis Fabricius, 1775: 167 (*Cerambyx*) **Ei:** CZ DE FR GB GE IR IT MA SP SV **Ai:** TR **AFR** **#189**
angolensis Veiga-Ferreira, 1971: 7
sansibarica Kolbe, 1893: 248
suturalis Chevrolat, 1858: 242
testacea Buquet, 1844: 233
torrida Olivier, 1795: 31 (*Cerambyx*)

genus *Nyphasia* Pascoe, 1867a: 313 type species *Nyphasia torrida* Pascoe, 1867
apicalis Gahan, 1893b: 378 **A**: NP
fuscipennis Gahan, 1890a: 53 **A**: NP
pascoei Lacordaire, 1868: 309 **A**: BT YUN NP SD **ORR** **#39**

genus *Nysina* Gahan, 1906a: 153 type species *Sphaerion orientale* White, 1853
Neosphaerion Schwarzer, 1925a: 21 type species *Neosphaerion asiaticum* Schwarzer, 1925
Pseudallotraeus Pic, 1923a: 13 type species *Pseudallotraeus rufescens* Pic, 1923
baibarana Matsushita, 1933b: 297 **A**: TAI
boninensis Gressitt, 1937b: 319 (*Pseudallotraeus*) **A**: JA (Ogasawara Isls.)
gracillima Mitono, 1947b: 24 (*Pseudallotraeus*) **A**: FUJ GUX HAI TAI **ORR** **#400**
grahami Gressitt, 1939a: 68 **A**: FUJ GUA GUX HEN HUN JIX SCH XIZ YUN
insularis amamiensis Hayashi, 1961b: 42 **A**: JA (Ryukyus)
insularis insularis Mitono, 1947b: 25 (*Pseudallotraeus*) **A**: JA (Ryukyus) SC (Jejudo Is) **#63**
insularis yamagamii Fujita, 1980: 12 **A**: JA (Izu Isls.)
orientalis White, 1853a: 110 (*Sphaerion*) **A**: YUN **ORR**
rubriventris Gressitt, 1937a: 90 **A**: CHQ HAI HUN YUN **ORR** **#400**
rufescens asiatica Schwarzer, 1925a: 22 (*Neosphaerion*) **A**: FUJ GUX HAI HKG TAI **ORR** **#276** **#400**
rufescens rufescens Pic, 1923a: 13 (*Pseudallotraeus*) **A**: JA SC (Gageodo Is.) **#276** **#525**
japonica K. Ohbayashi, 1936a: 13
sauteri Matsushita, 1931c: 399 (*Neosphaerion*) **A**: TAI
subtuberculata Pic, 1933b: 27 (*Pseudallotraeus*) **A**: CH

genus *Phoracantha* Newman, 1840a: 19 type species *Stenocorus semipunctatus* Fabricius, 1775
recurva Newman, 1840b: 4 **Ei**: FR GR IT MA PT SP **Ni**: AG CI LB MO TU **Ai**: IS LE SY TR **AFRi** **AUR** **NARi** **NTRi** **#74** **#189** **#361** **#778**
papua Gressitt, 1959: 93
semipunctata Fabricius, 1775: 180 (*Stenocorus*) **Ei**: FR GR IT MA PT SP **Ni**: AG CI EG LB MO MR TU **Ai**: CY GG IS JO LE SA SY TR **AFRi** **AUR** **NARi** **NTRi** **#189** **#774**
hospita Pascoe, 1864b: 232
inscripta Germar, 1848: 226

tribe Prothemini Lacordaire, 1868

genus *Prothema* Pascoe, 1856: 43 type species *Prothema signatum* Pascoe, 1856
Sigeum Pascoe, 1866d: 523 type species *Blemmya humerale* Pascoe, 1857

astutum Holzschuh, 2011: 305 **A:** YUN
auratum auratum Gahan, 1906a: 235 **A**: GUA GUI GUX HAI HUN ?NP ?SD YUN **ORR**
auratum cariniscapum Gressitt, 1937c: 451 **A**: GUA GUI HUN SCH **ORR** **#521**
auratum ininterruptum Pic, 1927g: 109 **A**: XIZ
auratum brunnipenne Holzschuh, 2015d: 305 **A:** NP SD
cakli Heyrovský, 1967c: 201 **A**: HAI YUN **ORR**
exclamatione Pesarini & Sabbadini, 2000: 58 **A**: SCH
lineatum Pic, 1920a: 2 **A**: XIZ
ochraceosignatum Pic, 1915b: 10 **A**: TAI
nigrum Kano, 1930: 42
signatum Pascoe, 1856: 43 **A**: FUJ GUA GUI GUX HAI HUN JIX NE NO SHA XIZ ZHE **ORR** **#225**
funereum Pascoe, 1856: 43

tribe Psebiini Lacordaire, 1868
Nathriini Arnett, 1962

genus *Kabatekiipsebium* Rapuzzi, 2015: 583 type species *Kabatekiipsebium yemenensis* Rapuzzi, 2015
yemenensis Rapuzzi, 2015: 754 **A:** OM YE

genus *Mourgliana* Holzschuh, 1993b: 125 type species *Mourgliana conspicua* Holzschuh, 1993
subgenus *Mourgliana* Holzschuh, 1993b: 125 type species *Mourgliana conspicua* Holzschuh, 1993
conspicua Holzschuh, 1993b: 125 **A**: SA
subgenus *Pseudomourgliana* Sama, 2006: 174 type species *Pseudomourgliana vanharteni* Sama, 2006
mollina Holzschuh, 2006a: 235 **A**: AE OM
vanharteni Sama, 2006: 175

genus *Nathrius* Bréthes, 1916: 76 type species *Nathrius porteri* Bréthes, 1916 (= *Leptidea brevipennis* Mulsant, 1839) **#778**
Deuteroleptidea Paclt, 1946: 169 [unnecessary substitute name]
Leptidea Mulsant, 1839: 105 [HN] type species *Leptidea brevipennis* Mulsant, 1839
Leptideella Strand, 1936: 169 [unnecessary substitute name]
berlandi Villiers, 1946: 68 (*Leptidea*) **E**: SP **N**: MO **#395**
brevipennis Mulsant, 1839: 105 (*Leptidea*) **E**: AU AZ BE BH BU CR CZ DEi FIi FR GB GE GR HU IR IT KZ MA MC MD ME NL NRi PL PT RO SB SK ST SL SP SVi ?SZ TR UK **N**: AG CI EG LB MO TU **A**: AB AR GG IS JO KZ LE SHX SY TR **NARi** **NTRi** **#115** **#104** **#395**
manca LeConte, 1851: 24 (*Gracilia*)
minutus Motschulsky, 1845a: 84 (*Leptidea*)
porteri Bréthes, 1916: 77
rufipennis Dufour, 1851: 351 (*Gracilia*)
cypericus Sláma & Berger, 2006: 56 **A:** CY

tribe Pseudolepturini J. Thomson, 1861

genus *Erythresthes* J. Thomson, 1864: 158 type species *Erythrus bowringii* Pascoe, 1863
subgenus *Erythresthes* J. Thomson, 1864: 158 type species *Erythrus bowringii* Pascoe, 1863
bowringii Pascoe, 1863a: 52 (*Erythrus*) **A**: ANH GUA GUX HKG HUB HUN JIX ZHE **#60**
eximius Holzschuh, 2009a: 314 **A:** GUX **ORR** **#157**

genus *Erythrus* White, 1853a: 142 type species *Erythrus championi* White, 1853
Disidaema J. Thomson, 1860: 142 type species *Erythrus fortunei* White, 1853
Pseudoleptura J. Thomson, 1860: 142 [RN] type species *Erythrus championi* White, 1853
angustatus Pic, 1916e: 19 **A**: GUA
apicalis Pic, 1922b: 25 **A**: GUA GUX **ORR**
atripennis Pic, 1926g: 143
bicolor Westwood, 1848: 60 (*Saperda*) **A**: BT JIA SD **ORR**
biimpressus Pic, 1943c: 5 **A**: CH
blairi Gressitt, 1939a: 33 **A**: FUJ GUA GUI GUX HAI HEN HUB HUN JIA NE SHA ?TAI YUN ZHE
championi White, 1853a: 142 **A**: CE FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX SCH SE SW TAI YUN ZHE **ORR**
lineatus Pic, 1916e: 12
schaiblei Nonfried, 1892a: 92 (*Sternoplistes*)
coccineus Gahan, 1906a: 231 **A**: FUJ NP "North India" **ORR**
congruus Pascoe, 1863a: 51 **A**: GUA HKG HUB JIA TAI
formosanus Bates, 1866a: 350 **A**: TAI
fortunei White, 1853a: 142 **A**: FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE
bijunctus Pic, 1943c: 5
multiplicatus Pic, 1943c: 5
lineatus Pic, 1943c: 4 **A**: CH
multimaculatus Pic, 1916e: 19 **A**: GUA SCH

quadrisignatus Pic, 1943c: 4 **A**: CH
rotundicollis Gahan, 1902: 275 **A**: YUN **ORR**
rubriceps Pic, 1916e: 12 **A**: FUJ HEN HUB NE SCH YUN
suturellus Holzschuh, 1984a: 150 **A**: NP SD
taiwanicus Heyrovský, 1952: 71 **A**: TAI
westwoodi White, 1853a: 143 **A**: NP UP **ORR** **#127**

genus *Pachylocerus* Hope, 1834: 19 type species *Pachylocerus corallinus* Hope, 1834
sulcatus Brongniart, 1892: 240 **A**: GUI GUX SCH YUN **ORR** **#400**

tribe Purpuricenini J. Thomson, 1861 **#400**

genus *Afghanicenus* Heyrovský, 1941a: 36 type species *Purpuricenus nuristanicus* Heyrovský, 1936
aulicus Holzschuh, 1981: 101 **A**: PA
dreesi Tippmann, 1958a: 57 **A**: AF
nuristanicus Heyrovský, 1936: 212 (*Purpuricenus*) **A**: AF PA **#769**

genus *Amarysius* Fairmaire, 1888b: 140 type species *Amarysius dilatatus* Fairmaire, 1888 (= *Anoplistes sanguinipennis* Blessig, 1872)
Asiates Semenov, 1908: 263 type species *Leptura altajensis* Laxmann, 1770
altajensis ~~*altajensis*~~ Laxmann, 1770: 597 (*Leptura*) **A**: ES FE GUI HEB HEI JIL KZ LIA MG NMO WS **#400** **#525** **#737**
affinis Motschulsky, 1853: 79 (*Anoplistes*)
album Z. Wang, 2003: 160, 394
ausinia Z. Wang, 2003: 160
basilaris Pic, 1906b: 10 (*Anoplistes*)
sellatus Germar, 1824: 498 (*Cerambyx*) **#506**
ussuricus Tsherepanov, 1975d: 123
~~*altajensis*~~ *coreanus* Okamoto, 1924: 191 (*Anoplistes*) **A**: NC SC **#737**
duplicatus Tsherepanov, 1980: 91 **A**: ES FE KZ MG WS
minax Holzschuh, 1998: 43 **A**: GAN HEN SCH SHA **#185**
sanguinipennis adachii Fujita, 2023: 21 **A:** JA (Japan: Honshu, Kyushu)
sanguinipennis sanguinipennis Blessig, 1872: 175 (*Anoplistes*) **E**: CT **A**: BEI ES FE HEB HUB~~JA~~ KZ LIA **?**MG NC NMO SC SHA WS ZHE **#400** **#868**
dilatatus Fairmaire, 1888b: 141
suturalis Pic, 1906d: 16 (*Anoplistes*) **A**: FE HEB
grallator Baeckmann, 1924: 233 (*Purpuricenus*)

genus *Anoplistes* Audinet-Serville, 1834a: 570 type species *Cerambyx halodendri* Pallas, 1773
Asias Semenov, 1914: 19 [unnecessary RN] type species *Cerambyx halodendri* Pallas, 1773
agababiani Danilevsky, 2000b: 41 (*Asias*) **A**: AR
amoenus Reitter, 1898b: 126 **A**: XIN NMO **#400**
francisci Reymond, 1933: 139
procerus Semenov, 1907b: 256 (*Purpuricenus*)
balcanicus Sláma, 2010: 75 **E:** BU **#139**
churkini Danilevsky, 2020d: 538 **A:** KI
degener Semenov, 1907b: 255 (*Purpuricenus*) **A**: NMO **#400**
diabolicus Reitter, 1915: 170 **A**: KZ XIN **#400**
forticornis Reitter, 1901b: 84 **A**: KZ KI UZ XIZ
~~*maculibasis* Reitter, 1901b: 84~~ - unavailable name
galusoi Kostin, 1974: 648 (*Asias*) **A**: KZ
gobiensis Namkhaidorzh, 1973: 377 (*Asias*) **A**: CN MG **#819**
halodendri ephippium Steven & Dalman, 1817: 157 (*Cerambyx*) **E**: AL BU RO ST UK KZ **A**: KZ
elaeagni Fischer von Waldheim, 1823: pl. il [= 1824: 238] (*Purpuricenus*)
humeralis Olivier, 1795: 38 (*Cerambyx*)
halodendri halodendri Pallas, 1773: 724 (*Cerambyx*) **A**: ~~KI~~ KZ WS
nigromaculatus Pic, 1915e: 6 (*Asiates*)
halodendri heptapotamicus Semenov, 1926: 48 (*Purpuricenus*) **A**: ~~ES~~ KZ ~~WS~~
halodendri kasatkini Lazarev, 2014a: 275 **E**: ST (Dagestan)
halodendri **ssp. n.** **A**: ES MG CH **#562**
halodendri pirus Arakawa, 1932: 18 (*Purpuricenus*) **A**: ES FE GAN GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX LIA NC NIN NMO QIN SC SCH SHA SHN SHX ?TAI XIN ZHE **#126** **#185**
jacobsoni Baeckmann, 1904: 311 **A**: KZ
jomudorum Plavilstshikov, 1940a: 606 (*Asias*) **A**: IN TM (Kopetdag)
chodjaii Holzschuh, 1974a: 94 (*Asias*)
kaszabi Karpiński, 2020: 192 **A**: MG
kozlovi Semenov & Znoiko, 1934: 211 (*Asias*) **A**: MG NMG **#562**
minutus Hammarström, 1892: 191 **A**: MG

tuvensis Tsherepanov, 1978b: 138 (*Asias*) **#902**
mongolicus Ganglbauer, 1889a: 75 **A**: HEB MG NMO SHX **#400**
pseudotuvensis Karpiński, 2026: 67 **A**: MG (Uvs Aimag, eastern shore of Achit lake, about 49.42°N, 90.67°E).

genus *Brototyche* Pascoe, 1867a: 317 type species *Brototyche adamsii* Pascoe, 1867
adamsii Pascoe, 1867a: 318 [DA] ["Chosan (Japanese Sea)"] **A**: KO **#208**

genus *Calchaenesthes* Kraatz, 1863: 97 type species *Callidium oblongomaculatum* Guérin-Méneville, 1844
Calchaenistes Schaum, 1862 [nomen oblitum] type species *Callidium nogeli* Frivaldszky von Frivald, 1845 **#810**
Hysginois Truqui in Kraatz, 1863: 98 type species *Hysginois quadrigeminus* Truqui in Kraatz, 1863: 98 (= *Callidium oblongomaculatum* Guérin-Méneville, 1844).
ambrusi Lazarev, 2023g: 297 **A**: CY
? *quadrigeminus* Truqui in Kraatz, 1863: 98 (*Hysginois*) ["Cypern"]
diversicollis Holzschuh, 1977a: 129 **A**: IN IQ TR **#677**
oblongomaculata Guérin-Méneville, 1844: 234 (*Callidium*) **E**: BU GR RO **A**: JO TR
nogeli Frivaldszky von Frivald, 1845: 183 (*Callidium*)
quadrimaculata Pic, 1912f: 13
subjuncta Pic, 1945b: 6
pistacivora Holzschuh, 2003a: 195 **A**: IN
primis Özdikmen, 2013b: 150 **A:** CY TR **#292**
? *quadrigeminus* Truqui in Kraatz, 1863: 98 (*Hysginois*) ["Cypern"]
sexmaculata Reiche, 1861: 91 (*Anoplistes*) **E**: SP **N**: AG MO TU
juncta Pic, 1922d: 27
parvimaculata Rungs, 1947: 100 (*Purpuricenus*)

genus *Dicelosternus* Gahan, 1900c: 308 type species *Dicelosternus corallinus* Gahan, 1900
corallinus Gahan, 1900c: 309 **A**: FUJ GUA GUI GUX HAI HUB HUN JIX TAI ZHE **#185**

genus *Euryphagus* J. Thomson, 1864: 196 type species *Cerambyx lundii* Fabricius, 1793
Eurycephalus Dejean, 1835: 323 [HN] type species *Cerambix maxillosus* Olivier, 1795 (= *Cerambyx lundii* Fabricius, 1793)
lundii Fabricius, 1793: 258 (*Cerambyx*) **A**: FUJ GUI GUX HAI HP NP SCH ?TAI YUN **ORR**
bipunctatus Schönherr, 1817a: 459 (*Callidium*)
maxillosus Olivier, 1795: 52 (*Cerambyx*) **#185**
nigricollis Heller, 1913: 155 **#185**
nigripes Olivier, 1795: 52 (*Cerambyx*)
variabilis Pascoe, 1860b: 120 (*Eurycephalus*) **#185**
miniatus Fairmaire, 1904a: 145 (*Purpuricenus*) **A**: FUJ GUA GUI GUX HAI HKG JIX YUN **ORR**
caputorubeus S. T. Yu, 1935: 10 (*Purpuricenus*)
carinifer Pic, 1910f: 24 (*Purpuricenus*)
chinensis Gressitt, 1939a: 47

genus *Falsanoplistes* Pic, 1915d: 27 type species *Falsanoplistes guerryi* Pic, 1915
Bunothorax Gressitt, 1936: 101 type species *Sternoplistes takasagoensis* Kano, 1933
guerryi Pic, 1915d 27 **A**: GUI JIA SCH SHA YUN XIZ **#400**
takasagoensis Kano, 1933a: 278 (*Sternoplistes*) **A**: TAI **ORR** **#185**

genus *Parabunothorax* Pu, 1991b: 247 type species *Parabunothorax rubripennis* Pu, 1991
rubripennis Pu, 1991b: 248, 251 **A**: GUI YUN **ORR** **#185**

genus *Peyeremoceras* Sama, 2009: 22 [RN] type species *Eremoceras surcoufi* Peyerimhoff, 1920
Eremoceras Peyerimhoff, 1920a: 22 [HN] type species *Eremoceras surcoufi* Peyerimhoff, 1920
surcoufi Peyerimhoff, 1920a: 22 (*Eremoceras*) **N**: AG

genus *Purpuricenus* Dejean, 1821: 105 type species *Cerambyx kaehleri* Linnaeus, 1758
Acanthoptera Latreille, 1829: 114 type species *Cerambyx budensis* Götz, 1783 **#517**
subgen. "*Acanthroptera* Lat.", Gray, 1832: 103 - misprint, unavailable name.
Basiatropansexus Özdikmen, 2025q: 2789 type species *Purpuricenus barbarus* Lucas, 1842 #848
Cyclodera White, 1846: 510 type species *Cyclodera quadrinotata* White, 1846
Hamadrias Gistel, 1848a: 130 [unnecessary substitute name]
Philagathes J. Thomson, 1864: 196 type species *Philagathes laetus* J. Thomson, 1864
Porphyrocenus Reitter, 1913a: 34 type species *Purpuricenus spectabilis* Motschulsky, 1858
Sternoplistes Guérin-Méneville, 1844: 224 type species *Purpuricenus temminckii* Guérin-Méneville, 1844
apicalis Pic, 1905j: 163 **A**: IN IQ TR
tommasoi Sama, 2001: 390
apiceniger Pic, 1914b: 7 **E**: BH CR GR IT ME
baeckmanni Danilevsky, 2007c: 38 **E**: UK (Crimea) **#98** **#635**
barbarus P. H. Lucas, 1842: 185 **N**: AG MO TU

dumerilii P. H. Lucas, 1847: pl. 41
interruptus Pic, 1891b: 23
limbatus Pic, 1891b: 23
bitlisiensis T. Pic, 1902: 27 **A**: TR
budensis Götz, 1783: 72 (*Cerambyx*) **E**: AL BH BU CT CR FR GR HU IT MC MD ME RO SB SK SL SP ST TR UK **A**: AB AR CY GG IN IS LE SY TR WS
affinis Brullé, 1832: 251
ungaricus Herbst, 1784: 90 (*Lamia*)
wredii Fischer von Waldheim, 1823: tab. 49, fig. 2 [1824: 238]
caucasicola Danilevsky, 2015e: 386 **E**: ST **A**: AB ?AR GG TR **#635**
coccineus Breit, 1917b: 73 **E**: IT **#231**
comenius Vartanis & Ambrus, 2015: 315 **E**: GR
cornifrons Sabbadini & Pesarini, 1992b: 58 [Bingöl] **A**: TR
dalmatinus Sturm, 1843: 353 **E**: BH BU CR GR IT MC SL **A**: IS JO LE SY TR **N:** EG **#561**
biinterruptus Pic, 1901b: 11
bonvouloiri Pic, 1945b: 6
disjunctus Pic, 1916a: 13
hirsutus Heyrovský, 1969a: 34
desfontainii desfontainii Fabricius, 1793: 258 (*Cerambyx*) **E**: GR **N**: AG LB MO TU
kykladicus Vartanis, 2023b: 1716 GR (Cyclades) - unavailable name #849
nigricollis Pic, 1892g: 114
v-signatis Pic, 1922d: 27
desfontainii inhumeralis Pic, 1891b: 24 **E**: GR TR **A**: JO IS LE SY TR **#464**
deyrollei J. Thomson, 1867d: 164 **A**: IN TM **#813**
ledereri Ferrari, 1869: 199
mediojunctus Pic, 1921a: 4
ferrugineus Fairmaire, 1851: 528 **E**: PT SP
fettingi Schaufuss, 1871: 209
hispanicus K. Daniel & J. Daniel, 1898b: 88
globiger ambrusi Danilevsky, 2012d: 11 **A:** GAN
globiger globiger Fairmaire, 1888b: 139 **A**: BEI HEB JIX LIA SHA SHX **#185** **#400**
globulicollis Dejean, 1839: 34 **E**: AL AU BH BU CR CT CZ EN FR GR HU IT ME RO SB SK SL SP ST SZ UK **A**: KZ WS **#195**
grabowskii Heyrovský, 1913: 35
tsherepanovae Tsherepanov, 1980: 89
graecus Sláma, 1993: 56 **E**: GR **#98**
graceus Sláma, 1993: 56 [неправильное первоначальное написание - непригодное название]
hummeli Pic, 1935c: 11 **A**: GAN SCH **#185**
foraminifer Pesarini & Sabbadini, 1997: 106 **#185**
indus Semenov, 1908: 261 [RN] **A**: AF KA PA "Punjab"
haussknechti Gahan, 1906a: 186
innotatus Pic, 1910f: 24 **A**: XIZ YUN **ORR**
interscapillatus barbarae Rapuzzi & Sama, 2014b: 145 (Carmel range, Daliyat el Karmil) **A**: IS
interscapillatus cypriensis Lazarev & Ambrus, 2021: 508 **A:** CY
interscapillatus hermonensis Rapuzzi & Sama, 2014b: 147 **A**: IS SY (Golan Heights, Mt. Hermon ; Syria: Quatana, Burqush)
interscapillatus interscapillatus Plavilstshikov, 1937b: 247 [RN] **A**: SY TR (Toros Mts, Nemrut Mts, Mardin, Hatay)
humeralis Pic, 1891b: 23 [HN] ["Asie Mineure"]
interscapillatus longevittatus Pic, 1941b: 2 **A**: LE **#330**
interscapillatus marivanensis Danilevsky & Faizi, 2020: [2] **A**: IN
interscapillatus nabateus Sama, 1999c: 178 **A**: JO **#330**
interscapillatus nudicollis Demelt, 1968b: 65 [Antalya] **A**: TR **#521**
kabakovi Miroshnikov & Lobanov, 1990: 15 **A**: AF KA PA
kaehleri boryi Brullé, 1832: 251 [Morée: "de Pétalidi, dans le golfe de Messénie"] **E:** GR **#278**
kaehleri carbonarius Reitter, 1901c: 101 ["dalmatinischen Insel Meleda"] **E:** BH CR **#517**
kaehleri cinctus A. Villa & G. B. Villa, 1833: 36 - ["Italya"] **E:** IT **#517**
aetnensis Bassi, 1834: 471 [Nicolosi, Sicile]
tournieri Pic, 1945b: 6 [Sicile]
kaehleri kaehleri Linnaeus, 1758: 393 (*Cerambyx*) [Italia] **E**: AL BE BH CR FR GR IT LU MC ME PT SB SP SZ
bilineatus Mulsant, 1839: 34 [aux entours de Lyon, les environs de Paris et de Bordeaux]
bipunctatus A. Villa & G. B. Villa, 1833: 36 ["Italia"]
corsicus Vartanis, 2018a: 40 **#744**
ferrarioi Pic, 1941b: 2 ["Italie"]
ruber Geoffroy, 1785: 75 (*Cerambyx*) ["circa Parisios"]
servillei Audinet-Serville, 1834a: 569 ["environs de Paris"]
kaehleri litoralis Depoli, 1913: 22 ["Liburnischen Karst"] **E:** AL BH CR GR ME SL **#517**
kaehleri menetriesi Motschulsky, 1845a: 87 ~~**E: ST**~~ **A**: AB AR ~~GG~~ IN TR **#674**
astrabadensis Pic, 1915e: 6
caucasicus T. Pic, 1902: 27 - "Caucas", Helenendorf **#331**

kaehleri miroshnikovi Lazarev, 2023a: 2 **E:** ST **A**: GG **#674**
kaehleri rossicus Danilevsky, 2019: 86 **E:** AU BE BU BY CT CZ GE GR HU KZ MD PL RO SK ST SZ TR UK **A**: TR
katerinae Danilevsky, 2012d: 12 **A:** SHX
lituratus Ganglbauer, 1887a: 136 **A**: BEI FE GAN GUI GUX HEB HEN HUB HUN JA JIA JIL JIX LIA NC SC SCH SHA SHX YUN **#185**
komarovi Semenov, 1908: 260
petasifer Fairmaire, 1888b: 140
ritsemai Villard, 1913: 237
rosti Pic, 1913c: 135
malaccensis Lacordaire, 1869: 176 (*Philagathes*) **A**: GUA GUX HAI SHA YUN **ORR** **#185** **#530**
diversithorax Pic, 1922b: 25.
fasciatus Brongniart, 1892: 241
subimmaculatus Pic, 1927b: 30
mediterraneus Vartanis, 2025: 1675 **E:** GR
montanus White, 1853a: 138 **A**: AF HP KA PA UP XIZ "Tibet" **#127** **#185**
kashmirensis Pic, 1906b: 10 (*Sternoplistes*)
nanus Semenov, 1907b: 254 [“Gilan: pr. pag. Molla-ali”] **A**: IN
notatithorax Pic, 1919**a**: 22 [“Perse”]
neocaucasicus Rapuzzi & Sama, 2014b: 156 **A**: TR **#98** **#635**
nicocles Schaufuss, 1871: 209 **A**: CY
nigropunctatus Pic, 1916a: 13
nigronotatus Pic, 1907g: 169 [Hatay] **A**: TR
konradi Bernhauer, 1976: 123 [type - Adana: Nurdagi gecidi]
optabilis Holzschuh, 1984a: 149 **A**: NP
persicus Vartanis, 2023g: 1803 **A**: IN
renyvonae latefasciatus Özdikmen & Tezcan, 2020g: 537 **A:** TR
renyvonae renyvonae Sláma, 2001: 225 **E**: BU CR MC TR SB **#98** **#635**
sanguinolentus Olivier, 1800: 93 (*Cerambyx*) **A**: ?TAI "North India" **ORR** **#373** **#400**
sasanus Kadlec, 2006a: 3 **A**: IN ?IQ **#537**
schurmanni Sláma, 1985: 18 **E:** GR (Crete)
creticus Bernhauer, 1985: 104
sideriger richardi Danilevsky, 2012d: 15 **A:** GAN
sideriger sideriger Fairmaire, 1888b: 139 **A**: FE FUJ GUX HEB HEN HUB HUN JIA JIX NC SC SCH SHA **#185**
coreanus K. Saito, 1932: 441
pratti Gahan, 1888b: 61
skypetarum skypetarum Rapuzzi & Sama, 2014b: 164 **E**: AL MC GR (Etolia) **#64** **#521**
skypetarum zinaidae Lazarev, 2020e: 15 **A:** TR (Çorum, Şile, Izmit)
spectabilis Motschulsky, 1858a: 36 **A**: FUJ GAN GUI HEB HUB HUN JA JIA JIX LIA SC SCH SHA ?TAI YUN ZHE **#63** **#185**
argodi Pic, 1949b: 53 (*Sternoplistes*)
bijunctus Pic, 1923b: 8 (*Sternoplistes*)
subnotatus Pic, 1910f: 24 **A**: YUN
basipennis Pic, 1916e: 13
talyschensis Reitter, 1891c: 240 **A**: AB (Talysh) IN **#813**
temminckii oliveri Danilevsky, 2012d: 19 **A:** GAN
temminckii richardambrusi Lazarev, 2023h: 391 **A:** GAN
temminckii sinensis White, 1853a: 139 **A**: AP FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SC SCH SHA SHN TAI YUN ZHE **ORR** **#185** **#280**
similis Pic, 1923b: 8 (*Sternoplistes*)
temminckii temminckii Guérin-Méneville, 1844: 224 **A**: JA
japanus Motschulsky, 1858a: 37
kiotensis Matsushita, 1933b: 312 (*Sternoplistes*)
variicollis Özdikmen, Laz & Karabulut, 2023: 60 **A**: TR
wachanrui schoenfeldti Heyden, 1890: 79 [“Sultanabad”] **A**: IN ?TR **#882** **#895**
robusticollis Pic, 1905a: 9 [“Perse”] **#811**
wachanrui wachanrui Levrat, 1858: 261 [Turquie] **A**: AB CY IN IQ SY TR **#591** **#811**
aleppensis Witte, 1872: 208
anatolicus Vartanis, 2026: 29 [Nemrut Dagi] #906
atricolor Pic, 1912c: 4
bilunatus Schaufuss, 1871: 210 [Cypern]
diversipennis Pic, 1915e: 6 [Aleppo]
haussknechti Witte, 1872: 207 [Kurdistan]
mesopotamicus Al-Ali & Ismail, 1987b: 536, 543 [Iraq] **#591**
quadrinotatus Pic, 1912a: 35 [Luristan]
zarudnianus Semenov, 1903: 358 **A**: IN PA
schauffelei Pic, 1956a: 3

genus *Quentinius* Vives, 2013a: 105 type species *Philagathes cinctus* Lameere, 1890 (= *Purpuricenus lameerei* Plavilstshikov, 1921)
lameerei Plavilstshikov, 1921b: 110 [RN] (*Purpuricenus*) **A**: SCH XIZ YUN **ORR** **#185**
cinctus Lameere, 1890: ccxiii [HN] (*Philagathes*)

tribe Pyrestini Lacordaire, 1868

genus *Pyrestes* Pascoe, 1857b: 96 type species *Pyrestes haematicus* Pascoe, 1857
curticornis Pic, 1923a: 13 **A**: TAI
longicollis Pic, 1953c: 8 **#873**
densatus Holzschuh, 1998: 41 **A**: GAN SCH
dohertii Gahan, 1906a: 229 **A**: YUN **ORR**
festus Holzschuh, 1998: 42 **A**: YUN
formosanus Schwarzer, 1925a: 24 **A:** TAI **#873**
haematicus Pascoe, 1857b: 97 **A**: ANH FUJ GUA GUI HEN HKG HUB HUN JA JIA JIX NC NE NO SC SHA TAI YUN ZHE **#225**
cardinalis Pascoe, 1863a: 50 **#417**
coreanus Okamoto, 1927: 66 (*Leptoxenus*)
hypomelas Fairmaire, 1887a: 131 **A**: YUN
inaequalicollis Hayashi, 1962a: 9 **A**: JA (Ryukyus)
miniatus Pascoe, 1857b: 97 **A**: "North India"
munekuro Fujimura, 1956: 3 **A**: JA
nipponicus Hayashi, 1987: 157
nigricollis Pic, 1947c: 18 **A**: YUN **ORR**
pascoei Gressitt, 1939a: 31 **A**: FUJ GAN GUA HUN JIA NE YUN ZHE
pyrrhus Gahan, 1906a: 228 **A**: HP NP **ORR** **#366**
quinquesignatus Fairmaire, 1889a: 65 **A**: SHA WP **#400**
rufipes nepalicus Holzschuh, 1990: 189 **A**: NP
[*rufipes rufipes* Pic, 1923a: 13 - "North India"]
rugicollis Fairmaire, 1900: 642 **A**: FUJ GAN GUA HEN HUN JIA YUN ZHE
rugosa Gressitt & Rondon, 1970: 184 **A**: YUN **ORR**
yayeyamensis Hayashi, 1972: 28 **A**: JA (Ryukyus)

tribe Smodicini Lacordaire, 1869

genus *Smodicum* Haldeman, 1847: 38 type species *Callidium cucujiforme* Say, 1827 **#579**
Nothorhinomorpha Pic, 1930e: 62 type species *Nothorhinomorpha deplanata* Pic, 1930e
cucujiforme Say, 1827: 277 (*Callidium*) **Ni:** EG **NAR NTR**
argentinum Bruch, 1911: 170
convergens Casey, 1912: 269
cylindrides Newman, 1838a: 394 (*Callidium*)
deplanata Pic, 1930e: 63 (*Nothorhinomorpha*) [Egypt]

tribe Stenhomalini Miroshnikov, 1989

genus *Stenhomalus* White, 1855: 243 type species *Stenhomalus fenestratus* White, 1855
subgenus *Bicoloripennus* Özdikmen, 2025j: 2622 type species *Stenhomalus coomani* Gressit, 1951
coomani Gressitt, 1951a: 164 **A**: FUJ
dayaoshanus Niisato & Chou, 2018: 82 **A:** GUX
mirificus Niisato & Chou, 2018: 84 **A**: TAI
ruficollis Gressitt, 1935a: 149 **A**: TAI
subgenus *Obriopsis* G. Müller, 1949: 65 type species *Obrium bicolor* Kraatz, 1862
bicolor bicolor Kraatz, 1862: 126 (*Obrium*) **E**: AL AU BH BU CR CZ GR HU IT MC ME SB SK SL SV **A**: CY IS SY TR
bicolor hoskoveci Özdikmen, 2024j: 1516 **A**: TR
bicolor yazelae Özdikmen, 2019a: 9 **A**: TR
subgenus *Stenhomalus* White, 1855: 243 type species *Stenhomalus fenestratus* White, 1855
Stenomalus Gemminger, 1872: 2841 [unjustified emendation]
baibarensis Matsushita, 1933b: 307 **A**: TAI
cephalotes Pic, 1928a: 28 **A**: HAI **ORR**
clarinus Holzschuh, 1995: 23 **A**: YUN
cleroides Bates, 1873: 155 **A**: JA SC TAI **#384**
complicatus Gressitt, 1948a: 49 **A**: SCH SHA SHX YUN
fenestratus White, 1855: 243 **A**: FUJ GUA HKG NE NO NP SCH SHA TAI "North India" **ORR**
kumaso Niisato & Makihara, 1991: 164 **A**: JA
makiharai Niisato & Chou, 2018: 86 **A**: TAI
mecops Holzschuh, 1990: 187 **A**: SD
odai Niisato & Kinugasa, 1982: 13 **A**: YUN **ORR**
taiwanus koshunensis Seki, 1935a: 91 **A**: TAI
taiwanus taiwanus Matsushita, 1933b: 307 **A**: HEB HEN HUB JA LIA NC SC SCH SHA SHX TAI **NAR** **#216 #225**
versicolor Holzschuh, 1984a: 147 **A**: NP
subgenus *Unicoloripennus* Özdikmen, 2025j: 2625 type species *Obrium longicorne* Bates, 1873
incongruus incongruus Gressitt, 1939c: 211 **A**: BEI JIA SHA SHG **#225**

incongruus muneaka Hayashi, 1981b: 29 **A**: JA
incongruus parallelus Niisato, 1988c: 791 **A**: JA SC
japonicus Pic, 1904f: 22 (*Obrium*) **A**: FE (Ussuri, Kunashir) JA SC **#812**
lighti Gressitt, 1935b: 170
vulcanus Tsherepanov, 1975c: 79
liui Niisato, 2015a: 475 **A**: HAI
longicornis Bates, 1873: 155 (*Obrium*) **A**: JA
nagaoi Hayashi, 1960c: 11 **A**: JA SC (Yeoseodo Is.) **#97**
pallidus Gressitt, 1935a: 147 **A**: TAI
pinicola Holzschuh, 2015: 34 **A**: SCH SHA **#683**
takaosanus K. Ohbayashi, 1958c: 37 **A**: JA
tetricus Holzschuh, 2007: 214 **A**: HUB
unicolor Niisato & Hua, 1998: 456 **A**: ZHE

tribe Stenopterini Gistel, 1848

genus *Callimoxys* Kraatz, 1863: 105 type species *Stenopterus gracilis* Brullé, 1832
gracilis Brullé, 1832: 257 (*Stenopterus*) **E**: AL BH BU CR GR HU MC ME RO SB SK SL ST UK **A**: AB AR GG IN TM TR **#11** **#32** **#117**
retusifer Holzschuh, 1999: 27 **A**: HUB SHA **#225**
orientalis Niisato & N. Ohbayashi, 2004: 464

genus *Callimus* Mulsant, 1846: [5] type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)
subgenus *Callimus* Mulsant, 1846: [5] type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)
Callimellum Strand, 1928: 2 [unnecessary substitute name]
abdominalis Olivier, 1800: 70 (*Callidium*) **E**: AL BH CR FR GR IT SP **#373**
decorus Gené, 1839: 38 (*Stenopterus*)
diversipes Pic, 1929b: 9
nigricollis Pic, 1890c: 157
akbesianus Pic, 1892r: cxi [= 1893d: 416] **A**: TR
angulatus angulatus Schrank, 1789: 77 (*Saperda*) **E**: AL AU BH BU CR CZ FR GE GR HU IT MC MD ME PL RO SB SK SL SP SZ TR UK **N**: AG MO **A**: AB AR GG IN SY TR TM **#170** **#630**
bourdini Mulsant, 1846: [7]
cyaneus Fabricius, 1793: 330 (*Callidium*)
gallicus Pic, 1932d: 25 (*Callimellum*)
laetus Motschulsky, 1845a: 85 (*Stenopterus*)
variabilis Bonelli, 1812: 181 (*Necydalis*)
angulatus glabrescens Holzschuh, 1989a: 164 **E**: ?AL GR
qingmingi Wang, Xie & Wang, 2025: 582 **A**: XIZ
testaceus Pic, 1922b: 23 **A:** HP (Kulu)
subgenus *Lampropterus* Mulsant, 1862: 214 type species *Necydalis femoratus* Germar, 1824 **#506**
Callimomimus Ieniştea, 1952: 719 type species *Callimomimus distinctus* Ieniştea, 1952 (= *Necydalis femoratus* Germar, 1824)
femoratus Germar, 1824: 519 (*Necydalis*) **E**: AL BU GR MC MD ME RO SB ST TR UK **A**: AB AR GG IN IS CY LE SY TR **#74** **#506**
adonis Abeille de Perrin, 1881: 139
distinctus Ieniştea, 1952: 719 (*Callimomimus*)
narcissus Abeille de Perrin, 1881: 138
rumelicus Apfelbeck, 1899: 292
thoracicus Chevrolat, 1882: 57 (*Callimoxys*)
subgenus *Nathriopterus* Sama, 2003a: 62 type species *Stenopterus shensiensis* Gressitt, 1951
shensiensis Gressitt, 1951a: 176 (*Stenopterus*) **A**: SHA
truncatipennis Gressitt, 1948a: 52 (*Stenopterus*) **A**: SHA
subgenus *Procallimus* Pic, 1907a: 7 type species *Callimus egregius* Mulsant & Rey, 1863
distinctipes Pic, 1906a: 11 **A**: IS JO LE
egregius Mulsant & Rey, 1863: 146 **E**: GR ST UK **A**: GG LE SY TR **#182**
obscurithorax Pic, 1907e: 154
khorasanii Holzschuh, 2006a: 234 **A**: IN
rapillyi Villiers, 1973a: 33 **A**: IN
semicyaneus anatolicus Özdikmen, 2026b: 529 **A**: TR **#892**
rubritibiaeus Özdikmen, 2026b: 529 [nomen nudum] **#892**
semicyaneus semicyaneus Pic, 1905k: 187 **E**: GR MC **#892**

genus *Guerryus* Pic, 1903e: 105 type species *Guerryus aureopubescens* Pic, 1903
argyritis Holzschuh, 1998: 34 **A**: SCH YUN **#400**
aureopubescens Pic, 1903e: 105 **A**: SCH YUN

genus *Holangus* Pic, 1902l: 33 type species *Holangus flavonotatus* Pic, 1902
bicolor Niisato, Chou & Lin, 2018: 94 **A**: GUX HAI

guerryi Pic, 1904c: 10 **A**: SCH YUN **#400**
ruficollis Pic, 1940: 4 **A**: YUN **ORR** **#240**
shennongjiaensis P. Wang, Xie G. & Wang W.-K. 2020b: 146 **A**: HUB

genus *Kunbir* Lameere, 1890: ccxiii type species *Kunbir telephoroides* Lameere, 1890
Debilia Fairmaire, 1895: 178 [HN] type species *Debilia rufoflavida* Fairmaire, 1895
Debilissa Aurivillius, 1912: 274 [RN] type species *Debilia rufoflavida* Fairmaire, 1895
Kurseonigra Pic, 1930b: 15 type species *Debilissa laboissierei* Pic, 1930
atripennis Pic, 1925b: 15 (*Debilissa*) **A**: HUN YUN
bicolor Pic, 1928f: 160 (*Debilissa*)
obscuricolor Pic, 1925b: 16 (*Debilissa*)
[*atripes atripes* Pic, 1924: 15 (*Debilissima*) **ORR** (Laos)]
atripes bicoloripes Holzschuh, 2015d: 43 **A**: SCH SHA
carinatus Pic, 1928f: 159 (*Debilissa*) **A**: HUB YUN **#400**
cephalotes Pic, 1928f: 159 (*Debilissa*) **A**: FUJ YUN
crusator Gressitt & Rondon, 1970: 127 **A**: YUN **ORR**
laboissierei Pic, 1930: 16 (*Debilissa*) **A**: SD
nomurai Hayashi, 1974a: 25 **A**: HUB HUN TAI **#400**
pallidipennis Gressitt, 1940b: 56 **A**: HAI
pilosipes Holzschuh, 2003: 187 **A**: HUB HUN SHA **#400**
rufoflavidus Fairmaire, 1895: 179 (*Debilia*) **A**: YUN **ORR**
diversiceps Pic, 1928a: 27 (*Debilissa*)
shennongjiaensis X. Wang, P. Wang & W. Wang, 2021: 181 **A**: HUB
simplex Gressitt & Rondon, 1970: 128 **A**: YUN **ORR**
telephoroides Lameere, 1890: ccxiii **A:** UP
testaceus Pic, 1924a: 15 (*Debilissima*) **A**: CH **ORR**
vartianorum Holzschuh, 1974a: 88 **A**: PA

genus *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858
subgenus *Macromolorchus* Pic, 1922e: 28 type species *Macromolorchus curtipennis* Pic, 1922
Hakata Mitono & Nishimura, 1936: 33 type species *Hakata hirsuta* Mitono & Nishimura, 1936
baoshana Chiang, 1963: 66 **A**: YUN **ORR**
aglaospadix Gressitt & Rondon, 1970: 118
curtipennis Pic, 1922e: 28 (*Macromolorchus*) **A:** HUB **ORR** **#651**
eburata Holzschuh, 1989a: 162 **A**: SD YUN
hirsuta Mitono & Nishimura, 1936: 34 (*Hakata*) **A**: FUJ HUN JA SC TAI ZHE **#682**
klapperichi Tippmann, 1955: 100 (*Hakata*) **#418**
splendida Chiang, 1981: 79 **A**: GUX HAI ZHE **#400**
subgenus *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858
fusca Gressitt & Rondon, 1970: 121 **A**: YUN **ORR**
indica Hope, 1831: 28 (*Molorchus*) **A**: HUB NP SCH SD YUN **ORR** **#651**
jeanvoinei Pic, 1933a: 9 **A**: GUX HAI HUB **ORR** **#651**
atricornis Pic, 1933a: 10
melanocephala Gressitt & Rondon, 1970: 125 **A**: GUX YUN **ORR** **#400**
neglecta Yokoi & Niisato, 2009: 348 **A**: YUN **ORR** **#400**
nigrella Gressitt, 1942g: 79 **A**: ANH YUN
nigriceps White, 1855: 181 (*Heliomanes*) **A**: AP NP XIZ YUN **ORR**
inapicalis Pic, 1922b: 23
nigroapicalis Gressitt et Rondon, 1970: 121 **A**: YUN **ORR**
phoebe Gardner, 1939: 3 **A**: NP UP
pilosa Gressitt et Rondon, 1970: 120 **A**: GUX YUN **ORR** **#400**
scutulata Holzschuh, 1989a: 163 **A**: SD YUN
tuberosa Holzschuh, 2003a: 185 **A**: YUN **ORR** **#508**
uraiensis Kano, 1930: 43 **A**: TAI
subgenus *Ocytasia* Pascoe, 1869a: 565 type species *Ocytasia fulvipennis* Pascoe, 1869
caldwelli Gressitt, 1942a: 3 **A**: FUJ GUA GUX HUN YUN
catoxelytra Gressitt & Rondon, 1970: 119 **A**: YUN **ORR**
formosana burkwalli Gressitt, 1940b: 54 **A**: HAI ZHE **#489**
formosana formosana Heller, 1924a: 32 **A**: TAI
kurarensis Seki, 1934: 282
nigra Matsushita, 1937: 102
formosana iriomotensis K. Ohbayashi & N. Ohbayashi, 1965: 3 **A**: JA (Ryukyus)
formosana okinawana K. Ohbayashi & N. Ohbayashi, 1965: 2 **A**: JA (Ryukyus)
formosana rubriventris Hayashi, 1962a: 8 **A**: JA (Ryukyus)
formosana septentrionalis Tamu & Tsukamoto, 1952: 9 **A**: JA
tosawai Kobayashi, 1932: 1 **A**: JA (Ogasawara Isls.)

genus *Microdebilissa* Pic, 1925b: 16 type species *Microdebilissa bipartita* Pic, 1925
Euchlanis Pascoe, 1869a: 565 [HN] type species *Euchlanis collaris* Pascoe, 1869
Neodeuteromma Mitono, 1936: 32 type species *Neodeuteromma serratipenne* Mitono, 1936 (= *Mirodebilissa testacea* Matsushita, 1933)
aethiops aethiops Holzschuh, 1995: 25 (*Euchlanis*) **A**: YUN
aethiops hiranoi Niisato, Akiyama & Chou, 2021: 121 **A**: TAI
argentifera Holzschuh, 1984c: 354 (*Euchlanis*) **A**: BT NP YUN
atricornis Pic, 1940: 4 **A**: CH **ORR**
atripennis Pu, 1992b: 600, 620 (*Euchlanis*) **A**: YUN
bipartita Pic, 1925b: 16 **A**: CH
obscura Pic, 1940: 5
diversipes Pic, 1930b: 16 **A**: SD
furva Holzschuh, 1993a: 30 (*Euchlanis*) **A**: YUN **ORR**
homalina Holzschuh, 1993a: 29 (*Euchlanis*) **A**: YUN **ORR**
infirma Holzschuh, 1989b: 375 (*Euchlanis*) **A**: YUN **ORR**
makiharai Hayashi, 1982b: 151 [RN] (*Euchlanis*) **A**: TAI
obscura Hayashi, 1971: 6 [HN]
minuta Pic, 1927b: 30 **A**: CH **ORR**
robustula Holzschuh, 1990: 188 (*Euchlanis*) **A**: NP
simplicicollis Gressitt, 1951a: 181 [RN] **A**: GUA
gressitti Hayashi, 1951b: 80 [RN]
serratipennis Gressitt, 1937c: 450 [HN]
testacea Matsushita, 1933b: 229 **A**: NP TAI YUN
serratipennis Mitono, 1936: 31 (*Neodeuteromma*)

genus *Stenopterus* Illiger, 1804: 120 type species *Necydalis rufa* Linnaeus, 1767
Bicallosocollus Özdikmen, 2025n: 2766 type species *Stenopterus flavicornis* Küster, 1846 **#858**
adlbaueri Sama, 1995b: 408 **A**: TR
ater Linnaeus, 1767: 642 (*Necydalis*) **E**: BH CR FR GR IT MC ME PT RO SB SK SL SP SZ UK **N**: AG GG LB MO TU **#115**
auriventris Küster, 1851: 96
flavipes Pic, 1892e: 66
inustulatus Pic, 1892c: 22
nigripes Costa, 1855: 67
praeustus Fabricius, 1793: 354 (*Necydalis*)
ruficollis Pic, 1918d: 23
rufofemoratus Pic, 1905h: 147
subhumeralis Pic, 1905i: 156
theryi Pic, 1918d: 23
ustulatus Mulsant, 1839: 115
atricornis Pic, 1891h: 102 **E**: AL GR **A**: SY TR **#143** **#236**
creticus Sama, 1995b: 403 **E**: GR (Crete)
flavicornis Küster, 1846b: 75 **E**: AL AU BH BU CR CZ GR HU IT MC ME RO SB SK SL TR UK **A**: IS JO LE SY **#182** **#858**
procerus Costa, 1855: 64
kraatzi Pic, 1892c: 21 **A**: TR
mauritanicus P. H. Lucas, 1847: pl. 42 **E**: PT SP **N**: AG MO TU
rufus geniculatus Kraatz, 1863: 104 **E**: AL AU BH BU CR GR HU MC ME RO SB SL ST TR **A**: AB AR GG IN TR **#20**
rufus rufus Linnaeus, 1767: 642 (*Necydalis*) **E**: AU BE BH BU CR CZ FR GE HU IT LU MA MD NL PL RO SK SL SP ST SZ UK **A**: GG TR **N**: CI (Gran Canaria)
attenuatus Geoffroy, 1785: 84 [HN] (*Leptura*)
rufus syriacus Pic, 1892c: 22 **A**: IS LE IQ SY TR **#30**
rufus transcaspicus Lazarev, 2008: 132 **A**: TM (Kopetdag) IN
similatus mehli Sama, 1995b: 402 **A**: CY
similatus similatus Holzschuh, 1979a: 113 **E**: GR (Ikaria)

tribe Thraniini Gahan, 1906

genus *Thranius* Pascoe, 1859: 22 type species *Thranius bimaculatus* Pascoe, 1859
Singalia Lacordaire, 1872: 834 type species *Singalia spinipennis* Lacordaire, 1872 (= *Thranius gibbosus* Pascoe, 1859)
infernalis Matsushita, 1933b: 225 **A**: TAI
multinotatus latipennis Hayashi, 1963a: 53 **A**: JA (Ryukyus)
multinotatus multinotatus Pic, 1922a: 22 **A**: XIZ YUN **ORR**
multinotatus okinawensis Makihara, 1978: 51 **A**: JA (Ryukyus)
multinotatus signatus Schwarzer, 1925a: 23 **A**: FUJ HAI TAI ZHE **ORR**
multinotatus takakuwai Fujita, 2023: 20 **A**: GUA
obliquefasciatus Pu, 1992b: 596 **A**: YUN
capucinus Holzschuh, 1993a: 31 **#293**
rufescens formosanus Schwarzer, 1925a: 23 **A**: TAI **#524**
rufescens kobayashii Fujita, 2023: 20 **A**: JA (Yaeyama Isls.)

rufescens matsumurai Fujita, 2023: 20 **A**: JA (Okinawa Isls.)
rufescens rufescens Bates, 1884a: 258 (*Singalia*) **A**: JA **#524**
simplex fulvus Pu, 1992b: 596 **A**: SCH
simplex simplex Gahan, 1894a: 15 **A**: AP BT HUB NP SD SCH SHA XIZ YUN **ORR** **#280**
triplagiatus Gahan, 1906a: 238 **A**: SD **ORR**
variegatus nishinoi Fujita, 2023: 20 **A**: JA (Japan:Tokara Isls.)
variegatus obscurus Hayashi, 1962a: 8 **A**: JA (Ryukyus)
variegatus variegatus Bates, 1873: 196 **A**: JA SC **#682**
maculicornis Plavilstshikov, 1940a: 649
sapporensis Kano, 1933b: 132

tribe Tillomorphini Lacordaire, 1868

genus *Cleroclytus* Kraatz, 1884a: 226 type species *Cleroclytus semirufus* Kraatz, 1884
subgenus *Cleroclytus* Kraatz, 1884a: 226 type species *Cleroclytus semirufus* Kraatz, 1884
francottei Rapuzzi & Sama, 2010b: 185 **A:** GAN
semirufus collaris Jakovlev, 1885b: 290 **A**: KI KZ XIN
manifestus Jakovlev, 1900b: 664
strigicollis Jakovlev, 1900b: 663 **#697**
semirufus savitskyi Lazarev, 2014a 276 **A:** MG
semirufus semirufus Kraatz, 1884a: 225 **A**: AF KI KZ UZ **#345**
vestitus Jakovlev, 1900b: 664
subgenus *Obliqueclytus* Lazarev, 2014a: 276 type species *Anaglyptus banghaasi* Reitter, 1895
banghaasi Reitter, 1895c: 159 (*Anaglyptus*) **A**: KI TD
semenowi Jakovlev, 1900b: 663
gracilis Jakovlev, 1900b: 665 **A**: TD
baeckmanni Okunev, 1933: 136
grandiculus Plavilstshikov, 1940a: 542

genus *Epipedocera* Chevrolat, 1863: 339 type species *Epipedocera zona* Chevrolat, 1863
affinis Chevrolat, 1863: 341 **A**: NP UP
assamensis Gardner, 1926: 204 **A**: YUN **ORR**
atra Pic, 1937b: 7 **A**: HAI YUN **ORR**
chakhata Gardner, 1939: 9 **A**: BT NP UP
djoui Gressitt, 1951a: 627 **A**: GUA GUX HKG YUN **#364** **#408**
effusa Holzschuh, 1999: 43 **A:** GUX **ORR** **#508**
guerryi Pic, 1903e: 105 **A**: CH
hardwicki White, 1855: 288 [RN] (*Clytus*) **A**: NP SD XIZ **ORR**
undulata Hope, 1831: 28 [HN] (*Clytus*)
hoffmanni Gressitt, 1940b: 85 **A**: HAI
laticollis Gahan, 1906a: 307 **A**: YUN **ORR**
lugens Holzschuh, 1990: 192 **A**: SD
rollei Pic, 1910g: 30 **A**: TAI
setigera setigera Holzschuh, 2019b: 97 **A:** GUX
subatra Gressitt & Rondon, 1970: 283 **A**: YUN **ORR**
vitalisi Pic, 1922c: 11 **A**: YUN **ORR**
vitiosa Holzschuh, 2009a: 348 **A:** GUX **ORR** **#508**
zona Chevrolat, 1863: 340 **A**: GUI GUX NP SD YUN **ORR** **#474**

genus *Halme* Pascoe, 1869a: 640 type species *Halme cleriformis* Pascoe, 1869
atrocoerulea Gressitt, 1939b: 104 **A**: FUJ ZHE
basifusca Kusama & Oda, 1979: 74 **A**: TAI
eburneocincta Gressitt, 1934: 168 **A**: TAI
masakoae Niisato, 1984b: 211 **A**: TAI

genus *Pseudomyrmecion* Bedel, 1885: cxxxi type species *Pseudomyrmecion ramalium* Bedel, 1885
ramalium Bedel, 1885: cxxxii **N**: AG

tribe Vesperellini Sama, 2008

genus *Vesperella* Dayrem, 1933: 89 type species *Vesperella pallida* Dayrem, 1933
maroccana Sama, 2008: 228 **N**: MO
pallida Dayrem, 1933: 89 **N**: AG
taouchgueltana Trocoli, 2023: 1 **N**: MO

tribe Xystrocerini Blanchard, 1845

genus *Jendekia* Holzschuh, 1993a: 24 type species *Jendekia eduardi* Holzschuh, 1993

eduardi Holzschuh, 1993a: 25 **A**: YUN

genus *Leptoxenus* Bates, 1877: 37 type species *Leptoxenus ibidiiformis* Bates, 1877
Kamuia Matsushita, 1933b: 240 type species *Kamuia bimaculata* Matsushita, 1933
bimaculatus Matsushita, 1933b: 240 (*Kamuia*) **A**: TAI
ibidiiformis Bates, 1877: 37 **A**: JA JIX SC TAI
ornaticollis Gressitt & Rondon, 1970: 47 **A**: YUN **ORR**

genus *Xystrocera* Audinet-Serville, 1834b: 69 type species *Cerambyx globosus* Olivier, 1795
dispar Fåhraeus, 1872a: 49 **A**: AE YE SA **AFR** **#774**
curticollis Fairmaire, 1882b: 96
nitidiventris Fairmaire, 1887b: 326
parvicollis Fairmaire, 1892a: 120
festiva J. Thomson, 1861: 251 **A**: AP HAI SD ?TAI YUN **ORR**
globosa Olivier, 1795: 27 (*Cerambyx*) **N**: EG **A**: ANH AP BT FUJ GAN GUA GUI GUX HAI HEB HEN HUB HUN ISi JA JIA JIX NP PA SC SD SCH SHA SHG SHN TAI UP YUN ZHE **AFR**i **AUR**i **NTR**i **ORR** **#280 #127 #344 #380**
invittata Breuning, 1957h: 1241
marginalis Goldfuss, 1805: 44 (*Callidium*)
mediovitticollis Breuning, 1957h: 1241
diehli Heyrovský, 1967d: 39
reductevittata Breuning, 1957h: 1241
vittata Fabricius, 1802: 309 (*Stenocorus*) ["Habitat in Brasilia" – wrong locality] **#87**
viridipicta Fairmaire, 1896b: 367

subfamily **Lamiinae** Latreille, 1825

(Metaulacnemitae J. Thomson, 1864: 13; Paulino d'Oliveira M. de, 1893: 340; Ganglbauer, 1881: 681)

tribe Acanthocinini Blanchard, 1845

genus *Acanthocinus* Dejean, 1821: 106 type species *Cerambyx aedilis* Linnaeus, 1758
subgenus *Acanthobatesianus* Wallin, Kvamme & Lin, 2012: 19 type species *Leiopus guttatus* Bates, 1873
guttatus Bates, 1873: 384 (*Leiopus*) **A**: FE (Kunashir) JA JIX NC SC **#291**
subgenus *Acanthocinus* Dejean, 1821: 106 type species *Cerambyx aedilis* Linnaeus, 1758
Aedilis Audinet-Serville, 1835a: 32 type species *Aedilis montanus* Audinet-Serville, 1835 (= *Cerambyx aedilis* Linnaeus, 1758)
Astynomus Dejean, 1835: 337 type species *Cerambyx aedilis* Linnaeus, 1758
Canonura Casey, 1913: 335 type species *Aedilis spectabilis* LeConte, 1854
Graphisurus Casey, 1913: 334 type species *Acanthocinus pusillus* Kirby, 1837
Lamia Gistel, 1848a: xi [unjustified substitute name, HN] type species *Cerambyx aedilis* Linnaeus, 1758
Neacanthocinus Dillon, 1956: 230 type species *Cerambyx obsoletus* Olivier, 1895
Tylocerina Casey, 1913: 335 type species *Cerambyx nodosus* Fabricius, 1775
aedilis Linnaeus, 1758: 392 (*Cerambyx*) **E**: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **A**: AB AR ES FE GG HEI HEN HUB JIL JIX KZ MG NC NMO SHA SC SHN TR WS
dongbeiensis Z. Wang, 2003: 258
marmoratus Villers, 1789: 239 (*Cerambyx*)
montanus Audinet-Serville, 1835a: 33 (*Aedilis*)
obliteratus Pic, 1917g: 9
validus Matsushita, 1936: 148
carinulatus Gebler, 1833: 302 **A**: ES FE HEI MG NE NO WS
sibiricus Motschulsky, 1860b: 149 (*Astynomus*)
chinensis Breuning, 1978a: 57 [= 1982a: 24] **A**: SHG
elegans Ganglbauer, 1884: 534 **E**: ST (Dagestan) **A**: AB IN **#621**
griseus Fabricius, 1793: 261 (*Cerambyx*) **E**: AL AN AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT KZ NT LA LS LT MC MD ME ND NR PL PT RO SB SK SL SP ST SV SZ TR UK **A**: ?AB ?AR CY ES **?**FUJ **?**GAN ?GG **?**GUA **?**GUI **?**GUX **?**HEB **?**HEI **?**HEN **?**HUB **?**JIL **?**JIX KZ **LE** **?**LIA MG **?**NMO **?**SHA SY TR WS **?**XIN **?**ZHE **#74** **#553**
alpinus L.Redtenbacher, 1849: 494 (*Astynomus*)
novaki Tippmann, 1952b: 153
obscurus Pic, 1891b: 32
gundaiensis Kano, 1933a: 285 **A**: TAI
henschi aetnensis Rapuzzi & Sama, 2010a: 130 **E**: IT (Sicilia)
henschi henschi Reitter, 1900c: 177 **E**: AL AU BH BU CR IT GR MC SL
hispanicus Sama & Schurmann, 1981: 43 **E**: SP
meyeri Vitali, 2011a: 161 **E:** PT
orientalis K. Ohbayashi, 1939: 116 **A**: FE (Kurils) JA ?NC SC **#63**
reticulatus Razoumowsky, 1789: 152 (*Cerambyx*) **E**: AL AU BH BU ?BY CR CZ FR GE GR HU IT PL RO SB SK SL SP SZ UK **#752**
atomarius Fabricius, 1793: 271 (*Lamia*)
constrictus Pic, 1891b: 32
costatus Fabricius, 1793: 261 (*Cerambyx*)
criticus Schoenherr, 1817a: 376 [RN] (*Lamia*)

sachalinensis Matsushita, 1933a: 391 **A**: CH ES FE JA MG NC SC **#63**
sinensis Pic, 1916e: 14 **A**: XYZ YUN
subsolanus Z. Wang, 2003: 262, 395 **A**: NMO
tethys Z. Wang, 2003: 262, 396 **A**: LIA
xanthoneurus Mulsant & Rey, 1852: 2 (*Astynomus*) **E**: IT
disjunctus Pic, 1908b: 6
edmondi Fairmaire, 1852b: lxiii (*Astynomus*)

genus *Boninella* Gressitt, 1956: 182 type species *Boninella degenerata* Gressitt, 1956
anoplos N. Ohbayashi, 1976: 6 (*Miaenia*) **A**: JA (Ogasawara Isls.)
degenerata Gressitt, 1956: 182 **A**: JA (Ogasawara Isls.)
hirsuta N. Ohbayashi, 1976: 4 (*Miaenia*) **A**: JA (Ogasawara Isls.)
igai N. Ohbayashi, 1976: 8 (*Miaenia*) **A**: JA (Ogasawara Isls.)
kamezawai Hasegawa & N. Ohbayashi, 2009: 378 **A**: JA (Ogasawara Isls.)
karubei Hasegawa & N. Ohbayashi, 2009: 364 **A**: JA (Ogasawara Isls.)
satoi masatakai Hasegawa & N. Ohbayashi, 2009: 372 **A**: JA (Ogasawara Isls.)
satoi satoi N. Ohbayashi, 1976: 5 (*Miaenia*) **A**: JA (Ogasawara Isls.)
takakuwai Hasegawa & N. Ohbayashi, 2009: 369 **A**: JA (Ogasawara Isls.)

genus *Boninoleiops* Hasegawa & Makihara, 2001: 71 type species *Boninella kitajimai* Hasegawa & Makihara, 2001
kitajimai Hasegawa & Makihara, 2001: 72 **A**: JA (Ogasawara)

genus *Cristenes* Breuning, 1978a: 19 type species *Enes cristatus* Pic, 1928
cristatus Pic, 1928a: 20 (*Enes*) **A**: NP **ORR**

genus *Cristeryssamena* Breuning, 1963b: 45 type species *Eyssamena cristipennis* Breuning, 1963
Cristosydonia Breuning, 1963b: 45 type species *Cristosydonia cristipennis* Breuning, 1963
alterna Holzschuh, 2003b: 312 (*Cristosydonia*) **A**: NP SD
besucheti Breuning, 1972c: 417 (*Eryssamena*) **A**: AP

genus *Driopea* Pascoe, 1858: 243 type species *Driopea clytina* Pascoe, 1858
subgenus *Driopea* Pascoe, 1858: 243 type species *Driopea clytina* Pascoe, 1858
schmidi Breuning, 1972c: 418 **A**: IN SD UP
subgenus *Fasciatodriopea* Breuning, 1963c: 15 type species *Driopea nigrofasciata* Pic, 1923
chinensis Breuning, 1967f: 187 (*Dryopea*) **A**: GUI
subgenus *Trichodriopea* Breuning, 1965b: 29 type species *Dryopea excavatipennis* Breuning, 1965
excavatipennis Breuning, 1965b: 38 (*Dryopea*) **A**: YUN **ORR**

genus *Eoporis* Pascoe, 1864a: 15 type species *Eoporis elegans* Pascoe, 1864
subgenus *Eoporimimus* Schwarzer, 1925c: 147 type species *Eoporis bifasciana* Schwarzer, 1925
bifasciana Schwarzer, 1925c: 147 **A**: TAI
differens Pic, 1926g: 143 **A**: BT SD TAI YUN **ORR** **#282** **#344**
glabrosignata Pic, 1944b: 10
mitonoi Seki, 1946: 11 (*Rondibilis*) **A**: TAI
pedongensis Breuning, 1969f: 668 **A**: SD
simillima Hayashi, 1974c: 57 **A**: TAI

genus *Euryclytosemia* Hayashi, 1963c: 15 type species *Euryclytosemia nomurai* Hayashi, 1963
nomurai Hayashi, 1963c: 15 **A**: JA (Ryukyus) TAI (Lanyu Is.)

genus *Leiopus* Audinet-Serville, 1835a: 86 type species *Cerambyx nebulosus* Linnaeus, 1758
subgenus *Carinopus* Wallin, Kvamme & Lin, 2012: 7 type species *Leiopus holzschuhi* Wallin, Kvamme & Lin, 2012
campbelli Gressitt, 1937d: 613 **A**: JIX
fallaciosus Holzschuh, 1993a: 49 **A**: FUJ GUA JIX **#606**
flavomaculatus Wallin, Kvamme & Lin, 2012: 9 **A**: GUI
holzschuhi Wallin, Kvamme & Lin, 2012: 14 **A**: CHQ GUI HEN SCH SHA
multipunctellus Wallin, Kvamme & Lin, 2012: 16 **A**: SCH YUN
nigrofasciculosus Wallin, Kvamme & Lin, 2012: 12 **A**: ANH SHA
nigropunctatus Wallin, Kvamme & Lin, 2012: 8 **A**: GUI GUX SCH
ocellatus Wallin, Kvamme & Lin, 2012: 11 **A**: SHA
shibatai Hayashi, 1974c: 58 **A**: TAI
subgenus *Leiopus* Audinet-Serville, 1835a: 86 type species *Cerambyx nebulosus* Linnaeus, 1758
Liopus Agassiz, 1846: 212 [unjustified emendation]
Phrurus Gistel, 1856: 376 [unnecessary substitute name]
albivittis albivittis Kraatz, 1879c: 112 (*Liopus*) **A**: ES FE HEI JIL LIA MG NC SC WS **#400**
ganglbaueri Csiki, 1901: 116

albivittis malaisei Aurivillius, 1928a: 42 **A**: FE (Kamchatka Peninsula and Magadan Region)
andreae Sama, 1994c: 43 **A**: CY
bedeli Pic, 1892j: 289 **N**: AG TU
evgeniyi Danilevsky & Skrylnik, 2014: 691 **A**: IN **#23**
femoratus Fairmaire, 1859a: 62 **E**: BE BU CT FR GE HU IT LU ME NL RO SB ST TR UK **A**: AB AR GG IN TR **#150** **#482** **#716**
caspius Ganglbauer, 1884: 531 (*Liopus*)
constellatus Mulsant & Rey, 1863: 159
pachymerus Ganglbauer, 1884: 532 (*Liopus*)
kharazii Holzschuh, 1974a: 98 **E: ST** **A**: AB (Talysh) IN **#637**
lisae Rapuzzi & Sama, 2012a: 679 **A**: TR
masaoi Tamura & Tamura, 1992: 195 **A**: JA
montanus Hayashi, 1968a: 25 **A**: JA
montanoides Breuning, 1978a: 58 [RN] (*Acanthocinus*)
nebulosus caucasicus Ganglbauer, 1887d: 25 (*Liopus*) **E**: ST **A**: AB AR GG TR
nebulosus insulanus Sláma, 1985: 19 **E**: GR (Crete) **#80**
nebulosus nebulosus Linnaeus, 1758: 391 (*Cerambyx*) **E**: ?AL ?AU BE BH BU ?CR CT[Kaliningrad] DE EN FI FR GB GE ?GR ?HU IR IT LA LS LU ?MD ?ME NL NR PL ?PT RO ?SB SL ?SP SV **?**SZ TR UK **A: ?**KZ **#825**
dissimilis Pic, 1889a: 5
fasciatus Villers, 1789: 239 [HN] (*Cerambyx*) ("Hab. in Gallia Aust.")
monilis Geoffroy, 1785: 75 (*Cerambyx*)
siculus Pic, 1924c: 22 (*Liopus*)
unifasciatus Pic, 1891c: 23 (*Liopus*)
punctulatus Paykull, 1800: 57 (*Cerambyx*) **E**: AU BY CT CZ EN FI GE HU LA LT NT PL SK ST SV ?SZ UK **#115**
settei Sama, 1985d: 408 **E**: IT
stillatus Bates, 1884a: 254 (*Acanthocinus*) **A**: FE JA HEB HEI JIL JIX NC SC ZHE
japonicus Pic, 1901k: 342 (*Liopus*)
syriacus abieticola Sama & Rapuzzi, 2010: 186 **A**: TR
syriacus syriacus Ganglbauer, 1884: 532 (*Liopus*) **A**: CY IS LE SY TR
major Pic, 1898n: 125 (*Liopus*)
syriacus tauricus Sama & Rapuzzi, 2010: 184 **A**: ?LE TR **#177**
taeniatus Gmelin, 1790: 1863 (*Cerambyx*) **E**: AL AU BE BU BY CR CT CZ DE EN FR GB GE ?GR ?HU KZ LA LT MC MD ?ME NR ?NT PL ?PT RO ?SB SK ?SP ST SV SZ UK **A:** KZ WS **#11** **#64** **#115** **#479** **#649** **#825**
bifasciatus Goeze, 1777: 464 [HN] (*Cerambyx*)
linnei Wallin, Nylander & Kvamme, 2009: 39
wrzecionkoi Sama & Rapuzzi, 2011a: 88 **A**: SY

genus *Mimeryssamena* Breuning, 1972c: 417 type species *Mimeryssamena besucheti* Breuning, 1972
besucheti Breuning, 1972c: 418 **A**: UP

genus *Mimohoplorana* Breuning, 1960f: 144 type species *Mimohoplorana puncticollis* Breuning, 1960
puncticollis Breuning, 1960f: 144 **A**: SD

genus *Mimoxenolea* Breuning, 1960e: 36 type species *Mimoxenolea bicoloricornis* Breuning, 1960
Mimaeschopalaea Breuning, 1961a: 31 type species *Mimaeschopalaea ornata* Breuning, 1961
bicoloricornis Breuning, 1960e: 36 **A**: SD

genus *Myromexocentrus* Breuning, 1957a: 20 type species *Myromexocentrus tibialis* Breuning, 1957
quadrimaculatus Hayashi, 1983: 43 **A**: TAI

genus *Neacanista* Gressitt, 1940b: 182 type species *Neacanista tuberculipennis* Gressitt, 1940
Hoploranomimus Breuning, 1959b: 87 [= 1960d: 18] type species *Acanthocinus harmandi* Pic, 1939 **#323**
Paracanthocinus Breuning, 1964e: 52 type species *Paracanthocinus laosensis* Breuning, 1964 **#323**
Sternacanista Tippmann, 1955: 128 type species *Sternacanista retrospinosa* Tippmann, 1955 **#260**
harmandi Pic, 1939g: 183 (*Acanthocinus*) **A**: BT **ORR**
retrospinosa Tippmann, 1955: 130 (*Sternacanista*) **A**: FUJ GUX **ORR**
laosensis Breuning, 1965d: 53 (*Paracanthocinus*) **#365**
tuberculipennis Gressitt, 1940b: 182 **A**: CHQ HAI YUN **ORR** **#60** **#260**

genus *Neoeryssamena* Hayashi, 1974c: 56 type species *Neoeryssamena mitonoana* Hayashi, 1974
mitonoana Hayashi, 1974c: 56 **A**: TAI

genus *Ostedes* Pascoe, 1859: 43 type species *Ostedes pauperata* Pascoe, 1859
subgenus *Dentatostedes* Breuning, 1961e: 250 type species *Ostedes subdentata* Breuning, 1961 (= *Eoporis bidentata* Pic, 1933)
bidentata Pic, 1933f: 6 (*Eoporis*) **A**: SCH
subdentata Breuning, 1961e: 249
subgenus *Ostedes* Pascoe, 1859: 43 type species *Ostedes pauperatus* Pascoe, 1859
albomarmorata Breuning, 1969f: 668 **A**: SD

binodosa Gressitt, 1945a: 130 **A**: GUA SCH SHA **#225**
brunneovariegata Breuning, 1961i: 337 **A**: NP
densepunctata Hayashi, 1962b: 39 **A**: JA (Ryukyus) **#197**
dentata Pic, 1936b: 18 **A**: SCH YUN
harmandi Breuning, 1968d: 231 **A**: SD
inermis dwabina Gressitt, 1940b: 190 **A**: HAI HKG **#400**
inermis inermis Schwarzer, 1925c: 146 **A**: FUJ GUA TAI **ORR**
nubila Matsushita, 1931c: 405
kadleci Danilevsky, 1992c: 204 **A**: FE ?NC SC **#316**
niisatoi Hasegawa, 2017: 255 **A**: TAI
sapporensis Matsushita, 1933b: 375 (*Rhopaloscelis*) **A**: JA **#197**
serena Holzschuh, 2018b: 504 **A:** NP
sikkimensis Breuning, 1958a: 34 **A**: SD
subfasciata Matsushita, 1933b: 392 **A**: TAI
tuberculata Pic, 1925a: 31 (*Eryssamena*) **A**: CH
yamasakoi Hasegawa, 2017: 262 **A**: TAI

genus *Parachydaeopsis* Breuning, 1968a: 28 type species *Parachydaeopsis laosica* Breuning, 1968
shaanxiensis W.-K. Wang & Jiang, 2002a: 52 **A**: SHA

genus *Paraclodia* Breuning, 1974j: 372 type species *Paraclodia besucheti* Breuning, 1974
besucheti Breuning, 1974j: 374 **A**: NP

genus *Pararondibilis* Breuning, 1961j: 547 type species *Pararondibilis sikkimensis* Breuning, 1961
acrosa Holzschuh, 2003b: 313 **A**: NP UP
eluta Holzschuh, 2003b: 314 **A**: NP
macularia Holzschuh, 2003b: 314 **A**: KA
pinicola Holzschuh, 2018b: 504 **A**: NP UP
sikkimensis Breuning, 1961j: 547 **A**: SD
rubina Huang, Sun, Ji & Su, 2025: 4 **A:** SD **#836**
sikkimensis Breuning, 1978a: 21 (*Tuberenes*) **#836**
variegata Hayashi, 1974c: 50 **A**: TAI (*Graphidessa*) **#836**

genus *Pareoporis* Breuning, 1969e: 197 type species *Pareoporis nigrosignata* Breuning, 1969
nigrosignata Breuning, 1969e: 197 **A**: NP SD

genus *Pareryssamena* Breuning, 1969e: 196 type species *Pareryssamena fuscosignata* Breuning, 1969
fuscosignata Breuning, 1969e: 196 **A**: BT NP SD

genus *Planeacanista* Hayashi, 1959b: 59 type species *Planeacanista japonica* Hayashi, 1959
japonica Hayashi, 1959b: 60 **A**: JA

genus *Polymitoleiopus* Lepesme & Breuning, 1955b: 96 type species *Leiopus africanus* Jordan, 1894a
annae Lazarev & Skrylnyk, 2023 **A**: OM (*Jordanoleiopus* Lepesme & Breuning, 1955) **#337**

genus *Pterolophioides* Breuning, 1942a: 165 type species *Pterolophioides laterifuscus* Fairmaire, 1886a
stramentosus Breuning, 1942a: 165 **A**: YE **AFR**

genus *Rondibilis* J. Thomson, 1857f: 306 type species *Rondibilis bispinosa* J. Thomson, 1857
subgenus *Rondibilis* J. Thomson, 1857f: 306 type species *Rondibilis bispinosa* J. Thomson, 1857
Eryssamena Bates, 1884a: 251 type species *Eryssamena saperdina* Bates, 1884a
Parenes Aurivillius, 1927: 29 (= 577) type species *Parenes lineata* Aurivillius, 1927
Polimeta Pascoe, 1864a: 13 type species *Ostedes spinosula* Pascoe, 1860a
amanoi Hayashi, 1961a: 23 (*Eryssamena*) **A**: JA
bastiana Breuning, 1961j: 545 **A**: NP SD **#343**
besucheti Breuning, 1972c: 417 (*Eryssamena*) **A**: AP **#280**
bispinosa J. Thomson, 1857f: 307 **A**: IN NP UP "Himalaya"
schmidi Breuning, 1972c: 417 (*Eryssamena*)
bispinosoides Hubweber, 2010: 61 **A**: SHG
bispinosa Pic, 1926i: 302 [HN] (*Eryssamena*)
cambodjensis Breuning, 1958a: 36 **A**: NP **ORR** **#29**
chengtuensis Gressitt, 1942b: 6 **A**: SCH
coreana Breuning, 1974b: 41 (*Eryssamena*) **A**: NC SC **#63**
elongata elongata Hayashi, 1963c: 14 **A**: JA (Ryukyus)
elongata minor Breuning & K. Ohbayashi, 1964: 28 (*Eryssamena*) **A**: JA (Ryukyus)
femorata Gressitt, 1938b: 165 **A**: JA (Ryukyus) TAI

grisescens Pic, 1936b: 19 (*Eryssamena*) **A**: YUN
horiensis hongshana Gressitt, 1937d: 614 **A**: GUA HUB JIX ZHE **#60**
horiensis horiensis Kano, 1933a: 285 **A**: TAI
mushensis Matsushita, 1933b: 394
insularis Hayashi, 1962b: 38 (*Eryssamena*) **A**: JA
japonica Hayashi, 1968a: 26 **A**: JA
kuluensis Breuning, 1958d: 177 (*Eryssamena*) **A**: KA
lineaticollis Pic, 1922b: 26 (*Eryssamena*) **A**: HAI HKG HUB **ORR** **#400**
indentata Pic, 1922b: 26 (*Eryssamena*)
seatoni Gressitt, 1940b: 189
microdentata Gressitt, 1942g: 89 (*Eryssamena*) **A**: ZHE
paralineaticollis Breuning, 1968a: 27 **A:** YUN **ORR** **#400** **#73**
parcesetosa Gressitt, 1939a: 83 **A**: GUA
plagiata Gahan, 1894a: 84 **A**: NP
saperdina Bates, 1884a: 251 (*Eryssamena*) **A**: FE (Sakhalin, Kurils) JA
acuta Bates, 1884a: 252 (*Eryssamena*)
spinidorsis Bates, 1884a: 252 (*Eryssamena*)
schabliovskyi Tsherepanov, 1982b: 30 (*Eryssamena*) **A**: FE NC NE SC
semielongata Hayashi, 1974c: 53 **A**: TAI
shibatai Hayashi, 1974c: 55 (*Eryssamena*) **A**: TAI
sikkimensis Breuning, 1961j: 546 (*Eryssamena*) **A**: SD
simillima Holzschuh, 2003b: 315 **A**: NP
slocumi Gressitt, 1942b: 6 (*Eryssamena*) **A**: SCH
subundulata Breuning, 1958a: 35 (*Eryssamena*) **A**: NP "North India"
szetschuanica Breuning, 1963i: 454 (*Eryssamena*) **A**: NP SCH **#29**
taiwana Hayashi, 1974c: 54 (*Eryssamena*) **A**: TAI
undulata Pic, 1922c: 14 (*Eryssamena*) **A**: GUA SC
multinotata Gressitt, 1939a: 83
yunnana Breuning, 1957a: 11 (*Eryssamena*) **A**: YUN
subgenus *Striatorondibilis* Breuning, 1961j: 546 type species *Rondibilis pedongensis* Breuning, 1961
pedongensis Breuning, 1961j: 546 **A**: NP SD

genus *Transipochira* Breuning, 1977b: 227 type species *Transipochira sikkimensis* Breuning, 1977
sikkimensis Breuning, 1977b: 227 **A**: SD

genus *Trichacanthocinus* Breuning, 1963d: 24 type species *Trichacanthocinus rondoni* Breuning, 1963 **#349**
rondoni Breuning, 1963d: 24 **A:** YUN **ORR** **#349**

genus *Trichemeopedus* Breuning, 1975d: 357 type species *Trichemeopedus holzschuhi* Breuning, 1975
calosus Holzschuh, 2003b: 311 **A**: NP
holzschuhi Breuning, 1975d: 358 **A**: BT NP

genus *Trichodiboma* Breuning, 1961a: 30 type species *Trichodiboma clytoides* Breuning, 1961
clytoides Breuning, 1961a: 30 **A**: SD

genus *Trichohoplorana* Breuning, 1961j: 548 type species *Trichohoplorana dureli* Breuning, 1961 **#709**
Ipochiromima Sama & Sudre, 2009: 548 [RN]
Mimipochira Breuning, 1982a: 25 Type species: *Mimipochira sikkimensis* Breuning, 1982
Trichhoplorana Breuning 1977b: 115 (misspelling).
dureli Breuning, 1961j: 548 **A**: SD
sikkimensis Breuning, 1982a 26 (*Mimipochira*) **#709**
juglandis Holzschuh, 1989c: 401 **A**: AP BT HUB **#280**
luteomaculata Gouverneur, 2016: 69 **A**: HAI HUN **ORR** **#709**
mutica Holzschuh, 1990: 193 **A**: NP
shirakii Mitono, 1943: 584 (*Acanthocinus*) **A**: TAI **#419**
subtuberculata Liang, Xie & Jiang, 2026: 394 **A**: GUA HUN
tenuipes Holzschuh, 2015c: 473 **A**: NP

genus *Trichorondibilis* Breuning, 1960a: 20 type species *Trichorondibilis rufipennis* Breuning, 1960
rufipennis Breuning, 1960a: 20 **A**: SD
basirufum Breuning, 1965e: 52 (*Trichonarthron*) **#365**
laosica Breuning, 1965c: 47 **#365**
sikkimensis Breuning, 1961i: 329 (*Mimaeschopalaea*) **#365**

genus *Tuberculipochira* Breuning, 1975d: 359 type species *Tuberculipochira wittmeri* Breuning, 1975
similis Breuning, 1975d: 360 **A**: BT

wittmeri Breuning, 1975d: 359 **A**: BT

genus *Tuberenes* Breuning, 1978a: 20 type species *Eryssamena robustipes* Pic, 1939
robustipes Pic, 1939a: 15 (*Eryssamena*) **A**: GAN SD

tribe Acanthoderini J. Thomson, 1860

genus *Aegomorphus* Haldeman, 1847: 45 type species *Aegomorphus decipiens* Haldeman, 1847 (= *Lamia modesta* Gyllenhal, 1817)
clavipes Schrank, 1781a: 135 (*Cerambyx*) **E**: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT KZ LA LT MD ME NR NT PL RO SB SK SL SP ST SV SZ TR UK **N**: AG MO TU **A**: AB AR ES FE GG HEB IN KZ JA MG NC (Cheongjin) NE TR WS XIN
lucidus Starck, 1890: 71 (*Acanthoderes*)
varius Fabricius, 1787: 130 (*Cerambyx*)
francottei Sama, 1994e: 331 **E**: BU FR GR MC PL RO ?SB **#517**
grisescens Pic, 1898j: 392 (*Acanthoderes*) **A**: SY TR
planiusculus Holzschuh, 1998: 50
jaspideus Germar, 1824: 475 (*Lamia*) **Ei**: AZ **NTR** **#506** **#778**
krueperi Kraatz, 1859: 56 (*Acanthoderes*) **E**: BU GR ME SB **#138**
obscurior Pic, 1904d: 17 (*Acanthoderes*) **E**: CT LA PL ST UK **A**: ES FE KZ MG WS **#255** **#752**
wojtylai Hilszczanski & Bystrowski, 2005: 202

genus *Berningerus* Lepesme & Breuning, 1955c: 127 type species *Acanthoderes gorillus* J. Thomson, 1858
gorilloides Teocchi, 1987: 26 **N**: EG

genus *Callapoecus* Bates, 1884a: 254 type species *Callapoecus guttatus* Bates, 1884
guttatus Bates, 1884a: 254 **A**: JA

genus *Oplosia* Mulsant, 1862: 300 type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)
Hoplosia Fairmaire, 1864a: 158 [unjustified emendation]
Lepargus Schiödte, 1864: 512 type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)
cinerea Mulsant, 1839: 152 (*Exocentrus*) **E**: AU BH BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT NR NT PL RO SB SK SL ST SV SZ UK **#824**
fennica Paykull, 1800: 58 [HN] (*Cerambyx*)
suvorovi Pic, 1914e: 65 (*Hoplosia*) **A**: ES FE JA NC SC CH
jezoensis Matsushita, 1933b: 378

tribe Ancylonotini Lacordaire, 1869

genus *Idactus* Pascoe, 1864c: 273 type species *Idactus tridens* Pascoe, 1864
Pseudocrossotus Breuning, 1978d: 897 type species *Pseudocrossotus enricoi* Breuning, 1978 (= *Idactus ashanticus* Breuning, 1960)
Togonius Kolbe, 1893: 64 type species *Togonius klingi* Kolbe, 1893
bettoni Gahan, 1898: 46 **A**: SA
coquereli Fairmaire, 1890: 551 (*Dichostates*) **A**: AE IN OM YE **AFR** **#774**
iranicus Breuning, 1975d: 348 **#342**
variegatus Gestro, 1895: 425
hieroglyphicus Taschenberg, 1883: 179 (*Coptops*) **A**: YE (Suqutra)
granti Gahan, 1900a: 12
maculicornis Gahan, 1890d: 312 **A**: YE **AFR**
paramaculicornis Breuning, 1973c: 662 **A**: PA

genus *Palimna* Pascoe, 1862a: 346 type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)
Apalimna Bates, 1884a: 241 type species *Apalimna liturata* Bates, 1884a
Cylanca J. Thomson, 1864: 58 type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)
Goniages Pascoe, 1865a: 135 type species *Golsinda infausta* Pascoe, 1859
annulata Olivier, 1797: 465 (*Lamia*) **A**: FUJ HAI UP TAI YUN **ORR**
mouhotii Pascoe, 1866b: 237
nodulosa Schoenherr, 1817a: 395 (*Lamia*)
reticulata Pascoe, 1857a: 50 (*Golsinda*)
tessellata Pascoe, 1857a: 49 (*Golsinda*)
formosana Kano, 1933a: 282 (*Apalimna*) **A**: TAI
fukiena Gressitt, 1951a: 434 **A**: FUJ
liturata continentalis Semenov, 1914: 20 (*Apalimma*) **A**: FE NC NO SC
liturata liturata Bates, 1884a: 241 (*Apalimma*) **A**: JA **#400**
glabriventris Kano, 1933a: 282 (*Apalimma*)
palimnoides Schwarzer, 1925b: 62 (*Apalimna*) **A**: BT FUJ GUX HAI NP SD TAI YUN **ORR**
similis Gressitt, 1940b: 131
yunnana Breuning, 1935b: 153 **A**: SD YUN **ORR**

genus *Palimnodes* Breuning, 1938d: 330 type species *Apalimna ducalis* Bates, 1884a

ducalis Bates, 1884a: 242 (*Apalimna*) **A**: BT HP NP XIZ YUN "North India" **ORR** **#366**
mimica Fairmaire, 1898: 399 (*Palimna*)

genus *Pseudoparaphloeus* Sama, 2009: 25 [RN] type species *Paraphloeus scorteccii* Breuning, 1968
Paraphloeus Breuning, 1968c: 91 [HN] type species *Paraphloeus scorteccii* Breuning, 1968
scorteccii Breuning, 1968c: 92 (*Paraphloeus*) **A**: SA YE

genus *Parorsidis* Breuning, 1935d: 65 type species *Parorsidis birmanica* Breuning, 1935
Paranephelotes Breuning, 1935e: 252 type species *Paranephelotes laosensis* Breuning, 1935
nigrosparsa nigrosparsa Pic, 1926a: 15 (*Driopea*) **A**: BT GUA HAI **ORR** **#400**
birmanica Breuning, 1935d: 65
fouqueti Pic, 1936a: 19 (*Ostedes*)
laosensis Breuning, 1935e: 252 (*Paranephelotes*)

tribe Desmiphorini J. Thomson, 1860 **#400** **#486**

genus *Adjinga* Pic, 1926a: 25 type species *Adjinga vittata* Pic, 1926
vittata Pic, 1926a: 25 **A**: YUN **ORR**

genus *Anaespogonius* Gressitt, 1938a: 53 type species *Anaespogonius fulvus* Gressitt, 1938
fulvus Gressitt, 1938a: 53 **A**: SCH
ochraceofulvus Hayashi, 1974c: 49 **A**: TAI
piceonigris Hayashi, 1972: 39 **A**: JA (Ryukyus)

genus *Anaesthetis* Dejean, 1835: 348 type species *Saperda testacea* Fabricius, 1781
Anaesthetus Gistel, 1856: 377 [unjustified emendation]
anatolica Holzschuh, 1969: 79 **A**: IS LE SY TR
confossicollis Baeckmann, 1903c: 394 **A**: ES FE GUI JA JIL JIX ?NC NMO MG SC
flavipilis Baeckmann, 1903c: 394 ["Barnaul"] **A**: WS **#829**
lanuginosa Baeckmann, 1903c: 395 **A**: TM (Kopetdag)
testacea rufescens Baeckmann, 1903c: 395 **E**: ST **A**: AB AR CY GG IN LE TR ?SY **#244**
testacea testacea Fabricius, 1781: 235 (*Saperda*) **E**: AL AN AU BE BH BU BY CR CT CZ FR EN GE GR HU IT KZ LA LT LU MD ME NL PL RO SB SK SL SP ST SV SZ TR UK **A**: KZ WS **#468**
fusca Geoffroy, 1785: 84 (*Leptura*)
livida Herbst, 1784: 95 (*Saperda*)
teutonica Gmelin, 1790: 1842 (*Cerambyx*)

genus *Anaesthetobrium* Pic, 1923c: 20 type species *Anaesthetobrium luteipenne* Pic, 1923
Eunidiopsis Breuning, 1939b: 220 type species *Eunidiopsis bicolor* Breuning, 1939 **#580**
Paraphidola Matsushita, 1933b: 376 type species *Paraphidola fuscoflava* Matsushita, 1933
bicolor Breuning, 1939b: 220 (*Eunidiopsis*) **A**: ZHE **#580**
fuscoflavum Matsushita, 1933b: 377 (*Paraphidola*) **A**: TAI
lieuae Gressitt, 1942b: 5 **A**: SCH
luteipenne Pic, 1923c: 20 **A**: BEI HEN JA JIA SC SHG ZHE **#400** **#580**
pallidipes Holzschuh, 2010: 211 **A:** SHA

genus *Aragea* Hayashi, 1953: 41 type species *Aragea mizunoi* Hayashi, 1953
mizunoi Hayashi, 1953: 42 **A**: JA

genus *Arhopaloscelis* Murzin, Danilevsky & Lobanov, 1981: 790 type species *Rhopaloscelis bifasciata* Kraatz, 1879
bifasciata Kraatz, 1879c: 113 (*Rhopaloscelis*) **A**: FE ?NC NE SC
nipponensis Pic, 1932a: 3 (*Rhopaloscelis*) **A**: FE (Kunashir) JA

genus *Asaperdina* Breuning, 1976a: 51 type species *Asaperda regularis* Pic, 1923 **#400**
brunnea Pesarini & Sabbadini, 2000: 62 **A**: SHA
regularis Pic, 1923c: 21 (*Asaperda*) **A**: CH
sordida Gressitt, 1951a: 506 (*Pseudanaesthetis*) **A**: HUB SHG
whiteheadi Gressitt, 1940b: 177 (*Pseudanaesthetis*) **A**: HAI

genus *Bonipogonius* Kusama, 1973: 128 type species *Bonipogonius fujitai* Kusama, 1973
fujitai Kusama, 1973: 129 **A**: JA (Ogasawara)

genus *Bulborhodopis* Breuning, 1948a: 44 type species *Bulborhodopis barbicornis* Breuning, 1948
barbicornis Breuning, 1948b: 1 **A**: YUN **ORR** **#668**
humeralis Bi & Chen, 2022a: 112 **A**: YUN

genus *Cervoglenea* Gressitt, 1951a: 621 type species *Glenea lata* Gressitt, 1935

lata Gressitt, 1935c: 191 (*Glenea*) **A**: TAI

genus *Clermontia* Pic, 1927k: 199 type species *Clermontia quadridentata* Pic, 1927k
quadridentata Pic, 1927k: 199 **A**: YUN **ORR** **#827**

genus *Clytosemia* Bates, 1884a: 253 type species *Clytosemia pulchra* Bates, 1884
bicincta Gressitt, 1938b: 164 **A**: TAI
pulchra nitidipennis Holzschuh, 2019a: 72 **A:** SHA
pulchra pulchra Bates, 1884a: 254 **A**: FE (Kurils) JA

genus *Cristorhodopina* Breuning, 1966d: 15 type species *Cristorhodopina assamensis* Breuning, 1965
mussardi Breuning, 1966d: 15 **A**: AP

genus *Cylindilla* Bates, 1884a: 250 type species *Cylindilla grisescens* Bates, 1884a **#580**
Anaesthetomorphus Pic, 1929**b**: **6** [RN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla grisescens* Bates, 1884)
Ascoldatimura Breuning, 1960a: 27 [RN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla grisescens* Bates, 1884)
Mimatimura Breuning, 1958i: 492 [HN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla grisescens* Bates, 1884)
Pseudanesthetis Pic, **1929c: 119** [HN] type species *Pseudanesthetis apicalis* Pic, 1929 (=*Cylindilla grisescens* Bates, 1884)
grisescens Bates, 1884a: 250 **A**: CH FE JA ?NC SC
apicalis Pic, 1929c: 120 (*Pseudanesthetis*)
ascoldensis Heyden, 1884: 298 (*Atimura*)
inornata Gressitt, 1951a: 514 (*Microestola*) **A**: GUA
makiharai Hasegawa, 1992: 37 **A**: JA (Ryukyus) TAI

genus *Deroplia* Dejean, 1835: 348 type species *Saperda genei* Aragona, 1830
subgenus *Deroplia* Dejean, 1835: 348 type species *Saperda genei* Aragona, 1830
Belodera J. Thomson, 1864: 112 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
Stenidea Mulsant, 1842b: suppl.: 1 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
Stenosoma Mulsant, 1839: 162 [HN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
albida Brullé, 1839: 62 (*Cerambyx*) **N**: CI
annulicornis Brullé, 1839: 62 (*Cerambyx*) **N:** CI
costigera Demelt, 1982: 97 (*Stenidea*) **N**: CI (Hierro)
genei genei Aragona, 1830: 25 (*Saperda*) **E**: AL AU BH BU CR CZ FR GE GR HU IT ME RO SB SK SL SP ST ?SZ UK **A**: AB AR CY GG IS JO LE SY TR **#115** **#464** **#550**
foudrasi Mulsant, 1839: 162 (*Stenosoma*)
obliquetruncata Rosenhauer, 1847: 59
genei konvickai Rapuzzi & Sama, 2012a: 677 **A:** CY
genei naviauxi Villiers, 1970: 136 (*Stenidea*) **A**: IN
gertiana Sama, 1996a: 86 **N**: CI (Tenerife)
gomerae Sama, 1996a: 88 **N**: CI (Gomera)
hesperus Wollaston, 1863: 110 (*Stenidea*) **N**: CI (Hierro)
lorenzoi García, 2002: 109 **N**: CI (La Palma)
niveopicta Demelt, 1982: 99 (*Stenidea*) **N**: CI (Gran Canaria)
pilosa Wollaston, 1862: 181 (*Blabinotus*) **N**: CI (Lanzarote, Fuerteventura)
machadoi Demelt, 1982: 100 (*Stenidea*)
schurmanni Sama, 1996a: 88 **N**: CI (Hierro)
troberti cruciata Sama, 1996d: 37 **E**: GR (Crete)
troberti orientalis Özdikmen & Tezcan, 2020c: 423 **A**: TR
troberti troberti Mulsant, 1843: 283 (*Stenidea*) **E**: BH CR FR GR IT MA ME SP **N**: AG LI MO TU **A**: CY

genus *Eupogoniopsis* Breuning, 1949b: 23 type species *Eupogonius tenuicornis* Bates, 1884a
caudatula Holzschuh, 1999: 46 **A**: YUN
granulata Jongok Lim, 2013: 359 **A**: JAi SC **#449**
niisatoi Yamasako, 2017: 243 **A:** TAI
omeimontis Gressitt, 1938a: 54 (*Anaespogonius*) **A**: SCH
sepicola Holzschuh, 1999: 46 **A**: NP
tenuicornis Bates, 1884a: 249 (*Eupogonius*) **A**: JA

~~**genus *Eupogonius* LeConte, 1852**: 159 type species *Desmiphora tomentosa* Haldeman, 1847~~ **#486**
~~*Eriopsilus* Bates, 1866b: 193 type species *Eriopsilus nigrinus* Bates, 1866~~
~~*Phydola* J. Thomson, 1864: 110 type species *Phidola maculicornis* Chevrolat, 1862~~
~~*tomentosus* Haldeman, 1847: 50 (*Desmiphora*) Ni: MO NAR~~
~~*pinivorus* Fitch, 1859: 712~~

genus *Euseboides* Gahan, 1893b: 385 type species *Euseboides plagiatus* Gahan, 1893
gorodinskii Holzschuh, 2006c: 487 A: AP CHQ GUI HP **#66** **#280**

liubini Viktora & Tichý, 2018: 216 **A:** YUN
matsudai matsudai Gressitt, 1938b: 163 **A**: JA TAI
matsudai spinipennis Gressitt, 1940b: 137 **A**: HAI
motuoensis G.-Q. Huang, L. Chen & Li, 2015: 156 **A**: XIZ
plagiatoides Breuning, 1950f: 266 **A**: SD
plagiatus Gahan, 1893b: 386 **A**: AP SD
punctatissimus Holzschuh, 2010: 220 **A:** HUB GUI
reni G.-Q. Huang, L. Chen & Li, 2015: 157 **A:** YUN
tonkinensis Breuning, 1973: 45 **A:** GUI **ORR** **#66**

genus *Falsostesilea* Breuning, 1940b: 168 type species *Stesilea perforata* Pic, 1926
perforata Pic, 1926b: 9 (*Stesilea*) **A**: GUA YUN **ORR**
melli Breuning, 1964a: 101

genus *Falsoterinaea* Matsushita, 1938a: **95** [RN] type species *Hirayamaia fuscorufa* Matsushita, 1937 (= *Eupogonius rufipennis* Matsushita, 1933b)
Hirayamaia Matsushita, 1937: 103 [HN] type species *Hirayamaia fuscorufa* Matsushita, 1937
pakistana Breuning, 1975d: 349 **A**: PA
rufipennis Matsushita, 1933b: 377 (*Eupogonius*) **A**: TAI
formosana Breuning, 1975a: 22 [1976a: 51] (*Pseudanaesthetis*)
fuscorufa Matsushita, 1937: 103 (*Hirayamaia*)

genus *Graphidessa* Bates, 1884a: 248 type species *Graphidessa venata* Bates, 1884
jinfoensis Liu, Cheng, Yang & Huang, 2023: 17 **A:** GUI
obliquefasciata Komiya & Kusama, 1974: 138 **A**: TAI
venata takakuwai Fujita, 1980: 15 **A**: JA (Ryukyus)
venata venata Bates, 1884a: 248 **A**: JA

genus *Miccolamia* Bates, 1884a: 25**2** type species *Miccolamia cleroides* Bates, 1884a **#888**
subgenus *Isomiccolamia* K. Ohbayashi, 1963: 12 type species *Miccolamia verrucosa* Bates, 1884a
glabricula glabricula Bates, 1884a: 253 **A**: FE (Sakhalin, Kurils) JA
kaniei Takakuwa & N. Ohbayashi, 1992: 33
glabricula sadoensis Hasegawa & N. Ohbayashi, 2001: 22 **A**: JA
inspinosa Takakuwa & N. Ohbayashi, 1995: 197 **A**: JA (Izu Isls.)
takakuwai Hasegawa & N. Ohbayashi, 2001: 12 **A**: JA
tuberculata Pic, 1918a: 10 (*Pogonocherus*) **A**: JA
verrucosa Bates, 1884a: 253 **A**: JA
palurae Takakuwa & N. Ohbayashi, 1995: 194
yakushimensis Hasegawa & N. Ohbayashi, 2001: 24 **A**: JA (Yakushima)
subgenus *Miccolamia* Bates, 1884a: 25**2** type species *Miccolamia cleroides* Bates, 1884
albosetosa Gressitt, 1951a: 533 **A**: TAI **#888**
arunachalensis Sreedevi & Ghate, 2020: 296, 299 **A:** AP
binodosa Pic, 1935: 15 **A**: YUN **ORR** **#888**
castaneoverrucosa Hayashi, 1974c: 52 **A**: TAI
cleroides Bates, 1884a: 253 **A**: FE (Kunashir) JA
coenosa Holzschuh, 2010: 207 **A:** HUB SHA
dracuncula dracuncula Gressitt, 1942b: 7 **A**: FUJ HUB SCH **#888**
dracuncula orientalis Bi & Lin, 2025: 23 **A**: ANH HUB HUN ZHE
holzschuhi Bi & Chen, 2025b:25 **A:** YUN
liubini Bi & Lin, 2025: 124 **A:** HAI
minuta Bi & Lin, 2025: 120 **A:** ANH SHN ZHE
mystica Bi & Lin, 2025: 10 **A:** HUB
panda Bi & Chen, 2025: 21 **A:** SCH
relucens Holzschuh, 2003b: 312 **A**: NP SD
rugosula Holzschuh, 2003b: 311 **A**: SD **#514**
savioi Gressitt, 1940c: 192 **A**: ANH HEN HUB SHA SHG SHN ZHE
= *bicristata* Pesarini & Sabbadini, 1997: 115 **#888**
scintillans Holzschuh, 2010: 13 **A**: YUN **ORR** **#888**
shennong Bi & Chen, 2025: 19 **A:** HUB
tonsilis Holzschuh, 2010: 207 **A:** GAN HUB SHA **#888**
tuberculipennis Breuning, 1947a: 58 **A**: FUJ HUB JIX ZHN **#888**
yanziae Bi & Lin, 2025: 14 **A:** XIZ

genus *Microestola* Gressitt, 1940b: 180 type species *Microestola bidentata* Gressitt, 1940 **#580**
Mimopothyne Breuning, 1956a: 7 type species *Mimopothyne flavolineata* Breuning, 1956 **#580**
bidentata Gressitt, 1940b: 180 **A**: HAI

flavolineata Breuning, 1956a: 7 (*Mimopothyne*) **A**: ZHE **#400**
formosana Gressitt, 1951a: 513 **A**: TAI
interrupta Gressitt, 1951a: 514 **A**: FUJ SHA SCH **#225**
parallela Gressitt, 1951a: 515 **A**: **?**AF HUB **ORR**

genus *Mimapatelarthron* Breuning, 1940: 209 type species *Mimapatelarthron javanicum* Breuning, 1940
bulbiferum Holzschuh, 2017: 159 **A**: HAI YUN **ORR** **#668**

genus *Mimectatina* Aurivillius, 1927: 27 type species *Mimectatina singularis* Aurivillius, 1927
Doius Matsushita, 1933b: 380 type species *Doius rufescens* Matsushita, 1933 (= *Sydonia divaricata* Bates, 1884a)
Falsodoius Breuning, 1953: 16 type species *Doius meridianus* Matsushita, 1933
Nipposybra Breuning, 1939b: 280 type species *Nipposybra fuscoplagiata* Breuning, 1939
Parasydonia Breuning, 1949b: 24 type species *Sydonia divaricata* Bates, 1884
divaricata divaricata Bates, 1884a: 247 (*Sydonia*) **A**: FE JA JIA ?NC SC TAI ZHE
grisea Matsushita, 1940: 53 (*Doius*)
rufescens Matsushita, 1933b: 380 (*Doius*)
divaricata fulvovariegata Hayashi, 1963c: 14 (*Doius*) **A**: JA
divaricata similaris Takakuwa, 1984: 13 **A**: JA (Izu Isls)
divaricata yayeyamana Toyoshima, 1982: 35 (*Doius*) **A**: JA (Ryukyus)
fukudai Hayashi, 1969a: 65 (*Doius*) **A**: TAI
fuscoplagiata Breuning, 1939b: 280 (*Nipposybra*) **A**: JA ?TA
adachii Hayashi, 1958b: 49 (*Doius*)
iriei Hayashi, 1984: 34 **A**: JA (Ryukyus) TAI
longipennis Makihara, 2004a: 20 **A**: JA
meridiana meridiana Matsushita, 1933b: 380 (*Doius*) **A**: TAI
meridiana ohirai Breuning & Villiers, 1973: 50 **A**: JA
murakamii Hayashi, 1978b: 111 **A**: TAI (Lanyu Is.)
singularis Aurivillius, 1927: 575 **A**:
apicesignata Breuning & de Jong, 1941: 104
fuscoapicata Breuning, 1964f: 304
truncatipennis Pic, 1944a: 14 (*Sybra*) **A**: CH **ORR**
variegata Kusama & Takakuwa, 1984: 13 **A**: JA

genus *Mimeuseboides* Breuning, 1967b: 33 type species *Mimeuseboides excavatipennis* Breuning, 1967
excavatipennis Breuning, 1967b: 33 **A**: AP

genus *Mimoscapeuseboides* Breuning, 1976b: 102 type species *Mimoscapeuseboides pedongensis* Breuning, 1976
pedongensis Breuning, 1976b: 103 **A**: SD

genus *Mimovitalisia* Breuning, 1959b: 82 type species *Zodale tuberculata* Pic, 1924
wittmeri Breuning, 1975d: 354 **A**: BT NP

genus *Mimozotale* Breuning, 1951b: 137 type species *Mimozotale flavolineata* Breuning, 1951
subgenus *Mimozotale* Breuning, 1951b: 137 type species *Mimozotale flavolineata* Breuning, 1951
sikkimensis Breuning, 1940a: 79 (*Zotale*) **A**: SD
subgenus *Parazotale* Breuning, 1976a: 52 type species *Zotale longipennis* Pic, 1927
cylindrica Hayashi, 1981a: 16 **A**: NP
longipennis Pic, 1927d: 6 (*Zotale*) **A**: YUN
approximata Pic, 1927b: 18 (*Zotale*)
truncatipennis Breuning, 1949a: 3, 7 (*Euseboides*) **A:** ?YUN **ORR** **#350**

genus *Nedine* J. Thomson, 1864: 27 type species *Nedine longipes* J. Thomson, 1864
Opsioleus Pascoe, 1864a: 10 type species *Opsioleus adversus* Pascoe, 1864
Parazygocera Heller, 1924c: 200 type species *Parazygocera spaethi* Heller, 1924
sparatis W.-K. Wang & Jiang, 1999c: 214 **A**: YUN
subspinosa W.-K. Wang & Jiang, 1999c: 213 **A**: YUN

genus *Paranaesthetis* Breuning, 1982a: 27 type species *Paranaesthetis metallica* Breuning, 1982
metallica Breuning, 1982a: 28 **A**: CH

genus *Pararhopaloscelides* Breuning, 1947a: 58 type species *Pararhopaloscelides sericeipennis* Breuning, 1947
Mimostedes Breuning, 1955c: 235 type species *Mimostedes basilewskyi* Breuning, 1955
Punjabostedes Breuning, 1957g: 276 type species *Mimostedes punjabensis* Breuning, 1957
sericeipennis jumlaensis Holzschuh, 2003b: 312 **A**: NP
sericeipennis sericeipennis Breuning, 1947a: 58 **A**: KA PA "Punjab"
kashmirensis Breuning, 1957g: 277 (*Mimostedes*)
punjabensis Breuning, 1957g: 276 (*Mimostedes*)

genus *Parasophroniella* Breuning, 1943e: 51 type species *Parasophroniella birmanica* Breuning, 1943e
birmanica Breuning, 1943e: 52 **A**: YUN **ORR**
tonkinensis Breuning, 1956g: 693

genus *Parectatosia* Breuning, 1940b: 207 type species *Parectatosia valida* Breuning, 1940
valida Breuning, 1940b: 208 **A**: "North India"

genus *Pareuseboides* Breuning, 1948a: 30 type species *Pareuseboides albomarmorata* Breuning, 1948
albomarmorata Breuning, 1948a: 30 **A**: NP SD

genus *Paroricopis* Breuning, 1958c: 35 type species *Paroricopis latefasciata* Breuning, 1958
latefasciata Breuning, 1958c: 36 **A**: BT

genus *Penthides* Matsushita, 1933b: 430 type species *Penthides flavus* Matsushita, 1933
Hirakura Hayashi, 1957b: 47 type species *Hirakura rufoflava* Hayashi, 1957
flavus flavus Matsushita, 1933b: 431 **A**: TAI
flavus multipubens Makihara, 1978: 57 **A**: JA (Ryukyus)
modestus Tippmann, 1955: 135 **A**: FUJ
rufoflavus Hayashi, 1957b: 48 (*Hirakura*) **A**: JA

genus *Pseudanaesthetis* Pic, 1922c: 15 type species *Pseudanaesthetis langana* Pic, 1922
assamensis Breuning, 1966c: 14 (*Sophronica*) **A**: NP **ORR**
? *langana* Pic, 1922c: 15 **A**: FUJ GUA GUI HAI HUN JIX SCH SHA SHN ZHE **ORR** **#517** **#525**
mizunumai Hayashi, 1974c: 48 **A**: TAI
rufa Gressitt, 1942c: 3 **A**: FUJ

genus *Pseudectatosia* Breuning, 1940b: 209 type species *Pseudectatosia strandiella* Breuning, 1940
strandiella Breuning, 1940b: 209 **A**: AP BT SD **#280**

genus *Pseudoterinaea* Breuning, 1940b: 178 type species *Pseudanaesthetis bicoloripes* Pic, 1926
Duportius Pic, 1945c: 59 type species *Pseudanaesthetis bicoloripes* Pic, 1926
bicoloripes Pic, 1926a: 26 (*Pseudanaesthetis*) **A**: FUJ GUA GUX HAI HKG YUN **ORR**
laosensis Breuning, 1965: 34 (*Desisa*)
marmorata Gressitt, 1940b: 158 (*Phesates*)
seticornis Gressitt, 1940b: 176 (*Pseudanaesthetis*) **A**: HAI

genus *Quasimesosella* Miroshnikov, 2006: 232 [RN] type species *Microlera ussuriensis* Tsherepanov, 1983
Pseudomesosella Miroshnikov, 1989: 745 [HN] type species *Microlera ussuriensis* Tsherepanov, 1983
ussuriensis Tsherepanov, 1983: 215 (*Microlera*) **A**: FE ?NC NE SC **#63**
florovi Tsherepanov, 1984: 128 (*Miaenia*)

genus *Rhodopina* Gressitt, 1951a: 439 [RN] type species *Rhodopis pubera* J. Thomson, 1857
Rhodopis J. Thomson, 1857**e**: 174 [HN] type species *Rhodopis pubera* J. Thomson, 1857
albomaculata Gahan, 1890a: 60 (*Rhodopis*) **A**: AP NP SD **ORR** **#280**
albomarmorata Breuning, 1958a: 12 **A**: NP SCH SD **#496**
alboplagiata Gahan, 1890a: 60 (*Rhodopis*) **A**: NP SD
assamana Breuning, 1966d: 15 **A**: AP
formosana Breuning, 1954b: 5 (*Rhodopis*) **A**: TAI
integripennis Bates, 1884a: 243 (*Rhodopis*) **A**: JA
lewisii koshikijimana Komiya, 1984b: 463, 15 **A**: JA (Ryukyus)
lewisii lewisii Bates, 1873: 313 (*Rhodopis*) **A**: JA
japonica Breuning, 1940d: 414 (*Rhodopis*)
lewisii yakushimana Komiya, 1984b: 15 **A**: JA
laevepunctata Breuning, 1958a: 12 **A**: SD
manipurensis Breuning, 1972c: 416 **A**: NP **ORR**
meshimensis Makihara, 1980: 66 **A**: JA
modica Komiya, 1984: 15 **A**: JA (Ryukyus)
nasui Komiya & Kusama, 1974: 138 **A**: JA **#400**
okinawensis Matsushita, 1933b: 350 (*Rhodopis*) **A**: JA (Ryukyus)
okinoerabuana Hayashi, 1961c: 67 **A**: JA (Ryukyus)
paraseriata Breuning, 1969e: 193 **A**: "India"
parassamensis Breuning, 1975d: 352 **A**: BT
pedongensis Breuning, 1969e: 193 **A**: SD YUN **#496**
pubereoides Breuning, 1956g: 682 (*Rhodopis*) **A**: SD
sakishimana Yokoyama, 1966: 57 **A**: JA (Ryukyus)

subuniformis Gressitt, 1951a: 440 **A**: TAI
tokarensis komiyai Hayashi, 1969a: 66 **A**: JA (Izu Isls.)
tokarensis orientalis Yokoyama, 1971: 100 **A**: JA
obscura Makihara, 1977: 65
tokarensis tokarensis Hayashi, 1956c: 14 **A**: JA (Tokara Isls.)
tuberculicollis Gressitt, 1942b: 4 (*Rhodopis*) **A**: SHA SCH **#225**

genus *Rhopaloscelis* Blessig, 1873: 205 type species *Rhopaloscelis unifasciata* Blessig, 1873
maculata Bates, 1877: 38 **A**: FE (Kunashir) JA **#291**
apicalis Pic, 1907c: 22 (*Clytosemia*)
kuwayamana Kano, 1933a: 286 (*Clytosemia*)
schurmanni Breuning, 1969c: 76 **A**: AB (Talysh) IN
unifasciata Blessig, 1873: 206 **A**: ES FE FUJ GUA HKG JA JIL KZ MG NC SC SHA WS ZHE **#225**
obscura Plavilstshikov, 1915c: 109

genus *Salvazaon* Pic, 1928b: 21 type species *Salvazaon metallicum* Pic, 1928
subgenus *Salvazaon* Pic, 1928b: 21 type species *Salvazaon metallicum* Pic, 1928
Mimexocentroides Breuning, 1961: 338. type species *M. nitidus* Breuning, 1961
saginatum Holzschuh, 1999: 45 **A**: JIX

genus *Similonedin*e Hua, 1993: 31 type species *Similonedine brunniofasciata* Hua, 1993
brunniofasciata Hua, 1993: 31 **A**: FUJ GUX HUN **#60**

genus *Sophronica* Blanchard, 1845: 160 type species *Sophronica calceata* Chevrolat, 1855
Dasyo Pascoe, 1858: 253 type species *Dasyo lineata* Pascoe, 1858
Dasystola Kolbe, 1894b: 63 type species *Dasystola hirta* Kolbe, 1894 (= *Sophronica carbonaria* Pascoe, 1864)
Dimbrokoa Pic, 1944**a**: 16 type species *Dimbrokoa apicalis* Pic, 1944
Elithiotes Pascoe, 1864c: 279 type species *Elithiotes hirsuta* Pascoe, 1864
Eupogonioides Fisher, 1930: 275 type species *Eupogonioides gardneri* Fisher, 1930 (= *Phunginus apicalis* Pic, 1922)
Lasiapheles Bates, 1873: 382 type species *Lasiapheles obrioides* Bates, 1873
Mimanaesthetis Pic, 1926c: 16 type species *Mimanaesthetis atripennis* Pic, 1926
Phunginus Pic, 1922c: 15 type species *Phunginus apicalis* Pic, 1922
apicalis Pic, 1922c: 15 (*Phunginus*) **A**: HKG NP UP **#572**
gardneri Fisher, 1930: 276 (*Eupogonioides*)
arabica Breuning, 1962f: 239 **A**: YE
bicoloripes Pic, 1928a: 29 (*Mimanaesthetis*) **A**: JIA SHG **ORR** **#400**
bowringi Gressitt, 1939c: 213 (*Mimanaesthetis*) **A**: FUJ HKG
brunnea Fisher, 1940: 206 (*Eupogonioides*) **A**: NP
carissae Fisher, 1930: 277 (*Eupogonioides*) **A**: UP
chinensis Breuning, 1940a: 48 **A**: GUI GUX
egena Holzschuh, 2006c: 488 **A**: AF
intricata Aurivillius, 1926b: 483 **A**: YE **AFR**
koreana Gressitt, 1951a: 508 **A**: SC
obrioides Bates, 1873: 382 (*Lasiapheles*) **A**: JA TAI
paupercula Holzschuh, 2006c: 488 **A**: NP
pienaari Distant, 1898: 378 (*Tetraglenes*) **A**: YE **AFR**
venzoi Breuning, 1940c: 173
pseudintricata Breuning, 1940a: 55 **A**: YE **AFR**
sundukovi Danilevsky, 2009b: 25 **A:** FE ?NC SC (Yanggugun) **#316**
talhouki Holzschuh, 1992a: 306 **A**: YE SA **#774**
tonkinensis Breuning, 1976a: 51 **A**: CH **ORR**
wittmeri Holzschuh, 1992a: 308 **A**: SA YE

genus *Sphigmothorax* Gressitt, 1939a: 85 type species *Sphigmothorax bicinctus* Gressitt, 1939
bicinctus Gressitt, 1939a: 85 **A**: GUA
tricinctus Gressitt, 1951a: 534 **A**: YUN
tsushimanus Hayashi, 1961a: 23 **A**: JA (Tsushima Is.)

genus *Spinozorilispe* Breuning, 1963g: **83** type species *Spinozorilispe fusca* Breuning, 1963
fusca Breuning, 1963g: 84 **A**: BT

genus *Sybrinus* Gahan, 1900a: 12 type species *Sybrinus commixtus* Gahan, 1900
Arabosybrinus Breuning, 1948b: 16 type species *Sybrinus albosignatus* Breuning, 1848
Sokotrosybrinus Breuning, 1949b: 21 type species *Sybrinus simonyi* Gahan, 1903
albosignatus Breuning, 1948b: 16 **A**: SA YE
commixtus Gahan, 1900a: 12 **A**: YE (Suqutra)
gahani Aurivillius, 1922b: 299

flavescens Breuning, 1948b: 16 **A**: SA YE
simonyi Gahan, 1903: 287 **A**: YE (Suqutra)
sokotrensis Téocchi, Jiroux & Sudre, 2004: 22 (*Arasbosybrinus*)
x-ornatus Téocchi, Jiroux & Sudre, 2007: 23 **A**: YE (Suqutra)
kabateki Téocchi, Jiroux & Sudre, 2007: 23

genus *Sybrocentrura* Breuning, 1947a: 57 type species *Sybrocentrura obscura* Breuning, 1947
costigera Holzschuh, 2010: 218 **A**: SHA
fatalis Holzschuh, 2010: 215 **A**: SHA
obscura Breuning, 1947a: 57 **A**: GUX YUN
procerior Holzschuh, 2010: 214 **A**: GUI
ropicoides Gressitt, 1939c: 214 (*Sydonia*) **A**: FUJ JIX HAI
tenera Holzschuh, 2010: 219 **A**: YUN **ORR**
tristicula Holzschuh, 2010: 216 **A**: GUI SCH

genus *Taiwanajinga* Hayashi, 1978b: 109 type species *Taiwanajinga albofasciata* Hayashi, 1978
albofasciata Hayashi, 1978b: 110 **A**: TAI

genus *Terinaea* Bates, 1884a: 249 type species *Terinaea atrofusca* Bates, 1884a
atrofusca Bates, 1884a: 250 **A**: JA
rufonigra Gressitt, 1940b: 175 **A**: FUJ GUA GUX HAI ZHE
tiliae Murzin, 1983: 584 (*Miaenia*) **A**: FE ?NC SC SHA **#225**

genus *Ussurella* Danilevsky, 1997b: 44 [RN] type species *Ussuria napolovi* Danilevsky, 1995
Ussuria Danilevsky, 1995a: 113 [HN] type species *Ussuria napolovi* Danilevsky, 1995
napolovi Danilevsky, 1995a: 114 (*Ussuria*) **A**: FE ?NC NO SC

genus *Vittatopothyne* Breuning, 1968b: 58 [RN] type species *Falsopothyne flavovittata* Breuning, 1960
Falsopothyne Breuning, 1960a: 15 [HN] type species *Falsopothyne flavovittata* Breuning, 1960
flavovittata Breuning, 1960a: 16 (*Falsopothyne*) **A**: SD

genus *Zotalemimon* Pic, 1925a: 29 type species *Zotalemimon apicale* Pic, 1925 (= *Sybra posticata* Gahan, 1894)
Diboma J. Thomson, 1864: 46 [HN] type species *Diboma tranquilla* J. Thomson, 1864 (= *Hathlia procera* Pascoe, 1859)
Donysia Gressitt, 1940b: 179 type species *Sydonia costata* Matsushita, 1933
bhutanum Breuning, 1975a: 38 (*Diboma*) **A**: BT NP
bhutanensis Breuning, 1975d (October): 350 (*Diboma*) **#275**
ciliatum Gressitt, 1942**e**: 212 (*Donysia*) **A**: FUJ GUA HAI HKG YUN
costatum Matsushita, 1933b: 379 (*Sydonia*) **A**: FUJ HAI JA (Ryukyus) TAI ZHE
loochooanum Breuning, 1940a: 78 (*Diboma*)
formosanum Breuning, 1975a: 38 (*Diboma*) **A**: TAI
lineatoides Breuning, 1969e: 192 (*Diboma*) **A**: SD
malinum Gressitt, 1951a: 511 (*Diboma*) **A**: YUN
obscurior Breuning, 1940a: 78 (*Diboma*) **A**: UP
posticatum Gahan, 1894a: 77 (*Sybra*) **A**: HAI SD YUN **#400**
apicale Pic, 1925a: 29 (*Zotalemimon*)
subglabratum Gressitt, 1938a: 54 (*Sydonia*) **A**: SCH

tribe Apomecynini J. Thomson, 1860

genus *Apomecyna* Dejean, 1821: 108 type species ~~type species~~ *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)
Anapomecyna Pic, 1925a: 29 type species *Anapomecyna luteomaculata* Pic, 1925
Crassapomecyna Breuning, 1958i: 492 type species *Apomecyna crassiuscula* Fairmaire, 1896
Mecynapus J. Thomson, 1858: 187 type species *Apomecyna parumpunctata* Chevrolat, 1856
Parapomecyna Breuning, 1968g: 345 type species *Parapomecyna flavomaculata* Breuning, 1968 (= *Apomecyna quadrisignata* Quedenfeldt, 1885)
Pseudoalbana Pic, 1895c: 77 type species *Pseudoalbana lameerei* Pic, 1895
Vocula Lacordaire, 1872: 587 type species *Vocula irrorata* Lacordaire, 1872 (= *Apomecyna parumpunctata* Chevrolat, 1856)
balochica Ahmed & Barševskis, 2024: 70 **A**: PA
binubila binubila Pascoe, 1858: 253 **A:** SA **#774**
cretacea Hope, 1831: 28 (*Callidium*) **A**: AP GUA GUX HAI NP SD YUN **ORR** **#280**
laosensis Pic, 1938: 124
perroteti J. Thomson, 1868c: 159
proba Newman, 1842c: 299
fallaciosa Breuning, 1938a: 50 **A**: PA UP
flavovittata Chiang, 1963: 67 **A**: XIZ YUN
histrio ~~*histrio*~~ Fabricius, 1793: 288 (*Lamia*) **A**: AP ES GUI HAI ~~JA (Ryukyus)~~ KO MG NP PA SD TAI UP YUN **ORR** **#127 #280 #730**
alboguttata Megerle, 1802: 10 (*Saperda*)
maculaticollis Pic, 1918b: 6

quadrifasciata J. Thomson, 1868c: 159
lameerei Pic, 1895c: 77 (*Eurycotyle*) **N**: AG EG MO **A**: AE IN IQ IS OM PA SA SI YE **AFR**
arabica Breuning, 1938a: 50
mateui Breuning, 1953: 11
leucosticta Hope, 1831: 28 (*Callidium*) **A**: AF BT NP PA SD YUN **ORR** **#400**
lineata Pic, 1937a: 14
longicollis coreana Breuning, 1967f: 188 **A**: KO
longicollis longicollis Pic, 1926a: 28 **A**: GUI HKG JIX YUN **ORR**
fouqueti Pic, 1938: 124
luteomaculata Pic, 1925a: 29 (*Anapomecyna*) **A**: YUN **ORR** **#398**
minor Ahmed & Barševskis, 2024: 66 **A**: PA
naevia deguchii Kusama & Takakuwa, 1984: 11 **A**: JA (Ryukyus)
naevia iriei Hayashi, 1984: 69 **A**: JA (Izu Isls., Ryukyus)
naevia naevia Bates, 1873: 317 **A**: JA NP SC TAI **#63** **#400**
naevia semihistrio Kusama & Takakuwa, 1984: 11 **A**: JA (Ryukyus) TAI **#400** **#431** **#732**
naevia tsutsuii Hayashi, 1956c: 15 **A**: JA (Tokara Isls.)
naevia yokoyamai Hayashi, 1974c: 68 **A**: JA
okinawana Makihara, 1992b: 74 **A**: JA (Tokara Isls., Ryukyus) **#730**
proxima Breuning, 1938a: 49 **A**: GUI **ORR** **#400**
saltator Fabricius, 1787: 141 (*Lamia*) **A**: AP FUJ GUA GUI GUX HAI HKG HP HUB HUN JA (Ryukyus) JIA JIX NP PA SHA TAI YUN ZHE **ORR** **#225** **#280** **#366**
excavaticeps Pic, 1918b: 6
multinotata Pic, 1918b: 5
neglecta Pascoe, 1865a: 152
niveosparsa Fairmaire, 1895: 185
pertigera J. Thomson, 1868c: 160
sinensis Pic, 1918b: 6
subuniformis Pic, 1944a: 14
tonkinea Pic, 1918b: 5
scorteccii Breuning, 1968c: 90 **A**: SA YE
tigrina indica Breuning, 1969f: 656 **A**: AP SD **#280**
tigrina tigrina J. Thomson, 1857g: 343 **A**: YUN **ORR**

genus *Asaperda* Bates, 1873: 385 type species *Asaperda rufipes* Bates, 1873
agapanthina agapanthina Bates, 1873: 386 **A**: FE (Sakhalin, Kunashir) JA ~~?TAI~~
obscura Breuning, 1939b: 232
agapanthina confultis Komiya, 1984a: 14 **A**: JA **#736**
agapanthina nakayamai Komiya, 1984a: 14 **A**: JA **#736**
agapanthina obliquevittata Komiya, 1984a: 14 **A**: JA **#736**
agapanthina yamawakii Komiya, 1984a: 14 **A**: JA **#736**
bicostata bicostata Hayashi, 1956c: 16 **A**: JA
bicostata kawadai Fujita, 2023: 26 **A**: JA (Amami Isls. (Amami-oshima Is., Kikaijima Is., Toku-no-shima Is., Okinoerabu-jima Is)
bicostata okinawana Komiya, 1984: 372, 14 **A**: JA (Ryukyus)
chongqingensis L. Chen & Chiang, 1993: 65, 67 **A**: CHQ
kani Hayashi, 1976: 15 **A**: JA **#108**
krivolutzkayae Danilevsky, 2023: 329 **A**: FE (Kunashir) JA
meridiana auct., not Matsushita
maculosa Pic, 1927k: 199 **A**: CH **ORR**
meridiana Matsushita, 1931a: 45 **A**: FUJ GUA GUI HKG JIX TAI **ORR**
takushaensis Kano, 1933a: 283
rufa Breuning, 1954e: 136 **A**: SHN
rufipes albosuturalis Breuning, 1957g: 278 **A**: JA **#736**
rufipes rufipes Bates, 1873: 386 **A**: ?CH ?FE JA ?NC SC TAI
nigricornis Breuning, 1957g: 278
uniformis Pic, 1907c: 22
rufipes tsushimae Breuning, 1955e: 658 **A**: JA
silvicultrix Toyoshima & Iwata, 1990: 1 **A**: JA
stenostola Kraatz, 1879e: 227 **A**: CH FE ?ES KZ MG ?NC SC WS
tenuicornis Komiya, 1984a: 15 **A**: JA
wadai Makihara, 1980: 55 **A**: JA

genus *Athylia* Pascoe, 1864a: 27 type species *Athylia avara* Pascoe, 1864
Enispia Pascoe, 1864a: 28 type species *Enispia venosa* Pascoe, 1864
Sodomorphon Pic, 1926c: 14 type species *Sodomorphon bellum* Pic, 1926 (= *Athylia nobilis* Breuning, 1960)
horishensis Seki, 1946: 10 (*Enispia*) **A**: TAI

genus *Atimura* Pascoe, 1863b: 548 type species *Atimura terminata* Pascoe, 1863

affinis Breuning, 1939b: 240 **A**: UP **ORR**
apicalis Gahan, 1894a: 76 **A**: FUJ SCH TAI **ORR**
combreti Gardner, 1930: 158 **A**: NP UP
cylindrica Gressitt, 1940b: 173 **A**: HAI
formosana Matsushita, 1933b: 371 **A**: TAI
fujiwarai Hayashi, 1994: 70 **A**: TAI **#400**
japonica Bates, 1873: 381 **A**: JA SHA **ORR** **#225** **#525**
tonkinea Pic, 1931a: 14
koreana Danilevsky, 1996b: 22 **A**: SC
minima Breuning, 1939b: 240 **A**: UP **ORR**
proxima Breuning, 1939b: 240 **A**: UP **ORR**

genus *Brachysybra* Breuning, 1940d: 427 type species *Brachysybra elliptica* Breuning, 1940
elliptica Breuning, 1940d: 428 **A**: TAI (Lanyu Is.) **ORR**

genus *Callomecyna* Tippmann, 1955: 125 type species *Callomecyna superba* Tippmann, 1955
Mimoxenoleoides Breuning, 1963g: 82 type species *Mimoxenoleoides fasciculosa* Breuning, 1963
leehsuehae Yamasako & Chou, 2014a: 252 **A**: TAI
superba Tippmann, 1955: 126 **A**: CHQ FUJ GUI GUX HUN **#60**
fasciculosa Breuning, 1963g: 83 (*Mimoxenoleoides*)
tigrinula Holzschuh, 1999: 44 **A**: SCH

genus *Coomanum* Pic, 1927h: 111 type species *Coomanum singulare* Pic, 1927
Niphosaperda Breuning, 1962d: 49 type species *Niphosaperda rondoni* Breuning, 1962
singulare Pic, 1927h: 112 **A**: YUN **ORR**
rondoni Breuning, 1962d: 49 (*Niphosaperda*)

genus *Cornallis* J. Thomson, 1864: 47 type species *Cornallis gracilipes* J. Thomson, 1864
Parasybrodiboma Breuning, 1969f: 666 type species *Parasybrodiboma sikkimensis* Breuning, 1969
gracilipes J. Thomson, 1864: 47 **A**: NP SD
bootangensis Breuning, 1968f: 702 (*Hyagnis*)
longipes Breuning & de Jong, 1941: 104 (*Sybra*) #693
sikkimensis Breuning, 1969f: 667 (*Parasybrodiboma*)
sybroides Breuning, 1939b: 206 (*Hyagnis*) #693

genus *Diaxenes* C. O. Waterhouse, 1884a: 128 type species *Diaxenes taylori* C. O. Waterhouse, 1884
dendrobii Gahan, 1894e: 520 **A**: SD **ORR**

genus *Discolops* Fairmaire, 1886a: 459 type species *Discolops strigicollis* Fairmaire, 1886
strigicollis Fairmaire, 1886a: 459 **A**: YE **AFR**
aureicornis Gahan, 1890d: 325 (*Stathmodera*)
basalis Kolbe, 1894: 281
grandis C. O. Waterhouse, 1898: 264 (*Stathmodera*)

genus *Doliops* G. R. Waterhouse, 1841: 57 [= 1845: 42] type species *Doliops curculionoides* G. R. Waterhouse, 1841 **#86**
Dolops Agassiz, 1846: 128 [unjustified emendation]
similis Miwa & Mitono, 1933: 373 [RN] **A**: TAI (Lanyu Is.)
pachyrrhynchoides Miwa & Mitono, 1932: 306 [HN] (*Aprophata*)

genus *Enaretta* J. Thomson, 1864: 325 type species *Enaretta castelnaudi* J. Thomson, 1864
Athenes Fåhraeus, 1872c: 194 type species *Athenes caudata* Fåhraeus, 1872
Fouquetia Pic, 1932h: 150 type species *Fouquetia fasciculata* Pic, 1932
Phoryctus Gerstaecker, 1871: 78 type species *Phoryctus mucoreus* Gerstaecker, 1871
Sympiodes Pascoe, 1886: 243 type species *Sympiodes varius* Pascoe, 1886
samai Rapuzzi & al Dhafer, 2024: 199 **A**: SA OM YE
caudata, Löbl & Smetana, 2010: 231, not Fåhraeus, 1872b: 36 (*Athenes*) from South Africa **#774**
genus *Estigmenida* Gahan, 1894a: 82 type species *Estigmenida variabilis* Gahan, 1894
albolineata Breuning, 1940b: 211 **A**: SD **#343**
robusta Breuning, 1940b: 211 **A**: SD **ORR**
variabilis Gahan, 1894a: 83 **A**: YUN **ORR** **#400**

genus *Falsoropica* Breuning, 1939b: 232 type species *Falsoropica clavipes* Breuning, 1939
grossepunctata Breuning, 1968a: 32 **A**: YUN **ORR**
sikkimensis Breuning, 1973c: 651 **A**: SD

genus *Falsoropicoides* Breuning, 1965: 25 type species *Falsoropicoides laosensis* Breuning, 1965 **#818**
laosensis Breuning, 1965: 25 **A**: YUN **ORR**

genus *Falsozorispiella* Breuning, 1963a: 4 [RN] type species *Falsozorilispe albosignata* Pic, 1945
Falsozorilispe Pic, 1945a: 2 [HN] type species *Falsozorilispe albosignata* Pic, 1945
albosignata Pic, 1945a: 2 (*Falsozorilispe*) **A**: GUI

genus *Hyagnis* Pascoe, 1864c: 280 type species *Hyagnis fistularius* Pascoe, 1864
apicatus Holzschuh, 1984c: 369 **A**: UP
basicristatus Breuning, 1949a: 3, 8 **A:** ?AP **ORR** **#280**
chinensis Breuning, 1961i: 317 **A**: GUA
kashmirensis Breuning, 1939b: 206 **A**: KA
pakistanus Breuning, 1975d: 352 **A**: NP PA
persimilis Breuning, 1939b: 206 **A**: "India"
intuberculata Pic, 1946a: 3 (*Atimura*)

genus *Iproca* Gressitt, 1940b: 165 type species *Iproca acuminata* Gressitt, 1940
acuminata Gressitt, 1940b: 165 **A**: HAI
aoyamaorum Hasegawa & N. Ohbayashi, 2006: 253 **A**: JA (Ryukyus)
ishigakiana flavolineata Hayashi, 1971: 10 **A**: TAI **ORR** **#732**
ishigakiana ishigakiana Breuning & K. Ohbayashi, 1966: 34 **A**: JA (Ryukyus) **#732**
pedongensis Breuning, 1968f: 701 **A**: SD

genus *Microlera* Bates, 1873: 380 type species *Microlera ptinoides* Bates, 1873
kanoi Hayashi, 1971: 9 **A**: TAI
ptinoides Bates, 1873: 380 **A**: FE (Kunashir) JA ?NC SC **#432** **#523** **#734**
yayeyamensis Hayashi, 1968c: 15 **A**: JA (Ryukyus) **#734**

genus *Microleroides* Breuning, 1956g: 691 type species *Microleroides chinensis* Breuning, 1956
chinensis Breuning, 1956g: 692 **A**: SCH

genus *Mimatimura* Breuning, 1939b: 241 type species *Mimatimura rufescens* Breuning, 1939
subferruginea Gressitt, 1951a: 496 (*Atimura*) **A**: FUJ HAI

genus *Mimophaeopate* Breuning, 1967b: 30 type species *Mimophaeopate assamensis* Breuning, 1967
assamensis Breuning, 1967b: 31 **A**: AP

genus *Mimosybra* Breuning, 1939b: 278 type species *Athelais surigaonis* Heller, 1924
strandi Breuning, 1939b: 278 (*Neosybra*) **A**: TAI **ORR** **#72**

genus *Mycerinopsis* J. Thomson, 1864: 50 type species *Mycerinus aridus* Pascoe, 1862b (= *Hathlia lacteola* Hope, 1841)
subgenus *Zotale* Pascoe, 1866c: 329 type species *Zotale unicolor* Pascoe, 1866
apomecynoides Hayashi, 1972: 29 **A**: JA (Ryukyus)
lineata Gahan, 1894a: 75 **A**: FUJ GUA JIX HAI HUN YUN **ORR**
subunicolor Breuning, 1968a: 14 **A**: YUN **ORR**

genus *Neosybra* Breuning, 1939b: 276 type species *Neosybra ropicoides* Breuning, 1939
costata Matsushita, 1933b: 370 **A**: TAI
cribrella Bates, 1873: 318 (*Sybra*) **A**: JA
flavovittata Breuning, 1954b: 21 **A**: SD
flavovittipennis Breuning, 1963e: 6 **A**: HUN **ORR**
hachijoensis hachijoensis Hayashi, 1961a: 22 (*Palausybra*) **A**: JA (Izu Islands)
hachijoensis tokaraensis Makihara, 1977: 53 (*Palausybra*) **A**: JA
mizoguchii depressa Makihara, 1980: 58 (*Palausybra*) **A**: JA
mizoguchii mizoguchii Hayashi, 1956d: 41 (*Ropica*) **A**: JA
mizoguchii nobozakiensis Takakuwa, 2015: 222 **A**: JA
ochreovittata Breuning, 1939b: 277 **A**: NP
rotundipennis Breuning, 1939b: 278 **A**: HKG
ryukyuensis Breuning & K. Ohbayashi, 1964: 28 **A**: JA (Ryukyus)
sinuicosta Gressitt, 1951a: 502 **A**: TAI

genus *Novorondonia* Özdikmen, 2008c: 678 [RN] type species *Rondonia ropicoides* Breuning, 1962
Rondonia Breuning, 1962b: 7 [HN] type species *Rondonia ropicoides* Breuning, 1962
antennata Holzschuh, 2015a: 51 **A**: SCH SHA **#400**
hirayamai Matsushita, 1941: 156 (*Ropica*) **A**: TAI **#450**
bisignata Hayashi, 1976: 16 (*Rondonia*)
ropicoides Breuning, 1962b: 8 (*Rondonia*) **A**: YUN **ORR**

genus *Ogmodera* Aurivillius, 1908: 149 type species *Ogmodera sulcata* Aurivillius, 1908
forticornis Breuning, 1942a: 142 **A**: SA YE **AFR**
sulcata Aurivillius, 1908: 150 **A**: SA YE **AFR**

genus *Palausybra* Gressitt, 1956: 153 type species *Palausybra vestigialis* Gressitt, 1956
chibi Hayashi, 1974c: 41 **A**: TAI

genus *Paraneosybra* Hayashi, 1978b: 107 type species *Paraneosybra fulvofasciata* Hayashi, 1978
fulvofasciata Hayashi, 1978b: 108 **A**: TAI

genus *Parepilysta* Breuning, 1939b: 243 type species *Parepilysta strandi* Breuning, 1939b
subgenus *Striatepilysta* Breuning, 1949a: 10 type species *Parepilysta striatipennis* Breuning, 1949a
striatipennis Breuning, 1949a: 3, 10 **A**: YUN **ORR** **#827**

genus *Pemptolasius* Gahan, 1890a: 64 type species *Pemptolasius humeralis* Gahan, 1890
Parazotalemimon Pic, 1936b: 12 type species *Parazotalemimon nigropunctatum* Pic, 1936
humeralis Gahan, 1890a: 65 **A**: SD YUN **ORR**
nigropunctatus Pic, 1936b: 12 (*Parazotalemimon*)

genus *Plocia* Newman, 1842c: 292 type species *Plocia notata* Newman, 1842 **#220**
Mimoplocia Breuning, 1949b: 19 type species *Plocia notata* Newman, 1842
notata Newman, 1842c: 292 **A**: TAI (Lanyu Is.) **ORR**
albicornis Heyrovský, 1935a: 19 (*Epaphra*)

genus *Ropica* Pascoe, 1858: 247 type species *Ropica piperata* Pascoe, 1858
affinis Breuning, 1939b: 224 **A**: NP SD
assamensis Breuning, 1972c: 415 **A**: AP
bicostata Pic, 1926a: 27 (*Sybra*) **A**: CH
caenosa Matsushita, 1933a: 107 (*Pterolophia*) **A**: JA (Ryukyus) TAI
chinensis Breuning, 1964a: 403 **A**: ZHE
coomani Pic, 1926b: **5** **A**: SD
coreana Breuning, 1980b: 50 **A**: SC
dorsalis Schwarzer, 1925c: 145 **A**: BT GUA GUX HAI JA JIA NP SD TAI UP **ORR**
burketi Gressitt, 1937d: 609
langana Pic, 1945a: 3
rufescens Pic, 1926b: 5
formosana Bates, 1866a: 351 **A**: TAI
fuscolaterimaculata Hayashi, 1974c: 42 **A**: TAI (Lanyu Is.)
honesta Pascoe, 1865a: 190 **A**: JA HKG NP TAI **ORR** **#400**
japonica amamiana Makihara, 1995: 456 **A**: JA (Ryukyus)
japonica japonica Hayashi, 1972: 37 **A**: JA
japonica tokarana Takakuwa, 1984: 12 **A**: JA (Tokara Isls.)
lineatithorax Pic, 1927b: 17 **A**: NP **ORR**
curtelineata Pic, 1945: 3
elongata Pic, 1929a: 30 (*Sybra*)
griseosparsa Pic, 1927: 17
vietnamensis Breuning, 1972b: 235
loochooana hayashii Breuning, 1958c: 34 **A**: JA (Ryukyus)
loochooana loochooana Matsushita, 1933b: 361 (*Pterolophia*) **A**: JA (Ryukyus)
ngauchilae Gressitt, 1940b: 163 **A**: HAI
nodieri Pic, 1945a: 3 **A:** NP **#390**
pedongensis Breuning, 1968f: 701 **A**: SD
rosti Breuning, 1958d: 177 **A**: KA NP SD
signatoides Breuning, 1939b: 221 **A**: UP
subaffinis Breuning, 1968f: 701 **A**: SD
sublineata Gressitt, 1940b: 162 **A**: FUJ HAI
subnotata Pic, 1925e: 138 **A**: FUJ GUA GUI HEB HEN HKG HUB JIA JIX SHA SHN SHX YUN ZHE **#225**
trichantennalis Breuning, 1968a: 13 **A**: FUJ **ORR**
tsushimensis Hayashi, 1972: 38 **A**: JA
umbrata Gressitt, 1951a: 492 **A**: FUJ GUA HKG **#400**
variabilis Schwarzer, 1925b: 68 **A**: TAI

genus *Sybra* Pascoe, 1865a: 141 type species *Ropica stigmatica* Pascoe, 1859
subgenus *Microzotale* Hayashi, 1956c: 17 type species *Microzotale uenoi* Hayashi, 1956
Kirishimoopsis Hayashi, 1958b: 48 type species *Kirishimoopsis sakamotoi* Hayashi, 1958

albodistincta Takakuwa, 1984: 382 **A**: JA (Ryukyus)
kuri K. Ohbayashi & Hayashi, 1962: 33 **A**: JA
uenoi sakamotoi Hayashi, 1958b: 49 (*Kirishimoopsis*) **A**: JA
uenoi uenoi Hayashi, 1956c: 18 (*Microzotale*) **A**: JA
subgenus *Sybra* Pascoe, 1865a: 141 type species *Ropica stigmatica* Pascoe, 1859
Gracisybra L. S. Dillon & E. S. Dillon, 1952: 64 type species *Gracisybra flava* L. S. Dillon & E. S. Dillon, 1952
Microopsis L. S. Dillon & E. S. Dillon, 1952: 63 type species *Microopsis dimidiata* L. S. Dillon & E. S. Dillon, 1952
Paroopsis L. S. Dillon & E. S. Dillon, 1952: 64 type species *Paroopsis eumilis* L. S. Dillon & E. S. Dillon, 1952
Ropicomorpha Pic, 1944a: 8 type species *Ropica minuta* Pic, 1927
Sybrinura Gahan, 1907: 88 type species *Sybrinura biapicata* Gahan, 1907
albostictipennis Breuning, 1963k: 47 **A:** GUX **ORR** **#532**
alternans Wiedemann, 1823: 11 (*Lamia*) **A**: ?TAI **NTRi ORR** **#219** **#400**
angustata Pic, 1926b: 6 (*Atelais*)
carolina Matsushita, 1935: 121
fuscovittata Aurivillius, 1927: 24
javaensis Breuning, 1982a: 10 (*Falsoropica*)
ochreovittata Breuning, 1939a: 77
arator Pascoe, 1865a: 210 **A**: SD **ORR**
icanoides Breuning, 1942a: 150
baculina Bates, 1866a: 352 **A**: HKG JA (Ryukyus) TAI
fulva Schwarzer, 1925c: 145 (*Atimura*) **#105** **#72**
kotoensis Matsushita, 1935: 541
miyakoensis Hayashi, 1972: 31 **A**: JA (Ryukyus) **#175** **#734**
basialbofasciata Hayashi, 1972: 33 **A**: JA
bioculata bioculata Pic, 1926i: 302 **A**: FUJ JIA TAI ZHE **ORR**
bioculata quadrinotata Schwarzer, 1925c: 145 **A**: JIA TAI YUN ZHE **ORR**
obliterata Pic, 1927g: 109
bioculata sikkimana Breuning, 1969f: 657 **A**: SD
botelensis Breuning & K. Ohbayashi, 1966: 11 **A**: TAI
breuningi Gressitt, 1940b: 169 **A**: HAI
chaffanjoni Breuning, 1969f: 656 **A**: GUI
elongatula Breuning, 1939b: 270 **A**: SD
leucostictica Breuning, 1939b: 266 **A:** SD **ORR**
ochraceicollis Breuning, 1940: 162
pulvereoides Breuning, 1939: 268
sikkimensis Breuning, 1939b: 270
longipes Breuning & De Jong, 1941: 104 **A**: SD
maculiclunis hanatanii Fujita, 2023: 27, 377 **A**: JA (Yaeyama Isls.: Ishigaki-jima Is., Iriomote-jima Is.)
maculiclunis hisaoi Fujita, 2023: 27 **A**: JA (Miyako Isls.: Ikema-jima Is., Ogami-jima Is., Miyako-jima Is.)
maculiclunis maculiclunis Matsushita, 1931c: 404 **A**: HKG JA (Ryukyus) TAI
maculiclunis makiharai Fujita, 2023: 27 **A**: JA (Okinawa Isls.: Okinawa-hontô Is., Iheyajima Is., Tokashiki-jima Is., Zamami-jima Is., Aka-jima Is., Kume-jima Is.)
maculiclunis shoyamai Fujita, 2023: 27, 377 **A**: JA (Yaeyama Isls.: Yonaguni-jima Is.)
marmorea Breuning, 1939b: 264 **A**: CH **ORR**
mimobaculina Breuning, 1970c: 90 **A**: TAI
miscanthivola Makihara, 1977: 25 **A**: JA (Ryukyus) TAI
multilineata Pic, 1926c: 16 (*Atelais*) **A:** YUN **#475**
fuscobiplagiata Breuning, 1939b: 265
narai Hayashi, 1976: 14 **A**: TAI
nishinoi fukidai Fujita & Hirayama, 2017: 38 **A**: JA (Ryukyus)
nishinoi nishinoi Fujita & Hirayama, 2017: 36 **A**: JA (Ryukyus)
flavomaculata Breuning, 1939b: 263 **A**: HUB JA SC (Hoenggando Is.)
albomarmorata Breuning, 1961i: 333 [*Neosybra*] **A**: JA **#70**
ordinata flavostriata Hayashi, 1968c: 16 **A**: JA (Ryukyus) TAI **#732**
ordinata inadai Jujita, 2023: 28, 380 **A**: JA (Okinawa Isls., Aguni-jima Isls.)
ordinata loochooana Breuning, 1939b: 263 **A**: JA [Riukiu Archipel] **#420** **#733**
masatakai Makihara, 2007: 216 **#734**
ordinata miyakojimana Hayashi, 1972: 33 **A**: JA (Ryukyus) **#732**
ordinata okinoerabuensis Hayashi, 1972: 32 **A**: JA (Ryukyus) **#732**
ordinata ordinata Bates, 1873: 318 **A**: FUJ GUX HAI JA JIA JIX SHG TAI **#420** **#732**
albomaculata Breuning, 1939b: 264 **#420**
formosana Breuning, 1964a: 305 **#420**
savioi Pic, 1925e: 138 **#420**
tenganensis Breuning, 1965h: 178 **#420**
ordinata subtesselata Breuning, 1960a: 14 **A**: JA **#420** **#733**
ordinata tokara Hayashi, 1972: 33 **A**: JA (Takara-jima I., Tokara Is) **#420** **#733**
oshimana mimogeminata Breuning & K. Ohbayashi, 1964: 17 **A**: JA (Ryukyus) **#732**

carinatipennis Breuning & Chûjô, 1970: 56
miyakoana Hayashi, 1972: 31
musashinoi Breuning & Chûjô, 1970: 56
oshimana miyamotoi Fujita, 2023: 27 **A**: JA (Yaeyama Isls.: Hateruma-jima Is.)
oshimana oshimana Breuning, 1958c: 34 **A**: JA **#732**
nipponensis Hayashi, 1972: 32
omoro Hayashi, 1972: 32
parvula Breuning, 1939b: 271 **A**: "North India"
pascoei ishigakii Breuning & K. Ohbayashi, 1964b: 28 **A**: JA **#72** **#734** **#736**
pascoei okinawana Breuning & K. Ohbayashi, 1967: 4 **A**: JA (Ryukyus)
pascoei pascoei Lameere, 1893a: 285 **A**: HAI **ORR**
pascoei taiwanella Gressitt, 1951a: 499 **A**: JA (Ryukyus) TAI
piceomacula Gressitt, 1951a: 500 **A**: FUJ
posticalis Pascoe, 1858: 248 (*Ropica*) **A**: HAI HKG TAI
praeusta Pascoe, 1859: 51 (*Ropica*) **A**: NP **ORR** **#61**
ceylonensis Breuning, 1939: 274 **#61**
punctatostriata Bates, 1866a: 351 **A**: FUJ GUA HAI JIX TAI
gossipi Matsumura, 1912: 219 (*Homonoxa*)
pusilla Breuning, 1939b: 270 **A**: "North India"
rondoniana Breuning, 1965: 45 **A**: TAI
unifasciata Fujimura, 1956: 5 **A**: JA
unipunctata Breuning, 1939b: 264 **A**: HKG
subgenus *Sybrodiboma* Breuning, 1953: 16 type species *Sybra subfasciata* Bates, 1884a
subfasciata mikurensis Hayashi, 1971: 17 (*Sybrodiboma*) **A**: JA (Izu Isls.)
subfasciata subfasciata Bates, 1884a: 246 **A**: JA SC
ohbayashii Breuning, 1960a: 16 (*Hyagnis*)
taiwanensis Hayashi, 1974c: 51 (*Sybrodiboma*) **A**: TAI
trimeresura Takakuwa, 1984: 12 **A**: JA (Ryukyus)

genus Souvanna Breuning, 1963b: 39 type species *Souvanna phoumai* Breuning, 1963. **#755**
signata Pic, 1926c: 13 (*Alidus*) **A**: HAI YUN **ORR** **#755**
coomani Breuning, 1968e: 858 (*Mipila*) [nec *Mispila coomani* (Pic, 1934) = *Alidus coomani* Pic, 1934]
phoumai Breuning, 1963: 39.
quadristigma Gressitt, 1940b: 156 (*Enispia*)

genus *Xylariopsis* Bates, 1884a: 247 type species *Xylariopsis mimica* Bates, 1884a
Falsosybra Pic, 1928a: 28 type species *Falsosybra fulvonotata* Pic, 1928
albofasciata W.-K. Wang & Jiang, 1998b: 232, 233 **A:** YUN
esakii esakii Mitono, 1943: 582 **A**: HUN TAI YUN **#734**
fujiwarai Hayashi, 1994: 71 **#734**
esakii iriei Hayashi, 1976: 13 **A**: JA (Ryukyus) **#732**
mimica Bates, 1884a: 247 **A**: BEI FE GAN JA JIA ?NC NE SC SCH SHA SHG **#60** **#606**
leucothorax Breuning, 1938c: 370 (*Sthenias*) **#693**
uenoi Hayashi, 1994: 72 **A**: TAI

genus *Zorilispe* Pascoe, 1865a: 156 type species *Zorilispe fulvisparsa* Pascoe, 1865
harai Hayashi, 1979: 92 **A**: NP

tribe Astathini J. Thomson, 1864

genus *Anastathes* Gahan, 1901: 60 type species *Astathes nigricornis* J. Thomson, 1865
nigricornis J. Thomson, 1865: 560 (*Astathes*) **A**: FUJ GUI GUX HAI HUN YUN **ORR**
atricornis Pic, 1922c: 15 (*Chreonoma*)
parallela Breuning, 1956f: 486 **A**: HUB FUJ
parva hainana Gressitt, 1941a: 143 **A**: FUJ GUA GUX HUN ZHE HAI **ORR** **#713**
hainana Gressitt, 1942c: 7 [HN]
parva parva Gressitt, 1935c: 193 **A**: TAI **#489**
robusta Gressitt, 1940b: 222 **A**: FUJ GUA GUX HAI JIX

genus *Bacchisa* Pascoe, 1866c: 329 [1867b: 342] type species *Bacchisa coronata* Pascoe, 1867b
subgenus *Atrobacchisa* Breuning, 1956f: 457 type species *Chreonoma atrocoerulea* Gressitt, 1951
atrocoerulea Gressitt, 1951a: 617 (*Chreonoma*) **A**: SHA
subgenus *Bacchisa* Pascoe, **1866c: 329** [1867b: 342] type species *Bacchisa coronata* Pascoe, 1867b
Chreonoma Pascoe, 1867b: 348 type species *Chreonoma venustum* Pascoe, 1867
atritarsis Pic, 1912h: 21 (*Chreonoma*) **A**: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE
basalis Gahan, 1894d: 487 (*Chreonoma*) **A**: FUJ GUA GUX HAI HKG **ORR**
tonkinea Pic, 1916e: 15 (*Chreonoma*)

chinensis Breuning, 1948e: 119 **A**: CH
comata Gahan, 1901: 67 (*Chreonoma*) **A**: FUJ GUA GUI GUX HAI HKG YUN ZHE
cyaneoapicalis Gressitt, 1939a: 112 (*Chreonoma*) **A**: GUA GUI HAI **#168**
dimidiata Gressitt, 1940b: 224 (*Chreonoma*)
cyanipennis Breuning, 1961i: 338 **A**: SCH
dioica Fairmaire, 1878: 133 (*Astathes*) **A**: SCH SHA YUN **ORR**
fortunei flavicornis Kano, 1933a: 291 (*Chreonoma*) **A**: TAI
fortunei fortunei J. Thomson, 1857a: 58 (*Plaxomicrus*) **A**: ANH FUJ GAN GUA GUI GUX HEN HUB HUN JIA JIL JIX NC NIN QIN SC SCH SHA SHN SHX ZHE
obscuricollis Pic, 1928: 21 (*Chreonoma*)
fortunei japonica Gahan, 1901: 68 (*Chreonoma*) **A**: FUJ HUN JA NE
frontalis Gahan, 1894a: 100 (*Chreonoma*) **A**: NP "North India"
guerryi Pic, 1911d: 20 (*Astathes*) **A**: FUJ GUA GUX HUN JIX YUN **ORR** **#119**
apicalis Pic, 1911d: 20 (*Astathes*)
nigronotata Pic, 1912h: 21 (*Chreonoma*)
hoffmanni Gressitt, 1939a: 113 (*Chreonoma*) **A**: GUA
klapperichi Breuning, 1956c: 236 **A**: FUJ
kweichowensis Breuning, 1959e: 174 **A**: GUI
pallens S.-H. Chen, 1936c: 165 (*Chreonoma*) **A**: GUX HUB JIX **#400**
pallidiventris J. Thomson, 1865: 559 (*Astathes*) **A**: HAI YUN **ORR**
aegrota J. Thomson, 1865: 560 (*Astathes*)
pallidicolor Pic, 1916d: 6 (*Chreonoma*)
rigida Gressitt, 1941a: 141 (*Chreonoma*) **A**: SCH ZHE
rigida Gressitt, 1942c: 6 [HN] (*Chreonoma*)
violaceoapicalis Pic, 1923a: 14 (*Chreonoma*) **A**: GUX YUN **ORR**

genus *Cleonaria* J. Thomson, 1864: 119 type species *Cleonaria bicolor* J. Thomson, 1864
taiwana Hayashi, 1984: 36 **A**: TAI

genus *Lasiophrys* Gahan, 1901: 71 type species *Lasiophrys latifrons* Gahan, 1901
latifrons Gahan, 1901: 72 **A**: NP SD **#343**

genus *Momisis* Pascoe, 1867b: 361 type species *Momisis aegrota* Pascoe, 1867
longicornis Pic, 1912b: 10 (*Lasiophrys*) **A**: HAI
tinhosensis Gressitt, 1940b: 226 (*Lasiophrys*)
longzhouensis Hua, 1982: 53 **A**: GUX
monticola Breuning, 1956f: 467 **A**: NP SD
submonticola Breuning, 1968: 31 **A**: GUI **ORR** **#119**

genus *Plaxomicrus* J. Thomson, 1857a: 57 type species *Plaxomicrus ellipticus* J. Thomson, 1857
ellipticus J. Thomson, 1857a: 58 **A**: GUX HUB JIA NP SCH SHA SHG YUN ZHE **ORR**
ventralis Gahan, 1901: 70
latus Gahan, 1901: 70 **A**: BT NP YUN
nigriventris Pu, 1991a: 208, 210 **A**: YUN
pallidicolor Pic, 1912j: 15 **A**: GUX **ORR**
sikkimensis Breuning, 1956f: 464 **A**: SD
szetschuanus Breuning, 1956f: 463 **A**: SCH
violaceomaculatus Pic, 1912b: 11 **A**: YUN **ORR**

genus *Tetraophthalmus* Dejean, 1835: 347 type species *Cerambyx splendidus* Fabricius, 1793
Astathes Newman, 1842c: 299 type species *Astathes perplexa* Newman, 1842
bimaculatus Fabricius, 1793: 263 (*Cerambyx*) **A**: PA **ORR**
externus Pascoe, 1859: 46 (*Astathes*)
contentiosus Pascoe, 1867b: 352 (*Astathes*) **A**: PA
episcopalis Chevrolat, 1852: 418 (*Astathes*) **A**: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX NC NMO SC SCH SHA SHX TAI XIN ZHE
formosanus Breuning, 1956f: 499 (*Astathes*) **A**: TAI
gibbicollis J. Thomson, 1865: 559 (*Astathes*) **A**: "North India"
holorufus Breuning, 1968a: 31 (*Astathes*) **A**: HKG **ORR**
janthinipennis cyanopterus Gahan, 1900d: 353 (*Astathes*) **A**: HAI TAI **ORR**
janthinipennis flavus Chiang, 1963: 68 (*Astathes*) **A**: YUN
janthinipennis janthinipennis Fairmaire, 1895: 187 **A**: YUN **ORR**
janthinipennis yunnanensis Breuning, 1956f: 500 (*Astathes*) **A**: YUN
japonicus J. Thomson, 1857a: 51 **A**: "Himalaya"
sikang Gressitt, 1941a: 142 (*Chreonoma*) **A**: SCH **#713**
sikanga Gressitt, 1942c: 6 (*Chreonoma*)

splendidus Fabricius, 1793: 263 (*Cerambyx*) **A**: CH **ORR**
decipiens Pascoe, 1859: 46 (*Astathes*)
flavicornis Pic, 1939f: 31 (*Astathes*)
splendidulus Aurivillius, 1923a: 583 (*Astathes*)
violaceipennis J. Thomson, 1857a: 53 **A**: GUX NP SD XIZ **ORR**

tribe Batocerini J. Thomson, 1864

genus *Apriona* Chevrolat, 1852: 414 type species *Lamia germari* Hope, 1831
subgenus *Apriona* Chevrolat, 1852: 414 type species *Lamia germari* Hope, 1831
Anapriona Breuning, 1949b: 8 type species: *Apriona submaculosa* Pic, 1917
Cristapriona Hua, 1986c: 209 type species *Apriona chemsaki* Hua, 1986
Cylindrapriona Breuning, 1949b: 8 type species *Monochamus cylindricus* J. Thomson, 1857e
Humeroapriona Breuning, 1949b: 8 type species *Lamia swainsoni* Hope, 1840
Mesapriona Breuning, 1949b: 8 type species *Apriona punctatissima* Kaup, 1866
Parapriona Breuning, 1948a: 17 type species: *Parapriona brunneomarginata* Breuning, 1948
chemsaki Hua, 1986c: 209 **A**: JIX
cinerea Chevrolat, 1852: 416 **A**: AF HP KA PA UP XIZ **#274**
newcombei Gilmour, 1958: 112
germari germari Hope, 1831: 28 (*Lamia*) **A**: AP BT HP NP SD XIZ **ORR** **#280** **#344** **#366**
cribrata J. Thomson, 1878b: 57
deyrollei Kaup, 1866: 7
germari parvigranula J. Thomson, 1878b: 58 **A**: GUA HAI YUN **ORR**
rugicollis rugicollis Chevrolat, 1852: 418 **A**: ANH FE FUJ GAN GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX JA LIA NC SC SCH SHA SHN SHX TAI XIZ YUN ZHE
gressitti Gilmour, 1958: 76
japonica J. Thomson, 1878b: 59
plicicollis Motschulsky, 1854a: 48
rugicollis nobuoi Breuning & K. Ohbayashii, 1966: 32 **A**: JA (Ryukyus)
rugicollis yayeyamai Breuning, 1976d: 739 **A**: JA (Ryukyus)
paucigranula J. Thomson, 1878b: 58 **A**: SD YUN **#280**
sublaevis J. Thomson, 1878b: 57 **A**: HAI GUX **ORR**
bicolor Kriesche, 1920a: 193
swainsoni basicornis Fairmaire, 1895: 185 **A**: HAI YUN **ORR**
swainsoni swainsoni Hope, 1840: 79 (*Lamia*) **A**: AP BEI FUJ GUI HAI HEN JA JIA NC (Mt. Nangrimsan) SCH YUN **ORR** **#280** **#698**
daifungensis Chiang, 1982: 41
kediana W.-K. Wang, 1999: 125
trilineata Chevrolat, 1852: 416 **A**: SD **ORR**
unidentata Pic, 1936a: 16 **A:** GUI **ORR** **#400** **#433**

genus *Batocera* Dejean, 1835: 341 type species *Cerambyx rubus* Linnaeus, 1758 **#523**
Megacriodes Pascoe, 1866c: 259, 271 type species *Megacriodes saundersii* Pascoe, 1866 **#218**
Semibatocera Kriesche, 1915: 115 type species *Batocera calana,* Parry, 1844 (= *Lamia calana* Parry, 1844)
Tyrannolamia Kriesche, 1915: 115 type species *Batocera wallacei* J. Thomson, 1858
calanus Parry, 1844: 454 [= 1845: 86] (*Lamia*) **A**: AP FUJ HAI HP SD XIZ YUN **ORR** **#60** **#366**
bimaculata Schwarzer, 1914: 280
fabricii J. Thomson, 1878b: 54
guttata Vollenhoven, 1871a: 110 (*Megacriodes*)
immaculata Schwarzer, 1914: 280
narada Kriesche, 1928: 45
parryi Hope, 1845b: 77 (*Lamia*)
davidis H. C. Deyrolle, 1878: 131 **A**: FUJ GUA GUI GUX HAI HEN HKG HUB HUN SCH SHA TAI YUN ZHE **ORR**
henrietta Kriesche, 1915: 138
obscura Gilmour & Dibb, 1948: 38
horsfieldii Hope, 1839: 42 **A**: ANH AP BT FUJ GUA GUI GUX HEB HEN HUB HUN HP JIA JIL JIX KA NP PA SCH SD SC SHA SHN XIZ YUN ZHE **ORR** **#274** **#280** **#390** **#822**
adelpha J. Thomson, 1859a: 77
lineolata Chevrolat, 1852: 417 **A**: ANH FUJ GUA GUI GUX HAI HEB HUB JA JIA JIX SC SCH SD SHA TAI YUN ZHE **ORR**
catenata Vollenhoven, 1871b: 215
chinensis J. Thomson, 1857e: 170
flachi Schwarzer, 1914: 280
hauseri Schwarzer, 1914: 280
joannisi Pic, 1901g: 28
latealba Pic, 1926i: 303
variecollis Schwarzer, 1925b: 60
numitor Newman, 1842b: 275 **A**: AP HAI NP SCH SD XIZ YUN **ORR** **#280**
ajax J. Thomson, 1858: 455
ferruginea J. Thomson, 1858: 456
javanica J. Thomson, 1859a: 83

loki Kriesche, 1915: 143
palawanicola Kriesche, 1928: 47
rufopunctata Breuning, 1956a: 1
sumatrensis Aurivillius, 1922b: 126 [RN]
titana J. Thomson, 1859a: 82
punctata Schwarzer, 1925b: 60 **A**: TAI
quercinea R.-Y. Wang, Zhang & F. Zheng, 1993: 59, 61 **A:** YUN
roylii Hope, 1833: 64 (*Lamia*) **A**: AP BT GUX HAI KA NP SD YUN **ORR** **#280**
coreana Kolbe, 1886: 238
downesii Hope, 1845b: 76
ebenina Vollenhoven, 1871b: 211
orientalis Kriesche, 1915: 119
porus Parry, 1844: 454 [= 1845: 86] (*Lamia*)
princeps L. Redtenbacher, 1844: 551
rubus rubus Linnaeus, 1758: 390 (*Cerambyx*) **A**: AP FUJ GUA GUI GUX HAI HKG JA (Ryukyus) NP PA SA SCH SHA SHX TAI TR UP YUN ZHE **ORR** **#166** **#218** **#402** **#525**
albofasciata DeGeer, 1775: 106 (*Cerambyx*)
albomaculata Retzius, 1783: 138 (*Cerambyx*)
bipunctata Kriesche, 1915: 134
dividopunctata Gilmour & Dibb, 1948: 61
downesii Hope, 1845b: 76
formosana Kriesche, 1915: 136
lombokensis Breuning, 1947a: 16
mniszechii J. Thomson, 1859a: 79
octomaculata Fabricius, 1793: 290 (*Lamia*)
palawanica Schwarzer, 1926a: 12
punctatella Kriesche, 1915: 135
sabina J. Thomson, 1878b: 52
sarawakensis J. Thomson, 1858: 452
siporensis Schwarzer, 1930: 122
rufomaculata rufomaculata DeGeer, 1775: 107 (*Cerambyx*) **A**: AP HKGi IS KA LE NP OM PA SD SI SY TR UP XIZ YE **AFR** **NTRi** **ORR** **#189** **#274** **#280**
chlorinda J. Thomson, 1857e: 171
cruentata Gmelin, 1790: 1863 (*Cerambyx*)
diana Nonfried, 1892b: 276
flavescens Gilmour & Dibb, 1948: 68
kuntzeni Kriesche, 1915: 139
thysbe J. Thomson, 1878: 52
ushijimai N. Ohbayashi, 1981: 47 **A**: TAI

genus *Microcriodes* Breuning, 1943a: 14 type species *Microcriodes sikkimensis* Breuning, 1943
cheni Bi & Holzschuh, 2019: 52 **A:** XIZ
ohbayashii Bi & Holzschuh, 2019: 54 **A**: YUN **ORR**
sikkimensis Breuning, 1943a: 15 **A**: AP SD XIZ **#280** **#250**
wuchaoi Bi & Lin, 2014: 5 **A**: XIZ

tribe Ceroplesini J. Thomson, 1860
subtribe Ceroplesina J. Thomson, 1860

genus *Ceroplesis* Audinet-Serville, 1835a: 93 type species *Lamia aethiops* Fabricius, 1775
Moecha J. Thomson, 1860: 96 type species *Lamia molator* Fabricius, 1787
aestuans Olivier, 1800: 123 (*Cerambyx*) **N**: MO **AFR** **#373**
aegyptiaca Gilmour, 1956c: 753
dakarensis Fiedler, 1938: 591
guineensis Hintz, 1920: 165
nigerica Fiedler, 1938: 592
ornata Hintz, 1920: 165
senegalensis Fiedler, 1938: 591
ubangiensis Fiedler, 1938: 592
elegans Gestro, 1889: 70 **A**: SA YE
millingeni Pic, 1895c: 77 **A**: SA YE

genus *Thysia* J. Thomson, 1860: 96 type species *Lamia wallichi* Hope, 1831
Thysiotes J. Thomson, 1868c: 201 [RN] type species *Lamia wallichi* Hope, 1831
wallichi tonkinensis Kriesche, 1924: 289 (*Diastocera*) **A**: GUA GUX **ORR**
dalatensis Breuning, 1968a: 27 (*Diastocera*)
savioi Yen, 1932: 165 (*Diastocera*)
wallichi wallichi Hope, 1831: 27 (*Lamia*) **A**: AP GUI HP NP PA SD SCH UP YUN **ORR** **#368** **#369**
insularis Fisher, 1935: 609 (*Diastocera*)
tricincta Duncan, 1835: 254 (*Lamia*)

trivittata Gistel & Bromme,, 1850: 624 (*Ceroplesis*)

genus *Titoceres* J. Thomson, 1868d: 201 [RN] type species *Ceratites jaspidea* Audinet-Serville, 1835
Ceratites Audinet-Serville, 1835a: 34 [HN] type species *Ceratites jaspidea* Audinet-Serville, 1835
Paratitoceres Breuning, 1962g: 235 type species *Paratitoceres arabicus* Breuning, 1962
arabicus Breuning, 1962g: 235 (*Paratitoceres*) **A**: SA YE
jaspideus Audinet-Serville, 1835a: 35 (*Ceratites*) **N**: AG EG MO **A**: OM SA YE **AFR**

subtribe Crossotina J. Thomson, 1864

genus *Biobessa* Gahan, 1898: 56 type species *Biobessa beatrix* Gahan, 1898
holzschuhi Téocchi, 1992: 304 **A**: SA YE

genus *Crossotus* Audinet-Serville, 1835a: 52 type species *Lamia plumicornis* Audinet-Serville, 1835
Crossotides Hintz, 1912: 192 type species *Crossotides meridionalis* Hintz, 1912
albicollis Guérin-Méneville, 1844: 249 **N**: MO **AFR**
obtusus Hintz, 1912: 194
senegalensis Breuning, 1950i: 525
arabicus Gahan, 1896: 458 **A**: OM ?SA YE **#774**
asiricus Skořepa, 2026: 24 **A:** SA
[*erlangeri erlangeri* Hintz, 1912: 195 **AFR]**
erlangeri saudicola Téocchi, 1992: 304 **A**: YE SA **#774**
kadleci Sama & Sudre, 2010: 953 **A**: JE
katbeh Sama, 2000b: 107 **A**: IS JO ?SA YE **#774**
strigifrons Fairmaire, 1886a: 457 (*Dichosthates*) **N**: AG EG LB MO **A**: IS JO OM SA SI YE **AFR**
albicans Breuning, 1942a: 145
nebulosus Fairmaire, 1892a: 124 (*Dichosthates*)
sublineatus Gestro, 1892: 788 **N**: AG MO **A:** SA **AFR** **#774**
subocellatus subocellatus Fairmaire, 1886a: 458 (*Dichosthates*) **A:** YE SA SI **N**: EG **AFR** **#774** **#778**
phillippsi Gahan, 1896: 458
subocellatus heimschi Peyerimhoff, 1923b: 318 **N:** AG LB MO **AFR** **#778**
tamer Sama & Rapuzzi, 2006: 188 **N**: EG
tubericollis Fairmaire, 1891: 271 (*Dichosthates*) **N**: MO **AFR**
bimaculatus Aurivillius, 1903: 323
robustus Jordan, 1894a: 236
vittatus Aurivillius, 1914: 30
vagepictus Fairmaire, 1886a: 456 **A**: SA **AFR**
adenensis Breuning, 1969f: 665
lateralis Hintz, 1912: 194
niveicollis Hintz, 1912: 194
obliquevittatus Breuning, 1940c: 166
xanthoneurus Sama, 2000a: 92 **A**: IS JO SI

genus *Ecyroschema* J. Thomson, 1864: 48 type species *Ecyroschema favosum* J. Thomson, 1864
favosa J. Thomson, 1864: 48 **A**: YE **AFR**

genus *Gasponia* Fairmaire, 1892a: 123 type species *Gasponia gaurani* Fairmaire, 1892
gaurani Fairmaire, 1892a: 123 **A**: YE **AFR**

genus *Lamidorcadion* Pic, 1934g: 33 type species *Lamidorcadion annulipes* Pic, 1934 **#688**
Lamiodorcadion, Breuning, 1950: 161, 196.
annulipes Pic, 1934g: 34 **A**: CHQ SCH ~~YUN XIZ~~ **#688**
brunneum Bi, 2022: 206 **A**: GUI
jintengi Bi, 2022: 207 **A**: YUN
minutipunctatum Bi, 2022: 206 **A**: HUB HUN
simile Bi, 2022: 210 **A**: YUN
subtuberosum Bi, 2022: 208 **A**: GUI YUN
tuberosum Holzschuh, 1993a: 47 **A**: YUN

genus *Moechohecyra* Breuning, 1938c: 231 type species *Moechohecyra indica* Breuning, 1938 [by original designation]
arctifera W.-K. Wang & Jiang, 2002a: 52 **A**: GUI YUN
verrucicollis Gahan, 1894a: 60 (*Moechotypa*) **A**: NP **ORR** **#338**

genus *Moechotypa* J. Thomson, 1864: 55 type species *Moechotypa arida* J. Thomson, 1864 (= *Niphona suffusa* Pascoe, 1862)
Scotinauges Pascoe, 1871: 277 type species *Scotinauges diphysis* Pascoe, 1871
Tylophorus Blessig, 1873: 213 type species *Tylophorus wulffiusi* Blessig, 1873
alboannulata Pic, 1934a: 13 **A**: GUI GUX HUN SCH
asiatica Pic, 1903g: 121 (*Hecyrida*) **A**: GUI GUX NP SD UP YUN **ORR** **#127**

sikkimensis Breuning, 1936: 324
delicatula White, 1858a: 268 (*Nyphona*) **A**: GUI GUX HAI HUN SCH TAI YUN ZHE **ORR**
elongata Pic, 1925b: 29
diphysis Pascoe, 1871: 277 (*Scotinauges*) **A**: ANH FE GAN GUI GUX HEB HEI HEN HUB HUN JA JIL JIX LIA NC NMO SC SCH SHA SHX ZHE **#521**
davidis Fairmaire, 1887c: 328
fuliginosa Kolbe, 1886: 221
wulffiusi Blessig, 1873: 215 (*Thylophorus*)
formosana Pic, 1917e: 7 (*Hecyrida*) **A**: TAI
nigricollis W.-K. Wang & Jiang, 2000c: 185 **A**: YUN
paraformosana Breuning, 1979a: 46 [RN] **A**: TAI
formosana Breuning, 1974j: 372 [HN]
semenovi Heyrovský, 1934c: 172 **A**: SCH **#523**
suffusa Pascoe, 1862a: 336 (*Niphona*) **A**: HAI YUN **ORR**
arida J. Thomson, 1864: 55
thoracica White, 1858a: 266 (*Nyphona*) **A**: SD
infasciculata Pic, 1926b: **7**
tuberculicollis W.-K. Wang & Jiang, 2000c: 186 **A**: GUI YUN
uniformis Pic, 1922c: 14 (*Hecyrida*) **A**: GUX **ORR**

genus *Paramoechotypa* Breuning, 1938c: 230 type species *Paramoechotypa fasciculata* Breuning, 1938
fasciculata Breuning, 1938c: 230 **A**: BT

tribe Dorcadionini Swainson, 1840 **#778**

genus *Dorcadion* Dalman, 1817a: **397** type species *Cerambyx glicyrrhizae* Pallas, 1773
subgenus *Acutodorcadion* Danilevsky, Kasatkin & Rubenyan, 2005: 135 type species *Dorcadion acutispinum* Motschulsky, 1860
absinthium absinthium Plavilstshikov, 1937a: 30 **A**: KZ
absinthium ishkovi Kadyrbekov, 2004: 94 **A**: KZ
acutispinum Motschulsky, 1860c: 310 [= 1860d: 304] **A**: KZ
alexandris Pic, 1900l: 56 **A**: KZ
luteolum Suvorov, 1910b: 63
staudingeri Pic, 1900k: 29 [HN]
arietinum arietinum Jakovlev, 1898: 678 **A**: KZ
arietinum charynense Danilevsky, 1996f: 610 **A**: KZ
arietinum chilikense Danilevsky, 1996f: 611 **A**: KZ
arietinum ketmeniense Danilevsky, 1996f: 613 **A**: KZ XIN
arietinum lucae Pic, 1898f: 42 **A**: XIN
arietinum phenax Jakovlev, 1899c: 68 **A**: KZ XIN
strandi Plavilstshikov, 1931b: 274
arietinum zhalanash Danilevsky, 1996f: 614 **A**: KZ
ataense ataense Pic, 1901e: 18 (= *mystacinum* auct. not Ballion, 1878) ["Aulie-Ata"] **A**: KI KZ ?UZ **#539**
kusnezovi Jakovlev, 1906b: 40 [Aulie-Ata]
ataense pumilio Plavilstshikov, 1951: 114 **A**: KZ
ataense rufidens Jakovlev, 1906b: 39 **A**: KZ
borochorense Breuning, 1944: 11 **A**: XIN
hornianum Plavilstshikov, 1958a: 394
danilevskyi Dolin & Owtschinikov, 1999: 97 **A**: KI (Sussamyr Valley)
darjae darjae Danilevsky, 2001f: 632 **A**: KI (Chong-Kemin Canyon)
darjae keminum Danilevsky & Rubenyan, 2021: 1100 **A:** KI
darjae kungeyense Danilevsky & Rubenyan, 2021: 1099 **A:** KI
globithorax Jakovlev, 1895a: 288 **A**: KZ
grande Jakovlev, 1906b: 42 **A**: KZ
irinae Danilevsky, 1997c: 59 **A**: KZ
kapchagaicum Danilevsky, 1996**d**: 413 **A**: KZ
kastekum aktyuzum Danilevsky & Rubenyan, 2021: 1102 **A:** KI
kastekum kastekum Danilevsky , 1996d: 415 (Kastek Pass) **A**: KI KZ
kastekum kichikeminum Danilevsky & Rubenyan, 2021: 1101 **A:** KI
koramense Danilevsky, 1999b: 32 **A**: KZ **#725**
leopardinum Plavilstshikov, 1937a: 28 **A**: XIN
mystacinum Ballion, 1878: 369 **A**: XIN **#539**
natali Abramov, 2019: 118 **A**: KZ
nikolaevi aizhan Kadyrbekov, 2022: 10 **A**: KZ
nikolaevi nikolaevi Danilevsky, 1995b: 420 **A**: KZ
ninae Danilevsky, 1995b: 422 **A**: KZ
nivosum Suvorov, 1913: 66 (*Compsodorcadion*) **A**: KZ (Sarybel env.)
optatum alamedinum Danilevsky, 2023: 251 (Alamedin River Canyon) **A**: KI

optatum kadyrbekovi Danilevsky, 1999b: 20 **A**: KI
optatum matthieseni Suvorov, 1910b: 66 **A**: KI
luctuosum Suvorov, 1913: 76
optatum optatum Jakovlev, 1906b: 38 **A**: KI KZ
optatum toropyginae Danilevsky, 1999b: 22 **A**: KI (Ala-Archa Canyon)
optatum vallesum Danilevsky, 1999b: 27 **A**: KI
pantherinum desertum Danilevsky, 1995b: 427 **A**: KZ
pantherinum ludmilae Abramov, 2018: 37 **A**: KZ (low Syr Darya Valley)
pantherinum pantherinum Jakovlev, 1899b: 147 **A**: KZ
pantherinum sabulosum Danilevsky, 1995b: 426 **A**: KZ (Kzyl-Orda env.)
pantherinum shamaevi Danilevsky, 1995b: 427 **A**: KZ (Kapchagay)
pelidnum Jakovlev, 1906b: 38 **A**: KI
profanifuga Plavilstshikov, 1951: 113 **A**: KZ
songaricum drumonti Danilevsky, 2023: 218 **A**: XIN
songaricum songaricum Ganglbauer, 1884: 477 **A**: KZ
ininterruptum Pic, 1897f: 94
suvorovi karachokense Danilevsky, 1996e: 459 **A**: KZ
suvorovi konyrolenum Danilevsky, 1996e: 458 **A**: KZ
suvorovi kugalyense Danilevsky, 2023: 224 **A**: KZ (N Altyn-Emel Mts)
suvorovi sholakense Danilevsky, 2023: 223 **A**: KZ (Ili valley, Sholak Mts)
suvorovi suvorovi Jakovlev, 1906c: 274 **A**: KZ (Usek River Valley)
suvorovi tekeliense Danilevsky, 1996e: 459 **A**: KZ
suvorovianum suvorovianum Plavilstshikov, 1915b: 80 [RN] **A**: KZ
formosum Suvorov, 1910b: 65 [HN]
taldykurganum Danilevsky, 1996e: 461 **A**: KZ (Taldy-Kyrgan env.) **#725**
thianshanense Breuning, 1947d: 142 **A**: XIN
tianshanskii algaense Danilevsky, 2012i: 12 **A:** KZ
tianshanskii euzhaisanicum Danilevsky, 2012i: 20 **A:** KZ
tianshanskii heptapotamicum Plavilstshikov, 1951: 115 **A**: KZ
tianshanskii otariense Danilevsky, 2012i: 13 **A:** KZ
tianshanskii parapumilio Danilevsky, 2012i: 15 **A:** KZ
tianshanskii radkevitshi Suvorov, 1910b: 61 **A**: KZ (Chu-Ily Mts)
tianshanskii terminum Danilevsky, 1999b: 23 **A**: KZ
tianshanskii tianshanskii Suvorov, 1910b: 67 **A**: KZ
tibiale Jakovlev, 1889: 250 (*Compsodorcadion*) **A**: KI XIN
toropovi Danilevsky, 1999b: 34 **A**: KI (Kuvaki Pass)
tschitscherini Jakovlev, 1899b: 153 **A**: KZ
tshitsherini Plavilstshikov, 1958a: 294, 387 [unjustified emendation]
unidiscale Danilevsky, 1996d: 416 **A**: KZ (Kaskelen Canyon)
urdzharicum Plavilstshikov, 1937a: 29 **A**: KZ (Tarbagatay above Urdzhar)
zhaisanicum Shapovalov, 2007: 72 [“north-west part of Chu-Ili mountains”] **A**: KZ
subgenus *Carinatodorcadion* Breuning, 1943d: 524 type species *Cerambyx carinatus* Pallas, 1771 **#46**
aethiops aethiops Scopoli, 1763: 53 [Ljubljana] (*Cerambyx*) **E**: AL AU BU CR CZ GE GR HU MC MD RO SB SK SL SZ TR UK
bergmanni Tippmann, 1958b: 151
morio Fabricius, 1787: 141 (*Lamia*)
scopolii Gmelin, 1790: 1835 (*Cerambyx*)
aethiops asenovi Danilevsky, 2014c: 253 **E**: BU [Asenovgrad]
aethiops balthasari Heyrovský, 1962b: 225 **E**: AL (Shkodër, Tirana, Sauk) **#571**
aethiops laevepunctatum Breuning, 1944a: 14 **E**: AL (Mali i Thate) MC **#571**
aethiops maderi Breit, 1923: 147 **E**: AL (Vora, Kruja, Elbasan) **#571**
aethiops majoripenne Pic, 1926d: 13 [Saloniki] **E**: GR **#294**
aethiops propinquum Breuning, 1962a: 517 [Kozani] **E**: GR **#294**
aethiops sterbai Breuning, 1944a: 14 **E**: AL (Moskopolje=Voskopoje, Kulmak) **#571**
aethiops strumense Danilevsky, 2014c: 252 **E**: BU (Petrich, Drangovo) GR (Serres) **#141**
carinatum carinatum Pallas, 1771: 465 (*Cerambyx*) **E**: CT MD KZ ST UK **A**: KZ
pigrum Schoenherr, 1817a: 398 (*Lamia*)
carinatum cylindraceum Reitter, 1886: 69 **E**: ST **A**: AB
carinatum igrenum Danilevsky, 1998b: 137 **E**: UK (Dnepropetrovsk area)
carinatum sunzhenum Danilevsky, 1998b: 138 **E**: ST (Nothern Ossetiya)
carinatum uralense Danilevsky, 1998b: 138 **A**: KZ (Kara-Tugay and Mugodzhary Mts) WS (south of Orenburg Reg.)
cervae Frivaldszky, 1892b: 133 **E**: HU SL
fulvum erythropterum Fischer von Waldheim, 1823: Tab. L - 7 **E**: AU CZ MD RO PL SK TR UK **#560**
canaliculatum Fischer von Waldheim, 1824: 240
opillicum Zamoroka, 2019: 365 **#560**
fulvum fulvum Scopoli, 1763: 53 (*Cerambyx*) **E**: AL BH BU CR HU MC SB SL ~~UK~~
freyi Tippmann, 1958b: 158

frontale Mulsant & Rey, 1863: 154
kulzeri Tippmann, 1958b: 158
nigripenne Fleischer, 1894: 121
rugipenne Tippmann, 1958b: 155
sanguinolentum Scopoli, 1772: 99 (*Prionus*)
fulvum heracles Vartanis, 2024a: 47 **E**: GR **#749**
fulvum odessum Lazarev, 2024f: 147 **E:** UK
hybridum hedvigae Jureček, 1933: 127 **E**: GR
hybridum hybridum Ganglbauer, 1884: 441 **E**: GR TR
ingeae Peks, 1993: 3 **E**: TR
subgenus *Cribridorcadion* Pic, 1901b: 12 type species *Dorcadion mniszechi* Kraatz, 1873 **#46**
Autodorcadion Plavilstshikov, 1958a: 45 type species *Cerambyx arenarius* Scopoli, 1763
Bergerianum Pesarini & Sabbadini, 2004c: 150 type species *Dorcadion chrysochroum* Breuning, 1943
Dzhungarodorcadion Danilevsky, 1993c: 47 type species *Dorcadion jacobsoni* Jakovlev, 1899
Pedestredorcadion Breuning, 1943d: 526 type species *Lamia pedestris* Poda von Neuhaus, 1761
abstersum Holzschuh, 1982a: 75 **A**: TR
accola Heyden, 1894: 87 **A**: TR
glabrolineatum Pic, 1927e: 6
mardinense Pic, 1900c: 6 **#584**
afflictum Pesarini & Sabbadini, 1999: 54 **A**: TR
akpazarense Bernhauer & Peks, 2015: 453 **A:** TR
akpinarense Bernhauer & Peks, 2010a: 196 **A:** TR
albolineatum Küster, 1847a: 86 **A**: TR
byzantinum J. Thomson, 1867a: 69
albonotatum Pic, 1895b: 39 **A**: TR
albosuturale Breuning, 1962a: 351 **E**: AL GR MC
amanense Breuning, 1943b: 94 **A**: TR
amphissae Breuning, 1974g: 153 **E**: GR
anachoreta Pesarini & Sabbadini, 2013b: 34 **E:** GR
anatolicum Pic, 1900g: 12 **A**: TR
brevipenne Pic, 1902c: 10
chehirense Pic, 1902c: 10
ininterruptum Pic, 1900g: 13 [HN]
mediointerruptum Pic, 1901p: 73
subuniforme Pic, 1902j: 27
andirinense Bernhauer & Peks, 2011b: 218 **A:** TR **#54 #125**
amaliae Pesarini & Sabbadini, 2013a: 55 **#54 #125**
apicecontiguum Özdikmen & Tezcan, 2021: 119 **A:** TR
apicipenne Jakovlev, 1899b: 61 **A**: XIN **#605**
apicerufum Breuning, 1943b: 91 [RN] **A**: AB AR GG ?IN TR
sanguinolentum J. Thomson, 1865: 548 [HN]
thomsonianum Plavilstshikov, 1948: 126 [RN]
aracense Bernhauer & Peks, 2011a: 204 **A:** TR
arcivagum J. Thomson, 1867c: 121 **A**: TR
cilicium Pic, 1904a: 4
ardahense Breuning, 1975c: 10 **A**: TR
arenarioides Rabaron, 1979: 11 **E**: GR
arenarium abruptum Germar, 1839: 18 **E**: AL BH CR **#117**
arenarium arenarium Scopoli, 1763: 53 (*Cerambyx*) **E**: CR IT RO SL SK **#180**
beszedesi Depoli, 1926a: 11
istrianum Depoli, 1912: 37, 40
liburnicum Depoli, 1912: 37, 39
sabandum Pic, 1945b: 7
vittigerum Panzer, 1797: 24 (*Lamia*)
arenarium brattiense J. Müller, 1905: 135 **E**: BH CR
arenarium dalmatinum J. Müller, 1905: 134 **E**: BH CR
arenarium hypsophilum J. Müller, 1905: 135 **E**: AL BH CR ME **#117**
arenarium lemniscatum Küster, 1847a: 89 **E**: BH CR
mostarense Pic, 1942a: 1
arenarium marsicanum Fracassi, 1905: 112 (Abruzzi) **E**: FR IT **#671**
berytense Breuning, 1964c: 31 (Beiruth) **#324**
fuscovestitum Pic, 1905a: 11
subcarinatum J. Müller, 1905: 139
arenarium muelleri Depoli, 1912: 37, 40 **E**: BH CR
arenarium rubrimembris Pic, 1917g: 6 [RN] **E**: AL BH CR ME
rubripes J. Müller, 1905: 135 [HN]
arenarium shkypetarum Heyrovský, 1937b: 91 **E**: AL **#117**
arenarium velebiticum J. Müller, 1905: 140 **E**: BH CR

ariannae Pesarini & Sabbadini, 2008: 115 **E**: GR
artemi Lazarev, 2019d: 470 **A**: AR (near north-west shore of Lake Sevan)
auratum Tournier, 1872: 291 **A**: GG
lederi Kraatz, 1878a: 217 [1878c: 353]
avgadiense Bernhauer & Peks, 2011b: 215 **A:** TR
axillare Küster, 1847a: 88 **E**: BU RO
kraatzi Tournier, 1872: 281
varnanum Pic, 1926d: 13
bangi bangi Heyden, 1894: 89 **A**: TR
bangi heinzorum Braun, 1975a: 17 **A**: TR
bangi roridum Pesarini & Sabbadini, 1999: 55 **A**: TR
banjkovskyi Plavilstshikov, 1958a: 147 **A**: TR
basale Kraatz, 1873a: 86 **A**: TR
kagyzmanicum Suvorov, 1915: 120
beckeri Kraatz, 1873a: 71 **E**: ST (Dagestan planes) **A**: AB **#725**
beloni Pic, 1891l: lxxvii **A**: TR
biforme Kraatz, 1873a: 53 **A**: IN
discomaculatum Pic, 1905k: 187
bisignatum Jakovlev, 1899c: 66 **A**: ?GG TR
bistriatum Pic, 1898h: 55 **A**: AB AR
bithyniense Chevrolat, 1856a: 88 **A**: TR
serotinum J. Thomson, 1865: 549
blanchardi Mulsant & Rey, 1863: 147 **A**: IN TR
bodemeyeri K. Daniel, 1900: 140 **A**: TR
boluense boluense Breuning, 1962c: 38 **A**: TR
boluense corallinum Pesarini & Sabbadini, 1999: 53 **A**: TR
boluense imitator Pesarini & Sabbadini, 1999: 53 **A**: TR
boszdaghense Fairmaire, 1866b: 275 **A**: TR
grammophilum J. Thomson, 1867a: 70
boucardi Pic, 1942c: 6 **A**: ?SY TR
brauni Breuning, 1979b: 92 **A**: TR
bremeri Breuning, 1981c: 181 **A**: TR
brenskei Ganglbauer, 1884: 450 [RN] **E**: GR
aeginasum Pic, 1942c: 6
apicale Kraatz, 1873a: 76 [HN]
nemeense Breuning, 1974g: 151
breuningi Heyrovský, 1943: 78 **E**: GR TR
brunneicolle Kraatz, 1873a: 37 **A**: IN
casvinense Pic, 1905e: 392
jakovlevi Semenov, 1905: 144
subfulvovestitum Pic, 1914b: 8
brunoi Breuning, 1964c: 31 **A**: LE
bulgharmaadense Breuning, 1946: 116 **A**: TR
buresi Štěrba, 1922: 2 **E**: GR
cachinno J. Thomson, 1867c: 120 **A**: TR
immersum Tournier, 1872: 281
caglayanceritense Bernhauer & Peks, 2013a: 314 **A:** TR
caprai caprai Breuning, 1950: 303 **A**: IN
caprai completetomentosum Breuning, 1974f: 133 (*Pedestredorcadion*) **A**: IN
carinipenne Pic, 1900g: 13 **A**: TR
caspiense Breuning, 1956k: 723 **A**: AB
catenatum bleusei Pic, 1899c: 300 **E**: GR (Rhodes)
diversejunctum **T.** Pic, 1907: 179 (l'île de Chio)
rhodicum Depoli, 1924: 43
catenatum catenatum Waltl, 1838: 469 (Türkei) **A**: TR
bonyi Pic, 1942b: 1 (Syrie)
divisum Germar, 1839**:** 15 (Turcia)
dorsale T. Pic, 1907: 179 (Smyrne)
mancum Gistel, 1848: 431 (Syrien)
smyrnanum Breuning, 1946: 106
smyrnense Pic, 1917a: 10
subobliteratum T. Pic, 1899: 351 (Kleinasien)
uninterruptum T. Pic, 1899: 351 (Smyrna)
catenatum dissimile Ganglbauer, 1884: 458 **E**: TR
catenatum ezinense Özdikmen & Skoupý, 2025b: 2045 **A**: TR (Çanakkale).
catenatum gashtarovi Sama, Dascalu & Pesarini, 2010: 287 **E:** BU RO **#738**
catenatum intercisum Kraatz, 1873a: 66 **A**: TR
catenatum loratum J. Thomson, 1867c: 123 **A**: TR

catenatum mytilenense Kraatz, 1873a: 66 **E**: GR (Lesbos)
latevittatum Kraatz, 1873a: 66
sparsedivisum Pic, 1911e: 185 - Metelin (Mytilene)
catenatum oedemischense Heyrovský, 1932: 104 **A**: TR
catenatum salihliense Özdikmen & Skoupý, 2025b: 2041 **A**: TR (Manisa).
catenatum stefani Özdikmen & Tezcan, 2020h: 550: **A**: TR
catenatum thebesianum Pic, 1942a: 1 **E**: GR (Thèbes) **#810**
charlottae Lukat, 2019: 287 **E**: GR
chopardi Breuning, 1948c: 60 **A**: IN
chrysochroum Breuning, 1943b: 95 **E**: GR
cinctellum Fairmaire, 1866b: 272 **A**: TR
cinerarium adygorum Lazarev, 2011c: 276 **E**: ST (Adygea)
cinerarium azovense Lazarev, 2011c: 281 **E**: UK (Berdyansk env.) **#648**
cinerarium bartenevi Lazarev, 2011c: 287 **E**: UK (Crimea: Tarkhancut Cape) **#648**
cinerarium belousovi Lazarev, 2011c: 280 ["Kuba District, Velvelichay River"] **A:** AB
cinerarium cinerarium Fabricius, 1787: 140 (*Lamia*) **E**: **?**CT ~~MD~~ ST UK
rubripes Krynicki, 1832: 160
tricolor Fischer von Waldheim, 1805 [?1806]: 15 (*Lamia*)
cinerarium demidovi Danilevsky, 2013e: 429 **E**: MD (Purkary) UK (Odessa Reg., Nikolaev Reg.) **#648**
cinerarium deniz Lazarev, 2011c: 279 **A:** AB (Baku env.)
cinerarium gorodinskii Danilevsky, 1996c: 65 **E**: UK (Kherson Reg. and Zaporozhye Reg.) **#648**
cinerarium macropoides Plavilstshikov, 1932b: 183 **E**: UK (Kharkov Reg.) **#648**
cinerarium mosyakini Danilevsky, 2021f: 1082 **E:** UK **#648**
cinerarium napolovi Lazarev, 2011c: 279 **A:** AB (Shemakha env.)
cinerarium novorossicum Lazarev, 2015: 1109 **E**: ST (**N**ovorossiysk env.: Gayduk, Verkhnebakanskaya)
cinerarium okhrimenkoi Danilevsky, 2016c: 8 **E**: ST (Krasnodar Region: Belyi env.)
cinerarium panticapaeum Plavilstshikov, 1951: 116 **E**: UK (E Crimea) ST (Taman Peninsula)
cinerarium papayense Lazarev, 2014a: 277 **E**: ST (Krasnodar Reg.: Papay Mt.)
cinerarium perroudi Pic, 1942b: 2 **E**: UK (most of Crimea)
cinerarium sindorum Lazarev, 2011c: 284 **E**: ST (Anapa env.: Kumatyr and Shkuratka river)
cinerarium skrylniki Lazarev, 2011c: 282 **E**: UK (Melitopol env.) **#648**
cinerarium smetanai Lazarev, 2011c: 281 **E**: ST (Karachay-Cherkessia and Kabardino-Balkar republics)
cinerarium terkense Lazarev, 2011c: 276 **E**: ST (Chechnya)
cinerarium veniamini Lazarev, 2011c: 275 **E**: ST (Krasnodar Reg., Markotkh Ridge)
cinerarium zubovi Lazarev, 2011c: 274 **E**: MD **#633** **#648**
cineriferum Suvorov, 1910a: 290 **A**: AB AR
cingulatoides cingulatoides Breuning, 1946: 122 **A**: IN
cingulatoides hassani Danilevsky, 2010f: 8 **A**: IN
cingulatum Ganglbauer, 1884: 484 **A**: IN TR
persianum Breuning, 1943b: 94
ursulaheinzi Bernhauer, 2015: 13 **#517** **#538**
ciscaucasicum abramovi Lazarev, 2009b: 14 **E**: ST (Taman Peninsula)
ciscaucasicum ciscaucasicum Jakovlev, 1899c: 59 **E**: ST (Stavropol Reg. and Kalmykia)
borodini Suvorov, 1915: 118
ciscaucasicum mokrzeckii Jakovlev, 1902: 148 **E**: UK (Kerch Peninsula
coiffaiti Breuning, 1962a: 392 **A**: TR
complanatum Ganglbauer, 1884: 485 **A**: IN
condensatum Küster, 1852: 92 **E**: BU TR **A**: TR
adampolum Pic, 1917g: 6
inlineatum Pic, 1917g: 6
punctatissimum Ganglbauer, 1884: 94
completofascium Özdikmen & Skoupý, 2025a: 1996 **A**: TR(Çanakkale)
confluens Fairmaire, 1866b: 274 **A**: TR
subobscuripes Pic, 1914b: 9
conspersum Pesarini & Sabbadini, 2013a: 56 **A:** TR
corcyricum Ganglbauer, 1884: 453 **E**: GR
crassicolle Pesarini & Sabbadini, 2007b: 57 **E**: GR
crux Billberg, 1817: 175 (*Lamia*) **A**: TR
bifidum Chevrolat, 1882: 60
biinterruptum Pic, 1901d: 19
brevedisjunctum Pic, 1929b: 9
cruciator Gistel, 1848a: 131
graecum Waltl, 1838: 470
grandevittatum Pic, 1904b: 7
integrofasciatum K. Daniel, 1900: 140
lateargenteum Pic, 1929b: 9
lunulatum Pic, 1900g: 12

niveopictum K. Daniel, 1900: 140
smirnensis Linnaeus, 1757: 411 (*Cerambyx*) [not available name] **#754**
smyrnensis Linnaeus, 1762: 451 (*Cerambyx*) [not available name] **#754**
smyrnensis Linnaeus, 1766: 229 (*Cerambyx*) [not available name] **#754**
subfurcatum Pic, 1914b: 9
culminicola J. Thomson, 1867c: 122 **A**: TR
czegodaevi Danilevsky, 1992b: 110 **A**: AB
czipkai Breuning, 1973a: 54 **A**: IN
danczenkoi Danilevsky, 1996d: 417 **A**: AB (Talysh) IN
darakiense Faizi & Nozari, 2020: 595 **A**: IN
daratshitshagi Suvorov, 1915: 120 **A**: AR (Tsakhkadzor env.)
decipiens Germar, 1824: 486 (*Lamia*) **E**: BU HU MD RO SB SL UK **#506** **#561**
jacqueti Pic, 1902c: 10
delagrangei Pic, 1894g: 110 **A**: TR
fuscopubescens Pic, 1900g: 12
deyrollei deyrollei Ganglbauer, 1884: 482 [Bitlis] **A**: TR
deyrollei opacum Pesarini & Sabbadini, 2013a: 54 [Ahir Dag, Akyokuş Geçidi] **A:** TR
dimidiatum dimidiatum Motschulsky, 1838: 186 **A**: AB AR GG IN TR
degaullei Pic, 1948: 13
erivanicum Pic, 1901r: 91
transitorium Pic, 1948: 13
dimidiatum kelkiticum Özdikmen & Hasbenli, 2004: 23 **A**: TR **#15**
dimidiatum korgei Breuning, 1966b: 21 **A**: TR
discodivisum Pic, 1939c: 21 **A**: IN
dokhtouroffi Ganglbauer, 1886b: 130 **A**: KI TD UZ **#21**
dokhturovi Plavilstshikov, 1958a: 51, 145 [unjustified emendation]
subcostatum Heyden, 1887**b**: 323
drusoides Breuning, 1962a: 375 **A**: SY TR
drusum Chevrolat, 1870: 84 **A**: IS LE SY
apicale Chevrolat, 1873: 205 [HN]
libanoticum Kraatz, 1873a: 100
perrini Fairmaire, 1881: 88
tarabuliense Ganglbauer, 1889d: 481
eflaniense Bernhauer & Peks, 2011a: 205 **A:** TR
elbursense Breuning, 1943b: 93 **A**: IN
elegans Kraatz, 1873a: 73 **E**: CT KZ ST UK **A**: KZ WS
vicinum Pic, 1892f: 91
enricisturanii densepunctatum Braun, 1978a: 107 **A**: TR
enricisturanii enricisturanii Breuning & Ruspoli, 1971: 127 [montagne au sud-est de Tosya, route de Çorum] **A**: TR
equestre bernhauerorum Peks, 2010: 213 **A:** TR **#296**
equestre bisuturale Jureček, 1933: 128 [Griechenland, Bos-Dahr-Gebirge bei Drama] **E**: BU GR TR
equestre equestre Laxmann, 1770: 596 (*Cerambyx*) **E**: CT MD ST UK **A**: ?GG (?Gagry) KZ **#608**
cruciatum Fabricius, 1787: 140 (*Lamia*)
cruciferum Lepechin, 1774: 231 (*Cerambyx*)
pallassii Fischer von Waldheim, 1805 [?1806]: 14 (*Lamia*)
razumoffskii Fischer von Waldheim, 1805 [?1806]: 13 (*Lamia*)
equestre festivum Pesarini & Sabbadini, 2013a: 58 **A:** TR
equestre nogelli Fairmaire, 1866b: 270 **A**: TR
nogelii J. Thomson, 1867a: 58 [HN] "Armenia"
equestre reclinatum Kraatz, 1892: 173 **E**: AL BU GR MC SB TR
immaculatum Kraatz, 1892: 174 ["Balkan"]
equestre transsilvanicum Ganglbauer, 1884: 462 **E**: BU HU RO **#529** **#608**
niveoconjunctum T. Pic, 1900c: 352
quadristrigatum Kraatz, 1893: 70
romaniense T. Pic, 1900c: 352
equestre vadimi Danilevsky, 2021f: 1077 **E:** UK **#648**
eskipazarense Bernhauer & Peks, 2011a: 203 **A:** TR
etruscum bravardi Pic, 1916a: 22 **E**: AL GR MC **#712**
etruscum epirense Breuning, 1942b: 128 **E**: GR **#712**
etruscum etruscum Rossi, 1790: 147 (*Lamia*) **E**: IT
apenninum Depoli, 1926a: 25
apulum Depoli, 1926a: 25
beieri Pic, 1932d: 18
calabricum Breuning, 1942b: 126
?*femoratum* Brullé, 1832: 259 ["Morée"]
fiorii Breuning, 1942b: 126
fuscifrons Chevrolat, 1882: 60
italicum Küster, 1847b: 99
?*nudum* Küster, 1852: 93 ["In Ungarn ?"]

romanorum Pic, 1917g: 7
siculum Depoli, 1926a: 25
subiacum Pic, 1917a: 10
etruscum johannisfranci Pesarini & Sabbadini, 2007b: 40 **E**: GR TR **#712**
etruscum salonicum Pic, 1916a: 22 **E**: GR ("Environs de Salonique") **#712**
etruscum valonense Pic, 1917g: 6 **E**: AL **#712**
apfelbecki Winkler, 1929: 1188
valonense Apfelbeck, 1923: 145 [HN]
eugeniae emgei Ganglbauer, 1886a: 519 **E**: GR
eugeniae eugeniae Ganglbauer, 1886a: 521 **E**: GR
arcadicum Breuning, 1946: 104
eustriolatum Danilevsky & Faizi, 2020: [5] **A**: IN
faldermanni Ganglbauer, 1884: 493 **A**: IN
ferruginipes Ménétriés, 1836: 151 **E**: GR TR **A**: TR
subfuscopubens Pic, 1911a: 7
sublineatum Pic, 1909: 99
thracicum Küster, 1846a: 90
formosum formosum Kraatz, 1871c: 411 **A**: TR
formosum ponticum Breuning, 1964b: 1 **A**: TR
frustrator Plavilstshikov, 1958a: 172 [RN] **A**: AB
hypocrita Plavilstshikov, 1937a: 27 [HN]
hypocritellum Breuning, 1958b: 29 [RN]
funestum Ganglbauer, 1884: 501 **E**: GR
gallipolitanum atritarse Pic, 1931c: 10 **E**: GR TR
gallipolitanum fumidum Pesarini & Sabbadini, 2010: 186 **E:** GR
gallipolitanum gallipolitanum J. Thomson, 1867a: 59 **E**: GR TR
gandolphei Tournier, 1872: 288
suturaalba Desbrochers des Loges, 1870: 125
gallipolitanum samothrakeanum Breuning, 1962a: 326 **E**: GR
gazanchidisi Danilevsky, 2021e: 1063 **A:** XIN
gheisi Bernhauer, 2015: 12 **A:** IN
glabricolle Breuning, 1943b: 92 **A**: TR
glaucum glaucum Faldermann, 1837: 277 **A**: ?AB ?AR IN
glaucum lassallei Lazarev, 2015: 1112 **A**: IN
glaucum murzinianum Lazarev, 2015: 1113 **A**: IN
goelbasiense goelbasiense Bernhauer & Peks, 2013a: 310 **A**: TR
goelbasiense karadutense Bernhauer & Peks, 2013a: 311 **A**: TR
goelbasiense kathaense Bernhauer & Peks, 2013a: 312 **A**: TR
goelbasiense oeksuezdagense Bernhauer & Peks, 2013a: 311 **A**: TR
gorbunovi gorbunovi Danilevsky, 1985: 313, 328, 332 [= 1987: 617] [Bichenek Pass] **A**: AB AR
gorbunovi rubenyani Lazarev, 2014a: 278 ["Svarantz"] **A**: AR
gortovannyii Danilevsky, 2017a: 323 **A**: TR
granigerum Ganglbauer, 1884: 458 **E**: GR
gusakovi Danilevsky, 2007b: 1 **A**: GG (Bzyb Ridge)
guzeldereense Bernhauer & Peks, 2012: 213 **A:** TR
guezeldereense Bernhauer & Peks, 2013b: 336 [unjustified emendation]
hacgedigiense Bernhauer & Peks, 2011b: 216 **A:** TR
haemorrhoidale Hampe, 1852b: 313 **A**: IN TR
halepense halepense Kraatz, 1873a: 72 **A**: SY TR
internenotatum Pic, 1931c: 9
internesignatum Pic, 1914e: 79
latealbum Pic, 1926d: 13
latebivittatum Pic, 1931c: 1
halepense sehitkamilense Özdikmen, Mercan & Cihan, 2012c: 604 **A:** TR
hampii aureovittatum Kraatz, 1873a: 81 **A**: TR
hampii hampii Mulsant & Rey, 1863: 157 **A**: TR
heldreichi Kraatz, 1873a: 90 **E**: GR
bilaterale Chevrolat, 1882: 59
presuturale Pic, 1903a: 5
hellmanni Ganglbauer, 1884: 486 **A**: IN IQ TR
holosericeum alanorum Danilevsky, 2023: 130 **E**: ST
holosericeum avarum Danilevsky, 2023: 131 **E**: ST
holosericeum holosericeum Krynicki, 1832: 159 **E**: ?BY CT KZ MD PL RO ST UK **#752**
rossicum Plavilstshikov, 1927a: 52 [RN]
holosericeum tristriatum Suvorov, 1913: 71 **E**: ST **A**: GG [Mt. Kazbek]
striatum Dalman, 1817b: 175 [HN] (*Lamia*)
holosericeum ustinovi Danilevsky, 2021f: 1078 **E**: UK **#648**

holtzi Pic, 1905g: 115 **A**: TR
iconiense K. Daniel, 1900: 140 [“Asia Minor” - Konya] **A**: TR **#52**
albicolle Breuning, 1943b: 89 [Konya]
fulvovestitum Pic, 1903a: 5
muchei Breuning, 1962c: 38 [“Çankırı”] **#52**
pareschericht Breuning, 1966e: 146 [Çorum: Boğazkale]
semisetosum Jakovlev, 1901a: 85 [Konya]
subatritarse Breuning, 1966e: 146 [“Boğazkale” - Turkey: Çorum] **#52**
impressicolle Kraatz, 1873a: 47 **A**: SY
indutum Faldermann, 1837: 276 **A**: AB AR
infernale asperatum Breuning, 1947e: 169 [Diarbekir] **A**: TR
infernale costatidorsum Özdikmen & Koçak, 2016b: 178 [Konya, Kulu, Kömüşini village env.] **A:** TR
infernale edremitense Breuning, 1966b: 20 [Edremit] **A**: TR
infernale erdemi Özdikmen, Kaya & Al-Hamadani, 2014: 179 [Çorum] **A**: TR **#517**
infernale infernale Mulsant & Rey, 1863: 158 [?Eskişehir province: Bozdağ] **A**: TR
immutatum Pic, 1903k: 171 [Bos-Dagh, Eski-Chehir]
revestitum K. Daniel, 1900: 140 [“Asia Minor”]
rugosum J. Thomson, 1867a: 46 [“Siberia”]
infernale luteosutura Özdikmen & Koçak, 2016b: 178 [Karaman province, Ayrancı] **A:** TR
infernale miminfernale Breuning, 1970d: 98 [Binboğa Dağları, Kahramanmaraş] **A:** TR
infernale postalbosuturale Özdikmen & Koçak, 2015: 672 [Karaman Prov., Elmaşehir distr.] **A:** TR **#517**
inikliense Bernhauer & Peks, 2010b: 208 **A:** TR
inopinatum Pesarini & Sabbadini, 2013a: 51 **A:** TR
inspersum Holzschuh, 1982a: 76 **A**: TR
insulare Kraatz, 1873a: 62 **E**: GR
intrusum Pesarini & Sabbadini, 2009: 26 **E:** TR
invicinum Pic, 1902b: 93 **A:** IN TR **#538**
irakense Al-Ali & Ismail, 1987: 1 **A**: IQ
iranicum Breuning, 1947d: 141 **A**: IN
ispartense Breuning, 1962a: 394 **A**: TR
ispirense Bernhauer & Peks, 2013b: 328 **A:** TR
jacovleviellum hinisense Bernhauer & Peks, 2016: 91 [“Hinis”] **A:** TR **#172** **#187**
jacovleviellum jacovleviellum Plavilstshikov, 1951: 120 [Erzurum] **A**: TR
jacovleviellum vartoense Bernhauer & Peks, 2016: 92 [“Varto Sefgeç”] **A:** TR **#172** **#187**
janatai Kadlec, 2006b: 11 **A**: TR
kalashiani Danilevsky, 1992b: 108 **A**: AB (Talysh) IN
karamanense Özdikmen & Koçak, 2013: 672 **A:** TR
karsense Suvorov, 1915: 118 **A**: TR
kartaldagense Bernhauer & Peks, 2013a: 314 **A:** TR
kartalense Lazarev, 2016b: 210 **A:** TR **(**Eskisehir prov., Kartal Gecidi)
kasikoporanum Pic, 1902c: 10 **A**: AR TR
kazanciense Bernhauer & Peks, 2010a: 197 **A:** TR
kharpuense Danilevsky, 1998a: 49 **A**: IN
khosrovi Lazarev, 2019d: 472 **A:** AR (Khosrov Reserv)
kindermanni Waltl, 1838: 470 **A**: TR
griseum Waltl, 1838: 470
kizilcikense hozatense Bernhauer & Peks, 2015: 452 **A:** TR
kizilcikense kizilcikense Bernhauer & Peks, 2015: 451 **A:** TR
kizildagense Bernhauer & Peks, 2012: 212 **A:** TR
karacaorenense Bernhauer & Peks, 2012: 211 **#615**
karacaoerenense Bernhauer & Peks, 2013b: 336 [unjustified emendation]
klavdiae Danilevsky, 1992a: 92 **A**: GG (Gori)
kocgecense kocgecense Bernhauer & Peks, 2015: 448 **A:** TR
kocgecense yedigoezense Bernhauer & Peks, 2015: 449 **A:** TR
koechlini Pic, 1898h: 56 **A**: SY
koenigi Jakovlev, 1897: 245 **E**: ST (Dagestan mts) **#725**
impressipenne Pic, 1900g: 14
komarowi komarowi Jakovlev, 1887a: 155 **A**: IN TM
janczyki Breuning, 1963f: 36
interruptum Jakovlev, 1895b: 510 [HN]
transcaspicum Jakovlev, 1901b: 108 [RN]
komarowi kryzhanovskii Plavilstshikov, 1958a: 167 **A**: TM
konradi Bernhauer & Peks, 2012: 210 **A:** TR
kozanii daccordii Pesarini & Sabbadini, 2007b: 42 **E**: GR
kozanii kozanii Breuning, 1962a: 318 **E**: GR
kraetschmeri Bernhauer, 1988: 98 **A**: TR

krueperi Ganglbauer, 1884: 453 **E**: AL GR MC
thessalicum Pic, 1942a: 3
viturati Pic, 1903a: 5
kuldschanum Pic, 1908b: 4 **A**: XIN
albidolimbatum Pic, 1912a: 9 [“Environs de Przewalsk” – wrong locality]
juldusianum Pic, 1912i: 89
kuldzhanum Plavilstshikov, 1958a: 60, 282 [unjustified emendation]
pauli Pic, 1909: 99
kurdistanum kurdistanum Breuning, 1944a: 12 [“Kourdistan: Diarbékir”] **A**: TR **#509**
kurdistanum rufulipes Breuning, 1971c: 437 [“nö Bingol”] **A:** TR **#509**
kurucanum Holzschuh, 2007: 249 **A**: TR
kykladicum Breuning, 1944a: 13 **E**: GR
ladikanum Braun, 1976b: 173 **A**: TR
ladikense Breuning, 1975c: 10 [HN]
paraladikense Breuning, 1977a: 60
laeve laeve Faldermann, 1837: 278 **A**: IN
pernudum Reitter, 1913b: 665
persicum Faldermann, 1837: 282
plasoni Ganglbauer, 1884: 491
laeve hyrcanum Jakovlev, **1899c**: 64 **A**: IN
laeve micula Plavilstshikov, 1937a: 26 **A**: TR
laeve vladimiri Danilevsky & Murzin, 2009a: 13 **A:** AR
lameerei konyaense Özdikmen & Koçak, 2016 **A**: TR
lameerei lameerei Théry, 1896: 109 **A**: TR
lamiae Breuning, 1962a: 263 **E**: GR ()
ledouxi Breuning, 1975b: 65 **A**: TR
linderi Tournier, 1872: 285 **A**: TR
henrici Pic, 1905i: 156
kollari Kraatz, 1873a: 87
lineatocolle Kraatz, 1873a: 57 (“Saloniki”) **E**: AL BU GR MC ME SB **#11** **#117**
atrofemoratum Pic, 1917g: 7
pseudolineatocolle Breuning, 1962a: 334 [“Philippi bei Kawalla”]
riveti Pic, 1927j: 162
sinuaticolle Pic, 1927e: 6
lineatopunctatum Breuning, 1944a: 13 **A**: IN
litigiosum litigiosum Ganglbauer, 1884: 454 **E**: **?**MD RO
litigiosum otshakovi Suvorov, 1913: 81 **E**: UK (Ochakov env.)
ljubetense borisi Heyrovský, 1931: 84 [“Belasitza-Gebirge”, 41°20′N, 22°57′E] **E**: BU ?GR MC
ljubetense heyrovskyi Breuning, 1943b: 97 [Kozuf Planina, 41°9′N, 22°10′E] **E**: GR MC
ljubetense kaimakcalanum Jureček, 1929: 143 [40°55′50″N, 21°47′13″E] **E**: GR MC
ljubetense ljubetense Pic, 1909: 115 [Mt. Ljuboten, 42°12′24″ N, 21°07′10″E] **E**: AL MC SB
ljubetense Breit, 1929: 206 [HN]
ljubetense peristeriense Breuning, 1962a: 248 **E**: GR [“Mts. Peristeri“ about 39°41′N, 21°07′E]
lodosi abanozense Bernhauer & Peks, 2010a: 199 **A:** TR
lodosi lodosi Sabbadini & Pesarini, 1992a: 29 **A**: TR
lohsei lohsei Braun, 1976c: 254 [Karaman env, Sertavul pass] **A**: TR
lohsei taskentense Bernhauer & Peks, 2016: 89 [Konya, Taşkent] **A:** TR **#172**
longulum Breuning, 1943b: 89 **A**: TR
lugubre Kraatz, 1873a: 41 [Saloniki] **E**: AL BU GR MC **#712**
discosulcatum Pic, 1926d: 1
giachinoi Pesarini & Sabbadini, 2007b: 45 [Oros Kavala] **#712**
meteorum Breuning, 1969b: 42 [Meteora] **#712**
minkovae Heyrovský, 1962b: 225 [Kresna] **#712** **#294**
parinfernale Breuning, 1975c: 10 [Kavala] **#712**
pelionense Breit, 1923: 145 [Mt. Pelion - 39°26′N, 23°03′E] **#712**
pseudolugubre Breuning, 1943b: 96
sparsepilosum Pic, 1926d: 13 [“Salonique”]
thessalicum Pic, 1916a: 22 [“Thessalie”] (Pella: Notia - 41°6'6"N, 22°12'30"E e Kilkis: Fanos - 41°4'46"N, 22°28'39"E) **#712**
macedonicum Jureček, 1929: 143 **E**: AL MC
glabriscapus Breuning, 1943b: 97
maceki Holzschuh, 1995: 41 **A**: TR
macropus Kraatz, 1873a: 99 [“Amasya”] **A**: TR **#129**
amasinum Pic, 1898h: 58 [Amasya] **#129**
atripes Reitter, 1900a: 88 [Amasya] **#129**
obscurans Pic, 1892f: 91 [Amasya] **#129**
marandense Holzschuh, 2007: 248 **A**: IN
martini Bernhauer, 1988: 100 **A**: TR

mediterraneum Breuning, 1942b: 125 **E**: IT
megriense Lazarev, 2009c: 212 **A**: AR
menradi aksarayense Lazarev, 2016b: 212 ~~(May)~~ **A**: TR (E Aksaray prov., Gukunkaya & Konya prov., Dinek)
menradi diversum Özdikmen & Laz, 2022: 1036 **A**: TR (Kahramanmaraş, Andırın district)
menradi menradi Holzschuh, 1989a: 172 **A**: TR (Kahramanmaraş province, Afşin district)
menradi pilosicollis Özdikmen & Koçak, 2016: 355 **A**: TR (Karaman)
merkli Ganglbauer, 1884: 506 **A**: TR
meschniggi Breit, 1929: 205 **E**: GR
  disconigrolineatum Heyrovský, 1940: 59
  olympianum Meschnigg, 1947: 137
mesopotamicum Breuning, 1944a: 12 **A**: IQ TR
micans majoripunctum Okutaner, A. Sarıkaya, Ö. Sarıkaya & Özdikmen, 2021: 175 **A**: TR
micans micans J. Thomson, 1867a: 61 [“Armenien” –Anatolia] **A**: TR **#129**
  corallicorne Pic, 1904a: 4 [Ankara]
  sericatulum Kraatz, 1873a: 98 **#129**
  subobesum Pic, 1942b: 2 [“Amasia”]
micans subvestitum K. Daniel, 1900: 140 **A**: TR **#129**
  subreductum Pic, 1942b: 2 [“Asie M^re^“] **#129**
minutum atticum Kraatz, 1873a: 72 **E**: GR (Evia)
  luteovittatum Pic, 1942a: 1
  multinigronotatum Pic, 1927e: 6
minutum mimarenarium Breuning, 1974g: 152 **E**: GR (Fthiotida, Evritania, Fokida)
minutum minutum Kraatz, 1873a: 76 **E**: GR (Attiki, Fokida, Fthiotida, Viotia)
  irroratum Kraatz, 1873a: 76
minutum rugicolle Breuning, 1962a: 263 [“oberhalb der Thermopylen”] **E**: GR
mirabile Lazarev, 2024g: 152 **A**: TR
mniszechi cavernosum Lazarev, 2014b: 701 **A**: AR TR
mniszechi georgianum Lazarev, 2014b: 701 **A**: GG
mniszechi mniszechi Kraatz, 1873a: 39 **A**: AR IN TR **#8**
moldavicum Dascalu & Fusu, 2012: 39 **E**: RO
moreanum Pic, 1907b: 12 **E**: GR
morozovi Danilevsky, 1992a: 94 **A**: KZ XIN
mosulense Özdikmen, Al-Hamadani & Ali, 2013: 1 **A:** IQ
multimaculatum Pic, 1932d: 22 **A**: TR
murrayi Küster, 1847a: 84 **E**: HU RO SB
  montandoni Pic, 1902c: 9
  triste Petri, 1885: 56
murzini Danilevsky, 2015: 221 **A**: TR
musarti Pic, 1907b: 10 **A**: XIN
narlianum Özdikmen, Mercan & Cihan, 2012b: 550 **A:** TR
neslihanbalae Özdikmen, 2019b: 19 **A:** TR
nigrostriatum Adlbauer, 1982: 104 **A**: TR
nigrosuturatum Reitter, 1897b: 236 **A**: AB AR
  griseipenne Breuning, 1943b: 92
nitidum Motschulsky, 1838: 185 **A**: AR GG TR
  suturatum Ferrari, 1865: 481
niveisparsum J. Thomson, 1865: 548 **A**: GG TR
  cretosum Ferrari, 1865: 479
  postobliteratum Pic, 1942c: 1
  sobrinum Pic, 1898h: 55
nobile altinyaylaense Bernhauer & Peks, 2014b: 106 **A:** TR **#156**
nobile blandulum Holzschuh, 1977a: 131 **A**: TR **#156**
nobile elazigi Fuchs & Breuning, 1971: 439 **A**: TR **#156**
  holzschuhi Breuning, 1974g: 148
nobile gencense Bernhauer & Peks, 2014b: 110 **A:** TR **#156**
nobile hanneloreae Bernhauer & Peks, 2014b: 107 **A:** TR **#156**
nobile ivani Pesarini & Sabbadini, 2011: 47 **A:** TR (Bingöl, Kardeşler 38°54’43”N, 40°38’16”E) **#156**
nobile musense Bernhauer & Peks, 2014b: 109 **A:** TR **#156**
nobile nihalae Rapuzzi & Sama, 2012a: 671 **A:** TR **#156**
nobile nobile Hampe, 1852b: 313 **A**: TR **#156**
nobile plavilschikovi Lazarev, 2019c: 19 **A:** AB (Talysh) ?IN
nobile rapuzzisamai Lazarev, 2019c: 14 **A:** TR
nobile sarkislaense Bernhauer & Peks, 2014b: 105 **A:** TR **#156**
nobile semivelutinum Kraatz, 1873a: 82 **A**: ?IN TR **#156**
nurense Danilevsky & Murzin, 2009a: 20 **A:** IN
obenbergeri Heyrovský, 1940: 58 **E**: GR
  marani Heyrovský, 1940: 59

obtusicolle Pic, 1926d: 2 **A**: XIN
obtusum kostali Özdikmen & Skoupý, 2025d: 4004 **A**: TR (Kahramanmaraş) **#843**
obtusum kostali Özdikmen & Skoupý, 2025c: 3172 [unavailable name]: **#843**
obtusum marashense Breuning, 1948c: 59 **A**: TR
obtusum obtusum Breuning, 1944a: 13 **A**: TR
oetalicum Pic, 1902f: 19 **E**: GR
oezdurali Önalp, 1988: 361 **A**: TR ()
olegpaki Danilevsky & Skrylnik, 2021: 17 **A:** IN
olympicum convexum Breuning, 1943b: 90 **A**: TR (Achu Dagh)
olympicum flavosuturale Krätschmer, 1987: 340 **A**: TR (Anatolien occ. Ufer Uluabat Göl)
olympicum olympicum Kraatz, 1873a: 78 (Brussa) **A**: TR
obsoletum Kraatz, 1873a: 78 (Brussa) **#51**
oreophilum Ganglbauer, 1884: 500 (Olymp bei Brussa)
subalpinum Kraatz, 1873a: 78 (Olymp bei Brussa)
ortrudae Braun, 1978b: 185 **A**: TR
ossae Heyrovský, 1941c: 79 **E**: GR
ossaum Meschnigg, 1947: 137
ovacikense Bernhauer & Peks, 2015: 449 **A:** TR
paracinerarium Breuning, 1974g: 149 **A**: TR ("Mut, Sertavulpass" 36°54'57.60"N, 33°16'1.20"E) **#50**
paramicans kalechikense Lazarev, 2016b: 212 **A**: TR (Ankara prov., Kozayagi NW Kalecik)
paramicans keskiense Lazarev, 2016b: 212 **A**: TR (Kirikkale prov., Keskin)
paramicans paramicans Lazarev, 2016b: 210-211 **A**: TR **(**Çorum prov. & north Yozgat prov.)
pararenarium Breuning, 1969b: 42 **E**: GR
pararufipenne pararufipenne Braun, 1976c: 257 **A**: TR
pararufipenne rassei Braun, 1976c: 261 **A**: TR
parceapicatum Pesarini & Sabbadini, 2013b: 41 **A**: TR
parcepunctatum Breuning, 1948c: 60 **A**: IN
parilis Pesarini & Sabbadini, 2013a: 52 **A:** TR
parnassi Kraatz, 1873a: 72 **E**: GR
oertzeni Ganglbauer, 1884: 454
pasquieri Breuning, 1975b: 65 **A**: IN
pavesii Pesarini & Sabbadini, 1999: 57 **A**: TR
pedestre pedestre Poda von Neuhaus, 1761: 34 (*Cerambyx*) ["ad Græcium"] **E**: AL AU BH BU CR CZ HU MC MD ME RO SB SK SL TR UK **#83**
gogium J. Thomson, 1867c: 125 (Rossia merid.)
ruficorne Pic, 1931c: 10 (?Hongrie)
rufipes Fabricius, 1793: 288 (*Lamia*) (Hungaria)
zoufali Tippmann, 1958b: 156 (Proßnitz, Mähren) Czechia
pedestre kaszabi Breuning, 1956e: 404 **E**: HU
peksi Bernhauer, 2010: 190 **A:** TR
peloponesium Pic, 1902c: 10 **E**: GR
subjunctum Pic, 1904b: 7
weiratheri Pic, 1929b: 9
peloponnesicum Breuning, 1982b: 146 **E**: GR
pergamenum Pesarini & Sabbadini, 2009: 22 **A:** TR
petrovitzi Heyrovský, 1964: 97 **A**: TR
pilosellum obscurimembre Breuning, 1946: 110 **E**: GR
pilosellum pilosellum Kraatz, 1873a: 58 **E**: GR
pilosipenne kazdagense Özdikmen, 2013a: 56 **A:** TR
pilosipenne pilosipenne Breuning, 1943b: 90 **E**: GR
pilosum Breuning, 1943: 91
pindicum Breuning, 1966c: 4 **E**: GR
piochardi Kraatz, 1873a: 85 **A**: TR
elongatum Pic, 1898h: 58
ladikense Breuning &Villiers, 1967a: 60 (*Pedestredorcadion*)
mauricei Plavilstshikov, 1927a: 51 [RN]
quadripustulatum Ganglbauer, 1884: 457
pelops Jakovlev, 1901a: 83
roberti Pic, 1905a: 11
theophilei Pic, 1901**i**: 32 [HN]
varievittatum Pic, 1942a: 1
pittinorum paraullrichi Lazarev, 2016b: 216 **A**: TR (Sülüklü & Mecitözü env.)
pittinorum pittinorum Pesarini & Sabbadini, 1999: 48 **A**: TR
pluto J. Thomson, 1867a: 47 **A**: TR
poleti Breuning, 1948c: 59 **A**: TR
ponomarenkoi Danilevsky, 2010f: 6 **A:** AB (N Lachin Distr.: Korchu)

praetermissum mikhaili Özdikmen, 2010: 457 **A:** TR
praetermissum praetermissum Pesarini & Sabbadini, 1999: 47 **A**: TR
preissi Heyden, 1894: 86 **A**: TR
pseudarcivagum Breuning, 1943b: 91 **A**: TR
pseudinfernale Breuning, 1943b: 94 **A**: TR
pseudobithyniense Breuning, 1962a: 465 **A**: TR
pseudocinctellum Breuning, 1943b: 90 **A**: TR
pseudoholosericeum Breuning, 1962a: 300 **A**: TR
pseudonobile Breuning, 1946: 120 **A**: IN
pseudopreissi Breuning, 1962a: 411 **A**: TR
pulchrum Pic, 1908d: 58 **A**: AB (Murov-Dag) **#295**
punctipenne Küster, 1852: 94 ["Kleinasien"] **E**: GR **A**: TR
distinguendum Pic, 1931c: 10 ["Macédoine"]
gebzeense Breuning, 1974g: 148 [Gebze, Kocaeli] **#48**
punctulatum Pesarini & Sabbadini, 2013a: 57 **A:** TR
punctulicolle Breuning, 1944a: 12 **A**: TR
purkynei Heyrovský, 1925: 45 **E**: GR MC
pusillum berladense Pic, 1903a: 7 **E**: RO **#238**
pusillum ochrolineatum Dascalu, 2018: 50 **E**: RO
pusillum pusillum Küster, 1847a: 90 **E**: MD RO UK
pusillum tanaiticum Kasatkin, 2002: 277 **E**: ST (Rostov-on-Don env.)
pusillum vasiliscus Dascalu, 2018: 50 **E**: RO
pygmaeum Breuning, 1947e: 168 **A**: TR
quadripustulatum Kraatz, 1873a: 88 **A**: TR
rarepunctatum Lazarev, 2016b: 211 **A**: TR (Kayseri prov., 4km westwards Sariz)
regulare dramaticum Pesarini & Sabbadini, 2010: 190 **E:** GR
regulare regulare Pic, 1931c: 6 **E**: BU GR TR
reitteri Ganglbauer, 1884: 492 **A**: GG
resadiyeense Bernhauer & Peks, 2011b: 219 **A:** TR
ressli Holzschuh, 2007: 246 **A**: IN
rezai Danilevsky, 2018b: 589 **A:** IN
rigattii Breuning, 1966e: 145 **A**: TR
ringenbachi Rapuzzi & Sama, 2018: 21 **A**: IQ #771
rizeanum Breuning & Villiers, 1967b: 60 (*Pedestredorcadion*) **A**: TR
ikizderense Breuning, 1973a: 54
robustum Ganglbauer, 1884: 500 **A**: TR
rolandmenradi Peks, 1992: 197 **A**: TR
rosti Pic, 1900n: 82 **A**: GG TR
kalinowskyi König, 1901: 10
rufoapicipenne Breuning, 1946: 125 [Baiburt] **A**: TR
rufoapicale Breuning, 1943b: 91 [HN]
rufogenuum discoflavovittatum Breuning, 1946: 129 **A**: XIN **#879**
rufogenuum rufogenuum Reitter, 1895c: 161 **A**: KZ XIN **#879**
posticejunctum Pic, 1909: 99
sabanoezueense Bernhauer & Peks, 2013b: 326 **A:** TR
sapkaianum Krätschmer, 1987: 337 **E**: GR
sareptanum estriatum Suvorov, 1913: 72 ["Pjätigorsk"] **E:** ST **#130** **#777**
sareptanum euxinum Suvorov, 1915: 119 **E**: ST (from Temryuk to Krasnodar) **#316**
sareptanum kubanicum Plavilstshikov, 1934d: 120 **E**: ST
sareptanum sareptanum Kraatz, 1873a: 74 **E**: KZ ST **A**: KZ **#634**
sareptanum striatiforme Suvorov, 1913: 73 ["Kislowodsk"] **E:** ST
sarvabadense Danilevsky & Faizi, 2020: [3] **A**: IN
saulcyi javeti Kraatz, 1873a: 91 **A**: SY TR **#47**
destinoi Fairmaire, 1884: 173 [Akbez]
tabense Pic, 1931c: 1 ["Syria: Aïn-Tab" – Turkey, Gaziantep]
univestitum Pic, 1903a: 5 [Akbez]
saulcyi saulcyi J. Thomson, 1865: 549 ["Syria"] **A**: ?SY TR
adanense Pic, 1904a: 4 [Adana]
bilatevittatum Pic, 1927l: 167 [Aleppo]
fenestratum Pic, 1895e: cclxxxiv ["Syria: Aïn-Tab" – Turkey, Gaziantep]
simile Kraatz, 1884b: 234 [Malatia]
subelongatum Pic, 1931c: 1 [Akbez]
scabricolle alucranum Lazarev, 2020a: 52 **A:** TR
scabricolle antonkozlovi Danilevsky, 2017a: 324 **A**: TR
scabricolle apakoyense Lazarev, 2020a: 46 **A:** TR
scabricolle araxense Lazarev, 2020a: 28 **A:** AB

scabricolle artsakhense Lazarev, 2020a: 24 **A:** AB
scabricolle babakkalense Lazarev, 2020a: 34 **A**: IN
scabricolle balikesirense Breuning, 1962a: 460 **A**: TR
scabricolle buzgoviense Lazarev, 2020a: 24 **A:** AB
scabricolle caramanicum K. Daniel & J. Daniel, 1903: 332 **A**: TR
scabricolle corpulentum Ménétriés, 1832: 226 **A**: AB IN
?*lutescens* Kraatz, 1873a: 50
scabricolle crassofasciatum Özdikmen, 2013a: 56 **A:** TR
scabricolle dobrovljanskii Suvorov, 1915: 116 **A**: AB **#459**
scabricolle gazii Lazarev, 2020a: 51 **A:** TR
scabricolle gegarkunicum Lazarev, 2020a: 17 **A:** AR
scabricolle gilanense Lazarev, 2013a: 227 **A:** IN
scabricolle hajdajorum Lazarev, 2020a: 47 **A:** TR
scabricolle inonuense Lazarev, 2020a: 51 **A:** TR
scabricolle korbianum Lazarev, 2020a: 47 **A:** TR
scabricolle lazistanum Lazarev, 2020a: 40 **A:** TR
scabricolle modestum Tournier, 1872: 338 **A:** AB **#491**
elisabethpolicum Suvorov, 1915: 119 **#491**
micheli Pic, 1948: 13
scabricolle nakhiczevanum Danilevsky, 1999a: 28 **A**: AB AR **#722**
scabricolle paiz Danilevsky, 1999a: 28 **A**: AB
scabricolle paphlagonicum Breuning, 1962a: 459 **A**: TR
scabricolle pseudosevangense Lazarev, 2020a: 18 **A:** AR
scabricolle sagezense Lazarev, 2013a: 227 **A:** IN
scabricolle sahandum Lazarev, 2020a: 35 **A:** IN
scabricolle salhanum Lazarev, 2020a: 41 **A:** TR
scabricolle scabricolle Dalman, 1817b: 174 (*Lamia*) **A**: AB AR GG ~~TR~~
scabricolle sevangense Reitter, 1889a: 41 **A**: AR
scabricolle shakhbuzum Lazarev, 2020a: 26 **A:** AB
scabricolle shirakense Lazarev, 2020a: 13 **A:** AR TR
scabricolle skoupyi Lazarev, 2013a: 226 **A:** IN
scabricolle subcorpulentum Breuning, 1946: 121 **A**: IN
scabricolle tavushense Lazarev, 2020a: 17 **A:** AR
scabricolle tekhense Lazarev, 2020a: 20 **A:** AR
scabricolle tuzovi Lazarev, 2020a: 20 **A:** AB AR
scabricolle uludaghicum Breuning, 1970d: 98 **A**: TR
scabricolle vaykense Lazarev, 2020a: 19 **A:** AR
scabricolle yahyaliense Bernhauer & Peks, 2011b: 217 **A**: TR **#153**
schultzei Heyden, 1894: 86 **A**: TR
scopolii Herbst, 1784: 91 (*Lamia*) **E**: BU CR CZ GR HU ?MD PL RO SB SK UK
convexicolle Küster, 1852: 91
germanicum Gmelin, 1790: 1835 (*Cerambyx*)
interclarepubens Breuning, 1956e: 404
lineatum Fabricius, 1787: 141 (*Lamia*)
ungaricum Gmelin, 1790: 1836 (*Cerambyx*)
scrobicolle bouilloni Breuning & Ruspoli, 1975: 116 **A**: TR **#615**
scrobicolle carolisturanii Breuning & Ruspoli, 1971: 128 **A**: TR **#615**
scrobicolle heinzi Breuning, 1964b: 1 **A**: TR **#615**
scrobicolle hroni Lazarev, Tozlu & Tatar, 2021: 37 **A**: TR
scrobicolle morulum Holzschuh, 1995: 42 **A**: TR
fuscosubrevestitum Breuning, 1971c [unavailable name] **#510**
scrobicolle parabouilloni Lazarev, Tozlu & Tatar, 2021: 38 **A**: TR
scrobicolle scrobicolle Kraatz, 1873a: 97 **A**: TR
scrobicolle tatari Lazarev, Tozlu & Tatar, 2021: 39 **A**: TR
sebenense Bernhauer & Peks, 2011a: 202 **A:** TR
semenovi aktasyense Danilevsky, 2023: 176 **A**: KZ (Ketmen Mt.)
semenovi aleksandrae Danilevsky & Rubenyan, 2021: 1098 **A:** KI
semenovi almatense Danilevsky, 2002: 5 **A**: KZ (Zailiysky Alatau: plateau Asy)
semenovi flavopubescens Danilevsky, 2002: 13 **A**: XIN
semenovi hauseri Reitter, 1895c: 160 **A**: KI (Karakol env.) XIN **#400**
semenovi issykkulense Pic, 1906h: 96 **A**: KI (NW Issyk-Kul Lake)
bisbicostatum Pic, 1908d: 52
semenovi kaiduense Danilevsky, 2002: 14 **A**: XIN
semenovi kuvakense Danilevsky, 2002: 16 **A**: KI (Kuvaki Pass)
semenovi semenovi Ganglbauer, 1884: 479 **A**: KI KZ XIN
semenovi terskeicum Danilevsky, 2002: 4 **A**: KI (SW Issyk-Kul Lake: Ton River)

semenovi thaisiae Danilevsky, 2002: 16 **A**: KI (S Issyk-Kul Lake: Kadzhi-Say)
semenovi uriuktense Danilevsky, 2002: 9 **A**: KI (NE Issyk-Kul Lake)
semiargentatum burdzushense Danilevsky & Murzin, 2009b: 14 **A**: IN
semiargentatum ortrudheinzae Danilevsky, 1998a: 51 **A**: IN
semiargentatum sarabense Holzschuh, 1993a: 46 **A**: IN
semiargentatum sementivum Danilevsky & Murzin, 2009b: **6** **A**: IN
semiargentatum semiargentatum Pic, 1905d: 300 **A**: IN
descampsi Villiers, 1967: 339 (*Pedestredorcadion*)
shiita Plavilstshikov, 1951: 118
semibrunneum mediocreimpressum Pic, 1909: 123 ["Anamas Gbg."] **A**: TR **#8** **#507**
anamasum Pic, 1934g: 33 **#8** **#445**
semibrunneum notatum Pesarini & Sabbadini, 2013a: 62 **A:** TR
semibrunneum semibrunneum Pic, 1903k: 170 [Eski-Chehir, Bos-Dagh] **A**: TR
semibrunneum sivasense Özdikmen, 2016b: 307 **A**: TR (Central Sivas Province: Karayün) **#507**
semibrunneum sivrihisarense Özdikmen, 2016b: 308 **A**: TR (SE Eskişehir Province: Sivrihisar: Paşakadın Village) **#507**
semibrunneum vlasenkoi Kasatkin, 2020a: 272 **A**: TR (Isparta, Davraz Dag)
semilineatum Fairmaire, 1866b: 273 **A**: TR
semilucens Kraatz, 1873a: 84 **A**: AB (Sevan Ridge) AR (N Sevan Lake: above Dzhil)
mesmini Pic, 1903i: 146 [Pic, 1904a: 4-5: "Evlak ou plus exactement Golyzino" - wrong locality] **#421**
seminudum Kraatz, 1873a: 83 **A**: AB (above Ordubad) AR (Megri Pass and environs)
impuncticolle Breuning, 1962a: 452
nachycevanicum Breuning, 1943b: 92
septemlineatum abanti Braun, 1976a: 54 **A**: TR
septemlineatum demirciense Breuning, 1966b: 19 **A**: TR
septemlineatum novemlineatum Kraatz, 1873a: 61 **A**: TR
forcipiferum Kraatz, 1873a: 60
septemlineatum octolineatum Kraatz, 1873a: 61 **A**: TR
septemlineatum septemlineatum Waltl, 1838: 469 **E**: BU GR TR
apicale J. Thomson, 1865: 549
rufoapicale Pic, 1942a: 2
sericatum Sahlberg, 1823: 53 **E**: UK (Crimea: south coast) **#633**
velutinum Kraatz, 1873a: 96
serouense Kadlec, 2006b: 8 **A**: IN IQ **#555**
sevliczi Danilevsky, 1985: 328 [= 1987: 618] **A**: AR (Goris env.: Sevlich Lake)
shestopalovi Danilevsky, 1993b: 9 **A**: GG (S slope of Krestovyi Pass and mts westwards)
shirvanicum azerbajdzhanicum Plavilstshikov, 1937a: 25 **A**: AB (Geokchay env.)
shirvanicum shirvanicum Bogatchev, 1934: 70 **A**: AB (about 20km W Baku: Perekeshkul)
shushense Lazarev, 2010: 3 **A:** AB (Shusha env.)
sinopense Breuning, 1962a: 299 **A**: TR
sinuatevittatum Pic, 1937c: 6 **A**: TR
brevemediolineatum Pic, 1942c: 6
sisianense Lazarev, 2009c: 210 **A:** AR
skoupyorum Bernhauer & Peks, 2014a: 191 [RN] **A:** TR
skoupyi Bernhauer & Peks, 2013b: 326 [HN]
sodale blumenthali Breuning, 1966b: 20 **A**: TR
sodale sodale Hampe, 1852b: 313 **A**: ?GG TR
sodale soganliense Bernhauer & Peks, 2016: 92 **A:** TR **#172**
sodale trapesunticum Breuning, 1946: 124 **A**: TR
sokolowi Jakovlev, 1899b: 150-151 **A**: KZ (SE Dzhungarsky Alatau) XIN
amymon Jakovlev, 1906c: 276
conicolle Breuning, 1946: 130
dsungaricum Pic, 1907b: 11
jacobsoni Jakovlev, 1899a: 243
melancholicum Pic, 1907e: 111 **#297**
merzbacheri Breuning, 1946: 130
sonjae Peks, 1993: 5 **A**: TR
spectabile Kraatz, 1873a: 38 **A**: IN
steineri Holzschuh, 1977a: 129 **A**: TR
stephaniae Pesarini & Sabbadini, 2004c: 142 **E**: GR
striolatum Kraatz, 1873a: 93 **A**: ?AB AR GG ?IN TR
masculinum Plavilstshikov, 1927a: 51 [RN]
obesum Tournier, 1872: 340 [HN]
suramense Breuning, 1946: 98 [RN]
sturmii Frivaldszky von Frivald, 1837: 179 **E**: BU MC TR
subcinctellum Breuning, 1962a: 275 **A**: TR
subdivisum Breuning, 1955d: 263 **A**: TR **#129**
subinterruptum Pic, 1900g: 12 **E:** TR **A**: TR

indivisum Pic, 1900g: 12
subsericatum majus Breuning, 1962a: 371 **A**: TR
subsericatum rufipenne Breuning, 1946: 118 **A**: TR
cankiriense Breuning, 1962c: 39
subsericatum subsericatum Pic, 1901b: 12 **A**: TR
paphlagoniense Breuning, 1944a: 12
subsericatum vulneratum Pesarini & Sabbadini, 1999: 51 **A**: TR
sulcipenne argonauta Suvorov, 1913: 74 **A**: AR TR **#19**
kurda Suvorov, 1913: 76
sulcipenne caucasicum Küster, 1847b: 98 **A**: AR GG
impressicorne Tournier, 1872: 282
sulcipenne borzhomiense Danilevsky, 2014g: 677 **A**: GG
sulcipenne demokidovi Suvorov, 1915: 115 **A**: GG (Mukuzani env.) **#19**
sulcipenne goktshanum Suvorov, 1915: 117 **A**: AR (NW coast of Sevan Lake)
armenum Suvorov, 1915: 117
sulcipenne gubini Danilevsky, 2014g: 674 **A**: GG (Dedoplistskaro env.)
sulcipenne maljushenkoi Pic, 1904b: 8 **A**: AB (Gyanja env.) **#19**
sulcipenne paki Danilevsky, 2014g: 674 [“South-east Georgia”] **A**: GG
sulcipenne plyushchi Danilevsky, 2014g: 673 **A**: GG (Signakhi env.)
sulcipenne sulcipenne Küster, 1847a: 87 **A**: GG **#19**
sulcipenne zekariense Danilevsky, 2014g: 678 **A**: GG (Zekari Pass)
susheriense Breuning, 1970d: 97 **A**: TR (“au Sud de Susheri [Susehri]” - Sivas) **#129**
syriense Breuning, 1943b: 94 **A**: ?SY TR
taborskyi Heyrovský, 1941d: 149 **E**: GR **#583**
joanninae Breuning, 1967a: 1
lianokladii Breuning, 1962a: 255
margheritae Breuning, 1964c: 32
wewalkai Breuning, 1974g: 150
talyschense sabalanum, Lazarev, 2017b: 880 **A**: IN
talyschense talyschense Ganglbauer, 1884: 491 **A**: AB (Talysh) IN
posticeinterruptum Pic, 1900g: 12
talyshense Plavilstshikov, 1958a: 234 [unjustified emendation]
tassii Breuning, 1964c: 32 **E**: GR
tauricum pittinoi Pesarini & Sabbadini, 2010: 185 **E:** GR **#583**
tauricum tauricum Waltl, 1838: 468 **E**: BU GR MD RO SB TR UK **#583**
nigritarse Kraatz, 1873a: 77
taygetanum Pic, 1902c: 10 **E**: GR
tebrisicum Plavilstshikov, 1951: 119 **A**: IN
tekmanense Bernhauer & Peks, 2016: 89 **A:** TR
tenebricolorum Özdikmen & Tezcan, 2021: 115 **A:** TR
theophilei costiferum Pic, 1898h: 57 [“Trebizonde”] **A:** TR **#172**
theophilei kostandagense Bernhauer & Peks, 2016: 91 [Kostandağ pass] **A:** TR **#172**
theophilei theophilei Pic, 1898h: 57 [“Trebizonde”] **A**: TR
kadleci Bernhauer & Peks, 2016: 90 [Zigana pass above Trabzon] **#172**
tokatense niksarense Bernhauer & Peks, 2013b: 327 **A:** TR **#129**
tokatense tokatense Pic, 1901b: 12 [Tokat] **A:** TR **#129**
tuerki Ganglbauer, 1884: 486 **A**: IN
curtulum Pic, 1906f: 50
lundbladi Breuning, 1947d: 141 [“Transcaucasie: Achal-Zich” - Akhaltsikhe]
tuleskovi Heyrovský, 1937a: 30 **E**: GR
frigidum Meschnigg, 1947: 137
olympicola Heyrovský, 1941d: 148
turcicum Breuning, 1963f: 35 **A**: TR
turkestanicum altimonticola Danilevsky, 2023: 183 **A**: KI KZ TD UZ
turkestanicum magnum Danilevsky, 2023: 184 **A**: KZ
turkestanicum turkestanicum Kraatz, 1881: 335 **A**: KZ UZ **#517**
samarkandiae Breuning, 1946: 130
ullrichi Bernhauer, 1988: 102 **A**: TR
urmianum Plavilstshikov, 1937a: 27 **A**: IN TR
variegatum Ganglbauer, 1884: 502 **A**: SY TR
varium Pesarini & Sabbadini, 2014: 19 **A**: TR
veluchense albanicum Heyrovský, 1934b: 135 **E**: AL **#125**
veluchense australe Pesarini & Sabbadini, 2013b: 39 **E**: GR
veluchense maliacum Pesarini & Sabbadini, 2013b: 40 **E**: GR
veluchense veluchense Pic, 1903a: 6 **E**: GR
vincenzae Pesarini & Sabbadini, 2007b: 60 **E**: GR
wagneri karayaziense Bernhauer & Peks, 2016: 90 [“15 km ö. Karayazı Köyçegizgeç, ca 130 km sö. Erzurum”] **A:** TR **#172**

wagneri wagneri Küster, 1846a: 87 [“Araratgebirge”] **A:** AR ?GG TR
solyzinosum Pic, 1942**b**: 2 **#16**
weyersii Fairmaire, 1866b: 271 **A**: TR
aolense Pic, 1942b: 1
weyersii J. Thomson, 1867a: 51 [HN] [“Armenia”]
xerophilum Pesarini & Sabbadini, 2007b: 54 **E**: GR
yilmazi Özdikmen & Kaya, 2016: 21 **A**: TR **#110**
zanteanum Breuning & Villiers, 1967a: 37 (*Pedestredorcadion*) **E**: GR
subgenus *Dorcadion* Dalman, 1817a: 397 type species *Cerambyx glicyrrhizae* Pallas, 1773
Compsodorcadion Ganglbauer, 1884: 437 type species *Dorcadion gebleri* Kraatz, 1873
abakumovi abakumovi J. Thomson, 1865: 548 **A**: KZ (Lepsinsk env.)
abakumovi laterale Jakovlev, 1895a: 287 **A**: KZ (Gerasimovka env. = Sapak)
abakumovi lepsyense Danilevsky, 2004b: 5 **A**: KZ (Андреевка env. = Kabanbay)
kapanovi Kadyrbekov, 2022: 7 (“17 km north of Kabanbay”) ##**740**
abakumovi sarkandicum Danilevsky, 2004b: 4 **A**: KZ (Sarkand env.)
aizhanae Kadyrbekov, 2004: 94
alakoliense alakoliense Danilevsky, 1988a: 12 **A**: KZ (Alakol Lake near Koktuma)
alakoliense zlatanovi Kadyrbekov, 2022: 8 **A**: KZ (“Dzhungarskiy Alatau, Saykan ridge, 15 km south-west from Enbekshi”)
cephalotes Jakovlev, 1889: 252 (*Compsodorcadion*) **A**: KZ XIN
alexii Suvorov, 1915: 121 (*Compsodorcadion*)
crassipes crassipes Ballion, 1878: 368 **A**: KZ
crassipes glazunovi Suvorov, 1910b: 69 **A**: KZ (SE Dzhungarsky Alatau) XIN
crassipes validipes Jakovlev, 1906c: 279 **A**: KI XIN
chantengrii Breuning, 1943b: 95
robustissimum Pic, 1908d: 35
ganglbaueri ganglbaueri Jakovlev, 1898: 676, 677 **A**: KZ
ganglbaueri paveli Danilevsky, 2013h: 35 **A:** KZ
gebleri demimetrum Danilevsky, 1996a: 3 **A**: KZ
gebleri gebleri Kraatz, 1873a: 33 **A**: KZ XIN
jakovlevianum Suvorov, 1911a: 60
occidentale Breuning, 1947e: 164
pallasii Gebler, 1848: 402 [HN] (not *pallassii* Fischer von Waldheim, 1805 [?1806])
zaisanense Suvorov, 1911a: 61
gebleri lukhtanovi Danilevsky, 1996a: 4 **A**: KZ (N Zaysan Lake)
gebleri takyr Danilevsky, 1996a: 5 **A**: KZ (NE Zaysan Lake: Buran)
gebleri terektensis Danilevsky, 2023: 210 **A**: KZ (S Markakol Lake)
glicyrrhizae androsovi Suvorov, 1909b: 93 **A**: KZ
dalilae Kadyrbekov, 2004: 94 **#517**
glicyrrhizae braginae Danilevsky, 2023: 191 **A**: KZ (Naurzum Reserve)
glicyrrhizae chuvilini Danilevsky, 2012a: 46 **A:** KZ (Aktalagay Mts)
glicyrrhizae dostojewskii Semenov, 1899d: 655 **A**: KZ (Mangyshlak Peninsula)
glicyrrhizae dubianskii Jakovlev, 1906c: 278 **A**: KZ WS
glicyrrhizae eugenyi Abramov, 2015: 39 **A**: KZ [“W Kazakhstan, 55 km E Zhympity]
glicyrrhizae fedorenkoi Danilevsky, 2001c: 17 **A**: KZ (Emba env.)
glicyrrhizae galinae Danilevsky, 2001c: 23 **A**: KZ (Arkalyk env.)
glicyrrhizae glicyrrhizae Pallas, 1773: 723 (*Cerambyx*) **E**: ?ST KZ (Urda env.) **A**: ?KZ
glicyrrhizae guberlense Danilevsky, 2006a: 19 **A**: WS (Orenburg Reg., Gay Distr., Kazachya Guberlya)
glicyrrhizae inderiense Suvorov, 1911a: 69 **E**: KZ **A**: KZ (Inder Lake env.)
glicyrrhizae ishkarganum Danilevsky, 2009c: 69 [“south most area of Orenburg region, 9 km SE Troitzk”] **A**: WS
glicyrrhizae ivanovi Danilevsky, 2023: 193 **A:** KZ (W Kazakhstan, 107 km SW Chelkar)
glicyrrhizae korshikovi Danilevsky, 2006a: 9 [“Orenburg reg., Sol-Iletsk distr., Novoiletsk env.”] **A**: KZ WS
glicyrrhizae murati Danilevsky, 2013f: 434 [“Atyrau Region, about 50km S Kulsary”] **A:** KZ
glicyrrhizae nemkovi Danilevsky, 2006a: 15 **E**: ST KZ **A**: KZ
glicyrrhizae nikireevi Danilevsky, 2001c: 19 **A**: KZ (Kustanay env.)
glicyrrhizae obtusipenne Motschulsky, 1860e: 538 [1861c: 444] **A**: KZ (Kzyl-Orda env.)
glicyrrhizae pseudostriatum Danilevsky, 2023: 200 **A**: KZ (N Kazakhstan Region)
glicyrrhizae striatum Goeze, 1777: 464 [HN] (not Linnaeus, 1758) (*Cerambyx*) **E**: CT KZ ST **A**: KZ **#71**
fimbriatum Gmelin, 1790: 1862 (*Cerambyx*)
iliense Plavilstshikov, 1937a: 31 [“fl. Ili, Karatshekinskoje”, Карачок = Karashoky]
olivieri J. Thomson, 1867a: 39
rufifrons Motschulsky, 1860c: 311 [= 1860d: 304]
glicyrrhizae tobolense Danilevsky, 2001c: 22 **A**: KZ (Kustanay region, Adaevka environs)
glicyrrhizae turgaicum Suvorov, 1915: 121 (*Compsodorcadion*) **A**: KZ
akmolicum Suvorov, 1915: 121 (*Compsodorcadion*)
glicyrrhizae uilense Danilevsky, 2023: 189 **A**: KZ [Uil River]
glicyrrhizae uvarovi Suvorov, 1911b: 279 [“Umgegend der Stadt Temir”] **A**: KZ
tenuelineatum kolovi Kadyrbekov, 2022: 7 **A**: KZ [“Kaykan ridge”] **#740**

tenuelineatum tenuelineatum Jakovlev, 1895a: 286 **A**: KZ (NE Dzhungarsky Alatau: Glinovka = Ushbulak)
separatum Pic, 1897f: 94
subgenus *Maculatodorcadion* Breuning, 1943d: 525 type species *Dorcadion quadrimaculatum* Küster, 1848
janssensi Breuning, 1966b: 21 **A**: TR
quadrimaculatum nodicorne Tournier, 1872: 287 [Taurus] **A**: TR
quadrimaculatum quadrimaculatum Küster, 1848b: 79 **E**: GR TR
bimaculatum Pic, 1898h: 56
clementinum Pic, 1918d: 11
innotatum Pic, 1908a: 2
~~*triste lesvicum* Mpamnaras, Zafeiriou & Özdikmen, 2020a: 16 **E**: GR (Lesbos Is.) **[not available name!]**~~ **#494**
triste lesvicum Mpamnaras, Zafeiriou & Özdikmen, 2020b: 727 **E**: GR (Lesbos Is.)
triste phrygicum Peks, 1993: 8 [Antalya: Kaş] **A**: TR **#49**
triste triste Frivaldszky von Frivald, 1845: 184 ["Smyrna"] **A**: TR
wolfi Krätschmer, 1985: 24 **A**: TR
subgenus *Megalodorcadion* Pesarini & Sabbadini, 1999: 58 type species *Dorcadion ledereri* J. Thomson, 1865 **#46 #517**
Anatolodorcadion Özdikmen & Kaya, 2015a: 3 type species *Dorcadion dombilicoides* Özdikmen & Kaya, 2013 **#46**
Fusodorcadion Özdikmen & Kaya, 2015a: 3 type species *Dorcadion parallelum* Küster, 1847 **#46**
dombilicoides Özdikmen & Kaya, 2013: 494 **A**: TR
escherichi Ganglbauer, 1897b: 54 **A**: TR
angorense Ganglbauer, 1897b: 57
egregium Ganglbauer, 1897b: 56
obliquesignatum Pic, 1900g: 12
posticedisjunctum Pic, 1909: 99
glabrofasciatum K. Daniel, 1900: 140 **A**: TR
imparivittatum K. Daniel, 1900: 140
nudefasciatum Özdikmen & Şenyüz, 2015: 647 (*Megalodorcadion*) **#517**
ledereri J. Thomson, 1865: 548 **A**: TR
parallelum Küster, 1847b: 79 **A**: TR
walteri Holzschuh, 1991c: 55 **A**: TR

genus *Eodorcadion* Breuning, 1947d: **142** type species *Lamia carinata* Fabricius, 1781
subgenus *Altaidorcadion* Karpiński, 2025: 8 type species *Neodorcadion maurum* Jakovlev, 1889
maurum australe Danilevsky, 2014a: 151 **A**: MG
maurum katharinae Reitter, 1898a: 21 (*Neodorcadion*) **A**: ES MG
maurum maurum Jakovlev, 1889: 247 (*Neodorcadion*) **A**: ES MG
boldi Heyrovský, 1965b: 45
fortecostatum Heyrovský, 1975: 22
grumi Suvorov, 1909a: 80 (*Neodorcadion*)
hirtipes Jakovlev, 1901c: 159 (*Neodorcadion*)
maurum otgonum Danilevsky, 2022a: 299 **A**: MG
maurum quinquevittatum Hammarström, 1892: 192 (*Neodorcadion*) **A**: ES
maurum sajanicum Hammarström, 1892: 193 (*Neodorcadion*) **A**: ES
leucogrammum Suvorov, 1909a: 82 (*Neodorcadion*)
ptyalopleurum Suvorov, 1909a: 84 (*Neodorcadion*) **A**: ES
tuvense Plavilstshikov, 1958a: 451 **A**: ES
subgenus *Arenodorcadion* Karpiński, 2025: 9 type species *Neodorcadion egregium* Reitter, 1897
brandtii Gebler, 1841b: 610 (*Dorcadion*) **A**: KZ (N Zaisan Lake) XIN **#865**
dux Jakovlev, 1893b: 120 (*Neodorcadion*)
nigrolineatum Reitter, 1897a: 182 (*Neodorcadion*)
egregium egregium Reitter, 1897a: 180 (*Neodorcadion*) **A**: MG XIN
albitarsale Breuning, 1966f: 257
egregium kabaki Kadyrbekov, 2004: 93 **A**: XIN **#278**
subgenus *Eodorcadion* Breuning, 1947d: 142 type species *Lamia carinata* Fabricius, 1781
altaicum altaicum Suvorov, 1909a: 89 (*Neodorcadion*) **A**: KZ (NE Zaisan)
altaicum violovitshi Danilevsky & Korshunov, 2022: 514 **A**: WS (Ust-Koksa)
carinatum blessigi Ganglbauer, 1884: 512 (*Neodorcadion*) **A**: ES (Khakassiya) KZ (Zaisan, Ridder) WS (Altay)
carinatum bramsoni Pic, 1901p: 67 (*Neodorcadion*) **A**: WS (Altay: Chemal env.)
gassneri Breit, 1917a: 65 (*Neodorcadion*)
carinatum carinatum Fabricius, 1781: 222 (*Lamia*) **E**: CT ST **A**: ES KZ WS
carinatum involvens Fischer von Waldheim, 1823: pl. 1 (*Dorcadion*) **A**: ES FE HEI MG NMO XIN
longjiangense Z. Wang, 2003: 299
vestitum Jakovlev, 1901c: 150, 152 (*Neodorcadion*)
carinatum kiahtenum Danilevsky, 2007a: 31 **A**: ES (Kyakhta env.)
chinganicum chinganicum Suvorov, 1909a: 90 (*Neodorcadion*) **A**: NMO
chinganicum darigangense Heyrovský, 1967a: 104 **A**: MG
chinganicum mandschukuoense Breuning, 1944a: 15 (*Neodorcadion*) **A**: JIL LIA
jilinense Chiang, 1983: 60, 66 [unnecessary RN}

gansuense Breuning, 1943b: 99 (*Neodorcadion*) **A**: GAN
glaucopterum Ganglbauer, 1884: 511 (*Neodorcadion*) **A**: GAN NMO QIN SHA **#400**
albescens Breuning, 1943b: 99 (*Neodorcadion*)
annulicorne Breuning, 1947d: 142
atratum Jakovlev, 1901c: 153 (*Neodorcadion*)
grisescens Breuning, 1947d: 142
przewalskyi Jakovlev, 1887b: 317 (*Neodorcadion*)
przewalskii Jakovlev, 1900a: 71 (*Neodorcadion*) [unjustified emendation]
kadleci Danilevsky, 2007a: 62 **A**: GAN
minicarinatum Danilevsky & Lin, 2012b: 22 **A**: ANH SHA **#400**
multicarinatum Breuning, 1943b: 99 (*Neodorcadion*) **A**: GAN NMO QIN SHA SHX **#225**
oligocarinatum Danilevsky, 2007a: 55 **A**: SHX SHA **#225**
rubrosuturale kerulenum Danilevsky, 2007a: 41 **A**: MG
rubrosuturale rubrosuturale Breuning, 1943b: 98 (*Neodorcadion*) **A**: HEB NMO
shanxiense Danilevsky, 2007a: 52 **A**: SHX
sifanicum Suvorov, 1912: 74 (*Neodorcadion*) **A**: GAN HEN **#400**
sinicum Breuning, 1948c: 57 **A**: CH
virgatum subvirgatum Pic, 1914e: 74 (*Neodorcadion*) **A**: NMO
virgatum taihangense Danilevsky & Lin, 2012b: 21 **A**: SHX
virgatum virgatum Motschulsky, 1854b: 65 (*Dorcadion*) **A**: BEI GAN HEB ?MG NMO SHA SHX TIA **#400**
subgenus *Humerodorcadion* Danilevsky, Kasatkin & Rubenian, 2005: 133 type species *Dorcadion humerale* Gebler, 1823 **#865**
humerale humerale Gebler, 1823: 130 (*Neodorcadion*) **A**: ES HEI MG NMO
humerale impluviatum Faldermann, 1833: 66 (*Dorcadion*) **A**: MG
irroratum Reitter, 1893b: 224 (*Neodorcadion*)
humerale quadrilineatum Breit, 1915: 355 (*Neodorcadion*) **A**: HEB NMO
humerale trabeatum Jakovlev, 1901c: 148 (*Neodorcadion*) **A**: BEI FE HEI JIL NMO SHN **#400**
humerale xinganum S.-N. Chiang & Z. Wang, 2003: 304, 396 **A**: JIL HEI NMO
lutshniki altanelsense Heyrovský, 1973b: 124 **A**: MG
lutshniki bicoloratum Danilevsky, 2007a: 158 **A**: ES
lutshniki burenum Danilevsky, 2007a: 158 ["Buren river valley in Tuva Republic of Russia"] **A**: ES
lutshniki lutshniki Plavilstshikov, 1937a: 33 (*Neodorcadion*) **A**: ES
subgenus *Ornatodorcadion* Breuning, 1947d: 142 type species *Dorcadion ornatum* Faldermann, 1833
argaloides Breuning, 1947e: 172 **A**: MG NMO
consentaneum Jakovlev, 1899a: 241 (*Neodorcadion*) **A**: MG
hirticolle Jakovlev, 1901c: 154 (*Neodorcadion*)
insigne Jakovlev, 1901c: 160 (*Neodorcadion*)
dorcas dorcas Jakovlev, 1901c: 163 (*Neodorcadion*) **A**: MG
annulatum Heyrovský, 1969b: 229
morosum Jakovlev, 1901c: 162 (*Neodorcadion*)
pruinosum Jakovlev, 1901c: 163 (*Neodorcadion*)
dorcas scabrosum Namkhaidorzh, 1972: 524 **A**: MG
exaratum argali Jakovlev, 1889: 249 (*Neodorcadion*) **A**: MG **#215**
hircum Jakovlev, 1906a: 1 (*Neodorcadion*)
miraculum Reitter, 1897a: 182 (*Neodorcadion*)
quadricarinatum Heyrovský, 1970b: 141
exaratum exaratum Ménétriés, 1854: 38 (*Dorcadion*) **A**: MG NMO
rugipenne Heyrovský, 1967a: 103
gorbunovi Danilevsky, 2004d: 7 **A**: MG
heros Jakovlev, 1899a: 237 (*Neodorcadion*) **A**: NIN NMO
intermedium intermedium Jakovlev, 1889: 246 (*Neodorcadion*) **A**: MG ?NMO
kaszabi Heyrovský, 1965b: 44
mongolicum Jakovlev, **1895b**: 508 (*Neodorcadion*)
intermedium kozlovi Suvorov, 1912: 71 (*Neodorcadion*) **A**: MG NMO **#710**
hedini Pic, 1935c: 12 (*Neodorcadion*)
jakovlevi fangzhoui Lin et Danilevsky, 2011: 381 **A**: NMO
jakovlevi jakovlevi Suvorov, 1912: 70 (*Neodorcadion*) **A**: NMO
kaznakovi kaznakovi Suvorov, 1912: 73 (*Neodorcadion*) **A**: NIN NMO
kaznakovi zhilini Lin et Danilevsky, 2011: 382 **A**: NMO
licenti Pic, 1939c: 25 (*Neodorcadion*) **A**: NMO **#400**
novitzkyi Suvorov, 1909a: 87 (*Neodorcadion*) **A**: MG NMO **#215**
oreadis Reitter, 1897a: 179 (*Neodorcadion*) **A**: XIN
ornatum Faldermann, 1833: 64 (*Dorcadion*) **A**: NMO **#400**
princeps Jakovlev, 1899a: 239 (*Neodorcadion*)
oryx Jakovlev, **1895b**: 506 (*Neodorcadion*) **A**: MG
potaninellum Danilevsky & Lin, 2012b: 23 **A**: SHA
potanini Jakovlev, 1889: 245 (*Neodorcadion*) **A**: NMO
pseudornatum Danilevsky & Lin, 2012b: 24 **A**: SHA

savitskyi Danilevsky, 2014a: 152 **A**: MG
wenhsini Ch.-W. Yang & Danilevsky, 2013: 93 **A**: NMO
zhaoi Danilevsky, X. Chen & Lin, 2019: 141 **A**: NMO
zichyi Csiki, 1901: 115 (*Neodorcadion*) **A**: MG

genus *Iberodorcadion* Breuning, 1943d: **524** type species *Cerambyx fuliginator* Linnaeus, 1758
subgenus *Baeticodorcadion* Vives, 1976: 166 type species *Dorcadion mus* Rosenhauer, 1856
amorii amorii Marseul, 1856: 48 (*Dorcadion*) **E**: SP
penascosum Lauffer, 1911: 44 (*Dorcadion*)
staudingeri Chevrolat, 1862: 345 (*Dorcadion*)
amorii segurense Escalera, 1911: 82 (*Dorcadion*) **E**: SP
albacetae Breuning, 1947e: 161 (*Dorcadion*)
seguranum Lauffer, 1911: 45 (*Dorcadion*)
atlantis Bedel, 1921: 60 (*Dorcadion*) **N**: MO
chiqui Verdugo, 2014: 165 **E**: SP
isernii Perez Arcas, 1868: 81 (*Dorcadion*) **E**: SP
ceballosi Breuning, 1948c: 64 (*Dorcadion*)
dispersepunctatum Escalera, 1924: 195 (*Dorcadion*)
impunctatum Breuning, 1943b: 98 (*Dorcadion*)
steparium Escalera, 1900: 239 (*Dorcadion*)
lorquinii cobosi Vives, 1979: 155 **E**: SP
lorquinii lorquinii Fairmaire, 1855: 322 (*Dorcadion*) **E**: SP
giganteum Escalera, 1911: 82 (*Dorcadion*)
rufolabrum Pic, 1912a: 35 (*Dorcadion*)
marmottani Escalera, 1900: 237 (*Dorcadion*) **E**: SP
cabrasense Nicolas, 1904b: 83 (*Dorcadion*)
robustioripenne Pic, 1941b: 2 (*Dorcadion*)
mucidum annulicorne Chevrolat, 1862: 346 (*Dorcadion*) **E**: SP (Andalucía) **#113**
mucidum coelloi Verdugo, 1996: 11 **E**: SP
mucidum lusitanicum Chevrolat, 1840: 16 (*Dorcadion*) **E**: PT SP **#495**
boabdil Flach, 1907: 18 (*Dorcadion*)
carinicolle Breuning, 1948c: 64 (*Dorcadion*)
evorense Breuning, 1943b: 98 (*Dorcadion*) **#495**
mucidum mucidum Dalman, 1817b: 173 (*Lamia*) **E**: SP **#113**
handschuchii Küster, 1848b: 77 (*Dorcadion*)
nigrosparsum Pic, 1941b: 3 (*Dorcadion*) (Málaga) **#113**
mucidum rondense Verdugo, 2003: 127 **E**: SP
mus grisescens Escalera, 1900: 240 (*Dorcadion*) **E**: SP
escalerai Pic, 1900q: 405 (*Dorcadion*)
mus mus Rosenhauer, 1856: 304 (*Dorcadion*) **E**: SP
andalusiacum Breuning, 1962a: 546 (*Dorcadion*)
quadrifuscivittatum Breuning, 1947e: 162 (*Dorcadion*)
rondae Flach, 1907: 19 (*Dorcadion*)
parmeniforme Escalera, 1902: 288 (*Dorcadion*) **E**: SP **#113**
suturale Chevrolat, 1862: 345 (*Dorcadion*) **E**: SP
insuturale Pic, 1898c: 22 (*Dorcadion*)
rufescentimembre Pic, 1947a: 9 (*Dorcadion*)
schaufussi Pic, 1947a: 9 (*Dorcadion*)
suturaloides Breuning, 1958b: 37 [RN]
subgenus *Hispanodorcadion* Vives, 1976: 166 type species *Dorcadion hispanicum* Mulsant, 1851
abantense Saz Fucho, Corraleño Iñarra & Murria Beltrán, 2016: 54 **E**: SP
abulense abulense Lauffer, 1902: 105 (*Dorcadion*) **E**: SP
granulosum Pic, 1904e: 17 (*Dorcadion*)
griseum Escalera, 1911: 83 (*Dorcadion*)
hispanoloides Escalera, 1911: 84 (*Dorcadion*)
infrafasciatum Pic, 1910h: 51 (*Dorcadion*)
laufferoides Escalera, 1911: 83 (*Dorcadion*)
nigripenne Escalera, 1911: 82 (*Dorcadion*)
perezoides Escalera, 1911: 84 (*Dorcadion*)
plurilineatum Escalera, 1911: 84 (*Dorcadion*)
puncticolle Breuning, 1944a: 14 (*Dorcadion*)
umbripenne Escalera, 1908: 336 (*Dorcadion*)
umbrosum Escalera, 1911: 83 (*Dorcadion*)
abulense granulipenne Escalera, 1908: 337 (*Dorcadion*) **E**: SP
aguadoi Aguado & Tomé, 2000: 68 **E**: SP
albicans albicans Chevrolat, 1862: 341 (*Dorcadion*) **E**: SP
aestivum Pic, 1910i: 79 (*Dorcadion*)
inalbicans Nicolas, 1904b: 83 (*Dorcadion*)
lainzi Breuning, 1956k: 726 (*Dorcadion*)

multialternatum Pic, 1910i: 79 (*Dorcadion*)
nigrinum Escalera, 1911: 82 (*Dorcadion*)
palentinum Lauffer, 1911: 27 (*Dorcadion*)
palentinum Escalera, 1911: 81 [HN] (*Dorcadion*)
reynosae Brisout de Barneville, 1866: 418 (*Dorcadion*)
albicans demandense Escalera, 1902: 286 (*Dorcadion*) **E**: SP
incanum Lauffer, 1911: 28 (*Dorcadion*)
albicans marinae Tomé & Bahillo, 1996: 715 **E**: SP
albicans vanhoegaerdeni Breuning, 1956k: 725 (*Dorcadion*) **E**: SP
aries Tomé & Berger, 1999: 393 **E**: SP
becerrae Lauffer, 1901: 90 (*Dorcadion*) **E**: SP
guadalajaranum Pic, 1910h: 90 #**304**
loroi Escalera, 1924: 196 (*Dorcadion*)
pruinosum Escalera, 1902: 285 (*Dorcadion*)
saturioi Escalera, 1924: 198 (*Dorcadion*)
bolivari bolivari Lauffer, 1898: 107 (*Dorcadion*) **E**: SP
diversevittatum Pic, 1941b: 2 (*Dorcadion*)
grisescens Pic, 1900c: 7 (*Dorcadion*)
laufferi Pic, 1900c: 7 (*Dorcadion*)
operosum Pic, 1947b: 1 (*Dorcadion*)
paulovittatum Pic, 1947b: 1 (*Dorcadion*)
rodriguesi Pic, 1900c: 405 (*Dorcadion*)
rufipes Escalera, 1900: 238 (*Dorcadion*)
semifulvovittatum Pic, 1947b: 1 (*Dorcadion*)
sparsealbum Pic, 1941b: 2 (*Dorcadion*)
toledense Pic, 1947a: 9 (*Dorcadion*)
bolivari danielae Saz, 2013: 116 **E**: SP
circumcinctum circumcinctum Chevrolat, 1862: 341 (*Dorcadion*) **E**: SP
arandae Schramm, 1911: 306 (*Dorcadion*)
ariasi Chevrolat, 1862: 341 (*Dorcadion*)
burgense Lauffer, 1911: 33 (*Dorcadion*)
burgosense Pic, 1910h: 82 (*Dorcadion*)
candidae Pic, 1914b: 8 (*Dorcadion*)
escorialense Chevrolat, 1866: 107 (*Dorcadion*)
sebastiani Pic, 1901i: 32 (*Dorcadion*)
seeboldi Escalera, 1902: 288 (*Dorcadion*)
circumcinctum tenuecinctum Pic, 1898c: 20 *(Dorcadion)* **E**: SP
rufobasicorne Pic, 1941b: 3 (*Dorcadion*)
ferdinandi Escalera, 1900: 235 (*Dorcadion*) **E**: SP
fuentei Pic, 1899a: 81 (*Dorcadion*) **E**: SP
bouvieri Escalera, 1900: 232 (*Dorcadion*)
elvirae Pic, 1904g: 58 (*Dorcadion*)
lesnei Escalera, 1900: 233 (*Dorcadion*)
graellsii cinereum Escalera, 1901: 81 **E**: SP
atienzanum Pic, 1910h: 51 (*Dorcadion*)
auripenne Escalera, 1908: 334 (*Dorcadion*)
cinerarium Lauffer, 1901: 92 (*Dorcadion*)
fuscolineatum Schramm, 1910: 288 (*Dorcadion*)
graellsii graellsii Graells, 1858: 91 (*Dorcadion*) **E**: SP
alternatum Chevrolat, 1862: 338 (*Dorcadion*)
consanguineum Lauffer, 1911: 40 (*Dorcadion*)
costicolle Chevrolat, 1862: 339 (*Dorcadion*)
latealbidum Pic, 1910h: 90 (*Dorcadion*)
ovale Chevrolat, 1870: 85 (*Dorcadion*)
subbrevelineatum Pic, 1941a: 5 (*Dorcadion*)
graellsii incallosum Escalera, 1908: 335 (*Dorcadion*) **E**: SP
paradoxum Escalera, 1908: 336 (*Dorcadion*)
pulvipenne Escalera, 1908: 335 (*Dorcadion*)
graellsii longipenne Chevrolat, 1862: 342 (*Dorcadion*) **E**: SP
bisbilineatum Pic, 1910h: 90 (*Dorcadion*)
cazurroi Lauffer, 1901: 91 (*Dorcadion*)
matritense Schramm, 1910: 288 (*Dorcadion*)
oberthueri Ganglbauer, 1884: 471 (*Dorcadion*)
tenuilineatum Escalera, 1924: 196 (*Dorcadion*)
grustani González, 1992: 3 **E**: SP
heydenii Kraatz, 1870a: 161 (*Dorcadion*) **E**: SP
internelineatum Pic, 1910h: 82 (*Dorcadion*)
semiglabratum Pic, 1910h: 82 (*Dorcadion*)
stableaui Chevrolat, 1870: 84 (*Dorcadion*)
korbi Ganglbauer, 1884: 469 (*Dorcadion*) **E**: SP
rubrocarinatum Pic, 1912a: 35 (*Dorcadion*)

martinezii Perez Arcas, 1874: 145 (*Dorcadion*) **E**: SP
espanoli Breuning, 1956k: 727 (*Dorcadion*)
longelineatum Pic, 1941a: 5 (*Dorcadion*)
molitor molitor Fabricius, 1775: 176 (*Lamia*) **E**: FR SP
aragonicum Breuning, 1957e: 51
brisouti Kraatz, 1873a: 68 (*Dorcadion*)
donzeli Mulsant, 1839: 129 (*Dorcadion*)
lineola Illiger, 1806: 238 (*Lamia*)
lutshniki Plavilstshikov, 1915b: 80 [RN] (*Dorcadion*)
pseudodonzeli Breuning, 1957e: 51
rubripes Pic, 1896c: 142 [HN] (*Dorcadion*)
senegalense J. Thomson, 1867a: 54 (*Dorcadion*)
superbum Lauffer, 1911: 34 (*Dorcadion*)
tutori Lauffer, 1911: 34 (*Dorcadion*)
molitor navasi Escalera, 1900: 234 (*Dorcadion*) **E**: SP
caesaraugustae Lauffer, 1911: 34 (*Dorcadion*)
tarraconense Breuning, 1967e: 93 (*Dorcadion*)
mosqueruelense Escalera, 1902: 283 (*Dorcadion*) **E**: SP
carbonarium Nicolas, 1904b: 83 (*Dorcadion*)
glabrocostatum Nicolas, 1909: 115 (*Dorcadion*)
nigritulum Escalera, 1924: 197 (*Dorcadion*)
prolongatum Pic, 1908d: 58 (*Dorcadion*)
pseuduhagoni Breuning, 1948c: 62 (*Dorcadion*)
neilense almarzense Escalera, 1902: 279 (*Dorcadion*) **E**: SP
brevipenne Pic, 1903l: 178 (*Dorcadion*)
circumalbum Escalera, 1924: 199 (*Dorcadion*)
costatum Escalera, 1902: 280 (*Dorcadion*)
logronense Pic, 1903l: 178 (*Dorcadion*)
nicolasianum Plavilstshikov, 1915b: 80 (*Dorcadion*)
nigratum Escalera, 1924: 200 (*Dorcadion*)
nivosum Escalera, 1924: 198 (*Dorcadion*)
obscuratum Escalera, 1924: 199 (*Dorcadion*)f
rufipedes Escalera, 1924: 199 (*Dorcadion*)
schrammi Nicolas, 1904a: 40 (*Dorcadion*)
subbrevipenne Pic, 1904a: 5 (*Dorcadion*)
urbionense Escalera, 1902: 280 (*Dorcadion*)
villosladense Escalera, 1902: 280 (*Dorcadion*)
vincenti Nicolas, 1904a: 39 (*Dorcadion*)
neilense neilense Escalera, 1902: 278 **E**: SP
nudipenne nudipenne Escalera, 1908: 337 (*Dorcadion*) **E**: SP
riazanum Pic, 1910h: 51 (*Dorcadion*)
nudipenne schrammianum Plavilstshikov, 1932d: 198 [RN] **E**: SP **#24**
perchini Saz, 2012: 404
tricolor Schramm, 1910: 287 [HN] (*Dorcadion*)
subtricolor Breuning, 1958b: 40 [RN]
paulae Iñarra & Beltrán, 2012: 43 **E**: SP
perezi cercedillanum Pic, 1900q: 404 (*Dorcadion*) **E**: SP
laufferi Escalera, 1900: 236 (*Dorcadion*)
schrammi Pic, 1903l: 178 (*Dorcadion*)
subpolitum Lauffer, 1901: 98 (*Dorcadion*)
perezi ghilianii Chevrolat, 1862: 338 (*Dorcadion*) **E**: SP
ebeninum Lauffer, 1901: 96 (*Dorcadion*)
reichei Chevrolat, 1862: 342 (*Dorcadion*)
perezi hispanicum Mulsant, 1851a: 125 (*Dorcadion*) **E**: SP
albidipenne Pic, 1907a: 8 (*Dorcadion*)
brunneofasciatum Lauffer, 1901: 94 (*Dorcadion*)
cebollerense Lauffer, 1911: 40 (*Dorcadion*)
diversepubens Pic, 1907a: 8 (*Dorcadion*)
encaustum Chevrolat, 1862: 337 (*Dorcadion*)
erythropus Lauffer, 1901: 93 (*Dorcadion*)
griseopubescens Lauffer, 1911: 41 (*Dorcadion*)
multilineatum Pic, 1907a: 8 (*Dorcadion*)
nigrolineatum Chevrolat, 1862: 339 (*Dorcadion*)
perezi ortunoi Hernández, 1991: 278 **E**: SP
perezi perezi Graells, 1849: 622 (*Dorcadion*) **E**: SP
anthracinum Chevrolat, 1870: 86 (*Dorcadion*)
rutilipes Nicolas, 1904b: 82 (*Dorcadion*)
septemvittatum Lauffer, 1901: 95 (*Dorcadion*)
pseudomolitor Escalera, 1902: 285 (*Dorcadion*) **E**: SP
segovianum dejeanii Chevrolat, 1862: 340 (*Dorcadion*) **E**: SP
albolineatum Escalera, 1924: 200 (*Dorcadion*)

baudueri Pic, 1910h: 91 (*Dorcadion*)
carbonicum Escalera, 1924: 200 (*Dorcadion*)
francianum Breuning, 1956k: 727 (*Dorcadion*)
montanum Lauffer, 1911: 53 (*Dorcadion*)
submontanum Lauffer, 1911: 54 (*Dorcadion*)
segovianum segovianum Chevrolat, 1862: 339 (*Dorcadion*) **E**: SP
castanarense Breuning, 1948c: 62 (*Dorcadion*)
corralimembris Pic, 1917g: 6 [RN] (*Dorcadion*)
gredosanum Lauffer, 1911: 50 (*Dorcadion*)
merceti Schramm, 1910: 286 (*Dorcadion*)
tornavacense Lauffer, 1911: 52 (*Dorcadion*)
tournieri Pic, 1910h: 91 (*Dorcadion*)
villatorense Breuning, 1962a: 606
seguntianum belbezei Escalera, 1914b: 152 (*Dorcadion*) **E**: SP **#24**
bilbilitanum Escalera, 1914b: 153 (*Dorcadion*)
ribotense Corraleño Iūarra, Murria Beltrán & Saz Fucho, 2013: 106 **#24**
seguntianum intermedium Escalera, 1902: 287 (*Dorcadion*) **E**: SP
seguntianum seguntianum K. Daniel & J. Daniel, 1898a: 78 (*Dorcadion*) **E**: SP **#24**
confluens Schramm, 1910: 288 (*Dorcadion*)
insidiosum Escalera, 1901: 87 (*Dorcadion*)
ruspolii Breuning, 1974a: 36 (*Dorcadion*)
terolense albarium Escalera, 1902: 283 (*Dorcadion*) **E**: SP **#24**
terolense terolense Escalera, 1902: 282 (*Dorcadion*) **E**: SP **#24**
georgei Pic, 1904e: 17 (*Dorcadion*)
glabripenne Pic, 1904a: 6 (*Dorcadion*)
multiplicatum Pic, 1908d: 58
terolense turdetanum Lauffer, 1911: 25 (*Dorcadion*) **E**: SP **#24**
denudatum Escalera, 1911: 80 (*Dorcadion*)
ignotum Escalera, 1911: 80 (*Dorcadion*)
uhagonii pradae Saz Fucho, 2007: 196 **E**: SP
uhagonii uhagonii Perez Arcas, 1868: 83 (*Dorcadion*) **E**: SP
avilense Breuning, 1947e: 158 (*Dorcadion*)
cuencaense Pic, 1941b: 3 (*Dorcadion*)
griseolineatum Pic, 1894d: cccxlviii (*Dorcadion*)
inhumerale Pic, 1898c: 21 (*Dorcadion*)
lacunosum Escalera, 1908: 335 (*Dorcadion*)
multidisjunctum Pic, 1941b: 3 (*Dorcadion*)
panteli Théry, 1892: xcvi (*Dorcadion*)
subirreductum Pic, 1910h: 82 (*Dorcadion*)
valencianum Pic, 1910i: 79 (*Dorcadion*)
zarcoi Schramm, 1910: 285 (*Dorcadion*) **E**: SP #32
curvilineatum Schramm, 1910: 286 (*Dorcadion*)
rugulipenne Breuning, 1947e: 160 (*Dorcadion*)
zenete Anichtchenko & Verdugo, 2004: 33 **E**: SP
subgenus *Iberodorcadion* Breuning, 1943d: 524 type species *Cerambyx fuliginator* Linnaeus, 1758
brannani Schaufuss, 1870: 64 (*Dorcadion*) **E**: PT
lategriseovittatum Breuning, 1947e: 164 (*Dorcadion*)
castilianum Chevrolat, 1862: 347 (*Dorcadion*) **E**: SP
ardoisi Schramm, 1909: 297 (*Dorcadion*)
fuliginator andianum Pic, 1917g: 8 (*Dorcadion*) **E**: SP
fuliginator fuliginator Linnaeus, 1758: 393 (*Cerambyx*) **E**: AU BE FR GE ~~LA~~ LU NL SZ **#641**
annulicorne Chevrolat, 1882: 60 [HN] (*Dorcadion*)
atrum Bach, 1856: 32 (*Dorcadion*)
chevrolati Ganglbauer, 1884: 475 [RN] (*Dorcadion*)
fasciatum Geoffroy, 1785: 75 (*Cerambyx*)
flavicolle Breuning, 1957e: 44
fuliginosum Schrank, 1798: 658 (*Lamia*)
hypocrita Mulsant, 1862: 255 (*Dorcadion*)
jaenneri Hubenthal, 1908: 43 (*Dorcadion*)
mendax Mulsant, 1853b: 33
ovatum Sulzer, 1776: 45 (*Cerambyx*)
quadrilineatum Mulsant, 1839: 124 (*Dorcadion*)
subnitidipenne Pic, 1917g: 8 (*Dorcadion*)
vittiferum Aurivillius, 1922b: 46 (*Dorcadion*)
vittigerum Fabricius, 1802: 303 (*Lamia*)
fuliginator loarrense Berger, 1997: 40 **E**: FR SP
fuliginator meridionale Mulsant, 1839: 125 (*Dorcadion*) **E**: FR
alpinum Chevrolat, 1856b: 435 (*Dorcadion*)
guerryi Pic, 1917g: 8 (*Dorcadion*)
fuliginator monticola Mulsant, 1853b: 27 (*Dorcadion*) **E**: FR
fuliginator navarricum Mulsant, 1853b: 29 (*Dorcadion*) **E**: FR SP

fuliginator obesum Gautier des Cottes, 1870b: 263 (*Dorcadion*) **E**: FR
fuliginator pyrenaeum Germar, 1839: 16 (*Dorcadion*) **E**: FR SP
albodiversum Pic, 1945b: 7 (*Dorcadion*)
curtecostatum Pic, 1941b: 3 (*Dorcadion*)
fuliginator striola Mulsant, 1862: 258 (*Dorcadion*) **E**: FR
fuliginator urgulli Breuning, 1976c: 161 (*Dorcadion*) **E**: SP
mimomucidum Breuning, 1976c: 161 **E**: PT
seoanei kricheldorffi Pic, 1910i: 79 (*Dorcadion*) **E**: PT SP
cabrerense Breuning, 1956k: 724 (*Dorcadion*)
lainzgalloi Rodríguez, 1996: 189
suturelevatum Breuning, 1956k: 725 (*Dorcadion*)
seoanei laurae Bahillo, 1994: 65 **E**: SP
seoanei seoanei Graells, 1858: 93 (*Dorcadion*) **E**: SP
sulcatithorax Pic, 1909: 186 (*Dorcadion*)
spinolae caunense Lauffer, 1910: 92 (*Dorcadion*) **E**: SP
escalerae Lauffer, 1901: 89 [HN]
laufferianum Plavilstshikov, 1915b: 80 [RN]
spinolae soricinum Chevrolat, 1862: 347 (*Dorcadion*) **E**: SP
vallisoletanum Lauffer, 1901: 89 (*Dorcadion*)
spinolae spinolae Dalman, 1817b: 174 (*Lamia*) **E**: SP
basigranosum Breuning, 1943b: 97 (*Dorcadion*)
mulsanti Brisout de Barneville, 1866: 420 (*Dorcadion*)
paganettii Pic, 1910i: 79 (*Dorcadion*)

genus *Neodorcadion* Ganglbauer, 1884: **437** type species *Lamia bilineata* Germar, 1824 **#506 #517**
Calabrodorcadion Özdikmen & Kaya, 2015a: 5 type species *Neodorcadion calabricum* Reitter, 1889 **#46**
Vacarodorcadion Özdikmen & Kaya, 2015a: 5 type species *Dorcadion virleti* Brullé, 1832 **#46**
bilineatum Germar, 1824: 485 (*Lamia*) **E**: AL BH BU CR GR HU MC MD ME RO SB SK TR UK (Odessa env.) **#506**
macedonicum Pic, 1917g: 5
calabricum Reitter, 1889a: 41 **E**: IT
difforme Pesarini & Sabbadini, 2014: 16 **A**: TR
exornatoides Breuning, 1962a: 68 **A**: TR
exornatum Frivaldszky von Frivald, 1835: 268 (*Dorcadion*) **E**: BU GR RO TR **A**: TR
anticejunctum Pic, 1917g: 6
balcanicum Tournier, 1872: 284 (*Dorcadion*)
labyrinthicum J. Thomson, 1865: 549 (*Dorcadion*)
subdiversum Pic, 1917g: 6
fallax Kraatz, 1873a: 89 (*Dorcadion*) **E**: BU GR ~~MV~~
laqueatum Waltl, 1838: 469 (*Dorcadion*) **E**: BU TR **A**: TR
abeillei Tournier, 1872: 208 (*Dorcadion*)
anceyi Pic, 1913b: 186
bulgaricum Pic, 1913b: 186
diversesparsum Pic, 1914b: 8
interruptum Mulsant & Rey, 1863: 150 (*Dorcadion*)
insparsum Pic, 1914b: 8
kadiense Pic, 1917a: 10
lemoulti Pic, 1914b: 8
servilorum Pic, 1917g: 6
sparsenotatum Pic, 1914b: 8
sparsum Mulsant & Rey, 1863: 152 (*Dorcadion*)
subinterruptum Pic, 1917g: 6
orientale Ganglbauer, 1884: 510 **A**: TR
dispar Pic, 1892n: xxvii
eduardi Pic, 1900n: 82
flaschneri Pic, 1890d: clxxv
merkli Pic, 1893e: cxcvi
pelleti Mulsant & Rey, 1863: 149 (*Dorcadion*) **E**: GR SB TR **A**: TR
credulum Pic, 1917a: 10
disjunctum Pic, 1917g: 6
segne Mulsant & Rey, 1863: 155 (*Dorcadion*)
virleti Brullé, 1832: 258 (*Dorcadion*) **E**: GR
acarnanicum Pic, 1914b: 8
ionicum Pic, 1901l: 52
subbinotatum Pic, 1914b: 8

genus *Politodorcadion* Danilevsky, 1996d: **407** type species *Dorcadion politum* Dalman, 1823 **#727**
archarlense Danilevsky, 1996d: 411 (*Dorcadion*) ["Karaganda reg., to the north from Archarly Mts"] **A**: KZ
lativittis Kraatz, 1878b: 219 (*Dorcadion*) **A**: KZ MG XIN **#517**
altaiense Pic, 1898f: 44 (*Dorcadion*)
cribricolle Kraatz, 1882b: 196 (*Dorcadion*)

politum akmolense Suvorov, 1911a: 63 (*Dorcadion*) **E**: ST **A**: KZ
politum balchashense Suvorov, 1911a: 64, 69 (*Dorcadion*) **A**: KZ **#727**
politum betpakdalense Danilevsky, 1996d: 410 (*Dorcadion*) **A**: KZ (Betpakdala Desert) **#727**
politum eurygyne Suvorov, 1911a: 65, 69 (*Dorcadion*) **A**: KZ WS **#727**
politum knyazevi Danilevsky, 2020c: 104 **A:** WS (Omsk Region)
politum lailanum Danilevsky, 2007e: 204 **A**: KZ (Kalbinsky Ridge, about 5km N Samarka) **#727**
politum naurzumense Danilevsky, 2023: 272 **A**: KZ (Naurzum Reserve)
politum politum Dalman, 1823: 68 (*Dorcadion*) **A**: KZ WS
basicorne Pic, 1929b: 9 (*Compsodorcadion*)
conjunctum Pic, 1898f: 45 (*Dorcadion*)
lydiae Plavilstshikov, 1929b: 209 (*Dorcadion*)
politipenne Pic, 1897f: 94 (*Dorcadion*)
politum shapovalovi Danilevsky, 2006a: 2 **E**: ST (S Orenburg Region) **A**: KZ
politum tarbagataicum Danilevsky, 2023: 275 **A**: KZ (Tarbagatay Mts, Urdzhar)
ribbei bobrovi Danilevsky, 2001f: 631 (*Dorcadion*) **A**: KZ (Zaysan-city env.)
ribbei ribbei Kraatz, 1878b: 220 (*Dorcadion*) **A**: KZ (Tarbagatay Mts) XIN
corallipes Ganglbauer, 1884: 476 (*Dorcadion*)
rubrofemoratum Pic, 1897f: 94 (*Dorcadion*)

genus *Trichodorcadion* Breuning, 1942a: 116 type species *Trichodorcadion gardneri* Breuning, 1942
dubiosum Breuning, 1954f: 265 **A**: "India"
gardneri Breuning, 1942a: 116 **A**: NP UP

tribe Dorcaschematini J. Thomson, 1860

genus *Cylindrecamptus* Breuning, 1940e: 560 type species *Olenecamptus lineatus* Aurivillius, 1914
lineatus Aurivillius, 1914: 25 (*Olenecamptus*) **A**: YUN **ORR**
interruptus Pic, 1922c: 14 (*Olenecamptus*)

genus *Cylindrepomus* Blanchard, 1853: 268 type species *Cylindrepomus nigrofasciatus* Blanchard, 1853
Hippardium Pic, 1925a: 21 type species *Olenecamptus rubriceps* Aurivillius, 1907
[*fouqueti fouqueti* Pic, 1832h: 138 (*Olenecamptus*) (Saigon)]
fouqueti hainanensis Hua, 1979: 110 (*Olenecamptus*) **A**: HAI
viridipennis Pic, 1937b: 7 (*Olenecampus*) **A**: YUN **ORR**

genus *Macrocamptus* L. S. Dillon & E. S. Dillon, 1948: 253 type species *Cylindrepomus virgatus* Gahan, 1890
virgatus Gahan, 1890a: 61 (*Cylindrepomus*) **A**: AP SD **#280**

genus *Microlenecamptus* Pic, 1925a: 22 type species *Cylindrepomus albonotatus* Pic, 1925
[*albonotatus albonotatus* Pic, 1925: 22 (*Cylindropomus* - misspelling) (Tonkin)]
albonotatus flavosignatus Breuning, 1965d: 53 **A**: GUX **ORR**
albonotatus reductesignatus Rondon & Breuning, 1970: 480 **A**: GUX **ORR** **#305**
biocellatus Schwarzer, 1925b: 63 (*Olenecamptus*) **A**: ANH GUA HUN TAI
virescens Savio, 1929: 8
nakabayashii Takakuwa, 1992: 102 **A**: JA (Ryukyus)
obsoletus Fairmaire, 1888b: 145 (*Olenecamptus*) **A**: BEI FUJ HEB JIA TAI
albatus Matsushita, 1933b: 353 (*Dorcaschema*)
signatus Aurivillius, 1914: 25 (*Cylindrepomus*) **A**: GUX YUN **ORR**

genus *Olenecamptus* Chevrolat, 1835: 134 type species *Olenecamptus serratus* Chevrolat, 1835 (= *Saperda biloba* Fabricius, 1802)
Authades J. Thomson, 1857**e**: 191 type species *Authades indianus* J. Thomson, 1857
Ibidimorphum Motschulsky 1860b:152 type species *Ibidimorphum octopustulatum* Motschulsky, 1860
anogeissi Gardner, 1930: 156 **A**: HP NP **#159**
bilobus bilobus Fabricius, 1802: 324 (*Saperda*) **A**: AP FUJ GUA GUX HAI HEB HKG HP LIA NP PA SCH SD TAI UP YUN ZHE
AFR AUR ORR **#280 #159 #400 #525**
dahli Kriesche, 1926: 375
gressitti L. S. Dillon & E. S. Dillon, 1948: 158
luzonensis L. S. Dillon & E. S. Dillon, 1948: 228
rouyeri Pic, 1916d: 6
serratus Chevrolat, 1835: 134
ternatus L. S. Dillon & E. S. Dillon, 1948: 227
tonkinus L. S. Dillon & E. S. Dillon, 1948: 230
bilobus nipponensis L. S. Dillon & E. S. Dillon, 1948: 229 **A**: JA (Ryukyus)
bilobus quinquemaculatus L. S. Dillon & E. S. Dillon, 1948: 234 **A**: BT SD
clarus Pascoe, 1859: 44 **A**: ANH FUJ GUI HEB HEN HUB HUN JA JIA JIX NC SC SCH SHN TAI ZHE
cretaceus cretaceus Bates, 1873: 314 **A**: HEB HEN HUB JA JIA JIX SC SCH TAI ZHE **#63**
intactus L. S. Dillon & E. S. Dillon, 1948: 183 **#251**
cretaceus marginatus Schwarzer, 1925b: 63 **A**: HEN TAI **ORR**

dominus J. Thomson, 1860: 362 **A**: HAI NP YUN **ORR** **#390**
formosanus Pic, 1914d: 19 **A**: HUB JA SC TAI ZHE **ORR**
decemmaculatus Pic, 1916e: 13
hondoensis Seki, 1941: 453 [31]
fukutomii Hasegawa, 2004: 225 **A**: JA (Ogasawara Isls.)
griseipennis Pic, 1932g: 138 (*Cylindropemus*) **A**: GUI HUB SCH YUN ZHE
montanus Gressitt, 1942b: 4 (*Olenocamptus*)
indianus J. Thomson, 1857**e**: 192 (*Authades*) **A**: AP HAI HP NP SD TAI UP YUN **ORR** **#159** **#166**
albolineatus Pic, 1916d: 5
multinotatus Pic, 1916f: 141
salweeni Heller, 1926: 39
nigromaculatus Pic, 1915d: 14 **A**: XIZ
octopustulatus Motschulsky, 1860b: 152 (*Ibidimorphum*) **A**: ANH ES FE FUJ GAN GUI GUX HEI HEN HUB JA JIL JIX LIA MG NC NIN NMO SC SHA **?**TAI ZHE **?ORR** **#60**
chinensis L. S. Dillon & E. S. Dillon, 1948: 204
choseni Gilmour, 1956c: 754
mordkovitshi Tshernyshev & Dubatov, 2000: 386 [“East Siberia, Chita Area”]
pedongensis Breuning, 1968: 52 **A**: SD
pseudostrigosus Breuning, 1938c: 226 **A**: HP SD **ORR** **#159**
quadriplagiatus L. S. Dillon & E. S. Dillon, 1948: 197 **A**: GUX YUN **ORR** **#400**
riparius Danilevsky, 2011c: 67 **A**: FE JA (Tsushima Is.) NC NE SC YUN ZHE
siamensis Breuning, 1936: 319 **A**: YUN **ORR**
subobliteratus Pic, 1923c: 19 **A**: BEI FUJ GUI HEB HUB JIA JIX NE SCH SHA YUN ZHE
superbus Pic, 1908f: 16 **A**: YUN
taiwanus L. S. Dillon & E. S. Dillon, 1948: 229 **A**: GUA GUX HAI HKG JA TAI YUN

tribe Eunidiini Teocchi, Sudre & Jiroux, 2010 **#400** **#778**

genus *Eunidia* Erichson, 1843: 261 type species *Eunidia nebulosa* Erichson, 1843
Anomoesia Pascoe, 1858: 255 type species *Anomoesia fulvida* Pascoe, 1858
Aserixia Pic, 1925b: 31 type species *Aserixia savioi* Pic, 1925
Boucardia Pic, 1925b: 31 type species *Boucardia nigroapicalis* Pic, 1925
Frixus J. Thomson, 1857**f**: 313 type species *Frixus variegatus* J. Thomson, 1857
Mycerinella Heller, 1924c: 203 type species *Mycerinella subfasciata* Heller, 1924
Paphraecia Fairmaire, 1894b: 332 type species *Paphraecia obliquepicta* Fairmaire, 1894 (= *Eunidia nebulosa* Erichson, 1843)
Semiclinia Fairmaire, 1897e: 254 type species *Semiclinia denseguttata* Fairmaire, 1898
Syessita Pascoe, 1864c: 284 type species *Syessita vestigialis* Pascoe, 1864
Tritomicrus Fairmaire, 1892a: 125 type species *Tritomicrus marmoreus* Fairmaire, 1892
apicemaculata Breuning, 1939b: 214 **A:** PA UP **#274**
arabica Breuning, 1968c: 90 **A**: SA YE
arabensis Breuning, 1969d: 104 [unnecessary substitute name]
atripennis Pu & D.-R. Yang, 1993: 301, 305 **A**: CHQ GUI HUB YUN **#60**
atripes Breuning, 1960g: 475 **A**: GUA
breuningae Villiers, 1951: 201 **N**: EG **A**: OM SA YE **AFR**
djiboutiana Breuning, 1974e: 122
naviauxi Villiers, 1977: 168
renaudi Breuning, 1961f: 252
submarmorata Breuning, 1968c: 91
flavicans Breuning, 1954b: 16 **A**: YE **AFR**
haplotrita Aurivillius, 1911: 32 [218] **A**: OM SA YE **#774**
kristenseni Aurivillius, 1911: 29 [215] **A**: OM SA YE **AFR**
kumatai Hayashi, 1981a: 10 **A**: NP
lateralis Gahan, 1893b: 387 **A**: HAI NP YUN **ORR** **#525**
cincta Pic, 1926h: 237 (*Aserixia*)
nebulosa nebulosa Erichson, 1843: 262 **A**: OM SA YE **AFR**
brevicollis Fairmaire, 1896b: 394 (*Paraphraecia*)
distinguenda Aurivillius, 1926: 480
lateritia Fairmaire, 1903: 255 (*Diadelia*)
gabonica Breuning, 1938c: 214
mixta Gahan, 1909: 73
obliquepicta Fairmaire, 1894b: 332 (*Paraphraecia*)
proxima Breuning, 1938c: 215
puncticollis Fåhraeus, 1872b: 52
rustica Fåhraeus, 1872b: 53
senilis J. Thomson, 1868b: 137
nigricans Breuning, 1942d **N:** EG **AFR** **#778**
savioi Pic, 1925b: 31 (*Aserixia*) **A**: JIA SHA SHG **#225**
taiwanensis Hayashi & Nara, 1992: 148 **A**: TAI
fengkangshanensis Hayashi & Nara, 1992: 149

thomseni Distant, 1898: 377 **A**: SA YE **AFR**
albicans Breuning, 1938: 211
apiceclarior Breuning, 1967g: 297
bicoloripennis Breuning, 1974c: 413
clarkei Breuning, 1974c: 414
ferrandi Aurivillius, 1926: 482
guttata Breuning, 1957b: 71 [RN]
guttulata Aurivillius, 1908: 8
pseudoalbicans Breuning, 1968b: 58 [RN]
rubroscapus Breuning, 1962e: 71
subalbicans Breuning, 1967d: 86
suturebrunnea Breuning, 1977b: 273
zavattarii Breuning, 1942d: 94
yemeniensis Breuning, 1968c: 90 **A**: YE

genus *Eunidiella* Breuning, 1940b: 177 type species *Eunidiella pilosa* Breuning, 1940
pilosa Breuning, 1940b: 178 **A**: SD UP

genus *Parasophronica* Breuning, 1940d: 430 type species *Parasophronica strandiella* Breuning, 1940 **#715**
Falseunidia Breuning, 1943a: 52 type species *Falseunidia albosignata* Breuning, 1943
strandiella Breuning, 1940d: 430 **A**: HP NP SD **ORR** **#280**
alboguttata Gouverneur, 2021: 78
albosignata Breuning, 1943a: 52 (*Falseunidia*)

tribe Exocentrini Pascoe, 1864 **#778**

genus *Acartus* Fåhraeus, 1872b: 50 type species *Acartus hirtus* Fåhraeus, 1872
biplagiatus Aurivillius, 1926: 485 **A**: YE **AFR**

genus *Exocentrus* Dejean, 1835: 339 type species *Cerambyx balteatus* Fabricius *sensu* Dejean, 1835 (= *Cerambyx lusitanus* Linnaeus, 1767) **#44** **#517**
Bicolorihirtus Kusama & Tahira, 1978: 9 type species *Exocentrus venatoides* Kusama & Tahira, 1978
Camptomyne Pascoe, 1864a: 43 type species *Camptomyne callioides* Pascoe, 1864
Formosexocentrus Breuning, 1958f: 322 type species *Exocentrus variepennis* Schwarzer, 1925
Oligopsis J. Thomson, 1864: 111 type species *Oligopsis exocentroides* J.Thomson, 1864
Parasphigmothorax Breuning, 1974h: 155 type species *Parasphigmothorax ochreosignatus* Breuning, 1974
Pseudocentrus Fairmaire, 1901: 230 type species *Exocentrus reticulatus* Fairmaire, 1898
Striatoexocentrus Breuning, 1955a: type species *Exocentrus nonymoides* Jordan, 1894
adspersus Mulsant, 1846: [9] [NP] **E**: AL AU BE BH BU CR CZ FR GE GR HU IT LU MC MD ME NL PL RO SB SK SL SP ST SV SZ TR UK **A**: AB AR CY GG SY TR **#292**
alemdaghensis Breuning, 1981c: 182
clarae Mulsant & Rey, 1861b: 206 [1861c: 193]
hirsutulus Faldermann, 1837: 272 (*Astynomus*) [DA]
quercus Rossi, 1790: 143 (*Cerambyx*)
revelierei Mulsant & Rey, 1875a: 413 [=1875b: 77] (original spelling: *revelieri*)
alboguttatus alboguttatus Fisher, 1925: 240 **A**: GUX HAI KA NP UP YUN **ORR** **#242**
annamensis Breuning, 1957a: 15
multilineatipennis Breuning, 1974b: 42 [Indien: Kaluwala] **#242**
alboguttatus obscurior Pic, 1929a: 30 [“Tonkin”] **A**: FUJ HUB **ORR** **#242**
rufescens Pic, 1929a: 30 [Chine] **#242**
alboguttatus subconjunctus Gressitt, 1940b: 184 **A**: GUX HAI HKG **#242**
alboguttatus taiwanensis Kusama & Tahira, 1978: 22 **A**: TAI
alboseriatus Gahan, 1894a: 85 **A**: NP **ORR**
albomultiseriatus Breuning, 1964b: 6 [RN]
alboseriatipennis Breuning, 1963c: 13 [HN]
rubripennis Pic, 1929a: 29
submarginicollis Breuning, 1965b: 40 [Paksane]
alni Fisher, 1932: 298 **A**: NP SD
ochreosignatus Breuning, 1974h: 155 **#103**
andamanensis Fisher, 1932: 231 **A**: NP **ORR** **#242**
assamensis Breuning, 1972c: 419 **A**: AP
basirufus Gressitt, 1940b: 185 **A**: GUA HAI
becvari Holzschuh, 1999: 48 **A**: YUN
beijingensis S.-C. Chen, 1993: 197 **A**: BEI
blanditus Holzschuh, 2010: 199 **A:** SHA
brevisetosus Gressitt, 1938b: 167 **A**: HUB TAI YUN **ORR**
businskae Holzschuh, 2007: 266 **A**: XIZ
carissae Fisher, 1932: 312 **A**: HP NP PA UP
kuluensis Breuning, 1957g: 277

championi Fisher, 1940: 207 **A**: BT HP KA NP PA SCH UP
kashmirensis Breuning, 1957g: 277
collarti Breuning, 1958a: 41 **A**: BT
constricticollis Gressitt, 1940b: 186 **A**: HAI
coronatus Holzschuh, 2007: 276 **A**: YUN
cudraniae Fisher, 1932: 314 **A**: NP UP
dalbergiae Fisher, 1932: 310 **A**: NP PA UP **#274**
dalbergianus Gressitt, 1951a: 528 **A**: HUB
diminutus Holzschuh, 2007: 280 **A**: GUI
diversiceps Pic, 1931b: 259 **A**: BT NP SD YUN **ORR** **#242**
lateralis Pic, 1936: 299 [HN]
lateraloides Breuning, 1958f: 300
rufoampliatus Breuning, 1958f: 300
rufobasipennis Breuning, 1958f: 300
testaceus Fisher, 1932: 322 **#242**
euchromus Holzschuh, 2007: 279 **A**: HUN
explanatidens Pic, 1930d: 58 **A**: BT NP SD
fasciolatus fasciolatus Bates, 1873: 384 **A**: JA **#10**
curtipennis Pic, 1918a: 10 ["Japan"]
fasciolatus plavilstshikovi Danilevsky, 2014f: 664 **A**: FE ?NC NE SC **#525**
fastigatus Holzschuh, 2007: 275 **A**: YUN **ORR**
ficicola Fisher, 1932: 315 **A**: NP UP **ORR**
fisheri fisheri Gressitt, 1935b: 175 **A**: JA **#400** **#726**
fisheri marginatus Tsherepanov, 1973a: 124 **A**: FE JIX NC SC **#63** **#726**
flemingiae Fisher, 1932: 297 **A**: GUI NP SD UP YUN **ORR** **#400**
fuscoscapus Breuning, 1958f: 299
rufiscapus Pic, 1939e: 344
formosofasciolatus Kusama & Tahira, 1978: 17 **A**: TAI
fulvobrunneus Kusama & Tahira, 1978: 15 **A**: TAI
fumosus Gahan, 1894a: 85-86 **A**: UP **ORR**
seticollis Fisher, 1932: 300
galloisi Matsushita, 1933a: 397 **A**: JA **#63**
gaoligongensis Viktora & Weigel, 2025: 198 **A**: YUN
gardneri Fisher, 1932: 302 **A**: UP
granulicollis Fisher, 1932: 323-324 **A**: TAI **ORR** **#103**
rufithorax Gressitt, 1935e: 286 **#103**
grewiae Fisher, 1932: 317 **A**: NP UP
himalayanus Breuning, 1974b: 42
guttulatus guttulatus Bates, 1873: 385 **A**: JA
guttulatus ussuricus Tsherepanov, 1973c: 138 **A**: FE NC NE SC
hayashii Samuelson, 1965b: 119 **A**: JA (Ryukyus)
hupehensis hupehensis Gressitt, 1951a: 528 **A**: GUI HUB HUN **#103**
immaculatus Gressitt, 1951a: 529 **A**: TAI
keiichii Tsuyuki, 1999: 8 **A**: TAI
kentingensis Kusama & Tahira, 1978: 12 **A**: TAI
kleebergi Holzschuh, 2003b: 315 **A**: NP
koryonus Han & Hasegawa, 2022: 284 **A**: NC
kucerai Holzschuh, 1999: 48 **A**: YUN
kusamai Tsuyuki, 1999: 5 **A**: TAI
lineatus Bates, 1873: 384 **A**: FE JA JIX NC SC
longipennis Holzschuh, 1999: 50 **A**: YUN
lusitanus Linnaeus, 1767: 1067 (*Cerambyx*) **E**: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT KZ LA LS LT MC MD ME NR NT PL RO SB SK SL SP ST SV SZ TR UK **A**: AB AR GG KZ TR WS
balteatus Gyllenhal, 1817: 163 (*Lamia*)
crinitus Panzer, 1795: 249 (*Cerambyx*)
ochreoscutellatus Breuning, 1974: 155 **#103**
pubicornis Schrank, 1789: 76 (*Cerambyx*)
subpilosus Piller & Mitterpacher, 1783: 67 (*Cerambyx*)
marui Makihara, 1986b: 253 **A**: JA (Ryukyus)
melli Breuning, 1961i: 323 **A**: HKG **#400**
misellomimus Breuning, 1963b: 48 **A**: GUX **ORR**
montilineatus Kusama & Tahira, 1977: 39 **A**: JA
m-signatus Pic, 1933f: 6 **A**: SCH
pici Breuning, 1958f: 230
multiguttulatus Pic, 1927a: 24 **A**: HAI **ORR**
nakanei Makihara, 1986b: 254 **A**: JA (Ryukyus)
nanshanensis Kusama & Tahira, 1978: 14 **A**: TAI

nobuoi nobuoi Breuning & K. Ohbayashi, 1964: 29 **A**: JA (Ryukyus)
nobuoi nonakai Makihara, 1986b: 251 **A**: JA (Ryukyus)
nobuoi okinawensis Breuning & K. Ohbayashi, 1966: 35 **A**: JA (Ryukyus)
paraguttulatus Breuning & Chûjô, 1971: 31 **#657**
parassamensis Breuning, 1975d: 355 **A**: BT
parcus Holzschuh, 1984a: 157 **A**: NP
parrotiae Fisher, 1932: 296, 304 **A**: AF KA PA **#103**
klapperichi Breuning, 1957c: 12 **#103**
procerulus Holzschuh, 1984: 154 **A**: NP
pseudopunctipennis Holzschuh, 1979a: 115 **E: ?**ST **A**: AB AR GG IN TM
pseudovariepennis Kusama & Tahira, 1978: 18 **A**: TAI
pubescens Fisher, 1932: 303 **A**: NP UP **ORR**
punctipennis punctipennis Mulsant & Guillebeau, 1856: 103 **E**: AL AU BH BU BY CR CT CZ EN FR GE GR HU IT LA LT LU MD ME PL RO SB SK SL SP ST SV SZ **?**TR UK **#687**
graecus Pic, 1901l: 52
punctipennis signatus Mulsant & Rey, 1863: 163 **E**: ST TR **A**: AB GG ?IN TR
ravillus Holzschuh, 1984a: 158 **A**: NP SD
ritae Sama, 1985a: 65 **A**: SY TR
rondoni Breuning, 1963b: 47 **A**: YUN **ORR**
satoi K. Ohbayashi, 1961a: 20 **A**: JA (Ryukyus)
savioi Pic, 1925e: 138 **A**: FUJ GUX JIA JIX SHG TAI
semiglaber Breuning, 1968a: 29 **A**: YUN **ORR**
seriatomaculatus Schwarzer, 1925c: 147 **A**: TAI **ORR**
specularis Holzschuh, 1989a: 174 **A**: NP SD
spineus Holzschuh, 2007: 283 **A**: GUI SHA
spurcatus Holzschuh, 1984a: 156 **A**: UP
stierlini Ganglbauer, 1883b: 298 **E**: CR CT CZ HU MD PL RO SB SK ST UK **A**: CH ES FE KZ MG NC SC WS **#88 #785**
subbicolor Breuning, 1958f: 300 [RN] **A**: NP **ORR**
bicolor Pic, 1929a: 30 [HN]
subbidentatus Gressitt, 1937d: 615 **A**: FUJ GUA
submoerens Breuning, 1958a: 40 **A**: HKG
subniger Breuning, 1975d: 356 **A**: BT
subsolanus Z. Wang, 2003: 369, 397 (*Pogonocherus*) **A**: HEI
superstes Holzschuh, 1995: 46 **A**: YUN **ORR**
takakuwai Makihara, 1982a: 43 **A**: JA (Ryukyus)
taniguchii Makihara, 1986a: 13 **A**: JA (Ryukyus) TAI (Lanyu Is.)
tantillus Holzschuh, 2007: 264 **A**: SCH
tenellus Holzschuh, 1984a: 155 **A**: NP
testudineus Matsushita, 1931a: 47 **A**: ?CH FE JA SC (Mt. Seoraksan) **#63**
wistariae Fujimura, 1956: 6
theresae Pic, 1939b: 4 **A**: BEI SCH **#496**
transversifrons Fisher, 1940: 209 **A**: KA NP SD UP
mediomfasciatus Hayashi, 1981a: 17
trifasciellus Gressitt, 1940b: 187 **A**: HAI
tsushimanus Hayashi, 1968a: 27 **A**: FE JA (Tsushima Is.) NC NE SC **#10**
conjugatofasciatus Tsherepanov, 1973c: 138
ulmicola Holzschuh, 2007: 284 **A**: BEI HEB SHA **#225**
variabilis Holzschuh, 2007: 272 **A**: YUN **ORR**
variepennis Schwarzer, 1925c: 147 (*Camptomine*) **A**: TAI
venatoides Kusama & Tahira, 1978: 9 **A**: TAI
vetustus Holzschuh, 2007: 281 **A**: SHA
zikaweiensis Savio, 1929: 3 **A**: FUJ HUB JIA NC SC SHG **#685**
saitoi Matsushita, 1935: 313

genus *Miaenia* Pascoe, 1864a: 27 type species *Miaenia marmorea* Pascoe, 1864
subgenus *Estoliops* Matsushita, 1943: 574 type species *Estoliops fasciatus* Matsushita, 1943
fasciata fasciata Matsushita, 1943: 575 (*Estoliops*) **A**: JA SC
fasciata nobuoi Breuning & K. Ohbayashi, 1964: 29 **A**: JA (Ryukyus)
fasciata okinawana N. Ohbayashi, 1984: 15 (*Sciades*) **A**: JA (Ryukyus)
fasciata taiwanensis Kusama & Oda, 1979: 76 (*Estoliops*) **A**: TAI
fasciata yaeyamana N. Ohbayashi, 1984: 15 (*Sciades*) **A**: JA (Ryukyus)
sakishimana deguchii N. Ohbayashi, 1984: 15 (*Sciades*) **A**: JA (Ryukyus)
sakishimana sakishimana Gressitt, 1951b: 227 **A**: JA (Ryukyus)
subgenus *Granulimiaena* Breuning, 1963l: 528 type species *Miaenia granulicollis* Gressitt, 1938
Granulimiaenia Breuning, 1977b: 259 - wrong subsequent spelling
granulicollis Gressitt, 1938b: 166 **A**: GUA HKG TAI

subgenus *Indoaegocidnus* Breuning, 1956d: 360 type species *Aegocidnus indicus* Breuning, 1956
binhana Pic, 1926e: 48 (*Exocentrus*) **A**: HAI HKG **ORR**
laterimaculata Gressitt, 1940b: 188
honkongensis Breuning, 1968d: 232 (*Sciades*) **A**: HKG
subgenus *Miaenia* Pascoe, 1864a: 27 type species *Miaenia marmorea* Pascoe, 1864
Pseudocidnus Breuning, 1957f: 122 type species *Exocentrus tonsus* Bates, 1873
Miaena, Breuning, 1963l: 527 - wrong subsequent spelling
brevicollis Gressitt, 1951b: 225 **A**: JA (Ryukyus)
changi Kusama & Oda, 1979: 75 **A**: TAI
elongata Gressitt, 1951a: 532 **A**: HUB NP
longicollis Breuning & K. Ohbayashi, 1964: 29 **A**: JA (Ryukyus)
hirashimai Samuelson, 1965b: 121
maritima Tsherepanov, 1979: 82 **A**: FE ?NC SC
nakanei Hayashi, 1956c: 18 **A**: JA
subfasciata Schwarzer, 1925c: 148 **A**: TAI
tonsa Bates, 1873: 385 (*Exocentrus*) **A**: JA SC **#346**
fujiyamai Matsumura & Matsushita, 1933a: 108 (*Exocentrus*)
inhirsuta Pic, 1907c: 21 (*Exocentrus*)
leiopodina Matsushita, 1933b: 397 (*Exocentrus*)
subgenus *Truncatomiaenia* Breuning, 1977b: 253 type species *Nonymoides botelensis* Gressitt, 1938
Sciades Pascoe, 1864a: 30 [HN] type species *Leiopus suffusus* Pascoe, 1864 **#43**
botelensis Gressitt, 1951a: 531 (*Nonymoides*) **A**: TAI (Ludao Is., Lanyu Is.)

genus *Nobuosciades* Hasegawa, 2009: 344 type species *Exocentrus bioculatus* Matsumura & Matsushita, 1933
subgenus *Nobuosciades* Hasegawa, 2009: 344 type species *Exocentrus bioculatus* Matsumura & Matsushita, 1933
bioculatus Matsumura & Matsushita, 1933a: 108 (*Exocentrus*) **A**: JA (Ogasawara Isls.)
iwojimana Gressitt, 1956: 158 (*Sciadella*)
lanatus N. Ohbayashi, 1976: 4 (*Miaenia*) **A**: JA (Ogasawara Isls.)
subgenus *Palmisciades* Hasegawa, Takeda & Karube, 2011: 110 type species *Palmisciades clinostigmai* Hasegawa, Takeda & Karube, 2011.
clinostigmai Hasegawa, Takeda & Karube, 2011: 110 **A**: JA (Ogasawara Isls.)

tribe Gnomini J. Thomson, 1860

genus *Imantocera* Dejean, 1835: 341 type species *Lamia plumosa* Olivier, 1797
Himantocera Gistel, 1848a: xi [unjustified emendation]
penicillata Hope, 1831: 28 (*Lamia*) **A**: AP BT GUI GUX HKG NP SD XIZ YUN **ORR** **#280** **#339** **#344**
vicina Gahan, 1894a: 47 (*Himantocera*) **A**: NP UP

genus *Trichognoma* Breuning, 1956g: 674 type species *Trichognoma chinense* Breuning, 1956
chinensis Breuning, 1956g: 674 **A**: HUB

tribe Gyaritini Breuning, 1950j

genus *Gyaritus* Pascoe, 1858: 244 type species *Gyaritus hamatus* Pascoe, 1858
subgenus *Gyaritus* Pascoe, 1858: 244 type species *Gyaritus hamatus* Pascoe, 1858 **#217**
Axinyllium Pascoe, 1864a: 27, 46 type species *Axinyllium varium* Pascoe, 1864 **#217**
Mimoenispia Pic, 1936a: 18 type species *Mimoenispia quadridentata* Pic, 1936a
auratus Breuning, 1963: 19 **A:** YUN **ORR**
lungtauensis Gressitt, 1951a: 484 (*Yimnashana*) **A**: GUA **#217**
theae Gressitt, 1951a: 485 (*Yimnashana*) **A**: FUJ **#217**

genus *Microleropsis* Gressitt, 1937d: 607 type species *Microleropsis rufimembris* Gressitt, 1937
rufimembris Gressitt, 1937d: 608 **A**: FUJ GUA

genus *Yimnashana* Gressitt, 1937d: 604 type species *Yimnashana denticulata* Gressitt, 1937
subgenus *Tinkhamia* **Gressitt, 1937d: 605** type species *Tinkhamia hamulata* Gressitt, 1937 **#217**
hamulata hamulata Gressitt, 1937d: 606 (*Tinkhamia*) **A**: JIX **#217**
hamulata lantauana Gressitt, 1937d: 606 (*Tinkhamia*) **A**: GUA HKG **#217**
validicornis Gressitt, 1951a: 487 (*Tinkhamia*) **A**: GUA **#217**
subgenus *Yimnashana* **Gressitt, 1937d: 604** type species *Yimnashana denticulata* Gressitt, 1937 **#217**
denticulata Gressitt, 1937d: 604 **A**: GUA

genus *Yimnashaniana* Hua, 1986a: 181 type species *Yimnashaniana jianfenglingensis* Hua, 1986
jianfenglingensis Hua, 1986a: 181 **A**: HAI

tribe Homonoeini J. Thomson, 1864

genus *Bumetopia* Pascoe, 1858: 252 type species *Bumetopia oscitans* Pascoe, 1858
subgenus *Bumetopia* Pascoe, 1858: 252 type species *Bumetopia oscitans* Pascoe, 1858
Brachyhomonoea Aurivillius, 1923b: 30 type species *Brachyhomonoea conspersa* Aurivillius, 1923
Homonoeomorpha Aurivillius, 1913: 23 type species *Homonoeomorpha flavovariegata* Aurivillius, 1913
Microabryna Pic, 1925b: 28 type species *Microabryna mediodentata* Pic, 1925 (= *Homonoeomorpha flavovariegata* Aurivillius, 1913)
Yochostyla J. Thomson, 1868c: 151 type species *Yochostyla japonica* J. Thomson, 1868
brevicornis Makihara, 1978: 54 **A**: JA (Ryukyus)
lanhsuana Hayashi, 1974c: 40 **A**: TAI (Lanyu Is.)
lutaoana Hayashi, 1974c: 41 **A**: TAI (Lanyu Is.)
oscitans adachii Fujita, 2023: 26, 333 **A**: JA (Danjo Is1s., Me-shima Is.)
oscitans heiana Hayashi, 1963b: 57 **A**: JA (Izu Isls.)
oscitans ishigaki Hayashi, 1966b: 71 **A**: JA (Ryukyus)
oscitans japonica J. Thomson, 1868c: 151 (*Yochostyla*) **A**: JA **#732**
kiushuensis Matsushita & Tamanuki, 1937: 147
oscitans okinawana Hayashi, 1963c: 12 **A**: JA (Ryukyus)
oscitans oscitans Pascoe, 1858: 252 **A**: HKG SC SHA TAI
plagiata Schwarzer, 1925b: 64
variegata Schwarzer, 1925b: 64
oscitans oshimana Breuning, 1939b: 162 **A**: JA (Ryukyus) **#732**
oscitans sakishimana Hayashi, 1966b: 70 **A**: JA (Ryukyus) **#732**
oscitans senkakuana Hayashi, 1972: 28 **A**: JA (Ryukyus) **#736**
oscitans yonaguni Hayashi, 1966b: 71 **A**: JA (Ryukyus)
stolata Matsushita, 1931a: 45 (*Tmesisternus*) **A**: TAI (Lanyu Is.)
yagii Hayashi, 1994: 69 **A**: TAI (Ludao Is.)

genus *Notomulciber* Blackburn, 1894a: 166 type species *Notomulciber carpentariae* Blackburn, 1894
subgenus *Micromulciber* Aurivillius, 1913: 22 **type** species *Mulciber biguttatus* Pascoe, 1867
Kamikiria Matsushita, 1933b: 348 type species *Kamikiria plagiata* Matsushita, 1933 (= *Micromulciber quadrisignatus* Schwarzer, 1925)
gressitti Tippmann, 1955: 124 (*Kamikiria*) **A**: FUJ TAI
quadrisignatus Schwarzer, 1925b: 64 (*Micromulciber*) **A**: JA (Ryukyus) TAI
plagiatus Matsushita, 1933b: 349 (*Kamikiria*)

genus *Pseudokamikiria* Breuning, 1964a: 32 type species *Kamikiria klapperichi* Tippmann, 1955
klapperichi Tippmann, 1955: 122 (*Kamikiria*) **A**: FUJ

tribe Lamiini Latreille, 1825 **#400 ##778**

genus *Aethalodes* Gahan, 1888a: 270 type species *Aethalodes verrucosus* Gahan, 1888
formosanus Kriesche, 1924: 285 **A**: TAI **#798**
verrucosus anhuiensis Zhou & Ding, 2024: 1134 **A**: ANH
verrucosus verrucosus Gahan, 1888a: 270 **A**: FUJ GUA GUI GUX HAI HUB JIX NO SCH ZHE **ORR** **#496**
armatus Nonfried, 1892a: 93 (*Trachystola*)
nodicollis Fairmaire, 1900: 640 (*Trachystola*)

genus *Arctolamia* Gestro, 1888: 129 type species *Arctolamia villosa* Gestro, 1888
fasciata Gestro, 1891: 222 **A**: GUX YUN **ORR**
grisea Pic, 1927b: 35
laosica Breuning, 1965e: 46
fruhstorferi Aurivillius, 1902: 208 **A**: GUI GUX SCH YUN **ORR**
margaretae Gilmour, 1950: 537
luteomaculata Pu, 1981: 436 **A**: YUN
alcinoides Z. Wang, 2014: 604, 1123 **#144**
sinica Bi & Chen, 2022b: 199 **A:** YUN **ORR** **#780**
strandi Breuning, 1936: 296 **A**: YUN
villosa Gestro, 1888: 129 **A**: YUN **ORR**

genus *Echinovelleda* Breuning, 1936: 284 type species *Echinovelleda chinensis* Breuning, 1936 **#753**
Propedicellus G.-Q. Huang, J.-B. Huang & Liu, 2020: 518 type species *Propedicellus guoliangi* G.-Q. Huang, J.-B. Huang & Liu, 2020
chinensis chinensis Breuning, 1936: 284 **A**: ANH CHQ GUI HUB HUN **#340**
antiquua Gressitt, 1951a: 347
sangzhiensis Hua, 1992: 514, 523 (*Parechthistatus*)
chinensis dichromata Bi, 2018: 270 **A:** GUI HUN
guoliangi G.-Q. Huang, J.-B. Huang & Liu, 2020: 525 (*Propedicellus*) **A:** YUN
inermis Bi & Chang, 2021: 292 **A:** HUB HUN
mumuae Bi & Mu, 2024: 74 **A:** YUN
protochinensis Bi & Lin, 2024a: 72 **A:** YUN
qiului G.-Q. Huang, J.-B. Huang & Liu, 2020: 525 (*Propedicellus*) **A:** GUX
yanziae Bi & Chang, 2021: 292 **A:** GUA

genus *Echthistatodes* Gressitt, 1938a: 49 type species *Echthistatode*s brunneus Gressitt, 1938
brunneus Gressitt, 1938a: 49 **A**: SCH
gongshanus Bi, 2016: 296 **A**: YUN
subobscurus Holzschuh, 1993a: 46 **A**: YUN

genus *Hayashiechthistatus* Miyake, 1980: 70 type species *Parechthistatus inexpectus* Hayashi, 1959
inexpectus Hayashi, 1959b: 56 (*Parechthistatus*) **A**: JA

genus *Eupromus* Pascoe, 1868: xii type species *Callimation sieboldi* Guérin-Méneville, 1844 (= *Lamia rubra* Dalman, 1817)
nigrovittatus Pic, 1930a: 16 **A**: GUA GUI GUX HUB HUN JIA JIX YUN **ORR**
ruber Dalman, 1817b: 167 (*Lamia*) **A**: FUJ GUA GUI GUX HUB HUN JA JIA JIX SC SCH TAI ZHE **ORR** **#306**
championi White, 1858b: 398 (*Monochamus*)
sieboldi Guérin-Méneville, 1844: 238 (*Callimation*)

genus *Herophila* Mulsant, 1862: 273 type species *Dorcadion fairmairei* J. Thomson, 1857
Dorcatypus J. Thomson, 1864: 77 type species *Dorcadion fairmairei* J. Thomson, 1857
fairmairei J. Thomson, 1857d: 151 (*Dorcadion*) **E**: GR
tristis martinascoi Contarini & Garagnani, 1983: 152 (*Dorcatypus*) **E**: ?GR IT (Italia : Puglia, Calabria)
tristis obliterata Pic, 1921a: 5 ["Morea"] **E**: GR (Peloponnese)
moreana Rapuzzi & Sama, 2018: 22
tristis tristis Linnaeus, 1767: 629 ["Monspelii" - Montpellier] (*Cerambyx*) **E**: AL AU BH BU CR FR GR HU IT MC ME RO SB SL SZ TR **A**: TR
adspersa Gmelin, 1790: 1863 ["Carniola"] (*Cerambyx*)
beieri Breuning, 1942e: 135 [Epire] (*Dorcatypus*)
bioculatus Luigioni 1927: 60 [Lazio] (*Dorcatypus*)
confirmata Chevrolat, 1882: 61 ["Oriens?"] (*Dorcatypus*)
divisa Pic, 1921a: 5 ["Marseille"]
funerea Schoch, 1878: 134
funesta Fabricius, 1787: 139 ["in Galliae Sambuco"] (*Lamia*)
gennadii Buquet, 1882: cxxxvii [Grèce] (*Lamia*)
interrupta Pic, 1921a: 5 ["Constantinople"]
obsoleta Fairmaire, 1859a: 62 [Béikos, dans le Bosphore et Constantinople] (*Morimus*)
posticalis Pic, 1921a: 5 ["France M^{le}"]
pulverulenta Scopoli, 1772: 95 ["Carniola"] (*Cerambyx*)
zajecarensis Breuning, 1948c: 58 ["Serbie: Zajecar"] (*Dorcadion*)
tristis veluchiana Breuning, 1943b: 96 [Greece: Veluchi] (*Dorcadion*) **E**: GR **#209**

genus *Lamia* Fabricius, 1775: 170 type species *Cerambyx textor* Linnaeus, 1758
Morimidus J. Thomson, 1859b: 95 type species *Cerambyx textor* Linnaeus, 1758
Pachystola Dejean, 1833: 342 type species *Cerambyx textor* Linnaeus, 1758
textor Linnaeus, 1758: 392 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK **A**: AB AR ES FE GG HEB HEI JA JIL KZ MG NC NMO SC SHN TR WS XIN **#400**
nigrorugosa DeGeer, 1775: 64 (*Cerambyx*)
noctis Gronov [Gronovius], 1764: 162 [n.538] (*Cerambyx*) **#328**
tricarinata Cornelius, 1884: 50
unicolor P. Brown, 1776: 134 [HN] (*Cerambyx*)

genus *Lamiomimus* Kolbe, 1886: 223 type species *Lamiomimus gottschei* Kolbe, 1886
chinensis Breuning, 1936: 286 **A**: GUI YUN
gottschei Kolbe, 1886: 224 **A**: ANH FE GAN GUI GUX HEI HEN HUB HUN JIA JIL JIX LIA NC SC SCH SHA SHN SHX ZHE
adelphus Ganglbauer, 1887a: 137 (*Lamia*)

genus *Lonyarbon* Bi, 2018: 274 type species *Lonyarbon motuoensis* Bi, 2018
motuoensis Bi, 2018: 275 **A**: XIZ

genus *Mesechthistatus* Breuning, 1950c: 222 type species *Echthistatus binodosus* C. O. Waterhouse, 1881
binodosus binodosus C. O. Waterhouse, 1881: 431 (*Echthistatus*) **A**: JA
binodosus insularis Hayashi, 1955: 55 **A**: JA
fujisanus Hayashi, 1957b: 46 **A**: JA
furciferus furciferus Bates, 1884a: 237 (*Echthistatus*) **A**: JA
furciferus meridionalis Hayashi, 1951b: 79 (*Echthistatus*) **A**: JA
taniguchii Seki, 1944b: 168 (*Echthistatus*) **A**: JA
hayashii Yokoyama, 1969: 58

genus *Microdorcadion* Pic, 1925a: 16 type species *Microdorcadion tuberculatum* Pic, 1925a
nititituberculatum Hua, 1992: 509, 523 (*Morimospasma*) **A**: HUB HUN **#400** **#643**

genus *Mimechthistatus* Breuning, 1956i: 706 type species *Echthistatus yamahoi* Mitono, 1943
yamahoi Mitono, 1943: 578 (*Echthistatus*) **A**: TAI

genus *Morimospasma* Ganglbauer, 1889a: 78 type species *Morimospasma paradoxum* Ganglbauer, 1889 **#643**
subgenus *Morimospasma* Ganglbauer, 1889a: 78 type species *Morimospasma paradoxum* Ganglbauer, 1889
chinense chinense Breuning, 1942e: 132 (*Parechthistatus*) **A**: SHA **#496**
chinense orientale Bi, 2021: 282 **A**: HEN SHA
brachypterum Bi, 2021: 279 **A**: HUB
jii Lin, Yang, Wang & Xie, 2025: 594 **A**: SHQ
paradoxum forticorne Bi, 2021: 277 **A**: GAN SCH
paradoxum paradoxum Ganglbauer, 1889a: 80 **A**: GAN QIN SCH
paradoxum difforme Pic, 1934a: 12 (*Trachystola*) **A**: ANH CHQ SHA HUB JIX SCH **#643**
superciliatum asperum Bi, 2021: 284 **A**: SCH SHA
superciliatum superciliatum Pu, 1997: 821, 834 (*Neotrachystola*) **A**: CHQ HUB HUN
subgenus *Parvorama* Bi, 2021: 284 type species *Morimospasma tuberculatum* Breuning, 1939
bimaculatum Breuning, 1947a: 1 **A**: CHQ GUI HUB HUN **#643**
jiangi Xie G.-L., Zou & Wang W.-K., 2014: 447
cheni Bi, 2021: 287 **A**: SCH
cylindriscapum Bi, 2021: 288 **A**: HEN HUB SHA
dalaolingense dalaolingense Xie, Zou & Wang W.-K., 2014: 448 **A**: HUB
dalaolingense fasciatum Bi, 2021: 286 **A**: SCH
granulatum Chiang, 1981: 80 **A**: GAN HUB NIN SCH SHA **#643**
holzschuhi Bi, 2021: 286 **A**: GAN SHA
shennongjiaensis Zhang, Wang P., Xie & Wang W. K. 2023: 20 **A**: HUB
shii Wang P., Xie G.-L. & Wang W.-K., 2022a: 537 **A**: HUB
tuberculatum Breuning, 1939b: 147 **A**: ANH HUB ZHE **#643** **#644**

genus *Morimus* Brullé, 1832: 258 type species *Lamia lugubris* Fabricius, 1793 (= *Cerambyx asper* Sulzer, 1776)
Morinus Brullé, 1832: 258 [original incorrect spelling]
asper asper Sulzer, 1776: 44 (*Cerambyx*) **E**: AL CR GR FR IT SP SZ
lugubris Fabricius, 1793: 283 (*Lamia*)
asper funereus Mulsant, 1862: 279 **E**: AL AU BEi BH BU ?CR CZ GR HU IT MA MC MD ME RO SB SK ?SL UK **#354**
asper ganglbaueri Reitter, 1894b: 44 **E**: AL BH CR GR IT ME SB
asper gazanchidisi Danilevsky, 2019: 88 [“Greece, Mt. Ossa”] **E:** GR
asper graecus Danilevsky, 2016a: 189 **E**: GR (Peloponnese)
assamensis Breuning, 1936: 285 **A**: XIZ **ORR**
gabzdili Danilevsky, 2015: 215 **E**: SK UK **#205**
lethalis J. Thomson, 1857**e**: 182 **A**: SCH YUN **ORR**
morimoides White, 1858a: 266 (*Leprodera*)
quadrimaculatus Pic, 1925a: 17 (*Trachystola*)
trinotatus Pic, 1925a: 17 (*Trachystola*)
whitei Lacordaire, 1869: 298
orientalis Reitter, 1894b: 43 **E**: BU TR **A**: TR
verecundus bulgaricus Danilevsky, 2016a: 187 **E**: BU
verecundus murzini Danilevsky, 2019: 89 [“Golestan province, mountains southwards Gorgan”] **A:** IN
verecundus verecundus Faldermann, 1836: 396 (*Lamia*) **E**: ST UK(Crimea) **A**: AB AR GG IN TM TR
ficitor Bogatchev, 1949: 183

genus *Neotrachystola* Breuning, 1942e: 133 type species *Trachystola maculipennis* Fairmaire, 1900
incerta Breuning, 1942e: 134 **A**: CH
maculipennis Fairmaire, 1900: 639 (*Trachystola*) **A**: GUA SCH **ORR** **#400**
subobliterata Pic, 1925a: 17 (*Trachystola*)

genus *Parechthistatus* Breuning, 1942e: 131 type species *Echthistatus gibber* Bates, 1873
gibber daisen Miyake & Tsuyi, 1980: 76 **A**: JA
gibber gibber Bates, 1873: 308 (*Echthistatus*) **A**: JA
gibber grossus Bates, 1884a: 237 (*Echthistatus*) **A**: JA
gibber longicornis Hayashi, 1951b: 80 **A**: JA
gibber nakanei Miyake, 1980: 76 **A**: JA
gibber nankiensis Yokoyama, 1969: 59 **A**: JA
gibber pseudogrossus Miyake, 1980: 78 **A**: JA
gibber shibatai Miyake, 1980: 74 **A**: JA
gibber tanakai Miyake, 1980: 77 **A**: JA
gibber tsushimanus K. Ohbayashi, 1961b: 49 **A**: JA (Tsushima Is.) SC (Yeoseodo Is.) **#162**

genus *Paroriaethus* Breuning, 1936: 282 type species *Paroriaethus multispinis* Breuning, 1936 **#341**
multispinis Breuning, 1936: 283 **A**: YUN **ORR** **#341**

tribe Mesosini Mulsant, 1839

genus *Aesopida* J. Thomson, 1864: 62 type species *Aesopida malasiaca* J. Thomson, 1864
malasiaca J. Thomson, 1864: 62 **A**: HAI NP SD YUN **ORR**
dubiosa Heller, 1926: 37

genus *Agelasta* Newman, 1842c: 288 type species *Agelasta transversa* Newman, 1842
subgenus *Dissosira* Pascoe, 1865a: 124 type species *Agelasta catenata* Pascoe, 1862a
Anthriboscyla J. Thomson, 1868c. 165 type species *Anthriboscyla mima* J. Thomson, 1868.
Pseudaemocia Breuning, 1935. 269 type species *Pseudaemocia rufa* Breuning, 1935.
cana Breuning, 1939c: 520 **A**: TAI
gardneri Breuning, 1938c: 204 **A**: NP UP
helii Yamasako & Liu, 2017: 218 **A:** HAI
konoi amamiana Hayashi, 1962a: 13 **A**: JA (Ryukyus)
konoi konoi Hayashi, 1956c: 13 **A**: JA (Tokara Isls., Izu Isls.)
konoi kumejimana Kusama & Takakuwa, 1984: 49 **A**: JA (Ryukyus, Izu Isls.)
konoi kamezawai Fujita, 2023: 26 **A**: JA (Tokara Isls.: Taira-jima Is.)
konoi okinoerabuensis K. Ohbayashi, 1959: 34 **A**: JA (Ryukyus)
konoi okinawana Hayashi, 1960d: 27 **A**: JA (Ryukyus)
kumei Takakuwa, 1991: 52 **A**: TAI (Ludao Is.)
mouhotii Pascoe, 1862a: 335 **A**: YUN **ORR**
perplexa Pascoe, 1858: 243 **A**: FUJ HEN JA JIX LIA SC (Gageodo Is.) TAI ZHE
alternans Schwarzer, 1925b: 62 (*Saimia*)
formosana Pic, 1925b: 30 (*Mimocoptops*)
rufa Breuning, 1935e: 269 (*Pseudaemocia*) **A**: JA (Ogasawara Isls.)
sikkimensis Breuning, 1963g: 78 **A**: SD
szetschuanica Breuning, 1967f: 184 **A**: SCH
tonkinea omeishana Gressitt, 1951a: 427 **A**: FUJ SCH
tonkinea palminsulana Gressitt, 1940b: 127 (*Choeromorpha*) **A**: HAI
tonkinea tonkinea Pic, 1925f: 188 **A**: NP TAI **ORR**
formosana Schwarzer, 1925b: 61
yonaguni hiroyukii Fujita, 2023: 318 **A**: JA (Miyako Is1s.: Tarama-jima Is., Minnajima Is.)
yonaguni kashiwaii Kusama & Takakuwa, 1984: 11 **A**: JA (Ryukyus)
yonaguni praelongipes Kusama & Irie, 1976: 20 **A**: JA (Ryukyus) **#732** **#734**
yonaguni similaris Kusama & Takakuwa, 1984: 11 **A**: JA (Ryukyus) **#734**
semipraelongipes Kusama & Takakuwa, 1984: 358
yonaguni subkonoi Breuning, 1964f: 91 **A**: JA (Ryukyus)
yonaguni yonaguni Hayashi, 1962c: 5 **A**: JA (Ryukyus)
yunnanensis Breuning, 1954a: 10 **A**: YUN
subgenus *Epagelasta* Breuning, 1939c: 429 type species *Agelasta newmani* White, 1856
balteata Pascoe, 1866b: 236 **A**: YUN **ORR** **#176**
subgenus *Mesolophus* Gahan, 1894a: 56 type species *Mesolophus humeralis* Gahan, 1894
Samiomimus Pic, 1927b: 36 type species *Samiomimus marmoratus* Pic, 1927
dayremi Breuning, 1938c: 209 **A**: HAI **ORR** **#453**
humeralis Gahan, 1894a: 57 (*Mesolophus*) **A**: NP
marmorata Pic, 1927b: 36 (*Samiomimus*) **A**: FUJ SCH **ORR**
pici Breuning, 1938c: 210 **A**: FUJ NMO
yunnana Chiang, 1963: 69 **A**: YUN
subgenus *Parasaimia* Breuning, 1935e: 267 [RN] type species *Mimocoptops laosensis* Pic, 1925
Mimocoptops Pic, 1925a: 32 [HN] type species *Mimocoptops laosensis* Pic, 1925
glabrofasciata Pic, 1917f: 353 (*Mesosa*) **A**: YUN
hirticornis Gressitt, 1936: 102 (*Saimia*) **A**: TAI
subgenus *Pseudagelasta* Breuning, 1939c: 487 type species *Agelasta bifasciana* White, 1858
bifasciana White, 1858a: 273 **A**: HAI JIX NP SD XIZ YUN **ORR** **#60** **#453**
bisinuata Pic, 1937b: 4 (*Mesosa*)
savioi Pic, 1937b: 4 (*Mesosa*)
birmanica Breuning, 1935e: 273 (*Paragelasta*) **A**: YUN **ORR**
fallaciosa Breuning, 1938c: 208 **A**: SD YUN

genus *Anagelasta* Pic, 1925a: 31 type species *Anagelasta apicalis* Pic, 1925
subgenus *Anagelasta* Pic, 1925a: 31 type species *Anagelasta apicalis* Pic, 1925
apicalis Pic, 1925a: 32 **A**: CH NP SD UP **ORR**
adspersa Schwarzer, 1931a: 68 (*Choeromorpha*)
~~**subgenus** *Mesagelasta* Breuning, 1939e: 494 type species *Anagelasta trimaculata* Breuning, 1938~~ **#585**

~~*nigromaculata* Breuning, 1938c: 212 **A**: HP~~

genus *Anancylus* J. Thomson, 1864: 61 type species *Anancylus calceatus* J. Thomson, 1864
subgenus *Paranancylus* Breuning, 1939c: 472 type species *Anancylus socius* Pascoe, 1865
albofasciatus Pic, 1925: 25 **A**: HAI **#271**
punctifasciata Gressitt, 1940b: 120 (*Mesocacia*) **#271**

genus *Cacia* Newman, 1842c: 290 type species *Cacia spinigera* Newman, 1842
subgenus *Corethrophora* Blanchard, 1853: 301 type species *Corethrophora semiluctuosa* Blanchard, 1853
shirupiti Kano, 1939: 31 **A**: TAI (Lanyu Is.)
subgenus *Ipocregyes* Pascoe, 1865a: 113 type specie *Cacia newmanni*, 1857b: 102
Falsoereis Pic, 1925b: 25 type species *Falsoereis cephalotes* Pic, 1925
arisana Kano, 1933a: 281 (*Ipocregyes*) **A**: TAI
scopifera Mitono, 1934: 492 (*Cenodocus*)
basialboantennalis Breuning, 1958a: 6 **A**: BT
bootanana Breuning, 1968f: 693 **A**: BT
cephaloides Breuning, 1968a: 8 **A**: YUN **ORR**
cephalotes Pic, 1925b: 25 (*Falsoereis*) **A**: BT HAI SD YUN **ORR** **#271**
formosana Schwarzer, 1925b: 60 (*Mesosa*) **A**: FUJ HUB JIX TAI ZHE
lepesmei Gressitt, 1951a: 423 **A**: GUX SHA
nigrofasciata Gressitt, 1940b: 122 **A**: HAI
subcephalotes Breuning, 1968a: 9 **A**: HAI **ORR** **#453**
watantakkuni Kano, 1933a: 280 (*Ipocregyes*) **A**: TAI
yunnana Breuning, 1938c: 208 **A**: YUN
subgenus *Pericacia* Breuning, 1939c: 459 type species *Lamia cretifera* Hope, 1831
cretifera cretifera Hope, 1831: 27 (*Lamia*) **A**: GUA GUI GUX HUB NP PA SCH SD SHX UP XIZ YUN **#127**
incensa Pascoe, 1865a: 112
macularia Gressitt, 1939a: 62
cretifera thibetana Pic, 1917h: 12 (*Mesosa*) **A**: GUX SCH XIZ YUN
thibetana Pic, 1925b: 27 [HN] (*Cacia*)
multirustica Chiang, 1951: 64 **A**: GUI

genus *Choeromorpha* Chevrolat, 1843: 613 type species *Choeromorpha pigra* Chevrolat, 1843
subgenus *Choeromorpha* Chevrolat, 1843: 613 type species *Choeromorpha pigra* Chevrolat, 1843
lineifrons Gressitt, 1951a: 429 (*Anagelasta*) **A**: FUJ HAI **#271**
subfasciata Pic, 1922b: 26 (*Coptops*) **A**: YUN **ORR**

genus *Clyzomedus* Pascoe, 1865a: 115 type species *Coptops nanus* Pascoe, 1859
laosensis Breuning, 1965e: 35 **A**: HAI **ORR** **#453**
pani Lin, Chen & Yamasako, 2023: 316 **A**: ANH BEI HEN SHA
transversefasciatus Breuning, 1938c: 212 **A**: UP

genus *Coptops* Audinet-Serville, 1835a: 64 type species *Coptops parallela* Audinet-Serville, 1835 (= *Lamia aedificator* Fabricius, 1793)
aedificator Fabricius, 1793: 275 (*Lamia*) **A**: AP KA OM PA SA ?TAI UP YE **AFR ORR** **#127 #274 #280**
ambulator Fabricius, 1775: 171 (*Lamia*)
bidens Wollaston, 1877: 210
fuscus Olivier, 1797: 462 (*Lamia*) [1800: 83 (*Cerambyx*)] **#373**
inhambanensis Bertoloni, 1876: 263 (*Phymasterna*)
parallelus Audinet-Serville, 1835a: 64
quadrisignatus Fåhraeus, 1872b: 30
villicus Olivier, 1797: 468 (*Lamia*) [1800: 102 (*Cerambyx*)] **#373**
albonotatus Pic, 1917f: 354 (*Pachyosa*) **A**: SCH YUN **ORR**
albosparsus Pic, 1926b: 7 (*Mutatocoptops*)
annulipes annulipes Gahan, 1894a: 54 **A**: YUN "North India" **ORR**
curvatosignatus Pu, 1992b: 606 **A**: SCH
diversesparsus Pic, 1917e: 7 (*Pachyosa*) **A**: YUN
nigrosparsus Pic, 1933a: 13 (*Mutatocoptops*)
japonicus Breuning, 1936: 311 **A**: TAI
leucosticticus leucosticticus White, 1858a: 272 **A**: AP GUI GUX NP SD XIZ YUN **ORR** **#280**
centurio Pascoe, 1869b: 205
lacertosus Pascoe, 1865a: 121
longipes Pic, 1925b: 29 (*Mutatocoptops*)
niveisparsus Fairmaire, 1904**c**: 145
olivaceus Breuning, 1935e: 263
petechialis Pascoe, 1865a: 119
polyspilus Pascoe, 1865a: 118
vitalisi Pic, 1926b: 7 (*Mutatocoptops*)

leucosticticus rusticus Gressitt, 1940b: 124 [RN] **A**: GUX HAI
polyspilus Gahan, 1900d: 351 [HN]
licheneus Pascoe, 1865a: 118 **A**: FUJ GUA GUX HAI HKG NP YUN **ORR**
salvazai Pic, 1925b: 29 (*Mutatocoptops*)
ocellifer Breuning, 1965: 37 **A**: YUN **ORR** **#59**
pascoei Gahan, 1894a: 55 **A**: GUX **ORR**
bidentatithorax Pic, 1925b: 30 (*Mutatocoptops*)
penghuensis Yamasako & Lin, 2010: 292 **A**: TAI (Penghu)
szechuanicus Gressitt, 1951a: 431 **A**: SCH
thibetanus Breuning, 1974d: 79 **A**: XIZ

genus *Epimesosa* Breuning, 1939c: 420 type species *Mesosa taliana* Pic, 1917
taliana Pic, 1917h: 13 (*Mesosa*) **A**: SCH YUN

genus *Ereis* Pascoe, 1865a: 105 [RN] type species *Eris anthriboides* Pascoe, 1857 **#59**
Eris Pascoe, 1857: 110 [HN] type species *Eris anthriboides* Pascoe, 1857 (not Koch, 1846, Arachnida)
subfasciata Pic, 1925b: 25 **A**: GUX HAI **ORR** **#59**

genus *Eurymesosa* Breuning, 1939a: 391 type species: *Ereis ventralis* Pascoe, 1865
ziranzhiyi Yamasako & Lin, 2016: 194 **A**: HUB SHA

genus *Falsomesosella* Pic, 1925b: 27 type species *Falsomesosella minor* Pic, 1925
subgenus *Falsomesosella* Pic, 1925b: 27 type species *Falsomesosella minor* Pic, 1925
Gyarancita Breuning, 1963: 9 type species *Gyarancita rondoni* Breuning, 1963 **#217**
albofasciata Pic, 1925b: 27 **A**: YUN
bhutanensis Breuning, 1968e: 859 (*Mesosella*) **A**: BT NP
breuningi Pic, 1944b: 14 **A**: CH
gardneri Breuning, 1938c: 197 **A**: NP SD UP YUN
affinis Breuning, 1938c: 198
annamensis Breuning, 1939c: 516 (*Mesosa*)
gracilior Bates, 1884a: 244 (*Mesosa*) **A**: JA
grisella White, 1858b: 401 (*Cacia*) **A**: HKG TAI
horishana Gressitt, 1938b: 161 **A**: TAI
mediofasciata Breuning, 1968f: 697 **A**: SD
minor Pic, 1925b: 27 **A**: YUN
minor Pic, 1926b: 9 (*Mesosa*)
nigronotata hakka Gressitt, 1937d: 597 **A**: GUA HAI ZHE **ORR** **#489**
[*nigronotata nigronotata* Pic, 1930: 19 – Viet-Nam]
rufovittata Breuning, 1938c: 198 **A**: NP UP
transversefasciata Breuning, 1938c: 198 **A**: UP
subalba Gressitt, 1938b: 162 **A**: TAI
?*taibaishana* Lazarev, 2021b: 142 **A**: HEN SHA **#603**
truncatipennis Pic, 1944b: 13 **A**: HEN HUB SHA ZHE **#60** **#489** **#603**
unicolor Breuning, 1965: 44 **A**: TAI

genus *Golsinda* J. Thomson, 1861: 343 type species *Golsinda carolina* J. Thomson, 1861
basicornis Gahan, 1894a: 48 **A**: GUI HAI YUN **ORR** **#59**
rugicollis Gressitt, 1940b: 121 (*Mesocacia*) **#59**

genus *Hypocacia* Breuning, 1935e: 275 type species *Hypocacia biplagiata* Breuning, 1935
shimomurai Holzschuh, 1989b: 386 **A**: TAI

genus *Japanomesosa* Yamasako & N. Ohbayashi, 2007: 344 type species *Mesosa poecila* Bates, 1884a
poecila Bates, 1884a: 245 (*Mesosa*) **A**: JA

genus *Leptomesosa* Breuning, 1938c: 392 type species *Mesosa cephalotes* Pic, 1903
cephalotes Pic, 1903g: 121 (*Mesosa*) **A**: SCH SHA YUN **ORR** **#225**
nodosipennis Pic, 1917h: 12 (*Mesosa*)
langana Pic, 1917: 12 (*Mesosa*) **A**: HAI **ORR** **#59**

genus *Mesocacia* Heller, 1926: 32 type species *Mesocacia assamensis* Heller, 1926 (= *Ereis multimaculata* Pic, 1925)
duplicaria Holzschuh, 2006c: 484 **A**: NP
multimaculata Pic, 1925b: 24 (*Ereis*) **A**: BT GUX HAI SD YUN **ORR**
assamensis Heller, 1926: 33

genus *Mesoereis* Matsushita, 1933b: 338 type species *Mesoereis koshunensis* Matsushita, 1933

Trichomesosa Breuning, 1938: 389 type species *Ereis bifasciata* Pic, 1925 [Tonkin] **#69**

bifasciata Pic, 1925: 25 (*Ereis*) **A**: FUJ GUX HAI TAI **ORR** **#69**

koshunensis Matsushita, 1933b: 339 **#69**

kikuchii Matsushita, 1933b: 339

horiana Breuning & K. Ohbayashi, 1966b: 33 (*Mesosa*) **A**: JA (Ryukyus)

ohirai Breuning & Villiers, 1973: 48

genus *Mesosa* Latreille, 1829: 124 type species *Cerambyx curculionoides* Linnaeus, 1760

subgenus *Aplocnemia* Stephens, 1831: 236 type species *Cerambyx nubilus* Gmelin, 1790 (= *Lamia nebulosa* Fabricius, 1781)

Aphelocnemia Stephens, 1832: [414] [emendation, not in usage]

Haplocnemia Agassiz, 1846: 172 [unjustified emendation]

Helixoea Pascoe, 1865a: 124 type species *Agelasta rupta* Pascoe, 1862

affinis affinis Breuning, 1936: 306 **A**: NP BT SD

affinis nepalica Holzschuh, 2003b: 307 **A**: NP

andrewsi Gressitt, 1942c: 3 **A**: XIZ

angusta Gressitt, 1951a: 417 **A**: GUA

cheni Gressitt, 1951a: 418 **A**: HAI HUB

griseomarmorata Breuning, 1939c: 517 **A**: GUX

jarzabekae Danilevsky & Müller, 2016: 184 **A:** IN

latifasciata White, 1858b: 401 (*Cacia*) **A**: FUJ GAN GUA GUI GUX HAI HEB JIA JIX SCH SHX TAI ZHE **ORR** **#60** **#271** **#489**

latifasciata Matsushita, 1931a : 44 [HN]

luteopubens Pic, 1917c: 7

longipennis Bates, 1873: 313 **A**: KO JA **#496** **#497** **#521**

amakusae Breuning, 1964f: 91

posticeconnexa Hayashi, 1964: 73

subobliterata Pic, 1901m: 62

nebulosa algerica Pic, 1898h: 58 **N**: AG TU

nebulosa nebulosa Fabricius, 1781: 218 (*Lamia*) **E**: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT SL LU MD ME NL NR PL PT RO SB SK SP ST SV SZ TR UK **A**: AB AR GG TR #665

brevis Villers, 1789: 257 (*Cerambyx*)

lineatopunctata Baudi di Selve, 1889a: 193

m-nigrum Schaller, 1783: 291 (*Cerambyx*)

nubila Gmelin, 1790: 1832 (*Cerambyx*)

nebulator Turton, 1806: 306 (*Cerambyx*)

silvestrii Tippmann, 1956: 492

nigrofasciaticollis Breuning, 1968a: 5 **A**: GUX HKG YUN **ORR**

obscura Gahan, 1894a: 49 **A**: YUN **ORR** **#298**

tonkinensis Breuning, 1936: 306 [HN].

tonkinea Breuning, 1939c: 404 [RN].

obscuricornis obscuricornis Pic, 1894b: 44 **A**: AB (Talysh) IN

obscuricornis petrovi Danilevsky, 2022b: **E:** ST (Dagestan) **#661**

rupta Pascoe, 1862a: 335 (*Agelasta*) **A**: GUA GUX HKG YUN **ORR** **#400**

nhouabayi Breuning, 1965c: 44

nigrobifasciata Pic, 1925b: 30 (*Mimocoptops*)

unifasciata Pic, 1922b: 26

senilis Bates, 1884a: 245 **A**: FE (Kunashir) JA

sikkimensis Breuning, 1935e: 274 **A**: SD **ORR**

sparsenotata Pic, 1922c: 14 **A:** HAI **ORR** **#271**

maculifemorata Gressitt, 1940b: 117 **#271**

tenuefasciata Pic, 1926b: 9 **A**: HAI **ORR** **#453**

undata Fabricius, 1793: 270 (*Lamia*) **A**: GUX **ORR**

antennata White, 1858b: 401 (*Cacia*)

subgenus *Lissomesosa* Yamasako & N. Ohbayashi, 2007: 340 type species *Mesosa cribrata* Bates, 1884a

cribrata cribrata Bates, 1884a: 245 **A**: JA **#732**

cribrata kirisimana Matsushita, 1943: 576 **A**: JA **#732**

shikokensis K. Ohbayashi, 1963: 11

subgenus *Mesosa* Latreille, 1829: 124 type species *Cerambyx curculionoides* Linnaeus, 1760

Dendrobius Gistel, 1834: 30 [unnecessary substitute name]

bipunctata Chiang, 1951: 62 **A**: GUI GUX

curculionoides Linnaeus, 1760: 193 (*Cerambyx*) **E**: AL AU BH BU BY CR CT CZ FR GE GR HU IT KZ ?LA LT MC MD ME NR PL PT RO SB SK SL SP ST SV SZ TR UK **A**: AB AR GG IN TR KZ **#104**

nigronotata Pic, 1906h: 86 (*Haplocnemia*)

oculata Geoffroy, 1785: 78 [HN] (*Leptura*)

tokatensis Pic, 1904a: 6 (*Haplocnemia*)

japonica Bates, 1873: 312 **A**: FE (Sakhalin, Kurils) JA

mediofasciata Breuning, 1942a: 142 **A**: JA

myops Dalman, 1817b: 168 (*Lamia*) **E**: BY CT FI LA LT NT PL ST SV UK KZ **A**: ?ANH ES FE ?GAN ?GUA ?GUI HEB HEI ?HEN

?HUB JIL KZ LIA MG NC NMO ?QIN SC ?SCH ?SHA WS XIN ?ZHE
plotina Z. Wang, 2003: 323, 396
stictica Blanchard, 1871: 812 **A**: BEI GAN GUI HUB SCH SHA SHN SHX XIZ YUN ZHE
oculicollis Fairmaire, 1878: 131
rugosa Gressitt, 1951a: 416 **#329**
subgenus *Metamesosa* Breuning, 1939c: 411 type species *Mesosa basinodosa* Pic, 1925
basinodosa Pic, 1925b: 28 **A**: HAI YUN **#453**
nomurai Hayashi, 1964: 71 **A**: JA
sinica Gressitt, 1939b: 113 (*Aesopida*) **A**: FUJ GUX HUN ZHE
subgenus *Perimesosa* Breuning, 1939c: 409 type species *Mesosa hirsuta* Bates, 1884a
atrostigma Gressitt, 1942g: 84 **A**: ANH FUJ GUX SHA TAI ZHE **#60 #225**
bimaculata Breuning, 1936: 306 **A**: SD UP **ORR**
binigrovittata Breuning, 1942a: 143 **A**: FUJ TAI
binigrovittipennis Breuning, 1968f: 692 **A**: AP SD
chassoti Breuning, 1970c: 89 **A**: TAI
enodata Holzschuh, 2017c: 124 **A**: GUI
guttigera Holzschuh, 2017c: 125 **A**: GUI
hirsuta albihirsuta Kusama & Takakuwa, 1984: 11 **A**: JA
hirsuta brevihirsuta Makihara, 1980: 53 **A**: JA (Danjo Is.)
hirsuta hirsuta Bates, 1884a: 244 **A**: JA
harmandi Pic, 1901k: 341
nigrohumeralis Breuning, 1938c: 203
hirsuta continentalis Hayashi, 1964: 76 [= 1965: 29] **A**: FE NC NE SC
hirsuta konishii Hayashi, 1964: 76 [= 1965: 30] **A**: JA (Tsushima Is.)
hyunchaei Yamasako & Hasegawa, 2009: 290 **A**: BEI JIA SC **#686**
irrorata Gressitt, 1939b: 111 **A**: FUJ HEN HUB HUN JIX SCH SHA ZHE **#60**
medioalbofasciata Breuning, 1969a: 35 **A**: TAI
pictipes miyamotoi Hayashi, 1956c: 20 **A**: JA (Tokara Isls., Ryukyus)
pictipes nakabayashii Fujita, 2023: 26 **A**: JA (Miyako Isls.: Miyako-jima Is.)
pictipes pictipes Gressitt, 1937b: 323 **A**: JA (Ryukyus)
pictipes yayeyamai Breuning, 1955b: 61 **A**: JA (Ryukyus) **#732**
pieli Pic, 1936d: 16 **A**: JIX
setulosa Breuning, 1938c: 202 **A**: HP NP
nigromaculata Breuning, 1938c: 212 (*Anagelasta*) **#585**
subgenus *Saimia* Pascoe, 1866b: 234 [RN] type species *Samia albidorsalis* Pascoe, 1865
Samia Pascoe, 1864a: 96 [HN] type species *Samia albidorsalis* Pascoe, 1865
indica Breuning, 1935e: 265 **A**: UP YUN **ORR**
kuntzeni Matsushita, 1933b: 340 **A**: TAI
lata Breuning, 1956g: 677 **A**: "North-west India"
quadriplagiata Breuning, 1935a: 264 (*Saimia*) **A**: UP YUN **ORR**
subfasciata Gahan, 1894a: 49 **A**: UP YUN **ORR** **#298**
tonkinensis Breuning, 1935e: 265 (*Saimia*)
marmorata Breuning, 1943e: 47
rondoni Breuning, 1962b: 63.
variegata Breuning, 1962b: 15.
paravariegata Rondon & Breuning, 1970: 326.
yunnana Breuning, 1938c: 202 (*Saimia*) **A**: HAI YUN

genus *Metipocregyes* Breuning, 1939c: 429 type species *Mesosa nodieri* Pic, 1933
nodieri Pic, 1933a: 14 (*Mesosa*) **A**: GUX HAI YUN **ORR** **#270 #453**
variabilis Yamasako & Lin, 2018: 519 **A**: HAI GUX
wenhsini Yamasako & Chou, 2013: 97 (*Hypocacia*) **A**: TAI **#270**

genus *Mutatocoptops* Pic, 1925b: 29 type species *Mutatocoptops alboapicalis* Pic, 1925
alboapicalis Pic, 1925b: 30 **A**: AP YUN **ORR** **#280**
anancyloides Schwarzer, 1925b: 61 (*Coptops*) **A**: TAI **ORR**

genus *Pachyosa* Fairmaire, 1897a: 71 type species *Pachyosa cervinopicta* Fairmaire, 1897 **#735**
atronotata atronotata Kusama & Irie, 1976: 19 (*Mesosa*) **A**: JA(Tokara Isls.)
atronotata yamawakii Hayashi, 1976: 11 (*Mesosa*) **A**: JA
cervinopicta Fairmaire, 1897a: 71 **A**: JA (Ryukyus)
guanyin Yamasako & Chou, 2014b: 44 **A**: TAI
hirtiventris Gressitt, 1937b: 324 (*Coptops*) **A**: JA (Ogasawara Isls.)
itoi fukidai Fujita, 2023: 320 (*Mesosa*) **A**: JA (Amami Isls.: Amami-ôshima Is.)
itoi itoi Ohbayashi, 1985: 1 (*Mesosa*) **A**: JA (Ryukyus)
kojimai Hayashi, 1974c: 37 (*Coptops*) **A**: TAI

genus *Paragolsinda* Breuning, 1956g: 675 type species *Paragolsinda fruhstorferi* Breuning, 1956g **#299**
fruhstorferi Breuning, 1956g: 676 **A**: HAI **ORR** **#271**
obscura Matsushita, 1933b: 339 (*Mesoereis*) **A**: TAI
tonkinensis Breuning, 1938c: 197 (*Mesoereis*) **A**: HAI **ORR**

genus *Paripocregyes* Breuning, 1938c: 204 type species *Paripocregyes brunneomaculatus* Breuning, 1938
brunneomaculatus Breuning, 1938c: 204 **A**: UP **ORR**

genus *Pseudipocregyes* Pic, 1923c: 20 type species *Pseudipocregyes maculatus* Pic, 1923
albosignatus Breuning, 1974d: 74 **A**: CH **ORR**
maculatus Pic, 1923c: 20 **A**: YUN **ORR**

genus *Pseudoclyzomedus* Yamasako, 2009: 282 type species *Pseudoclyzomedus ohbayashii* Yamasako, 2009
hainanus Yamasako & Liu, 2019: 2 **A**: HAI

genus *Spinipocregyes* Breuning, 1949a: 6 type species *Spinipocregyes nigrescens* Breuning, 1949a
wenhsini Bi, 2013: 104 **A**: HAI

tribe Monochamini Gistel, 1848 **#13** **#521**

genus *Acalolepta* Pascoe, 1858: 247 type species *Acalolepta pusio* Pascoe, 1858
subgenus *Acalolepta* Pascoe, 1858: 247 type species *Acalolepta pusio* Pascoe, 1858 **#89**
Cypriola J. Thomson, 1864: 16 type species *Cypriola acanthocinoides* J. Thomson, 1864
Haplohammus Bates, 1884a: 239 type species *Monohammus luxuriosus* Bates, 1873
Neanthes Pascoe, 1878: 372 type species *Monohammus curialis* Pascoe, 1858 (= *Monochamus subluscus* J. Thomson, 1857)
affinis Breuning, 1935d: 55 (*Dihammus*) **A**: NP SD ZHE **#400** **#434**
amamiana amamiana Hayashi, 1962b: 36 (*Cypriola*) **A**: JA (Ryukyus)
amamiana simillima Breuning & K. Ohbayashi, 1966: 32 **A**: JA (Ryukyus)
okinawensis Breuning & K. Ohbayashi, 1966: 31
aurata Gahan, 1888c: 260 (*Monohammus*) **A**: AP NP **ORR** **#280**
basicornis Gahan, 1894a: 37 (*Haplohammus*) **A**: GUX HUN SD YUN **ORR**
basiplagiata Breuning, 1935c: 249 (*Dihammus*) **A**: YUN **ORR**
battonii Breuning, 1980a: 16 **A**: NP
bifasciata Westwood, 1848: 59 (*Monohammus*) **A**: AP HUB SD "Himalaya" **ORR**
kingana Pic, 1921b: 6 (*Monohammus*)
perplexa Gahan, 1888d: 393 (*Monohammus*)
boninensis Hayashi, 1971: 16 **A**: JA (Ogasawara Isls.)
bretschneideri Weigel, 2012: 409 **A**: AP NP **#390**
breuningi Gressitt, 1951a: 399 (*Dihammus*) **A**: GUA
breviscapus Hayashi, 1980a: 2 **A**: NP
cervina Hope, 1831: 27 (*Monochamus*) **A**: AP FUJ GUA GUI GUX HAI HUB JIX NP SCH SHA XIZ YUN ZHE **ORR** **#280**
~~*fulvicornis* Pascoe, 1875: 64 (*Monochamus*)~~
chinensis Breuning, 1970f: 475 **A**: GUI
coreanica Breuning, 1956c: 234 **A**: NC (Mt. Geumgangsan)
coreensis Breuning, 1967f: 183 **A**: SC (Seoul)
crassepunctifrons Breuning, 1960d: 34 (*Cypriola*) **A**: SD
degeneroides Breuning, 1948a: 8 (*Dihammus*) **A**: JIX
elongata Breuning, 1935c: 251 (*Dihammus*) **A**: GUI NP SCH SD **ORR** **#280**
fasciculata Hua, 2009: 192, 331 [RN] **A**: YUN
fasciata Hua, 1992: 492, 524 [HN]
ferriei Breuning, 1954d: 73 (*Cypriola*) **A**: FUJ JA (Ryukyus)
formosana Breuning, 1935c: 251 (*Dihammus*) **A**: TAI
fraudator fraudator Bates, 1873: 309 (*Monohammus*) **A**: FE FUJ GUA HUN JA JIA NE SC ZHE **#400**
fraudator nigricornis Makihara, 1977: 63 **A**: JA
mogii Makihara, 1980: 62
fraudator satoi Breuning & K. Ohbayashi, 1966: 32 **A**: JA (Tsushima Is.)
fraudator yakushimana Yokoyama, 1971: 99 **A**: JA
freudei Heyrovský, 1976: 184 **A**: NP
gardneri Breuning, 1938c: 186 (*Dihammus*) **A**: SD
ginkgovora Makihara, 1992a: 62 **A**: JA
griseipennis J. Thomson, 1857f: 296 (*Monochamus*) **A**: AP BT NP SD YUN **ORR** **#280**
griseoplagiata Breuning, 1935c: 250 (*Dihammus*) **A**: SD
grossescapa Breuning, 1942a: 117 (*Dihammus*) **A**: TAI
hachijoensis Gressitt, 1956: 113 (*Dihammus*) **A**: JA (Izu Isls.)
mikurensis Hayashi, 1969a: 64

hainana Breuning, 1959d: 149 (*Cypriola*) **A**: HAI
haradai Hayashi, 1980a: 3 **A**: NP
hingstoni Gilmour, 1956b: 743 (*Dihammus*) **A**: XIZ
holosericea Breuning, 1939b: 158 (*Dihammus*) **A**: UT XIZ **ORR** **#379**
hunanensis Breuning, 1963h: 218 **A**: HUN
inaequalis Gardner, 1937: 8 (*Dihammus*) **A**: SD
iwahashii Makihara, 1992a: 59 **A**: JA (Ryukyus)
kuniyoshii Hayashi, 1963c: 11 **A**: JA (Ryukyus)
kusamai Hayashi, 1969a: 64 **A**: JA SC
laeviceps Breuning, 1938c: 186 (*Dihammus*) **A**: SD
longicollis Gilmour, 1956b: 744 (*Dihammus*) **A**: NP
luxuriosa kawadai Takakuwa, 1984: 431 **A**: JA (Ryukyus)
luxuriosa kuro Makihara, 1977: 65 **A**: JA
luxuriosa luxuriosa Bates, 1873: 309 (*Monohammus*) **A**: FE (Kunashir) JA
masatakai Makihara, 2003: 356 **A**: JA
nepalensis Hayashi, 1980a: 1 **A**: NP
ningshanensis Danilevsky, 2013h: 34 **A**: GUI HUB SCH SHA YUN **#60**
nishimurai Makihara, 1992a: 70 **A**: JA (Ryukyus)
nivosa White, 1858b: 409 (*Monohammus*) **A**: NP PA "Himalaya" **ORR**
oshimana omoro Hayashi, 1963c: 11 **A**: JA (Ryukyus)
oshimana oshimana Breuning, 1954d: 73 (*Cypriola*) **A**: JA (Tokara Isls., Ryukyus)
paracervina Breuning, 1972b: 237 **A**: AP **ORR** **#280**
permutans occidentalis Breuning, 1958h: 268 (*Cypriola*) **A**: SCH
permutans okinawana Gressitt, 1951b: 216 (*Dihammus*) **A**: JA
  teragrama Gilmour, 1951: 67 (*Dihammus*)
permutans paucipunctata Gressitt, 1938b: 157 (*Dihammus*) **A**: JA TAI YUN
permutans permutans Pascoe, 1857b: 103 (*Monohammus*) **A**: ANH GUA GUI GUX HEN HKG HUB HUN JIX SCH SHA TAI ZHE **ORR**
  severini Nonfried, 1892a: 94 (*Monohammus*)
  vicina Pascoe, 1858: 245 (*Monohammus*)
permutans semisericea Pic, 1935b: 17 (*Dihammus*) **A**: AP SCH XIZ YUN **ORR** **#681**
  mutans Breuning, 1938a: 32 (*Dihammus*) **#280** **#681**
  paraspeciosa Breuning, 1982: 19 **#681**
  pseudospeciosa Breuning, 1965f **#681**
pseudosericans Breuning, 1949b: 6 **A**: SHG ZHE **ORR** **#400**
punctifrons Gahan, 1894a: 36 (*Haplohammus*) **A**: SD
scotti Breuning, 1936: 289 (*Dihammus*) **A**: SD
sejuncta hamai Hayashi, 1962b: 36 (*Cypriola*) **A**: JA
sejuncta izuinsulana Hayashi, 1968a: 25 **A**: JA (Izu Isls.)
sejuncta morii Makihara, 1980: 65 **A**: JA
sejuncta sejuncta Bates, 1873: 310 (*Monohammus*) **A**: FE (Sakhalin, Kunashir) FUJ HUB JA NC SC
  fraxini Matsushita, 1933a: 328 (*Dihammus*)
  fulvicornis Pascoe, 1875: 64 (*Monochamus*)
  olivacea Breuning, 1944b: 471 (*Dihammus*)
sejuncta tsushimae Breuning, 1960e: 35 (*Cypriola*) **A**: JA (Tsushima Is.)
semidegenera Hayashi, 1981a: 14 **A**: NP
semisericea Pic, 1935b: 17 (*Dihammus*) **A**: SCH
sericans Breuning, 1938a: 33 (*Dihammus*) **A**: NP SD UP
sericeomicans Fairmaire, 1889a: 67 (*Monochamus*) **A**: ANH GUA HAI JIA SCH SHA YUN ZHE **ORR**
seunghwani Danilevsky, 2013h: 32 **A:** FE (Falatsa Mt. near Anisimovka) JIL NC SC SCH **#496**
sikkimensis nigrina Breuning, 1975d: 344 **A**: AP BT **#280**
sikkimensis rufoantennata Breuning, 1975d: 345 **A**: BT NP
sikkimensis sikkimensis Breuning, 1935c: 250 (*Dihammus*) **A**: SD
sobria Pascoe, 1858: 246 (*Monohammus*) **A**: TAI **ORR**
socia Gahan, 1888a: 275 (*Haplohammus*) **A**: FUJ GUX JIA JIX NO
speciosa Gahan, 1888a: 275 (*Haplohammus*) **A**: ANH FUJ GUA GUX HAI HKG JIA JIX SCH TAI ZHE **ORR**
sublusca boehmeriavora Makihara, 1992a: 60 **A**: JA (Ryukyus)
sublusca maculihumera Matsushita, 1933b: 328 (*Dihammus*) **A**: TAI
sublusca sublusca J. Thomson, 1857f: 293 (*Monochamus*) **A**: FUJ GUA GUI GUX HAI HUN JIA JIX HEB HEN HUB SCH SHA SHN ZHE **ORR**
  curialis Pascoe, 1858: 246
subspeciosa Breuning, 1963h: 217 **A**: ZHE
sulphurifera Hope, 1842b: 128 (*Monochamus*) **A**: SD **ORR**
szechuana Gressitt, 1938c: 155 (*Dihammus*) **A**: SCH
tenuipes Breuning, 1939b: 158 (*Dihammus*) **A**: SD
ussurica Plavilstshikov, 1951: 121 (*Dihammus*) **A**: CH FE KO

vitalisi Pic, 1925a: 19 (*Monochamus*) **A**: FUJ GUA GUX HAI HUN JIX SCH TAI YUN ZHE **ORR** **#496**
ikedai Mitono, 1943: 581 (*Dihammus*)
wittmeri Breuning, 1975d: 343 **A**: BT
yokoyamai Hayashi, 1971: 15 **A**: TAI (Ludao Is., Lanyu Is.)
subgenus *Dihammus* J. Thomson, 1864: 80 type species *Monochamus longicornis* J. Thomson, 1857 (= *Monochamus australis* Boisduval, 1835) **#89**
Niphohammus Matsushita, 1932: 170 type species *Niphohammus korolensis* Matsushita, 1932
rusticator formosensis Breuning & K. Ohbayashi, 1966a: 11 **A**: TAI (Ludao Is., Lanyu Is.)
rusticator rusticator Fabricius, 1802: 294 (*Lamia*) **A**: TAI **ORR**
bianor Newman, 1842b: 277 (*Monohammus*)
brunnescens Breuning, 1980: 175 **#586**
fistulator Germar, 1824: 478 (*Lamia*) **#506**
musiva Pascoe, 1866b: 251 (*Monochamus*)
whiteheadi Breuning, 1970: 474 **#586**

genus *Agnioides* Breuning, 1956g: 671 type species *Agnioides striatopunctatus* Breuning, 1956
Paragniopsis Breuning, 1965: 59c type species *Paragniopsis ochraceomaculata* Breuning, 1965 **#256**
striatopunctatus Breuning, 1956g: 671 **A**: SD YUN **ORR** **#256**
ochraceomaculata Breuning, 1965c: 59 (*Paragniopsis*) **#256**

genus *Agniomorpha* Breuning, 1935e: 257 type species *Agniomorpha ochraceomaculata* Breuning, 1935
ochraceomaculata Breuning, 1935e: 257 **A**: GUI GUX SD **ORR**

genus *Agnoderus* J. Thomson, 1864: 83 type species *Agnoderus gnomoides* J. Thomson, 1864
gnomoides J. Thomson, 1864: 83 **A**: SD

genus *Anamera* J. Thomson, 1864: 63 type species *Anamera alboguttata* J. Thomson, 1864
subgenus *Longipenna* Özdikmen, 2025o: 2874 type species *Anamera gigantea* Breuning, 1935
gigantea gigantea Breuning, 1935d: 66 **A**: PA **ORR**
gigantea iliyashenkoi Jiroux, Garreau & Gurko, 2012: 19 **A**: PA

genus *Anameromorpha* Pic, 1923c: 19 type species *Anameromorpha metallica* Pic, 1923
metallica Pic, 1923c: 19 **A:** YUN **ORR** **#289** **#400**

genus *Annamanum* Pic, 1925a: 23 type species *Annamanum vitalisi* Pic, 1925
Uraechopsis Breuning, 1935f: 76 type species *Uraecha chebana* Gahan, 1894
albisparsum Gahan, 1888b: 62 (*Monochamus*) **A**: FUJ GUI GUX HUN JIX
albonotatum Pic, 1925a: 22 (*Uraecha*)
albomaculatum Breuning, 1935f: 76 **A**: CH **ORR**
cardoni Breuning, 1953: 2 **A**: "India"
chebanum Gahan, 1894a: 41 (*Uraecha*) **A**: GUA GUX YUN **ORR**
flavimaculatum Shulin Yang & Shaoyong Yang, 2019: 50 **A**: GUI GUX
fuscomaculatum Breuning, 1979c: 99 **A**: YUN
griseolum Bates, 1884a: 240 (*Uraecha*) **A**: JA
humerale Pic, 1934a: 35 (*Urecha*) **A**: YUN **ORR**
indicum Breuning, 1938c: 191 **A**: SD
lunulatum Pic, 1934a: 34 (*Urecha*) **A**: GUX YUN **ORR** **#200**
fruhstorferi Breuning, 1964b: 2 **#256**
longzhouensis W.-K. Wang & Jiang, 2000a: 47 (*Uraecha*) **#200**
magnum Holzschuh, 2017c: 127 **A:** GUI
mediomaculatum Breuning, 1962b: 19 **A**: GUX **ORR**
mimicum Bi & Weigel, 2024: 2 **A**: YUN
rondoni Breuning, 1962i: 21 **A**: YUN **ORR** **#496**
sikkimense Breuning, 1942a: 119 **A**: NP SD
touzalini Breuning, 1979c: 99
sinicum Gressitt, 1951a: 387 **A**: FUJ JIX SCH YUN ZHE **#60**
strandi Breuning, 1938c: 191 **A**: XIZ YUN
subauratum Breuning, 1958h: 266 **A**: SCH
szetschuanicum Breuning, 1947a: 8 **A**: SCH
wenzhui Lin & Ge, 2017a: 891 **A**: HEN HUB SHA
yunnanum Breuning, 1947a: 8 **A**: YUN

genus *Anoplophora* Hope, 1839: 43 type species *Anoplophora stanleyana* Hope, 1839
Calloplophora J.Thomson, 1864: 76 [unnecessary replacement name]
Cyriocrates J. Thomson, 1868c: 181 type species *Oplophora horsfieldii* Hope, 1842
Falsocyriocrates Pic, 1953a: 2 type species *Cyriocrates elegans* Gahan, 1888

Melanauster J. Thomson, 1868c: 181 type species *Cerambyx chinensis* Forster, 1771
Micromelanauster Pic, 1931d: 49 type species *Monochamus bowringii* White, 1858
Mimonemophas Breuning, 1961h: 309 type species *Mimonemophas quadrifasciatus* Breuning, 1961 **#111**
Oplophora Hope, 1839: 42 type species *Oplophora sollii* Hope, 1839
albopicta Matsushita, 1933b: 279 (*Cyriocrates*) **A**: TAI
elegans Kano, 1933a: 279 [HN] (*Melanauster*)
ankangensis Chiang, 1981: 82 (*Paranamera*) **A**: GUX HEN HUN SHA **#256** **#516**
beryllina Hope, 1840: 79 (*Monochamus*) **A**: FUJ GUA GUX HUB HUN JIX SCH SD YUN ZHE **ORR**
argentifera Pic, 1902i: 31 (*Melanauster*)
melanosticta White, 1858b: 407 (*Monohammus*)
subberyllina Breuning, 1964e: 47
bowringii White, 1858b: 398 (*Monohammus*) **A**: FUJ GUA GUX HKG HUB JIX ZHE
cheni Bi & N. Ohbayashi, 2015: 294 **A**: GUI YUN **ORR** **#516**
chiangi Hua & Zhang, 1991: 77 **A**: GUI HUN **#516**
chinensis chinensis Forster, 1771: 39 (*Cerambyx*) **E**i: AU BE CR FR GE IT NL TR **A**: ANH FUJ GAN GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIL JIX LIA SC SCH SHA SHN SHX TAI TRi YUN ZHE **ORR** **AURi** **NARi** **#56** **#188** **#189**
abbreviata J. Thomson, 1865: 553 (*Calloplophora*)
afflicta J. Thomson, 1865: 553 (*Calloplophora*)
farinosa Houttuyn, 1766: 536 [HN] (*Cerambyx*)
luctuosa J. Thomson, 1865: 553 (*Calloplophora*)
perroudi Pic, 1953a: 3 (*Melanauster*)
punctator Fabricius, 1777: 230 (*Lamia*)
sepulchralis J. Thomson, 1865: 553 (*Calloplophora*)
sinensis Gmelin, 1793: 1863 (*Cerambyx*)
chinensis viridis R.-Y. Wang, 1991: 245, 248 **A:** YUN **#400**
coeruleoantennata Breuning, 1947b: 23 (*Melanauster*) **A**: SCH
dafengdingensis Wang Ch. B., Wang P. & Wang W. K. 2026:58 **A**: SCH
davidis Fairmaire, 1886b: 355 (*Melanauster*) **A**: GUX SCH SHA TAI XIZ YUN **ORR**
adonis Pic, 1925a: 20 (*Melanauster*)
alboapicalis Chiang, 1951: 48
vitalisi Pic, 1936b: 16 (*Melanauster*)
decemmaculata Pu, 1999: 82 **A**: HEB HUN SHA SCH **#225**
elegans Gahan, 1888e: 450 (*Cyriocrates*) **A**: GUA GUI HAI HEN YUN **ORR**
albonotata Pic, 1926l: 455 (*Melanauster*)
macrospila Gahan, 1900d: 349 (*Melanauster*)
superba Pic, 1925c: 4 (*Melanauster*)
fanjingensis Sh. Yang, W. Yang & Tian, 2020: 2 **A**: GUI
flavomaculata Gressitt, 1935f: 385 (*Melanauster*) **A**: TAI
freyi Breuning, 1947b: 23 (*Melanauster*) **A**: SCH YUN **#522**
fruhstorferi Aurivillius, 1902: 209 (*Calloplophora*) **A**: GUX **ORR**
depressinotata Chiang, 1951: 50 (*Cyriocrates*)
glabripennis Motschulsky, 1854a: 48 (*Cerosterna*) **E**i: AU CZ FI FR GB GE IT ME NL SK SZ TR **A**: ANH FE FUJ GAN GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX LIA ?NC NIN NMO SA SC SCH SHA SHN SHX TRi XIZ YUN ZHE **AURi** **NARi** **ORRi** **#56** **#180** **#188** **#189** **#358** **#517** **#774**
*angustata*Pic, 1925a: 21 (*Melanauster*)
laevigator J. Thomson, 1857**f**: 297 (*Cerosterna*)
laglaisei Pic, 1953a: 3 (*Melanauster*)
luteonotata Pic, 1925a: 21 (*Melanauster*)
nankinea Pic, 1926b: 2 (*Melanauster*)
nobilis Ganglbauer, 1889a: 82 (*Melanauster*)
granata Holzschuh, 1993a: 48 **A**: GUX **ORR**
gressitti N.Ohbayashi & Bi, 2014: 156 **A**: AP XIZ **ORR**
horsfieldii horsfieldii Hope, 1842a: 61 [= 1843: 64] (*Oplophora*) **A**: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX SC SCH SHA YUN ZHE **ORR** **#235** **#707**
voluptuosa J. Thomson, 1856: 529 (*Cerosterna*)
horsfieldii taiwanensis N.Ohbayashi, 2018: 40 **A**: TAI
huangjianbini Ch.-B. Wang & L. He, 2021: 4 **A**: FUJ GUX
iadina Ch.-B. Wang, L. He & J.-B. Huang, 2023: 166 **A**: YUN
imitator White, 1858b: 404 (*Cerosterna*) **A**: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SHA ZHE
pirouletii Fairmaire, 1889a: 66 (*Melanauster*)
jianfenglingensis Hua, 1989b: 301 **A**: HAI
leechi Gahan, 1888b: 63 (*Melanauster*) **A**: HEB HEN HUB HUN JIA JIX ZHE
longehirsuta Breuning, 1968a: 23 **A**: GUX **ORR**
parelegans Chiang, 1981: 81
lurida Pascoe, 1856: 47 (*Monohammus*) **A**: GAN GUX HEB HEN HUB HUN JIA JIX SCH SHA TAI ZHE **#225**
macularia J. Thomson, 1865: 553 (*Calloplophora*) **A**: FUJ GUA GUX HAI HEN JA (Ryukyus) JIA NE **SC** SCH TAI ZHE **ORR** **#525**
malasiaca J. Thomson, 1865: 553 (*Calloplophora*) **E**i: AU CR CZ GE IT NL **A**: CH JA NC SC TAI TR **ORR** **#188** **#189**

multimaculata Xie & Wang, 2015: 599 (*Mimonemophas*) **A**: HUB ZHE **#256 #516**
ogasawaraensis Makihara, 1976: 9 **A**: JA (Ogasawara Isls.)
oshimana oshimana Fairmaire, 1895: 390 (*Melanauster*) **A**: JA (Ryukyus)
oshimana tokunoshimana Samuelson, 1965b: 89 **A**: JA (Ryukyus)
puxian C. Wang & He, 2021a: 340 **A:** SCH
quadrifasciata Breuning, 1961h: 309 (*Mimonemophas*) **A**: GUX **ORR** **#112**
rubidacorpora Xie, Shi & W.-K. Wang, 2012b: 2 **A**: GUI
rugicollis P. Wang, Xie & W.-K.Wang, 2022b: 97 (unavailable name - holotype location not published) **A**: YUN **ORR**
ryukyensis Breuning & K. Ohbayashi, 1964: 15 **A**: JA (Ryukyus)
siderea Bi, Chen & Ohbayashi, 2020: 267 **A:** GUX GUA
similis Gahan, 1900d: 350 (*Melanauster*) **A**: ?FUJ ?GUA HAI **#516**
sollii Hope, 1839: 43 (*Oplophora*) **A**: GUX SD **ORR**
stanleyana Hope, 1839: 43 **A**: BT NP SD SE SW **ORR**
angustata Pic, 1934a: 11 [HN]
chapaensis Breuning, 1950i: 511
gloriosa Tippmann, 1953: 152
~~*grisea* Tippmann, 1953: 153~~ **#587**
melancholica Tippmann, 1953: 153
tonkinea Breuning, 1943c: 285 [RN]
tonkinea Pic, 1907f: 152 (*Calloplophora*) **A**: GUX **ORR**
viriantennata W.-K. Wang & Jiang, 1998c: 335 **A**: HUB SCH **#158**
wusheana Chang, 1960: 2 **A**: TAI
xuei Lin & Wen, 2024: 711 **A**: GUI GUX **ORR**
zhiyuani P. Wang, Xie & W.-K.Wang, 2025: 197 YUN **ORR**
zibroides Ch.-B. Wang, L. He & J.-B. Huang, 2023: 173 **A**: HUN GUX
zonator J. Thomson, 1878: 50 (*Cyriocrates*) **A**: YUN **ORR** **#400**

genus *Aristobia* J. Thomson, 1868c: 178 type species *Lamia reticulator* Fabricius, 1781 (designated by Breuning, 1943: 189)
subgenus *Sinecapillosa* Özdikmen, 2025c: 2878 type species *Lamia reticulator* Fabricius, 1781
angustifrons Gahan, 1888a: 276 **A**: YUN **ORR** **#400**
approximator J. Thomson, 1865: 552 (*Celosterna*) **A**: AP NP YUN **ORR** **#280**
birmanica Gahan, 1894a: 40
freneyi Schmitt, 1992: 28 **A**: YUN **ORR** **#400 #435**
hispida Saunders, 1853: 112 (*Cerosterna*) **A**: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI XIZ YUN ZHE **ORR**
horridula Hope, 1831: 27 (*Lamia*) **A**: KA NP PA SCH SD TAI YUN **ORR**
fasciculata L. Redtenbacher, 1844: 552 (*Cerosterna*)
reticulator Fabricius, 1781: 219 (*Lamia*) **A**: AP FUJ GUA GUX HAI NP SD SHA YUN **ORR** **#280 #166 #280**
clathratrix J. Thomson, 1865a: 552 (*Celosterna*)
vietnamensis Breuning, 1972: 236 **A**: FUJ GUA HAI HKG JIX **ORR**
voetii J. Thomson, 1878: 51 **A**: FUJ GUA GUX HAI HEN HUB JIX SHA YUN **ORR**
pulcherrima Nonfried, 1892a: 94

genus *Astynoscelis* Pic, 1904b: 8 type species *Astynoscelis longicornis* Pic, 1904 (= *Monohammus degener* Bates, 1873)
Saitoa Matsushita, 1937: 104 type species *Saitoa teneburosa* Matsushita, 1937 (= *Monohammus degener* Bates, 1873)
degener Bates, 1873: 310 (*Monohammus*) **A**: FE FUJ GAN GUA GUI GUX HEI HUB HUN JA JIA JIL JIX NC NMO SC SCH SHA SHN TAI YUN ZHE
contempta Gahan, 1888b: 62 (*Haplohammus*)
longicornis Pic, 1904b: 8
nana Ganglbauer, 1889a: 81 (*Haplohammus*)
savioi Pic, 1925a: 21 (*Orsidis*)
teneburosa Matsushita, 1937: 104 (*Saitoa*)

genus *Blepephaeopsis* Breuning, 1938c: 193 type species *Blepephaeopsis nigrosparsus* Breuning, 1938
taomeiae Hayashi, Nara & Yu, 1995: 149 (*Uraechoides*) **A**: TAI **#512**
yagii Hayashi, 1992: 150 **A**: TAI

genus *Blepephaeus* Pascoe, 1866b: 249 type species *Monohammus succinctor* Chevrolat, 1852
Parablepephaeus Breuning, 1980c: 171 type species *Parablepephaeus lumawigi* Breuning, 1980
Perihammus Aurivillius, 1923b: 21 type species *Perihammus bifasciatus* Aurivilius, 1924 (= *Monohammus infelix* Pascoe, 1856)
arrowi Breuning, 1935d: 70 **A**: KA PA SD **#274**
fulvus Pic, 1933a: 13 (*Uraecha*) **A**: YUN **ORR**
pardalinus Breuning, 1935d: 68
indicus Breuning, 1935d: 70 **A**: SD XIZ **ORR**
infelix Pascoe, 1856: 48 (*Monohammus*) **A**: FUJ GUA GUX HUN JIX ?KO SCH SHA ZHE **#225 #400**
bifasciatus Aurivilius, 1924: 21 (*Perihammus*)
multinotatus Pic, 1925a: 18 (*Nemophas*) **A**: GUX **ORR**

nepalensis Hayashi, 1981a: 13 (*Perihammus*) **A**: NP PA **#274**
nigrofasciatus Pu, 1999: 84 **A**: HAI
nigrosparsus Pic, 1925b: 28 **A**: UP YUN **ORR**
nigrostigma W.-K. Wang & S.-N. Jiang, 1998a: 459, 460 **A:** YUN
ocellatus Gahan, 1888c: 262 (*Monochamus*) **A**: BT NP YUN ZHE "North India" **ORR**
pauloperforatus Pic, 1930b: 17 (*Epepeotes*)
wittmeri Breuning, 1975d: 342 (*Cypriepepeotes*)
puae Lin, 2011: 44 [RN] **A**: YUN
undulatus Pu, 1999: 79 (*Perihammus*)
stigmosus Gahan, 1894a: 44 **A**: YUN **ORR**
laosensis Pic, 1930b: 18 (*Epepeotes*)
subannulatus Breuning, 1979c: 100 **A**: YUN ZHE **ORR** **#400**
subcruciatus White, 1858b: 410 (*Monohammus*) **A**: GUA GUX HAI HKG
succinctor Chevrolat, 1852: 417 (*Monohammus*) **A**: AP GUA GUX HAI HKG HUN JIA JIX NP SCH SD SHA SHG TAI XIZ YUN ZHE **ORR** **#280** **#225**
fleutiauxi Lameere, 1893a: 283
fuscomaculatus Breuning, 1948a: 11 (*Perihammus*)
humeralis Pic, 1925: 23
obfuscatus White, 1858b: 410
scutellaris Fairmaire, 1895: 179
sublineatus White, 1858b: 410
variegatus Gressitt, 1940b: 107 **A**: HAI YUN **ORR**
sciamai Breuning, 1962b: 19 (*Paramelanauster*)

genus *Cereopsius* Pascoe, 1857b: 105 type species *Cereopsius exoletus* Pascoe, 1857
Etymestia Pascoe, 1866c: 228 type species *Cereopsius helena* White, 1858
Vitticereopsius Breuning, 1961c: 143 type species *Epepeotes vittipennis* Fisher, 1935
aureomaculatus Breuning, 1968a: 24 **A**: YUN **ORR** **#400**
praetorius Erichson, 1834: 268 (*Lamia*) **A**: TAI (Lanyu Is.) **ORR**
elpenor Pascoe, 1862: 344
shamankariyali Kano, 1939: 30

genus *Cerosterna* Dejean, 1835: 341 type species *Lamia gladiator* Fabricius, 1802 (= *Lamia scabrator* Fabricius, 1781)
Celosterna J. Thomson, 1860: 85 type species *Celosterna gladiator* (Fabricius, 1802) (= *Lamia scabrator* Fabricius, 1781) **#300**
Coelosterna Gemminger, 1872: 3024 [unnecessary emendation]
Falsopriona Pic, 1925c: 3 type species *Falsopriona luteopubens* Pic, 1925
Loxotropoides Fisher, 1935: 600 type species *Loxotropoides brunnea* Fisher, 1935
Psaromaia Pascoe, 1866c: 289 type species *Psaromaia tigrina* Pascoe, 1866
Toxosterna J. Thomson, 1868c: 178 type species *Lamia spinator* Fabricius, 1798
Trichocelosterna Breuning, 1965: 45 type species *Celosterna rouyeri* Ritsema, 1906
scabrator Fabricius, 1781: 224 (*Lamia*) **A**: NP PA UP **ORR**
gladiator Fabricius, 1802: 284 (*Lamia*)
griseator Aurivillius, 1920: 12 (*Celosterna*)
murina Nonfried, 1894: 82 (*Aristobia*)
renei Pascoe, 1888: 501 (*Psaromaia*)
spinator Fabricius, 1798: 145 (*Lamia*)

genus *Combe* J. Thomson, 1864: 83 type species *Monohammus brianus* White, 1858
Mimomyagrus Breuning, 1970: 88 type species *Mimomyagrus pfanneri* Breuning, 1970 **#780**
brianus White, 1858b: 409 (*Monohammus*) **A**: NP
fulguratus J. Thomson, 1864: 84

genus *Coscinesthes* Bates, 1890: 246 type species *Coscinesthes porosus* Bates, 1890
minuta Pu, 1985b: 271 **A**: YUN
porosa Bates, 1890: 247 **A**: GUA HEN SCH SHA YUN ZHE
grossefoveata Breuning, 1958h: 262 (*Trichocoscinesthes*)
multiperforata Pic, 1920a: 2 (*Monochamus*)
salicis Gressitt, 1951a: 380 **A**: SCH YUN ZHE
foveata Chiang & Li, 1984: 99 (*Haplothrix*) **#301**

genus *Cremnosterna* Aurivillius, 1920: 12 type species *Monohammus carissimus* Pascoe, 1857
carissima Pascoe, 1857b: 104 (*Monohammus*) **A**: NP XIZ YUN **ORR**
laosensis Breuning, 1965e: 47 (*Jeanvoinea*)
maculosa J. Thomson, 1865: 552 (*Celosterna*)
ocellata Nonfried, 1892c: 379 (*Celosterna*)
pardalis J. Thomson, 1865: 552 (*Celosterna*)
tessellata White, 1858b: 404 (*Celosterna*)
vittata Gilmour, 1956c: 747
plagiata White, 1858b: 403 (*Celosterna*) **A**: PA YUN **ORR** **#274**

genus *Cribragapanthia* Pic, 1903g: 121 type species *Cribragapanthia scutellata* Pic, 1903
scutellata Pic, 1903g: 121 **A**: GUI GUX SCH YUN **ORR**

genus *Cribrohammus* Breuning, 1966b: 1 type species *Cribrohammus chinensis* Breuning, 1966 **#226**
Pseudagapanthia Breuning, 1971b: 77 type species *Cribrohammus chinensis* Breuning, 1966
chinensis Breuning, 1966b: 2 **A**: YUN
fragosus Holzschuh, 1998: 48 **A**: SCH SHA **#225**

genus *Cyanagapanthia* Breuning, 1968a: 25 type species *Cyanagapanthia bicolor* Breuning, 1968
aurescens W.-K. Wang & L.-Y. Zheng, 2002b: 79 **A**: YUN
bicolor Breuning, 1968a: 25 **A**: YUN **ORR** **#400**

genus *Dolichoprosopus* Ritsema, 1881c: 149 type species *Dolichoprosopus maculatus* Ritsema, 1881
sameshimai N. Ohbayashi, 2001b: 265 **A**: JA
yokoyamai Gressitt, 1937b: 322 (*Monochamus*) **A**: JA

genus *Euoplia* Hope, 1839: 42 type species *Euoplia polyspila* Hope, 1839
polyspila Hope, 1839: 452 **A**: YUN **ORR** **#664**

genus *Epepeotes* Pascoe, 1866b: 249 type species *Lamia lusca* Fabricius, 1787
Diochares Pascoe, 1866**c**: 303 type species *Cerambyx fimbriatus* Olivier, 1797 (=*Lamia fimbriata* Olivier, 1800 = *Cerambyx desertus* Linnaeus, 1758) **#373**
Falsomonochammus Pic, 1943b: 3 type species *Falsomonochammus diverseglabratus* Pic, 1943
Mengelotes L. S. Dillon & E. S. Dillon, 1941: 43 type species *Mengelotes ambiguus* L. S. Dillon & E. S. Dillon, 1941
[*ambigenus ambigenus* Chevrolat, 1841: 228 (*Monochammus*) **ORR**]
ambigenus formosanus Gressitt, 1951a: 361 **A**: TAI
himalayanus Breuning, 1950a: 1 **A**: NP **ORR** **#390**
luscus Fabricius, 1787: 139 (*Lamia*) **A**: HKG HP JIX SCH YUN **ORR** **#348** **#521**
alorensis Breuning, 1960e: 29
enganensis Gahan, 1907: 80
fumosus Pascoe, 1866c: 301
soembanicus Schwarzer, 1931a: 66
uncinatus uncinatus Gahan, 1888a: 271 **A**: AP BT NP SD XIZ YUN "North India" **ORR** **#280**
lineatus Pic, 1944a: 14 (*Pseudopsacothea*)
salvazai Pic, 1925a: 18
vittatus R.-Y. Wang, 1991: 244, 248 **A:** SCH

genus *Epicedia* J. Thomson, 1864: 78 type species *Lamia carcelli* Guérin-Méneville, 1833 (= *Lamia maculatrix* Perty, 1831)
maculatrix Perty, 1831: xlii (*Lamia*) **A**: HP
carcelii Guérin-Méneville, 1833b: 491 (*Lamia*)
pleuricosta J. Thomson, 1857**e**: 179 (*Leprodera*)

genus *Erythrotes* Lazarev, 2020d: 171 type species *Erythrotes murzini* Lazarev, 2020
murzini Lazarev, 2020d: 172 **A:** SCH

genus *Eutaenia* J. Thomson, 1857e: 184 type species *Ceroplesis javeti* J. Thomson, 1857 (= *Lamia trifasciella* White, 1850)
Eutaeniopsis Gahan, 1888a: 277 type species *Lamia trifasciella* White, 1850
trifasciella White, 1850: 13 (*Lamia*) **A**: FUJ GUA GUX HKG HUN JIX YUN **ORR**
javeti J. Thomson, 1857b: 127 (*Ceroplesis*)
trifasciata J. Thomson, 1864: 72

genus *Falsagnia* Breuning, 1938b: 93 type species *Falsagnia obenbergeri* Breuning, 1938
obenbergeri Breuning, 1938b: 93 **A**: SD

genus *Falsocylindropomus* Pic, 1927b: 35 type species *Falsocylindropomus maculosus* Pic, 1927 **#400**
maculosus Pic, 1927b: 35 **A**: GUX **ORR**

genus *Falsomecynippus* Bi, Chen & Lin, 2024: 735 type species *Monohammus ciliatus* Gahan, 1888
subgenus *Falsomecynippus* Bi, Chen & Lin, 2024: 735 type species *Monohammus ciliatus* Gahan, 1888
ciliatus Gahan, 1888a: 273 (*Monohammus*) **A**: CHQ GUA GUX HAI HKG JIX SCH YUN **ORR** **#307**
delkeskampi Breuning, 1961i: 311 (*Mimothestus*)
luteicornis Xie, Shi & W.-K. Wang, 2012a: 67 (*Mimothestus*)
rondoni Breuning, 1964e: 50 (*Monohammus*)
subgenus *Tuberculhammus* Bi, Chen & Lin, 2024: 738 type species *Falsomecynippus* (*Tuberculhammus*) *superbus* Bi, Chen & Lin, 2024
superbus Bi, Chen & Lin, 2024: 738 **A:** HAI HUN GUA YUN ZHE **ORR**

genus *Gibbohammus* W.-K. Wang & Jiang, 1999b: 121 type species *Gibbohammus stricticollis* W.-K. Wang & Jiang, 1999
stricticollis W.-K. Wang & Jiang, 1999b: 122 **A**: HAI

genus *Hainanhammus* Gressitt, 1940b: 108 type species *Hainanhammus griseopubens* Gressitt, 1940
griseopubens Gressitt, 1940b: 108 **A**: HAI

genus *Haplothrix* Gahan, 1888a: 278 type species *Haplothrix simplex* Gahan, 1888
amicator Gahan, 1888c: 261 (*Monochamus*) **A**: AP SD **#280** **#280**

genus *Hechinoschema* J. Thomson, 1857e**: 181** type species *Hechinoschema spinosa* J. Thomson, 1857
spinosa J. Thomson, 1857e: 182 **A**: SD **ORR** **#280**
armata White, 1858b: 405 (*Monohammus*)

genus *Jeanvoinea* Pic, 1934a: 10 type species *Jeanvoinea annulipes* Pic, 1934 **#801**
annulipes annulipes Pic, 1934a: 11 **A**: AP GUI GUX SCH SHA **#280** **#801**
paucisetosa Gressitt, 1938c: 154 (*Dihammus*) **#801**
annulipes flocculata Gressitt, 1935c: 188 (*Monochamus*) **A**: TAI **#801**

genus *Macrochenus* Guérin-Méneville, 1843: 59 type species *Cerambyx tigrinus* Olivier, 1797
Mecotagus Pascoe, 1866**c**: 252 type species *Cerambyx tigrinus* Olivier, 1797
assamensis Breuning, 1935d: 61 **A**: XIZ YUN **ORR**
guerinii White, 1858a: 274 (*Pelargoderus*) **A**: AP GUX NP SCH SD XIZ YUN **ORR** **#60** **#166**
isabellinus Aurivillius, 1920: 12
tigrinus Olivier, 1797: 468 (*Lamia*) [1800: 101 (*Cerambyx*)] **A**: PA SD **ORR** **#280** **#373**
birmanus J. Thomson, 1878: 49
tesselatus Guérin-Méneville, 1843: 58
tonkinensis Aurivillius, 1920: 12 **A**: GUA GUI GUX HAI HUB YUN **ORR**
inarmatus Gressitt, 1940b: 92 (*Psacothea*)
semijunctus Pic, 1944a: 11

genus *Mecynippus* Bates, 1884a: 240 type species *Mecynippus pubicornis* Bates, 1884
pubicornis Bates, 1884a: 241 **A**: HUB JA KO **#308**

genus *Meges* Pascoe, 1866: 272c type species *Monohammus gravidus* Pascoe, 1858 **#647**
Magninia Clermont, 1932 type species *Magninia tonkinea* Clermont, 1932: 215 **#647**
gravidus Pascoe, 1858: 245 (*Monohammus*) **A**: ANH FUJ HEN HUN SHA SHN ZHE **ORR** **#60** **#647**
multimaculatus Pic, 1933c: 31 (*Apriona*)
tonkineus Clermont, 1932: 215 (*Magninia*) **A**: GUX HAI **ORR** **#647**

genus *Metopides* Pascoe, 1866: 248 type species *Metopides occipitalis* Pascoe, 1866 **#801**
nivosus White, 1858 (*Monochammus*): 409 **A:** PK NP **ORR** **#801**

genus *Mimocoelosterna* Breuning, 1940b: 125 type species *Mimocoelosterna flavescens* Breuning, 1940
hainanensis Breuning, 1966g: 289 **A**: HAI

genus *Mimocratotragus* Pic, 1926j: 323 type species *Mimocratotragus superbus* Pic, 1926
superbus Pic, 1926j: 324 **A**: HUN YUN

genus *Mimognoma* Breuning, 1959d: 151 type species *Mimognoma szetschuanensis* Breuning, 1959
szetschuanensis Breuning, 1959d: 151 **A**: SCH

genus *Mimorsidis* Breuning, 1938a: 33 type species *Mimorsidis lemoulti* Breuning, 1938
scutellata Gressitt, 1951a: 404 **A**: FUJ
taiwanensis Hayashi, 1974c: 47 **A**: TAI
yaeyamensis Samuelson, 1965b: 96 **A**: JA (Ryukyus)
ishigakiana Breuning & Villiers, 1973: 49 (*Acalolepta*)

genus *Mimothestus* Pic, 1935e: 15 type species *Mimothestus annulicornis* Pic, 1935
annulicornis Pic, 1935e: 16 **A**: GUA GUI GUX HKG HUB YUN **ORR**
atricornis Pu, 1999: 81 **A**: HAI

genus *Monochamus* Dejean, 1821: 106 type species *Cerambyx sutor* Linnaeus, 1758 **#521** **#635**
subgenus *Monochamus* Dejean, 1821: 106 type species *Cerambyx sutor* Linnaeus, 1758
Ceratades Gistel, 1834: 29 [unnecessary substitute name]
Monohammus Dejean, 1835: 340 [unjustified emendation]
abruptus Holzschuh, 2015d: 73 **A:** SHA

alboapicalis Pic, 1934a: 9 (*Thrysimia*) **A**: GUX **ORR**
strandiellus Breuning, 1935b: 153
alternatus alternatus Hope, 1842a: 61 **A**: ANH FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SC SCH SHN XIZ YUN ZHE **ORR**
tesserula White, 1858b: 408 (*Monohammus*)
alternatus endai Makihara, 2004a: 17 **A**: JA TAI
basifossulatus Breuning, 1938c: 185 **A**: NP YUN **ORR**
bimaculatus Gahan, 1888c: 260 (*Monohammus*) **A**: AP GUA GUX HAI HUB HUN JIX NP PA SD TAI UP XIZ YUN ZHE **ORR** **#280**
ingranulatus Pic, 1925a: 20 (*Monohammus*)
binigricollis Breuning, 1965d: 51 **A**: GUI YUN **ORR** **#400**
bootangensis Breuning, 1947a: 9 **A**: BT
desperatus J. Thomson, 1857f: 295 **A**: SD
fredericus White, 1858b: 408 (*Monochammus*)
dubius Gahan, 1894a: 35 (*Monohammus*) **A**: FUJ GUA GUI GUX HAI NP SCH SD SHA TAI XIZ YUN **#400**
sintikensis Matsushita, 1939: 58
sparsenotatus Pic, 1920a: 2
foraminosus Holzschuh, 2015d: 74 **A:** SCH
foveatus Breuning, 1961c: 142 **A**: YUN
galloprovincialis cinerascens Motschulsky, 1860b: 150 (*Monochammus*) **E**: NT **A**: ES FE HEI JIL MG NMO WS **#847**
sibiricus Pic, 1908b: 5 (*Monohammus*)
galloprovincialis galloprovincialis Olivier, 1800: No. 67: 125 (*Cerambyx*) **E**: FR IT(Sicily) PT SP **N**: AG CI MO MR TU **#373**
parendeli Théry, 1891: xxiii (*Monohammus*)
subrufopubens Pic, 1912g: 18
galloprovincialis pistor Germar, 1818: 242 (*Lamia*) **E**: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT MC MD ME NL NT PL RO SB SK SL ST SV SZ TR UK **A**: KI KZ WS **#357**
lignator Krynicki, 1832: 158
nitidior Abeille de Perrin, 1870: 87 (*Monohammus*)
unifasciatus Pic, 1905a: 12 (*Monohammus*) ["Altaï"]
galloprovincialis tauricola Pic, 1912g: 18 **A**: JO SY TR **#74**
galloprovincialis transitivus Lazarev, 2017a: 18 **A**: AB AR GG ST TR
gardneri Breuning, 1938c: 185 **A**: SD
grandis C. O. Waterhouse, 1881: 431 **A**: FE (Kunashir, Shikotan) JA
guerryi Pic, 1903g: 121 (*Monohammus*) **A**: GUA GUI GUX HUB HUN SCH YUN **ORR**
granulipennis Breuning, 1938a: 52 (*Melanauster*) **#309**
guttulatus Gressitt, 1951a: 394 [RN] **A**: FE HEI HEN JIL LIA NIN NC SC **#400**
guttatus Blessig, 1873: 196 [HN] (*Monohammus*)
~~*hickei* Breuning, 1964g: 445 A: BT~~ **#589**
impluviatus Motschulsky, 1859a: 571 (*Monohammus*) **E**: CT NT **A**: ES FE HEI KO MG NMO SHA WS
silvicola Z. Wang, 2003: 331, 397 **#400**
karlitzingeri Tavakilian & Jiroux, 2015: 77 **A**: FUJ SCH **ORR**
itzingeri Breuning, 1938c: 190 [HN] (*Melanauster*)
luteodispersus Pic, 1927b: 35 (*Monohammus*) **A**: FUJ **ORR**
maruokai Hayashi, 1962c: 8 **A**: JA (Ryukyus)
masaoi Kusama & Takakuwa, 1984: 431 **A**: JA (Ryukyus)
nigromaculatus Gressitt, 1942c: 2 **A**: SHA XIZ **#225**
nitens Bates, 1884a: 238 (*Monohammus*) **A**: FE (Kunashir, ?Sakhalin) JA SC
griseonotatus Pic, 1921b: 6 (*Monohammus*)
rectus Holzschuh, 2015d: 72 **A:** HEN SHA
saltuarius occidentalis Sláma, 2017b: 934 **E**: AU BH ?BY CR CT CZ GE HU IT LA LT NT PL RO SK SL UK **#752**
saltuarius saltuarius Gebler, 1830: 184 (*Monohammus*) **E**: ?CT ?NT **A**: ES FE KZ HEI JA JIL JIX MG NC NMO SC SHA SHN SHX ?WS XIN ZHE **#313**
sartor sartor Fabricius, 1787: 137 (*Lamia*) **E**: AU BH BU BY CR CZ FR ~~GB~~ GE HU IT LS PL RO SB SK SL SZ UK
mulsantii Seidlitz, 1891a: 749 [1891b: 844] (*Monochammus*)
okenianus Gistel, 1857**a**: 49 (*Monohammus*)
sartor urussovii Fischer von Waldheim, 1806: 12 (*Cerambyx*) **E**: BY CT EN FI LA LT NR NT ST SV UK **A**: ES FE KZ MG NC NIN NMO NW HEB HEI HEN JA JIL SC SHA WS XIN
quadrimaculatus Motschulsky, 1845a: 86 (*Monohammus*)
schaufusi Pic, 1912g: 18
sparsutus Fairmaire, 1889a: 67 **A**: ANH FUJ HEN HUB HUN JIX SCH SHA TAI YUN ZHE
subconvexicollis Breuning, 1967f: 183 **A**: BT
subfasciatus kumageinsularis Hayashi, 1955: 35 **A**: JA
subfasciatus meridianus Hayashi, 1955: 57 **A**: JA
subfasciatus shikokuensis Breuning, 1956a: 1 **A**: JA
subfasciatus subfasciatus Bates, 1873: 308 (*Monohammus*) **A**: FUJ JA JIX SC TAI
beloni Pic, 1901k: 341 (*Monohammus*)
fascioguttatus Gressitt, 1938b: 156

subgranulipennis Breuning, 1974h: 153 **A**: GUI
subtriangularis Breuning, 1972c: 416 **A**: AP
sutor longulus Pic, 1898c: 23 (*Monohammus*) **A**: ES FE HEI HEN JA JIL MG NC NMO SHN QIN XIN ZHE
sutor sutor Linnaeus, 1758: 392 (*Cerambyx*) **E**: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LS LT MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK **A**: AR GG KZ MG WS **NARi**
atomarius DeGeer, 1775: 65 (*Cerambyx*)
heinrothi Cederhjelm, 1798: 88 (*Lamia*)
obscurior Abeille de Perrin, 1869: 42 (*Monohammus*)
pellio Germar, 1818: 244 (*Lamia*)
rosenmuelleri Cederhjelm, 1798: 89 (*Lamia*) [DA]
taiheizanensis Mitono, 1943: 580 **A**: TAI
talianus Pic, 1912h: 20 **A**: GUI XIZ YUN **#400**
tonkinensis Breuning, 1935c: 249 **A**: GUA **ORR**
subgenus *Opepharus* Pascoe, 1868: xiii type species *Opepharus signator* Pascoe, 1868 (= *Monochamus tridentatus* Chevrolat, 1833)
Lophoptera Perroud, 1855: 352 [HN] type species *Lophoptera spectabilis* Perroud, 1855
Zephyropepharus Hayashi, 1962c: 6 type species *Opepharus asiaticus* Hayashi, 1962
asiaticus Hayashi, 1962: 7 **A**: JA (Ryukyus)
kaszabi Heyrovský, 1955b: 260 **A**: TAI **#602**

subgenus *Tibetobia* Frivaldszky, 1892a: 118 type species*Tibetobia szechenyiana* Frivaldszky, 1892 (= *Monohammus millegranus* Bates, 1891)
millegranus Bates, 1891b: 80 (*Monohammus*) **A**: FUJ GUI SCH XIZ YUN
szechenyianus Frivaldszky, 1892a: 119 (*Tibetobia*)
touzalini Pic, 1920b: 198 (*Monohammus*)

genus *Myagrus* Pascoe, 1878: 372 type species *Myagrus hynesi* Pascoe, 1878
yagii Hayashi, 1994: 74 **A**: TAI

genus *Nanohammus* Bates, 1884a: 243 type species *Nanohammus rufescens* Bates, 1884
Microcycos Pic, 1934a: 9 type species *Microcycos annulicornis* Pic, 1934
Pararhodopis Breuning, 1935b: 174 type species *Rhodopis abberans* Gahan, 1894
Rarasanus Matsushita, 1941: 156 type species *Rarasanus subfasciatus* Matsushita, 1941
aberrans Gahan, 1894a: 59 (*Rhodopis*) **A**: GUX **ORR**
myrrhatus Pascoe, 1878: 374 (*Euthyastus*) **A:** AP **#280**
oshimanus Breuning & K. Ohbayashi, 1964: 15 **A**: JA (Ryukyus)
rufescens Bates, 1884a: 244 **A**: HUB JA
griseonotatus Pic, 1931c: 14
sinicus Pic, 1926c: 16 (*Orsidis*) **A**: FUJ GUA HKG HUN JIA JIX SCH
blairi Gressitt, 1937d: 598 (*Rhodopis*)
strandi Breuning, 1935: 173 (*Rhodopis*)
subfasciatus Matsushita, 1941: 157 (*Rarasanus*) **A**: TAI
taiyal Gressitt, 1951a: 628
yunnanus W.-K. Wang & Jiang, 2000b: 80 **A**: YUN

genus *Neodihammus* Breuning, 1935d: 60 type species *Neodihammus pici* Breuning, 1935
pici Breuning, 1935d: 60 **A**: SE SW

genus *Neoxenicotela* Breuning, 1947a: 10 type species *Neoxenicotela mausoni* Breuning, 1947
Maaia Gressitt, 1951a: 384 type species *Maaia terminata* Gressitt, 1951
mausoni Breuning, 1947a: 11 **A**: FUJ GUX HAI **ORR** **#60**
flavotarsus W.-K. Wang & L.-Y. Zheng, 2002a: 377, 379 (*Parapolytrechus* –wrong spelling of *Parapolytretus* Br.) **#167**
terminata Gressitt, 1951a: 385 (*Maaia*)

genus *Paragnia* Gahan, 1893b: 384 type species *Paragnia fulvomaculata* Gahan, 1893
fulvomaculata Gahan, 1893b: 385 **A**: GUI SD YUN **ORR**
aureomaculata Chiang & Li, 1984: 100 (*Stegenagapanthia*)

genus *Paraleprodera* Breuning, 1935e: 253 type species *Lamia crucifera* Fabricius, 1793
bigemmata Thomson, 1865: 554 (*Epice4dia*) **A**: YUN **ORR** **#871**
carolina Fairmaire, 1900: 641 (*Archidice*) **A**: FUJ GAN GUI HUB HUN JIA JIX SCH SHA TAI YUN ZHE **ORR** **#225** **#496**
diophthalma diophthalma Pascoe, 1857a: 49 (*Morimus*) **A**: ANH FUJ GUI GUX HEB HEN HUB HUN JIA JIX **SC** SCH SHA YUN ZHE **#546**
bioculata Fairmaire, 1900: 641 (*Leprodera*)
diophthalma formosana Schwarzer, 1925: 58 (*Leprodera*) **A**: TAI
insidiosa Gahan, 1888d: 391 (*Leprodera*) **A**: NP SCH SD YUN
bimaculata W.-K. Wang & Jiang, 2000b: 80 **#547**
imbasalis Pic, 1925a: 18 (*Epepeotes*)

unimaculata Pic, 1925a: 19 (*Epepeotes*)
itzingeri Breuning, 1935e: 255 **A**: TAI
mesophthalma Bi & Lin, 2012: 6 **A**: XIZ
stephana White, 1858b: 406 (*Monohammus*) **A**: BT GUX NP SD XIZ YUN **ORR**
fasciata W.-K. Wang, 1997: 440 **#76**
officinator White, 1858b: 409 (*Monohammus*)
quadrinotata J. Thomson, 1865: 554 (*Archidice*)
triangularis J. Thomson, 1865: 554 (*Epicedia*) **A**: GUX YUN **ORR**
lecta Gahan, 1888d: 389 (*Leprodera*)

genus *Paraepepeotes* Pic, 1935: 16 type species *Paraepepeotes breuningi* Pic, 1935
Parepepeotes Breuning, 1938c: 182 type species *Paraepepeotes breuningi* Pic, 1935
affinis Breuning, 1938c: 183 (*Parepepeotes*) **A**: UP **ORR**
albomaculatus Gahan, 1888a: 272 (*Epepeotes*) **A**: BT "North India"
breuningi Pic, 1935b: 16 **A**: SCH SHA XIZ YUN **ORR** **#60** **#225**
guttatus Guérin-Méneville, 1844: 242 (*Monohamus*) **A**: AP NP SCH SD "Himalaya" **ORR** **#280** **#280**
punctulatus Westwood, 1848: 12 (*Monohammus*)
marmoratus Pic, 1925a: 19 (*Monohammus*) **A**: YUN **ORR**
szetschuanicus Breuning, 1969e: 188 (*Parepepeotes*) **A**: SCH
westwoodi Westwood, 1848: 12 (*Monohammus*) **A**: SD "Himalaya"

genus *Paramelanauster* Breuning, 1936: 294 type species *Paramelanauster bimaculatus* Breuning, 1936
flavosparsus Breuning, 1936: 295 **A**: YUN **ORR**

genus *Parapolytretus* Breuning, 1943c: 143, 165 type species *Cycos rugosus* Matsushita, 1933 **#167**
Breuningia Matsushita, 1943: 576 [HN] type species *Cycos rugosus* Matsushita, 1933
rugosus Matsushita, 1933b: 335 (*Cycos*) **A**: TAI

genus *Pareutaenia* Breuning, 1948a: 11 type species *Pareutaenia flavostellata* Breuning, 1948
arnaudi Breuning, 1962b: 18 **A**: GUX **ORR**

genus *Parhaplothrix* Breuning, 1935e: 255 type species *Parhaplothrix strandi* Breuning, 1935
szetschuanica Breuning, 1935e: 256 **A**: GUX SCH

genus *Paruraecha* Breuning, 1935d: 64 type species *Paruraecha szetschuanica* Breuning, 1935
subgenus *Arisania* Gressitt, 1936: 106 type species *Arisania submarmorata* Gressitt, 1936
acutipennis Gressitt, 1942e: 209 (*Arisania*) **A**: GUA GUI SHA YUN
submarmorata Gressitt, 1936: 107 (*Arisania*) **A**: CHQ SHA TAI **#225** **#828**
subgenus *Paruraecha* Breuning, 1935d: 64 type species *Paruraecha szetschuanica* Breuning, 1935
sikkimensis Breuning, 1938c: 192 **A**: SD
szetschuanica Breuning, 1935d: 65 **A**: SCH

genus *Peblephaeus* Kusama & Takakuwa, 1984: 14 type species *Cereopsius decoloratus* Schwarzer, 1925
decoloratus Schwarzer, 1925b: 59 (*Cereopsius*) **A**: TAI
ishigakianus Yokoyama, 1971: 97 (*Blepephaeus*) **A**: JA (Ryukyus)
lutaoensis Takakuwa, 1991: 55 **A**: TAI (Ludao Is.)
nobuoi Breuning & K. Ohbayashi, 1966: 31 (*Blepephaeus*) **A**: JA (Ryukyus)
okinawanus doii Fujita, 2002: 10 **A**: JA (Ryukyus)
okinawanus okinawanus Hayashi, 1962: 6 (*Blepephaeus*) **A**: JA (Ryukyus)
satoi Makihara, 2003: 358 **A**: JA (Ryukyus)
yayeyamai Breuning, 1955b: 60 (*Blepephaeus*) **A**: JA (Ryukyus)
caesius Takakuwa, 1984: 13
yonagunii Breuning & K. Ohbayashi, 1964: 27 (*Blepephaeus*) **A**: JA (Ryukyus)
ziczac Matsushita, 1940: 54 (*Etymestia*) **A**: TAI **#450**
formosana Matsushita, 1941: 156 (*Eutenia*)

genus *Peribasis* J. Thomson, 1864: 86 type species *Monohammus helenor* Newman, 1851
pubicollis Pascoe, 1866c: 231 **A**: BT **ORR** **#264**
albisparsa Ritsema, 1888c: 203

genus *Pharsalia* J. Thomson, 1864: 85 type species *Pharsalia malasiaca* J. Thomson, 1864
subgenus *Antennopharsalia* Breuning, 1944b: 330 type species *Pharsalia antennata* Gahan, 1894
antennata Gahan, 1894a: 46 **A**: FUJ GUX SCH SD YUN **ORR** **#496**
rondoni Breuning, 1963d: 20
tuberculifera Pic, 1903b: 22 (*Triammatus*)
subgenus *Cycos* Pascoe, 1866b: 244 type species *Monohammus subgemmatus* J. Thomson, 1857

gibbifera Guérin-Méneville, 1844: 243 (*Monohamus*) **A**: SD
subgemmata J. Thomson, 1857f: 294 (*Monochamus*) **A**: FUJ GUA GUX HAI HEN NP SCH SD XIZ YUN "Himalaya" **ORR**
georgia White, 1858b: 407
rondoniana Breuning, 1964: 46 (*Anoplophora*) **#309**
subgenus *Pharsalia* J. Thomson, 1864: 85 type species *Pharsalia malasiaca* J. Thomson, 1864
mandli Tippmann, 1955: 118 **A**: FUJ
pulchra pulchra Gahan, 1888a: 280 **A**: GUX HAI HUN **ORR**
albofasciata Pic, 1932b: 34
ferruginea Gahan, 1906a: 116
nigrofasciata Aurivillius, 1913: 14
thibetana Breuning, 1982: 17 **A**: XIZ

genus *Polytretus* Gahan, 1893b: 382 type species *Polytretus cribripennis* Gahan, 1893
cribripennis Gahan, 1893b: 383 **A**: SD XIZ **ORR**

genus *Psacothea* Gahan, 1888d: 400 type species *Monohammus hilaris* Pascoe, 1857
hilaris botelensis K. Ohbayashi & N. Ohbayashi, 1965: 4 **A**: TAI (Lanyu Is.)
hilaris hilaris Pascoe, 1857b: 103 (*Monohammus*) **Ei**: FR (Rhône-Alpes) IT **A**: ANH FUJ GAN GUA GUI GUX HAI HEB HEN HUB HUN JA JIA JIX NE SC SCH SHA TAI YUN ZHE **ORR** **#488**
albomaculata Kano, 1933a: 278
flavoguttata Fairmaire, 1887a: 133 (*Diochares*)
machidai Seki, 1935b: 292
suzukii Shiraki, 1913: 611 (*Hammoderus*)
szetschuanica Breuning, 1943c: 220
hilaris insularis Hayashi, 1960d: 25 **A**: JA
hilaris intermedia Breuning & K. Ohbayashi, 1966: 31 **A**: JA (Ryukyus)
hilaris ishigakiana K. Ohbayashi & N. Ohbayashi, 1965: 4 **A**: JA (Ryukyus)
iriomotensis Hayashi, 1969a: 63
hilaris macronotata Hayashi, 1956c: 20 **A**: JA (Tokara Isls.)
hilaris maculata Hayashi, 1962: 17 **A**: JA (Ryukyus)
hilaris miyakejimana Matsushita, 1937: 314 **A**: JA (Izu Isls.)
hilaris miyakoana K. Ohbayashi & N. Ohbayashi, 1965: 5 **A**: JA (Ryukyus)
hilaris teneburosa Matsushita, 1933b: 322 **A**: JA (Ryukyus)
hilaris yonaguniana K. Ohbayashi & N. Ohbayashi, 1965: 4 **A**: JA (Ryukyus)
nigrostigma W.-K. Wang, Jiang & L.-Y. Zheng, 2002: 177 **A**: YUN
rubra Gressitt, 1938a: 49 **A**: SCH

genus *Pseudoechthistatus* Pic, 1917e: 6 type species *Pseudechthistatus obliquefasciatus* Pic, 1917
acutipennis Chiang, 1981: 80 **A**: SCH
chiangshunani Bi & Lin, 2016: 65 **A**: YUN **ORR**
glabripennis Bi & Lin, 2016: 77 **A**: YUN **ORR**
granulatus Breuning, 1942e: 133 **A**: ?SCH YUN
hei Xie & W.-K. Wang, 2019: 184 **A**: YUN
holzschuhi Bi & Lin, 2016: 69 **A**: YUN
obliquefasciatus Pic, 1917e: 7 **A**: YUN
pufujiae Bi & Lin, 2016: 73 **A**: YUN
rugosus Huang, 2020: 593 **A**: YUN
sinicus Bi & Lin, 2016: 63 **A**: YUN

genus *Pseudomacrochenus* Breuning, 1943c: 271 type species *Pelargoderus antennatus* Gahan, 1894
affinis Breuning, 1960e: 30 **A**: SD **#343**
albipennis Chiang, 1981: 81 **A**: SCH
antennatus Gahan, 1894a: 34 (*Pelargoderus*) **A**: FUJ HAI SCH YUN **ORR**
apicalis Gahan, 1900d: 348 (*Pelargoderus*)
perplexus Schwarzer, 1926a: 11 (*Pelargoderus*)
rufulosparsus Fairmaire, 1902b: 268 (*Mecotagus*)
oberthueri Breuning, 1955b: 59 **A**: SCH
spinicollis Breuning, 1949a: 5 **A**: YUN **ORR** **#382**
wusuae He, Liu & Wang, 2017: 113 **A**: SCH

genus *Pseudomeges* Breuning, 1944b: 299 type species *Hammaticherus marmoratus* Westwood, 1848
aureus Bi, Chen & Lin, 2022: 248 **A:** YUN
marmoratus Westwood, 1848: 11 (*Hammaticherus*) **A**: AP BT "Himalaya" XIZ **#280** **#647**
varioti Le Moult, 1946: 136 **A**: GUA HAI SCH YUN XIZ **ORR** **#647**
gigas Lepesme 1947: 411 **#126**

genus *Pseudonemophas* Breuning, 1944b: 281 type species *Monochamus baluanus* Aurivillius, 1923
versteegii Ritsema, 1881d: 155 (*Monohammus*) **A**: AP FUJ HAI NP SCH SD YUN **ORR** **#280**
albescens Pic, 1920a: 2 (*Monochamus*)
glabronotatus Pic, 1934g: 34 (*Monochamus*)
siamensis Breuning, 1982: 17 (*Anoplophora*)
subuniformis Pic, 1934g: 34 (*Monochamus*)

genus *Pseudopsacothea* Pic, 1935b: 16 type species *Pseudopsacothea albonotata* Pic, 1935
albonotata albonotata Pic, 1935b: 16 **A**: GUA GUI GUX HAI JIX **ORR** **#400**
albonotata psacotheoides Gressitt, 1942f: 6 [RN] (*Epepeotes*) **A**: HAI
tonkinensis Gressitt, 1940b: 93 [HN] (*Epepeotes*)

genus *Pseudorsidis* Breuning, 1944: 495 type species *Diochares griseomaculata* Pic, 1916
griseomaculata Pic, 1916e: 18 (*Diochares*) **A**: YUN

genus *Pseudotrachystola* Breuning, 1943c: 187 type species *Trachystola rugiscapus* Fairmaire, 1900
rugiscapus Fairmaire, 1900: 640 (*Trachystola*) **A**: ?FUJ ?SCH ZHE **#400**
strix Gressitt, 1939b: 109 (*Leprodera*)
yei Xiang, Xie & Wang, 2016: 121 **A**: HUB

genus *Pseuduraecha* Pic, 1925a: 23 type species *Pseuduraecha sulcaticeps* Pic, 1925
punctiventris Heller, 1926: 28 (*Dihammus*) **A**: FUJ GUX SCH
nigronotata Pic, 1935g: 178 (*Uraecha*)
sulcaticeps Pic, 1925a: 23 **A**: CH

genus *Rufohammus* Breuning, 1939b: 147 type species *Rufohammus rufescens* Breuning, 1939
rufescens Breuning, 1939b: 148 [1939d] **A**: ?GUX **ORR**

genus *Sarothrocera* White, 1846: 47 type species *Sarothrocera lowii* White, 1846
lowii White, 1846: 47 **A**: AP **ORR** **#166**

genus *Spinaristobia* Breuning, 1963e: 8 type species: *Spinaristobia rondoni* Breuning, 1963,
rondoni Breuning, 1963e: 8 **A**: HAI **ORR** **#310**

genus *Stegenagapanthia* Pic, 1924a: 18 type species *Stegenagapanthia albovittata* Pic, 1924
albovittata Pic, 1924a: 18 **A**: GUX HAI SHA **ORR**

genus *Sternohammus* Breuning, 1935c: 253 type species *Dihammus femoralis* Aurivillius, 1928
sericeus Breuning, 1938c: 187 (*Paradihammus*) **A**: SD
yunnanus W.-K. Wang & Jiang, 1998a: 462 **A**: YUN

genus *Sternorsidis* Breuning, 1959c: 126 type species *Sternorsidis brunnea* Breuning, 1959
brunnea Breuning, 1959c: 126 **A**: SD

genus *Stratioceros* Lacordaire, 1869: 303 type species *Stratioceros princeps* Lacordaire, 1869
Cacoscapus J. Thomson, 1878: 47 type species *Cacoscapus mouhoti* J. Thomson, 1878
princeps Lacordaire, 1869: 303 **A**: AP YUN **ORR** **#280**
mouhoti J. Thomson, 1878: 48 (*Cacoscapus*)

genus *Taeniotes* Audinet-Serville, 1835a: 90 type species *Lamia subocellata* Olivier, 1792 (= *Cerambyx farinosus* Linné, 1758)
Metoscopius Gistel, 1848a: 131 [unnecessary substitute name]
cayennensis J. Thomson, 1859c: 98 **E**i: AZ **NTR**
azoricus Kolbe, 1888: 180

genus *Thermonotus* Gahan, 1888d: 399 type species *Thermonotus nigripes* Gahan, 1888
Gibbanamera Pic, 1923c: 19 type species *Gibbanamera ruber* Pic, 1923
nigripes Gahan, 1888d: 399 **A**: SD YUN **#400**
ruber Pic, 1923c: 20 (*Gibbanamera*) **A**: YUN **ORR**

genus *Trachystohamus* Pic, 1936 type species *Trachystohamus subelongatus* Pic, 1936 **#689**
latefasciatus Breuning, 1944b: 435 [RN] (*Monochamus*) **A**: GUX **ORR**
unifasciatus Breuning, 1935e: 251 [HN]
semigranulatus Pic, 1925a: 20 (*Monochammus*) **A**: YUN (Yiwu Town) **#876**

genus *Trachystolodes* Breuning, 1943c: 188 type species *Trachystola bimaculatus* Kriesche, 1924
huangjianbini Huang, Guo & Liu, 2020: 52 **A**: FUJ JIX **#826**
neltharion C. Wang & He, 2021b: 295 **A**: YUN

tianjialini Yu. Wang, Xie & W. Wang, 2021: 137 **A**: HUB
tonkinensis Breuning, 1943c: 188 **A**: FUJ GUA GUX HAI JIX SCH YUN **ORR**

genus *Trichocoscinesthes* Breuning, 1954d: 70 type species *Trichocoscinesthes szetschuanica* Breuning, 1954
szetschuanica Breuning, 1954d: 71 **A**: SCH

genus *Trichohammus* Breuning, 1938c: 189 type species *Trichohammus granulosus* Breuning, 1938
granulosus Breuning, 1938c: 189 **A**: BEI

genus *Uraecha* J. Thomson, 1864: 84 type species *Uraecha bimaculata* J. Thomson, 1864
albovittata Breuning, 1956c: 233 **A**: FUJ
angusta Pascoe, 1857a: 49 (*Monohammus*) **A**: ANH BEI FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHA TAI XIZ ZHE **ORR** **#200**
attenuata Pic, 1925a: 23
bimaculata Matsushita, 1933b: 330 [HN] (*Orsidis*)
horishana Matsushita, 1935: 312 [RN]
bimaculata bimaculata J. Thomson, 1864: 85 **A**: JA NC SC
bimaculata brevicornis Makihara, 1980: 60 **A**: JA
chinensis Breuning, 1935d: 61 **A**: ANH BEI FUJ HEB HEN HUN JIA SHA ZHE **#200** **#225**
gilva gilva Yokoyama, 1966: 56 **A**: JA
gilva hachijoensis Hayashi, 1969a: 64 **A**: JA (Izu Isls.)
guerryi Pic, 1903e: 105 **A**: YUN
nigromaculata Liang, Guo, W. Yang & Sh. Yang, 2023: 2 **A**: GUI
obliquefasciata Chiang, 1951: 54 **A**: GUI
oshimana Breuning, 1954d: 70 **A**: JA (Ryukyus)
punctata Gahan, 1888b: 63 **A**: FUJ GUA HAI HKG JIX YUN **ORR** **#60** **#200**
yunnana Breuning, 1936: 296 **A**: GAN SCH YUN **#496**
perplexa Gressitt, 1942d: 3 **#200**

genus *Xenicotela* Bates, 1884a: 242 type species *Xenicotela fuscula* Bates, 1884a (= *Monohammus pardalinus* Bates, 1884)
convexicollis Gressitt, 1942g: 83 (*Monohamus*) **A**: TAI ZHE **#662**
distincta Gahan, 1888d: 392 (*Monohamus*) **A**: GUI NP SD YUN **ORR** **#741**
binigricollis, Wang 1998: 599, misidentification. **#741**
quadrimaculata Pic, 1925a: 16 (*Trachystola*) **#741**
tonkinensis Pic, 1926g: 143 (*Nephelotes*)
~~*trinotata* Pic, 1925a: 17 (*Trachystola*)~~
griseomaculata Xie, Barclay & Chen, 2022: 152 **A**: CHQ
mucheni Xie, Barclay &W. Wang, 2023: 197 **A**: YUN
pardalina Bates, 1884a: 239 (*Monohammus*) **A**: JA SC (Mt. Seoraksan)
fuscula Bates, 1884a: 242

genus *Xenohammus* Schwarzer, 1931b: 204 type species *Xenohammus bimaculatus* Schwarzer, 1931
albomaculatus W.-K. Wang & Jiang, 2000b: 78, 80 **A**: SCH
bimaculatus Schwarzer, 1931b: 204 **A**: FUJ GUA GUI GUX HAI JIX SCH TAI ZHE **#496**
filicornis Gressitt, 1935f: 383 (*Monochammus*)
flavoguttatus Pu, 1999: 83 **A**: HAI
griseomarmoratus Breuning, 1956c: 233 **A**: FUJ
nebulosus Schwarzer, 1931b: 205 **A**: TAI

tribe Morimonellini Lobanov, Danilevsky & Murzin, 1981

genus *Morimonella* Podaný, 1979b: 43 type species *Morimonella bednariki* Podaný, 1979
bednariki Podaný, 1979b: 43 **E**: ST (NW Caucasus) **A**: GG (Gagry env.)

tribe Morimopsini Lacordaire, 1869

genus *Aconodes* Pascoe, 1857b: 106 type species *Aconodes montanus* Pascoe, 1857
Centrura Guérin-Méneville, 1843: 61 [HN] type species *Centrura costata* Guérin-Méneville, 1843
Dioxippe J. Thomson, 1861: 355 type species *Centrura divaricata* Coquerel, 1852
Chambaganorum Pic, 1925a: 27 type species *Chambaganorum angustatum* Pic, 1925
bilobatus Breuning, 1939e: 145 (*Centrura*) **A**: XIZ **ORR** **#742**
breuningi Gouverneur, 2015: 88 **A**: BT
submontanus Breuning, 1975d: 345 [HN]
cheni Bi, 2023: 88 **A:** YUN
euphorbiae Holzschuh, 2003b: 309 **A**: NP
gongshanus Bi, 2023: 85 **A:** YUN
haojiani Bi, 2023: 84 **A:** XIZ
latefasciatus Holzschuh, 1984a: 153 **A**: NP XIZ **#742**

lima Holzschuh, 1989a: 173 **A**: BT
macrotuberculatus Bi, 2023: 82 **A:** XIZ
montanus Pascoe, 1857b: 107 **A**: NP SD **#378**
multituberculatus Breuning, 1947a: 6 (*Centrura*) **A**: BT
nepalensis Heyrovský, 1976: 183 **A**: NP XIZ **#742**
ohbayashii Bi, 2023: 88 **A:** YUN
pedongensis Breuning, 1956g: 667 **A**: SD
piniphilus Holzschuh, 2003b: 309 **A**: BT
shihongliangi Bi, 2023: 87 **A:** YUN
sikkimensis Breuning, 1940b: 118 (*Centrura*) **A**: SD
submontanus Breuning, 1949a: 1, 4 (*Centrura*) **A**: YUN **ORR** **#742**
tibetanus Bi, 2023: 77 **A:** XIZ
truncatus Breuning, 1939b: 144 (*Centrura*) **A**: SD
yaojing Bi, 2023: 86 **A:** YUN

genus *Dolophrades* Bates, 1884a: 237 type species *Dolophrades terrenus* Bates, 1884a
Dorcadiohammus Pic, 1934a: 8 type species *Dorcadiohammus punctatus* Pic, 1934 (= *Cereopsius annulicornis* Schwarzer, 1925)
annulicornis Schwarzer, 1925b: 59 (*Cereopsius*) **A**: TAI
punctatus Pic, 1933a: 8 (*Dorcadiohammus*)
subdenudatus Gressitt, 1938b: 153
mustanganus Holzschuh, 2003b: 308 **A**: NP
terrenus Bates, 1884a: 238 **A**: JA

genus *Falsotrachystola* Breuning, 1950c: 218 type species *Trachystola asidiformis* Pic, 1916
asidiformis Pic, 1916i: 326 (*Trachystola*) **A**: YUN
dongi G.-Q. Huang, 2019: 50 - **A**: YUN
torquata Holzschuh, 2007: 250 **A**: YUN **ORR** **#645**
xui Wang Y., He, Wang P., & Wang W. 2023 **A**: GUI GUX

genus *Laoechinophorus* Gouverneur, 2016: 26 type species *Laoechinophorus unifasciatus* Gouverneur, 2016
yunnanus Yamasako, Vives & Liu, 2021: 96 **A**: YUN

genus *Morimidius* Breuning, 1939b: 156 type species *Morimidius flavosparsus* Breuning, 1939
flavosparsus Breuning, 1939b: 156 **A**: YUN **ORR** **#590**
shihongliangi Bi, 2020: 360 **A**: XIZ

genus *Mimodorcadion* Breuning, 1942a: 115 type species *Mimodorcadion griseum* Breuning, 1942 (= *Dorcadion indicum* Guérin-Méneville, 1844)
indicum Guérin-Méneville, 1844: 241 (*Dorcadion*) **A**: "India"
griseum Breuning, 1942a: 115

genus *Morimopsis* J. Thomson, 1857e: 182 type species *Morimopsis lacrymans* J. Thomson, 1857
amiri Bi, 2020: 356 **A**: YUN
assamensis Breuning, 1966d: 14 **A**: AP
cheni Bi, 2020: 357 **A**: XIZ
dalihodi Holzschuh, 2003b: 308 **A**: NP
dembickyi Weigel, 2018: 510 **A**: AP
dongdongi Bi, 2020: 353 **A**: XIZ
glabripennis Holzschuh, 2003b: 308 **A**: BT
granulipennis Breuning, 1966b: 1 **A**: SD
hartmanni Weigel, 2018: 513 **A**: NP
holzschuhi Weigel, 2018: 512 **A**: NP
lacrymans J. Thomson, 1857e: 183 **A**: NP SD **#258**
mussardi Breuning, 1966d: 14 **A**: AP
schmidti Weigel, 2018: 511 **A**: NP
svachai Bi, 2020: 358 **A**: YUN
truncatipennis Breuning, 1940d: 410 **A**: "North India", SD XIZ #590
unicolor Breuning, 1975d: 347 **A**: BT XIZ #590

genus *Petromorphus* Bi, 2016: 299 type species: *Petromorphus yunnanus* Bi, 2016
yunnanus australis Bi, 2016: 300 **A**: YUN
yunnanus yunnanus Bi, 2016: 299 **A**: YUN

genus *Pseudhepomidion* Breuning, 1936: 283 type species *Pseudhepomidion assamense* Breuning, 1936
Morimopsidius Breuning, 1948a: 4 type species *Morimopsidius triangularis* Breuning, 1948

albomaculatum Bi, 2020: 363, 364 **A:** XIZ
longipenne Bi, 2020: 362, 364 **A:** XIZ
triangulare Breuning, 1948a: 5 (*Morimopsidius*) **A:** BT SD
hiekei Breuning, 1964e: 445 (*Monochamus*) **#258**

genus *Sinodorcadion* Gressitt, 1939b: 107 type species *Sinodorcadion punctulatum* Gressitt, 1939
chinense Xie & W.-K. Wang, 2020: 292 **A**: HUB
chizhouense P. Wang, Xie & W. Wang, 2022c: 386 **A**: ANH
jiangi Xie, Shi & W.-K. Wang, 2013: 584 **A**: ZHE
liyanae C. Wang & He, 2021c: 139 **A**: GUI
magnispinicolle Xie, Shi & W.-K. Wang, 2013: 585 **A**: ZHE
punctulatum Gressitt, 1939b: 108 **A**: ZHE
punctuscapum Xie, Shi & W.-K. Wang, 2013: 587 **A**: ZHE
zenghuaae Xie & W.-K. Wang, 2020: 293 **A**: GUX

genus *Sinomimovelleda* Chiang, 1963: 66 type species *Sinomimovelleda dentihumeralis* Chiang, 1963
dentihumeralis Chiang, 1963: 66 **A**: SCH

tribe Nyctimeniini Gressitt, 1951

genus *Nyctimenius* Gressitt, 1951a: 629 [RN] type species *Nyctimene argiloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1802)
Nyctimene J. Thomson, 1857**f**: 314 [HN] type species *Nyctimene agriloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1802)
chiangi G.-Q. Huang, L. Chen & Liu, 2014: 437 **A**: YUN
tristis Fabricius, 1793: 314 (*Saperda*) **A**: HAI NP SD YUN **ORR**
lineatus Fabricius, 1802: 326 (*Saperda*)
testaceovittatus Pic, 1926g: 144 (*Nyctimene*)
vittatus Pascoe, 1866**c**: 330 (*Nyctimene*)

tribe Parmenini Mulsant, 1839

genus *Deucalion* Wollaston, 1854: 430 type species *Deucalion oceanicus* Wollaston, 1854
oceanicus Wollaston, 1854: 433 **N**: MR SG

genus *Lepromoris* Pascoe, 1864c: 278 [RN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)
Leprosoma J. Thomson, 1860: 23 [HN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)
gibba Brullé, 1839: 62 (*Lamia*) **N**: CI
asperata J. Thomson, 1860: 23 (*Leprosoma*)
pedestris Bory de Saint Vincent, 1803: 366 (*Lamia*) [HN]

genus *Paradeucalion* Breuning, 1950b: 153 type species *Deucalion desertarum* Wollaston, 1854
desertarum Wollaston, 1854: 430 (*Deucalion*) **N**: MR (Desertas Is.)
maderense Krátký & Aguiar, 2019: 3 **N**: MR

genus *Parmena* Dejean, 1821: 108 type species *Lamia unifasciata* Rossi, 1790
subgenus *Parmena* Dejean, 1821: 108 type species *Lamia unifasciata* Rossi, 1790
aurora Danilevsky, 1980: 852 **A**: AB IN **#581**
balteus Linnaeus, 1767: 1067 (*Cerambyx*) **E**: BE FR IT SZ
balteata Fabricius, 1793: 262 (*Cerambyx*) – wrong subsequent spelling
fasciata Villers, 1789: 239 [HN] (*Cerambyx*) **???**
gauthieri Stöcklein, 1940: 341
interrupta Pic, 1891b: 29 (Pyrénées)
batumiensis Danilevsky, 2023: 33 **A**: GG **#581**
bialookii Danilevsky, 2017b: 21 **A**: TR
europaea Danilevsky, 2017: 1 [“Ukraine, Yareski (49°50'N, 33°54'E) in Poltava Region”] **E**: MD RO UK
istanbulensis Danilevsky & Hizal, 2017: **E:** TR **A:** TR **#500**
lodosi Özdikmen & Tezcan, 2020a: 198 **A**: TR
meregallii Sama, 1984: 218 **E**: AN FR SP
pontocircassica Danilevsky & Miroshnikov, 1985: 289 **E:** ST UK(Crimea) **A:** AB AR GG IN TR
striatopunctata Sama, 1994f: 554 **A**: TR **#171** **#581**
[*samai* Özdikmen, 2021f: 1440] - unavailable name **#581**
[*sericata* Sama, 1996c: 114] - unavailable name
unifasciata Rossi, 1790: 147 (*Lamia*) **E**: AL BH CR FR GR IT MC ME SB SL SZ **#64**

subgenus *Pilosoparmena* Lazarev, 2024b type species *Lamia pubescens* Dalman, 1817b
balearica balearica Vives, 1998: 28 **E**: SP (Mallorca)
balearica minoricensis Vives, 1998: 30 **E**: SP (Minorca)
bicincta Küster, 1849: 69 **E**: AL BH CR ME

breuningi Vives, 1979: 156 [Sierra de Maria (Almeria)] **E**: SP **#463**
cruciata Pic, 1912c: 4 **E**: SP
schrammi Pic, 1945b: 7
lukati Sama, 1994a: 12 **A**: TR
mutilloides Sabbadini & Pesarini, 1992: 27 **A**: TR
novaki Sama, 1997a: 98 **E**: GR
pilosa pilosa Brullé, 1832: 260 **E**: AL BH CR GR IT SB SL ?UK
hirsuta Küster, 1846a: 95
pilosa inclusa Mulsant, 1862: 242 **E**: FR IT MA **N**: LB
dahlii Mulsant, 1862: 245
pubescens Dalman, 1817b: 176 (*Lamia*) **E**: IT SP **N**: AG LB MO TU **#778**
algirica Laporte, 1840: 485 **#778**
minuta Pic, 1891b: 29
slamai Sama, 1986: 23 **E**: GR (Crete, Rodos, Lesbos) TR
soldatii Cocquempot, 2020: 124 **N**: TU
solieri Mulsant, 1839: 119 [Marseille] **E**: FR IT SP
lanzai Sama, 1985b: 76 [Poraggia Grande, Corsica] **#245**
pilosa Solier, 1835: 100 [HN] [Marseille, Montredon]
subpubescens Hellrigl, 1971: 445 **E**: IT

genus *Plectrura* Motschulsky, 1845b: 370 type species *Plectrura spinicauda* Motschulsky, 1845
subgenus *Phlyctidola* Bates, 1884a: 236 type species *Phlyctidola metallica* Bates, 1884
metallica metallica Bates, 1884a: 236 (*Phlyctidola*) **A**: FE HUB JA NC NE **#63**
mandshurica Jakobson, 1899: 43
sachalinica Jakobson, 1899: 44
metallica yoshihiroi Takakuwa, 1984: 12 **A**: JA

genus *Xylotoles* Newman, 1840: 12 type species *Xylotoles lentus* Newman, 1840 (*Saperda grisea* Fabricius, 1775) **#386**
griseus Fabricius, 1775: 186 (*Saperda*) **Ei**: GBi **AUR** **#386**

tribe Petrognathini Blanchard, 1845

genus *Falsimalmus* Breuning, 1956: 453 type species *Falsimalmus niger* Breuning, 1956 **#492**
niger Breuning, 1956j: 359 **A:** YUN

genus *Ioesse* J. Thomson, 1864: 68 type species *Ioesse sanguinolenta* J. Thomson, 1864
Macrocelosterna Pic, 1925c: 3 type species *Macrocelosterna rubra* Pic, 1924
rubra Pic, 1925c: 3 (*Macrocelosterna*) **A**: HAI YUN **ORR**

genus *Ithocritus* Lacordaire, 1872: 447 type species *Monohammus ruber* Hope, 1839
multimaculatus Pic, 1934g: 35 **A**: GUX **ORR**
fascicollis Breuning, 1935b: 171
ruber Hope, 1839: 43 (*Monohammus*) **A**: NP SD YUN **ORR** **#311**
similis Bi & Lin, 2020: 455 **A:** YUN

genus *Pseudapriona* Breuning, 1936: 304 type species *Pseudapriona flavoantennata* Breuning, 1936
Parajoesse Breuning, 1982a: 21 type species *Parajoesse nagaensis* Breuning, 1982: 21
flavoantennata Breuning, 1936: 304 **A**: AP XIZ **ORR** **#280**
medogensis Chiang & Chen, 1992, 69 (*Ioesse*)
nagaensis Breuning, 1982a: 21 (*Parajoesse*)
niger Pu, 1988: 300, 303 (*Ithocritus*)

tribe Phrynetini J. Thomson, 1864

genus *Calothyrza* J. Thomson, 1868c: 168 type species *Phryneta margaritifera* Westwood, 1848
margaritifera Westwood, 1848: 11 (*Phryneta*) **A**: NP YUN "Himalaya"

genus *Phryneta* Dejean, 1835: 341 type species *Lamia marmorea* Olivier, 1797
Inesida J. Thomson, 1860: 86 type species *Lamia leprosa* Fabricius, 1775
leprosa Fabricius, 1775: 178 (*Lamia*) **Ei**: FR MA **Ai:** TR **AFR** **#189**
brunicornis Guérin-Méneville, 1844: 239 (*Lamia*)

tribe Phytoeciini Mulsant, 1839

genus *Conizonia* Fairmaire, 1864a: 176 type species *Saperda vittigera* Fabricius, 1802 (= *Saperda detrita* Fabricius, 1793)
subgenus *Conizonia* Fairmaire, 1864a: 176 type species *Saperda vittigera* Fabricius, 1802 (= *Saperda detrita* Fabricius, 1793)
allardi allardi Fairmaire, 1866a: 68 **N**: AG
?*elegantula* Fairmaire, 1871: 402 **#107**
leprieuri Pic, 1892g: 104 [1892o: lii]

allardi guyi Sama, 2005a: 37 **N**: MO
aresteni Pic, 1951: 11 **N**: MO
detrita Fabricius, 1793: 308 (*Saperda*) **N**: AG MO TU
maculosa Mulsant, 1839: 201 (*Phytoecia*)
vittigera Fabricius, 1802: 318 (*Saperda*)
guerini Breme, 1840: 277 (*Saperda*) **N**: AG TU
glauca Erichson, 1841: 189 (*Saperda*)
luteopubens Pic, 1918d: 17
lineata Pic, 1918d: 11
mounai Sama, 2005a: 40 **N**: MO
simia Sama, 2005a: 38 **N**: AG
warnieri P. H. Lucas, 1847: pl. 43 (*Phytoecia*) **N**: AG MO TU
aumontiana P. H. Lucas, 1851b: xli (*Phytoecia*)
bicoloricornis Pic, 1942a: 1
cinerea Guérin-Méneville, 1841: 9[HN] (*Saperda*)
coquerelii Fairmaire, 1873: 353
?*elegantula* Fairmaire, 1871: 402 **#107**
fuscicornis Heyden, 1863: 130 (*Phytoecia*)
henoni Pic, 1891b: 49
heterogyna Fairmaire, 1871: 402
inlateralis Pic, 1942d: 3
invittata Pic, 1942a: 1 [DA]
mimeuri Pic, 1950d: 93
poweli Pic, 1941a: 13
pygidialis Pic, 1911a: 9
vittithorax Pic, 1900e: 16

genus *Conizonioides* Özdikmen, 2015a: 50 type species *Conizonia kalashiani* Danilevsky, 1992b **#728**
annularis Holzschuh, 1984a: 160 (*Conizonia*) **A**: TR
anulifera Löbl & Smetana, 2013: 41 [unjustified emendation]
georgiana Navrátil & Rozsíval, 2016: 1 (*Coptosia*) **A**: GG (Gori env.)
kalashiani Danilevsky, 1992b: 113 (*Conizonia*) ["Mt. Arailer near Egvard"] **A**: AR

genus *Eurycoptosia* Reitter, 1913b: 666 type species *Phytoecia bodoani* Pic, 1912
bodoani Pic, 1912a: 10 (*Phytoecia*) **A**: AB (Talysh) IN

genus *Iranocoptosia* Villiers, 1967: 340 type species *Iranocoptosia balachowskyi* Villiers, 1967 (= *Phytoecia fausti* Ganglbauer, 1886)
fausti Ganglbauer, 1886c: 521 (*Phytoecia*) **A**: IN TM (Kopetgag)
balachowskyi Villiers, 1967: 340

genus *Kabylophytoecia* Sama, 2005d: 149 [RN] type species *Phytoecia cirteensis* P. H. Lucas, 1842
Tala Sama, 2005a: 18 [HN] type species *Phytoecia cirteensis* P. H. Lucas, 1842
cirteensis P. H. Lucas, 1842: 187 (*Phytoecia*) **N**: AG TU

genus *Linda* J. Thomson, 1864: 122 type species *Amphionycha femorata* Chevrolat, 1852
subgenus *Dasylinda* J. Thomson, 1868c: 184 type species *Dasylinda scopigera* J. Thomson, 1868 (= *Saperda testacea* Saunders, 1839)
apicalis apicalis Pic, 1906d: 17 **A**: GUI SCH XIZ YUN
gibbosicollis Pic, 1915c: 12
nigriventris Heller, 1923b: 74
subcincta Pic, 1924a: 19
apicalis yunnana Breuning, 1978b: 7 **A**: GUI SCH XIZ YUN
yunnanica Breuning, 1979a: 46 [RN]
fasciculata Pic, 1902i: 32 **A**: SCH SHA YUN
vitalisi Vuillet, 1912: 300 (*Dasylinda*)
scopigera J. Thomson, 1868c: 185 (*Dasylinda*) **A**: AP NP SD XIZ YUN **ORR** **#280**
rubripennis Pic, 1923a: 14
testacea Saunders, 1839: 179 [HN] (*Saperda*)
subgenus *Linda* J. Thomson, 1864: 122 type species *Amphionycha femorata* Chevrolat, 1852
Miocris Fairmaire, 1902a: 245 type species *Miocris nigroscutata* Fairmaire, 1902
[*annamensis annamensis* Breuning, 1954g: 556 **ORR** (Annam)]
annamensis yunnanensis Breuning, 1960f: 147 **A**: YUN
annulicornis Matsushita, 1933b: 424 **A**: FUJ GUI GUX TAI YUN **#400**
subannulata Breuning, 1966b: 19 [RN]
subannulicornis Breuning & K. Ohbayashi, 1964b: 30 [HN] (not *subannulicornis* Breuning, 1956)
atricornis Pic, 1924a: 19 **A**: FUJ ?GAN GUA GUI GUX ?HEB HEN HUB HUN JIA JIX ?NIN ?NMO SCH SHA YUN ZHE
bimaculicollis Breuning, 1954g: 558 **A**: XIZ **ORR**
femorata Chevrolat, 1852: 418 (*Amphionycha*) **A**: FUJ GUA GUI GUX HEN HUB HUN JIA JIX SCH SHA TAI YUN
melanoptera Fairmaire, 1895: 187 (*Amphionycha*)
fraterna Chevrolat, 1852: 419 (*Amphionycha*) **A**: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHN TAI YUN ZHE

luteonotata Pic, 1907c: 24
pratti Pic, 1902a: 3
seminigra Fairmaire, 1887a: 134
subtestacea Pic, 1906d: 17
frontalis Pu, 1988: 304 **A**: XIZ **#523**
gracilicornis Pic, 1907c: 24 **A**: SCH YUN
macilenta Gressitt, 1947: 551 **A**: SCH SHA **#225**
major Gressitt, 1942b: 8 **A**: ANH FUJ GUI SHA **#225**
nigroscutata ampliata Pu, 1993: 361 **A**: GUI SCH **#400**
nigroscutata nigroscutata Fairmaire, 1902a: 245 (*Miocris*) **A**: GUI HUB HUN SCH XIZ YUN **ORR**
rubescens Hope, 1831: 28 (*Saperda*) **A**: AP BT NP SD **#280** **#523**
bisbimaculata Pic, 1930d: 59 (*Miocris*)
fulva Fairmaire, 1895: 188
semiatra Holzschuh, 2003b: 315 **A**: NP
semivittata Fairmaire, 1887a: 134 (*Oberea*) **A**: SCH YUN **#400**
subtestaceicolor Pic, 1916e: 17 (*Oberea*)
tricostata Gressitt, 1947: 554
signaticornis Schwarzer, 1925c: 154 **A**: TAI
stolata Pesarini & Sabbadini, 1997: 127 **A**: SCH
subannulicornis Breuning, 1956c: 236 **A**: FUJ
subatricornis Lin & X.-K. Yang, 2012: 3 **A:** BEI CHQ FUJ HEB NIN SCH SHA **#60**
zayuensis Pu, 1981: 428 **A**: XIZ

genus *Mallosia* Mulsant, 1862: 399 type species *Saperda graeca* Sturm, 1843
subgenus *Eumallosia* Danilevsky, 1990: 364 type species *Mallosia herminae* Reitter, 1890 **#517**
Anatolomallis Özdikmen & Aytar, 2012a: 658 – unavailable name – wrong original spelling.
Anatolomallosia Özdikmen & Aytar, 2012a: 659 type species *Mallosia nonnigra* Özdikmen & Aytar, 2012a
Submallosia Özdikmen & Aytar, 2012a: 659 type species *Mallosia jakovlevi* Semenov, 1895
armeniaca Pic, 1897a: 188 **A**: AR IN TR
caucasica Pic, 1898o: 168
haiastanica Danilevsky, 2007b: 3
brevipes Pic, 1897a: 188 **A**: AR IN TR
cribratofasciata K. Daniel, 1904a: 309
costata Pic, 1898m: 124 [Kurdistan] **A**: IN TR
gobustanica Danilevsky, 1990: 366 **A**: AB (Maraza env.)
herminae Reitter, 1890c: 241 **A**: AB (Nakhichevan) IN
imperatrix imperatrix Abeille de Perrin, 1885: cxl [Bloudan (Antiliban)] **A**: IN IQ LE SY TR **#182**
robusta Pic, 1901e: 19 [Syria]
imperatrix tauricola K. Daniel, 1904a: 308 **A**: TR **#67**
jakowlewi Semenov, 1895: 204 (*Phytoecia*) **A**: IN
iranica K. Daniel & **J**. Daniel, 1898a: 79
kurdistana Breuning, 1970b: 30 [Kurdistan] **A**: IN
nonnigra Özdikmen & Aytar, 2012a: 656 **A**: TR
tamashaczi Sama & Székely, 2010: 896 **A**: IN
subgenus *Mallosia* Mulsant, 1862: 399 type species *Saperda graeca* Sturm, 1843
graeca Sturm, 1843: 356 (*Saperda*) **E**: GR
cardoriensis Pic, 1900o: 109
tomentosa Sturm, 1843: 355 (*Dorcadion*)
subgenus *Semnosia* K. Daniel, 1904a: 304 type species *Saperda scovitzii* Faldermann, 1837
Eusemnosia Özdikmen & Aytar, 2012a: 659 type species *Saperda mirabilis* Faldermann, 1837 **#517**
baiocchii Sama, 200**0a**: 94 (*Semnosia*) **A**: SY
galinae Danilevsky, 1990: 364 **A**: AB GG (Vashlovan) **#12**
interrupta capulcu Koçak & Kemal, 2013: 2 [“Hakkari”] **A**: TR
interrupta interrupta Pic, 1905b: 28 [“Kurdistan”] **A**: IN TR
mirabilis devexula Holzschuh, 1989a: 176 [“Hakkari”] **A**: TR
mirabilis mirabilis Faldermann, 1837: 283 (*Saperda*) **A**: IN IQ TR
bitlisienesis Pic, 1902k: 42 [“Bitlis“]
delagrangei Pic, 1902k: 42 [“Monts Amanus“]
ganglbaueri Kraatz, 1884b: 233 [“Malatia”]
kotschyi Hampe, 1852b: 314 (*Phytoecia*) [Kurdistan]
multimaculata Pic, 1902k: 42 [“Malatia”]
scovitzii Faldermann, 1837: 284 (*Saperda*) **A:** AB AR GG ?IN TR
atricornis Pic, 1915e: 10
semilimbata Pic, 1900g: 14
tristis Reitter, 1888a: 134 **A**: AB IN
angelicae Reitter, 1890c: 242
lederi Pic, 1908e: 14

genus *Mallosiola* Semenov, 1895: 205 type species *Mallosia regina* Heyden, 1887
regina Heyden, 1887**b**: 319 (*Mallosia*) **A**: TD
lopatini Heyrovský, 1969a: 34 (*Mallosia*)

genus *Micromallosia* Pic, 1900g: 15 type species *Micromallosia theresae* Pic, 1900
heinzorum Holzschuh, 1991a: 27 (*Mallosia*) **A**: TR
heydeni Ganglbauer, 1888a: 76 (*Phytoecia*) **A**: TR
theresae Pic, 1900g: 15 **A**: TR

genus *Mimocoptosia* Breuning & Villiers, 1972: 37 type species *Mimocoptosia iraniensis* Breuning & Villiers, 1972 (= *Phytoecia luteovittigera* Pic, 1906)
luteovittigera Pic, 1906a: 4 (*Phytoecia*) **A**: IN TR
iraniensis Breuning & Villiers, 1972: 37

genus *Nupserha* Chevrolat, 1858: 358 [RN] type species *Saperda fricator* Dalman, 1817
Sphenura Dejean 1835:350 [HN] type species *Saperda fricator* Dalman, 1817
acuta Holzschuh, 1986b: 152 **A**: SD
ambigua Lameere, 1893a: 286 **A:** YUN **ORR** **#523**
annulata annulata J. Thomson, 1857c: 147 (*Stibara*) **A**: BT NP PA SD
subannulicornis Pic, 1916d: 7 (*Oberea*)
annulata mustangensis Holzschuh, 1990: 194 **A**: NP
atriceps Breuning, 1948e: 121 **A**: GUI GUX SD UP **ORR**
basipilosa Holzschuh, 1986b: 148 **A**: NP SD
bicolor J. Thomson, 1857c: 147 (*Stibara*) **A**: AP UP **ORR** **#280**
brevior Pic, 1908f: 18 (*Oberea*) **A**: YUN
cauta Holzschuh, 1986b: 150 **A**: NP
clypealis clypealis Fairmaire, 1895: 188 (*Oberea*) **A**: GUI HKG TAI YUN ZHE **ORR** **#400** **#489**
bisbinotaticollis Pic, 1917h: 13 (*Oberea*)
clypealis formosana Breuning, 1960c: 19 **A**: TAI
dubia Gahan, 1894a: 93 **A**: AP FUJ GUX HAI NP PA SD TAI UP YUN **ORR** **#523**
fricator fricator Dalman, 1817b: 183 (*Saperda*) **A**: ?AP FUJ GUX HAI ?NP ?SD TAI **ORR** **#624**
bipartipennis Pic, 1943b: 3 (*Stibara*)
haddeni Gressitt, 1940d: 419
inopinata Gilmour, 1965: 482
lineatipes Pic, 1928b: 22
producta Schwarzer, 1931b: 212
rufopicea Schwarzer, 1930: 127
fumigera Holzschuh, 2021b: 576 **A**: NP
fuscoapicalis Breuning, 1949a: 15 **A**: NP SD **ORR**
fuscodorsalis W.-K. Wang & Jiang, 2002b: 126 **A**: SD YUN **#280**
infantula Ganglbauer, 1889a: 83 (*Oberea*) **A**: FUJ GAN GUA GUI GUX HEB HUB HUN JIX SCH SHA YUN ZHE
bisbinotata Pic, 1928b: 23 (*Oberea*)
subvelutina Gressitt, 1937d: 619
infuscata Breuning, 1960c: 31 **A**: XIZ
lateralis Holzschuh, 2021b: 574 **A**: NP **#624**
lenita Pascoe, 1867b: 410 (*Glenea*) **A**: NP PA SD UP **ORR** **#523**
annamensis Pic, 1939a: 18
nigromaculata Pic, 1926c: 18
longipennis Pic, 1926c: 18 **A**: XIZ
malabarensis Pic, 1939a: 17 **A**: UP **ORR**
marginella binhensis Pic, 1926c: 18 **A**: FUJ HUN **ORR**
marginella marginella Bates, 1873: 390 (*Oberea*) **A**: FE FUJ GUA GUI GUX HEN HUB HUN JA JIA JIL JIX MG NC SC SHA SHN TAI ZHE
alexandrovi Plavilstshikov, 1915c: 109 (*Oberea*) **#729**
infrequens Tsherepanov, 1996: 136 **#544**
minor Pic, 1939a: 17 **A**: FUJ GUX YUN **ORR**
multimaculata Pic, 1939a: 16 **A**: YUN **ORR**
nigriceps Gahan, 1894a: 90 **A**: AP NP YUN **ORR** **#166**
nigricollis Breuning, 1960c: 13 **A**: "North India"
nigrohumeralis Pic, 1927k: 200 **A**: YUN **ORR**
nitidior Pic, 1939a: 18 **A:** HP **ORR** **#366**
pallidipennis flavipennis Breuning, 1950a: 16 **A**: BT JIX NP SD XIZ **#391** **#400**
pallidipennis pallidipennis L. Redtenbacher, 1844: 552 (*Phytoecia*) **A**: BT JIX KA NP SD UP XIZ **ORR**
pseudinfantula Breuning, 1948e: 119 **A**: GUX
quadrioculata Thunberg, 1787: 57 (*Saperda*) **A**: NP GUX HAI YUN "North India" **ORR**
carinata J. Thomson, 1857c: 146 (*Stibara*)
corrugata Gressitt, 1940b: 211

costata Wiedemann, 1923: 112 (*Saperda*)
notaticeps Pic, 1926c: 17
rotundicollis Breuning, 1950d: 263 **A**: BT KA NP PA SD **#274**
schmidi arunensis Holzschuh, 1990: 195 **A**: NP
schmidi darjeelingensis Holzschuh, 1990: 195 **A**: SD
schmidi schmidi Breuning, 1966d: 16 **A**: AP NP SD
schmidi tambaensis Holzschuh, 1990: 195 **A**: NP
sericans Bates, 1884a: 260 (*Oberea*) **A**: FE (Kunashir) JA
spinifera spinifera Gressitt, 1948b: 63 **A**: BT CHQ GUI SCH SD **#168** **#400**
subabbreviata Pic, 1916e: 16 (*Oberea*) **A**: SCH YUN
szetschuanica Breuning, 1947d: 148 **A**: SCH
taliana Pic, 1916e: 16 (*Oberea*) **A**: GUI GUX XIZ YUN **ORR** **#400**
brevelineata Pic, 1928b: 23 (*Oberea*)
lemoulti Pic, 1916e: 18 (*Oberea*)
pseudomarginella Breuning, 1947d: 148
tatsienlui Breuning, 1948e: 120 **A**: SCH
testaceipes Pic, 1926c: 18 **A**: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SCH SHN
batesi Gressitt, 1937d: 618
thibetana Breuning, 1948e: 120 **A**: SCH XIZ
ustulata ustulata Erichson, 1834: 270 (*Saperda*) **A**: GUX **ORR**
cosmopolita J. Thomson, 1857**c**: 146 (*Stibara*)
grandis Pic, 1939a: 17
seminigra Breuning, 1960c: 48
variabilis Gahan, 1894a: 92 **A**: GUX HKG YUN **ORR** **#400**
apicalis Aurivillius, 1926: 21[HN] (*Stibara*)
apicalis Pic, 1925f: 188 (*Stibara*) **#523**
latetestacea Pic, 1942d: 16 (*Stibara*) **#523**
ventralis Gahan, 1894a: 91 **A**: HUN SD XIZ YUN **ORR**
pseudoventralis Breuning, 1950d: 263
yunnana Breuning, 1960c: 36 **A**: YUN
yunnanensis Breuning, 1960c: 19 **A**: YUN

genus *Oberea* Dejean, 1835: 351 type species *Cerambyx linearis* Linnaeus, 1760 **#9** **#523**
subgenus *Amaurostoma* J. Müller, 1906: 223 type species *Cerambyx erythrocephalus* Schrank, 1776
donceeli Pic, 1907c: 23 **A**: ES FE GAN HEB MG NIN NMO SHA SHX XIN
obscuripennis Pic, 1939b: 3
erythrocephala amanica Holzschuh, 1993a: 50 (Adana, Nurdağı geçidi) **A**: ?LE SY TR **#53**
erythrocephala bicolor Reiche, 1878a: cxlix (Lusitania) **E**: PT SP (Andalusía) **N**: MO
maroccana Pic, 1914b: 11
reichei Plavilstshikov, 1927a: 64 [unnecessary RN]
erythrocephala calvescens G. Müller, 1948: 15 **E:** IT
erythrocephala cincta Gebler, 1830: 186 (Loktevsk) (*Saperda*) **E**: SR UK **A**: AB KZ **#841**
luteicollis Gebler, 1833: 303 (Loktevsk) (*Saperda*)
erythrocephala erythrocephala Schrank, 1776: 67 (*Cerambyx*) **E**: AN AU BH BU BY CR CT CZ FR GE GR HU IT LS LT MA MC MD ME PL PT RO SB SK SL SP ST SZ TR UK **A**: AB AR GG IN ?KI KZ ~~LE~~ ~~SY~~ TR WS **#752**
anatolica Pic, 1901d: 19 (Konia)
erivanica Pic, 1917a: 11
hungarica Pic, 1914b: 11
insidiosa Mulsant, 1862: 396 (Dalmatia)
melitana Reiche, 1878a: cxlix (Malta)
montandoni Pic, 1914b: 11 (Roumania)
planeti Pic, 1945b: 5 (France)
richteri Bau, 1888: 425 (Berlin)
schurmanni Heyrovský, 1962a: 42 (Antitoros) **#53**
sinuatesignata Pic, 1945b: 7 (Caucase)
erythrocephala rubricollis Özdikmen & Tezcan, 2020d: 447 **A:** TR (Mersin, Erdemli, Güzeloluk)
erythrocephala theophilei Pic, 1914b: 11 (Armenie) **A:** AB AR IN TR **#841**
euphorbiae Germar, 1813: 131 (*Saperda*) **E**: AU BU CR CT CZ GR HU IT KZ MD ME PL RO SB SK ST SZ ?TR UK **A**: AB AR KZ WS **#564**
imitans G. Müller, 1948: 76
intermedia Breuning, 1947c: 59 [HN]
histrionis Pic, 1917a: 11 **E**: AU CZ HU MD PL RO SK ST BY UK **#91** **#752** **#850**
moravica Kratochvíl, 1989: 1
ressli Demelt, 1963: 150 **A**: TR **#201**
ruficeps muchei Breuning, 1981a: 26 **A**: TD (Gissar Ridge, Anzob Pass)
ruficeps ruficeps Fischer von Waldheim, 1842: 18 **A**: KI KZ TD UZ WS XIN
semirufa Kraatz, 1882a: 115
taygetana Pic, 1901d: 27 **E**: AL GR **#236**

subgenus *Oberea* Dejean, 1835 351 type species *Cerambyx linearis* Linnaeus, 1760
Isosceles Newman, 1842d: 318 type species *Isosceles macilenta* Newman, 1842
acuta Gressitt, 1951a: 629 **A**: SCH YUN **#592**
angustata Pic, 1923b: 11 **A**: FUJ **ORR** **#400**
obscuripennis Breuning, 1967c: 40
atroantennalis Breuning, 1960b: 39 [= 1962f: 190] **A**: FUJ NP **#400**
atropunctata Pic, 1916e: 17 (Yunnan) **A**: SCH YUN
bicallosicollis Pic, 1933f: 7 **A**: SCH
bicoloricornis Pic, 1915c: 13 **A**: XIZ **#201**
binotaticollis binotaticollis Pic, 1915c: 13 **A**: TAI **#465**
griseopennis Schwarzer, 1925c: 154
binotaticollis chinensis Breuning, 1982a: 29 **A**: SCH
binotaticollis ichangensis Breuning, 1969e: 670 **A**: HUB
birmanica Gahan, 1894a: 96 **A**: GUX SCH YUN **ORR**
lajoyei Pic, 1919b: 12
bisbipunctata bisbipunctata Pic, 1916e: 17 **?A**: GUA GUI GUX NE SCH ZHE **ORR** **#592**
bisbipunctulata Breuning, 1960b: 34 [= 1962f: 191] **A**: SD
[*bivittata bivittata* Aurivillius, 1911: 40– Indonesia]
bivittata medioplagiata Breuning, 1960b: 51 [= 1962f: 158] **A**: NP SD YUN **ORR**
bootangensis Breuning, 1960b: 55 [= 1962f: 177] **A**: SD NP
breviantennalis Kurihara & N. Ohbayashi, 2006: 257 **A**: TAI
brevithorax Gressitt, 1936: 108 **A**: FUJ HAI TAI ZHE **ORR** **#184**
inepta Gressitt, 1939b: 122
clara Pascoe, 1866b: 265 **A**: YUN **ORR**
armata Gahan, 1894a: 95
fingeriventris W.-K. Wang, Y.-Z. Le & S.-N. Jian, 2002: 75
conica W.-K. Wang, Y.-Z. Le & Jiang, 2002: 74 **A**: YUN
consentanea Pascoe, 1867b: 426 **A**: BT NP SD **ORR** **#523**
inbrevicollis Pic, 1928d: 16
posticata Pic, 1926b: **10** [HN]
rufopyga Pic, 1926b: 10
coreana Pic, 1912h: 21 **A**: SC **#424** **#525**
coreensis Gressitt, 1951a: 633 **A**: FE NC SC **#525**
coxalis Gressitt, 1940a: 14 [RN] **A**: GUA
discipennis Gressitt, 1939a: 100 [HN]
curialis Pascoe, 1866b: 264 **A**: CH **ORR**
brevicollis Pascoe, 1867b: 420
nonfriedi Pic, 1923a: 14
curticornis Danilevsky, 2023: 463 **A**: FE
curtilineata Pic, 1916i: 326 **A**: YUN
depressa Gebler, 1825: 51 (*Saperda*) **A**: ES FE FUJ KZ MG NC NE SC SHA WS XIN
altaica Gebler, 1830: 187 (*Saperda*)
amurica Suvorov, 1913: 78
rosinae Pic, 1904d: 18
rufomaculata Kôno & Tamanuki, 1926: 278, 293
transbaicalica Suvorov, 1913: 78
distinctipennis Pic, 1902a: 2 **A**: FUJ GUA HAI SCH XIZ **ORR**
lateriventris Gressitt, 1939a: 101
subparallela Pic, 1928b: 23
thibetana Pic, 1916e: 16
diversimembris Pic, 1923b: 11 **A**: XIZ ZHE **ORR**
diversipes Pic, 1919b: 11 **A**: CHQ FUJ GUA GUI HAI HEN HUN SCH SHA XIZ YUN **ORR** **#145**
brevicollis Fairmaire, 1895: 190 [HN]
fairmairei Aurivillius, 1923a: 532 [RN] **#145**
dubia Danilevsky, 2023: 461 **A**: FE
elongatipennis Pic, 1940: 11 **A**: GUI
ferruginea Thunberg, 1787: 57 (*Saperda*) **A**: FUJ GAN GUA GUX HUB HUN NP SD SHA YUN **#400**
atricornis Fabricius, 1793: 308 (*Saperda*)
elongata Olivier, 1800: 19 (*Saperda*) **#373**
maculiventris Pic, 1923a: 15 [HN]
notativentris Pic, 1924d: 30 [RN]
prolixa Pascoe, 1867b: 424
semiargentata Pic, 1923a: 15
flavescens Breuning, 1947d: 146 **A:** SCH SHA **#184** **#225**
flavipennis Kurihara & N. Ohbayashi, 2007: 199 **A**: TAI
formosana Pic, 1911d: 20 **A**: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX NP SCH SHA TAI ZHE **ORR** **#60**
formososylvia Kurihara & N. Ohbayashi, 2007: 207 **A**: TAI
fuscipennis Chevrolat, 1852: 419 (*Isosceles*) **A**: FUJ GUA GUI GUX HAI HEB HUB HUN JA JIA JIX SCH SHA SHG XIZ YUN ZHE

ORR **#145** **#225**
cephalotes Breuning, 1947d: 147
fulveola Bates, 1873: 390
hanoiensis Pic, 1923: 12 **#145**
holoxantha Fairmaire, 1888a: 35
pieli Pic, 1924: 19
rosi Gressitt, 1940b: 214
rufotestacea Pic, 1923b: 12
sinensis Pic, 1902: 2.
theryi Pic, 1902a: 2
unicolor Breuning, 1956c: 236 **#523**
fusciventris Fairmaire, 1895: 189 **A**: SE SW **ORR**
gracillima gracillima Pascoe, 1867b: 422 **A**: ANH AP FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX LIA NP NMO SC SCH SHN TAI ZHE **ORR**
angustatissima Pic, 1908f: 17
horiensis Matsushita, 1931a: 47
langana Pic, 1902l: 35
michikoi Yokoyama, 1971: 101
nigriventris Bates, 1873: 389 **#9**
subannulipes Pic, 1913a: 19
grossepunctata Breuning, 1947d: 145 **A**: SHN YUN
hebescens Bates, 1873: 389 **A**: JA JIA
herzi Ganglbauer, 1887c: 23 **A**: BEI FE HEB JIA JIL ?NC QIN SC SHN
teranishii K. Ohbayashi, 1936b: 17 ["Ikuecho, Osaka" (Japan) – wrong label]
heudei Pic, 1936a: 23 **A**: SHG
heyrovskyi Pic, 1927e: 10 **A**: FE ?NC NE SC
himalayana Breuning, 1972c: 420 **A**: NP UP **ORR**
holatripennoides Löbl & Smetana, 2010: 59 **A**: BEI **#400**
holatripennis Breuning, 1982a: 29 [HN]
humeralis Gressitt, 1939a: 103 **A**: FUJ GUA HUN JIX NE **ORR**
inclusa Pascoe, 1858: 261 **A**: FUJ GUA GUX HEN HUB JIA JIX NMO SCH ZHE
discipennis Fairmaire, 1889a: 68
incompleta Fairmaire, 1897e: 255 **A**: SCH
infranigrescens Breuning, 1960b: 36 **A**: HEI NIN SC (Jindo Is.) JA **#63** **#400**
infratestacea Pic, 1936a: 24 **A**: CHQ FUJ JIX SHG **ORR** **#145**
isigakiana Matsushita, 1941: 158 **A**: JA (Ryukyus)
japonica Thunberg, 1787: 57 (*Saperda*) **A**: FUJ GUA GUX HAI HEB HEN HUB HUN JA JIA JIL JIX LIA NIN SCH SHA SHN ZHE
japonica Bates, 1873: 388 [HN]
niponensis Bates, 1884a: 260 [RN]
komiyai Kurihara & N. Ohbayashi, 2006: 261 **A**: TAI
kostini Danilevsky, 1988b: 35 **E:** CT (Udmurtia) **A**: ES KZ WS **#394**
lacana Pic, 1923a: 16 **A**: SD YUN **ORR**
lama Gressitt, 1942c: 5 **A**: XIZ **ORR**
laosensis Breuning, 1963b: 52 **A**: YUN **ORR**
latipennis Gressitt, 1939a: 104 **A**: GUA JIX **ORR** **#400**
leucothrix Toyoshima, 1982: 33 **A**: JA
licenti Pic, 1939b: 3 [Chine: Fei hien] **A**: BEI FE NC SC ZHE **#652**
chinensis Tsherepanov, 1985: 147 [RN]
scutellaris Fairmaire, 1888b: 147 [HN]
scutellaroides Breuning, 1947c: 58 [RN] **#63** **#400**
linearis Linnaeus, 1760: 191 (*Cerambyx*) **E**: AL AU BE BH BU ?BY CR CT CZ DE EN FR GE GR HU IT LA LS LT LU MD ME NL NR PL PT RO SB SK SL SP ST SV SZ TR UK **A**: AB AR GG IN TR **#133** **#752**
cylindricollis Gray, 1832: 119 (*Saperda*)
fulvipes Geoffroy, 1785: 79 (*Leptura*)
limbata Mulsant, 1839: 197
parallela Scopoli, 1763: 47 (*Leptura*)
regularis Poda von Neuhaus, 1761: 38 (*Leptura*)
lutea lutea Thunberg, 1787: 57 (*Saperda*) **A**: SD **ORR**
maculicollis P. H. Lucas, 1842: 187 **E**: SP **N**: AG MO **#487**
mauritanica P. H. Lucas, 1842: 187
mediooblitterata Pic, 1945b: 7
semijuncta Pic, 1945b: 7
mixta Bates, 1873: 389 **A**: JA ZHE
morio Kraatz, 1879c: 117 **A**: ES FE MG NC NE QIN SC **#400**
pictibasis Reitter, 1902b: 186
nigriceps White, 1844: 425 (*Saperda*) **A**: ANH GUI HAI HKG **ORR** **#400**
binhana Pic, 1923b: 12
notata Pic, 1936a: 24 **A**: ANH FUJ GUA GUX GUI HUN JIA JIX SCH SHG TAI ZHE **#400** **#592**
shimomurai Kurihara & N. Ohbayashi, 2007: 209

oculata Linnaeus, 1758: 394 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N**: MO **A**: AB AR ES FE GG HEI HUB IN IQ JIL KZ LIA MG ?NC NMO SC SHA SHN SY TR WS XIN **#63**
borysthenica Mokrzecki, 1900: 294
inoculata Heyden, 1892a: 81
quadrimaculata Donisthorpe, 1913: 158
tomensis Kiseleva, 1927: 131
okinawana Kusakabe, 1992: 40 **A**: JA (Ryukyus)
pedemontana Chevrolat, 1856b: 436 **E**: AU BH BU CR HU IT ME RO SB SL SZ **?A:** TR **#564**
?*koniensis* Breuning, 1960b: 39
melanura Gredler, 1857: 151
posticata Gahan, 1894a: 94 **A**: AP HAI NP SD TAI **ORR** **#280** **#400**
pseudoposticata Breuning, 1960b: 53 **A**: NP **ORR**
pupillata Gyllenhal, 1817: 185 (*Saperda*) **E**: AU BE BH BY CR CT CZ EN FR GE GR HU IT LA LS LT LU MC MD ME NT PL RO SL SK SP ST SZ UK **#807**
***alsatica* Pic, 1915e: 10**
luteonotata Pic, 1918d: 5
cognata Lentz, 1857: 145
pupillatoides Breuning, 1947d: 145 **A:** SHA **#201**
reductesignata Pic, 1916e: 17 **A**: FUJ HUB TAI **ORR**
kiotensis Pic, 1916e: 17
rubroantennalis Lin & Ge, 2017b: 920 **A:** SCH SHA **#201**
ruficornis Breuning, 1956c: 235 A: CHQ FUJ GUI GUX HUN SCH ZHE **ORR**
pseudoformosana Li, Cuccodoro & Chen, 2014: 57 **#517**
rufiniventris Breuning, 1968a: 41 **A**: GUX **ORR**
rufosternalis Breuning, 1960b: 42 [= 1961b: 95] **A**: SCH SHA YUN **#225**
savioi Pic, 1924a: 19 **A**: JIA SHG ZHE
shibatai Hayashi, 1962: 40 **A**: JA (Ryukyus)
shirahatai K. Ohbayashi, 1956b: 762 **A**: JA
shirakii Hayashi, 1963c: 16 **A**: JA (Ryukyus)
simplex Gressitt, 1942g: 91 **A**: ANH CE NE SHG
sobosana K. Ohbayashi, 1956b: 761 **A**: JA
strigicollis Gressitt, 1942g: 92 **A**: JIX
subelongatipennis Breuning, 1955b: 77 **A**: GUI
subsericea Breuning, 1960b: 42 [= 1962f: 180] **A**: GUI YUN
sylvia Pascoe, 1858: 261 **A**: NE **#184**
taiwana Matsushita, 1933b: 423 **A**: TAI
taihokuensis Breuning, 1960b: 51 [= 1962f: 168] **#184**
tatsienlui Breuning, 1947d: 145 **A:** SCH
tienmuana Gressitt, 1939b: 124 **A:** SHA ZHE **#462**
toi Gressitt, 1939b: 106 **A**: GUA JIX **#184**
tsuyukii Kurihara & N. Ohbayashi, 2007: 206 **A**: SC TAI **#63**
umebayashii K. Ohbayashi, 1964: 24 **A**: JA (Ryukyus)
uninotaticollis Pic, 1939d: 16 **A**: FUJ GUX JIX SHA YUN ZHE **ORR** **#225** **#523**
unipunctata Gressitt, 1939b: 125
vittata Blessig, 1873: 223 **A**: ES FE JA (Tsushima Is.) MG NC NE SC SHA **#225** **#525**
longissima Pic, 1905a: 15
walkeri Gahan, 1894d: 487 **A**: FUJ GUA GUI GUX HAI HEN HKG JIX SCH SD SHA YUN ZHE **ORR** **#225**
atroanalis Fairmaire, 1895: 189
bicoloritarsis Pic, 1923b: 11
changi Gressitt, 1942c: 5
robustior Pic, 1923b: 12
wiskotti Z. Wang, 2003: 347, 397 **A**: JIL
yaoshana Gressitt, 1942g: 93 **A**: GUI GUX
yasuhikoi Kusakabe, 2001: 17 **A**: JA
yunnana Pic, 1926b: 10 **A**: GUA YUN **ORR**
yunnanensis Breuning, 1947d: 147 **A**: GUX HAI YUN **ORR**

genus *Obereopsis* Chevrolat, 1855: 289 type species *Obereopsis obscuritarsis* Chevrolat, 1855
Paroberea Kolbe, 1893: 79 type species *Paroberea fuscipes* Kolbe, 1893 (= *Obereopsis obscuritarsis* Chevrolat, 1855)
annulicornis Breuning, 1957d: 107 **A**: BT NP "North India"
aterrima Breuning, 1949a: 17 **A**: BT "India"
atritarsis Pic, 1920c: 3 (*Oberea*) **A**: XIZ
atrosternalis Breuning, 1957: 104 **A**: NP SD
bicoloripes Pic, 1916e: 16 (*Oberea*) **A**: TAI
bimaculicollis Breuning, 1949a: 20 **A**: "India"
[*bipuncticollis bipuncticollis* Breuning, 1949a: 4, 19 – Burma]

bipuncticollis bootanana Breuning, 1957d: 89 **A**: SD **#343**
bootangensis Breuning, 1970f: 488 **A**: SD
borchmanni Breuning, 1959c: 131 **A**: "North India"
darjeelingensis Breuning & Heyrovský, 1964: 30 **A**: SD
flavicornis Fairmaire, 1889a: 69 (*Oberea*) **A**: JIX
flavodiscalis bhutanensis Breuning, 1975d: 362 **A**: BT
flavodiscalis flavodiscalis Breuning, 1982a: 29 **A**: SD
infranigra Breuning, 1962f: 181 (*Oberea*) **A**: NP
kankauensis Schwarzer, 1925c: 153 (*Oberea*) **A**: FUJ SCH TAI
    tetrastigma Gressitt, 1951a: 601 (*Oberea*)
limbata L. Redtenbacher, 1844: 553 (*Phytoecia*) **A**: KA NP UP **#391**
    himalayana Breuning, 1972c: 420
lineaticeps Pic, 1911d: 21 (*Oberea*) **A**: TAI ZHE
    fainanensis Pic, 1912h: 21 (*Oberea*)
longipes Breuning, 1957d: 109 **A**: SD NP
luteicornis Breuning, 1957d: 105 **A**: SD NP "India"
maculithorax Matsushita, 1933b: 421 (*Oberea*) **A**: SCH TAI
    pulla Matsushita, 1933b: 421 (*Oberea*)
modica Gahan, 1894a: 97 (*Oberea*) **A**: NP GUX JIA SHG "North India" **ORR** **#400**
    binhensis Pic, 1926b: 29 (*Oberea*)
    diversicornis Pic, 1923a: 15 (*Oberea*)
    pallidicornis Gahan, 1894a: 98 (*Oberea*)
    rufonotaticeps Pic, 1923c: 21 (*Oberea*)
    semisericea Pic, 1923a: 15 (*Oberea*)
nepalensis Breuning, 1975d: 362 **A**: NP
nigriceps nigriceps Breuning, 1957d: 81 **A**: SD
nigripes Breuning, 1957: 83 **A**: YUN **ORR**
obscura nigroabdominalis Breuning, 1972c: 420 **A**: NP SD UP
obscura obscura Breuning, 1957d: 57 **A**: AP **#166**
paratricollis Breuning, 1967b: 36 **A**: AP
pedongensis Breuning, 1960f: 148 **A**: SD
pseudannulicornis Breuning, 1982a: 29 **A**: SD
quadrinotaticollis lachungi Breuning, 1982a: 28 **A**: SD
[*quadrinotaticollis quadrinotaticollis* Breuning, 1949a: 4, 18 **ORR** (Burma)]
[*rubetra rubetra* Pascoe, 1858: 261 (*Oberea*) – Malaisia, Indonesia]
    insularis Fisher, 1937: 198 (*Oberea*)
rubetra sikkimana Breuning, 1982a: 29 (*Oberea*) **A**: SD
rufescens Breuning, 1960f: 148 **A**: SD
sericea Gahan, 1894a: 96 (*Oberea*) **A**: AP SD **#343**
sericeoides Holzschuh, 2006c: 488 **A**: BT NP SD
signaticornis Matsushita, 1933b: 423 (*Oberea*) **A**: TAI
sikkimensis Breuning, 1957d: 108 **A**: NP SD UP **#391**
subteratra Breuning, 1957d: 75 **A**: SD "North India"
trinotaticollis Breuning, 1967b: 36 **A**: NP **ORR**
truncata Breuning, 1957d: 109 **A**: SD **#343**
varieantennalis Breuning, 1982a: 28 **A**: SD

genus *Oxylia* Mulsant, 1862: 398 type species *Phytoecia languida* Ménétriés, 1839
    Coptosia Fairmaire, 1865: 177 type species *Phytoecia languida* Ménétriés, 1839 **#206**
argentata argentata Ménétriés, 1832: 227 (*Saperda*) **E**: UK **A**: AB AR GG IN TR
argentata languida Ménétriés, 1839: 42 (*Phytoecia*) **A**: CY IN IQ IS JO LE SY TR
duponcheli Brullé, 1832: 260 (*Saperda*) **E**: AL BU MC GR
    atomaria Frivaldszky von Frivald, 1837: 178 (*Saperda*)
    vestita Küster, 1848b: 82 (*Phytoecia*)

genus *Paramallosia* Fuchs, 1955b: 273 type species *Paramallosia afghanica* Fuchs, 1955
afghanica Fuchs, 1955b: 274 **A**: AF TM (Kopetdag)

genus *Paraserixia* Breuning, 1954g: 442 type species *Paraserixia flava* Breuning, 1954
flava Breuning, 1954g: 442 **A**: SD

genus *Pardaloberea* Pic, 1926b: 9 type species *Pardaloberea curvaticeps* Pic, 1926
curvaticeps Pic, 1926b: 10 **A**: YUN **ORR**

genus *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758
subgenus *Barbarina* Sama, 2010: 49 type species *Phytoecia behen* Sama & Rejzek, 1999 **#517**

behen Sama & Rejzek, 1999: 330 **A**: TR
chehirensis Breuning, 1943b: 103 (*Conizonia*) **A**: TR
nausicae Rejzek & Kakiopoulos, 2004: 405 **E**: GR
nepheloides Sama, 1997a: 100 **A**: SY TR #894
subgenus *Cardoria* Mulsant, 1862: 436 type species *Saperda scutellata* Fabricius, 1793 #790
scutellata Fabricius, 1793: 317 (*Saperda*) **E**: AU CT CZ GE GR HU MD RO SB SK ST UK **A**: AB AR GG IN TR WS #140
obscuricolor Pic, 1952d: 691
subgenus *Cinctophytoecia* Breuning, 1947d: 143 type species *Phytoecia cinctipennis* Mannerheim, 1849
albosuturalis Breuning, 1947d: 143 **A**: BEI GAN HEB NIN #400
approximata Pu, 1992b: 613, 621 **A:** YUN
cinctipennis Mannerheim, 1849: 242 **A**: BEI ES FE HEB MG NC NIN NMO SC SHA #225 #400 #525
coreensis Breuning, 1955e: 658
guilleti callosicollis Pic, 1933e: 7 **A**: SCH YUN #400
guilleti guilleti Pic, 1906a: 4 **A**: SCH YUN
obscurithorax Pic, 1922b: 27
kukunorensis Breuning, 1943b: 102 **A**: QIN
punctipennis Breuning, 1947d: 143 **A**: ZHE #400
sareptana Ganglbauer, 1888e: 376 **A**: ~~ES~~ FE HUB KO
densepubens Pic, 1939b: 3
testaceolimbata Pic, 1933e: 7 **A**: SCH YUN
subgenus *Coptosiella* Kasatkin, 2015a: 127 type species *Phytoecia antoniae* Reitter, 1889 #790
antoniae Reitter, 1889a: 42 **A**: AB AR GG IN TM TR
uniformis Pic, 1933d: 11 (*Coptosia*)
subgenus *Danilevskovia* Lazarev, 2024e: 715 [RN] type species *Saperda molybdaena* Dalman, 1817 [RN]
Danilevskia Lazarev, 2024a: 30 [HN] type species *Saperda molybdaena* Dalman, 1817
badenkoi Danilevsky, 1988a: 16 **A**: KZ (Narunkol env.)
molybdaena Dalman, 1817b: 186 (*Saperda*) **E**: AU BU CZ FR GE GR HU IT ?KZ PT RO SB SK SP ST ?SZ UK **A**: **?**AB **?**AR ES **?**GG IN KZ TM TR WS **N**: AG MO TU #115
longitarsis Reitter, 1911: 271
tenuilinea Fairmaire, 1876: 98 **N**: AG MO TU
mateui Breuning, 1951a: 365
uncinata W. Redtenbacher, 1842: 25 (*Saperda*) **E**: AL AU BH BU CR **?**CT CZ FR GE HU MD PL RO SB SK SL ST UK **A**: **?**TM TR #11 #583
glabricollis Roubal, 1934b: 140
subgenus *Fulgophytoecia* Pic, 1900h: 16 type species *Phytoecia circumdata* Kraatz, 1882
Pseudallosia Breuning, 1967a: 1 type species *Pseudomallosia parterufipennis* Breuning, 1967
circumdata Kraatz, 1882c: 337 **A**: AF KI KZ UZ TD
parterufipenis Breuning, 1967a: 2 (*Pseudomallosia*)
sellata Ganglbauer, 1887e: 296
pilosicollis Holzschuh, 1981: 107 **A**: KZ UZ
valentinae Skrylnik, 2010: 258 **A**: AF
subgenus *Helladia* Fairmaire, 1864a: 176 type species *Saperda flavescens* Brullé, 1832
adelpha Ganglbauer, 1886c: 522 **A**: AR (Byurakan) CY SY TR
diversepubens Pic, 1952d: 691
alziari Sama, 1992b: 306 (*Helladia*) **E**: GR **A**: CY IS JO LE SY TR
ariannae Pesarini & Sabbadini, 2011: 51 **A:** TR
demeltiana Lazarev, 2016d: 14 [RN] **A**: TR
demelti Sama, 2003b: 73 [HN] (*Helladia*)
fatima fatima Ganglbauer, 1884: 570 [“Persien”] **A**: AB IN SY TR
fatima nigroapicalis Breuning, 1944a: 16 [“de l’Irak: Bagdad”] **A**: IQ IN
fatima ninives Sama, 1994b: 33 [“Irak, Mossul”, “NE Irak, Kurdistan, Rawandiz”] **A**: IQ TR #517
flavescens Brullé, 1832: 262 (*Saperda*) **E**: AL GR MC
fumigata Küster, 1848b: 81
humeralis caneri Özdikmen & Turgut, 2015: 384 **A**: TR #55
humeralis humeralis Waltl, 1838: 471 (*Saperda*) **E**: GR (Rodos) TR **A**: ~~AB~~ CY ~~GG IN~~ IQ IS LE SY TR #22 #517
frontalis Chevrolat, 1882: 63
scapularis Chevrolat, 1882: 63
humeralis scapulata Mulsant, 1851b: 194 [1852: 54] **A:** SY TR
mersinensis Pic, 1900p: 140
humeralis vashlovanica Danilevsky, 2023: 506 **A**: AB GG IN
insignata Chevrolat, 1854: 485 **A**: IS JO LE SY #312
bethaniensis T. Pic, 1900b: 67
millefolii Adams, 1817: 311 (*Saperda*) **E**: BU GR ST ?TR UK **A**: AB AR GG IN TR
azurea Steven, 1817: 190 (*Saperda*)
excelsa Stierlin, 1876: 479
orbicollis Reiche & Saulcy, 1858: 15 [“Naplouse”] **A**: IS JO LE SY
damascena Pic, 1899b: 210
edessensis Reitter, 1898e: 358 [Urfa = Edessa]

scapipicta Reitter, 1898e: 358 [Akbes]
schmiedeknechti Pic, 1899b: 209
paulusi bludanica Sama, 2000a: 99 **A**: SY
paulusi paulusi Holzschuh, 1971: 67 **A**: LE
pontica Ganglbauer, 1884: 574 **A**: IS JO SY TR
praetextata nigricollis Pic, 1891h: 102 **A**: SY TR
praetextata praetextata Steven, 1817: 184 (*Saperda*) **E**: BU RO ?ST (N Caucasus) TR UK (Crimea) **A**: AB AR ?GG IN TR **#83**
implagiata Reitter, 1898b: 126
pretiosa Faldermann, 1837: 298 **E:** ?ST (Derbent) **A**: AB AR GG IN ?LE TR **#182** **#192**
subgenus *Helladioides* Özdikmen, 2024e: 3126 type species *Musaria testaceovittata* Pic, 1934
armeniaca Frivaldszky, 1878b: 10 [=1879a: 318; =1879b: 62] **A**: AB AR GG IS JO LE SY TR **#182** **#517**
carnea Heyden, 1879a: 319 [=1879b: 63]
diademata Faldermann, 1837: 297 **A**: AB AR GG IN TR
dorud Sama, Rapuzzi & Rejzek, 2007: 160 (*Helladia*) **A**: IN (Lorestan, Dorud)
euimperialis Faizi & Danilevsky, 2020: 592 **A:** IN
ferrugata Ganglbauer, 1884: 574 **A**: IS JO LE SY TR **#182**
dilaticollis T. Pic, 1900b: 67
imperialis Sama & Rejzek, 2001: 239 **A**: IN (Azarbaygan-e-Garbi, Serou, 37°39'N, 44°45'E)
plasoni Ganglbauer, 1884: 571 **A**: AB AR IN TM TR
testaceovittata natali Lobanov, 1994a: 105 ["(Caucasus Major), 14 km W Kilyazi"] **A**: AB **#396**
testaceovittata testaceovittata Pic, 1934c: 18 (*Musaria*) ["Ins. Kojun, Lac Urmia"] [= Pic, 1949c: 61] **A**: IN
iranica Villiers, 1960b: 99 (*Helladia*)
subgenus *Hoplotoma* Perez Arcas, 1874: 151 type species *Phytoecia malachitica* P. H. Lucas, 1847 **#860** **#880**
malachitica P. H. Lucas, 1847: pl. 43 **E**: IT PT SP **N**: AG MO TU
bolivari Perez Arcas, 1874: 149
hispanica Breuning, 1951a: 364 ['*hispancia"* - wrong original spelling (misprint), see correct spelling in the Index, p. 458]
parvula Breuning, 1960a: 23
subgenus *Kalashania* Danilevsky, 2010a: 43 type species *Phytoecia erivanica* Reitter, 1899
erivanica Reitter, 1899: 161 [RN] **A**: AB AR GG IN TR
nigritarsis Pic, 1895b: 40 [HN] ["Wan"]
rosinae Pic, 1900c: 7
pici Reitter, 1892: 64 **A**: AB AR GG IN IQ TR **#181**
truncatipennis Pic, 1919a: 22 **A**: IN
subgenus *Metacoptosia* Özdikmen, 2024i: 3403 type species *Phytoecia albovittigera* Heyden, 1863
albovittigera Heyden, 1863: 130 **E**: BU GR MC TR **A**: TR
languida Fairmaire, 1865: 177 [HN] (*Coptosia*)
reichei Kraatz, 1876c: 287 (*Coptosia*)
semiannulicornis Pic, 1936c: 4 (*Coptosia*)
vittigera Fairmaire, 1868a: pl. 54, fig. 256 (*Coptosia*)
brunnerae Sama, 2000a: 98 (*Coptosia*) **A**: JO LE SY **#591**
demelti Breuning, 1973b: 143 (*Conizonia*) **A**: TR
gianassoi Sama, 2007a: 97 (*Coptosia*) **A**: IN
minuta Pic, 1891a: 2 **A**: TR
kurda Jakobson, 1924c: 239 [RN]
mardinensis Pic, 1901b: 13 (*Coptosia*)
schuberti Fuchs, 1965: 110 (*Conizonia*) **A**: TR
schuleae Özdikmen & Koçak, 2022: 622 **A**: TR
tauricola Breuning, 1943b: 104 (*Conizonia*) A: TR
urartica Kasatkin, 2015b: 43 **A**: AR IN IQ TR
subgenus *Metallidia* Kasatkin, 2012: 143 type species *Phytoecia alinae* Kasatkin, 2012
alinae Kasatkin, 2012: 143 **A**: TR
lisae Rapuzzi & Sama, 2018: 26 **A**: CY
subgenus *Metallicophytoecia* Özdikmen, 2025e: 1819 type species *Leptura caerulea* Scopoli, 1772 **#860**
caerulea baccueti Brullé, 1832: 262 (*Saperda*) [Peloponnese: Modon env.] **E**: GR **A**: TR **#154**
caerulea bethseba Reiche & Saulcy, 1858: 17 ["Palestine"] **N**: EG **A**: IN IQ IS JO LE SY TR **#209** **#676**
caerulea caerulea Scopoli, 1772: 102 (*Leptura*) **E**: AL AU BH BU ~~BY~~ CR ?CT CZ GR HU IT KZ ?LA MC MD ME PT RO SB SK SL SP ST ?SZ TR UK **A**: AB AR GG IN KZ SY TD TM TR UZ WS **#115** **#104** **#752**
[*coerulea,* alternative spelling; original spelling: *cærulea*]
coelestis Townson, 1797: 469 (*Saperda*)
flavimana Creutzer, 1796: 15 (*Saperda*)
gilvimana Ménétriés, 1832: 227 (*Saperda*)
rufimana Schrank, 1789: 77 (*Saperda*)
viridis Gronov [Gronovius], 1764: 163 [n. 546] (*Cerambyx*) **#193**
caerulea viridipes Rapuzzi & Sama, 2018: 24 **A**: TR **#794**
subgenus *Musaria* J. Thomson, 1864: 120 type species *Leptura affinis* Harrer, 1784
affinis affinis Harrer, 1784: 209 (*Leptura*) [NP] **E**: AL AU BH BU BY CR CT CZ FR GE GR HU IT KZ MC MD PL RO SB SK SL SP ST SZ UK **A**: KZ

bipunctata Piller & Mitterpacher, 1783: 36 (*Cerambyx*) [HN]
compacta Pic, 1890b: 120 [HN]
haemorrhoidalis Fabricius, 1793: 453 (*Saperda*)
janus Frölich, 1793: 154 (*Saperda*)
milliati Pic, 1945b: 7 [“Massif Chartreuse”]
mutata Pic, 1892a: 4 [RN]
nigrina Pic, 1891b: 38
nigritarsis Schoenherr, 1817a: 435 (*Saperda*)
oculata Scopoli, 1763: 47 [NO] (*Leptura*)
subaurata Pic, 1889b: 68

affinis altaica Suvorov, 1913: 79 (*Musaria*) **A**: ES KZ WS

affinis boeberi Ganglbauer, 1884: 559 [RN] [“Caucasus, Türkei”] **E**: ST **A**: AB AR GG IN TR
flavipes Gyllenhal, 1817: 436 [HN] (*Saperda*) - nota -“Caucaso”
melichari Pic, 1914b: 10
persathensis Pic, 1895b: 40

affinis ciscaucasica Danilevsky, 2023: 515 **E**: ST (planes from Dagestan to Stavropol) **#777**

affinis m-notata Pic, 1911e: 185 [“Caucase occidental”] **E**: ST (mountains from Dagestan to Teberda) **#517**
melichari Pic, 1952d: 693 [“Im hohen Nordkaukasus”]
teberdensis Pic, 1952d: 693

affinis nigrohirta G. Müller, 1948: 76 **E**: IT

affinis nigropubescens G. Müller, 1948: 76 [“la razza caucasica”] **E**: ST (NW Caucasus) **A**: ?AR GG ?IN TR

affinis trimaculatocollis Özdikmen & Tezcan, 2020g: 517 **A:** TR

affinis tuerki Ganglbauer, 1884: 575 [“Brussa in Kleinasien”] **E**: BU TR **A**: SY TR **#83**

affinis volgensis Kraatz, 1883: 276 [“Wolga”] **E**: ST (SE Russia)

anatolica Fuchs & Breuning, 1971: 75 **A**: TR

argus Frölich, 1793: 155 (*Saperda*) **E**: AU BH BU CR CT CZ GR HU IT MD RO SK SL ST UK

astarte astarte Ganglbauer, 1886c: 523 **A**: SY (north) TR (south-east)

astarte lederi Pic, 1899d: 391 **E:** ST **A**: AB AR GG IN TR **#194**

astarte perrini Pic, 1892l: clxxxvi [1892d: 44] **A**: LE SY (Bloudan) **#552**
abeillei Pic, 1934d: 134 (*Musaria*)

cephalotes Küster, 1846b: 61 **E**: CR SL GR IT

faldermanni Faldermann, 1837: 296 **E**: ST UK **A**: AB AR GG IN KZ TR
blessigi Morawitz, 1863: 172
pubicollis Pic, 1917g: 10 (*Musaria*)
rosti Pic, 1900h: 16 (*Musaria*)

griseicornis Pic, 1892l: clxxxvii [1892d: 44] **A**: TR

kurdistana Ganglbauer, 1884: 572 **A**: AB AR GG IN IQ TR
caucasica Pic, 1897g: 262 (*Musaria*)
innotaticeps Pic, 1931c: 10
korbi Pic, 1898p: 334
luristanica Pic, 1917g: 9 (*Musaria*)

plyushchi Danilevsky & Skrylnik, 2021: 18 **A:** IN

puncticollis krupitskyi Danilevsky, 2014h: 687 [Hakkâri prov., Agaçdibi, 37°30'02"N, 43°46'49"E,] **A**: JO TR **#517** **#591**

puncticollis persica Ganglbauer, 1884: 572 [“Perse”] **A:** IN **#517**
diversicollis Pic, 1917g: 9 (*Musaria*) [“Perse”]

puncticollis puncticollis Faldermann, 1837: 291 **E**: ST **A**: AB AR GG IN IQ TR
aladaghensis Reitter, 1906a: 37 [“Ala-Dagh in Persien”]
gamborenis Pic, 1917g: 9 (*Musaria*) [“Caucase : Gambor”]
mardiniensis Heyden, 1894: 87
trimaculata Pic, 1917g: 9 (*Musaria*) [“Monts Taurus”]
turcica Pic, 1952b: 4 (*Musaria*) [Turquie]

puncticollis stygia Ganglbauer, 1884: 572 [Schaku am Caspischen Meere] **A**: IN TM

puncticollis vladyslavi Lazarev & Skrylnik, 2022: 1521 **A:** JO

rubropunctata Goeze, 1777: 507 (*Leptura*) **E**: FR IT SP GE **#648**
jourdani Mulsant, 1839: 202
nigrescens Pic, 1891b: 38
obscurior Pic, 1896c: 142
punctata Geoffroy, 1785: 80 (*Leptura*)
punctulata Gmelin, 1790: 1877 (*Leptura*)

tirellii Luigioni, 1913: 168 **E**: GR IT

wachanrui Mulsant, 1851a: 127 **E**: GR (Rodos) ST **A**: IN IS JO LE SY TR **#771**
alboscutellata Chevrolat, 1854: 485
berytensis Pic, 1952d: 696
binodosa Chevrolat, 1882: 61
bisulcata Chevrolat, 1882: 61
breuningi Pic, 1952d: 696
coyei Pic, 1952d: 695
haasi Pic, 1952d: 696
innotaticeps Pic, 1952d: 696 [HN]
irregularisignata Pic, 1952d: 696

jekeli Pic, 1917g: 10 (*Musaria*)
jezabel Reiche & Saulcy, 1858: 13
marsabana Pic, 1952d: 696
microquadrisignata Pic, 1952d: 696
obscuricornis Pic, 1897a: 189
pallidithorax Pic, 1898b: 24 (*Musaria*)
rufomaculata Pic, 1917g: 9
syriaca Chevrolat, 1854: 484
trinotatithorax Pic, 1952d: 696
tripunctata Chevrolat, 1882: 61

subgenus *Neomusaria* Plavilstshikov, 1928: 123 type species *Saperda balcanica* Frivaldszky von Frivald, 1835
adusta Reitter, 1889a: 43 **A**: TR
alepensis Pic, 1931c: 2 **A:** SY **#143**
aligamgami H.Özdikmen & G.Özdikmen, 2016: 494 **A:** TR **#110**
balcanica balcanica Frivaldszky von Frivald, 1835: 268 (*Saperda*) **E**: BU GR TR **A**: IN IQ TR **#109** **#517**
subvitticollis Breuning, 1951a: 92 [Amasia] **#109**
balcanica skoupyi Danilevsky, 2021a: 8 **A**: IN
cercii Özdikmen & Koçak, 2023b: 1791 **A:** TR (Karaman)
dantchenkoi Danilevsky, 2008a: 7 **A**: AR
inapicalis Pic, 1905f: 107 **A**: SY TR
latepubens Pic, 1926d: 6 (*Helladia*)
kazaryani Danilevsky, 2020b: 196 **A:** AR TR
longicornis Pesarini & Sabbadini, 2009: 27 **A:** TR
merkli Ganglbauer, 1884: 560 **A**: SY TR
mesopotamica barbarae Rapuzzi, 2021: 554 **A:** TR
mesopotamica mesopotamica Breuning, 1948d: 91 **A**: IN IQ SY
salvicola Holzschuh, 1989a: 176 **A**: TR
suvorowi Pic, 1905c: 38 **A**: TR
suworowi König, 1906: 26

subgenus *Neomusarioides* Özdikmen, 2025c: 1800, 1801 type species *Saperda modesta* Waltl, 1838 = *Neomusaria waltli* Sama, 1991)
furkani H.Özdikmen & G.Özdikmen, 2016: 495 **A:** TR
pauliraputii Sama, 1993d: 295 (*Neomusaria*) **A**: TR
shokhini Kasatkin, 2010: 61 **A**: TR **#517**
waltli Sama, 1991: 127 [RN] **A**: IS JO LE SY TR
modesta Waltl, 1838: 471 [HN] (*Saperda*)

subgenus *Obereina* Ganglbauer, 1886**c**: 524 type species *Phytoecia rubricollis* P. H. Lucas, **1847** (= *Saperda melanocephala* Fabricius, 1787) **#259**
Rubrophytoecia Breuning, 1943b: 103 type species *Saperda melanocephala* Fabricius, 1787
melanocephala Fabricius, 1787: 148 (*Saperda*) **E**: IT **N**: AG LB MO TU
lineaticollis Levrat, 1859: 35
rubricollis P. H. Lucas, 1847: 505, pl. 43

subgenus *Opsilia* Mulsant, 1862: 387, 431 type species *Phytoecia flavicans* Mulsant, 1851 (= *Leptura coerulescens* Scopoli, 1763)
aspericollis Holzschuh, 1981: 106 **A**: KZ (Karatau Ridge)
atripes Pic, 1922a: 8 **A**: BEI **#198** **#400**
brevicornis Kasatkin, 2013: 265 **A**: AF
bucharica Breuning, 1943b: 101 **A**: AF TD (Isfara env.)
breuningi Dahlgren, 1988: 114
chinensis Breuning, 1943: 102 **A**: HEB
coerulescens coerulescens Scopoli, 1763: 49 (*Leptura*) [Carniola] **E**: AL AU BE BH BU BY ~~CH~~ CR CT CZ FR GE GR HU IT KZ ?LA LS LT LU MC MD ME NL PL PT RO SB SK SL SP ST SZ TR UK **N**: AG MO TU **A**: AB AR ES GG IN IQ IS JO KI KZ LE NE TD TR SY UZ WS **#104** **#556** **#803**
[*caerulescens,* alternative spelling]
aeruginosa O. F. Müller, 1776: 95 (*Leptura*) [“animalium Daniæ et Norvegiæ”]
aeruginosa Mulsant, 1839: 210 [HN] [Espagne]
chlorizans Chevrolat, 1860c: 303 [environs de Bone]
cobaltina Chevrolat, 1860b: 270 [environs de Bone]
echii Chevrolat, 1860c: 302 [environs de Bone]
estrelana Pic, 1930c: 6 (*Opsilia*) [Espagne : Sierra da Estrela]
flavescens Mulsant, 1843: 284 [HN] [prise à Hyères]
flavicans Mulsant, 1851a: 137 [RN] [nomen nov. pro *flavescens* Mulsant, 1843]
grisescens Chevrolat, 1860b: 269 [environs de Blidah - Algeria]
incerta Mulsant, 1862: 433 (*Opsilia*) [France, Midi]
nigrita Nedelkow, 1905a: 204 [Bulgaria, Sofia]
obscura Brisout de Barneville, 1863: 116 [France, Var, île e Port-Cros]
subcoerulea Geoffroy, 1785: 77 (*Leptura*) [Paris]
tienschanica Fuchs, 1965: 111 [Kirghizistan, Sussamyrgebirge, Ketmen Tjube]
trilineata Schoenherr, 1817a: 433 (*Saperda*) [Italia]
virescens Fabricius, 1782: 499 (*Saperda*) [Morée]
viridiuscula Goeze, 1777: 506 (*Leptura*) [Allemagne]

coerulescens cretensis Breuning, 1947c: 60 **E**: GR
murzini Lazarev, 2025g: 1 **A**: GAN
prasina kotaika Miroshnikov, 2009b: 244 **A**: AR TR
prasina prasina Reitter, 1911b: 270 **A**: AB (Talysh) IN **?**TM **#591**
irakensis Breuning, 1967h: 435 - "Irak, Sultan-Bulagh" [Iran, Hamadan province, 52 km NW Hamadan city, Soltân Bolâghî] **#591**
schurmanni Fuchs, 1971: 159 **E**: MC
stenostoloides Breuning, 1943b: 101 **A**: ES FE HEI LIA NMO **#198**
transcaspica Fuchs, 1955a: 228 **A**: KZ TM UZ **#517**
varentzowi Semenov, 1896: 257 **E**: ST **A**: AB AR GG IN KI KZ TD TM UZ
immundula Reitter, 1911b: 270
subgenus *Paracoptosia* Danilevsky, 2017f: 1137 type species *Saperda compacta* Ménétriés, 1832 **#206**
bithynensis Ganglbauer, 1884: 573 **A**: IN LE TR **#464** **#591**
amasina Pic, 1949c: 60 (*Coptosia*)
conjuncta Pic, 1901b: 13 (*Coptosia*) [DA]
latevittata Breuning, 1963a: 10 (*Conizonia*)
limbata Pic, 1949c: 61 (*Coptosia*) [DA]
piciana Jakobson, 1924: 239 [RN]
trilinea Pic, 1892s: cxii
trilineata Pic, 1892s: cxii [= 1893d: 419]
compacta Ménétriés, 1832: 228 (*Saperda*) **A**: AB AR GG IN TR **#591**
rufobrunnea Heyden, 1894: 88 (*Conizonia*)
ganglbaueri Pic, 1936c: 3 (*Coptosia*) **A**: CY IS JO LE SY TR
sancta Reiche, 1877b: cxxxvi **A**: IS JO LE SY **#191**
nigrosuturata Bytinski-Salz, 1956: 221 (*Coptosia*)
tauricola Breuning, 1943b: 104 (*Conizonia*) **A**: TR
urartica Kasatkin, 2015b: 43 **A**: AR IN IQ TR #771
subgenus *Parobereina* Danilevsky, 2018e: 131 type species *Phytoecia vittipennis* Reiche, 1877
forticornis forticornis Breuning, 1947b: 22 **A**: KA PA
forticornis povolnyi Heyrovský, 1971: 82 **A**: AF
heinzi Lazarev, 2019a: 123 **A**: PA
kashanica Danilevsky, 2020b: 197 **A:** IN
magnanii Sama, Rapuzzi & Rejzek, 2007: 174 (*Blepisanis*) **A**: IN
nigrofemorata Breuning, 1947b: 23 **A**: KA
nivea Kraatz, 1882a: 116 **A**: KI KZ TD UZ
ochraceipennis Kraatz, 1882c: 337 **A**: AF KI KZ TD UZ **#517**
pallidipennis Plavilstshikov, 1926c: 340 [HN]
plavilschikovi Lazarev, 2019f: 1335 [RN] **#459**
pashtunica Lazarev, 2019a: 122 **A**: AF
remaudierei Villiers, 1967: 341 (*Blepisanis*) **A**: IN
repetekensis Semenov, 1935a: 279 **A**: TM
tatyanae Skrylnik, 2010: 260 **A**: AF
tekensis Semenov, 1896: 258 **A**: AF IN TM
vittipennis leuthneri Ganglbauer, 1886c: 523 **A**: IS SY TR
akbesiana Pic, 1900j: 20
inhumeralis Pic, 1900c: 7 (*Obereina*)
samai Özdikmen & Turgut, 2008c: 572
vittipennis pallidior Pic, 1901o: 67 (*Obereina*) **A**: TR
tokatensis Pic, 1933d: 11 **#793**
vittipennis pravei Plavilstshikov, 1926a: 8 [= 1926c: 339] **A**: AB AR GG IN TM TR
vittipennis vittipennis Reiche, 1877c: cxli **E**: AL BU GR SB **A**: **?**LE TR **#213**
volkovitshi Danilevsky, 2010e: 24 **A**: TR
subgenus *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758
acridula Holzschuh, 1981: 105 **A**: KI TD UZ
aenigmatica Sama, Rapuzzi & Rejzek, 2007: 166 **A**: IN TR **#584**
algerica Desbrochers des Loges, 1870: 126 **N**: AG MO
nigritarsis Chevrolat, 1882: 62
rufotibialis Pic, 1926d: 6
ambrusi Faizi & Danilevsiky, 2020: 593 **A:** IN
annulicornis Reiche, 1878a: cli **N**: AG MO **#487**
annulipes Mulsant & Rey, 1863: 165 **A**: TR **#846**
asiatica asiatica Pic, 1891h: 102 **A**: TR
achilleae Holzschuh, 1971: 68
asiatica sublineata Holzschuh, 1984a: 159 **A**: AB AR TR **#676**
bangi Pic, 1897a: 189 **A**: AR GG IN TR **#517**
bialookii Danilevsky, 2010e: 22 **A**: TR
bodemeyeri Reitter, 1913b: 665 **A**: IN TR **#591**
brunneicollis Pu, 1992b: 613 **A**: SCH

coeruleipennis Breuning, 1947b: 22 **A**: KA **#860**
coeruleomicans Breuning, 1947b: 22 **A**: JA **#860**
croceipes Reiche & Saulcy, 1858: 17 [RN] **A**: AB AR CY GG IQ IN IS LE SY TR
annulifera T.Pic, 1900b: 67
longicollis Costa, 1875: 27
macilenta Mulsant & Wachanru, 1863: 421 [RN]
puncticollis Mulsant & Wachanru, 1852: 175 [HN]
cylindrica Linnaeus, 1758: 394 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **A**: AB AR ES FE GG IN KZ MG TR WS XIN **#11** **#854**
cinerea DeGeer, 1775: 75 (*Cerambyx*)
fuliginosa Scopoli, 1786: 49 (*Leptura*)
grandis Pic, 1891a: 2 [DA]
kaemmereri Schatzmayr, 1928: 47
silphoides Schrank, 1781a: 145 (*Cerambyx*)
simplonica Stierlin, 1878a: 438
verna O. F. Müller, 1776: 94 (*Leptura*)
drurei Pic, 1909: 153 **A**: IQ
erythrocnema P. H. Lucas, 1847: pl. 43 **E**: FR PT SP **N**: AG MO TU
grenieri Fairmaire, 1861: xi
brevis Chevrolat, 1882: 62
cosettae Iablokoff-Khnzorian, 1953: 61
ferrea Ganglbauer, 1887c: 22 **A**: BEI ES FE HEB HEI HUB GAN GUA MG NE NMO SHA SHX **?**WS ZHE **#400**
analis Mannerheim, 1849: 244 [HN]
atropygidialis Pic, 1939b: 3
mannerheimi Breuning, 1951a: 368 [RN]
nikitini Hayashi, 1957: 40
flavipes Fabricius, 1802: 329 (*Saperda*) **N**: MO
gamzeae Özdikmen, 2017a: 23 **A**: TR **#110**
gaubilii Mulsant, 1851a: 129 **N**: AG ?MO TN **#487**
gabilloti Pic, 1891b: 39
griseipes Pic, 1890f: cxi
impunctata Pic, 1895b: 64
innotata Pic, 1898a: 14
peregrina Reiche, 1877b: cxxxv
separata Pic, 1895b: 70
geniculata geniculata Mulsant, 1862: 420 [la Turkuie] **E**: BU CY GR IN RO TR **#855**
donatellae Rapuzzi & Sama, 2010b: 187 (Grecia)
fuscicornis Mulsant & Rey, 1863: 168 [HN] (Constantinople)
orientalis Kraatz, 1871a: 272 [RN]
geniculata nazarena Reiche, 1877b: cxxxvi **A**: ?IQ IS JO LE SY ?TR **#855**
ingeniculata T. Pic, 1900b: 67 (Syria)
palaestina Pic, 1930c: 3
gougeleti Fairmaire, 1880: 251 **N**: MO
griseola Breuning, 1951a: 359 [RN] **A**: HP
grisea Breuning, 1947b: 21 [HN]
icterica Schaller, 1783: 292 (*Cerambyx*) **E**: AL AU BH BU CR CT CZ FR GE GR HU IT KZ LU MC MD ME PL PT RO SB SK SL SP ST SZ TR UK **N:** MO **A**: ?GG KZ WS (Kemerovo, Kurgan Region) **#11** **#487**
ephippium Fabricius, 1793: 317 (*Saperda*)
ragusana Küster, 1844: 55 (*Oberea*) [DA]
subannulipes Pic, 1915: 11
kabateki Sama, 1997a: 104 **A**: SY
kartalensis Danilevsky, 2010e: 21 **A**: TR
lahoulensis Breuning, 1951a: 359 **A**: KA
manicata Reiche & Saulcy, 1858: 17 **A**: IS LE SY TR
marki Danilevsky, 2008a: 11 **A**: AR **#846**
martinae Danilevsky & Hodek, 2021: 19 **A**: IN **#846**
mongolorum Namkhaidorzh, 1979: 584 **A**: MG
napolovi Danilevsky, 2012c: 4 **A**: IS **#846**
nigricornis Fabricius, 1782: 499 (*Saperda*) **E**: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT KZ LA LT LU MC MD ME NT PL RO SB SK SL SP ST SV SZ TR UK **A**: AB AR ES FE GG KZ IN TR WS **#517**
canaliculata Fröhlich, 1793: 144 (*Saperda*)
caroni Mulsant & Godart, 1876: 419
julii Mulsant, 1862: 429
melanocera Gmelin, 1790: 1838 (*Cerambyx*)
solidaginis Bach, 1856: 39
tristriga Reitter, 1913a: 70
pubescens Pic, 1895b: 64 **E**: BH BU CR GR MC SL ST TR **A**: AB AR GG IN IS JO LE SY TR **#83** **#182**
glaphyra K. Daniel, 1906b: 177
pustulata adulta Ganglbauer, 1884: 572 **A**: IN (“Astrabad”) **#291**
adnexa Pic, 1947a: 1 (“Asterabad”)

pustulata cihanae Özdikmen, 2017b: 54 [Konya] **A**: SY TR **#550**
pustulata murina Marseul, 1870: 384 [“Sarepta”] **E**: KZ ST UK **A**: KZ KI UZ
pulla Ganglbauer, 1886a: 130
gibbicollis Reitter, 1893a: 114
kryzhanovskii Kostin, 1973: 230
pustulata pilipennis Reitter, 1895c: 161 **A**: AB AR IN TR **#397**
vexans Reitter, 1895c: 162
pustulata pustulata Schrank, 1776: 66 (*Cerambyx*) **E**: AL AU BH BU BY CR CT CZ FR GE GR HU IT ?KZ LA LT MC MD ME PL PT RO SB SK SL SP SZ ST TR UK **A**: AB AR GG KI KZ LE TD TR UZ **#464**
brevenotata Pic, 1936c: 4
lineola Fabricius, 1781: 235 (*Saperda*)
macedonica Pic, 1929b: 9
obscuripes Pic, 1895b: 65
posegana Piller & Mitterpacher, 1783: 67 (*Cerambyx*)
vulnerata Schaller, 1783: 293 (*Cerambyx*)
pustulata taurica Danilevsky, 2023: 535 **E**: UK
rabatensis Sama, 1992a: 41 **E**: SP **N**: MO
rufipes latior Pic, 1895b: 66 **A**: SY TR
rufipes rufipes Olivier, 1800: 25 [France: “Var”] (*Saperda*) **E**: BH BU CR CT FR GR IT KZ PT SL SP ST ?SZ ?UK **N**: AG MO **A**: ES GG ?JIL IN KI KZ ?LIA ?NMO ?SHX TD TM TR UZ WS **#115 #373 #400 #467**
coeca Küster, 1848a: 85 (*Oberea*)
femoralis Mulsant, 1862: 416 [l’Algérie]
ledereri Mulsant, 1851a: 132
ludovici Pic, 1891e: 133 [1891m: cxxxv] [“Sarepta”]
schreiberi Ganglbauer, 1884: 561 **#303**
sibirica Gebler, 1833: 304 (*Saperda*)
umbellatarum Gistel, 1831: 303 (*Saperda*)
rufiventris Gautier des Cottes, 1870a: 104 **A**: ANH ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX MG NC NMO SC SHA SHN SHX TAI ZHE **ORR**
abdominalis Chevrolat, 1882: 62
atrimembris Pic, 1915f: 14
hakutorana Z. Wang, 2003: 365, 397
pieli Pic, 1952d: 699
punctigera Blessig, 1873: 226
tonkinea Pic, 1902l: 34
tristigma Pic, 1897a: 190
ventralis Bates, 1873: 388
rufovittipennis Breuning, 1972c: 419 **A**: UP
rungsi Antoine, 1953: 221 **N**: MO
sikkimensis Pic, 1907f: 152 **A**: KA NP SD
kashmirica Breuning, 1943b: 101
reductevittata Breuning, 1943b: 101
subannularis Pic, 1901b: 14 **A**: TR
vaulogeri Pic, 1892k: 314 **N**: AG
virgula centaureae Sama, Rapuzzi & Rejzek, 2007: 163 **A**: IN TR **#517 #584 #721**
virgula grisea Pic, 1891o: 139 **E**: ST UK **A**: KZ **#721**
virgula kugitanga Danilevsky, 2023: 542 **A**: TM **#721**
virgula montis Danilevsky, 2023: 541 **A**: KI **#721**
virgula punctum Ménétriés, 1832: 227 (*Saperda*) **E**: ST **A**: AR AB GG **#721**
virgula russica Danilevsky, 2023: 539 **E**: BY CT KZ LA LT ST UK **A**: ES KZ ?TD UZ WS **#721**
virgula virgula Charpentier, 1825: 225 (*Saperda*) **E**: AL AU BH BU CR CZ FR GE GR HU IT MC ME PL PT RO SB SK SL SP SZ TR **A**: CY IN IS JO LE SY TR XIN **#517 #721**
bravardi Pic, 1947a: 1
cyclops Küster, 1848a: 88
major Pic, 1901b: 14
vulneris eremita Sama, 1999a: 53 **E**: IT
vulneris vulneris Aurivillius, 1923a: 566 [RN] **E**: BH CR FR IT MC SL
vulnerata Mulsant, 1851a: 131 [HN]
staudingeri Pic, 1947a: 1
paganettii Breuning, 1944: 16
subgenus *Pseudoblepisanis* Breuning, 1950a: 31 type species *Saperda analis* Fabricius, 1781
arabica Rapuzzi & al Dhafer, 2024: 210 **A:** SA
subgenus *Pseudocoptosia* Pic, 1900h: 16 type species *Phytoecia eylandti* Semenov, 1891
cinerascens Kraatz, 1882c: 337 **A**: AF IN KI KZ TD TM UZ
sokolowi Semenov, 1895: 206, 209
eylandti Semenov, 1891: 380 **A**: AF KI KZ TM TD UZ
glasunowi Semenov, 1895: 207, 210
kubani Holzschuh, 1991c: 56 **#729**
subgenus *Pseudomusaria* Pic, 1900h: 16 type species *Phytoecia farinosa* Ganglbauer, 1886

farinosa Ganglbauer, 1886c: 522 **A**: IN TM
mucida Semenov, 1893: 506

genus *Pilemia* Fairmaire, 1864a: 175 type species *Phytoecia tigrina* Mulsant, 1851
subgenus *Pilemia* Fairmaire, 1864a: 175 type species *Phytoecia tigrina* Mulsant, 1851
angusterufonotata Pic, 1952a: 2 **E**: AL GR **#236**
inarmata Holzschuh, 1984b: 168
annulata annulata Hampe, 1852b: 315 (*Phytoecia*) **A**: AB AR IN TR
annulata wawerkana Reitter, 1905b: **240** **A**: TR ["Akbes"]
angorensis Pic, 1952a: 2
breverufonotata Pic, 1952a: 2 **A**: TR
maculifera Holzschuh, 1984b: 170
griseomaculata Pic, 1891h: 102 **A**: LE SY TR **#464**
laterufonotata Pic, 1952a: 2
halperini Holzschuh, 1999: 51 (*Phytoecia*) **A**: JO IS **#591**
samii Özdikmen & Turgut, 2010: 97 **A**: TR
serriventris Holzschuh, 1984b: 169 **E**: BU
smatanai Holzschuh, 2003: 240 **A**: TR
tigrina podillica Zamoroka, Ruicănescu & Manci, 2024: 21 (*Phytoecia*) **E**: MD RO UK ?ST UK **A**: ?AR TR **#772**
tigrina tigrina Mulsant, 1851a: 134 (*Phytoecia*) **E**: BU HU RO SB **#313** **#583** **#772**
anchusae Fuss, 1852b: 138
vagecarinata Pic, 1952a: 3 **A**: SY TR **#241**
subgenus *Pseudopilemia* Kasatkin, 2018: 157 type species *Saperda hirsutula* Frölich, 1793
arida Lazarev, 2023b: 67 IS JO LE SY TR
ghobarii Danilevsky, 2018b: 589 (*Phytoecia*) **A**: IN
hirsutula hirsutula Frölich, 1793: 141 (*Saperda*) ["Oesterreich"] **E**: AL BH BU CR GR HU IT KZ MC MD ME RO SB SK SL ST UK **A**: ~~AB AR GG IN~~ ~~IS JO LE~~ KZ ~~SY~~ TR WS **#702** **#777**
androsensis Breuning, 1963a: 10 (*Oxylia*) - Grèce : Ile d'Andros
atomaria Townson, 1797: 470 (*Saperda*) - Hungary
tournieri Pic, 1952a: 2 (*Phytoecia*) - Sicile
hirsutula holosericea Faldermann, 1837: 287 (*Saperda*) -["Transcaucasia"] **A**: AB AR GG IN TR **#702**
buglanica D.Marklund & S.Marklund, 2014: 276 (*Phytoecia*) - Bingöl **#241**
evae D.Marklund & S.Marklund, 2014: 274 (*Phytoecia*) - Bingöl **#241**
ciliciae Breuning, 1951a: 406 (*Phytoecia*)
obsoleta Ganglbauer, 1889d: 487 - "Transcaucasien, Pontus".
hirsutula karadutensis Lazarev, 2023b: 77 **A**: TR (Adiyaman)
hirsutula kostali Skořepa, 2022: 14 (*Phytoecia*) **A**: IN
hirsutula richardi Lazarev, 2023b: 78 **A**: IN (Lorestan)
hladilorum Holzschuh, 2006a: 274 **E**: GR
homoiesthes Ganglbauer, 1888d: 197 **A**: IN TM **#702**
konyaensis Danilevsky, 2010e: 20 **A**: TR
moreana Breuning, 1943b: 102 (*Phytoecia*) **E**: GR **#183**
holtzi Pic, 1952a: 3
kruszelnickii Szczepański & Karpiński, 2017: 142 *(Phytoecia)* **#183**

genus *Pteromallosia* Pic, 1900h: 16 type species *Phytoecia albolineata* Hampe, 1852
albolineata Hampe, 1852b: 314 (*Phytoecia*) **A**: AB AR GG IN ?LE TR **#182**
fulvolineata Reitter, 1891a: 33 (*Phytoecia*)

genus *Pygoptosia* Reitter, 1895a: 86 type species *Phytoecia speciosa* Frivaldszky, 1884
darzerkensis Rapuzzi, 2021: 557 **A:** TR
eugeniae Ganglbauer, 1884: 568 (*Phytoecia*) **A**: IN ?TR **#471** **#584**
speciosa Frivaldszky, 1884: 5 (*Phytoecia*) **A**: IN LE SY TR
lineolata Reitter, 1895a: 86 (*Phytoecia*)
pictipennis Pic, 1909: 106 (*Phytoecia*)

genus *Semiangusta* Pic, 1893d: 421 type species *Conizonia delagrangei* Pic, 1891
ambrusi Danilevsky, 2012m: 934 **A**: IN
delagrangei Pic, 1891a: 2 (*Conizonia*) **A**: TR
brevior Pic, 1897a: 188 (*Phytoecia*)
brevis, Plavilstshikov, 1927a: 65 (wrong spelling – unavailable name)
katarinae Holzschuh, 1974a: 99 (*Phytoecia*) **A**: TR
rebeccae Sama & Rejzek, 2002: 106 **A**: IN

tribe Pogonocherini Mulsant, 1839 **#778**

genus *Parmenopsis* Ganglbauer, 1882: 693 type species *Parmena caucasica* Leder, 1880
caucasica Leder, 1880: 484 (*Parmena*) **E**: ST **A**: GG TR

genus *Pogonocherus* Dejean, 1821: 107 type species *Cerambyx hispidus* Linnaeus, 1758
subgenus *Pityphilus* Mulsant, 1862: 302 type species *Cerambyx ovatus* Goeze, 1777 **#778**
decoratus Fairmaire, 1855: 320 **E**: AL AU BE BH BU BY CR CT CZ DE EN FR FI GE GR HU IT LA LT MD ME NL NR NT PL SB SK SL SP ST SV SZ TR UK **A**: KZ TR WS **#133**
ehdenensis Sama & Rapuzzi, 2000: 18 **A**: LE
fasciculatus fasciculatus DeGeer, 1775: 71 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MA MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK **N**: MR **A**: AB AR ES FE GG HEI JA KZ MG ?NC NE SC TR WS XIZ **#400**
costatus Motschulsky, 1859a: 234
pullus Matsushita, 1931b: 376
setifer O. F. Müller, 1776: 92 (*Cerambyx*)
fasciculatus hondoensis K. Ohbayashi, 1963: 12 **A**: JA
inermicollis Reitter, 1894e: 247 **E**: ST **A**: GG TR
ovatoides Rapuzzi & Sama, 2014a: 9 **E**: IT
ovatus Goeze, 1777: 474 (*Cerambyx*) [NP] **E**: AL AU BE BH CR CZ FR GE GR HU IT LA LU NL PL RO SK SL SP SZ **#472** **#752**
multipunctatus Georg, 1857: 64
ovalis Gmelin, 1790: 1863 (*Cerambyx*)
schlumbergeri Dufour, 1851: 351
scutellaris Mulsant, 1846: [11]
subovatus Mulsant, 1839: 155
ressli Holzschuh, 1977a: 132 **A**: AB IN
sturanii Sama & Schurmann, 1982: 66 **E**: SP
zubovi Danilevsky, 2015c: 588 **E**: UK (Crimea)
subgenus *Pogonocherus* Dejean, 1821: 107 type species *Cerambyx hispidus* Linnaeus, 1758
Eupogonocherus Linsley, 1935: 97 type species *Cerambyx hispidus* Linnaeus, 1758
Pogonocerus Gistel, 1848a: 131 [unjustified emendation]
Pogonochaerus Gemminger, 1873: 3116 [unjustified emendation]
Strophinus Gistel, 1856: 376 type species *Cerambyx hispidus* Linnaeus, 1758
anatolicus K. Daniel & J. Daniel, 1898a: 76 (*Pogonochaerus*) **E**: GR (Rodos) **A**: CY LE SY TR **#553**
barbarae Rapuzzi & Sama, 2012a: 678 **A**: SY TR **#143**
caroli Mulsant, 1862: 313 **E**: FR GB SP SV SZ
griseus Pic, 1889b: 67 [“départemant du Var”]
cedri Peyerimhoff, 1917: 318 (*Pogonochaerus*) **N**: AG
creticus Kratochvíl, 1985a: 1 **E**: GR (Crete)
dimidiatus Blessig, 1873: 208 **A**: FE GAN HEI JA JIL NC SC SCH SHA **#225** **#521**
bicristatus Kraatz, 1879c: 114
seminiveus Bates, 1873: 382
tristiculus Kraatz, 1879c: 115
eugeniae eugeniae Ganglbauer, 1891: 131 (*Pogonochaerus*) **E**: AL AU BH CR CZ GR IT RO ?TR **A**: ?TR **#314**
pici Plavilstshikov, 1929e: 34 (unavailable name).
eugeniae taygetanus Pic, 1903a: 8 (*Pogonochaerus*) **E**: GR (Peloponnese)
hispidulus Piller & Mitterpacher, 1783: 35 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK **N**: MR **A**: AB AR GG IN KZ (north-east) TR
bickhardti Pic, 1927e: 1 (*Pogonochaerus*)
bidentatus C. G. Thomson, 1866: 85
hispidus Linnaeus, 1758: 391 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK **N**: AG ?MO TU **A**: AB AR GG IN TR
dentatus Geoffroy, 1785: 76 (*Cerambyx*)
pilosus Fabricius, 1787: 134 (*Cerambyx*)
rufescens Pic, 1917a: 6 (*Pogonochaerus*)
marcoi Sama, 1993b: 29 **E**: IT
neuhausi J. Müller, 1916: 98 (*Pogonochaerus*) **E**: BH CR GR IT **N**: AG MO TU
icosiensis Peyerimhoff, 1918b: 143 (*Pogonochaerus*)
paradimidiatus Lazarev, 2021a: 57 **A:** GAN SCH
pepa Verdugo & Torres-Méndez, 2010: 110 **E**: SP **N**: MO
perroudi brevipilosus Holzschuh, 1993a: 50 **E**: GR (Crete)
perroudi perroudi Mulsant, 1839: 158 **E**: AL BH BU CR FR GR IT SL SP ST SZ TR UK **N**: AG EG MO TU **A**: GG CY IS LE TR **#853**
vaulogeri Pic, 1927e: 1 (*Pogonochaerus*)
pesarinii Sama, 1993c: 21 **N**: MO
plasoni Ganglbauer, 1884: 526 (*Pogonochaerus*) **E**: BH CR GR
sieversi Ganglbauer, 1887b: 139 (*Pogonochaerus*) **?E**: ?UK **A**: AR GG TR
caucasicus Ganglbauer, 1891: 132 [HN] (*Pogonochaerus*)
kuksha Plavilstshikov, 1924: 225 (*Pogonochaerus*)
slamai Danilevsky, 2015c: 590 **A**: CY
subgenus *Trichorondonia* Breuning, 1965c: 60 type species *Trichorondonia hybolasioides* Breuning, 1965

Neopogonocherus Lazarev, 2021a: 63 type species *Pogonochaerus pillosipes* Pic, 1907 **#566**
Prominensipenna Özdikmen, 2025w: 4083 type species *Trichorondonia kabateki* Viktora, 2024 **#566**
hybolasioides Breuning, 1965c: 60 (*Trichorondonia*) **A**: GUX **ORR**
kabateki Viktora, 2024b: 432 (*Trichorondonia*) **A**: HUB SCH **#566**
pilosipes Pic, 1907c: 21 (*Pogonochaerus*) **A**: CH "Chine orientale" **#566**
pillosipes Pic, 1907c: 21 (*Pogonochaerus*) [incorrect original spelling]
wenkaii Yang, Huang & Xie, 2025: 6 (*Trichorondonia*) **A**: GUX

tribe Prosopocerini J. Thomson, 1864

genus *Prosopocera* Blanchard, 1845: 160 type species *Lamia fronticornis* Fabricius, 1781 (= *Cerambyx bipunctatus* Drury, 1773)
subgenus *Alphitopola* J. Thomson, 1857f: 299 type species *Aphitopola lactea* J. Thomson, 1857
Anybostetha Quedenfeldt, 1888: 201 type species *Anybostetha saperdoides* Quedenfeldt, 1888
Hodoeporus J.Thomson, 1858: 188 type species not specified
Galactesthes Fairmaire, 1897b: 152 type species *Galactesthes nivosus* Fairmaire, 1897
Lepesmia Breuning, 1956g: 672 type species *Lepesmia rufula* Breuning, 1956
Paracharies thoides Breuning, 1976e: 1033 type species *Paracharies thoides allaeri* Breuning, 1976
Pseuderemon Breuning, 1966i: 181 type species *Pseuderemon bifuscomaculipennis* Breuning, 1966
Scapocharies thoides Breuning, 1974k: 111 type species *Scapocharies thoides macrophthalma* Breuning, 1974
Zalatida Fåhraeus, 1872b: 33 type species *Zalatida paykullii* Fåhraeus, 1872
unicolor Gahan, 1898: 52 (*Alphitopola*) **A**: SA **AFR**
albescens Breuning, 1938e: 110
parvula Breuning, 1934: 90
patriziana Breuning, 1934: 89
subgenus *Dalterus* Fairmaire, 1892a: 125 type species *Dalterus auberti* Fairmaire, 1892
Timoreticus Peringuey, 1896: 181 type species *Monohammus degeeri* Fåhraeus, 1872
dejeani Gahan, 1890d: 315 **A**: SA YE **AFR** **#774**

tribe Pteropliini J. Thomson, 1860

genus *Abryna* Newman, 1842c: 289 type species *Abryna coenosa* Newman, 1842
coenosa coenosa Newman, 1842c: 289 **A**: SE SW TAI **ORR**
subuniformis Pic, 1925a: 30
obscura Schwarzer, 1925b: 65 **A**: JA TAI
oshimensis Breuning, 1955b: 64 (*Palimna*)
superba Pic, 1932d: 24
uniformis Breuning & K. Ohbayashi, 1966b: 32
regispetri Paiva, 1860: 5 **A**: YUN **ORR**

genus *Albana* Mulsant, 1846: [13] type species *Albana m-griseum* Mulsant, 1846
m-griseum Mulsant, 1846: [13] **E**: FR SP
accentifera Fairmaire, 1856a: 543 (*Pogonocherus*)
[*grisea* Mulsant, 1846: [13] unused original spelling]

~~**genus *Alidus* Gahan, 1893a: 258** type species *Alidus biplagiatus* Gahan, 1893~~
~~*biplagiatus* Gahan, 1893a: 258 **A**: GUA NP YUN **ORR**~~
genus *Alidus* Gahan, 1893a: 258 type species *Alidus biplagiatus* Gahan, 1893
Paramispila Breuning, 1959: 75 type species *Aphelocnemia bispecularis* White, 1858
bispecularis White, 1858b: 401 (*Aplocnemia*) **A**: GUA NP YUN **ORR**
biplagiatus Gahan, 1893a: 258 **#400**

genus *Anaches* Pascoe, 1865a: 160 type species *Sthenias dorsalis* Pascoe, 1858
albaninus Gressitt, 1942g: 85 (*Pterolophia*) **A**: ANH ANH FUJ GAN GUX ?HEB ?HEI HEN HUB HUN JIA JIX SCH SHA ZHE **#225** **#542**
cylindricus Gressitt, 1939b: 114 (*Sthenias*) **A**: FUJ HUN ZHE **#542**
dorsalis Pascoe, 1858: 251 (*Sthenias*) **A**: CHQ FUJ GUI GUX HP KA NP SCH SD YUN ZHE **ORR** **#60** **#533**
albonotata Pic, 1932c: 25 (*Anaches*)
m-signatus Lin & Weigel, 2022: 124 **A**: GUX HUN ZHE
medioalbus Breuning, 1956c: 234 (*Paramesosella*) **A**: FUJ **#542** **#650**
murzini Lazarev, 2020g: 57 (*Sthenias*) **A**: SCH **#542** **#623** **#650**
semicylindricus Hayashi, 1974c: 45 (*Sthenias*) **A**: GUI TAI **#168** **#650**
wenhsini Holzschuh & Y.-L. Lin, 2013: 152 **A**: TAI
yitingi Holzschuh & Y.-L. Lin, 2013: 154 **A**: TAI

genus *Cyphoscyla* J. Thomson, 1868a: 65 type species *Cyphoscyla lacordairei* J. Thomson, 1868
Hoabinhia Pic, 1934a: 11 type species *Hoabinhia multituberculata* Pic, 1934a
lacordairei J. Thomson, 1868: 66 **A**: YUN **ORR**
multituberculata Pic, 1934a: 12

genus *Desisa* Pascoe, 1865a: 163 type species *Praonetha subfasciata* Pascoe, 1862
subgenus *Desisa* Pascoe, 1865a: 163 type species *Praonetha subfasciata* Pascoe, 1862
Mesopenthea Schwarzer, 1925b: 67 type species *Mesopenthea variabilis* Schwarzer, 1925
chinensis Breuning, 1938c: 373 **A**: CH
dispersa Pic, 1944a: 10 (*Mesosella*) **A**: YUN
kuraruana Matsushita, 1935: 312 (*Mesosella*) **A**: TAI
subfasciata Pascoe, 1862a: 348 (*Praonetha*) **A**: GUA GUX HAI HEN HKG HUB JIA NP UP YUN ZHE **ORR** **#127** **#390**
infasciata Pic, 1944a: 10 (*Mesosella*)
latefasciata Pic, 1924b: 79 (*Mesosella*)
major Pic, 1925b: 28 (*Mesosella*)
rufa Pic, 1936a: 17 (*Falsomesosella*)
variabilis Schwarzer, 1925b: 67 (*Mesopenthea*) **A**: TAI
yunnana Breuning, 1974d: 72 (*Mesoereis*) **A**: YUN **#69**
subgenus *Cylindrostyrax* Aurivillius, 1911: 212 type species *Cylindrostyrax apomecynoides* Aurivillius, 1911 (= *Desisa lunulata* Pascoe, 1866)
quadriplagiata Breuning, 1938c: 372 **A**: NP PA **ORR** **#75**
takasagoana Matsushita, 1933b: 364 **A**: FUJ GUA HAI TAI

genus *Egesina* Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864
subgenus *Callegesina* Breuning, 1943a: 34 type species *Egesina vitticollis* Breuning, 1943
anfracta Gressitt, 1940b: 155 (*Enispia*) **A**: HAI
subgenus *Cuphisia* Pascoe, 1866b: 229 type species *Cuphisia callosa* Pascoe, 1866
cleroides Gahan, 1890a: 63 (*Enispia*) **A**: NP "North India" **ORR**
digitata Pesarini & Sabbadini, 2000: 62 **A**: SCH
guerryi Pic, 1926c: 12 (*Enispia*) **A**: CH
salicivora Holzschuh, 2007: 253 **A**: YUN
subfasciata Pic, 1926b: 2 (*Gyaritus*) **A**: GUI **ORR** **#400**
tarsata Holzschuh, 2007: 252 **A**: YUN
subgenus *Callienispia* Fisher, 1925: 210 type species *Callienispia elegans* Fisher, 1925
Larica Breuning, 1938c: 388 type species *Egesina cleroides* Breuning, 1938 [HN] (= *Egesina pascoei* Breuning, 1961)
anterufipennis Breuning, 1958a: 16 **A**: NP SD
subgenus *Egesina* Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864
Neoegesina Fisher, 1925: 215 type species *Neoegesina ornata* Fisher, 1925
Platyzeargyra Fisher, 1925: 213 type species *Platyzeargyra bakeri* Fisher, 1925
albofasciata Hayashi, 1974c: 46 **A**: TAI
albolineata Breuning, 1942c: 132 **A**: YUN **ORR**
amoenula Holzschuh & Y.-L. Lin, 2013: 155 **A**: TAI
basirufa Breuning & Heyrovský, 1961: 142 **A**: SD
bhutanensis Breuning, 1975d: 338 (*Similosodus*) **A**: BT
diffusa Holzschuh, 2007: 255 **A**: YUN
generosa Holzschuh, 2003b: 310 **A**: NP
lacertosa Holzschuh, 2007: 256 **A**: GUI
lanigera Holzschuh, 2007: 259 **A**: GUI
nomurai Hayashi, 1994: 70 **A**: TAI
partealboantennata Breuning, 1965d: 30 **A:** YUN **#400**
picina Holzschuh, 2007: 258 **A**: SHA
setosa Gressitt, 1937d: 603 (*Enispia*) **A**: JIX
umbrina Holzschuh, 2007: 260 **A**: GUI SHA **#400**
subgenus *Niijimaia* Matsushita, 1933b: 386 type species *Niijimaia bifasciana* Matsushita, 1933
Baeckmanella Shabliovsky, 1936: 186 type species *Baeckmanella iljinskyi* Shabliovsky, 1936 (= *Niijimaia bifasciana* Matsushita, 1933)
~~*Pseudenispia* Breuning, 1938c: 388 type species *Pseudenispia albomarmorata* Breuning, 1938c~~ **#642**
bifasciana bifasciana Matsushita, 1933a: 387 (*Niijimaia*) **A**: CH FE JA NC SC
coreana Breuning, 1950e: 266
iljinskyi Shabliovsky, 1936: 187 (*Baeckmanella*)
bifasciana tsushimae Breuning & K. Ohbayashi, 1964: 27 **A**: JA (Tsushima Is.)
flavoapicalis Hayashi, 1971: 14 **A**: JA (Ryukyus)
flavopicta Breuning & Heyrovský, 1961: 144 **A**: NP SD
formosana Schwarzer, 1925b: 68 (*Enispia*) **A**: TAI
fujiwarai Toyoshima, 1999: 32 **A**: JA
fuscolaterimaculata Hayashi, 1971: 13 **A**: TAI
picea Hayashi, 1962: 16 **A**: JA (Ryukyus)
shibatai Hayashi, 1962: 15 **A**: JA (Tokara Isls., Ryukyus)
sikkimensis Breuning, 1940b: 145 **A**: SD

genus *Gibbomesosella* Pic, 1932b: 34 type species *Mesosella nodulosa* Pic, 1932
nodulosa Pic, 1932b: 33 (*Mesosella*) **A**: GUX **ORR**

taiwana Yamasako & Chou, 2018: 69 **A**: TAI

genus *Lychrosimorphus* Pic, 1925a: 26 type species *Lychrosimorphus vittatus* Pic, 1925
juglandis Viktora, 2023a: 410 **A**: YUN

genus *Macropraonetha* Breuning, 1961j: 542 type species *Desisa pterolophioides* Gressitt, 1942
pterolophioides Gressitt, 1942a: 6 (*Desisa*) **A**: FUJ GUI GUX HUN **#400**

genus *Marmylaris* Pascoe, 1866a: 88 type species *Hathlia buckleyi* Pascoe, 1857
buckleyi Pascoe, 1857b: 107 (*Hathlia*) **A**: NP SD **ORR**
truncatipennis Breuning, 1940b: 140 **A**: NP SD

genus *Mesosella* Bates, 1884a: 246 type species *Mesosella simiola* Bates, 1884
kumei Takakuwa, 1984: 12 **A**: JA
simiola Bates, 1884a: 246 **A**: JA

genus *Mimectatosia* Breuning, 1959e: 173 type species *Mimectatosia compacta* Breuning, 1959
compacta Breuning, 1959e: 173 **A**: SD

genus *Mispila* Pascoe, 1864a: 58 type species *Mispila venosa* Pascoe, 1864
subgenus *Dryusa* Pascoe, 1864a: 58 type species *Dryusa flexuosa* Pascoe, 1864
sonthianae Breuning, 1963: 59 **A**: GUX **ORR**
subgenus *Mispila* Pascoe, 1864a: 58 type species *Mispila venosa* Pascoe, 1864
Diatylus Lacordaire, 1872: 552 type species *Diatylus zonarius* Lacordaire, 1872 (= *Mispila curvilinea* Pascoe, 1869)
Paramispilopsis Breuning, 1947a: 36 type species *Paramispilopsis indica* Breuning, 1947 **#835**
coomani Pic, 1934 (*Alidus*) **A**: HKG **ORR** **#745**
curvilinea Pascoe, 1869b: 206 **A**: AP GUX SD YUN **ORR** **#280** **#755**
indica Breuning, 1947a: 37 **#343** **#835**
multilineata Pic, 1925a: 24 (*Alidus*)
~~*zonaria* Lacordaire, 1872: 365~~
khamvengae Breuning, 1963k: 57 **A:** GUX **ORR** **#400**
tonkenea Pic, 1925a: 25 (*Alidus*) **A:** YUN **ORR** **#695**
punctifrons Breuning, 1938c: 381
tenuevittata Pic, 1930b: 19 (*Sodus*) **A:** GUX HAI YUN **ORR** **#695**
sonthianae Breuning, 1963k: 59
tholana Gressitt, 1940b: 157 (*Enispia*) **A**: HAI YUN
subgenus *Trichomispila* Breuning, 1939a: 71 type species *Trichomispila picta* Breuning, 1939
pedongensis Breuning, 1968f: 704 **A**: SD

genus *Niphlophia* Gressitt, 1951a: 458 type species *Niphlophia chujoi* Gressitt, 1951
chujoi Gressitt, 1951a: 458 **A**: TAI

genus *Niphona* Mulsant, 1839: 169 type species *Niphona picticornis* Mulsant, 1839
subgenus *Hamatoniphona* Pic, 1936e: 31 type species *Camptocnema longicornis* Pic, 1926
longicornis Pic, 1926b: 8 (*Camptocnema*) **A**: HUN SCH YUN XIZ **ORR**
laterialba Breuning, 1938c: 241
tibetana Gressitt, 1951a: 457
subgenus *Niphona* Mulsant, 1839: 169 type species *Niphona picticornia* Mulsant, 1839
Aelara J. Thomson, 1864: 54 type species *Niphona regisfernandi* Paiva, 1860
Camptocnema J. Thomson, 1864: 54 type species *Niphona lateralis* White, 1858
Falsoniphona Pic, 1925b: 26 type species *Falsoniphona lutea* Pic, 1925
Ocheutes J. Thomson, 1864: 54 type species *Ocheutes scopulifera* J. Thomson, 1864
albofasciata Breuning, 1938c: 238 **A**: HEB
appendiculata Gerstaecker, 1871: 78 **A**: SA
belligerans Pesarini & Sabbadini, 1997: 114 **A**: GUX
cantonensis Gressitt, 1939a: 71 **A**: GUA HAI HKG **#400**
chinensis Breuning, 1938c: 240 **A**: CH
excisa Pascoe, 1862a: 337 **A**: HAI **ORR**
falaizei Breuning, 1962b: 67 **A**: YUN **ORR**
fasciculata Pic, 1917e: 7 (*Ocheutes*) **A**: XIZ YUN **ORR**
furcata Bates, 1873: 314 (*Aelara*) **A**: HEN HUB JA JIA JIX SC TAI ZHE
fuscatrix Fabricius, 1793: 291 (*Lamia*) **A**: HP KA NP PA SD **ORR** **#280**
cylindracea White, 1858a: 268
spinicollis Bates, 1891a: 22 (*Ocheutes*)
hookeri Gahan, 1900d: 351 **A**: FUJ GUA GUX HAI HKG HUN SCH SD XIZ YUN **ORR**
indica Breuning, 1938c: 239 **A**: AE AF IN OM PA **ORR**
assimilis Breuning, 1938c: 239 [Britisch Indien: Punjab, Chichowatni]

grisea Breuning, 1938c: 241
lateraliplagiata Breuning, 1943: 49 **A:** YUN **ORR**
longesignata Pic, 1936e: 31 **A**: GUX YUN **ORR**
lutea Pic, 1925b: 27 (*Falsoniphona*) **A**: HKG **ORR**
obliquata Breuning, 1938c: 240 **A**: CH
obscura Breuning, 1938c: 241 **A**: NP "India or."
parallela White, 1858a: 267 (*Nyphona*) **A**: FUJ GUA GUI GUX HAI HKG JIX NP TAI "North India" **ORR**
malaccensis Breuning, 1938c: 240
minor Lameere, 1893a: 284 (*Aelara*)
minuta Pic, 1926b: 8
picticornis Mulsant, 1839: 169 **E**: AL BH BU CR FR GR IT MA ME SP **N**: AG EG LB MO TU **A**: CY IS JO LE SY TR
plagiata White, 1858a: 267 **A**: YUN **ORR**
pluricristata Pesarini & Sabbadini, 2000: 60 **A**: SCH
similis Breuning, 1938c: 238 **A**: YE **AFR**
stoetzneri Breuning, 1938a: 57 **A**: SCH
stramentosa Breuning, 1938a: 57 **A**: PA "Punjab"
subgrisea Breuning, 1973c: 654 **A**: PA
tibialis Gahan, 1893a: 257 **A:** HP **ORR** **#366**
variegata Breuning, 1938c: 239 **A**: UP
yanoi reducta Gressitt, 1940b: 144 **A**: HAI
yanoi yanoi Matsushita, 1934a: 240 **A**: JA (Ryukyus) TAI
subgenus *Spinoniphona* Hua, 1989a: 74 type species *Niphona longzhouensis* Hua, 1989
longzhouensis Hua, 1989a: 74 **A**: GUX

genus *Niphosoma* Breuning, 1943a: 29 type species *Niphosoma compactum* Breuning, 1943
sikkimense Breuning, 1957g: 276 **A**: SD

genus *Paradiexia* Heller, 1923a: 43 type species *Paradiexia pellita* Heller, 1923
pellita Heller, 1923a: 44 **A**: "India" **ORR**

genus *Paramesosella* Breuning, 1940b: 143 type species *Paramesosella fasciculata* Breuning, 1940
alboplagiata Breuning, 1948b: 3 **A**: SD **#343**
fasciculata Breuning, 1940: 143 **A:** YUN **ORR**
stheniformis Breuning, 1940b: 143 **A**: NP UP
sthenioides Breuning, 1938c: 374 (*Desisa*) **A**: KA

genus *Paranaches* Breuning, 1959b: 70 type species *Anaches simplex* Pic, 1928
simplex Pic, 1928b: 20 (*Anaches*) **A**: NP

genus *Paraniphona* Breuning, 1970e: 371 type species *Paraniphona niphonoides* Breuning, 1970
rotundipennis Breuning, 1974h: 151 **A**: SHA **#606**

genus *Pseudolophia* Breuning, 1938c: 368 type species *Pseudolophia uniformis* Breuning, 1938
melanura Pascoe, 1857b: 106 (*Pterolophia*) **A**: NP TAI YUN **ORR**
moensii Ritsema, 1881a: 15 (*Praonetha*)
montana Pascoe, 1865a: 165 (*Praonetha*)
quadraticollis Pascoe, 1865a: 168 (*Praonetha*)
uniformis Breuning, 1938c: 368 **A**: SD

genus *Pseudomiccolamia* Pic, 1916e: 14 type species *Pseudomiccolamia pulchra* Pic, 1916
pulchra Pic, 1916e: 14 **A**: YUN

genus *Pseudoparmena* Breuning, 1956c: 235 type species *Pseudoparmena borchmanni* Breuning, 1956
borchmanni Breuning, 1956c: 235 **A**: FUJ

genus *Pterolamia* Breuning, 1942a: 128 type species *Pterolamia strandi* Breuning, 1942
quadricristata Xie, 2024: 24 **A**: HUN
strandi Breuning, 1942a: 129 **A**: HAI

genus *Pterolophia* Newman, 1842f: 370 [NP] type species *Mesosa bigibbera* Newman, 1842
subgenus *Ale* Pascoe, 1864a: 96 type species *Ale agraria* Pascoe, 1864
albovittata Breuning, 1938c: 250 **A**: FUJ
bicostata Breuning, 1943a: 26 **A**: YUN
bilatevittata Breuning, 1942a: 127 **A**: FUJ
brunnea Breuning, 1938c: 308 **A**: YUN **ORR**
camela Pic, 1926a: 30 **A**: HAI **ORR**

chekiangensis Gressitt, 1942g: 87 **A**: FUJ GUA HEN ZHE **ORR** **#400**
cylindricollis Gressitt, 1942a: 4 **A**: XIZ
gibbosipennis gibbosipennis Pic, 1926a: 32 **A**: TAI
cristipennis Matsushita, 1931c: 403
gibbosipennis iriomotei Breuning & K. Ohbayashi, 1966: 33 **A**: JA (Ryukyus)
gibbosipennis kuniyoshii Hayashi, 1968c: 17 **A**: JA (Ryukyus)
gibbosipennis subcristipennis Breuning & K. Ohbayashi, 1964: 16 **A**: JA
jugosa carinissima Takakuwa, 1984: 12**A**: JA [Tsushima Is]
jugosa jugosa Bates, 1873: 315 (*Praonetha*) **A**: FE (Sakhalin, Kunashir) JA NC (Mt. Geumgangsan)
lineatipennis Breuning, 1974j: 371 **A**: TAI
luzonica Breuning, 1938c **A**: JAi (Ryukyus) **ORR** **#451**
nitidomaculata Pic, 1944a: 13 (*Ropica*) **A**: CH
ochreomaculata Breuning, 1940b: 140 A: SD
postscutellaris Breuning, 1967b: 30 **A**: AP
sikkimensis Breuning, 1938c: 329 **A**: SD
sinensis Fairmaire, 1900: 642 (*Praonetha*) **A**: FUJ JIX SCH **#400**
sulcatithorax Pic, 1926a: 31 **A**: SCH YUN
humerogibbosa Pic, 1926a: 31
subgenus *Arabopraonetha* Téocchi, 1992: 302 type species *Pterolophia arabica* Téocchi, 1992
arabica Téocchi, 1992: 302 **A**: SA YE
subgenus *Armatopraonetha* Breuning, 1961j: 539 type species *Pterolophia armata* Gahan, 1894
bifasciata Breuning, 1968d: 227 **A**: SD
subgenus *Curtolophia* Breuning, 1974h: 165 type species *Pterolophia curticornis* Breuning, 1974
curticornis Breuning, 1974h: 165 **A**: SD
subgenus *Gibbopraonetha* Breuning, 1961j: 541 type species *Pterolophia quadrigibbosa* Pic, 1926
quadrigibbosa Pic, 1926a: 32 **A**: YUN
quadrigibbosipennis Breuning, 1968e: 857 **A**: SCH
subgenus *Hylobrotus* Lacordaire, 1872: 538 type species *Hylobrotus ploemi* Lacordaire, 1872
annulata Chevrolat, 1845a [1845b]: 99 (*Coptops*) **A**: FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX ?NC NP SC SCH SD SHA TAI YUN ZHE **ORR** **#390**
annulicornis Pic, 1925e: 138
bowringii Pascoe, 1865a: 170 (*Praonetha*)
lacosa Pic, 1926b: 3
scutellata Schwarzer, 1925b: 66
discalis Gressitt, 1951a: 468 **A**: GUA GUX HAI **ORR**
formosana Schwarzer, 1925b: 66 **A**: JA (Ryukyus) TAI
humerosopunctata Breuning, 1938c: 320 **A**: UP
latefascia Schwarzer, 1925b: 65 **A**: JA (Ryukyus) TAI
fainanensis Pic, 1926a: 32
horii Breuning & K. Ohbayashi, 1967: 3
yayeyamai Breuning, 1961a: 9
lateralis Gahan, 1894a: 65 **A**: TAI YUN **ORR**
moupinensis Breuning, 1973c: 657 **A**: SCH
obscuroides Breuning, 1938c: 274 **A**: BT SD
oculata Breuning, 1938c: 271 **A**: NP UP
postfasciculata Pic, 1934b: 11 **A**: GUA HAI HKG NP SD UP YUN **ORR**
arctofasciata Gressitt, 1940b: 147
gerardiniae Breuning, 1938c: 272
subfasciculata Breuning, 1938c: 291
subunicolor Breuning, 1965: 44 **A**: TAI
szetschuanensis Breuning, 1973c: 658 **A**: SCH
tibialis Breuning, 1938c: 275 **A**: NP SD
trilineicollis Gressitt, 1951a: 475 **A**: FUJ GUA HUN JIX
tuberculator Fabricius, 1781 (*Lamia*) **A**: AP **AFR ORR** **#166**
yunnanensis Breuning, 1974i: 237 **A**: YUN
subgenus *Lychrosis* Pascoe, 1866a: 89 type species *Mycerinus luctuosus* Pascoe, 1863
caballina Gressitt, 1951a: 476 (*Lychrosis*) **A**: FUJ GUA GUX HUN YUN
caballina Chiang, 1951: 74 [HN]
gressitti Hubweber, 2010: 61 **A**: HAI
fasciata Gressitt, 1940b: 152 [HN] (*Lychrosis*)
humerosa J. Thomson, 1865: 550 (*Mycerinus*) **A**: GUI UP YUN **ORR** **#400**
albonotata Pic, 1918a: 10 (*Lychrosis*)
mimica Gressitt, 1942g: 88 (*Lychrosis*) **A**: FUJ GUA JIX ZHE
obscuricolor Breuning, 1943a: 29 **A**: YUN
varipennis J. Thomson, 1865: 550 (*Mycerinus*) **A**: "North India"
zebrina Pascoe, 1858: 252 (*Hathlia*) **A**: FUJ GUA GUX HAI HUB HUN JIX NP SD TAI
subgenus *Mimoron* Pic, 1925a: 27 type species *Mimoron phungi* Pic, 1934

brevegibbosa Pic, 1926a: 32 **A**: HAI HKG NP SD UP **ORR**
gardneri Schwarzer, 1931a: 71 (*Cenodocus*)
dalbergicola Gressitt, 1951a: 467 **A**: FUJ HEB **#400**
pedongensis Breuning, 1968f: 705 **A**: NP SD
phungi Pic, 1925a: 28 **A**: NP YUN **ORR**
ropicoides Breuning, 1968e: 857 **A**: SD **#343**
subgenus *Ovalopraonetha* Breuning, 1961j: 541 type species *Pterolophia ovalis* Breuning, 1938
kanoi Hayashi, 1966a: 7 **A**: TAI
subgenus *Paramimoron* Breuning, 1961j: 539 type species *Pterolophia albolateralis* Breuning, 1938
rondoniana Breuning, 1963k: 54 **A:** SCH **ORR** **#400**
subropicoides Breuning, 1968e: 857 **A**: GUI
subgenus *Pseudale* Schwarzer, 1925b: 67 type species *Pseudale fasciata* Schwarzer, 1925
adachii Hayashi, 1983: 41 (*Pseudale*) **A**: JA (Tsushima Is.) **#438** **#522**
dorsotubercularis Hayashi, 1984: 33 (*Pseudale*) **A**: TAI
fasciata Schwarzer, 1925b: 67 (*Pseudale*) **A**: TAI
izumikurana Hayashi, 1971: 13 (*Pseudale*) **A**: JA (Izu Isls.)
jiriensis Danilevsky, 1996b: 21 **A**: SC
coreana M. Hasegawa & Lee, 2000: 198
koshikijimana Makihara, 2006: 10 (*Pseudale*) **A**: JA
kyushuensis Takakuwa, 1988: 103 **A**: JA
obovata Hayashi, 1971: 12 (*Pseudale*) **A**: JA (Ryukyus)
oshimana Breuning, 1955b: 64 **A**: JA (Ryukyus)
nobuoi Breuning & K. Ohbayashi, 1964: 17 (*Ropica*)
suginoi Makihara, 1986a: 9 **A**: TAI
subgenus *Pterolophia* Newman, 1842f: 370 [NP] type species *Mesosa bigibbera* Newman, 1842
Acroptycha Quedenfeldt, 1888: 209 type species *Acroptycha spinifera* Quedenfeldt, 1888
Alyattes J. Thomson, 1864: 48 type species *Alyattes guineensis* J. Thomson, 1864
Cormia Pascoe, 1864c: 281 type species *Cormia ingrata* Pascoe, 1864
Eurycotyle Blessig, 1873: 210 type species *Eurycotyle maacki* Blessig, 1873
Incamelomorpha Pic, 1926b: 4 type species *Pterolophia depensis* Pic, 1926
Praonetha Dejean, 1835: 344 [NO] type species *Lamia crassipes* Wiedemann, 1823
Praonetha Pascoe, 1862a: 348 [HN, RN] type species *Prioneta albosignata* Blanchard, 1853
Prioneta Blanchard, 1853: 292 [RN] type species *Prioneta albosignata* Blanchard, 1853
Prionetopsis J. Thomson, 1864: 49 type species *Prionetopsis balteata* J. Thomson, 1864 (= *Lamia inaequalis* Fabricius, 1802)
Theticus J. Thomson, 1858: 190 type species *Theticus biarcuatus* J. Thomson, 1858
albonigra Gressitt, 1940b: 146 **A**: HAI
alboplagiata Gahan, 1894a: 70 **A**: YUN **ORR**
albomaculipennis Breuning, 1962d: 51
bifasciculata Breuning, 1940d: 422
flavovittata Breuning, 1938a: 47
alternata Gressitt, 1938a: 51 **A**: SCH
angusta angusta Bates, 1873: 317 (*Praonetha*) **A**: JA **#523**
angusta multinotata Pic, 1931c: 1 **A**: ES FE MG NC NE SC SHA **#225** **#237**
burakowskii Heyrovský, 1973a: 117
mandshurica Breuning, 1938a: 46
selengensis Lyamtzeva, 1979: 79
ussuriensis Plavilstshikov, 1954: 473
apicefusca Breuning, 1938c: 319 **A**: AF PA SD "North-West India" **#280**
arcuata Breuning, 1938c: 306 **A**: GUI
baiensis Pic, 1926a: 30 **A**: FUJ **ORR**
bigibbera Newman, 1842d: 323 (*Mesosa*) **A**: JA (Ogasawara Isls.) TAI **ORR**
binodosa Bates, 1866a: 350 (*Praonetha*)
camura Newman, 1842f: 371
saipana K. Ohbayashi, 1941b: 225
bimaculaticeps Pic, 1926b: 3 **A**: CH
bituberata Breuning, 1938c: 328 **A**: SD
bituberculata Breuning, 1938c: 270 **A**: SD
bottangensis Breuning, 1968e: 854 **A**: BT
brahma Holzschuh, 2006c: 486 **A**: NP
carinata Gahan, 1894a: 72 **A**: NP
carinipennis Gressitt, 1942e: 210 **A**: GUA
castaneivora K. Ohbayashi & Hayashi, 1962: 33 **A**: JA SC (Jejudo Is.) **#525**
caudata caudata Bates, 1873: 315 (*Praonetha*) **A**: JA SC TAI
caudata curtipennis Makihara, 1980: 59 **A**: JA
chinensis Breuning, 1982: 14 **A**: CH
consularis Pascoe, 1866b: 240 (*Praonetha*) **A**: BT GUA GUI GUX HAI YUN SD **ORR** **#344**
cervina Gressitt, 1939a: 74
cristulata Fairmaire, 1896b: 391 (*Praonetha*)

notaticeps Pic, 1934b: 12
ochreomaculipennis Breuning, 1968e: 852
crassipes Wiedemann, 1823: 111 (*Lamia*) **A**: GUAi **ORR**
iliaca Pascoe, 1865a: 178 (*Praonetha*)
imbuta Newman, 1842: 381
dalbergiae Breuning, 1938c: 268 **A**: UP
densefasciculata Breuning, 1938c: 269 **A**: BT "Himalaya" **ORR**
elegans Breuning, 1938c: 321 **A**: FUJ **ORR**
elongata Pic, 1934b: 12 **A**: CH
elongatissima Breuning, 1938c: 255 **A**: "North India"
externemaculata Breuning, 1938c: 292 **A**: SCH
fuchsi Breuning, 1970a: 9 **A**: TAI
fukiena Gressitt, 1940c: 189 **A**: FUJ
fulvescens Breuning, 1938c: 324 **A**: UP
granulata Motschulsky, 1866: 174 (*Pogonocherus*) **A**: ANH FUJ GAN GUI GUX HEB HEI HUB JA JIA JIL JIX LIA NC NIN SC SCH TAI ZHE **#400**
rigida Bates, 1873: 316 (*Praonetha*) **#237**
granulosa Breuning, 1938c: 294 **A**: SD
holzschuhi Breuning, 1975d: 335 **A**: PA
hongkongensis Gressitt, 1942e: 211 **A**: HKG
indica Breuning, 1938c: 328 **A**: "India"
indra Holzschuh, 2012: 218 **A:** NP
inexpectata Breuning, 1938c: 255 **A**: UP
kaleea inflexa Gressitt, 1940a: 11 **A**: FUJ GUA SCH TAI
kaleea kaleea Bates, 1866a: 351 (*Praonetha*) **A**: GUI HAI JA (Ryukyus) TAI
subleiopodina Breuning & K. Ohbayashi, 1964: 16
kiangsina Gressitt, 1937d: 601 **A**: FUJ JIX SCH
krishna Holzschuh, 2006c: 487 **A**: NP
kubokii Hayashi, 1976: 20 **A**: JA (Ryukyus) TAI
kusamai Hasegawa & Makihara, 1999: 28 **A**: JA (Ogasawara Isls.)
lama Breuning, 1943a: 20 **A**: XIZ
laterialba Schwarzer, 1925b: 68 (*Albana*) **A**: TAI
leiopodina Bates, 1873: 317 (*Praonetha*) **A**: FUJ JA JIX
subangusta Matsushita, 1933b: 362
ligata Pascoe, 1862a: 350 (*Praonetha*) **A**: SD
apicalis Schwarzer, 1924: 238
lunigera Aurivillius, 1913: 25 **A**: AP NP **ORR** **#280**
maacki Blessig, 1873: 211 (*Eurycotyle*) **A**: BEI FE HEB JIX NC NE SC SHA SHG SHN ZHE **#225** **#400**
chahara Gressitt, 1940c: 188
latenotata Pic, 1927i: 153 (*Sybra*)
marmorata Breuning, 1938c: 322 **A**: SD
matsushitai Breuning, 1938c: 289 **A**: TAI
multifasciculata Pic, 1926a: 30 **A**: YUN **ORR**
nigricans Breuning, 1938c: 323 **A**: SD
nigrobiarcuata Breuning, 1938a: 45 **A**: UP
nigrofasciculata Breuning, 1938c: 295 **A**: YUN **ORR**
nigroplagiata Breuning, 1938c: 320 **A**: UP
nigrovirgulata Breuning, 1939b: 196 **A**: NP SD
obscura Schwarzer, 1925b: 66 **A**: TAI
schwarzeri Mitono, 1944: 161
obscurata Breuning, 1938c: 269 **A**: NP SD "Himalaya"
occidentalis Schwarzer, 1931a: 72 **A**: AP UP **#280**
omeishana Gressitt, 1945a: 128 **A**: SCH
pedongana Breuning, 1968d: 228 **A**: SD
penicillata Pascoe, 1862a: 349 (*Praonetha*) **A**: YUN **ORR**
tonkinea Pic, 1926b: 3
persimilis Gahan, 1894a: 71 **A**: FUJ GUA HKG HP HUB NP SD UP YUN **ORR**
subexternefasciata Pic, 1926a: 29
persimiloides Breuning, 1968e: 854 **A**: SCH
postalbofasciata Breuning, 1962b: 23 **A**: YUN **ORR**
postfuscomaculata Breuning, 1973c: 655 **A**: CH **ORR**
pseudobscuroides Breuning, 1938c: 318 **A**: SD
pseudoculata Breuning, 1938c: 265 **A**: NP UP **#390**
pseudoculatoides Breuning, 1968d: 227 **A**: SD
pseudotincta Breuning, 1938c: 295 **A**: SD
quadrifasciata Gahan, 1894a: 71 **A**: NP

quadrivittata Breuning, 1938c: 319 **A**: UP
reduplicata Gressitt, 1951a: 471 **A**: HUB TAI
~~*rigida* Bates, 1873: 316 (*Praonetha*) **A**: ANH GAN GUI GUX HEB HEI HUB JIA JIL JIX NIN SCH TAI ZHE~~ **#596**
rubricornis Gressitt, 1951a: 472 **A**: FUJ HUN
rufobrunnea Breuning, 1938c: 267 **A**: SD
salebrosa Breunin, 1938: 289 **A:** YUN **ORR**
serrata Gressitt, 1939a: 52 **A**: SCH SHA **#225**
serricornis Gressitt, 1937d: 599 [RN] **A**: FUJ HEB HUB JIX ZHE
rigida Gahan, 1894d: 485 [HN]
shiva Holzschuh, 2006c: 486 **A**: NP
sikkimana Breuning, 1973c: 657 **A**: SD
spinicornis Breuning, 1938c: 256 **A**: "India"
sthenioides grossepunctipennis Breuning, 1969f: 660 **A**: BT SD
sthenioides sthenioides Breuning, 1938c: 309 **A**: SD
subbicarinata Breuning, 1968e: 853 **A**: SD
subbitubericollis Breuning, 1968a: 2 [RN] **A**: YUN **ORR**
subtubericollis Breuning, 1965e: 48 [HN]
subtubericollis Breuning & Heyrovský, 1964: 27 **A**: SD YUN **#400**
suisapana Gressitt, 1951a: 473 **A**: HUB
szetschuanica Breuning, 1973c: 656 **A**: SCH
tenebrica Breuning, 1938c: 324 **A**: HP
thibetana Pic, 1926a: 32 **A**: XIZ
touzalini Breuning, 1973c: 655 **A**: SD
transversefasciata Breuning, 1938c: 252 **A**: FUJ SD UP YUN **ORR**
transverseplagiata Breuning, 1938c: 275 **A**: NP UP
tsurugiana Matsushita, 193**5**: 541 (*Desisa*) **A**: JA
japonica Breuning, 1939b: 195
tubericollis Breuning, 1938a: 46 **A**: SD
variantennalis Breuning, 1970a: 10 **A**: TAI
wittmeri Breuning, 1975d: 337 **A**: BT PA **#274**
yunnana Breuning, 1968e: 855 **A**: YUN
yunnanica Hubweber, 2010: 61 **A**: YUN
yunnanensis Breuning, 1982: 14
zonata Bates, 1873: 315 (*Praonetha*) **A**: JA TAI **#525**
subgenus *Sociopraonetha* Breuning, 1961j: 542 type species *Pterolophia nigrocincta* Gahan, 1894
nigrocincta Gahan, 1894a: 69 **A**: BT
atrofasciata Pic, 1925e: 138 (*Stesilea*)
socia Gahan, 1894a: 70
quadratiplagiata Breuning, 1938a: 44 **A**: NP

genus *Prosoplus* Blanchard, 1853: 290 type species *Prosoplus sinuatofasciatus* Blanchard, 1853 **#597**
Micracantha Montrouzier 1861 : 271 type species *Micracantha australis* Montrouzier, 1861
Prosacanthus Fauvel, 1862: 163 type species *Prosacanthus Chevrolati* Fauvel, 1862
bankii Fabricius, 1775: 176 (*Lamia*) **A**: GUA HAI JA (Ogasawara Isls.) TAI **AUR ORR**
dentata Olivier, 1797: 469 (*Lamia*)
desjardinsii Fairmaire, 1889b: xcvi (*Micracantha*)
hollandicus Boisduval, 1835: 491 (*Acanthocinus*)
insularis Pascoe, 1859: 39 (*Niphona*)
iratus Pascoe, 1862b: 464 (*Niphona*)
madecassa Künckel, 1890: pl. 50, fig. 5 (*Micracantha*)
miscellus Pascoe, 1863b: 529 (*Niphona*)
musivus Pascoe, 1864a: 65 (*Aegomomus*)
nutans Sharp, 1878: 209 (*Micracantha*)
obliquata Fairmaire, 1896b: 386 (*Micracantha*)
spinipes Olivier, 1800: N° 67, 103 (*Cerambyx*)
spinipes Fabricius, 1802: 282 [HN] (*Lamia*)
torosus Pascoe, 1864b: 223 (*Niphona*)
uchiyamai Matsushita, 1935: 120 (*Rhytiphora*)
vaulogeri Pic, 1925a: 28 (*Zaeera*)
metallicus Pic, 1935g: 178 **A**: YUN **AU**
salomonum Breuning, 1938c: 357 (*Rhytiphora*)

genus *Similosodus* McKeown, 1945: 292 [RN] type species *Sodus verticalis* Pascoe, 1865
subgenus *Similosodus* McKeown, 1945: 292 [RN] type species *Sodus verticalis* Pascoe, 1865
Sodus Pascoe, 1864a: 96 [HN] type species *Sodus verticalis* Pascoe, 1865
~~*bhutanensis* Breuning, 1975d: 338 **A**: BT~~
chinensis Gressitt, 1951a: 483 **A**: FUJ
taiwanus Hayashi, 1966a: 8 **A**: TAI

torui Holzschuh, 1989b: 388 **A**: TAI

genus *Spinosogus* Breuning & de Jong, 1941: 96 type species *Spinosodus spinicollis* Breuning & de Jong, 1941 **#820**
Bulbolmotega Breuning, 1966: 124 type species *Bulbolmotega sumatrensis* Breuning, 1966 **#820**
rufomaculatus Breuning, 1973c: 660 **A**: GUX **ORR** **#820**

genus *Sthenias* Dejean, 1835: 344 type species *Lamia grisator* Fabricius, 1787 **#523**
subgenus *Albosthenias* Breuning, 1961j: 538 type species *Sthenias albicollis* Gahan, 1860
partealbicollis Breuning, 1968a: 17 **A**: GUI YUN **ORR** **#60**
subgenus *Sthenias* Dejean, 1835: 344 type species *Lamia grisator* Fabricius, 1787
Anomamomus Fåhraeus, 1872c: 194 [RN] type species *Sthenias leucaspis* Fåhraeus, 1872 (= *Lamia leucaspis* Fabricius, 1802)
Chalarus Fåhraeus, 1872b: 45 [HN] type species *Sthenias leucaspis* Fåhraeus, 1872 (= *Lamia leucaspis* Fabricius, 1801)
Thysanodes Newman, 1842c: 292 type species *Thysanodes jucunda* Newman, 1842
franciscanus J. Thomson, 1865: 550 **A**: FUJ GUX HUN SD YUN **ORR**
gahani Pic, 1912d: 19 (*Anaches*) **A**: YUN
gracilicornis Gressitt, 1937d: 602 **A**: FUJ GUA GUX HAI HUN JIX XIZ YUN **#60**
gracilis Breuning, 1938c: 370 **A**: AP "India or." **#280**
grisator Fabricius, 1787: 136 **A**: AP PA UP **ORR** **#280**
longeantennatus Breuning, 1938c: 369 **A**: NP **ORR**
pascoei Ritsema, 1888b: 272 **A**: YUN "North India" **ORR**
persimilis Breuning, 1938c: 368 **A**: SD UP **#377**
pictus Breuning, 1938c: 369 **A**: YUN **ORR**
nigrosignatus Breuning, 1965e: 41 (*Paramesosella*)
pseudodorsalis Breuning, 1938c: 369 **A**: BT NP SD XIZ **ORR**
tonkineus Pic, 1925b: 26 **A**: CH **ORR**
yunnanus Breuning, 1938c: 370 **A**: YUN

genus *Trichoniphona* Breuning, 1968e: 860 type species *Trichoniphona albomarmorata* Breuning, 1968
albomarmorata Breuning, 1968e: 860 **A**: SD

genus *Xynenon* Pascoe, 1865a: 159 type species *Sthenias bondii* Pascoe, 1859
Falsoxynenon Pic, 1925a: 26 type species *Falsoxynenon convexum* Pic, 1925 (= *Sthenias bondi* Pascoe, 1859)
bondii Pascoe, 1859: 48 (*Sthenias*) **A**: SD
convexum Pic, 1925a: 26 (*Falsoxynenon*)

tribe Saperdini Mulsant, 1839 **#523**

genus *Blamada* Lin & Holzschuh, 2013: 95 type species *Blamada rubripronota* Lin & Holzschuh, 2013
rubripronota Lin & Holzschuh, 2013: 97 **A:** GUX **ORR**

genus *Cagosima* J. Thomson, 1864: 116 type species *Cagosima sanguinolenta* J. Thomson, 1864
sanguinolenta J. Thomson, 1864: 116 **A**: FE **?**GUX JA
kiushiuensis K. Ohbayashi, 1956a: 8
oshimaensis Kano, 1933a: 287

genus *Callundine* J. Thomson, 1879: lvi type species *Callundine lacordairei* J. Thomson, 1879
Pseudosaperda Pic, 1903g: 121 type species *Pseudosaperda goliath* Pic, 1903
lacordairei J. Thomson, 1879: lvii **A**: BT "India" SCH YUN
goliath Pic, 1903g: 121 (*Pseudosaperda*)
genus *Dystomorphus* Pic, 1926c: 11 type species *Dystomorphus notatus* Pic, 1926
diversus Holzschuh & Lin, 2017: 273 **A:** HEN SCH
esakii Hayashi, 1974c: 59 **A**: TAI
nigrosignatus Pu, Y. Wang & Li, 1998: 82, 83 **A**: GAN
niisatoi Holzschuh & Lin, 2017: 281 - **A:** YUN
notatus Pic, 1926c: 12 **A**: **?**GAN **?**QIN YUN **#203**
piceae Holzschuh, 2003: 238 **A**: HEN HUB SCH SHA YUN **#203**
sichuanensis C.-K. Yu, 1994: 388 **A**: SCH

genus *Entelopes* Guérin-Méneville, 1844: 245 type species *Entelopes glaucus* Guérin-Méneville, 1844
subgenus *Aspineoentelops* Hua, 1990: 343 type species *Entelopes longzhouensis* Hua, 1990
longzhouensis Hua, 1990: 343 **A**: GUX

genus *Epiglenea* Bates, 1884a: 259 type species *Epiglenea comes* Bates, 1884a
comes comes Bates, 1884a: 259 **A**: FUJ GUA GUI GUX HEN HUN JA JIX NC SC SCH SHA ZHE YUN **ORR**
comes formosana Schwarzer, 1925c: 153 (*Daphisia*) **A**: TAI
comes szetschuanica Breuning, 1967c: 40 (*Phytoecia*) **A**: SCH

genus *Eumecocera* Solsky, 1871a: 391 type species *Saperda impustulata* Motschulsky, 1860
anomala Bates, 1884a: 259 (*Stenostola*) **A**: JA
    morii Makihara, 2002: 342
argyrosticta Bates, 1884a: 258 (*Stenostola*) **A**: JA
    japonica Tamanuki, 1927: 124 (*Paraglenea*)
callosicollis Breuning, 1943b: 100 (*Stenostola*) **A**: FE HEI JIL LIA NC SC **#400**
gleneoides Gressitt, 1935c: 177 (*Phytoecia*) **A**: JA
impustulata Motschulsky, 1860b: 151 (*Saperda*) **A**: ES FE HEB HEI JA (Tsushima Is.) LIA MG NC NMO SC WS **#400**
    acuminata Fischer von Waldheim, 1842: 26 [NO] (*Phytoecia*)
    impunctata Motschulsky, 1875: 151 (*Saperda*)
minamii Makihara, 1984: 17 **A**: JA
trivittata Breuning, 1947d: 143 (*Stenostola*) **A**: JA
    brunnescens Breuning, 1947d: 144 (*Stenostola*)
unicolor Kano, 1933a: 290 (*Stenostola*) **A**: JA JIL **#400** **#525**
    atrofusca Hayashi, 1960: 12
    univittata Breuning, 1947d: 144 (*Stenostola*)

genus *Eutetrapha* Bates, 1884a: 256 type species *Saperda carinata* Blessig, 1873 (= *Saperda sedecimpunctata* Motschulsky, 1860)
bicostata Hayashi, 1994: 75 **A**: TAI
chlorotica Pu & Jin, 1991: 192, 197 **A**: SCH YUN **#179**
chrysochloris chrysargyrea Bates, 1884a: 256 **A**: JA
chrysochloris chrysochloris Bates, 1879b: 467 (*Glenea*) **A**: FE JA
    breuningi Pic, 1952: 13
    piciella Breuning, 1956b: 17
    podanyi Pic, 1953a: 9 [RN]
cinnabarina Pu, 1986: 202 **A**: GAN HEB HEN HUB SHA SHN **#179**
complexa Pu & Jin, 1991: 192, 197 **A**: GAN SHA **#179**
elegans Hayashi, 1966a: 9 **A**: TAI YUN **#179**
flavoguttata Pu & Jin, 1991: 190, 196 **A**: XIZ **ORR** **#179**
gui Lin & X.-K. Yang, 2017: 191 **A:** HAI **#179**
laosensis Breuning, 1964d: 62 **A**: YUN **ORR**
lini Chou, Chung & Lin, 2010: 313 **A:** TAI
metallescens Motschulsky, 1860b: 150 (*Saperda*) **A**:~~ES~~ FE HEB HEI JIL LIA NC SC SHA
ocelota Bates, 1873: 387 (*Glenea*) **A**: FE (Kunashir) JA SC **?**TAI **#179** **#517**
    maculithorax Pic, 1900i: 19
parastigmosa Lin & X.-K. Yang, 2017: 162 **A**: CHQ HEN HUB SHA
sedecimpunctata australis Takakuwa & Hirokawa, 1998: 303 **A**: JA
sedecimpunctata sedecimpunctata Motschulsky, 1860b: 151 (*Saperda*) **A**: ES FE HEI HEB **?**HUB JA JIL LIA NC SC SHA **#179**
    carinata Blessig, 1873: 219 (*Saperda*)
    duodecimpunctata Motschulsky, 1860b: 151 [HN] (*Saperda*)
    motschulskyi Plavilstshikov, 1915b: 80 (*Saperda*) [RN]
    rosinae Pic, 1904d: 17 (*Saperda*)
    sulphurata Matsumura, 1906: 141 n° 698, pl. 52, fig. 13 (*Saperda*) [HN]
    variicornis Bates, 1884a: 256
shaanxiana Lin & X.-K. Yang, 2017: 182 **A**: GAN HUB SHA
shiqianensis Pu & Jin, 1991: 190, 196 **A**: FUJ GUI **#179**
stigmosa Pu & Jin, 1991: 191, 196 **A**: GUI GUX **#179**
tianmushana Lin & Bi, 2017: 185 **A:** ZHE
velutinofasciata Pic, 1939b: 2 **A**: BEI HEB HEI LIA NMO SHA SHX **#179**
    nigromaculata W.-K. Wang & Jiang, 2002c: 145 (*Paraglenea*)
weni G.-Q. Huang & Lin, 2016: 590 **A**: GUI

genus *Glenea* Newman, 1842c: 301 type species *Saperda novemguttata* Guérin-Méneville, 1831, designated by J. Thomson, 1879: 1.
subgenus *Accolona* Strand, 1942: 392 [RN] type species *Accola citrina*, 1894 (= *Glenea astathiformis* Breuning, 1958)
    Accola Jordan, 1894b: 503 [HN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiformis* Breuning, 1958)
astathiformis Breuning, 1958j: 888 [RN] **A**: NP SD YUN **ORR** **#400**
    citrina Jordan, 1894b: 503 [HN] (*Accola*)
subgenus *Acutoglenea* Breuning, 1958j: 838 type species *Saperda acuta* Fabricius, 1802
langana Pic, 1903f: 107 **A**: GUX YUN **ORR**
    atrolateralis Pic, 1926c: 24
    nigromarginella W.-K. Wang & Jiang, 2002b
subgenus *Aridoglenea* Breuning, 1958j: 869 type species *Glenea arida* J. Thomson, 1865
cancellata J. Thomson, 1865: 565 **A**: AP SD YUN **ORR** **#280**
    favrei Pic, 1943d: **7**
flavorubra Gressitt, 1940b: 205 **A**: HAI **ORR**
    invitticollis Breuning, 1956b: 99
meiyingae Holzschuh, 2009b: 423 **A**: NP SD YUN **ORR**

shuteae Lin & X.-K. Yang, 2011a: 40 **A:** YUN
vaga J. Thomson, 1865: 565 **A**: NP SD UP YUN **ORR**
subgenus *Citrinoglenea* Breuning, 1958j: 885 type species *Glenea citrina* J. Thomson, 1865
Laoglenea Breuning, 1968a: 37 type species *Glenea* (*Laoglenea*) *anterufipennis* Breuning, 1968 **#222**
citrina J. Thomson, 1865: 566 **A**: YUN **ORR**
anthyllis Pascoe, 1866b: 262
gardneriana Breuning, 1958j: 887 [RN] **A**: YUN **ORR**
bifasciata Gardner, 1830: 164 [HN]
subgenus *Formosoglenea* Breuning, 1969a: 36 type species *Glenea ochreomaculata* Breuning, 1969
ochreomaculata Breuning, 1969a: 35 **A**: TAI
subgenus *Glenea* Newman, 1842c: 301 type species *Saperda novemguttata* Guérin-Méneville, 1831 designated by J. Thomson, 1879: 1 (new name for *Sphenura* Laporte, 1840 (nec Lichtenstein, 1820, Aves).
Cryllis Pascoe, 1867b: 363 type species *Cryllis clytoides* Pascoe, 1867
Hapochoron Gistel, 1848a: x [RN]
Hemilocallia Ramírez Hernández, Santos-Silva & Nascimento, 2019: 90, 92 type species *Hemilocallia grishami* Ramírez Hernández, Santos-Silva & Nascimento, 2019
Sphenura Dejean, 1835: 350 [HN] type species *Saperda novemguttata* Guérin-Méneville, 1831
acutoides Schwarzer, 1925c: 151 **A**: GUX TAI
albosignata Pic, 1943d: 7
[*aeolis aeolis* J. Thomson, 1879: 19 – Burma]
aeolis laosica Breuning, 1963b: 49 **A**: YUN **ORR**
afghana Breuning, 1971a: 44 **A**: AF PA **#274**
annulicornis Schwarzer, 1925c: 149 **A**: TAI
niijimai Matsushita, 1938a: 94
atricilla Pesarini & Sabbadini, 1997: 120 **A**: FUJ
atricornis apicespinosa Breuning, 1956h: 763 **A**: GUX **ORR**
[*atricornis atricornis* Pic, 1943: 11 – Tonkin]
[*bedoci bedoci* Pic, 1926: 22 – Tonkin]
bedoci mussardi Breuning, 1967b: 35 **A**: AP
beesoni Heller, 1926: 46 **A**: KA PA SD UP **ORR** **#246**
bidiscovittata Breuning, 1969e: 190 **A**: SCH
bimaculatithorax Pic, 1946a: 16 **A**: YUN **ORR**
capriciosa J. Thomson, 1857c: 142 **A**: BT NP
centroguttata Fairmaire, 1897d: 232 **A**: FUJ GAN GUA GUX HEN JA SCH SHA TAI XIZ YUN **#60**
issikii Mitono, 1934: 490
chalybeata J. Thomson, 1861: 57 **A**: SD
inapicalis Pic, 1926c: 20
luteoapicalis Pic, 1926c: 20
mediojuncta Pic, 1946a: 10
changchini Lin & W. Lin, 2011: 13 **A:** YUN **ORR**
chlorospila chlorospila Gahan, 1897: 488 **A**: JA (Ryukyus)
chlorospila hachijonis Matsumura & Matsushita, 1933a: 110 **A**: JA
hayashii K. Ohbayashi, 1963: 12 [RN]
humerolineata Hayashi, 1956c: 19 [HN]
izuinsularis Umeya & Fujimura, 1954: 13
chlorospila okinawensis Makihara, 1988: 151 **A**: JA (Ryukyus)
chrysomaculata Schwarzer, 1925c: 152 **A**: GUI GUX TAI **#168**
breameri Kano, 1928: 267
chujoi Mitono, 1937: 149 **A**: GUA GUI HUB TAI **#400**
citrinopubens Pic, 1926c: 20 **A**: GUI GUX HUB SCH YUN
coomani Pic, 1926c: 21 **A**: HAI YUN **ORR**
humerosa Gressitt, 1940b: 206
crucicollis Breuning, 1956h: 671 **A**: "India"
crucifera Gahan, 1889: 222 **A**: BT
diana diana J. Thomson, 1865: 561 **A**: YUN **ORR**
theresae Pic, 1943c: 15
didymoides Breuning, 1956b: 166 **A**: SD **#343**
discofasciata Breuning, 1983: 61 **A**: JA
diverselineata diverselineata Pic, 1926c: 23 **A**: YUN **ORR**
diverselineatoides Breuning, 1968a: 34
diversenotata Schwarzer, 1925c: 152 **A**: FUJ GUX HAI TAI **ORR** **#136**
neohumerosa Lin & X.-K.Yang, 2011b: 62 **#136**
horishana Matsushita, 1933b: 412
flava Jordan, 1895: 270 **A**: BT GUX HUB SD YUN **ORR** **#229** **#344**
atroapicalis Pic, 1926c: 21
binhensis Breuning, 1956h: 683
flavosignata Breuning, 1956h: 736 **A**: YUN **ORR**

formosana Schwarzer, 1925c: 150 **A**: TAI
fortii Pesarini & Sabbadini, 1997: 121 **A**: FUJ
glabronotata Pesarini & Sabbadini, 1997: 122 **A**: SCH
glechomoides Breuning, 1982: 27 **A**: SD
hauseri Pic, 1933a: 15 **A**: HUN SCH SHA YUN **#225**
leopardina Gressitt, 1942d: 4
hieroglyphica Pesarini & Sabbadini, 1997: 123 **A**: YUN
hwasiana Gressitt, 1945a: 133 **A**: SCH YUN
indecora Holzschuh, 2021b: 573 **A:** NP ?SD
indiana J. Thomson, 1857c: 141 (*Stibara*) **A**: BT NP SD **ORR** **#523**
inlineata Pic, 1943d: 6 **A**: TAI
iriei heikichii Makihara, 1982a: 45 **A**: JA (Ryukyus)
iriei iriei Hayashi, 1971: 17 **A**: JA (Ryukyus)
iwasakii Kano, 1933b: 139 **A**: JA (Ryukyus) TAI
stolata Matsumura & Matsushita, 1933b: 413
jeanvoinei Pic, 1927c: 19 **A**: YUN **ORR**
jini Lin & Dai, 2012: 6 **A:** XIZ
kusamai Makihara, 1988: 151 **A**: JA (Ryukyus)
lacteomaculata Schwarzer, 1925c: 151 **A**: TAI **#136**
lecta Gahan, 1889: 219 **A**: BT **ORR**
leucomaculata Breuning, 1968a: 33 **A**: GUX **ORR**
licenti Pic, 1939b: 3 **A**: GAN HUB NIN SCH SHA
lineata ihai Hayashi, 1960d: 29 **A**: JA (Ryukyus)
okinawana K. Ohbayashi & N. Ohbayashi, 1965: 5
lineata lineata Gahan, 1897: 483 **A**: JA
lineosa Aurivillius, 1923a: 499
lineata ryukyuensis Breuning & K. Ohbayashi, 1964: 29 **A**: JA (Ryukyus)
lineata sauteri Schwarzer, 1925c: 150 **A**: GUA TAI YUN
synknensis Breuning & K. Ohbayashi, 1964b: 29
linwenhsini Lin, 2013: 109 **A:** GUI
luteicollis Gressitt, 1935c: 190 **A**: TAI
[*luteicolle* Gressitt, 1935c: 190 – original spelling]
luteosignata Pic, 1943c: 15 **A**: YUN
magdelainei Pic, 1943c: 14 **A**: YUN **ORR**
masakii Makihara, 1978: 60 **A**: JA (Ryukyus)
[*maunieri maunieri* Pic, 1926c: 22 – Vietnam]
maunieri horiensis Breuning, 1953: 21 **A**: TAI
mitonoana Gressitt, 1951a: 576 [RN] **A**: TAI
ornata Mitono, 1934: 491 [HN]
mouhoti J. Thomson, 1865: 567 **A**: HKG YUN **ORR**
albodiversa Pic, 1946a: 10
cochinchinensis Breuning, 1956b: 174
multiinterrupta Pic, 1947: 14 **A**: YUN **ORR**
nanshanchiana Hayashi, 1978a: 89 **A**: TAI
nigerrima Breuning, 1953: 26 **A**: SD
obliqua Gressitt, 1939b: 119 **A**: ANH FUJ HEN HUB SHA ZHE **ORR** **#60**
roubali Heyrovský, 1939b: 68
octoguttata Breuning, 1956h: 685 **A**: HUB
omeiensis Chiang, 1963: 68 **A**: SCH SHA **#225**
ornata Gahan, 1889: 223 **A**: SD **#343**
pallidipes Pic, 1926c: 23 **A**: GUI GUX YUN **ORR** **#60**
papiliomaculata Pu, 1992b: 608 **A**: YUN
paraornata Lin, 2013: 113 **A:** HAI YUN **ORR**
pici pici Aurivillius, 1920: 17 **A**: GUX YUN **ORR**
rufotibialis Pic, 1947b: 14
sexmaculata Pic, 1947b: 14
pici schmidi Breuning, 1965a: 16 **A**: AP
pieliana nigra Gressitt, 1940c: 194 **A**: FUJ GUA GUX HAI JIX **#60**
pieliana pieliana Gressitt, 1939b: 120 **A**: FUJ HUB JIX ZHE
tienmuschana Heyrovský, 1939b: 69
plagiata Gardner, 1930: 163 **A**: BT **ORR**
posticata Gahan, 1894a: 97 **A**: YUN **ORR**
vitalisi Pic, 1926c: 20
problematica Lin & X.-K. Yang, 2009: 171 **A:** GAN QIN YUN **ORR**
pseudocaninia Lin & Montreuil, 2009: 166 **A:** YUN **ORR**
pseudoluctuosa Breuning, 1953: 22 **A**: SD **#343**

pseudoscalaris miwai Mitono, 1943: 585 **A**: TAI
pseudoscalaris pseudoscalaris Fairmaire, 1895: 186 **A**: GUA GUI GUX **ORR**
gressitti Breuning, 1956h: 725
monticola Gressitt, 1951a: 576 [HN]
pulchella Pascoe, 1858: 260 **A:** SD **ORR** **#280**
vesta Pascoe, 1866: 260
~~*vestalis* Heller, 1934: 284~~ **#596**
pulchra Aurivillius, 1926: 111 **A**: GUI GUX NP SD XIZ YUN **ORR** **#523**
pulchella J. Thomson, 1860: 58 [HN]
quadriguttata Pic, 1926c: 22 **A**: GUX YUN **ORR** **#136**
quatuordecimmaculata Hope, 1831: 28 (*Saperda*) **A**: BT NP PA UP **ORR** **#274**
argus J. Thomson, 1857c: 145
relicta formosensis Breuning, 1960d: 15 **A**: TAI
relicta izuinsulana Fujita, 1980: 16 **A**: JA (Izu Isls.)
relicta relicta Pascoe, 1858: 258 **A**: ANH FE FUJ GUA GUI GUX HAI HUB HUN JA JIA JIX SC SCH SHA ZHE **ORR**
rufipes Gressitt, 1939a: 94 **A**: FUJ GUA GUX HAI HKG HUN **ORR** **#400**
atropubens Pic, 1943c: 16
sanctaemariae J. Thomson, 1857c: 141 (*Stibara*) **A**: BT **ORR**
saperdiformis Breuning, 1953: 25 **A**: AP
semiluctuosa Fairmaire, 1902b: 269 (*Sphenura*) **A**: SCH YUN
reitteri Pic, 1943c: 14
siamensis Gahan, 1897: 481 **A**: HAI YUN **ORR**
sikkimensis Breuning, 1982: 26 **A**: SD
silhetica Plavilstshikov, 1927a: 63 [RN] **A**: FUJ GUA HAI SCH TAI **ORR**
assimilis Gahan, 1897: 494 [HN]
subabbreviata Breuning, 1956h: 791 [RN] **A**: TAI
abbreviata Gressitt, 1951a: 573 [HN]
subalcyone Breuning, 1964: 20 **A**: YUN **ORR**
subregularis Pic, 1943c: 14 **A**: GUA GUX TAI **ORR**
tenuivittata Gressitt, 1951a: 579
subsimilis Gahan, 1897: 479 **A**: YUN **ORR**
subviridescens Breuning, 1963e: 11 **A**: YUN **ORR**
suensoni Heyrovský, 1939b: 70 **A**: ZHE
pieli Pic, 1943c: 14
sulphurea J. Thomson, 1865: 566 **A**: ?CH SD **ORR**
sulphuroides Breuning, 1982: 27 **A**: SCH **#400**
suturata Gressitt, 1939a: 95 **A**: ANH FUJ GUA HUB HUN
tatsienlui Breuning, 1956h: 678 **A**: SCH **#400**
t-notata Gahan, 1889: 223 **A**: GUX HUB NP SCH **ORR**
tonkinea Aurivillius, 1925: 19 **A:** GUX HAI **ORR** **#400**
torquatella Aurivillius, 1923a: 505 [RN] **A**: YUN **ORR**
torquata Gahan, 1907: 104 [HN]
virens bastiana Breuning, 1956h: 700 **A**: NP SD **#343**
[*virens virens* Aurivillius, 1925: 19 **ORR]** **#521**
viridescens Pic, 1927b: 36 **A**: GUX YUN **ORR**
weigeli Lin & Liu, 2012: 114 **A:** YUN
wenhsini Lin, 2013: 107 **A:** GUI
zalinensis Gahan, 1897: 478 **A**: BT **ORR**
subgenus *Lobunguiglenea* Lin & Tavakilian, 2014: 161 type species *Glenea judsoni* Lin & Tavakilian, 2014
judsoni Lin & Tavakilian, 2014: 162 **A:** ?TAI
subgenus *Rubroglenea* Breuning, 1956b: 109 type species *Colobothea rubricollis* Hope, 1842 **#523**
nigrorubricollis Lin et X.-K. Yang, 2009: 11 **A:** GUA
subgenus *Stiroglenea* Aurivillius, 1920: 30 type species *Lamia cantor* Fabricius, 1787
cantor cantor Fabricius, 1787: 142 (*Lamia*) **A**: GUA GUI GUX HAI HKG JIX SD YUN **ORR**
cantator Fabricius, 1801: 304 (*Lamia*)
luzonica Aurivillius, 1926: 112
quadrinotata Guérin-Méneville, 1843: (*Saperda*) **A**: YUN **ORR** **#176**
multilineata Pic, 1926c: 19
nigrolineata Gahan, 1894a: 88
spilota J. Thomson, 1861: 58 **A**: AP KA NP PA SD UP **#127** **#274** **#280**

genus *Glenida* Gahan, 1888b: 65 type species *Glenida suffusa* Gahan, 1888
cyaneipennis cyaneipennis Gahan, 1888: 66 **A**: BT GUA GUX HAI JIX
cyaneipennis ikedai Mitono, 1939: 147 **A**: TAI
cyaneofasciata Breuning, 1952: 116 **A:** SD
suffusa Gahan, 1888b: 66 **A**: FUJ GUX JIX SCH TAI

genus *Heteroglenea* Gahan, 1897: 490 type species *Glenea nigromaculata* J. Thomson, 1865
bastiensis Breuning, 1956h: 769 (*Glenea*) **A**: SD **ORR**
fissilis Breuning, 1953: 20 (*Glenea*) **A**: YUN XIZ **ORR**
gemella Lin & X.-K. Yang, 2009: 17 **A:** NP
glechoma Pascoe, 1867b: 409 (*Glenea*) **A**: JA (Ryukyus) TAI (Lanyu Is.) **AUR ORR** **#523**
fuscovirgata Fairmaire, 1883a: 53 (*Glenea*)
guadalcanalana Breuning, 1958g: 315 (*Glenea*)
hamabovola Hayashi, 1978a: 91 (*Glenea*)
palawana Breuning, 1956h: 879 (*Glenea*)
mediodiscoprolongata Breuning, 1965: 43 (*Glenea*) **A**: YUN **ORR**
mimoluctuosa Breuning, 1968a: 34 (*Glenea*)
nigromaculata J. Thomson, 1865: 566 (*Glenea*) **A**: GUX YUN **ORR**
amelia Gahan, 1889: 224 (*Glenea*)
hamifera Heller, 1926: 49 (*Daphisia*)
vicinalis Lin & X.-K. Yang, 2009: 18 **A:** NP **ORR**

genus *Malloderma* Lacordaire, 1872: 842 type species *Malloderma pascoei* Lacordaire, 1872
kuegleri Holzschuh, 2010: 223 **A:** YUN **ORR**
pascoei Lacordaire, 1872: 842 **A**: BT
tonkineum Pic, 1932h: 151
pulchrum Pic, 1926a: 29 (*Paraglenea*) **A**: GUX **ORR**

genus *Mandibularia* Pic, 1925a: 24 type species *Mandibularia nigriceps* Pic, 1925
nigriceps Pic, 1925a: 24 **A**: XIZ **ORR**

genus *Menesia* Mulsant, 1856: 157 type species *Menesia perrisi* Mulsant, 1856 (= *Saperda bipunctata* Zubkov, 1829)
Daphisia Pascoe, 1867b: 363 type species *Daphisia pulchella* Pascoe, 1867
akemiae Makihara, 1992b: 78 **A**: JA
albifrons Heyden, 1886c: 276 **A**: ES FE ?NC NO SC WS
bipunctata Zubkov, 1829: 167 (*Saperda*) **E**: AU BH BY CR CT CZ EN FR GE HU IT KZ LA LS LT NT PL RO SB SK SL ST SZ UK **A**: KZ WS
biguttata W. Redtenbacher, 1842: 26 (*Saperda*)
perrisi Mulsant, 1856: 158
quadripustulata Mulsant, 1862: 343
trimaculata Lentz, 1857: 145 (*Saperda*)
flavotecta Heyden, 1886c: 276 **A**: ANH FE JIL JA LIA ?NC SC SHA SHN **#225** **#400**
tokioensis Kobayashi & Seki, 1935: 42
immaculipennis Breuning, 1954g: 410 [RN] **A**: SCH
immaculata Gressitt, 1945a: 132 [HN]
matsudai Hayashi, 1985: 135 **A**: TAI
octoguttata Breuning, 1954g: 411 **A**: SCH
sulphurata Gebler, 1825: 52 (*Saperda*) **E**: **?**CT **?**ST **A**: ES FE GAN HEB HEN HUB JA JIL KZ MG NC SC SCH SHA SHN SHX TAI WS **#124** **#211** **#496**
nigrocincta Pic, 1915e: 10
semivittata Pic, 1915e: 10
yuasai Gressitt, 1935b: 176 (*Praolia*)
vitiphaga Holzschuh, 2003: 237 **A**: SHA

genus *Mimocagosima* Breuning, 1968a: 32 type species *Mimocagosima ochreipennis* Breuning, 1968
humeralis Gressitt, 1951a: 561 (*Mandibularia*) **A**: FUJ GUA GUX YUN **#60**
ochreipennis Breuning, 1968a: 32 **A**: SHA YUN **ORR** **#225**

genus *Neoserixia* Schwarzer, 1925c: 148 type species *Neoserixia pulchra* Schwarzer, 1925 **#523**
subgenus *Neopraolia* Matsushita, 1933b: 406 type species *Neopraolia delicata* Matsushita, 1933
delicata Matsushita, 1933b: 407 (*Neopraolia*) **A**: TAI
infasciata Gressitt, 1935e: 289 **#400**
longicollis Gressitt, 1935e: 287 **#476**
schwarzeri Gressitt, 1935e **#476**
subgenus *Neoserixia* Schwarzer, 1925c: 148 type species *Neoserixia pulchra* Schwarzer, 1925
pulchra continentalis Gressitt, 1939a: 91 **A**: GUA HAI YUN **ORR** **#400**
pulchra pulchra Schwarzer, 1925c: 148 **A**: TAI **#400**

genus *Neoxantha* Pascoe, 1856: 45 type species *Neoxantha amicta* Pascoe, 1856
amicta Pascoe, 1856: 45 **A**: FUJ GUX HUB HUN JIA JIX ZHE
immaculata Pic, 1893g: lxxxvii

genus *Niponostenostola* K. Ohbayashi, 1958d: 64 type species *Stenostola niponensis* Pic, 1901

gressitti Lin & Ge, 2017b: 922 (*Niponstenostola*) **A:** SHA **#201**
nigra Gressitt, 1951a: 552 [HN] (*Saperda*)
lineata Gressitt, 1951a: 609 (*Stenostola*) **A**: SHA **#201**
niponensis konoi Kano, 1933b: 140 (*Stenostola*) **A**: JA
jezoana Matsushita, 1933b: 427 (*Stenostola*)
niponensis niponensis Pic, 1901c: 12 (*Stenostola*) **A**: JA
chichibuensis Kano, 1933a: 289 (*Stenostola*)
niponensis pterocaryai Hayashi, 1960c: 11 (*Eumecocera*) **A**: JA

genus *Ossonis* Pascoe, 1867b: 363, 417 type species *Ossonis clytomima* Pascoe, 1867
indica Breuning, 1954g: 429, 432 **A:** BT **#344**

genus *Paradystus* Aurivillius, 1923a: 184 [RN] type species *Dystus notator* Pascoe, 1867
Dystus Pascoe, 1867: 416 [HN] type species *Dystus notator* Pascoe, 1867
infrarufus Breuning, 1954: 458, 460 **A:** YUN **ORR**

genus *Paraglenea* Bates, 1866a: 352 type species *Glenea fortunei* Saunders, 1853
atropurpurea Gressitt, 1951a: 567 **A**: FUJ GUX
fortunei Saunders, 1853: 112 (*Glenea*) **A**: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JA JIA JIL JIX SC SCH SHA TAI YUN ZHE **ORR**
bisbinotata Pic, 1915f: 14 (*Glenea*)
chloromelas J. Thomson, 1879: 21 (*Glenea*)
fasciata Pic, 1915f: 14 (*Glenea*)
innotata Pic, 1915f: 14 (*Glenea*)
innotaticollis Pic, 1936d: 17
notatipennis Pic, 1914a: 7 (*Glenea*)
prescutellaris Pic, 1953b: 2
pubescens Pic, 1914a: 7 (*Glenea*)
savioi Pic, 1923c: 21 (*Glenea*)
szetchwana Heller, 1926: 48
jianfenglingensis Hua, 1985: 87 **A**: HAI
soluta Ganglbauer, 1887c: 22 (*Glenea*) **A**: BEI HEB HEN HUB SCH SHA ZHE **#201**
cinereonigra Pesarini & Sabbadini, 1997: 126
swinhoei swinhoei Bates, 1866a: 352 **A**: TAI
virides Pu & Jin, 1991: 191, 196 (*Eutetrapha*) **A**: SCH **#179** **#400**

genus *Paramenesia* Breuning, 1952: 139 type species *Paraglenea theaphia* Bates, 1884a
kasugensis Seki & Kobayashi, 1935: 225 (*Glenea*) **A**: JA TAI
subcarinata Gressitt, 1951a: 557 (*Menesia*) **A**: GUA HUB SHA **#496**
theaphia Bates, 1884a: 257 (*Paraglenea*) **A**: FE (Kunashir) JA

genus *Parastenostola* Breuning, 1952: 200 type species *Saperda brunnipes* Gahan, 1888
brunnipes Gahan, 1888b: 65 (*Saperda*) **A**: FUJ HUN JIX
quadricolor Gressitt, 1951a: 561
nigroantennata nigroantennata Lin & X.-K. Yang, 2008: 12 **A**: GUI GUX HAI **#60**
nigroantennata taiwanensis Lin & X.-K. Yang, 2008: 15 **A**: TAI

genus *Pareutetrapha* Breuning, 1952: 135 type species *Paraglenea eximia* Bates, 1884a
eximia Bates, 1884a: 257 (*Paraglenea*) **A**: JA NC (Mt. Guemgangsan) **#63** **#525**
magnifica caeruleithoracica Takakuwa, 1984: 14 **A**: JA (Ryukyus)
magnifica magnifica Schwarzer, 1925c: 148 (*Saperda*) **A**: TAI
olivacea Breuning, 1952: 138 **A**: YUN **#400**
simulans Bates, 1873: 388 (*Phytoecia*) **A**: HEN JA TAI
daisenensis Matsushita, 1933a: 109 (*Glenea*)
sylvia Gressitt, 1951a: 569 (*Paraglenea*) **A**: FUJ **ORR**
postjuncta Pic, 1952c: 13 (*Paraglenea*)
weixiensis Pu, 1992b: 609 **A**: YUN **#400**

genus *Praolia* Bates, 1884a: 261 type species *Praolia citrinipes* Bates, 1884a
citrinipes atripennis Pic, 1923c: 20 (*Serixia*) **A**: TAI
griseipennis Gressitt, 1938b: 169 (*Serixia*)
citrinipes citrinipes Bates, 1884a: 261 **A**: JA SC
citrinipes ishigakiana N. Ohbayashi, 1970: 3 (*Serixia*) **A**: JA (Ryukyus)
iriomoteana N. Ohbayashi, 1970: 3 (*Serixia*)
citrinipes takeuchii Ohmoto, 1990: 31 **A**: JA (Ryukyus)
citrinipes umui Kusama & Takakuwa, 1984: 14 **A**: JA (Ryukyus)
hayashii Hayashi, 1974c: 60 (*Serixia*) **A**: TAI

mizutanii Niisato, 1989: 10 **A**: JA (Ryukyus)
yakushimana Hayashi, 1976: 22 **A**: JA

genus *Saperda* Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758
subgenus *Compsidia* Mulsant, 1839: 182 type species *Cerambyx populneus* Linnaeus, 1758
bacillicornis Pesarini & Sabbadini, 1997: 116 **A**: GAN QIN
bilineatocollis Pic, 1924a: 19 ["Chang-Haï"] **A**: FE GAN HEB HEN HUB JIA QIN SCH SHA SHG
gilanensis Shapovalov, 2013: 141 (*Compsidia*) **A**: IN
mariangelae Pesarini & Sabbadini, 2015: 53 **A**: SCH
populnea balsamifera Motschulsky, 1860b: 151 (*Compsidia*) **A**: ES MG ?NMO
innotatipennis Pic, 1910a: 2 **[**Siberie**]**
populnea lapponica Wallin, Kvamme & Bergsten, 2017: 129 **E**: FI NR NT SV **A**: ?WS
populnea populnea Linnaeus, 1758: 394 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N:** MO **A**: AB AF ANH AR ES FE FUJ GAN GG GUA HEB HEI HEN HUB IN JA JIA JIL KI KZ LIA NC NIN NMO QIN SC SHA SHN SHX TD TR UZ WS XIN XIZ **NAR #487**
betulina Geoffroy, 1785: 78 (*Leptura*)
bilineata Scopoli, 1772: 102 (*Leptura*)
decempunctata DeGeer, 1775: 78 (*Cerambyx*)
populi Duméril, 1860: 607
salicis Zetterstedt, 1818: 258
quercus ocellata Abeille de Perrin, 1895: ccxxix **A**: IS JO SY TR
quercus quercus Charpentier, 1825: 224 **E**: AL BH SB BU GR TR RO HU **#11**
viridipennis Gressitt, 1951a: 554 **A**: SHA **#400**
subgenus *Eusaperda* Danilevsky, 2023 type species *Cerambyx scalaris* Linnaeus, 1758
maculosa Ménétriés, 1832: 226 **A**: AB IN
perforata Pallas, 1773: 723 (*Cerambyx*) **E**: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT KZ LA LT MD NR NT PL RO SK SP ST SV SZ TR UK **N**: AG **A**: AB AF AR ES FE GG HEI IN JA KZ MG NE TR WS XIN **#89 #257 #481 #517**
albella Reitter, 1913b: 665
algerica Pic, 1903a: 8
decempunctata Goeze, 1777: 506 (*Leptura*)
duodecimpunctata Brahm, 1790: 176 (*Cerambyx*)
pallidipes Pic, 1904b: 9
rudolphi Cederhjelm, 1798: 92
seydlii Frölich, 1793: 135
scalaris hieroglyphica Pallas, 1773: 723 (*Cerambyx*) **E**: CT NT ST **A**: ES FE HEI JIL KZ LIA MG NC SC SHN WS XIN **#669**
varia Gmelin, 1790: 1875 (*Leptura*)
variegata Goeze, 1777: 506 (*Leptura*)
coerulescentialbotomentosa Blessig, 1873: 218
scalaris scalaris Linnaeus, 1758: 394 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MD ME ~~NE~~ NL NR NT PL RO SB SK SL SP ST SV SZ TR UK **A**: AB AR GG KZ TR **N**: AG
algerie4nsis Breuning, 1952: 176
estellae Mulsant, 1839: 188
fenestrata Reineck, 1919: 72
niethammeri Podaný, 1963: 72
xantha Demelt, 1960: 182
subgenus *Nietzscheana* Zubov, 2014: 695 type species *Nietzscheana plutenkoi* Zubov, 2014 **#459**
alberti Plavilstshikov, 1915b: 80 [RN] **A**: ES FE GUA HEB JA JIL KZ MG NC SC WS
decempunctata Gebler, 1830: 186 [HN]
plutenkoi Zubov, 2014: 696 **A:** FE **#459**
subgenus *Lopezcolonia* Alonso-Zarazaga, 1998: 131 [RN] type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)
Argalia Mulsant, 1862: 381 [HN] type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)
hosokawai Hasegawa, 2017: 189 **A**: JA SC
internescalaris Pic, 1934g: 36 **A**: SCH
interrupta Gebler, 1825: 52 **A**: BEI ES FE FUJ HEN JIL LIA MG NC NIN WS **#400**
laterimaculata Motschulsky, 1860b: 151
jansonis Z. Wang, 2003: 382, 397 **#400**
kojimai Makihara & Nakamura, 1985: 18 **A**: TAI
octomaculata Blessig, 1873: 221 **A**: ES FE JA MG NC SC SHN
octopunctata Scopoli, 1772: 101 (*Leptura*) **E**: AL AU BE BH BU ?BY CR CT CZ FR GE GR HU IT **LT** MD PL RO SB SK SL SP ST SZ UK **A:** AB AR GG TR IN
magnini Dayrem, 1928**b**: 77
sexpunctata Reitter, 1909: 57
tiliae Schrank, 1798: 667
tremula Fabricius, 1775: 186
ohbayashii Podaný, 1963c: 62 [RN] **A**: JA
breuningi K. Ohbayashi, 1957: 14 [HN]

pallidipennis Gressitt, 1951a: 553 **A**: SHA
punctata Linnaeus, 1767: 1067 (*Cerambyx*) **E**: AL AN AU BH BU ?BY CR ~~CT~~ CZ ?EN FR GE GR HU IT KZ LA ?LT MA MC MD ME ~~NT~~ PL RO SB SK SL SP ST SZ TR UK **N**: AG **A**: AB AR CY GG IN TR **WS**
gallica Pic, 1918d: 5
subobliterata Pic, 1910c: 13 **A**: FE HEI JA JIL LIA ?NC SC
mandschukuoensis Breuning, 1943b: 104
harbinensis Chiang, 1983: 60, 66 [unnecessary RN]
subscalaris Breuning, 1952: 179 **A**: YUN
tetrastigma Bates, 1879b: 466 **A**: JA NC SC TAI
jezoana Matshushita, 1933: **405** (*Cagosima*)
subgenus *Saperda* Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758
Amilia Mulsant, 1862: 376 type species *Saperda phoca* Frölich, 1793 (= *Saperda similis* Laicharting, 1784)
Anaerea Mulsant, 1839: 184 type species *Cerambyx carcharias* Linnaeus, 1758
carcharias Linnaeus, 1758: 394 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK **A**: AB AR ES FE GAN GG GUI HEI HUB HUN JIA JIL KZ MG NC ~~-~~(Heohangryeong) SCH SHA TR WS XIN
grisescens Mulsant, 1839: 184 (*Anaerea*)
oppermanni Hummel, 1827: 13
villosa Gmelin, 1790: 1837 (*Cerambyx*)
similis Laicharting, 1784: 31 **E**: AL AU BE BH BU BY CR CT CZ EN FI FR GE HU IT KZ LA LT MC NR NT PL RO SB SK SL SP ST SV SZ UK **A**: ES FE KI KZ MG XIN TD UZ WS
albopubens Pic, 1925d: 11
phoca Frölich, 1793: 139
simulans Gahan, 1888b: 64 **A**: HUN JIA JIL JIX SCH SHA **#400**

genus *Saperdoglenea* Breuning, 1964: 22 type species *Saperdoglenea gleneoides* Breuning, 1964 **#400**
hunanensis Hua, 1992: 519, 523 **A**: GUA GUI HUN **#523**

genus *Savang* Breuning, 1963b: 51 type species *Savang vatthanai* Breuning, 1963
sulphuratus Pesarini & Sabbadini, 1997: 117 **A**: SCH

genus *Serixia* Pascoe, 1856: 45 type species *Serixia apicalis* Pascoe, 1856
subgenus *Serixia* Pascoe, 1856: 45 type species *Serixia apicalis* Pascoe, 1856
Iole Pascoe, 1858: 254 [HN] type species *Iole prolata* Pascoe, 1858
Iolea Pascoe, 1862a: 353 [RN]
albopleura Gressitt, 1935e: 291 **A**: TAI
aurescens Breuning, 1965c: 52 **A**: GUX **ORR**
bootangana Breuning, 1958e: 213 **A**: BT SD
botelensis Kano, 1933a: 288 **A**: TAI (Lanyu Is.)
chinensis Breuning, 1948e: 121 **A**: GUI
formosana Breuning, 1960d: 13 **A**: TAI
juisuiensis Hayashi, 1974c: 61 **A**: TAI
kisana Matsushita, 1937: 105 (*Neopraolea*) **A**: TAI
subsericea Gressitt, 1938b: 170
prolata prolata Pascoe, 1858: 254 (*Iole*) **A**: HAI HKG **ORR** **#400**
abbreviata Gressitt, 1940b: 200
tonkinea Pic, 1922c: 14
pubescens Gressitt, 1940b: 201 **A**: HAI YUN
sedata gigantea Breuning, 1950c: 217 **A**: GUX
sedata sedata Pascoe, 1862a: 354 **A**: GUX HAI HKG YUN **ORR**
signaticornis Schwarzer, 1925c: 149 **A**: TAI
sinica Gressitt, 1937d: 616 **A**: JIX
testaceicollis Kano, 1933a: 287 **A**: TAI

genus *Spinoberea* Breuning, 1954g: 528 type species *Oberea subspinosa* Pic, 1922
cephalotes Gressitt, 1942b: 7 (*Nupserha*) **A**: SCH
subspinosa Pic, 1922e: 28 (*Oberea*) **A**: SCH YUN **ORR**
rufopubens Gressitt, 1942b: 8 (*Nupserha*)

genus *Stenostola* Dejean, 1835: 350 type species *Saperda nigripes* Fabricius, 1793 (= *Cerambyx ferreus* Schrank, 1776)
alboscutellata Kraatz, 1862: 124 **E**: GR
atra Gressitt, 1951a: 608 **A**: SHA
basisuturalis Gressitt, 1935g: 573 **A**: SCH SHA
dubia Laicharting, 1784: 52 (*Saperda*) **E**: AU BE BH CR CT CZ DE EN FI FR GE HU IR IT LA LS LU MD NL NR NT PL RO SB SL SK SP ST ~~SL~~ SV SZ UK **A**: AB AR GG **#478** **#752**
tiliae Küster, 1846b: 59
ferrea ferrea Schrank, 1776: 66 (*Cerambyx*) **E**: AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MD NR PL RO

SB SK SL SP ST SZ UK **A**: AB AR GG TR **#696**
nigripes Fabricius, 1793: 310 (*Saperda*)
plumbea Bonelli, 1812: 180 (*Saperda*)
ferrea maculipennis Holzschuh, 1982b: 155 **E**: ST UK
ivanovi Danilevsky, 2014f: 662 **A**: FE SC
nigerrima Breuning, 1947b: 21 (*Phytoecia*) **A**: JA
pallida Gressitt, 1951a: 610 **A**: SHA

genus *Stibara* Hope, 1840: 79 type species *Stibara tetraspilota* Hope, 1840
nigrovittata Breuning, 1954g: 467 **A**: "India"
rufina Pascoe, 1858: 259 **A**: GUX YUN **ORR**
~~*dichroma* J. Thomson, 1865: 560~~ **#597**
grisescens Pic, 1928b: 22
laosensis Pic, 1925a: 32
obsoleta J. Thomson, 1860: 60
tetraspilota Hope, 1840: 79 **A**: AP HP KA NP SD PA **ORR** **#280** **#366** **#367**
tricolor Fabricius, 1793: 309 (*Saperda*) **A**: GUX YUN **ORR** **#400**
beloni Pic, 1907c: 22
multipunctata Pic, 1925f: 188
pallidior Pic, 1943b: 4

genus *Thermistis* Pascoe, 1867b: 438 type species *Lamia croceocincta* Saunders, 1839
subgenus *Thermistis* Pascoe, 1867b: 438 type species *Lamia croceocincta* Saunders, 1839
conjunctesignata Rondon & Breuning, 1971: 546 **A**: YUN **ORR**
croceocincta Saunders, 1839: 178 (*Lamia*) **A**: ANH CHQ FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH SHA YUN ZHE **ORR** **#828**
hainanensis Lin & X.-K. Yang, 2012: 32 **A**: HAI
kaiyuni Chou & Kurihara, 2012: 45 **A**: TAI
nigromacula Hua, 1992: 521, 523 **A**: GUX HUN YUN **ORR** **#440**
sagittifera Pesarini & Sabbadini, 2000: 65 **A**: SCH
xanthomelas Holzschuh, 2007: 263 **A**: FUJ GUI GUX HAI YUN **ORR**
subgenus *Atroapicipennis* Özdikmen, 2025t: 3106 type species *Thermistis taiwanensis* Nara & Yu, 1992
cheni Lin & Chou, 2012: 49 **A**: SCH YUN
rubromaculata Pu, 1984: 61 **A**: GUI GUX **ORR** **#440**
sulphureonotata Pu, 1984: 61 **A**: GUX **ORR** **#517**
taiwanensis Nara & S.-K. Yu, 1992: 132 **A**: TAI

genus *Thyestilla* Aurivillius, 1923a: 491 [RN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)
Thyestes J. Thomson, 1864: 116 [HN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)
coerulea Breuning, 1943b: 100 **A**: SCH
gebleri Faldermann, 1835: 434 (*Saperda*) **A**: ANH ~~ES~~ FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC NMO QIN SC SCH SHA SHX **?**TAI ZHE
curtipennis Pic, 1952b: 5 (*Phytoecia*)
funebris Gahan, 1888b: 67 (*Thyestes*)
infernalis Pic, 1904e: 17 (*Phytoecia*)
kadowakii Fujimura, 1962: 211
lepesmei Gilmour, 1950: 554
nigrinus Plavilstshikov, 1915**c**: 109
pubescens J. Thomson, 1864: 116 (*Thyestes*)

tribe Tetropini Portevin, 1927

genus *Lenotetrops* Danilevsky, 2012g: 5 type species *Lenotetrops ivanovae* Danilevsky, 2012g
ivanovae Danilevsky, 2012g: 6 **A:** AF

genus *Paratetrops* Lazarev, 2024a: 29 type species *Tetrops warnckei* Holzschuh, 1977a
warnckei Holzschuh, 1977a: 133 (*Tetrops*) **A**: TR

genus *Tetrops* Kirby, 1826 (in Kirby & Spence 1826: 498) type species *Leptura praeusta* Linnaeus, 1758
Anaetia Dejean, 1835: 350 type species *Leptura praeusta* Linnaeus, 1758
Polyopsia Mulsant, 1839: 190 type species *Leptura praeusta* Linnaeus, 1758
subgenus *Mimosophronica* Breuning, 1943a: 53 type species *Mimosophronica strandiella* Breuning, 1943 (= *Tetrops formosus* Baeckmann, 1903) **#228**
bicoloricornis bicoloricornis Kostin, 1973: 207, 208 **A**: KI (Sary-Chelek Lake)
bicoloricornis ferganensis Danilevsky, 2018a: 280 **A**: KI UZ
bicoloricornis nigricornis Danilevsky, 2018a: 279 **A**: KI (about 30km S Sary-Chelek Lake)
bicoloricornis oshensis Danilevsky, 2018a: 280 **A**: KI (Osh env.)
brunneicornis Pu, 1985a: 102 **A**: XIN
elaeagni elaeagni Plavilstshikov, 1954: 474 [Urda] **E**: ST (Astrakan Reg.: Dosang) KZ

elaeagni plaviltshikovi Kostin, 1973: 206, 209 **A**: KZ XIN
elaeagni shapovalovi Danilevsky, 2018a: 266 **A**: KZ TM UZ
formosus bivittulatus Jankowski, 1934: 112 **A**: KZ (Almaty env.)
formosus formosus Baeckmann, 1903b: 311 **A**: KI KZ
formosus songaricus Kostin, 1973: 206 **A**: KZ (Dzhungarsky Alatau)
formosus strandiellus Breuning, 1943a: 53 (*Mimosophronica*) ["Kuldsha"] **A**: XIN **#146**
hauseri hauseri Reitter, 1897c: 225 ["Thian-Schan (Musart)"] **A**: XIN
hauseri kostini Özdikmen & Turgut, 2008e: 625 [RN] **A**: KZ (Bayankol env.)
niger Kostin, 1973: 207 [HN]
subgenus *Tetrops* Kirby, 1826 (in Kirby & Spence 1826: 498) type species *Leptura praeusta* Linnaeus, 1758 **#228**
gilvipes adlbaueri Lazarev, 2012: 951 **E**: CZ GE HU PL SK ?SV UK **#205** **#639**
gilvipes efetovi Lazarev, 2012: 949 **E**: UK (Crimea)
gilvipes gilvipes Faldermann, 1837: 290 (*Anaetia*) **E**: ST **A**: AB AR GG TR
gilvipes mikati Sláma, 2019b: 210 **E**: SK
gilvipes murzini Lazarev, 2012: 950 **A**: AB IN TM
gilvipes niger Kraatz, 1859: 57 **E**: IT FR SZ **#205**
muehlfeldi Mulsant, 1862: 348 (*Polyopsia*)
mongolicus Murzin, 1977: 301 **A**: ES MG
praeustus algiricus Chobaut, 1894b: cclxxvi [1894a: 32] **N**: AG
praeustus anatolicus Özdikmen & Turgut, 2008e: 627 (Konya, Antalya, Osmaniye) **A**: TR SY
praeustus angorensis Pic, 1918d: 11 **A**: LE SY TR **#182** **#550**
praeustus praeustus Linnaeus, 1758: 399 (*Leptura*) **E**: ~~AL~~ AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL ~~SL~~ SP ST SV SZ TR UK **A**: AB AR ES GG IR KZ MG SY TR WS **#464**
inapicalis Pic, 1891b: 37
peterkai Skořepa, 2020: 565 [AU, BU, CZ, EN, FI, FR, GE, NR, SK, SV, UK] **#511** **#767** **#816**
pilosus Geoffroy, 1785: 78 [HN] (*Leptura*)
praetermitus Sláma, 2020: 572 **#511** **#816**
~~*praecestus* Dufour, 1843: 101 (*Saperda*)~~ **#543**
ustulatus Hagenbach, 1822: 11 (*Saperda*)
praeustus skrylnyki Lazarev, Gubin & Pak, 2024: 13 **E**: AL
rosarum Tsherepanov, 1975a: 34 **A**: FE HEI **#609**
starkii aquilus Danilevsky, 2012m: 937, 939 **E**: ST (Krasnodar env.)
starkii starkii Chevrolat, 1859a: 541 **E**: AU BE BH BU ?BY CR CT CZ DE EN FR GB GE GR HU IR IT ?LA LT MD NL NR PL RO SB SK SL SP ST SV SZ UK **A**: AB TR [Zonguldak] **#41** **#104** **#752**
mesmini Pic, 1928c: 6
vicinus Pic, 1928c: 6

tribe Tragocephalini J. Thomson, 1857h

genus *Chariesthes* Chevrolat, 1858: 312 type species *Chariesthes multinotata* Chevrolat, 1858
subgenus *Sokothesthes* Adlbauer, 2002: 20 type species *Chariesthes socotraensis* Adlbauer, 2002
socotraensis Adlbauer, 2002: 20 **A**: YE (Suqutra)

genus *Kerocharies thes* Téocchi, 1990b: 19 type species *Pseudocharies thes variegata* Breuning, 1939
Cherocharies thes, Lôbl & Smetana, 2010: 333 (misspelling)
holzschuhi Téocchi, 1992: 300 (*Freapomecyna*) **A**: SA YE
holzschuhi Teocchi, 1990a: 11 (*Freapomecyna*) (unavailable name - conditional proposal)

genus *Dinocephalus* Peringuey, 1899: 323 type species *Dinocephalus ornatus* Peringuey, 1899
heissi Holzschuh, 1992a: 296 **A**: SA

tribe Xenoleini Lacordaire, 1872

genus *Hirtaeschopalaea* Pic, 1925a: 22 type species *Hirtaeschopalaea albolineata* Pic, 1925
Jezohammus Matsushita, 1933b: 347 type species *Jezohammus nubilus* Matsushita, 1933
albolineata Pic, 1925a: 22 **A**: SHA YUN **ORR** **#400**
fasciculata Breuning, 1938c: 226 **A**: FUJ GUA **ORR**
obliqua Gressitt, 1940a: 9 (*Xenolea*)
nubila Matsushita, 1933b: 347 (*Jezohammus*) **A**: JA SC

genus *Xenolea* J. Thomson, 1864: 91 type species *Xenolea collaris* J. Thomson, 1864
Aeschopalaea Pascoe, 1864a: 10 type species *Aeschopalaea agraria* Pascoe, 1864 (= *Xenolea collaris* J. Thomson, 1864)
asiatica Pic, 1925c: 16 (*Aeschopalaea*) **A**: GUA GUX HAI HEN HKG HUB JA JIX NP SC SCH TAI UP YUN ZHE **ORR** **#127**
[*collaris collaris* J. Thomson, 1864: 91 **AUR ORR**]
agraria Pascoe, 1864a: 24 (*Aeschopalaea*)
grisella Pascoe, 1864a: 25 (*Aeschopalaea*)
laticollis Pascoe, 1864a: 25 (*Aeschopalaea*)

collaris formosana Breuning, 1965h: 177 **A**: TAI

tribe Xylorhizini Lacordaire, 1872

genus *Cyrtogrammus* Gressitt, 1939a: 67 type species *Cyrtogrammus lateripictus* Gressitt, 1939
laosicus Breuning, 1968a: 11 **A:** HAI **ORR** **#441**
lateripictus Gressitt, 1939a: 67 **A**: GUA GUX HAI YUN **ORR** **#60** **#400**

genus *Kuatuniana* Hua, 2002: 212 [RN] type species *Kuatunia subasperata* Gressitt, 1951
Kuatunia Gressitt, 1951a: 437 [HN] type species *Kuatunia subasperata* Gressitt, 1951
subasperata Gressitt, 1951a: 438 (*Kuatunia*) **A**: FUJ

genus *Microxylorhiza* Hayashi, 1974c: 38 type species *Microxylorhiza matsudai* Hayashi, 1974
matsudai Hayashi, 1974c: 39 **A**: TAI

genus *Parathylactus* Breuning & de Jong, 1941: 65 type species *Thylactus dorsalis* Gahan, 1890
dorsalis Gahan, 1890a: 58 (*Thylactus*) **A**: NP

genus *Thylactus* Pascoe, 1866b: 242 type species *Thylactus angularis* Pascoe, 1866
analis Franz, 1954: 95 **A**: GUA GUI GUX HAI HEN HUN JIX SCH **AUR**i **#400** **#441**
chinensis Kriesche, 1924: 289 **A**: GUA SCH TAI **ORR** **#199**
angustatus Pic, 1925a: 24
densepunctatus Chiang & Li, 1984: 100 **A**: GUA HAI YUN **ORR** **#60** **#441**
dentipennis W.-K. Wang & Jiang, 1998a: 462 **A**: XIZ YUN **#441**
pulawskii Hua, 1986c: 211 **A**: GUX HAI **ORR** **#400** **#441**
sikkimensis Breuning, 1938c: 224 **A**: NP SD **#84**
simulans Gahan, 1890a: 58 **A**: AP GUI HEN HKG HUN JIX NP SD YUN ZHE **ORR** **#84** **#280**
uniformis Pic, 1934a: 10 **A**: GUI "South China" **#400**

genus *Xylorhiza* Dejean, 1835: 344 type species *Lamia adusta* Wiedemann, 1819
adusta Wiedemann, 1819: 182 (*Lamia*) **A**: AP FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP PA SCH SD YUN ZHE **ORR** **#280**
venosa Laporte, 1840: 476
pilosipennis Breuning, 1943a: 16 **A**: FUG GUA GUX HAI HKG HUN YUN **ORR** **#400** **#523**
erectepilosa Tippmann, 1951: 309

subfamily **Agapanthiinae** Mulsant, 1839 **#761**

tribe Agapanthiini Mulsant, 1839

genus *Agapanthia* Audinet-Serville, 1835a: 35 type species *Cerambyx cardui* Linnaeus, 1767
subgenus *Agapafghania* Danilevsky, 2023: 574 type species *Agapanthia nigriventris* Waterhouse, 1889
nigriventris C. O. Waterhouse, 1889: 130 **A**: AF TM
subgenus *Agapanthia* Audinet-Serville, 1835a: 35 type species *Cerambyx cardui* Linnaeus, 1767
Eucrius Gistel, 1856: 376 type species *Cerambyx cardui* Linnaeus, 1767
Segmentaria Gistel, 1848a: viii [unnecessary substitute name]
bohemica Sláma, 2017a: 62 **E**: CZ
cardui Linnaeus, 1767: 632 (*Cerambyx*) **E**: AL AU BE BH BU CR CT CZ FR GE GR HU IT KZ MC ME NL PL PT RO SB SK SL SP ST SZ TR UK **A**: KZ WS **#360** **#485** **#868**
consobrina Chevrolat, 1840: 17
grossa Pic, 1891g: 63
marginalis Mulsant, 1839: 179
nigroaenea Mulsant, 1839: 179
pannonica Kratochvíl, 1985a: 3
peragalli Mulsant, 1862: 364
suturalis Fabricius, 1787: 149 (*Saperda*) **E**: FR GR (Dodecanissos) IT MA PT SP **N**: AG CI EG LB MO TU **A**: AB AR GG CY IN IS IQ JO LE SY TR **#485**
annulata Fabricius, 1793: 314 (*Saperda*)
ruficornis Pic, 1918d: 5
rufofemoralis Pic, 1946a: 8
subacutalis Chevrolat, 1882: 63
velox Gistel, 1857**b**: 560
subgenus *Agapanthoplia* Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia coeruleipennis* Frivaldszky, 1878 **#778**
coeruleipennis Frivaldszky, 1878b: 9 **A**: IN SY TR
brevis Pic, 1891a: 1
subgenus *Amurobia* Pesarini & Sabbadini, 2004b: 128 type species *Agapanthia amurensis* Kraatz, 1879 **#778**
amurensis Kraatz, 1879c: 115 **A**: BEI ES FE FUJ HEB HEI HEN HUB HUN JIA JIL JIX MG NC NIN NMO SC SCH SHA SHN XIN ZHE
melanolopha Fairmaire, 1900: 643

plicatipennis Pic, 1915e: 8
semicyanea Pic, 1915e: 8
japonica Kano, 1933a: 286 **A**: JA
pilicornis laushanensis Breuning, 1965g: 92 **A**: HEN SHN **#525**
pilicornis pilicornis Fabricius, 1787: 148 (*Saperda*) **A**: ES FE HUB JIA JIL JIX MG NC NMO SC SCH SHA SHN ZHE
fasciculosa Motschulsky, 1861b: 41
yiershiensis Z. Wang, 2003: 266, 396
yagii Hayashi, 1982b: 147 **A**: JA
subgenus *Chionosticta* Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia niveisparsa* Holzschuh, 1981 **#778**
niveisparsa Holzschuh, 1981: 103 **A**: PA
subgenus *Drosotrichia* Pesarini & Sabbadini, 2004b: 126 type species *Saperda annularis* Olivier, 1800 **#778**
annularis Olivier, 1800: 11 (*Saperda*) **E**: PT SP **N**: AG EG LB MO TU **#373**
subgenus *Epoptes* Gistel, 1857a: 93 [1857b: 605] type species *Lamia asphodeli* Latreille, 1804 **#778**
Agapanthiella Pesarini & Sabbadini, 2004b: 126 type species *Cerambyx villosoviridescens* DeGeer, 1775 **#778**
altaica Plavilstshikov, 1933d: 113 **A**: WS
alternans alternans Fischer von Waldheim, 1842: 26 **A**: ES KZ MG NC (Cheongjin) NMO SC (Mt. Odaesan) WS XIN **#63**
coeruleonigra Reitter, 1898c: 132
ganglbaueri Semenov, 1893: 503
transbaicalica Suvorov, 1913: 80
alternans eualternans Danilevsky, 2017c: 29 **E**: ST (Orenburg env.)
alternans paralternans Danilevsky, 2017c: 26 **A**: KZ
alternans songarica Kostin, 1973: 225 **A**: KZ (Dzhungarsky Alatau)
songarica Kostin, 1978: 605 [HN]
alternans tarbagataica Kostin, 1978: 605 **A**: KZ (Tarbagatai)
angelicae Reitter, 1898c: 131 **A**: IN TM
hauseri Reitter, 1902b: 185
jacobsoni Plavilstshikov, 1915d: 122
latior Pic, 1898q: 179
subnuda Reitter, 1905a: 93
asphodeli asphodeli Latreille, 1804: 282 (*Lamia*) (environs de Bordeaux) **E**: AL BH BU FR GR IT MA MC MD PT RO SP ST SZ UK **A**: ?AB ?AR ?GG ?KZ SY TR **#484** **#632** **#724**
delagrangei Pic, 1894e: 75 ["Akbès"]
insularis Gautier des Cottes, 1870b: 263
mimica Pic, 1927e: 1
reyi Mulsant & Godart, 1870: 27 **#724**
spencii Gyllenhal, 1817: 187 (*Saperda*)
asphodeli cretica Bernhauer, 1978: 70 **E**: GR (Crete) **#724**
probsti Holzschuh, 1984c: 370 (Crete) **#724**
asphodeli fadli Sama & Rapuzzi, 2006: 186 **N**: EG **#724**
asphodeli kastamonica Lazarev, 2023f: 479 - **A:** TR
asphodeli lopadusae Rapuzzi & Sparacio, 2017: 958 [Lampedusa Is.] **E:** IT **#724**
asphodeli nicosiensis Pic, 1927e: 1 **A**: CY **#724**
asphodeli renatae Steiner & Schmid, 2013 **E**: GR (Peloponnese) **#724**
balcanica Sláma, 2019b: 208 (Attica) **#724**
asphodeli zappii Sama, 1987: 62 **N:** AG LB MO TU **#484** **#724**
auliensis Pic, 1907b: 12 **A**: KZ UZ
amabilis Holzschuh, 1981: 104
badenkoi Danilevsky, 2024d: 458 **A:** KZ (Central Kazakhstan
boeberi boeberi Fischer von Waldheim, 1806: 16 (*Saperda*) ["Sarepta"] **E**: KZ ST UK **A**: AB AR GG IN KZ TR WS **#634** **#691** **#711**
decora Krynicki, 1834: 170 (*Saperda*) [Tauria]
boeberi michaeli Sláma, 1986: 469 **E:** GR (Crete) **#711**
boeberi chorumensis Lazarev, 2023e: 1797 **A:** TR (Chorum)
boeberi cynarae Germar, 1817: 222 (*Saperda*) [Italy] **E**: BH BU CR CZ ?FR ?GE GR HU IT MC ?MD ME SB SL ?SP RO SK TR UK **#691**
boeberi diversicornis Pic, 1927e: 1 (Albania) **E**: AL GR MC **#711**
boeberi selengensis Danilevsky, 2021b: 501 **A**: ES (Selenga River)
boeberi slamai Lazarev, 2023c: 752 **E**: GR (Peloponnese) **#711**
dahlii alaiensis Kratochvíl, 1985b: 68 **A**: KI UZ TD
dahlii alexandris Pic, 1901q: 82 **A**: KI KZ **#249**
dahlii calculensis Lazarev, 2013d: 128 **A**: KZ
dahlii chemalensis Lazarev, 2025a: 31, 38 **A:** WS (Altay, Chemal)
dahlii dahlii C. F. W. Richter, 1820: pl. 12 (*Saperda*) **E**: AL AU BE BH BU ?BY CR CT CZ FR GE HU KZ MC MD ME PL RO SB SK SL SP ST ?SZ UK **A**: GG KZ **#115** **#551** **#752**
gyllenhali Ganglbauer, 1883a: 190
nigricornis Fabricius, 1793: 314 [HN] (*Saperda*)
dahlii efimovi Danilevsky, 2021b: 500 **A**: WS

dahlii golestanica Lazarev, Plewa & Jaworski, 2016: 232 **A**: IN
dahlii grossicornis Lazarev, 2025a: 32, 50 **A**: TR (Turkey, Çorum)
dahlii iliensis Danilevsky, 2018d: 181 **A**: KZ ?XIN
dahlii ismailovae Lazarev, 2013c: 446 **E**: ST (Dagestan) **A**: AB
dahlii kindermanni Pic, 1905a: 13 **A**: TR **#762**
amicula Holzschuh, 1989a: 176
dahlii kuleshovi Danilevsky, 2018d: 179 **A**: WS (Tomsk Region)
dahlii krivosheinae Lazarev, 2025a: 33, 59 **A**: UZ (Syrdarya Region, Yangier)
dahlii lateralis Ganglbauer, 1884: 541 **E**: TR **A:** TR **#763**
bilateralis Pic, 1927e: 1 ["Turkestan" - wrong record]
orientalis Pic, 1901q: 83 [DA]
dahlii lenkorana Lazarev, Plewa & Jaworski, 2016: 234 **A**: AB (Talysh) ?IN
dahlii lepsyensis Danilevsky, 2018d: 179 **A**: KZ (Lepsy River) ?XIN
dahlii malmerendii Sama, 1981: 504 **E**: FR (Corse) IT
dahlii muellneri Reitter, 1898c: 133 **A**: KI UZ ?XIN **#249**
dahlii nitidipennis Holzschuh, 1984c: 371 **A:** AB GG **#249**
dahlii olegpaki Lazarev, 2025f: 623 **A**: KZ (N slope of Tarbagatai)
dahlii persica Semenov, 1893: 505 **A**: IN **#249**
?*theryi* Pic, 1908b: 6
dahlii pustulifera Pic, 1905a: 12 **A**: JO IS LE SY **#182** **#763** **#830**
subsimplicicornis Sama & Rapuzzi, 2010: 180 [LE] **#763** **#830**
mutinensium Sama & Rapuzzi, 2010: 179 [LE] **#830**
dahlii revadensis Lazarev, 2025a: 33, 61 **A:** TD (Zerafshan valley, Revad environs)
dahlii rubenyani Lazarev, 2013c: 443 **A**: AB AR IN
dahlii salviae Holzschuh, 1975a: 88 **A**: IN ["Elburz, Südseite, 10 km nördlich Karadj"] **#763**
dahlii schurmanni Sama, 1979b: 505 [Macedonia: Ohrid; Greece: Kastoria] **E**: AL BU GR MC **#82** **#763**
dahlii setosa Lazarev, 2025a: 32, 48 **A:** TR (Eğridir environs, Isparta, Turkey)
dahlii sicula Ganglbauer, 1884: 541 **E**: IT (Sicilia)
dahlii transcaspica Pic, 1900g: 14 **A**: IN TM **#249**
dahlii ustinovi Danilevsky, 2013h: 35 **A:** ?AF TD (Pamir) **#137**
dahlii vishnyakovi Lazarev, 2025a: 33, 56 **A:** UZ (Zerafshan mountain ridge, Kitab Natural reserve)
dahlii walteri Reitter, 1898c: 132 **A**: AB AR GG IN TR **#249** **#797**
erivanica Pic, 1900**e**: 14
dahlii zaysanensis Lazarev, 2025a: 32, 52 **A:** KZ (Zaysan Lake environs, Zhemeney River)
dahlii zhidkovi Lazarev, 2025a: 33, 54 **A:** KZ (eastern shore of Alakol lake)
danilevskyi Lazarev, 2013b: 235 **A**: KZ (Syr Darya River near Chardara)
daurica daurica Ganglbauer, 1884: 544 **A**: ES FE HEI HUB JA JIL LIA MG NC NMO SC SHA XIN **#225**
melancholica Suvorov, 1913: 79
daurica sakaii Hayashi, 1982b: 149 **A**: JA
detrita Kraatz, 1882c: 336 **A**: AF KI KZ TD UZ **#345**
bucharica Pic, 1901b: 13
paki Rapuzzi, 2012: 958 (Afghanistan)
griseocaudata Kasatkin, 2020c: 234 **A**: AB
klabusayi Danilevsky & Hodek, 2025: 18 **A**: KZ (Shubarkayin environs)
kucherai Danilevsky & Hodek, 2025: 16 **A**: KZ (Lepsy environs)
obydovi Danilevsky, 2000c: 292 ["Taukum desert near Kolshengel village"] **A**: KZ
papaverina Kasatkin, 2020c: 233 **A**: TR
parauliensis Danilevsky, 2017c: 24 **A**: KZ, UZ
perovskiensis chulakkurgana Danilevsky, 2021b: 500 **A**: KZ
perovskiensis perovskiensis Danilevsky, 2021b: 499 **A**: KZ
plewai Danilevsky, 2024d: 458 **A:** KZ (north shore of Balkhash Lake)
schmidti Holzschuh, 1975a: 89 **A**: TR
shovkuni Shapovalov, 2009: 16 **A**: KZ
simplicicornis Reitter, 1898c: 133 **A**: ?IN TR (Mardin)
simplicornis, Msrklund, 2012: 4 - misprint (Buglan Gecidi,)
subflavida Pic, 1903j: 163 **A**: TR
turanica Plavilstshikov, 1929c: 131 **A**: KI KZ UZ XIN
uxoria Sláma, 2017a: 64 **E**: GR
verecunda Chevrolat, 1882: 63 **A**: TR **#784**
= *simplicicornis*, Önalp, 1989: 205
villosoviridescens gazanchidisi Lazarev, 2021: 31 **A:** BU GR **#783**
villosoviridescens giresunica Lazarev, 2024d: 489 **A**: TR
villosoviridescens helianthi Plavilstshikov, 1935: 250 **E**: ST **A:** AB AR GG **#783**
lopatini Kaziutshitz, 1988: 583
mesmini Pic, 1927e: 7
villosoviridescens hodeki Danilevsky, 2018d: 181 **A**: IN **#783**

villosoviridescens lederi Ganglbauer, 1884: 542 **A**: AB **#633** **#783**
villosoviridescens markusi Rapuzzi, Sama & Kotán, 2013: 583 **E:** AL GR **#117** **#783**
villosoviridescens murzini Lazarev, 2024d: 480 **A**: AR
villosoviridescens shankhizai Lazarev, 2024d: 491 **A**: TR (Denizli)
villosoviridescens subnigra Pic, 1890b: 119 - "Georgie"; **E**: ST **A**: GG **#783**
subacuta Pic, 1909: 106 - "Caucase".
subchalybaea Reitter, 1898c: 134 - "Kaukasus und Turkestan: Taschkend" **#633**
villosoviridescens syunika Lazarev, 2024d: 480 **A**: AB AR
villosoviridescens villosoviridescens DeGeer, 1775: 76 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **A**: ES KZ MG ~~TR~~ WS **#783**
acutipennis Mulsant, 1862: 357
angusticollis Gyllenhall, 1817: 189 (*Saperda*)
latreillei ["*latreille*"] Fischer von Waldheim, 1805 [?1806]: 17 (*Saperda*)
lineatocollis Donovan, 1797: 71 (*Cerambyx*)
nicaeensis Chevrolat, 1881: xcvi
pyrenaea ~~C.~~ Brisout de Barneville, 1863: 117
viridescens Gmelin, 1790: 1864 (*Cerambyx*)
subgenus *Homoblephara* Pesarini & Sabbadini, 2004b: 128 type species *Saperda maculicornis* Gyllenhal, 1817 **#778**
fallax Holzschuh, 1974a: 95 **A**: TR
korostelevi Danilevsky, 1985: 385 [= 1987: 620] **A**: AB AR IN TR
maculicornis davidi Sláma, 1986: 465 **E**: IT
maculicornis maculicornis Gyllenhal, 1817, app.: 189 (*Saperda*) **E**: BH BU CR CT GR HU KZ MC MD ME RO SK SL ST TR UK **A**: KZ TR WS **#83** **#583**
trivittata Gebler, 1830: 188 (*Saperda*)
martinae Danilevsky & Navrátil, 2018: 299 **A**: IN
orbachi Sama, 1993e: 471 **A**: IS
subgenus *Mirabilinia* Kasatkin, 2020c: 248 type species: *Agapanthia hirsuticornis* Holzschuh, 1975.
hirsuticornis Holzschuh, 1975a: 86 [Mazandaran] **A**: IN
subgenus *Smaragdula* Pesarini & Sabbadini, 2004b: 128 type species *Saperda violacea* Fabricius, 1775 **#778**
amitina Holzschuh, 1989a: 174 **A**: IN ["Iran, Zentralprovinz, 35 km NW Ghazvin"] ?TR **#583**
chalybea Faldermann, 1837: 303 **A**: AB AR GG IN TR **#517**
chvalkovskyi Hodek, 2021b: 1164 **A:** GG
frivaldszkyi Ganglbauer, 1884: 546 **E**: BU RO **A**: IS IN IQ JO SY TR
gemella Holzschuh, 1989a: 175 **A**: CY
grosseri Hodek, 2021a: 88 **A:** TR
incerta Plavilstshikov, 1930: 12 **A**: KI TD UZ **#574**
intermedia Ganglbauer, 1884: 543 **E**: AU BY CT CZ DE EN FR GE GR HU IT KZ LA LU MD ME NL NT PL RO SB SK SP ST SZ UK **A**: GG KZ WS **#357** **#480**
izzilloi Rapuzzi, Sama & Kotán, 2013: 582 **E:** GR
kadleci Hodek, 2021a: 92 **A**: TR
lais Reiche & Saulcy, 1858: 21 **A**: IS JO LE SY TR **#74** **#182**
lazuli Vartanis, 2023e: 1730 **E**: GR (Corfu Is.)
mardinensis Rapuzzi, 2021: 549 **A:** TR
mikhaili Hodek, 2021b: 1161 **A:** AR
naciyae Rapuzzi & Sama, 2012a: 676 **A**: TR
osmanlis Reiche & Saulcy, 1858: 19 ["Costantinople"] **E**: BU GR HU ME RO SB SK TR **A**: TR
ozdikmeni Rapuzzi & Sama, 2012a: 673 **A**: TR
persicola Reitter, 1894d: 146 ["Astrabad, Araxesthal"] **A**: AB AR GG IN TM TR **#574**
violaceipennis Pic, 1904b: 9
pesarinii Sama & Rapuzzi, 2010: 177 **E**: TR **A**: SY TR **#500**
petranyi Kotán, 2014: 64 **A**: IN
posti Hodek & Tichý, 2021: 30 **A**: TR
psoraleae Sama & Rapuzzi, 2010: 176 **A**: LE IS **#574**
rapuzzii Hodek & Tichý, 2021: 32 **A**: TR
talassica Kostin, 1973: 223 **A**: KI KZ
violacea Fabricius, 1775: 187 (*Saperda*) **E**: AL AU BE BH BU CT CR CZ FR GE GR HU IT LU MC MD ME NT PL PT RO SB SK SL SP ST SZ TR UK **A**: AB AR ES GG KZ TR WS **#104** **#752**
chalybaea Mulsant, 1839: 177 [HN]
caerulea Schoenherr, 1817a: 437 (*Saperda*)
cyanea Herbst, 1784: 95 (*Saperda*)
janthina Gmelin, 1790: 1842 (*Cerambyx*)
micans Fuessly, 1775: 13 (*Cerambyx*)
smaragdina Krynicki, 1832: 161 (*Saperda*)
viti Rapuzzi & Sama, 2012a: 675 **E**: AU CR HU RO SB SK UK **#325** **#648** **#823**
subgenus *Stichodera* Pesarini & Sabbadini, 2004b: 126 type species *Saperda irrorata* Fabricius, 1787 **#778**
irrorata Fabricius, 1787: 147 (*Saperda*) **E**: FR (Corse) IT PT SP **N**: AG MO TU

granulosa Chevrolat, 1881: xcv
integra Chevrolat, 1882: 64
pubiventris Mulsant, 1862: 352
rorida Gmelin, 1790: 1838 (*Cerambyx*)
soror Kraatz, 1882c: 336 **A**: AF KI KZ TD UZ **#326 #345**
subgenus *Synthapsia* Pesarini & Sabbadini, 2004b: 121 type species *Saperda kirbyi* Gyllenhal, 1817 **#778**
kirbyi kirbyi Gyllenhal, 1817: 186 (*Saperda*) **E**: CT CZ FR HU IT KZ MD RO SK SP ST UK
latipennis Mulsant, 1862: 352
kirbyi samai Rapuzzi & Parisi, 2022: 86: **A**: AB AR GG IN IQ IS SY TM TR
kirbyi zawadskyi Fairmaire, 1866b: 275 ["Kisilgye-Aole" (?Kizilkaya, Burdur prov.), "aussi à Constantinople"]**E**: AL BH BU CR GR MC ME SB TR **A:** TR **#531**
valandovensis Sláma, 2015c: 1127
genus *Agapanthiola* Ganglbauer, 1900: 139 type species *Agapanthia euterpe* Ganglbauer, 1900 (= *Saperda leucaspis* Steven, 1817)
Calamobiomorphus Pic, 1904a: 6 type species *Saperda leucaspis* Steven, 1817
leucaspis Steven, 1817: 184 (*Saperda*) **E**: AU BH BU BY CR CT CZ GR HU KZ MC MD ME RO SB SK ST TR UK **A**: AB AR GG ES IN KI KZ MG TD TR UZ WS **#803**
cyanella Dalman, 1817b: 190 (*Saperda*)
euterpe Ganglbauer, 1900: 139 (*Agapanthia*)
pectoralis Eschscholtz, 1818: 482 (*Saperda*)
sinae Dahlgren, 1986: 75 (*Agapanthia*) **A**: XIN

genus *Aulaconotus* J. Thomson, 1864: 99 type species *Aulaconotus pachypezoides* J. Thomson, 1864
atronotatus Pic, 1927b: 36 **A**: FUJ GUA GUI GUX HAI HUN JIX SCH YUN **ORR**
varius Gressitt, 1942b: 5
gracilicornis Makihara & A. Saito, 1985b: 14 **A**: TAI
grammopterus Breuning, 1940b: 186 **A**: NP **ORR**
incorrugatus Gressitt, 1939b: 117 **A**: ANH HUN ZHE **#806**
pachypezoides J. Thomson, 1864: 99 **A**: FUJ GUA GUI HUB HUN JA JIA JIX SCH TAI ZHE
breviscaposus Heller, 1923b: 73 (*Phelipara*)
semiaulaconotus Hayashi, 1974c: 43 (*Pothyne*) **A**: TAI
szetschuanus Breuning, 1968f: 709 **A**: SCH
yangi Bi & Lin, 2024b: 721 **A**: HUN JIX ZHE **#806**

genus *Calamobius* Guérin-Méneville, 1847: xviii type species *Saperda gracilis* Creutzer, 1799 (= *Saperda filum* Rossi, 1790)
filum Rossi, 1790: 152 (*Saperda*) **E**: AL AU BE BH BU CR CZ FR GE GR HU IT MA MC MD ME NL PL PT RO SB SK SL SP ST SZ TR UK **N**: AG LB MO TU **A**: AB AR CY GG IN IQ IS JO LE SY TR **#65**
decoloripes Pic, 1945b: 7
gracilis Creutzer, 1799: 124 (*Saperda*)
hirtus Fabricius, 1793: 317 (*Saperda*)
magnini Pic, 1931c: 10
marginellus Fabricius, 1802: 332 (*Saperda*)
tenuis Blanco Fernández, 1859: 411 (*Saperda*)

genus *Cleptometopus* J. Thomson, 1864: 95 type species *Cleptometopus terrestris* J. Thomson, 1864
Acroama Jordan, 1894b: 501 type species *Acroama armata* Jordan, 1894
Anapophrena Pic, 1925a: 28 type species *Anapophrena luteonotata* Pic, 1925
Apophrena Pascoe, 1866c: 323 type species *Apophrena filifera* Pascoe, 1866
Itohigea Matsushita, 1938b: 102 type species *Itohigea bimaculata* Matsushita, 1938 (= *Smermus bimaculatus* Bates, 1873)
Metopoplectus Gressitt, 1936: 104 type species *Metopoplectus taiwanensis* Gressitt, 1936
Mimocleptometopus Pic, 1934g: 36 type species *Mimocleptometopus undulatus* Pic, 1934
Smermus Lacordaire, 1872: 692 type species *Smermus mniszechi* Lacordaire, 1872
annulaticornis Mitono, 1944: 252 **A**: HAI
aureovittatus Breuning, 1947a: 63 **A**: BT
bhutanensis Breuning, 1975d: 342 **A**: BT
bimaculatus Bates, 1873: 383 (*Smermus*) **A**: JA
bimaculatus Matsushita, 1938b: 102 [HN] (*Itohigea*)
fuscosignatus Breuning, 1947a: 63 **A**: SD
indecorus Holzschuh, 2012: 413 **A**: NP
indistinctus Breuning, 1940b: 206 **A**: NP SD
luteonotatus Pic, 1925: 29 **A**: YUN **ORR** **#708**
mimolivaceus Breuning, 1972a: 50 [RN] **A**: SD
aureomaculata Hüdepohl, 1990: 454 (*Antennopothyne*)
parolivaceus Breuning, 1972c: 416 [HN]
minor Gressitt, 1937a: 93 (*Metopoplectus*) **A**: ZHE
mniszechi Lacordaire, 1872: 696 (*Smermus*) **A**: NP SD
rufovittatus Breuning, 1966a: 109
motuoensis W.-K. Wang & Jiang, 1999a: 14 **A**: XIZ
olivaceus Breuning, 1942a: 172 **A**: NP **ORR**

orientalis Mitono, 1934: 492 **A**: TAI
parolivaceus Breuning, 1966b: 13 **A**: NP SD
pseudolivaceus Breuning, 1975d: 341 **A**: BT
quadrilineatus Pic, 1924d: 24 (*Pothyne*) **A**: SD **ORR**
flavopictus Breuning, 1940b: 206
schmidi Breuning, 1971b: 77 **A**: AP
grossepunctatus Breuning, 1967b: 32 [HN]
mussardi Breuning, 1977a: 60
sikkimensis Breuning, 1972c: 416 **A**: SD
similaris Gressitt, 1945a: 129 (*Metopoplectus*) **A**: SCH
similis Gahan, 1894a: 81 (*Smermus*) **A**: HUN **ORR**
subteraureus Breuning, 1967b: 33 **A**: SD
taiwanensis Gressitt, 1936: 105 (*Metopoplectus*) **A**: TAI

genus *Coreocalamobius* Hasegawa, Han & Oh, 2014: 50 type species *Coreocalamobius parantennatus* Hasegawa, Han & Oh, 2014
parantennatus Hasegawa, Han & Oh, 2014: 50 **A**: ~~?JA (Tsushima Is.)~~ FE SC **#517 #690**

genus *Eucomatocera* White, 1846: 49 type species *Eucomatocera vittata* White, 1846
minuta Pu, 1988: 303 **A**: XIZ
vittata White, 1846: 49 **A**: NP SD TAI YUN **ORR**

genus *Hippocephala* Aurivillius, 1920: 25 type species *Hippocephala suturalis* Aurivillius, 1920
subgenus *Hippocephala* Aurivillius, 1920: 25 type species *Hippocephala suturalis* Aurivillius, 1920
albosuturalis Breuning, 1954c: 16 **A**: FUJ HUN
dimorpha Gressitt, 1937d: 612 **A**: FUJ GUX JIX SCH ZHE
guangdongensis Hua, 1991: 348 **A**: GUA
proxima Breuning, 1940b: 195 **A**: SD
suturalis Aurivillius, 1920: 25 **A**: FUJ JIX
subgenus *Mimosmermus* Breuning, 1966a: 104 type species *Hippocephala fuscostriata* Breuning, 1966
argentistriata Holzschuh, 2006c: 485 **A**: NP
fuscolineata Breuning, 1947a: 64 **A**: BT

genus *Hyllisia* Pascoe, 1864c: 285 type species *Hyllisia stenideoides* Pascoe, 1864
Falsonandra Pic, 1924a: 17 type species *Falsanandra albocincta* Pic, 1924
subgenus *Hyllisia* Pascoe, 1864c: 285 type species *Hyllisia stenideoides* Pascoe, 1864
albolateralis Breuning, 1950d: 259 **A**: UP
asirica Rapuzzi & al Dhafer, 2024: 195 **A:** SA
chinensis Breuning, 1948b: 35 **A**: GUX JIX
flava Breuning, 1950d: 259 **A**: UP
indica Breuning, 1947a: 62 **A**: HP
lineata Gahan, 1894a: 79 **A**: NP
ruficolor Pic, 1934b: 15 (*Hippopsis*) **A**: FUJ **ORR**
rufipes Pic, 1934d: 133 (*Hippopsis*) **A**: YUN
saigonensis Pic, 1933b: 30 (*Pothyne*) **A**: YUN **ORR**
strandi Breuning, 1940b: 198 **A**: HKG
taihokensis Matsushita, 1933b: 385 (*Pothyne*) **A**: JA (Ryukyus) TAI
oshimana Breuning, 1955b: 73
subvittipennis Breuning & K. Ohbayashi, 1966b: 34 (*Pothyne*)

genus *Neoludwigia* Sama, 2008: 235 [RN] type species *Agapanthia lixoides* P. H. Lucas, 1847
Ludwigia Pic, 1891b: 47 [HN] type species *Agapanthia lixoides* P. H. Lucas, 1847
lixoides P. H. Lucas, 1847: pl. 42 (*Agapanthia*) **N**: AG TU
insuturalis Pic, 1934c: 22 (*Ludwigia*)

genus *Parahyllisia* Breuning, 1942a: 170 type species *Parahyllisia annamensis* Breuning, 1942
hainanensis Breuning, 1966a: 81 **A**: HAI

genus *Phelipara* Pascoe, 1866c: 322 type species *Phelipara marmorata* Pascoe, 1866
subgenus *Phelipara* Pascoe, 1866c: 322 type species *Phelipara marmorata* Pascoe, 1866
Diaxenopsis Breuning, 1939b: 202 type species *Diaxenopsis apomecynodes* Breuning, 1939
Falsopothyne Pic, 1932c: 24 type species *Falsopothyne pilosa* Pic, 1932
Oncideropsis Aurivillius, 1922c: 165 type species *Oncideropsis nebulosa* Aurivillius, 1922
Paraphelipara Breuning, 1940b: 204 type species *Paraphelipara indica* Breuning, 1940
affinis Breuning, 1940b: 204 **A**: NP SD
indica Breuning, 1940b: 204 (*Paraphelipara*) **A**: NP "North India"
marmorata Pascoe, 1866c: 322 **A:** YUN **ORR**
radovskyi Hua, 1987: 90 **A**: GUX

genus *Pothyne* J. Thomson, 1864: 97 type species *Pothyne variegata* J. Thomson, 1864
Neopothyne Matsushita, 1931a: 46 type species *Neopothyne variegata* Matsushita, 1931
acaciae Gardner, 1930: 160 **A**: UP "North India"
flavescens Breuning, 1940b: 186
albolineata Matsushita, 1933b: 383 **A**: TAI
albosternalis Breuning, 1982a: 12 **A**: YUN **#400**
annulata annulata Breuning, 1942a: 167 **A**: HAI JA TAI
annulata ishigakiana Takakuwa & Kusama, 1979: 7 **A**: JA (Ryukyus)
annulata nobuoi Breuning & K. Ohbayashi, 1964: 17 **A**: JA
annulata yonaguniensis Hayashi, 1976: 17 **A**: JA (Ryukyus)
miyakoensis Hayashi, 1976: 19
chocolata Gressitt, 1939a: 88 **A**: GUA HAI HUN JIX TAI ZHE
combreti Gardner, 1930: 160 **A**: UP
convexifrons Gardner, 1930: 161 **A**: UP
distincta Breuning, 1950d: 256 **A**: NP SD
fasciata Gressitt, 1951a: 539 **A**: HUB
formosana chocolatoides Breuning & K. Ohbayashi, 1966: 34 **A**: JA (Ryukyus)
formosana formosana Schwarzer, 1925c: 146 **A**: GUA TAI
formosana haterumaensis Takakuwa, 1984: 12 **A**: JA (Ryukyus)
formosana liturata Matsushita, 1933b: 384 **A**: JA (Ryukyus)
formosana nanshanchina Takakuwa & Kusama, 1979: 10 **A**: TAI
fusiscapa Gressitt, 1940b: 194 **A**: HAI HUB
imasakai Hayashi, 1976: 18 **A**: JA (Ryukyus)
indica Breuning, 1940b: 188 **A**: NP **ORR**
indistincta Breuning, 1940b: 187 **A**: "India"
laeviscapa Breuning, 1950i: 535 **A**: FUJ
lanhsuensis Hayashi, 1978b: 108 **A**: TAI (Lanyu Is.)
laterialba Gressitt, 1937d: 611 **A**: GUX JIX
albolateralis Breuning, 1942a: 166
lineolata Gressitt, 1940b: 195 **A**: HAI YUN
macrophthalma Breuning, 1940b: 187 **A**: NP SD
obliquetruncata Gressitt, 1939a: 89 **A**: FUJ GUA GUX HAI HUN JIX
pauloplicata Breuning, 1934: 14 **A**: YUN **ORR** **#400**
polyplicata Hua & She, 1987: 55 **A**: FUJ GUA GUX HAI JIX ZHE
proxima Breuning, 1940b: 186 **A**: "North India"
rugifrons Gressitt, 1940b: 196 **A**: FUJ GUA HAI HUN JIX YUN ZHE
septemvittipennis Breuning, 1962d: 61 **A**: YUN **ORR**
seriata Gressitt, 1940b: 197 **A**: HAI
sikkimana Breuning, 1968f: 709 **A**: SD
sikkimensis Breuning, 1940b: 189 **A**: NP SD **ORR**
nepalensis Hayashi, 1979: 93
silacea Pascoe, 1871: 278 **A**: HAI TAI ZHE
sinensis Pic, 1926k: 394 **A**: YUN
suturella Breuning, 1942a: 167 **A**: GUI HUN NO
thibetana Breuning, 1950i: 535 **A**: XIZ
variegata hayashii Breuning, 1953: 19 **A**: JA (Tokara Isls., Ryukyus)
variegata okinoerabua Takakuwa & Kusama, 1979: 4 **A**: JA (Ryukyus)
variegata ryukyuana Yokoyama, 1974: 279 [RN] **A**: JA (Ryukyus)
albolateralis Yokoyama, 1971: 95 [HN]
okinawana Takakuwa & Kusama, 1979: 3
variegata variegata J. Thomson, 1864: 97 **A**: HKG HUN NP SD TAI YUN **ORR** **#400**
niveosparsa Pic, 1908f: 16
variegata Matsushita, 1931a: 46 [HN] (*Neopothyne*)
variegata yayeyamana Breuning & K. Ohbayashi, 1966b: 34 **A**: JA (Ryukyus)
virginalis Takakuwa & Kusama, 1979: 4 **A**: TAI

genus *Pseudocalamobius* Kraatz, 1879c: 116 type species *Calamobius japonicus* Bates, 1873
bhutanensis Breuning, 1975d: 340 **A**: BT
burmanensis Breuning, 1949a: 12 **A**: NP **ORR**
filiformis Fairmaire, 1888b: 146 **A**: FUJ HAI HEB HUB HUN SHA ZHE **#225**
japonicus Bates, 1873: 383 (*Calamobius*) **A**: JA
leptissimus Gressitt, 1936: 103 **A**: FUJ GUA TAI
luteonotatus Pic, 1908f: 17 **A**: NP YUN **ORR**
mediomaculatus Breuning, 1940b: 202
montanus Hayashi, 1959b: 58 **A**: JA

niisatoi Hasegawa, 1987: 514 **A**: TAI
obscuriscapus Breuning, 1975d: 339 **A**: NP
okinawanus Samuelson, 1965b: 125 **A**: JA (Ryukyus)
piceus Gressitt, 1951a: 543 **A**: GUA
proximus Breuning, 1940b: 203 **A**: NP SD
pubescens Hasegawa, 1987: 517 **A**: TAI
rufescens Breuning, 1940b: 202 **A**: NP SD **ORR**
rufipennis Gressitt, 1942d: 4 **A**: GUI SHA XIZ **#400**
szetschuanicus Breuning, 1947a: 64 **A**: SCH
moupinensis Breuning, 1967f: 188
taiwanensis Matsushita, 1931c: 404 **A**: TAI
talianus Pic, 1916e: 15 **A**: YUN ZHE **#400**
truncatus Breuning, 1940b: 203 **A**: NP SD ?XIZ **#400** **#430**
tsushimae Breuning, 1961c: 156 **A**: FE FUJ HUB JA (Tsushima Is.) JIX NC SC ZHE **#278** **#525**
yunnanus Breuning, 1942a: 172 **A**: YUN

genus *Pseudohyllisia* Breuning, 1942a: 171 type species *Pseudohyllisia madurensis* Breuning, 1942
laosensis Breuning, 1965d: 45 **A**: HUN **ORR** **#392**

genus *Tetraglenes* Newman, 1842c: 300 type species *Tetraglenes insignis* Newman, 1842
bacillarius Lameere, 1893a: 285 **A**: CH **ORR**
hirticornis Fabricius, 1798: 148 (*Saperda*) **A**: FUJ GUA GUI GUX HAI NP SD YUN ZHE **ORR**
sublineatus Gressitt, 1935g: 572
tonkineus Pic, 1919b: 11 (*Dorcasta*)
insignis Newman, 1842c: 300 **A**: PA UP **ORR**

genus *Theophilea* Pic, 1895b: 39 type species *Theophilea cylindricollis* Pic, 1895
cylindricollis Pic, 1895b: 39 **A**: AB AR GG TR
erzurumensis Önalp, 1974: 174 (*Agapanthia*)
subcylindricollis Hladil, 1988: 1 **E**: AL AU BU BY CT CZ HU KZ MD RO SB SK ST UK **A**: KZ TR WS **#388** **#467** **#583** **#803**

genus *Trichopothyne* Breuning, 1942a: 168 type species *Trichopothyne strandiella* Breuning, 1942
hindostani Breuning, 1950d: 258 **A**: UP

family Cerambycidae, nomina dubia
Lamia aspera Roemer, 1789: 46 [pl. 5] **E**: IT